


Chile. Servicio meteorológico

ANUARIO



DE LA

OFICINA CENTRAL METEOROLÓGICA

DE


SANTIAGO DE CHILE.

Años quinto i sexto

V - VI

CORRESPONDIENTE A 1873 * 1874.

DC
988
C5
A58
1873-
1874



SANTIAGO:

IMPRENTA NACIONAL, CALLE DE LA BANDERA, N.º 29.

1879.

National Oceanic and Atmospheric Administration

Environmental Data Rescue Program

ERRATA NOTICE

One or more conditions of the original document may affect the quality of the image, such as:

Discolored pages

Faded or light ink

Binding intrudes into the text

This document has been imaged through the NOAA Environmental Data Rescue Program. To view the original document, please contact the NOAA Central Library in Silver Spring, MD at (301) 713-2607 x124 or www.reference@nodc.noaa.gov.

Information Manufacturing Corporation
Imaging Subcontractor
Rocket Center, West Virginia
September 14, 1999

INTRODUCCION.

El personal de la Oficina Central Meteorológica i el de los observadores que han concurrido a la confeccion de este tomo del Anuario, con escasas escepciones, es el mismo que he consignado en los volúmenes anteriores.

Por haber cambiado su residencia de Puerto Montt a Ancud el Dr. Cárlos E. Martins, se interrumpieron las observaciones meteorológicas que se practicaban en el primero de esos puntos; pero en cambio se iniciaron en el segundo, en junio de 1873, por el mismo laborioso e ilustrado observador.

Las interesantes observaciones que practicaba en Punta Arenas, de la colonia i estrecho de Magallánes, el capitán de la Armada Nacional, don Oscar Viel, se interrumpieron tambien en 1873, a consecuencia de haber dejado ese jefe el gobierno de la Colonia, por haberlo encargado el Supremo Gobierno del mando de uno de los buques de la Escuadra. Pero esas observaciones se restablecieron mas tarde, bajo la direccion de un nuevo i competente observador, cuyos trabajos figurarán en el tomo del Anuario que seguirá a éste.

Desde enero de 1873 se iniciaron observaciones meteorológicas en el faro que funciona desde esa época en la isla «La Quiriquina» de la bahía de Talcahuano. Estas observaciones, que están a cargo del guardian del faro, don Ignacio Ayala, han sido practicadas desde esa época con toda regularidad.

En jeneral, todo el personal de observadores dependiente de la Oficina Central ha desempeñado, i continúa desempeñando, sus penosas tareas en servicio de la ciencia, con la misma intelijente i constante laboriosidad que me he complacido en reconocerla en los anteriores tomos de esta obra.

Las observaciones meteorológicas que practicamos hasta ahora en Chile están muy lejos de ser completas: ni el número de observatorios establecidos, ni su distribución obligada, ni los instrumentos de que es posible disponer en ellos, corresponden al estado actual de la ciencia.

Pero, a pesar de esto, no carecen de interés esos trabajos i contribuirán, lo espero, al perfeccionamiento de nuestros conocimientos sobre la física del globo terrestre. Así, a lo ménos, lo han manifestado, entre otros, jueces tan competentes i autorizados como los que formaron el jurado especial en la Exposición de Geografía de París de 1875, que acordó una medalla de segunda clase a nuestros trabajos sobre meteorología; i los «Anales de la Sociedad Meteorológica» de Austria que, refiriéndose al tomo del Anuario Meteorológico de Chile que precede a éste, declara: *«que es el trabajo mas prolijo i completo que jamas se haya publicado por cualquiera Estado americano, sin exceptuar a los Estados Unidos»*.

Uno de los recursos mas poderosos de que se dispone en las naciones mas adelantadas para el estudio de la meteorología, despues de los instrumentos especiales de observación, es el telégrafo eléctrico. La extensión i la configuración del territorio, así como la distribución de los alambres telegráficos que lo cruzan, se prestan de un modo particular en Chile para hacer servir la electricidad al progreso de aquella ciencia. Con el fin de procurar este resultado solicitó del Supremo Gobierno, en 1869, la autorización necesaria para emplear los telégrafos del Estado en tan importante servicio; pero, desgraciadamente, a pesar de que el señor Miguel Luis Amunátegui, que tenia entonces a su cargo la cartera del Interior, dió las órdenes convenientes, no fué posible utilizarlos por la falta de preparación que demostraron los telegrafistas en varios ensayos que practiqué sin ningun resultado positivo.

En el año anterior (1878), el profesor señor L. Zegers, animado de ese mismo importante propósito, solicitó del gobierno igual autorización, la que le fué otorgada inmediatamente por el espresado señor Amunátegui, que a la sazón desempeñaba el Ministerio de Instrucción Pública. Es de esperar que en esta vez, i bajo la dirección de ese hábil profesor, se alcanzarán resultados mas felices, i que la cien-

cia podrá contar desde ahora en Chile con aquel nuevo e importante elemento de progreso.

Las reducciones correspondientes a las observaciones contenidas en este volúmen, se han practicado empleando las mismas fórmulas i las mismas tablas que he indicado en los números anteriores del Anuario.

Talca, setiembre de 1879.

JOSÉ I. VERGARA.

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. estrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. estrema.	Humedad relativa.			Fuerza elástica.		
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapó.....	mm. 700+ 27.92	mm. 1.05	mm. 700+ 31.29	27	mm. 700+ 24.07	2	mm. 7.22	o 22.3	o 7.2	o 28.8	9	o 13.1	25	o 15.7	85	63	42	14.50	12.62	10.29
Serena.....	58 89	1 52	61 77	21	55 75	15	6 02	18 9	3 2	22 1	10	16 2	1	5 9	100	80	51	18 67	13 01	10 00
Santiago.....	16 59	1 24	19 40	5	13 62	4	5 78	20 6	15 3	30 6	7-12- 13	9 2	5	21 4	97	80	63	24 13	14 68	9 17
Talca.....	51 87	2 01	55 95	20	46 35	14	9 60	24 9	6 4	32 4	10	8 9	3	23 5						
Valdivia.....	60 70	1 89	65 75	3	52 86	1	12 89	17 3	10 6	29 6	28	5 6	3	24 0	100	73	33	14 80	10 73	6 81
Faro de la Punta.—Caldera.	56 41	0 97	59 17	10	54 62	14	4 55	19 5	7 0	27 0	12	11 0	25	16 0	96	80	63	19 35	12 21	10 26
Id. de Coquimbo.....	58 20	1 04	60 17	24	55 35	15	4 82	20 8	8 7	27 8	29	13 5	3-10	11 5	100	73	47	17 25	12 58	10 39
Id. de Playa—Ancha.—Valp.	55 12	0 92	52 56	10	52 79	4	3 73	18 2	11 1	27 8	15	10 0	2	17 8	93	73	45	14 63	11 17	8 10
Constitucion.....	56 95	1 44	60 74	6	52 77	27	7 97	18 3	3 5	25 5	12	13 5	2	12 6						
Faro de la Quiriquina.....	55 80	1 84	64 59	20	48 86	3	15 73	19 2	9 5	26 0	14	9 0	3	17 0	94	70	42	16 16	11 52	5 66
Id. Niebla.—Corral.....	58 10	1 87	61 66	20	50 48	1.°	11 18	16 9	8 8	27 8	30	4 5	2	23 5						
Id. de la Corona.—Ancud...	58 37	1 78	62 52	3	47 43	1.°	15 09	14 3	3 2	21 4	29	7 0	2	14 4						
Ancud.....																				

RESÚMEN MENSUAL.

LOCALIDADES.	BAROMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond	Altura mínima.	Fecha correspond	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond	Temp. mínima.	Fecha correspond	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapo.....	mm. 700+ 28.33	mm. 1.25	mm. 700+ 30.93	4	mm. 700+ 25.42	26	mm. -5.51	° 21.7	° 7.1	° 30.0	3	° 11.6	28	° 18.4	89	67	43	14.90	12.76	10.75
Serena.....	59.45	1.84	63.45	1°	57.05	13	6.40	18.5	3.2	22.7	11.2	14.2	1°	8.5	95	76	46	16.48	12.20	7.86
Santiago.....	17.26	1.24	20.80	3	14.87	15	5.93	18.3	15.0	28.6	14	6.4	28	22.2	100	77	54	18.53	12.47	8.09
Talca.....	52.62	1.77	56.27	3	49.03	15	7.24	20.8	6.8	32.0	8	11.1	2	20.9						
Valdivia.....	61.89	2.16	66.82	11	56.60	15	10.22	16.8	11.8	29.6	8	4.4	17	25.2	100	70	38	13.75	9.96	6.36
Faro de la Punta.—Caldera.	57.25	0.85	59.39	3	55.61	26	3.78	18.0	1.8	23.0	1°	11.0	7	12.0	100	83	68	16.04	12.86	11.00
Id. de Coquimbo.....	58.91	1.34	64.06	10	56.37	5	7.69	19.5	7.8	25.5	16	12.5	23-28	13.0	90	77	55	16.96	12.31	9.65
Id. de Playa-Ancha.—Valp.	55.39	0.90	56.52	9	54.01	10	2.51	16.0	10.0	25.5	4	9.1	28	16.4	94	78	53	14.06	11.13	9.16
Constitucion.....	58.27	1.53	64.74	3-4	54.90	14	9.84	16.7	3.7	22.6	13	13.2	23	9.4						
Faro de la Quiriquina.....	56.57	0.95	60.15	4	52.46	15	7.69	17.6	9.1	25.0	6	9.2	28	15.8	90	70	44	14.28	10.26	6.57
Id. de Niebla.—Corral.....	59.41	1.73	64.05	11	53.07	16	10.98	16.6	10.0	23.2	7	6.5	11-17	16.7						
Id. de la Corona.—Ancud...	60.61	1.54	63.70	18	53.29	15-16	10.41	14.3	3.3	21.2	3	10.8	17-18	10.4						
Ancud.....																				

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.						
	Altura media.	Oscilacion media.	Altura máximas.	Fecha correspond	Altura mínima.	Fecha correspond	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond	Temp. mínima.	Fecha correspond	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.			
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.	
Copiapó.....	mm. 700+ 28.65	mm. 1.92	mm. 700+ 31.42	26	mm. 700+ 21.92	5	mm. 6.50	o	o	o	11	o	30	o	19.5	88	70	51	13.89	11.35	9.73
Screna.....	60 56	1 85	63 00	29	57 09	2	5 91	16 7	2 7	19 9	7	14 2	25	5 7	100	85	59	14 95	13 96	10 01	
Santiago.....	18 17	1 88	20 54	27	14 99	2	5 55	15 9	16 1	29 5	11	5 8	31	23 7	94	71	29	15 29	9 92	7 05	
Talca.....	53 62	2 21	58 18	22	48 08	14	10 10	19 0	5 2	25 2	16	12 1	24-28	13 1	
Valdivia.....	62 02	2 23	70 92	22	55 44	31	15 48	14 5	9 7	26 8	4	4 4	22	22 4	100	79	81	14 58	9 47	5 57	
Faro de la Punta.—Caldera.	58 33	0 84	59 71	26	55 55	1°	4 16	16 7	6 5	22 0	21	10 0	5-26	12 0	95	83	71	14 63	11 77	10 35	
Id. de Coquimbo.....	59 53	1 23	63 36	31	57 22	9	6 14	17 3	7 3	22 9	11-12	11 1	12	11 8	94	81	67	15 12	11 65	9 90	
Id. de Playa-Ancha.—Valp.	56 11	0 93	59 27	23	54 36	4	4 91	15 9	10 1	24 5	14	9 0	11-20- 25-30	15 5	95	78	73	12 95	10 38	8 54	
Constitucion.....	60 55	3 31	82 46	22	56 19	2	26 27	16 3	3 3	21 6	15	11 6	7	10 0	
Faro de la Quiriquina.....	57 43	0 90	61 10	22	54 72	3	6 38	15 9	7 8	21 0	10-11-13 15-17	7 8	22	13 2	93	75	45	12 89	9 89	6 32	
Id. de Niebla.—Corral.....	59 39	1 62	64 55	23	52 68	31	11 87	14 2	8 2	23 6	3	3 5	22	20 1	
Id. de la Corona.—Ancud...	60 10	1 88	65 64	24	52 42	31	13 22	13 1	3 1	20 8	3	7 4	23	13 4	
Ancud.....	

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	mm. 700+	mm.	°	°	°	°	°	°	°	°	Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapó.....	28.91	1.84	31.19	25	26.20	3	4.99	16.8	7.2	27.0	6	8.4	18	18.6	86	71	46	12.88	10.03	6.15
Serena.....	60.96	1.20	63.85	21	58.10	3	5.75	15.5	3.0	13.8	2	12.5	27	6.3	90	78	58	12.80	10.29	8.52
Santiago.....	18.75	1.61	22.76	18	12.88	23	9.88	11.9	15.7	27.0	5	1.2	18	25.8						
Talca.....	55.33	2.28	59.81	18	47.28	23	12.53	14.3	5.2	24.0	4	5.5	22	18.5						
Valdivia.....	65.76	2.85	71.96	10	53.12	23	18.84	11.8	6.9	20.6	15	1.7	18	18.9	100	38	50	14.02	9.16	5.62
Faro de la Punta.—Caldera.	58.31	1.03	59.98	25	56.48	11	3.50	16.0	6.5	21.5	6	7.0	19	14.5	100	83	69	14.47	11.21	9.29
Id. de Coquimbo.....	60.48	1.03	63.09	20	58.17	3	4.92	15.6	6.0	19.5	5	7.5	18	12.0	94	81	44	13.38	10.56	7.37
Id. de Playa-Ancha.—Valp.	56.71	1.51	59.87	7	51.68	27	8.19	15.0	10.5	27.0	4	5.0	17	22.0	99	77	37	12.43	9.76	6.28
Constitucion.....	60.38	2.16	64.82	18	54.17	11	10.65	14.3	3.9	20.6	11	9.1	18	11.5						
Faro de la Quiriquina.....	59.30	2.09	64.80	1.°	50.63	23	14.17	14.4	6.9	22.0	4	6.5	17	15.5	97	75	26	11.71	8.82	4.61
Id. de Niebla.—Corral.....	60.25	2.35	66.61	1.°	48.03	5	18.58	11.6	6.1	17.0	15	2.5	18	14.5						
Id. de la Corona.—Ancud..	60.20	1.94	64.64	19	53.54	6	11.10	11.4	2.0	15.0	12	7.8	16	7.2						
Ancud.....																				

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond	Altura mínima.	Fecha correspond	Oscilac. estrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond	Temp. mínima.	Fecha correspond	Oscilac. estrema.	Humedad relativa.			Fuerza elástica.		
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapo.....	mm. 700+ 29.42	mm. 1.77	mm. 700+ 31.80	13	mm. 700+ 27.05	5	mm. 4.75	o 14.3	o 6.0	o 22.5	23	o 4.8	30	o 18.7	89	75	55	10.75	8.95	5.32
Serena.....	61 34	1 46	65 06	12	55 16	5-1	5 90	13 9	2 4	17 2	1	10 2	30	7 0	90	79	64	11 64	9 62	7 72
Santiago.....	19 63	1 27	22 39	27	15 84	2	6 55	11 3	13 2	25 0	1	3 0	28	22 0						
Talca.....	56 07	1 54	59 08	24	50 18	1.	8 90	12 6	4 7	21 7	1	3 8	17	17 9						
Valdivia.....	62 45	3 35	69 00	9	50 27	26	18 73	11 1	5 6	18 8	2	4 0	24	14 8	100	92	65	12 28	9 10	6 02
Faro de la Punta.—Caldera.	58 75	0 76	61 07	11	57 14	5	3 93	14 9	6 3	18 9	8	7 0	23	11 9	95	84	70	12 67	10 57	8 44
Id. de Coquimbo.....	61 52	1 07	63 49	12	59 62	11	4 87	14 4	5 7	19 4	9	8 5	31	10 9	94	84	59	12 77	10 19	8 26
Id. de Playa-Ancha.—Valp.	57 90	1 62	60 80	19	50 07	6	10 73	14 5	10 0	27 3	8	7 0	6	20 3	97	81	54	12 53	9 60	7 67
Constitucion.....	60 92	1 34	63 30	27	53 05	1.	7 25	13 7	3 33	21 5	1.	9 2	23-24	11 3						
Faro de la Quiriquina.....	59 30	2 03	64 73	26	52 88	1.	11 85	13 2	5 2	21 0	1.	7 4	28	13 6	98	82	55	12 43	9 07	6 33
Id. Niebla.—Corral.....	58 05	2 54	64 65	30	46 86	23	17 72	11 5	5 4	15 2	1-19	3 0	24	12 2	100	89	73	12 09	8 66	5 94
Id. de la Corona.—Ancud...	59 02	3 06	63 33	4	50 55	22	12 78	10 6	1 5	15 2	2	7 0	24-29	8 2						
Ancud.....																				

RESÚMEN MENSUAL.

LOCALIDADES.	BAROMETRO REDUCIDO A 0°						TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.								
	Altura media.		Oscilacion media.	Altura máxima.	Fecha correspond	Altura mínima.	Fecha correspond	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond	Temp. mínima.	Fecha correspond	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
	mm. 700—	mm. 700+	mm. 700+		mm. 700+		mm.	°	°	°		°	°	°	°	Maximum.	Medio.	Mínimum.	Maximum.	Medio.	Mínimum.
Copiapó.....	29.81	1.75	33.11	10	27.28	3	5.85	12.4	6.1	21.5	21	3.5	11	18.0	88	71	52	10.63	7.63	4.58	
Serena.....	61.67	1.29	64.18	5	58.41	18	5.77	12.8	3.0	16.2	5-21	8.7	27	7.5	100	88	61	12.53	9.56	6.93	
Santiago.....	18.75	1.79	21.45	8	12.19	28	12.26	7.7	10.21	20.0	1°	-0.9	15	20.3							
Talca.....	55.47	2.30	63.92	11	49.70	28	14.22	8.8	3.5	14.5	3-13-26		8	14.5							
Valdivia.....	61.59	3.29	71.10	6	46.72	24	24.38	8.5	4.6	13.9	2	-0.60	7	14.5	100	94	69	11.23	7.98	4.84	
Faro de la Punta.—Caldera.	59.82	1.03	62.12	8	56.25	18	5.87	12.8	6.9	15.6	23	4.0	17	11.6	99	85	65	11.48	9.66	7.25	
Id. de Coquimbo.....	62.14	1.37	65.05	10	58.57	18	6.48	12.7	5.8	15.5	22-26-23	6.0	8	9.5	95	84	72	11.70	9.37	7.11	
Id. de Playa-Ancha.—Valp.	58.07	1.57	61.93	8	54.04	28	7.89	11.8	7.84	18.5	12	4.5	7-10-15	14.0	100	85	49	11.48	8.90	6.16	
Constitucion.....																					
Faro de la Quiriquina.....	57.57	2.90	67.70	1°	46.67	28	21.03	11.1	4.7	13.8	2	3.2	17	10.6	94	81	53	10.05	7.89	4.92	
Id. de Niebla.—Corral.....	58.42	3.07	68.45	13	44.04	24	24.41	8.1	4.3	12.8	4	0.5	8	12.3	95	88	68	10.15	6.94	4.91	
Id. de la Corona.—Ancud...	57.70	2.37	64.64	30	46.37	2	18.27	9.0	1.6	12.4	1-2	5.4	14	7.0							
Ancud.....	57.03	3.59	69.38	30	43.32	24	26.06	9.1	3.0	15.3	23	3.0	30	12.3							

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond	Altura minima.	Fecha correspond	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond	Temp. mínima.	Fecha correspond	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
															Maximum.	Medio.	Minimum.	Maximum.	Medio.	Minimum.
Copiapó.....	mm. 700+ 30.40	mm. 2.15	mm. 700+ 34.41	14	mm. 27.46	23	mm. 700+ 6.95	o 12.6	o 5.8	o 22.4	23	o 4.1	20	o 18.3	95	69	39	9.59	7.98	4.38
Serena.....	62.41	1.81	65.87	14	58.19	10	7.68	13.1	3.2	16.2	10-26	9.4	9	6.8	98	77	56	13.62	8.51	5.91
Santiago.....	18.38	2.18	23.05	22	12.18	30	10.87	6.8	8.9	16.7	27	-1.5	8	18.2	100	88	52	9.78	6.52	4.21
Talca.....	56.70	3.15	62.44	23	47.33	31	15.11	8.57	4.2	14.1	23	1.8	13	12.3
Valdivia.....	63.35	3.76	71.17	25	39.42	31	31.75	6.8	4.7	12.6	14-22	-1.1	19	13.7	100	93	62	10.81	7.13	4.60
Faro de la Punta.—Caldera.	60.01	1.25	63.09	15	57.01	16	6.08	12.8	7.1	16.4	14	4.4	4	12.0	99	83	67	11.08	9.27	6.63
Id. de Coquimbo.....	62.02	1.55	65.82	3	58.62	18	7.20	12.8	5.8	16.5	23-26	6.0	3	10.5	94	84	68	12.00	9.42	7.59
Id. de Playa-Ancha.—Valp.	58.20	1.59	62.19	15	52.52	10	9.67	11.5	7.90	17.5	26	4.5	16	13.0	100	82	59	10.82	8.38	6.27
Constitucion.....	61.31	2.24	66.80	22	51.15	29	15.65	10.5	3.2	16.2	26	7.1	24	9.1
Faro de la Quiriquina.....	59.41	2.88	65.94	27	43.13	31	22.81	10.8	5.0	13.8	2	4.0	6	9.8	92	79	36	9.64	7.26	3.59
Id. de Niebla.—Corral.....	59.28	2.91	65.81	25	35.84	31	29.97	7.3	4.7	10.8	29	0.0	18-20	10.8	100	89	71	8.86	6.63	5.00
Id. de la Corona.—Aucud..	59.57	1.84	64.57	3	45.42	31	19.15	8.0	1.7	10.8	15	5.0	18	5.8
Aucud.....	60.75	2.79	68.85	2	39.14	31	29.71	7.4	2.3	11.8	28	8.5	8	8.3

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.								
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond	Altura mínima.	Fecha correspond	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond	Temp. mínima.	Fecha correspond	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.					
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.			
Copiapó.....	mm. 700- 30.68	mm. 2.24	mm. 700+ 35.20	7	mm. 700+ 27.00	21	mm. 8.20	0	6.8	0	23 4	20	0	6.2	3-6-7- 10-22	0	17.2	98	70	35	13.44	8 07	4 91
Serena.....	63 21	1 24	66 96	5	59 45	2	7 51	13 1	3 5	16 5	29	10 2	11	6 3	96	77	50	11 26	8 65	5 95			
Santiago.....	18 73	1 83	24 74	18	10 22	1.°	14 52	8 9	9 6	20 4	23	0 4	4	20 0	100	85	47	10 99	6 96	4 69			
Talca.....	57 11	2 30	64 59	18	46 58	1.°	18 01	9 8	4 2	16 4	23	3 8	8	12 6		
Valdivia.....	64 24	3 60	73 48	18	45 95	1.°	27 53	7 9	7 1	15 4	30	-1 3	17	16 7	100	86	51	10 30	6 92	4 34			
Faro de la Punta.—Caldera.	60 01	1 38	64 01	18	57 68	20	6 33	12 8	7 2	16 9	29	4 5	8-12- 19	12 4	98	84	62	11 40	4 45	7 97			
Id. de Coquimbo.....	62 74	1 64	66 82	14-19	59 12	21	7 70	12 8	5 0	17 3	1.°	7 4	4	9 9	94	86	73	11 30	9 61	8 26			
Id. de Playa-Ancha.—Valp.	59 54	2 23	66 06	4	52 12	1.°	13 94	11 9	7 94	20 3	22	5 2	4	15 2	100	85	54	11 60	8 92	6 06			
Constitucion.....	61 76	2 27	69 23	18-19	50 40	1.°	18 83	11 6	3 2	18 1	22	7 0	4	11 1			
Faro de la Quiriquina.....	60 41	2 39	68 55	18	45 76	1.°	22 79	11 3	5 5	16 5	25	4 6	18	11 9	92	75	27	10 29	7 39	3 80			
Id. de Niebla.—Corral.....	59 90	1 88	66 33	8	39 67	1.°	26 66	7 7	6 1	12 0	15-9	-1 0	7-16	13 5	96	84	65	11 30	6 49	3 71			
Id. de la Corona.—Ancud...	59 96	3 39	66 57	18	41 92	2	16 59	8 6	1 8	10 6	22-23	5 2	3-17	5 4			
Ancud.....	62 03	3 69	72 30	7	38 92	1.°	33 32	7 7	2 8	11 5	30	1 0	17	10 5			

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.						
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. estrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. estrema.	Humedad relativa.			Fuerza elástica.			
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.	
Copiapó	mm. 700+	mm. 1 97	mm. 700+	11	mm. 700+	29	mm. 25.96	6.86	16.1	7.5	26.3	28	7.0	20	19.3	96	69	44	10.71	8.86	7.05
Serena.....	61 43	1 99	64 66	27	56 68	29	7 98	13 8	2 8	19 0	27	10 4	14	8 6	95	84	58	14 14	9 43	7 93	
Santiago.....	18 05	1 81	25 29	11	14 95	15	10 34	10 8	10 2	23 2	15	2 9	12	20 3	100	84	47	10 04	7 96	5 69	
Talca.....	56 59	2 42	66 81	11	52 29	10-20	14 52	12 1	4 2	17 8	29	5 7	11	12 1	
Valdivia.....	63 10	2 85	74 29	11	55 38	29	19 91	9 3	6 5	17 9	16	0 8	1.	17 1	100	88	47	10 88	8 00	5 38	
Faro de la Punta.—Caldera.	59 58	1 15	62 80	11	57 17	29	5 63	13 9	6 9	19 5	26	5 4	11	14 1	98	86	73	12 58	10 30	8 58	
Id. de Coquimbo.....	61 97	1 51	64 87	12	58 27	29	6 60	13 7	5 4	18 0	13	8 2	22	9 8	95	87	74	13 38	10 40	8 89	
Id. de Playa-Ancha.—Valp.	58 79	1 74	63 11	11	56 16	2	6 95	13 2	9 11	20 6	1-3	6 0	11	14 6	95	81	53	12 37	9 21	6 21	
Constitucion.....	61 76	2 02	69 91	12	58 24	15	11 67	13 0	3 8	18 4	15	8 4	11	10 0	
Faro de la Quiriquina.....	60 21	2 25	71 51	11	54 56	19	16 95	12 2	5 3	18 5	15	6 3	3-4	12 2	94	78	30	11 44	8 20	3 92	
Id. de Niebla.—Corral.....	59 86	2 07	68 97	12	52 72	26	16 25	9 6	5 7	15 8	15	-1 0	1.	16 8	100	85	57	13 93	7 96	5 59	
Id. de la Corona.—Ancud...	59 38	3 47	67 32	14	50 73	8	16 59	9 3	1 6	13 2	17	6 4	11	6 8	
Ancud.....	60 67	2 95	69 45	11	50 36	8	19 09	9 6	1 9	12 7	5	4 1	1.	8 6	

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO 0°						TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.								
	Altura media.	Oscilación media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilación media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.			
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.	
Copiapó.....	mm. 700+ 28.45	mm. 1.57	mm. 700+ 31.33	12	mm. 700+ 25.38	14	mm. 5.95	0	0	0	20	0	0	3	18.8	100	67	42	15.16	10.04	7.29
Serena.....	61 33	1 56	63 97	30	58 15	14	5 82	14 8	3 6	19 0	23	11 5	10-14	7 7	93	77	60	12 98	9 54	8 25	
Santiago.....	17 86	1 25	21 74	12	13 61	15	8 13	14 1	13 1	27 3	15	2 6	4	24 7	100	72	23	12 07	7 84	4 73	
Talca.....	55 64	1 92	63 03	12	50 81	15	12 22	15 3	5 0	22 8	17	6 0	3	16 8	
Valdivia.....	64 30	2 26	71 66	12	55 67	23	16 19	11 4	10 8	21 0	31	1 0	12	20 0	100	76	30	10 84	7 70	5 01	
Faro de la Punta.—Caldera.	58 44	1 04	61 05	9	56 52	29	4 53	14 8	6 9	20 9	20	7 0	14	13 9	100	87	64	14 56	10 79	8 90	
Id. de Coquimbo.....	61 30	1 38	64 95	12	59 17	22	5 78	14 8	6 2	21 5	28	8 5	3-5	13 0	95	86	70	14 94	10 87	8 89	
Id. de Playa-Ancha.—Valp.	58 33	1 50	61 25	7	54 77	14	6 48	14 1	10 49	24 2	14	6 3	7	17 9	95	72	41	11 30	8 70	5 86	
Constitucion.....	61 03	1 19	66 73	13	56 83	18	9 90	14 2	4 0	21 1	15	9 7	3	11 4	
Faro de la Quiriquina.....	59 95	1 56	68 94	13	52 49	15	16 45	13 5	7 7	19 0	15-27	5 2	4	13 8	94	68	28	10 08	7 73	3 33	
Id. de Niebla.—Corral.....	61 20	2 10	67 72	13	51 26	22	16 46	10 9	8 3	19 8	13	-0 5	4	20 3	96	81	55	13 10	8 54	4 61	
Id. de la Corona.—Ancud...	61 73	1 98	66 39	13	51 66	22	14 73	10 1	3 3	18 6	9	6 0	1°	12 6	
Ancud.....	62 90	3 50	70 50	13	50 99	22	19 51	10 5	4 2	16 3	18	4 0	3	12 3	

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.																		
	Altura media.		Oscilacion media.		Altura máxima.		Fecha correspond.	Altura mínima.		Fecha correspond.	Oscilac. estrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. estrema.	Humedad relativa.			Fuerza elástica.										
	mm.	Bar.	mm.	Bar.	mm.	Bar.	mm.	Bar.	mm.	Bar.	mm.	Bar.	mm.	Bar.	mm.	Bar.	mm.	Bar.	Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.								
Copiapó.....	700+	28.65	700+	1.84	700+	33.80	16	700+	25.07	28	700+	8.73	0	0	0	19.2	0	8.6	29.0	22	0	11.0	1	0	18.0	91	68	41	14.35	11 12	9.05	
Sereua.....	62 33	0 57	64 80	19	60 05	27	4 80	16 1	2 0	18 1	5-25	13 9	17-20	4 2	96	84	74	13 92	11 62	8 44	13 92	11 62	8 44	6 46	96	84	74	13 92	11 62	8 44		
Santiago.....	16 33	1 53	20 03	16	12 90	6	7 13	17 7	14 9	29 9	24	6 1	11	23 8	95	64	26	13 28	8 98	6 46	13 28	8 98	6 46		
Talca.....	51 27	2 45	58 32	16	49 21	6	9 11	21 0	5 5	27 6	30	12 1	26	15 5	
Valdivia.....	63 33	1 77	67 80	26	58 23	7	9 57	15 6	11 5	24 5	8	3 9	26	20 6	97	72	38	11 78	8 11	7.05	11 78	8 11	7.05		
Faro de la Punta.—Caldera.	58 25	1 00	61 84	16	55 28	9	6 56	16 0	6 7	22 0	21	9 8	6-7	12 2	100	87	67	17 19	11 50	9 54	17 19	11 50	9 54	
Id. de Coquimbo.....	61 07	1 44	65 03	19	57 98	9	7 05	15 4	5 0	21 2	22	9 5	7-0	11 7	94	86	74	14 44	11 26	9 54	14 44	11 26	9 54	
Id. de Playa-Ancha.—Valp.	57 56	1 46	60 16	17	54 33	4	5 83	15 4	10 9	27 5	3	7 0	16	20 5	89	75	37	12 07	9 64	6 96	12 07	9 64	6 96	
Constitucion.....	59 63	1 12	62 91	17	55 81	6	7 07	16 6	4 3	21 5	21	12 3	7	9 2	
Faro de la Quiriquina.....	58 76	1 55	67 01	30	54 57	6	12 44	16 8	9 8	23 5	23-24	7 8	26	15 7	86	66	44	12 76	9 04	6 99	12 76	9 04	6 99	
Id. de Niebla.—Corral.....	60 32	1 20	63 68	3-23	57 26	13	6 42	14 4	10 8	23 0	16	4 0	20	19 0	100	76	51	13 96	9 44	5 86	13 96	9 44	5 86	
Id. de la Corona.—Ancud..	61 77	1 73	64 71	26	53 59	13	11 12	12 1	2 3	16 8	7	9 8	22-26	7 0
Ancud.....	63 57	1 38	66 82	26	58 30	19	8 52	12 9	4 5	17 5	7	6 3	20	11 2

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapó.....	mm. 700+	mm. 700+	mm. 700+		mm. 700+		mm. 9.38	o 20.8	o 8.2	o 23.8	9	o 13.0	22	o 15.8	94	67	36	15.26	11.74	7.52
Serena.....	60 50	1 03	63 07	15	58 06	11	5 02	18 1	3 0	21 9	30	16 4	21	5 5	92	83	72	16 60	13 08	10 95
Santiago.....	15 95	1 49	20 57	17	11 46	5	9 11	18 6	13 9	28 9	18	6 4	17	22 5	94	63	31	15 59	9 92	7 31
Talca.....	53 40	2 38	60 26	17	48 07	5	12 19	21 2	4 5	28 1	26	11 8	17	16 3						
Valdivia.....	60 86	2 72	70 43	17	52 16	14	18 27	14 7	8 8	25 1	19	5 6	11	19 5	100	78	45	12 70	9 61	7 16
Faro de la Punta.—Caldera.	57 33	1 06	59 47	14-15	55 47	5	4 00	18 2	7 7	24 0	4	8 5	18	15 5	98	84	58	18 25	12 79	9 96
Id. de Coquimbo.....	60 11	1 45	62 63	17	57 87	30	4 76	17 5	5 8	23 5	15	12 0	2-4-23	11 5	95	85	63	16 23	12 61	10 91
Id. de Playa-Ancha.—Valp.	56 71	1 26	59 43	17	53 77	22	5 66	17 9	11 2	28 0	3	9 8	6-24	18 2	92	71	38	13 80	10 68	7 41
Constitucion.....	58 89	1 56	64 75	17	55 04	5	9 71	17 2	4 0	29 9	1.	12 6	15-16	17 6						
Faro de la Quiriquina.....	57 49	1 50	63 05	17	52 33	14	10 72	17 9	9 4	25 0	19	8 5	16	16 5	90	67	19	12 43	10 21	4 30
Id. de Niebla.—Corral.....	49 23	1 60	57 04	17	42 15	8	14 89	14 6	10 0	24 6	20	4 5	3	20 1	95	75	50	16 78	9 88	7 07
Id. de la Corona.—Ancud...	58 81	2 28	66 51	19	48 11	9	18 40	12 5	2 7	16 4	19	9 4	15	7 0						
Ancud.....	59 37	4 18	70 20	17	49 28	8	20 92	13 2	4 7	20 0	19	5 6	2	14 4						

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																		
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó.....	30		1		1																				92		
Serena.....	10	21									2							1	14	2	23			5		13	
Santiago.....	19	12			1				1				05		2		1		29		4					47	
Talca.....	24	3	1			2	0.50		1						5	9	46	8	5					1		6	
Valdivia.....	9	21	1		1	6	4.40			1				7	12	2	7	4	1	3	9	6	4			37	
Faro de la Punta.—Caldera.	15	6	10			4			6		1				1		18		35		29		3				
Id. de Coquimbo.....	21	3	7			1			10						1				3		62		17				
Id. de Playa-Ancha.—Valp.	19	7	5		2				1		6	1	7		3	9	4	8	32		13		8	1			
Constitución.....	23	2	6		1	1	0.36		5		1				2		35	17	11	1	1		3			17	
Faro de la Quiriquina.....	24	2	5		2										4		27		88		2		7			15	
Id. de Niebla.—Corral.....	15	4	12		5	8	5.64		4		6		20				4		6		22		16			15	
Id. de la Corona.—Ancud...	6	12	13			14	8.98		30		3		3				3		7		26		21				
Ancud.....																											

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																			
	Días despejados.	Días nublados en partes.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.		
Copiapó.....	22	1	5	5	1																			21				
Serena.....	7	21	1		1	0.10					2						5		16	8	6						17	
Santiago.....	13	11	1		2	0.16				4	1		4		1				20		4						48	
Talca.....	19	9			1	0.18				2					5	11	45	8	6	1		2	2	2				
Valdivia.....	12	16				2.30				6	2	1		6	10		8	2		2	9	3	4				23	
Faro de la Punta.—Caldera.	12	4	12							11			2				23		31		15		2					
Id. de Coquimbo.....	18	2	8							10							2		1		60		11					
Id. de Playa-Ancha.—Valp.	15	8	5	1	1	0.16				3	1	5	4		1	2	4		42		16	6	1					
Constitucion.....	16	7	5	1	1					8							38	6	10		1		6				15	
Faro de la Quiriquina.....	21	4	5	2	2	2.20				8			1		9		6		41		6		3				18	
Id. de Niebla.—Cerral.....	16	5	7	1	5	2.50				3		4	38		5		3		3		14		8				6	
Id. de la Corona.—Ancud..	12	9	7			4.00				12		3	2		3		4		15		35		10					
Ancud.....																												

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLEVIAS, ETC.							VIENTOS.																		
	Días despejados.	Días nublados en partes.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazón.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapo.....	26		4		1																				90	3
Serena.....	7	16	8								1						1		9		16			10		19
Santiago.....	22	11			3								2		1				28							55
Talca.....	15	16							4						2	15	39	13	5	2		2	5	2		
Valdivia.....	9	19	3			9	13.16		4	4		2		3	18	4	2	6		5	4	4	4	5	5	27
Faro de la Punta.—Caldera.	12	3	16						6		5		1					27		32		15		7		
Id. de Coquimbo.....	19	1	11						18									4				57		14		
Id. de Playa-Ancha.—Valp.	18	4	9		3								13		7	6	16		37	1	13					
Constitucion.....	14	3	7						4				1		3		25	8	9		1		6		19	
Faro de la Quiriquina.....	17	6	8		7	5	23.00		5		2				14		8		35		4		7		18	
Id. Niebla.—Corral.....	10	4	17		7	15	18.40		8		6		20		10		1				12		25		11	
Id. de la Corona.—Ancud.....	7	16	8			11	5.67		30		4		6		7		17		4		9		16			
Ancud.....																										

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	24	1	5		4																				86	4
Serena.....	11	5	13			1	0.7			2		2		5		1		6		13		19		11		
Santiago.....	17	10	3		5	2	1.11					1		4	1	1				23		1		1		55
Talca.....	11	19				3	8.19			7	1	1			1	9	10	47	4	4	1			2	2	
Valdivia.....	6	15	9		2	13	22.80			5			1		3	10	1	5	3		5	3	6	6	2	40
Faro de la Punta.—Caldera.	5	11	14							31		3		6				2		14		31		3		
Id. de Coquimbo.....	15	2	13		3	1				23										15		36		16		
Id. de Playa—Ancha.—Valp.	15	6	9		2	2	1.24			10	2	4		9	1	4	1	15		31		7	1	3	1	
Constitucion.....	12	3	5		1	1	0.50			6		1			1	3	6	14	7	3				1		20
Faro de la Quiriquina.....	16	5	8		8	2	35.40			3						19		14		28		7		4		13
Id. de Niebla.—Corral.....	7	7	16	1	8	17	31.16			22		5		20		6		7				4		11		15
Id. de la Corona.—Ancud..	6	21	3			17	13.15			30		1		2		3		10		8		13		23		
Ancud.....																										

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																		
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó	22	2	7	1	5																				87	6	
Serena.....	6	3	22							2	1		10		7		6		10		13		13				
Santiago.....	2	23	6		2	3	2.58			3	4		6		1				10		3					58	
Talca.....	4	24	3			3	1.74			3	1	1			2	8	40	7	7	5		2	12	1			
Valdivia.....		24	7		4	20	34.70			9	1		1		3	1	2	3	1	7	8	3	10	1	43		
Faro de la Punta.—Caldera.	4	4	23							18	3		6		2		26		13		21		4				
Id. de Coquimbo.....	7	2	22		8					57	3						4		6		13		10				
Id. de Playa-Ancha.—Valp.	13	6	12		7	2	0.61			8	6	1	16		12		6		35		6		3				
Constitucion.....	15	7	9			3				7			6	2	7	5	26	3	1		1	1	1			23	
Faro de la Quiriquina.....	11	7	13		7	10	53.60			7					10		12		23		10		9			22	
Id. de Niebla.—Corral.....	1	6	24	1	4	20	42.98			19	3		3		3		1				18		25			21	
Id. de la Corona.—Ancud.....		10	21			19	18.62			33	4		3		6		3		1		12		31				
Ancud.....																											

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																			
	Días despejados.	Días nublados en partes.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.		
Copiapó.	20	2	8	6	3																						85	5
Serena.....	11	4	14			1	0.80			1		9		3		2		2		13		22			8			
Santiago.....	8	21	6		5	2	4.16			3				5		2		2		18								57
Talca.....	1	24	5		4	5	7.81			28	1	3	1		1	7	3	15	1	6	2	1	1	8	7			
Valdivia.....	2	29	8	2	8	17	54.20	1		18	2	2	4		2	9	2	5	3		5	1	1	6	4		28	
Faro de la Punta.—Caldera.	7	11	12			2				10		1		15		1		26		29		6		2				
Id. de Coquimbo.....	15	2	13		3					10		15						10		25		28		2				
Id. de Playa-Ancha.—Valp.	6	8	16		4	6	12.28			13		14	1	12		17	1	6		17		4		3	2			
Constitucion.....																												
Faro de la Quiriquina.....	11	5	14		6	10	117.80			18		3		2		17		7		9		7		12			15	
Id. de Niebla.—Corral.....	5	5	20	1	3	17	45.50	1		23		8		20		7				7		5		5			15	
Id. de la Corona.—Ancud...	1	11	18			17	22.16			35		10		2		2		15		5		13		8				
Ancud.....		2	5			7				6						2		3		2				4	1	3		

OBSERVACIONES METEOROLÓGICAS. XXIV

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																			
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.		
Copiapó.....	20	4	6	1																						67	26	
Serena.....	21	1	8			1	1.3			4				1		3		2		23		20			8			
Santiago.....	7	19	5	4	7	4	8.67			2				6		4				8					1		69	
Talca.....	1	22	8		1	6	13.97			20	3	6		4		6	4	22	1	8	3	1	1	9	2			
Valdivia.....	20	11	2	10	15		43.40			25	2	2			8	6	5	3	4	3	2	3	3	2		25		
Puro de la Punta.—Caldera.	7	14	10			1				21		4		12		3		27		21		3			2			
Id. de Coquimbo.....	17	2	11			1				10		6				1		24		34		13			5			
Id. de Playa-Aucha.—Valp.	11	7	13			8	6.85			17		13		10		6		13		29		2			3			
Constitucion.....	12	2	17			6	16.92			12		5		10		21	1	13	2			4	1	8	1	14		
Puro de la Quiriquina.....	10	6	15		3	10	171.10			8		1		16		17		7		13		9		12		10		
Id. de Niebla.—Corral.....	3	7	21	3	5	17	39.15		1	22		12		27		3						6		5		18		
Id. de la Corona.—Ancud...	2	13	16			19	21.80			25		7		3		5		12		8		14		19				
Ancud.....	1	12	17	1	2	19	34.50			20	1	8		7		8		6	1			7		11		12		

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Días despejados.	Días nublados en partes.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	24	2	5	3	83	10
Serena.....	23	1	6	1	3.50	2	2	3	35	18	2
Santiago.....	10	16	5	7	7	7	9.59	4	2	6	1	25	3	2	49
Talca.....	6	21	4	3	4	9.30	29	2	1	3	5	17	1	2	4	3	2	13	10
Valdivia.....	1	26	4	6	13	17.7	1	16	3	2	3	9	1	4	4	5	7	4	5	1	29
Faro de la Punta.—Caldera.	8	11	12	3	20	9	4	3	16	38	1	2
Id. de Coquimbo.....	13	2	16	2	2	10	6	1	3	25	12	26	10
Id. de Playa-Ancha.—Valp.	14	4	13	2	5	14.52	8	10	10	5	26	29	4	1
Constitucion.....	16	6	9	1	6	8	2	1	18	2	22	6	1	2	3	3	21
Faro de la Quiriquina.....	10	10	11	5	7	54.0	5	4	3	17	7	24	14	3	16
Id. de Niebla.—Corral.....	4	8	13	2	2	11	22.94	3	8	10	18	3	2	10	8	19
Id. de la Corona.—Ancud...	4	13	14	19	14.56	21	8	3	7	21	4	10	19
Ancud.....	2	16	18	8	2	20	21.05	1	16	5	4	14	3	22	2	4	1	5	3	5	3	4

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Dias despejados.	Dias nublados en parte.	Dias nublados.	Dias de heladas.	Dias de niebla.	Dias de lluvia.	Agua caída en centímetros.	Dias de nevazon.	Dias que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó	23	3	4		3																				85	5
Serena.....	23	1	6			1	0.10			2								3		29		20		6		
Santiago.....	8	15	7		2	3	3.41			1			3		3			1		25		6				51
Talca.....	3	26	1		3	5	4.18			10	1	1		2		4	1	29	4	8	4	4	3	12	4	1
Valdivia.....	2	20	8		3	15	29.70		1	19		1				4	1	6	6	6	1	7		5	3	31
Faro de la Punta.—Caldera.	6	8	16							16		2		1				21		37		2		1		10
Id. de Coquimbo.....	13	2	15		2	1				18		1		2		2		6		12		41		10		
Id. de Playa-Ancha.—Valp.	14	6	10		3	3	1.97			7		11		2		12		12		36		6		4		
Constitucion.....	10	2	5			1				6				2	1	8	1	11	4	3				2		12
Faro de la Quiriquina.....	10	6	15		3	11	87.20			8		2		3		8		9		22		17		3		17
Id. de Niebla.—Corral.....	6	4	20		3	18	32.73		1	13		8		7		3						16		32		11
Id. de la Corona.—Ancud..	1	8	21			20	12.48		1	28		6		1				1		7		21		26		
Ancud.....		12	17		3	20	28.95		2	15		5		2		7		13		6		20	3	11		2

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																		
	Dias despejados.	Dias nublados en parte.	Dias nublados.	Dias de heladas.	Dias de niebla.	Dias de lluvia.	Agua caída en centímetros.	Dias de nevazon.	Dias que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó.....	26	2	2		1																					90	
Serena.....	20		11							4								1		26		18		13			
Santiago.....	8	21	2		1	1								7		2				39		2		1		40	
Talca.....	13	18				2	1.54			2		2	1	2	1	2	4	56	1	8	2	5	1	1	2	1	
Valdivia.....	9	20	1		3	11	9.00			8						12		8	4	1	1	14	3		2	40	
Faro de la Punta.—Caldera.	4	10	17							19		1		1				19		45		1		2		5	
Id. de Coquimbo.....	18	1	12							17		4		1				3		9		47		12			
Id. de Playa-Ancha.—Valp.	18	8	5		3					3		5		3		9		13		52		6		2			
Constitucion.....	21	3	7		1	1				2				1		7	3	52	11	5				2		10	
Faro de la Quiriquina.....	19	6	6		5	4	27.20			1				2		9		24		33		5		3		16	
Id. de Niebla.—Corral.....	14	9	7		1	9	6.76		3	9				13		4				6		31		13		17	
Id. de la Corona.—Ancud...	6	18	7		1	4	3.54			12		1		1				18		6		37		18			
Ancud.....	2	20	9		2	12	8.30		3	7		3		1		2	1	21	2	10		16		17	2	10	

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Dias despejados.	Dias nubados en partes.	Dias nublados.	Dias de heladas.	Dias de niebla.	Dias de lluvia.	Agua caída en centímetros.	Dias de nevazon.	Dias que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	26		1		3																				90	
Serena.....	6	4	20															5		19		25		11		
Santiago.....	13	17			2							1		6		3				34		1				43
Talca.....	17	13							1						4	11	38	6	14	8	1	1	3	3		
Valdivia.....	4	25	1		1	5	1.50		4	1				3	11	2	9	6		4	11	2	2	1	31	
Faro de la Punta.—Caldera.	3	11	16						7		1				2		20		43		4		4		9	
Id. de Copuimbo.....	13	3	11		1				13								1		2		60		14			
Id. de Playa-Ancha.—Valp.	17	7	6		2				3		4		1		10		11	1	50		7		3			
Constitucion.....	19	7	4						4							6	39	19	11						7	
Faro de la Quiriquina.....	23	5	2		2	1	2.80				1		3		7		22		37		4		2		14	
Id. Niella.—Corral.....	11	7	12		4	5	1.80		2		4		15		2		7		1		26		9		24	
Id. de la Corona.—Ancud...	8	11	11		4	11	9.08		22						2		2		13		43		8			
Ancud.....	4	16	10		8	9	6.40		13		4		2		2		11		12		1	17	1		9	

INTRODUCCION.

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Dias despejados.	Dias nublados en partes.	Dias nublados.	Dias de heladas.	Dias de niebla.	Dias de lluvia.	Agua caída en centímetros.	Dias de nevazon.	Dias que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	28				3																				23	
Serena.....	29	2								3	10		2		2		1		10		25		9			
Santiago.....	17	13	1		2	0.61							14		3		1		38		3					31
Talca.....	20	10	1		4	6.57						1				2	44	3	10	7	2	7	7	1		
Valdivia.....	2	25	4			14	21.50			4	1			2	12	1	4	3	2	7	19	10	5	1	22	
Faro de la Punta.—Caldera.	7	13	11							8	1				2		28		30		10		5		9	
H. de Coquimbo.....	22	3	6							11							3		4		57		18			
Id. de Playa-Ancha.—Valp.	22	3	6			3	2.83			9	3		2		5		11		56		10		3			
Constitucion.....	15	4	6			3				10					3	1	23		15	7				2		14
Faro de la Quiriquina.....	21	3	7		2	8	114.00			3			2		5		24		21		18		2			18
Id. de Niebla.—Cerral.....	6	5	20		2	16	25.72		1	10	1		7		4		8		2		37		22			
Id. de la Corona.—Ancud.	5	14	12		3	10	10.77			12	1		1		1				12		29		34			
Ancud.....	1	19	10			16	17.20			11	2		2		3		3			4	28	1	21	2	9	

FECHAS DE LAS LLUVIAS, ALTURA EN MILÍMETROS DEL AGUA CAIDA EN CADA UNA DE EllAS I FASES DE LA LUNA.

MESES.	Caldera.		Copiapó.		Sereña.		Coquimbo.		Valparaíso.		Santiago.			Talca.		Constitución.		Quiriquina.		Cerral.		Valdivia.		Cerro, — Ancud.		Ancud.		FASES DE LA LUNA.
	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	ALTURAS.		Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.		
											A 70 centímetros, sobre el suelo.	A 8 metros sobre el suelo.																
Enero.....	1						31																					
	2																											
	3																											
	4																											
	5																											
	6																											
	7																											
	8																											
	9																											
	10																											
Febrero.....	11		1.°		1.°	1.0			1.°	1.5	1.°	1.7	1.6	1.°	1.8	1.°		15	10.0	3	5.8	2	7.0	2	3.0			
	12																	16	12.0	13	5.0	10	1.0	3	2.8			
	13																			15	1.2	13	2.0	12	20.5			
	14																			16	7.0	16	9.0	16	8.4			
	15																			20	6.0	20	4.0	19	4.6			
	16																							22	1.6			
	17																											
	18																											
	19																											
	20																											
Marzo.....	21																		8	10.0	7	15.2	7	14.0	7	11.0		
	22																		16	10.0	10	1.2	11	6.0	11	7.0		
	23																		21	84.0	11	4.4	12	7.0	12	1.2		
	24																		22	90.0	12	9.6	15	9.0	14	1.0		

FECHAS DE LAS LLUVIAS, ALTURA EN MILÍMETROS DEL AGUA CAIDA EN CADA UNA DE ELLAS I FASES DE LA LUNA.

MESES.	Caldera.		Copiapó.		Serna.		Coquimbo.		Valparaiso.		Santiago.			Talca.		Constitucion.		Quiriquina.		Corral.		Valdivia.		Corona.—Arauc.		Arauc.		FASES DE LA LUNA.
	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	ALTURAS.		Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.		
											A 70 centímetros, sobre el suelo.	A 8 metros sobre el suelo.																
Marzo.....																			31	36 0	13	11.0	16	17.0	15	2.0		
																					14	13.2	21	39 0	17	1.6		
																					15	10.0	22	4.0	20	9.4		
																					16	20.0	29	9.0	21	7.0		
																					17	1.6	31	29.0	23	4.0		
																					20	13.2			29	8.0		
																					21	7.6			31	4.5		
																					22	25.0						
																					29	8.6						
																					30	20.0						
																					31	23.6						
Abril.....	12		23		23	7.0	24		1	0.9	23								6	194.0	1	4.0	1	1.0	1	2.5		
	22							23	11.5	24	14.6	1.08	7	5.5	23	5.0			23	160.0	2	21.6	2	17.0	2	8.4		
	23								24						23	72.0					3	20.2	3	14.0	3	5.0		
																					4	5.6	6	59.6	5	11.4		
																					5	4.0	7	10.6	6	5.8		
																					6	60.6	9	3.0	7	19.0		
																					7	16.4	16	6.6	9	4.0		
																					8	6.0	22	44.0	13	5.0		
																					9	2.4	23	7.0	15	8.2		
																					13	2.0	24	11.0	18	2.0		
																					16	10.4	25	29.0	21	6.0		
																				22	35.0	27	6.6	22	11.2			
																				23	22.4	30	21	23	11.0			
																				24	4.4			24	2.0			

Abril	25	25.4	25	16.0												
	26	28.4	26	7.0												
	30	42.8	29	1.60												
Mayo	23	1.8	13	18.0	17.4	22	13	7	20.0	6	10.0	7	20.0	4	3.0	
	24	1.8	13	18.0	17.4	22	13	7	20.0	6	10.0	7	20.0	4	3.0	
	25	4.1	26	1.0	1.2	26	2.4	26	8	4.0	7	20.2	8	24.0	6	14.0
	26								17	44.0	8	7.4	11	11.0	7	12.2
	27								18	44.0	9	30.2	12	5.0	8	10.2
	28								20	18.0	11	2.2	13	10.0	9	3.2
	29								21	54.0	12	31.0	14	14.0	10	19.0
	30								22	58.0	13	5.6	15	6.0	11	7.6
									23	126.0	14	12.6	16	2.0	15	1.8
									24	18.0	16	4.2	17	27.0	17	3.0
									26	150.0	17	15.0	19	6.0	19	5.0
									19	1.4	20	27.0	20	27.0	20	10.4
									20	24.4	21	78.0	22	78.0	22	17.2
									21	95.4	22	16.0	23	16.0	23	5.0
									22	73.0	23	12.0	25	1.6	25	1.6
									23	7.0	24	4.0	26	39.8	26	39.8
									24	10.0	25	42.0	27	2.8	27	2.8
									25	5.2	26	20.0	29	9.0	29	9.0
									26	38.2	27	5.0	30	4.0	30	4.0
									27	34.0	28	11.0	31	17.4	31	17.4
									28	12.8	31	7.0				
	Junio	1	126.0	1	4.0	1	50.0	1	9.8	23						
		2	74.0	2	36.2	2	85.0	2	40.0	24						
		3	94.0	3	104.0	3	59.0	3	12.0	25						
		4	10.0	4	36.6	4	6.0	8	4.0	26						
		5	140.0	5	51.2	6	6.0	9	22.0	27						
		6	150.0	9	15.6	8	3.0	10	3.0	28						
7		184.0	18	25.0	9	7.0	12	8.4	20							
8		120.0	19	21.0	12	5.0	17	4.0								
9		80.0	20	12.8	18	19.0	18	21.8								
10		220.0	21	15.2	19	55.0	19	19.0								
11			22	3.0	20		20	6.6								
12			23	14.0	21		21	8.0								
13			24	103.2	22	53.0	22	44.0								
14			25	2.4	23	127.0	23	6.0								
15			26	6.0	24	34.0	25	3.0								
16			28	1.2	25	16.0	27	7.0								
17			29	7.2	26	1.0	29	8.0								
18		28		28	14.0											
19		29		29	2.9											

FECHAS DE LAS LLUVIAS, ALTURA EN MILÍMETROS DEL AGUA CAIDA EN CADA UNA DE ELLAS I FASES DE LA LUNA.

MESES.	Caldera.		Copiapó.		Serna.		Coquimbo.		Valparaiso.		Santiago.		Talca.		Constitución.		Quiriquina.		Corral.		Valdivia.		Corona.—Arauc.		Arauc.		FASES DE LA LUNA.		
	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	ALTURAS.		Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.			
											A 70 centímetros sobre el suelo.	A 8 metros sobre el suelo.																	
Julio.....	8				12	13.0	12		1	0.5	2	1.6	1.4	3	3.3	11		8	102.0	9	6.6	3	2.0	7	2.0	7	10.0		
									11	6.0	12	27.4	26.4	10	14.4	12		9	14.0	10	39.0	4	1.0	8	5.0	8	7.0		
									12	58.4	20			17	9.4	28		11	625.0	11	32.2	3	26.6	9	3.0	10	29.0		
									19		23	17.0	16.0	22	19.4	29		16	30.0	12	8.0	10	30.0	10	6.4	13	62.0		
									22	3.6	28	5.0	4.6	28	22.5	30		17	84.0	13	3.2	11	30.0	13	31.6	14	13.5		
									25	2.2	30	39.0	35.0	29		31		23	162.0	14	39.4	13	14.0	14	7.0	15	57.0		
									30	19.3	31			30				28	74.0	15	41.0	14	17.0	15	10.0	16	25.0		
									31	2.3				31	76.7			29	392.0	16	39.6	15	23.0	16	23.0	17	6.5		
																		30	336.0	17	12.2	16	65.0	17	21.4	18	1.7		
																		31	192.0	22	73.6	17	8.0	18	4.0	21	6.0		
																				23	50.3	22	100.0	19	3.0	22	19.0		
																				24	4.8	25	10.0	22	8.2	23	2.0		
																				27	2.2	28	37.0	23	3.0	24	3.5		
																				28	14.4	29	16.0	24	8.0	25			
																				29	18.6	30	17.0	26	36.0	27	32.0		
																				30	12.2	31	68.0	27	12.6	28	22.4		
																				31	21.8			28	5.2	29	5.0		
																								29	5.8	30	19.5		
																								31	18.8	31	18.0		
	Agosto.....	1								1	85.3	1	55.8	58.8	1	48.4	1		2	54.0	1	5.4	1	22.0	1	19.0	1	26.0	
		2								2	13.1	2			2	32.0	2		4	40.0	2	20.3	2	29.0	2	4.6	2	2.5	
		3								3	8.2	3	5.0	4.4	3	9.4	3		5	190.0	3	6.0	3	17.0	3	5.8	3	3.5	
		4								4		4			4		4		12	22.0	4	1.2	4	4.0	4	2.2	4		
		5								5	11.4	5			5	8.2	5		13		5		5	4.0	5	2.2	5		
		6								6		6			6		6		18	90.0	6	5.4	6	4.0	6	2.0	6	14.5	

Diciembre...

	26	12.0	13	7.2	9	3.0	27	9.6	10
	29	32.0	14	20.8	13	55.0	28	14.3	13	16.0
			15	56.2	14	10.0	29	5.6	14	14.0
			16	4.6	15	18.0	30	1.2	15
			26	9.0	24	1.0			21	6.0
			27	2.0	26	7.0			24	7.0
			28	8.0	27	8.0			25	8.0
			29	25.6	28			26	9.0
			30	33.2	29	52.0			27	9.0
			31	15.4	30	5.0			28	31.0
									29	20.0
									30	5.0

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°						TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.										
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.					
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.			
dem. 700+	mm.	mm.	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	
Copiapó.....	28.84	2.51	31.58	29	21.70	12	9.88	22.0	11.2	29.7	30	14.9	14	14.8	89	69	44	14.51	12.30	9.99			
Serena.....	69.35	1.45	62.75	1°	57.80	9	4.99	17.3	3.2	22.1	27	15.5	25	6.6	95	81	59	17.16	11.78	9.51			
Santiago.....	16.11	1.42	19.52	30	11.94	22	7.58	19.7	14.6	29.1	10	9.9	11	19.2	100	78	40	22.88	13.44	8.59			
Talca.....	52.53	2.35	56.02	2	47.65	14	8.37	24.2	11.0	32.5	14	14.4	17-30	18.1									
Valdivia.....	61.81	1.81	65.76	8	56.81	18	8.95	18.6	12.3	31.8	14	7.0	1°	24.0	100	65	22	13.43	9.93	6.26			
Faro de la Punta.—Caldera.	57.11	1.07	59.46	29	53.89	11	5.57	19.2	6.7	25.3	7	11.5	2-3	13.8	95	77	61	16.71	12.60	10.08			
Id. de Coquimbo.....	60.37	1.48	67.21	8	57.55	7	9.06	18.4	5.6	23.0	15	12.5	15	10.5	95	83	46	17.76	13.17	7.87			
Id. de Playa-Ancha.—Valp.	58.46	2.05	62.64	30	48.96	9	13.68	14.0	10.1	27.0	7	10.0	9-11	17.0	94	78	43	14.01	11.29	8.13			
Constitucion.....	58.67	1.17	61.45	30	54.20	22	7.25	17.5	4.1	22.2	17	13.9	10	8.3									
Faro de la Quiriquina.....	51.68	1.11	59.50	16	53.26	13	6.24	18.9	9.1	25.6	13	10.6	9-10	15.0	90	62	36	13.80	10.23	6.82			
Id. de Niebla.—Cerral.....	51.19	1.59	55.43	9	47.24	11	8.19	17.0	11.3	25.6	14	6.5	1-2	19.6	94	73	50	16.47	11.41	7.72			
Id. de la Corona.—Aneud.	61.22	1.19	64.64	1°	57.22	4	7.42	15.2	4.0	22.6	29	10.8	8	11.8									
Aneud.....	61.87	1.30	65.89	9	54.87	17	11.02	15.8	3.6	24.8	29	10.2	8	14.6									

RESÚMEN MENSUAL.

LOCALIDADES.	BAROMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.										
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.							
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.					
Copiapó.....	mm. 700- 28.21	mm. 1.80	mm. 700+ 52.45	1°	mm. 700+ 25.45	20	mm. 7 00	0	0	0	23.5	27	0	14.1	11	0	14.4	85	68	54	14.77	12.33	10.50		
Serena.....																									
Santiago.....	16 21	1 18	19 92	2	13 02	15	6 96	18 8	11 8	29 4	5	9 2	9	20 2	100	85	58	21 56	14 03	10 85					
Talca.....	51 88	1 79	55 53	26	48 47	14	7 06	22 9	13 6	29 4	2	10 1	23	19 3											
Valdivia.....	61 03	1 87	67 09	2	56 32	17	10 68	18 3	12 1	31 8	16	5 5	23	26 2	100		35	13 53				7 29			
Faro de la Punta.—Caldera.	57 16	0 96	59 68	2	54 97	17-18	4 71	18 2	4 5	22 5	15	13 0	11	9 3	92	81	62	14 87	12 50	10 48					
Id. de Coquimbo.....	61 25	1 28	63 28	3	58 17	1°	5 11	13 2	5 4	22 9	8	12 0	10	10 9	97	85	54	15 55	13 03	8 17					
Id. de Playa-Ancha.—Valp.	59 57	1 31	62 39	2	56 65	23	5 71	14 0	9 4	25 3	23	10 2	24	15 1	95	77	56	14 12	11 21	8 33					
Constitucion.....	58 11	0 96	60 79	2	55 04	15	5 75	17 4	3 9	22 2	23	13 8	9	8 4											
Faro de la Quiriquina.....	56 85	0 81	59 00	2	54 00	16	5 00	17 8	12 4	28 8	15	9 3	7	19 5	88	66	32	13 41	9 71	6 43					
Id. Niebla.—Corral.....	50 62	1 32	54 96	25	46 88	17	8 03	16 5	10 5	25 6	8	6 5	7-21- 13-27	19 1	89	66	44	17 19	10 31	5 84					
Id. de la Corona.—Aneud...	60 76	0 79	62 52	3	57 16	24	5 36	14 6	2 6	19 0	13	11 2	21	7 8											
Aneud.....	60 80	1 21	65 87	5	54 84	6	11 03	15 1	3 9	22 3	12	9 6	12	12 7											

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°						TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.									
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.				
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.		
Copiapó.	mm. 700+ 28.67	mm. 1.93	mm. 700+ 32.59	26	mm. 700+ 25.01	12	mm. 7.58	0	0	0	7-21	0	7.5	27	0	19.5	89	64	34	15.64	11.07	6.39
Serena.....	60 18	1 75	64 02	23	57 32	17	6 70	16 0	2 7	20 1	6	13 0	27	7 1	99	83	59	17 33	11 82	7 71		
Santiago.....	16 50	1 68	20 44	23	12 75	4	7 69	15 9	14 65	23 3	8	5 2	27	23 1	100	89	63	21 43	12 58	7 70		
Talca	53 63	2 43	57 81	6	47 93	4	9 88	19 3	10 7	23 2	10	10 1	13-26	19 1								
Valdivia.....	62 16	2 58	69 56	6	56 24	5	13 32	13 9	10 2	23 9	9	3 5	24	20 4	100	78	39	12 54	9 18	5 99		
Faro de la Punta.—Caldera.	57 32	1 05	60 39	23	54 62	10	5 77	17 2	4 8	22 0	5	11 4	30	10 6	97	83	67	13 80	12 14	9 90		
Id. de Coquimbo.....	60 28	1 66	62 97	29	53 56	12	9 41	16 9	5 2	22 0	17	10 4	27	11 7	97	86	66	15 55	12 19	10 25		
Id. de Playa-Ancha.—Valp.	59 08	1 29	61 96	23	55 41	11	6 55	12 7	10 5	25 3	20	5 2	23	20 1	94	80	37	12 09	10 21	6 45		
Constitucion.....																						
Faro de la Quiriquina.....	57 55	1 18	62 92	6	53 37	4	9 55	15 8	11 1	25 2	4	8 4	18	16 8	91	71	41	12 49	9 25	5 84		
Id. de Niebla.—Corral.....	51 67	1 83	56 81	4	45 82	13	10 99	12 7	8 5	21 0	8	4 5	24	16 5	94	76	55	13 07	8 93	6 51		
Id. de la Corona.—Aneud...	60 76	1 48	63 83	10	55 54	15	8 39	12 5	3 6	16 8	9-19	9 2	12-17	7 6								
Aneud.....	60 83	1 51	69 12	7	51 80	15	17 32	12 3	4 3	19 0	9	8 2	2	10 8								

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. estrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. estrema.	Humedad relativa.			Fuerza elástica.		
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapó.....	mm. 700+ 29.95	mm. 2.07	mm. 700+ 33.80	23	mm. 25.92	1	mm. 7.88	o 16.7	o 10.3	o 24 0	5	o 2.7	28	o 16.8	94	69	43	14.86	10.30	8.14
Serena.....	61 16	1 37	66 69	12	58 67	2	7 79	14 8	2 4	18 0	1	12 1	6	5 9	98	82	64	11 80	10 20	8 71
Santiago.....	17 22	1 58	20 86	30	12 86	1	8 00	13 2	13 88	28 1	6	4 2	29	23 5	100	92	63	22 48	11 16	6 53
Talca.....	54 69	2 60	59 76	30	50 58	9	9 23	16 6	9 0	23 4	7	8 7	5	14 7						
Valdivia.....	63 62	2 02	68 56	14	57 26	9	11 30	12 1	9 2	20 4	12	1 5	21	18 0	100	85	47	12 70	9 02	6 08
Faro de la Punta.—Caldera.	57 67	0 90	60 85	29	55 21	1.º	5 14	15 8	4 4	19 0	6	10 4	22-28	8 6	97	84	71	14 12	11 57	9 37
Id. de Coquimbo.....	61 00	1 45	63 51	18	57 77	2	5 74	15 3	4 5	20 1	2	10 0	30	10 1	96	84	71	16 59	11 17	9 55
Id. de Playa-Ancha.—Valp.	59 52	1 33	61 96	30	57 86	7	4 10	11 6	9 6	24 0	12	7 0	21	17 0	97	80	98	12 03	9 47	5 44
Constitucion.....	59 53	1 57	63 75	29	40 04	16	23 71	14 5	4 1	20 8	6	9 8	27	11 0						
Faro de la Quiriquina.....	58 19	0 84	61 46	30	55 23	9	6 23	14 7	9 0	24 8	6	6 9	23	17 9	95	73	36	12 89	8 83	5 08
Id. de Niebla.—Corral.....	51 69	1 29	55 32	21	46 58	9	8 74	10 2	7 3	18 0	13	8 0	5	15 0	94	80	39	14 75	8 55	5 26
Id. de la Corona.—Ancud...	61 45	0 68	63 65	9	57 41	9	6 24	11 5	2 9	16 4	12	7 8	4	8 6						
Ancud.....	61 52	1 55	67 31	22	55 71	9	11 60	11 8	3 1	17 6	25	6 5	3	11 1						

INTRODUCCION.

XLI.

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapó.....	mm. 700 ± 30.55	mm. 1.35	mm. 700 ± 34.48	20	mm. 700 ± 27.00	6	mm. 7.48	o 14.1	o 11.9	o 23.5	16	o 3.8	4	o 19.7	100	67	38	13.86	8.75	5.66
Serena.....	61 11	1 72	65 07	23	58 16	20	6 95	13 2	2 6	17 4	1	10 4	8	7 0	98	81	51	11 38	9 18	6 97
Santiago.....	18 19	1 90	22 55	27	12 67	19	9 88	8 9	11 9	22 2	6	11	22 2	100	90	47	18 77	8 23	4 52
Talca.....	55 82	2 76	61 27	27	46 23	20	15 04
Valdivia.....	62 22	3 38	71 79	10	49 24	19	22 55	8 56	5 40	16 1	6	0 4	31	15 7	100	93	60	11 58	7 91	5 12
Faro de la Punta.—Caldera.	58 64	1 03	61 22	27	56 61	12	4 61	14 4	4 6	19 0	2	7 3	28	11 7	100	87	67	12 46	10 42	8 33
Id. de Coquimbo.....	61 81	1 47	64 63	27	59 10	11	5 53	13 8	5 8	18 0	1-5	7 9	15	10 1	100	86	41	13 68	10 17	5 84
Id. de Playa-Ancha.—Valp.	59 46	1 50	62 62	23	55 48	19	7 14	10 6	9 2	21 1	5	4 7	23	16 4	96	79	41	11 01	8 55	4 85
Constitucion.....	60 32	1 98	65 25	23	50 15	19	15 10	11 6	3 2	16 6	18	6 0	21	10 6
Faro de la Quiriquina.....	58 54	2 34	65 34	23	45 56	20	19 78	11 9	6 4	18 9	12	4 6	21	14 3	94	79	44	11 04	8 10	4 85
Id. de Niebla.—Corral.....	50 97	2 29	57 00	16	39 07	19	17 93	9 2	6 2	15 0	3	-1 5	22	16 5	94	83	62	11 70	7 82	4 31
Id. de la Corona.—Ancud...	60 51	2 28	67 69	21	52 72	19	14 97	10 2	2 5	13 8	6-7	4 8	20	9 0
Ancud.....	59 88	1 74	68 90	10	48 06	18	20 84	9 3	3 4	14 2	6	3 2	20-30-31	11 0

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.		
	mm. 700+	mm. 700+	mm. 700+		mm. 700+		mm. 700+	°	°	°		°		°	Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.
Copiapó.....	32.05	1.06	35.10	24	27.12	26	7.98	12.1	11.2	24.4	27	0.5	23	23.9	93	71	40	11.78	8.27	3.32
Serena.....	61 65	2 07	65 27	11	59 07	22	6 20	13 0	2 5	18 1	3	9 4	13	8 7	90	80	57	11 38	8 93	6 89
Santiago.....	17 84	1 80	22 72	10	13 00	20	9 72	7 23	9 1	17 4	5	-0 8	12	18 2	100	90	45	11 24	6 95	4 40
Talca.....	54 36	2 40	63 09	11	48 55	9	14 54													
Valdivia.....	60 22	2 07	70 37	3	50 27	9	20 10	7 50	4 6	13 5	20	-0 5	16	14 0	100	97	62	10 81	7 59	4 50
Faro de la Punta.—Caldera.	59 06	1 14	62 24	30	56 44	23	5 80	14 2	5 3	18 0	9	7 3	12	10 7	98	84	54	14 11	10 12	6 69
Id. de Coquimbo.....	62 01	1 49	65 77	5	59 51	26	6 26	13 4	5 5	18 3	3	6 8	12	11 5	99	86	74	12 77	9 63	7 79
Id. de Playa-Aucha.—Valp.	58 83	2 05	66 12	9	55 45	20	10 67	9 9	7 9	19 7	4	5 0	10	14 7	94	84	63	11 52	8 75	6 21
Constitucion.....	59 29	1 98	64 86	3	52 53	9	12 35	11 1	3 5	16 0	4	6 4	16	9 6						
Faro de la Quiriquina.....	56 39	2 69	65 53	20	47 05	8	18 48	11 6	5 1	15 2	20	6 0	14	9 2	100	81	50	9 75	7 99	4 95
Id. de Niebla.—Corral.....	47 83	2 35	55 99	3	38 38	9	17 61	7 9	5 4	12 6	7	-1 0	21	13 6	94	89	75	10 20	7 35	4 40
Id. de la Corona.—Aucud..	59 20	0 32	62 89	12	53 50	26-27- 29	10 99	8 5	1 4	12 2	1	4 6	22	7 6						
Aucud.....	58 29	1 47	70 76	12	48 48	25	22 35	7 8	4 6	11 8	20	-0 5	2	12 3						

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.														
	Altura media.		Oscilacion media.		Altura máxima.		Fecha correspond.		Temp. media.		Oscilacion media.		Temp. máxima.		Fecha correspond.		Temp. mínima.		Fecha correspond.		Humedad relativa.			Fuerza elástica.					
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°	°	°	°	°	°	°	Maximum.	Medio.	Minimum.	Maximum.	Medio.	Minimum.		
Copiapó.....	700+	30.67	2.55	34.21	21	700+	26.09	8.12	12.1	14.1	26.4	24	2.0	12	24.4	91	65	38	12.46	7.57	4.71								
Serena.....																													
Santiago.....	18 84	1 94	23 50	15	14 36	18	9 14	7 60	8 96	19 4	25	-2 2	7	21 6	100	90	66	11 01	7 16	4 15									
Talca.....	55 64	3 03	63 22	15	50 46	28	12 76																						
Valdivia.....	62 27	3 27	73 12	6	49 27	2	23 85	7 33	5 48	13 0	30-31	0 0	6	13 0	100	90	42	11 16	7 07	3 99									
Faro de la Punta.—Caldera.	59 21	1 14	62 15	30	59 29	24	4 86	12 8	5 9	15 6	14	5 4	5	10 2	100	84	67	11 30	9 39	7 59									
Id. de Coquimbo.....	62 86	1 33	65 73	2	59 51	24	6 22	9 25	6 0	17 5	31	4 9	6	12 6	96	85	62	12 09	9 25	6 88									
Id. de Playa-Ancha.—Valp.	59 68	1 59	62 71	7	56 91	12	5 77	9 07	8 2	21 0	24	3 2	5	16 8	98	82	61	10 99	8 98	5 40									
Constitucion.....	60 83	1 64	65 81	15-16	57 19	18	8 62	10 8	3 2	16 4	24	5 0	7	11 4															
Faro de la Quiriquina.....	58 18	2 42	66 31	15	51 73	3	14 58	11 3	5 3	21 8	25	3 6	5	18 2	97	78	41	9 98	7 75	3 62									
Id. de Niebla.—Corral.....	50 48	2 34	59 07	6	37 16	2	21 91	8 3	5 7	14 2	26	-0 5	4	14 7	94	85	70	9 55	6 88	4 41									
Id. de la Corona.—Ancud...	60 67	2 44	67 76	31	61 78	30	15 98	9 4	1 0	12 4	1-26	6 6	11	5 8															
Ancud.....	60 23	1 89	71 25	6	44 49	2	26 76	8 0	6 1	12 5	26	-4 0	6	16 4															

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.						
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.			
															Maximum.	Medio.	Minimum.	Maximum.	Medio.	Minimum.	
Copiapó.....	mm. 760+ 31.39	mm. 3.33	mm. 700+ 35.55	28	mm. 31.24	3	mm. 4.51	0	0	0	23	0	23	23.0	88	66	31	12.22	8.65	5.14	
Serena.....																					
Santiago.....	10 88	2 20	25 68	16	11 72	24	14 26	8 56	9 97	22 0	3	-1 8	17	20 2	100	90	58	12 35	7 61	4 45	
Talca.....	57 49	3 65	66 73	16	47 85	23	13 88														
Valdivia.....	63 18	3 15	75 78	18	49 95	24	25 89	8 63	5 8	15 1	3	-1 3	14	16 4	100	78	29	10 60	7 83	3 01	
Faro de la Punta.—Caldera.	59 88	1 25	64 02	27	56 26	3	7 78	13 3	8 1	17 0	4	6 4	14-15- 21	19 6	99	86	63	12 21	9 81	7 59	
Id. de Coquimbo.....	63 55	1 30	66 11	7	58 72	2	7 39	13 3	5 8	17 0	2-19	6 4	13	10 6	95	83	48	13 68	9 59	6 19	
Id. de Playa-Ancha.—Valp.	59 87	1 38	64 30	27	56 04	3	8 26	10 0	8 7	20 4	2	4 3	13	16 1	94	81	47	11 09	8 42	5 34	
Constitucion.....	62 42	1 82	69 87	17	55 23	24	14 64	10 9	3 6	18 6	3	5 6	13	13 0							
Faro de la Quiriquina.....	59 90	2 42	70 60	17	49 53	24	21 07	11 3	6 5	18 8	3	4 5	11	14 3	92	62	19	10 03	6 21	1 33	
Id. de Niebla.—Coral.....	51 59	3 51	62 03	17	40 19	24	21 84	8 5	6 1	13 8	5	-1 5	14	15 3	97	85	40	9 90	7 51	4 10	
Id. de la Corona.—Aucud...	58 20	2 68	65 83	18	48 97	20	16 86	8 8	1 7	11 8	5	4 8	10	7 0							
Aucud.....	60 89	3 39	71 23	17	46 97	8	24 26	8 8	6 8	13 2	5	0 0	11	13 2	100	90	40	10 23	7 92	4 19	

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.						
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elástica.			
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.	
Copiapó.	mm. 700+ 31.43	mm. 1.97	mm. 700+ 35.14	22	mm. 700+ 27.32	16	mm. 7.82	0	0	0	26	0	28	0	24.9	92	61	28	12.40	7.99	5.89
Serena.																					
Santiago.	19 52	2 14	24 24	22	14 86	6	10 8	10 0	10 0	20 7	18	0 7	2-3	20 0	100	93	69	16 17	9 14	5 30	
Talca.	55 39	3 78	63 97	22	51 52	14	12 65														
Valdivia.	63 70	3 37	72 61	21	52 90	14	19 71	9 29	6 51	17 8	8	-0 6	1	18 4	100	86	49	10 56	7 99	5 14	
Faro de la Punta.—Caldera.	59 81	1 47	64 01	22	56 39	17	7 62	13 8	5 8	18 5	14	5 9	3	12 5	99	84	60	15 77	10 01	8 02	
Id. de Coquimbo.	62 09	1 33	66 76	22	59 25	17	7 51	14 1	6 3	18 0	17	5 5	2	12 5	95	81	63	12 80	10 09	7 96	
Id. de Playa-Ancha.—Valp.	60 87	2 13	65 02	22	56 43	13	8 59	11 0	10 2	25 0	27	5 0	1°	20 0	97	78	24	12 37	8 92	2 86	
Constitucion.	61 77	2 51	67 50	21	56 74	14	10 76	12 9	3 4	20 8	6	7 6	1°	13 2							
Faro de la Quiriquina.	59 66	3 13	65 72	21	59 89	14	13 83	12 0	7 0	21 5	7	5 0	1	16 5	90	75	46	10 12	7 70	4 14	
Id. de Niebla.—Corral.	52 34	2 22	61 18	1°	39 25	14	21 93	9 9	7 2	18 6	8	-1 0	5	19 6	96	86	53	11 21	8 09	5 47	
Id. de la Corona.—Ancud.	54 46	0 51	64 33	28-29	49 67	10	14 66	10 0	1 3	11 8	10-15-19	6 4	2	5 4							
Ancud.		2 13	70 68	1°	49 73	19	20 95	9 8	4 3	16 2	8	1 0	2	15 2	100	91	66	10 03	8 45	5 98	

RESÚMEN MENSUAL.

LOCALIDADES.	BAROMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.					
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elastica.		
															Maximum.	Medio.	Mínimum.	Maximum.	Medio.	Mínimum.
Copiapó.....	mm. 709- 29.72	2.17	mm. 700+ 37.33	23	mm. 700+ 25.04	14	mm. 12.29	15.9	12.8	30.0	14	5.4	13	24.6	100	54	15	15.12	8.60	3.16
Serena.....																				
Santiago.....	18 55	1 61	22 41	11	14 39	9	8 02	12 8	11 68	24 2	18	5 0	7-30	19 2	100	87	58	15 12	9 34	7 25
Talca.....	55 84	2 76	61 27	12	49 92	18	11 31													
Valdivia.....	62 76	2 34	73 24	16	55 37	7	17 87	12 25	8 3	22 0	20	2 3	13	19 7	100	77	42	10 15	8 23	5 70
Paro de la Punta.—Caldera.	59 08	1 25	62 07	13	56 78	18	5 29	15 2	5 7	20 5	1°	9 0	23	11 5	95	84	68	13 16	10 76	8 64
Id. de Coquimbo.....	62 12	1 20	64 52	4	60 06	18	4 39	15 2	6 7	21 0	16	8 5	13	12 5	93	88	56	14 81	10 77	8 08
Id. de Playa-Ancha.—Valp.	65 91	1 90	64 79	3	57 58	17	7 21	14 4	11 0	24 0	18	5 2	2-28	18 8	93	75	54	11 48	9 01	6 40
Constitucion.....	61 41	1 47	66 80	12	57 29	10	9 57	14 6	3 8	18 1	1°	8 9	12	9 2						
Paro de la Quiriquina.....	58 67	1 18	63 89	16	55 48	24	8 41	13 9	9 0	21 5	18	6 3	12	15 2	94	75	43	13 65	8 76	5 66
Id. Niebla.—Corral.....	52 45	2 06	59 82	16	43 90	7	15 92	11 6	8 7	18 6	20	2 0	13	16 0	94	84	51	13 81	8 95	6 16
Id. de la Corona.—Ancud...	61 29	1 11	70 68	17	52 73	7	17 95	10 9	2 2	18 2	26	7 6	7	10 6						
Ancud.....	61 10	1 49	72 36	16	50 89	7	21 47	11 3	6 8	17 0	22	1 3	10	15 7	100	88	60	11 53	8 45	5 82

RESÚMEN MENSUAL.

LOCALIDADES.	BARÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.									
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. extrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. extrema.	Humedad relativa.			Fuerza elastica.						
															Máximum.	Medio.	Mínimum.	Máximum.	Medio.	Mínimum.				
Copiapó.....	mm. 700+ 29.76	mm. 1.76	mm. 700+ 33.10	9	mm. 700+ 24.53	6	mm. 8.57	0	0	0	29.6	6	0	7.0	15	0	22.	77	41	3	17.61	6.41	0.39	
Serena.....																								
Santiago.....	17.59	1.30	22.47	23	13.54	9	8.93	16.54	12.9	26.7	14	7.0	23	19.7	100	85	56	17.37	12.09	8.14				
Talca.....	54.58	2.78	59.49	1°	49.69	14	9.80																	
Valdivia.....	61.97	2.13	70.28	30	55.57	24	14.71	14.9	9.11	25.3	15	3.8	8	21.5	109	72	32	12.76	9.34	5.72				
Faro de la Punta.—Caldera.	58.31	1.24	61.68	17	55.41	9	6.27	17.1	6.4	25.0	28	10.4	23	14.6	97	82	63	15.43	11.34	8.69				
Id. de Coquimbo.....	60.83	1.59	64.39	5	57.35	9	7.04	16.7	7.2	22.0	11-13	9.8	5	12.2	95	83	64	16.78	12.28	9.60				
Id. de Playa-Ancha.—Valp.	59.05	1.28	62.40	16	56.05	14	6.35	13.5	11.2	28.7	26	8.4	13	20.3	97	73	44	14.07	10.43	7.11				
Constitucion.....	69.38	1.61	64.67	16	56.96	9	7.71	16.9	4.2	22.8	14	12.4	16	19.4										
Faro de la Quiriquina.....	57.94	1.14	67.91	8	55.29	15	12.62	16.8	11.2	26.1	21	8.2	2	17.9	89	74	34	14.14	10.08	6.88				
Id. de Niebla.—Cerral.....	51.27	1.94	56.82	27	46.04	24	10.78	13.9	8.5	24.0	3	3.5	8	20.5	95	78	44	12.89	9.69	6.14				
Id. de la Corona.—Ancud.	60.23	1.45	64.64	30	49.99	26	14.65	13.0	2.5	29.2	16	8.6	11	11.6										
Ancud.....	60.06	2.17	68.44	30	53.00	23	15.44	13.9	6.3	20.6	15	2.2	8	18.4	100	84	58	12.12	9.16	6.55				

RESUMEN MENSUAL.

LOCALIDADES.	BALÓMETRO REDUCIDO A 0°							TERMÓMETRO CENTÍGRADO.							PSICRÓMETRO.							
	Altura media.	Oscilacion media.	Altura máxima.	Fecha correspond.	Altura mínima.	Fecha correspond.	Oscilac. estrema.	Temp. media.	Oscilacion media.	Temp. máxima.	Fecha correspond.	Temp. mínima.	Fecha correspond.	Oscilac. estrema.	Humedad relativa.			Fuerza elást'ca.				
															Máximam.	Medio.	Mínimam.	Máximam.	Medio.	Mínimam.		
Copiapó.....	mm. 700+ 29.71	mm. 1.67	mm. 700+ 38.12	2	mm. 700+ 25.89	10	mm. 12.23	°	°	°	10	°	°	°	19.9	76	48	26	20.8	8.66	3.48	
Serena.....																						
Santiago.....	15 97	1 61	19 36	5	10 11	26	9 25	19 5	14 3	30 0	26	8 3	5	21 7	95	78	36	28 44	13 09	9 62		
Talca.....	52 38	3 32	56 89	1	46 81	26	10 08															
Valdivia.....	62 06	1 97	70 24	1	54 36	26	15 88	18 3	12 2	29 5	15	5 4	24	24 1	96	62	25	13 65	9 50	6 87		
Faro de la Punta.—Caldera.	59 39	0 77	59 65	12	54 18	26	5 47	17 8	5 3	24 0	31	11 5	4	12 5	95	83	56	15 73	12 62	10 53		
Id. de Coquimbo.....	60 71	1 34	64 21	14	56 52	26	7 69	17 9	6 5	25 0	23	11 0	3	14 0	97	86	71	18 86	12 94	9 95		
Id. de Playa-Ancha.—Valp.	59 00	1 68	62 62	4	54 70	22	7 86	17 7	10 8	25 1	6-22	8 5	11	16 6	90	75	44	14 26	10 99	8 29		
Constitucion.....	58 42	1 66	61 86	13	52 31	26	9 55	17 9	5 1	24 0	19-23-31	13 2	3	10 8								
Faro de la Quiriquina.....	56 28	1 55	60 97	2	47 28	26	13 69	18 9	13 8	33 2	26	9 3	21	23 9	90	65	35	15 67	9 66	7 01		
Id. de Niebla.—Corral.....	51 48	2 10	58 50	1	44 57	26	13 93	17 2	11 3	28 0	13	5 5	24	22 5	95	73	41	17 50	10 84	6 56		
Id. de la Corona.—Ancud...	62 35	1 05	66 51	1	56 22	28	10 29	14 3	3 9	22 8	27	10 0	21	12 8								
Ancud.....	62 36	1 73	70 30	1	53 52	30	16 78	15 0	5 4	22 6	15	6 2	9.17.25	16 5	100	83	61	14 37	9 92	6 57		

INTRODUCCION.

LIX

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																		
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó.....	26	2	3		2																					93	
Serena.....	15	3	13							2								1		26		21		12			
Santiago.....	24	5	2		6								10		3					46		2					30
Talca.....	23	2	1							4	1		1	2	6	3	31	3	9	4	3	4	6				1
Valdivia.....	21	6	4		1	3	2.50			6				8	32	2	7	8				16	4	1			
Faro de la Punta.—Caldera.	10	11	10							10		3			1		30			40		6		3			
Id. de Coquimbo.....	20	3	8							7		1								1		50		34			
Id. de Playa-Ancha.—Valp.	17	5	9		2					9		7		1		3		11		50		4		7			
Constitucion.....	15	6	9							10				1			2	25	17	8		2	1	3		19	
Faro de la Quiriquina.....	20	2	9		4					1		1		2		11		28		23		23		3			
Id. Niebla.—Corral.....	9	4	3			4	1.56			1		2		15		3		2				21		4			
Id. de la Corona.—Ancud...	16	7	8			2	1.60			6		1		1		3		8		22		28		24			
Ancud.....	11	14	4			7	1.84			3		2		4		3	1	6		6		28		12	6		

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																			
	Dias despejados.	Dias nublados en parte.	Dias nublados.	Dias de heladas.	Dias de niebla.	Dias de lluvia.	Agua caída en centímetros.	Dias de nevazon.	Dias que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.		
Copiapó.....	23	1	4	4	82	2	
Serena.....	
Santiago.....	21	5	2	3	10	41	31
Talca.....	20	3	1	1	1	6	37	15	2	7	2	
Valdivia.....	20	6	2	4	6	2.10	9	1	7	21	4	13	3	2	3	16	4	2	
Faro de la Panta.—Caldera.	10	9	9	4	1	15	50	7	7	
Id. de Coquimbo.....	16	2	13	11	1	16	59	6	
Id. de Playa-Ancha.—Valp.	11	8	9	2	4	3	14	49	7	7	
Constitucion.....	14	6	8	4	2	22	14	22	2	3	15	
Faro de la Quiriquina.....	20	2	6	7	1	6.40	6	3	8	28	25	9	4	
Id. de Niebla.—Corral.....	15	7	6	2	6	3.42	1	9	2.9	5	5	7	12	25	
Id. de la Corona.—Ancud...	15	6	7	4	2.18	14	4	4	4	18	26	14	
Ancud.....	9	14	3	8	5.50	15	2	5	2	6	2	23	4	12	9	

INTRODUCCION.

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																			
	Días despejados.	Días nublados en parte.	Días nublados.	Días de nebladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.		
Copiapó.....	27	1	3	3	5	87	1	
Serena.....	18	1	12	2	5	1	3	17	22	12	
Santiago.....	21	6	4	3	1	0.24	8	1	1	32	2	49	
Talca.....	20	4	5	1	2.70	1	2	2	11	51	10	5	5	
Valdivia.....	13	9	9	4	8	17.00	15	3	24	3	16	4	1	6	9	6	3	2	
Faro de la Punta.—Caldera.	12	6	13	14	4	1	31	31	6	4	
Id. de Coquimbo.....	16	2	13	11	1	16	59	6	
Id. de Playa-Ancha.—Valp	17	8	6	3	1	2	10	5	13	9	41	2	11	
Constitucion.....
Faro de la Quiriquina.....	22	3	6	7	5	26.36	5	5	17	21	32	11	2	
Id. de Niebla.—Corral.....	13	6	12	6	10	16.42	7	4	39	4	4	26	8	
Id. de la Corona.—Ancud...	8	6	17	4	3 10	13	7	2	15	17	30	8	
Ancud.....	5	14	11	5	11	8.95	5	3	4	2	11	9	2	10	5	3	16	2	14	4	

OBSERVACIONES METEOROLÓGICAS.

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de sequedad.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.
Copiapó.....	22	7	1		8																			88	2
Serena.....	9	1	20							3				1				4		18		27		7	
Santiago.....	8	18	4		5								6				1		25		2				53
Talca.....	21	5	4			1	1.02			1	1	1	2	2	8	3	53	2	10	1	2	2	1		1
Valdivia.....	9	11	10	2	9	8	5.70			20	4				17	3	23	6	1	1	5	2	4	6	
Faro de la Punta.—Caldera.	10	5	15	0	0	0				18		7		3		1	35		21		2		2		
Id. de Coquimbo.....	6	2	22		1					4		14		1			1		15		59		6		
Id. de Playa-Ancha.—Valp.	15	6	9		1	1				7		12		1		19		12		31		1		7	
Constitucion.....	18	4	8			1	0.48			10				1	13		29	6	4		1		2		
Faro de la Quiriquina.....	18	6	6		3	3	13.6			18				2	16		20		28		4		2		
Id. de Niebla.—Corral.....	11	3	16	3	4	10	12.46			9		23		25		4			4		12		13		
Id. de la Corona.—Ancud...	5	5	20			5	4.16			16				7		7		13		7		12		28	
Ancud.....	1	14	15		6	12	10.80			10	1	7	1	11	1	8	1	6		12	2	18	1	7	1

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																		
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó.....	17	5	9	7	3	85	5
Serena.....	11	3	16	1	1.20	1	1	6	7	11	4	1	
Santiago.....	4	20	7	9	3	4	4.61	4	1	14	2	24	5	41	
Talca.....	11	5	15	4	3	10.65	9	1	1	10	3	34	9	12	4	2	6	1	
Valdivia.....	4	10	17	1	12	14	21.90	6	3	5	1	7	12	9	1	8	4	7	11	4	
Faro de la Punta.—Caldera.	6	6	19	1	1	24	11	1	22	21	6	1	
Id. de Coquimbo.....	11	3	17	2	1	9	15	15	3	6	34	11	
Id. de Playa-Ancha.—Valp.	17	6	8	2	3	4.79	4	10	3	23	8	41	2	2	
Constitucion.....	14	3	14	2	6	12.96	12	1	2	17	3	18	5	5	5	1	23	
Faro de la Quiriquina.....	14	5	12	3	11	101.80	14	1	3	13	18	21	12	11	
Id. de Niebla.—Corral.....	2	6	23	10	18	27.00	1	21	10	32	2	4	8	16	
Id. de la Corona.—Ancud...	7	7	17	13	21.74	8	14	9	3	19	3	14	13	
Ancud.....	1	15	15	4	20	27.80	21	10	5	8	2	15	2	4	6	13	1	4	

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caida en centímetros.	Días de nevazón.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calmas.
Copiapó.....	15	6	9	9							1													82		7
Serena.....	14	2	9			3	3.10			1	2		1		3				14		24			5		
Santiago.....	3	16	11	9	5	7	8.20			2	3		11		3				6		1			5		54
Talca.....	4	4	17		1	10	31.00			14	1	2	1		11	2	29	9	7							
Valdivia.....	1	6	23		9	19	51.70	1		25	4	5	1	6	4	8	3	1			3	10	8	5	4	
Faro de la Punta.—Caldera.	10	6	14		1	3				26		5		9		2		48		13		7		9		
Id. de Coquimbo.....	11	5	14			6				8		11		22		5		3		5		25		13		
Id. de Playa-Ancha.—Valp.	11	3	16			8	15.89			24		8		4		30		8		13		1		2		
Constitucion.....	6	1	23			14	53.44			39		1		3	3	9		7	4	1		1		7		13
Faro de la Quiriquina.....	4	5	21			19	286.20			28		6		7		12		11		5		16		7		
Id. de Niebla.—Corral.....	3	2	25	1	3	21	53.24	1		38		33		12										7		
Id. de la Corona.—Ancud.....	3	5	22			10	9.24			16		25		17		12		12						8		
Ancud.....	1	13	16	3	5	18	35.65			9	2	12		18	2	13		11	1			6	2	4	3	

EXTRADUCCION.

RESÚMEN MENSUAL.

OBSERVACIONES METEOROLÓJICAS.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTO.																	
	Dias despejados.	Dias nublados en parte.	Dias nublados.	Dias de heladas.	Dias de niebla.	Dias de lluvia.	Agua caída en centímetros.	Dias de nevazon.	Dias que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	23	5	2		7					1															88	1
Serena.....																										
Santiago.....	7	16	8	5	3	3	1.18			1			10		4		3		16		2			2		54
Talca.....	11	5	15	2		8	18.20			6	2	6	2	1	1	2	5	32	15	8	5	1	2	2	1	
Valdivia.....	6	17	8	4	9	15	33.00	1		36		2				14	4	8		1	5	6	4	7	4	
Faro de la Punta.—Caldera.	12	7	12		1					14		4				3		55		17		10		10		
Id. de Coquimbo.....	16	3	12		4					1		6		24				2		10		58		11		
Id. de Playa-Ancha.—Valp.	12	8	11			9	1.85			20		12		5		20		25		7		2		2		
Constitucion.....	8	2	21			12				27			4	1	9	2	8	6	5		2		1	8	14	
Faro de la Quiriquina.....	8	5	18		6	13	187.60			17		3		7		8		12		14		17		15		
Id. de Niebla.—Cerral.....	6	4	15	2	5	15	32.20			18		10		22		1		2		2		5		19		
Id. de la Coroga.—Ancud..	9	6	16			10	7.53			30			11		9		31		5					7		
Ancud.....	4	13	14	9	1	16	29.50	1	1	15		16		12	2	12	2	14	1	12	1	8		6	1	

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	26		5		4					1														91		1
Serena.....																										
Santiago.....	4	19	8	6	5	5	1.38			1	1		5		5		1		21		3					56
Talca.....	13	4	14		3	7	6.70			1	2		2	1	1	9	59	6	6	2	1	1	1	1		
Valdivia.....	5	8	18	3	5	20	41.60			15					8	1	7	6	2	7	17		8	5		
Faro de la Punta.—Caldera.	12	6	13		1					19	4		6		3		36		20					4		
Id. de Coquimbo.....	16	3	12							3	8		11		1		6		14		43		6			
Id. de Playa-Ancha.—Valp.	17	6	8			4	2.93			9	15		2		16		22		19		3		7			
Constitucion.....	14	2	15		3	9	10.72			15	2	1	2	4	11		16	7	5				3		25	
Faro de la Quiriquina.....	11	6	14		4	14	95.20			16	5		1		4		22		10		25		10			
Id. de Niebla.—Corral.....	5	1	25	2	8	22	47.66	4		33	7		21				6		2		6		16			
Id. de la Corona.—Ancud...	2	2	27			9	11.72			4	13						11				22					
Ancud.....	3	8	20	1	2	23	46.55	3		24	10		6		6	1	3	2	7	1	8	7	7	6	2	

INTRODUCCION.

LVI

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTO.																	
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caida en centímetros.	Días de nevazon.	Días que granizan.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	E. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	28	2	1	1																				59	14	
Serena.....																										
Santiago.....	3	7	20	3	1	3	3.82	1			3		5		4				25		2					52
Talca.....	12	9	9	1	7	5.22			5		2	1			1	1	48	7	19	3	2					
Valdivia.....	5	9	16	2	3	20	25.36	2	12						8	3	11	1	2	6	30	6	11			
Faro de la Punta.—Caldera.	12	4	14			1			17		2		2		2		31		20		2		14			
Id. de Coquimbo.....	13	4	13		2	2			4		1		6		1		8		4		55		10			
Id. de Playa-Ancha.—Valp.	11	11	8			5	3.21	1	7		10		2		9		23		22		5		12			
Constitucion.....	17	1	12			5	3.69		16				3	1	10	2	20	6	6	1	1	1	3		20	
Faro de la Quiriquina.....	14	4	12		1	13	51.76		11				6		9		15		22		18		9			
Id. de Niebla.—Cerral.....	4	6	20		3	20	35.46	2	32		2		13				6		1		9		6			
Id. de la Corona.—Ancud.....		3	27			8	4.80		59				1				4				10		16			
Ancud.....		12	17		2	26	26.87	1	8		10	1	7	1	8	1	5	1	4	4	18		13	5	2	

RESÚMEN MENSUAL.

LOCALIDADES,	NUBLADOS, LLEVIAS, ETC.								VIENTOS.																		
	Días despejados.	Días nublados en parte.	Días mal lodos.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó.....	29	2										1												91		1	
Serena.....																											
Santiago.....	2	23	6		1	1	1.82					2		8		6				40		5					29
Talca.....	14	12	5		6	3	1.83			1	2	2		1	6	9	49	4	8	4	5		2				
Valdivia.....	4	16	11		4	13	16.89			10		3			6	1	12	7	4	12	19	8	11				
Faro de la Punta.—Caldera.	11	5	15							15				2		1		31		30		2		12			
Id. de Coquimbo.....	22	1	8			1				2		1		7		1		4		3		64		10			
Id. de Playa-Ancha.—Valp.	19	7	5			2	3.61			6		7		1		5		24		37		3		9			
Constitucion.....	15	4	11			5	2.51			10	1			2	3		36	11	8		1		4			17	
Faro de la Quiriquina.....	14	8	9		2	2	51.46			6				2	10		13		27		23		7				
Id. Niebla.—Corral.....	2	15	14		2	15	16.76	1		8		3		19			9		9		12		33				
Id. de la Corona.—Ancud...	5	9	17			7	3.02			10		3		18		6		9		6		17		15			
Ancud.....	1	19	8		2	22	22.25	1		9		4		8	1	5	3	6	2	6	4	16	5	8	5	4	

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																		
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.	
Copiapó.....	29		1																					89		1	
Serena.....																											43
Santiago.....	7	20	3		1	3	5,61						6		1			2		27		1					
Talca.....	16	5	9			3	5,74			5	1	1		1		1	6	31	8	20	5	3	4	1			
Valdivia.....	7	12	11			11	15,60			3					1	15	3	2	1	1	15	50	10	8			
Faro de la Punta.—Calders.	12	6	12							11		1		1				31		25		5			16		
Id. de Coquimbo.....	19	2	9			1				4				7		3		3		4		51			17		
Id. de Playa—Aneha.—Valp	14	12	4			2	3,59			3		8				5		18		45		1			5		
Constitucion.....	18	2	10			3	3,76			12		1			4	1	1	30	10	9		1			2		20
Faro de la Quiriquina.....	16	3	11		2	6	27,60			2				2		4		15		22		43			2		
Id. de Niebla.—Corral.....	3	14	13		1	12	25,61	1		4		3		7		1		10		13		19			33		
Id. de la Corona.—Ancud...	6	12	12			8	3,91			31		3		6		1		1		1		32			15		
Ancud.....	4	13	12			15	15,30			9		1		14		6		1	1	8	1	33			7	3	5

RESÚMEN MENSUAL.

LOCALIDADES.	NUBLADOS, LLUVIAS, ETC.								VIENTOS.																	
	Días despejados.	Días nublados en parte.	Días nublados.	Días de heladas.	Días de niebla.	Días de lluvia.	Agua caída en centímetros.	Días de nevazon.	Días que graniza.	N.	N. N. E.	N. E.	E. N. E.	E.	E. S. E.	S. E.	S. S. E.	S.	S. S. O.	S. O.	O. S. O.	O.	O. N. O.	N. O.	N. N. O.	Calma.
Copiapó.....	13	3	2																					33		
Serena.....																										
Santiago.....	29	11											2		3					31		4		1		46
Talca.....	28	1	2						1	1					1	2	38	15	15	3	7	3	2	2		
Valdivia.....	29	8	3		1	2	1.60		1					5	39	2	6	14		12	7	4	3			
Paro de la Punta.—Caldera.....	19	5	16						4				1		1		42		32		9		4			
Id. de Copiapo.....	17	2	12						9		1						2		3		70		14			
Id. S. Playa-Ancha.—Valp.....	18	5	19		1				10		14		3		7		11		33		4		10			
Constracion.....	20	5	6		3				13						4		38	9	11		2		2		13	
Paro de la Quinquina.....	22	2	7		3	1	0.60		7				1		17		21		23		20		4			
Id. de Niebla.—Corral.....	11	11	6	2	2	4	2.42		4		1		19		8		19		12		12		18			
Id. de la Corona.—Ancud.....	12	10	9			2	1.60		13				6		3		4		21		35		11			
Ancud.....	5	17	9		1	6	3.40		9		6		9		6		9	1	7	2	23	1	9	4	4	

INTRODUCCION.

LXI

FECHAS DE LAS LLUVIAS, ALTURA EN MILÍMETROS DEL AGUA CAIDA EN CADA UNA DE ELLAS I FASES DE LA LUNA.

MESES.	Cobiera.		Copiapó.		Sorra.		Coyulimbo.		Valparaiso.		Santiago.		Talca.		Constitución.		Quiriquina.		Corral.		Valdivia.		Corona.—Ancud.		Ancud.		FASES DE LA LUNA.				
	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.					
																												ALTURAS.			
Enero.....																															
	Febrero.....																														
Marzo.....																															

OBSERVACIONES METEOROLÓGICAS.

FECHAS DE LAS LLUVIAS, ALTURA EN MILÍMETROS DEL AGUA CAIDA EN CADA UNA DE ELLAS I FASES DE LA LUNA.

MESES.	Cañera.		Copiapó.		Cureña.		Coquimbo.		Valparaíso.		Santiago.		Tala.		Constitución.		Quiriquina.		Corral.		Valdivia.		Cureña.—Ancud.		Ancud.		FASES DE LA LUNA.		
	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	ALTURAS.		Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.	Días.	Alturas.			
											A 70 centímetros sobre el suelo.	A 8 metros sobre el suelo.																	
Junio						25		21	17.7	29				10	3.4	9	30.0	8	78.4	8	18.0	13	1.4	9	22.0				
						28		24	17.6	30				11	29.6	10	164.0	9	25.7	9	81.6	23	2.1	10	15.0				
						30		29	51.5					13	14	11	92.0	10	70.2	10	9.0	24	7.5	11					
														14	14	13	48.0	11	51.4	11	18.0	25	9.9	13	16.0				
														16	16	21	3.0	21	80.0	12	15.3	13	12.0	26	8.6	14	2.0		
														17	17	22	20.0	13	10.6	22	11.0			21	4.5				
														18	18	23	9.0	23	10.0	14	5.2	23	5.		22	1.0			
														19	19	24	22.0	24	126.0	24	10.2	24	32.		23	3.0			
														20	20	25	1.8	25	124.0	25	6.2	25	168.0		24	12.0			
														21	21	26	10.0	26	15.0	26	15.0	26	6.0		25	26.0			
														22	22	27	550.0	27	69.0	27	6.0			26	20.0				
														23	23	28	540.0	28	50.4	28	15.0			27	1.0				
														24	24	29	74.0	29	50.2	29	6.0			28	13.0				
														25	25	30	154.0	30	2.0	30	26.0			29					
														26	26				12.6										
														27	27				4.2										
														28	28														
														29	29														
														30	30														
	Julio								1	1.8	3			1			1	220.0	1	2.2	1	8.0	12	5.9	1	5.0			
									5	4.2	4		2		2		2	324.0	2	31.0	2	38.0	14	2.0	2	24.0			
									8	2.0	9		3		3		3	40.0	3	34.2	3	5.0	15	3.0	3	8.0			
									9	2.8	15		4		4		4	24.0	4	2.4	4	6.0	16	2.4	4	9.0			
										14	1.6			10		10	10.4	10		5	3.6	9	12.0	19	9.0	12	37.0		
										15	1.8			14		14	15.2	14		11	9.6	12	19.0	20	17.7	13	4.0		
									18	4.0			22		22	29.6	15							14	36.0				

Julio.....										29	1.2					31	8.1	31		15	17.0	13	20.0	14	22	7.8	15	11.0						
										30	0.8									21	16.0	14	36.0	15	40.0	22	16	1.0						
																				22	250.0	15	18.2	21	62.0	20	5.0							
																				29	40.0	16	15.4	22		21	41.0							
																				30	6.0	24	65.0	23	5.0	22	15.0							
																				31	30	29	7.0	29	90.0	23	15.0							
																					31	150.0	29	28.4	30		29	11.0						
																						30	18.2	31	25.0		30	24.0						
																						31					31	46.0						
	Agosto.....										9	1.4	10				5	2.4	1	21.4	1	44.0	1	46.6	1	45.0	7	6.0	1	21.0				
										24	0.6	14	4.4	4.0	9	7.4	2	3.4	4	12.0	2	1.6	4	2.0	8	14.0	2	20.0						
										25	21.1	25	6.0	4.8	16	3.6	7	15.0	5	10.0	4	6.2	6	29.0	18	14.0	3	3.0						
										31	0.8	26	1.6	1.6	24	31.4	9	5.4	6	190.0	5	8.0	7	7.0	23	6.4	4	16.5						
												27	2.6	2.4	25	16	4.2	8	70.0	6	14.0	8	14.0	27	12.8	6	11.5							
Septiembre..																																		

FECHAS DE LAS LLUVIAS, ALTURA EN MILÍMETROS DEL AGUA CAIDA EN CADA UNA DE ELLAS I FASES DE LA LUNA.

MESES.	Caldera.		Copiapó.		Serena.		Coquimbo.		Valparaiso.		Santiago.			Talca.		Constitucion.		Quiriquina.		Corral.		Valdivia.		Corona.—Ancud.		Ancud.		FASES DE LA LUNA.
	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	ALTURAS.			Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	Dias.	Alturas.	
											A 70 centímetros sobre el suelo.	A 8 metros sobre el suelo.																
Setiembre.....																		24	60.0	18	28.2	19	27.0			16	3.0	
																				19	30.2	20	19.0			17	12.0	
																				20	16.6	23				18	10.5	
																				22	5.2	24	29.0			19	35.5	
																				23	1.0	25				20	12.0	
																				24	21.2	26	2.0			21	2.0	
																				25	13.0	27	11.0			22	8.0	
																				26	25.4	28	5.0			23	12.0	
																				27	2.4	30	1.0			24	10.0	
																				28	16.0					25	9.5	
																				30	11.0					26	29.5	
																										27	15.0	
																										28	3.0	
																										29	3.0	
																										30	13.0	
	Octubre.....						11			9	13.0	11	19.4	17.0	11	6.8	7	1.6	2	1.0	1	1.2	3	17.0	2	4.6	1	49.5
										10	23.1				19	11.9	10		3	130.0	2	3.8	4	39.0	3	3.0	2	14.0
															28	0.2	11	14.2	4	74.0	3	14.0	5		7	9.2	3	10.0
																	13	6.0	10	4.0	4	17.0	6	52.0	8	4.2	4	22.0
																	15	3.6	11	260.0	5	9.6	7		14	1.4	5	4.5
																			12	10.0	6	5.0	8	9.0	18	4.2	6	5.0
																			24	13.0	7	45.6	11	9.0	25	3.6	7	15.0

Ottobre.....										29	11.0	8	7.8	15	5.0					8	12.5	
										30	38.0	11	1.6	23	3.0					9	5.0	
													15	12.4	24	9.0					10	2.8
													16	2.2	25	3.0					11	13.5
													24	15.2	28	10.0					12	8.0
													25	17.0	29	12.0					13	5.0
													28	14.0							14	3.0
													29	11.2							15	3.0
																					16	2.0
																					17	4.0
																					18	32.0
																					19	11.5
																					20	0.5
																					21	3.5
																					22	1.0
Novembre...																						
																					21	4.0
																					22	3.6
																					23	4.2
																					24	7
																					25	10.5
																					26	11.5
																					27	21.0
																					28	20.5
																					29	4.5
																					30	4.0
	Dicembre...																					

OBSERVACIONES METEOROLÓGICAS.

DÍAS.	BARÓMETRO REDUCIDO A 0 ^m				TERMÓMETRO CENTIGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Max.	Medio	Minim.	2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	24.27	26.77	27.40	26.32	27.6	19.6	19.9	28.2	22.37	15.9	6.8	2.9
2	24.07	28.98	27.96	27.00	26.7	18.6	17.7	27.4	21.00	14.1	8.1	3.0
3	25.66	27.38	28.11	27.05	25.8	17.6	16.7	26.4	20.03	14.3	5.5	2.1
4	25.13	28.48	27.46	27.02	26.8	18.7	18.6	27.5	21.03	15.3	6.5	2.6
5	25.85	27.48	27.62	26.98	27.9	18.6	19.9	27.2	22.13	15.4	6.4	3.9
6	25.00	27.33	30.29	27.54	28.0	21.2	21.6	28.6	23.60	18.1	6.9	2.7
7	26.54	28.20	27.38	27.37	28.2	21.3	21.1	28.6	23.53	16.9	7.2	2.9
8	25.57	26.75	28.38	26.90	28.2	21.3	21.0	28.6	23.50	15.1	7.6	4.1
9	25.05	27.27	28.42	26.91	28.3	21.3	20.2	28.8	23.27	16.5	7.0	3.1
10	24.71	26.55	27.51	26.26	28.4	21.3	21.1	28.5	23.60	16.8	6.5	2.2
11	26.05	27.77	29.67	27.83	28.0	21.0	19.9	28.2	22.97	16.3	6.3	2.7
12	26.81	27.88	29.91	27.20	27.9	20.9	21.0	28.3	23.27	18.2	7.1	3.3
13	25.65	27.46	26.68	26.59	27.7	21.1	20.8	28.4	23.20	17.5	7.4	2.9
14	24.36	26.31	27.51	26.06	28.3	21.3	20.5	28.5	23.37	16.8	7.1	2.8
15	26.66	27.63	27.63	27.32	28.0	21.3	21.1	28.5	23.47	16.6	7.3	3.0
16	26.27	28.07	28.23	27.52	27.3	21.1	21.1	27.6	23.17	15.9	5.7	2.5
17	27.06	28.26	29.18	28.17	27.9	21.1	19.9	28.4	22.97	17.6	5.7	2.1
18	27.87	28.60	28.84	28.47	26.5	20.7	19.5	26.9	22.23	15.0	5.8	2.1
19	27.07	28.88	29.48	28.48	27.0	19.2	19.2	28.0	22.00	15.2	5.4	1.5
20	28.47	30.26	30.79	29.84	27.1	19.5	19.8	27.5	22.13	15.9	6.5	1.8
21	27.30	29.03	29.54	28.64	27.4	18.3	18.3	27.7	21.33	15.3	6.8	1.7
22	26.13	27.27	27.74	27.05	26.9	18.7	19.5	27.5	21.70	15.9	5.9	2.9
23	25.96	28.07	29.63	27.89	25.9	18.8	18.5	26.4	21.07	15.8	5.5	2.6
24	27.42	28.92	29.85	28.73	24.9	18.9	18.5	25.3	20.77	13.4	5.4	3.3
25	27.58	29.24	29.03	28.55	26.6	18.3	16.9	27.2	20.60	13.1	6.1	2.1
26	26.74	28.71	26.1	18.6	26.5	6.0
27	26.33	27.62	31.29	28.41	26.5	17.5	19.2	27.0	21.07	13.6	6.1	2.9
28	27.18	28.43	30.00	28.54	26.6	19.7	18.9	27.0	21.73	15.1	6.5	2.7
29	26.27	27.17	29.00	27.48	26.9	20.2	19.4	28.0	22.17	14.1	6.7	2.7
30	26.47	29.37	28.74	28.19	27.5	19.5	21.1	28.0	22.70	16.1	7.3	3.1
31	25.81	26.51	29.10	27.14	27.7	20.1	20.3	28.5	22.70	15.9	6.1	3.5

FEBRERO

1	26.33	29.17	30.30	28.63	26.9	20.6	18.9	27.5	22.13	15.1	5.3	1.7
2	27.44	30.00	29.34	28.93	27.6	20.9	20.3	29.5	22.93	15.3	5.9	2.3
3	27.31	29.17	29.79	28.76	28.8	20.1	21.3	30.0	23.40	14.6	7.1	3.9
4	29.77	29.61	30.95	30.10	27.7	21.6	19.1	28.0	22.47	14.1	7.9	3.3
5	27.33	27.88	30.39	28.53	27.0	18.7	19.3	28.0	22.00	14.6	7.1	1.5
6	27.18	27.83	28.50	27.84	25.2	18.6	18.4	25.5	20.73	12.6	5.7	2.3
7	28.28	27.98	29.96	28.74	26.4	18.9	18.6	28.0	21.30	14.1	5.7	2.3
8	27.97	28.73	30.39	29.03	26.7	19.6	19.4	28.0	21.90	13.6	5.3	1.3
9	28.93	29.33	29.18	29.15	27.2	19.6	22.5	28.0	23.10	14.6	5.9	2.1
10	26.83	28.78	30.63	28.75	28.0	19.6	19.6	28.5	22.40	13.6	6.1	2.7
11	27.29	29.27	28.78	28.45	27.3	19.5	21.3	28.5	22.70	15.1	6.3	1.9
12	26.77	27.07	29.54	27.79	27.4	18.3	19.3	28.0	21.67	14.1	5.9	1.6
13	26.67	28.27	28.50	27.81	26.2	19.6	19.7	27.0	21.83	14.6	4.1	2.7
14	26.87	27.23	30.03	28.04	26.9	19.1	20.1	27.5	22.03	15.1	6.1	2.7
15	27.71	27.47	28.74	27.97	27.1	20.1	20.0	27.5	22.40	16.6	5.4	2.7
16	26.31	29.03	29.78	28.37	27.7	19.3	18.3	28.0	21.77	15.2	7.1	1.0
17	26.33	29.23	28.59	28.05	26.9	19.7	19.1	27.7	21.90	15.1	6.3	2.2
18	28.17	29.42	30.05	29.22	26.1	19.3	18.3	26.9	21.23	15.2	4.1	1.9
19	27.48	29.28	29.27	28.68	25.6	19.1	18.9	26.0	21.20	14.1	5.1	2.4
20	27.09	29.06	29.78	28.64	25.5	18.1	16.8	26.1	20.13	15.3	4.8	1.3
21	26.50	27.61	28.08	27.40	25.7	18.3	17.6	26.0	20.53	13.6	4.9	1.7
22	28.00	28.30	28.74	28.35	25.5	18.3	18.5	26.0	20.77	15.1	5.8	2.4
23	27.23	30.18	29.18	28.86	24.1	18.4	16.9	19.80	13.8	4.6	2.4
24	27.00	29.13	29.14	28.12	25.0	17.5	16.0	25.5	19.50	14.4	4.6	1.7
25	25.90	28.62	27.96	27.49	25.5	17.5	15.8	25.5	19.60	14.1	4.5	1.6
26	25.42	26.58	27.74	26.58	24.6	17.4	16.1	25.0	19.37	14.1	4.7	1.2
27	25.81	27.01	28.45	27.09	24.3	17.1	15.8	24.9	19.07	13.9	4.8	1.2
28	26.54	28.73	27.47	27.38	23.7	16.3	16.4	24.2	18.37	11.6	4.2	1.7

DE 1873

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
48	73	60	12.10	11.86	11.98	NO ₂	NO ₁	NO ₁	D.	D.	D.
42	70	56	10.90	10.72	10.81	—	—	—	—	—	—
56	77	66	12.29	10.29	11.29	—	—	—	Np.	—	Ni.
51	74	63	12.69	11.12	11.90	—	—	—	D.	—	D.
56	64	60	13.03	10.56	11.82	—	—	—	—	—	—
49	75	62	13.11	13.40	13.26	—	—	—	—	—	—
48	73	60	13.19	12.74	12.96	—	—	—	—	—	—
45	63	54	12.29	11.49	11.89	—	—	—	—	—	—
49	71	60	13.64	12.10	12.87	—	—	—	—	—	—
54	79	66	14.59	13.71	14.10	—	—	—	—	—	—
54	74	64	14.97	12.52	13.29	—	—	—	—	—	—
48	70	59	12.77	12.36	12.82	—	—	—	—	—	—
46	73	60	12.61	13.10	12.85	—	—	—	—	—	—
49	74	61	13.80	13.16	13.48	—	—	—	—	—	—
48	72	60	13.57	12.95	13.26	—	—	—	—	—	—
57	77	67	14.44	13.70	14.07	—	—	—	—	—	—
57	80	68	14.22	13.41	13.81	—	—	—	—	—	—
55	79	67	13.67	12.71	13.19	—	—	—	—	—	—
57	85	71	13.92	13.96	13.94	—	—	—	—	—	—
51	83	67	12.91	13.59	13.25	—	NO ₂	NO ₂	—	—	—
49	82	66	12.73	12.23	12.48	—	—	NO ₁	—	—	—
55	73	64	13.50	12.04	12.77	—	—	NO ₂	—	—	Ni.
57	74	65	13.53	11.60	12.56	—	—	NO ₁	—	—	—
56	68	62	12.65	11.25	11.95	—	—	—	—	—	D.
54	78	66	12.94	11.11	12.02	—	—	NO ₁	—	—	—
54	12.78	—	—	—	—	—
54	72	63	12.94	11.57	12.26	—	—	NO ₁	—	—	—
51	73	62	12.47	11.54	12.00	—	—	—	—	—	—
50	74	62	12.90	12.16	12.53	—	—	—	—	—	—
47	72	60	12.37	13.34	12.85	—	—	—	—	—	—
59	68	60	12.53	12.93	12.28	—	—	—	—	—	—

DE 1873.

58	83	70	13.43	13.31	13.37	NO ₂	NO ₁	NO ₁	D.	N.	Np.
55	79	67	12.84	13.11	12.98	—	—	—	—	D.	D.
48	66	57	12.55	12.13	12.34	—	—	—	—	—	—
43	68	56	11.22	11.25	11.23	—	—	—	—	—	—
48	85	66	12.11	13.60	12.86	—	—	—	—	—	—
55	78	67	12.37	11.54	11.96	—	—	—	—	—	Ni.
55	78	67	12.57	12.76	12.66	—	—	—	—	—	—
57	88	72	13.01	15.88	14.44	—	—	—	—	—	D.
55	81	68	13.72	14.17	13.95	—	—	—	—	—	—
55	74	64	13.76	12.52	13.14	—	—	—	—	—	—
54	82	68	14.29	14.99	14.59	—	—	—	—	—	—
56	84	70	13.88	13.28	13.58	—	—	—	—	—	—
66	74	70	14.38	12.52	13.45	—	—	—	—	—	—
55	74	65	13.76	12.31	13.05	—	—	—	—	—	—
57	74	65	13.81	12.52	13.16	—	—	—	—	—	—
49	89	69	13.14	11.70	12.42	—	—	—	—	—	Ni.
52	78	65	13.48	12.46	12.97	—	—	—	—	—	—
66	81	73	14.60	12.65	13.63	—	—	—	—	—	—
60	77	69	13.55	12.34	12.94	—	—	—	—	—	—
60	86	73	13.32	11.52	12.42	—	—	—	—	—	—
60	82	71	13.16	11.75	12.45	—	—	—	—	—	—
54	77	65	12.61	12.07	12.34	—	—	—	—	—	—
62	75	69	12.84	10.77	11.80	—	—	—	—	—	—
61	81	71	12.42	10.85	11.63	—	—	—	—	—	—
63	83	73	12.90	10.94	11.92	—	—	—	—	—	—
61	86	73	12.36	11.07	11.72	—	—	—	—	—	—
59	84	72	12.12	10.75	11.44	—	—	—	—	—	—
63	82	72	12.39	11.12	11.75	—	NO ₂	—	—	—	—

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	24 h.	9 h.	21 h.	Medio	24 h.	9 h.	21 h.	Máx.	Medio	Mínim.	24 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	25.82	26.61	28.38	26.95	24.5	16.3	14.3	25.0	18.37	12.9	4.7	1.0
2	25.88	26.22	27.76	26.65	24.5	16.4	14.5	24.8	18.47	12.2	4.7	1.0
3	25.76	28.14	28.46	27.45	24.2	16.9	16.5	24.5	19.29	11.6	4.7	1.7
4	26.00	28.50	28.86	27.79	24.8	17.4	16.1	25.5	19.43	12.5	5.5	2.0
5	24.92	28.74	29.64	27.77	24.4	17.1	16.6	24.3	19.27	13.3	4.3	2.5
6	26.42	29.18	30.01	28.55	25.2	16.7	16.0	25.7	19.30	12.1	5.1	1.9
7	29.00	30.36	30.10	29.82	25.1	16.3	17.1	25.5	19.50	11.0	3.7	1.9
8	27.36	27.74	28.31	27.81	25.6	18.6	17.2	27.0	20.47	11.6	4.9	1.8
9	27.52	28.10	17.5	16.1	14.0	1.1
10	26.02	27.32	27.97	27.10	24.7	17.5	16.7	25.3	19.63	14.0	5.1	1.3
11	27.03	29.53	30.49	28.02	24.0	17.6	17.4	25.5	19.67	16.0	3.8	2.0
12	28.03	28.74	30.72	29.16	25.1	16.3	16.7	24.4	19.37	13.2	3.8	2.0
13	27.87	29.04	28.04	28.33	25.2	17.2	19.0	25.8	20.47	13.0	5.5	2.8
14	26.75	29.57	30.16	28.83	26.3	17.5	17.8	26.8	20.53	14.8	6.1	1.9
15	28.46	30.16	29.20	29.27	25.9	18.1	19.2	27.0	21.07	14.0	5.1	2.5
16	27.75	27.62	29.07	28.15	26.4	18.7	19.1	27.2	21.49	14.0	5.9	2.6
17	26.86	28.18	29.44	28.16	25.3	17.4	17.1	25.6	19.93	14.7	5.0	1.7
18	28.37	30.79	29.69	29.62	24.3	16.8	17.3	25.0	19.47	12.8	4.3	2.2
19	27.78	29.75	29.61	29.05	23.5	15.9	16.9	24.0	18.77	14.0	4.2	1.8
20	27.98	28.40	29.30	28.56	22.7	15.6	18.6	23.5	18.97	13.4	4.2	2.5
21	28.08	28.56	30.26	28.90	25.0	15.8	16.2	26.0	19.00	13.0	5.2	1.7
22	29.07	30.02	30.10	29.73	23.4	15.6	15.3	23.9	18.10	11.8	4.7	1.6
23	29.45	30.33	30.44	30.07	24.6	16.3	15.6	18.83	13.8	4.9	1.9
24	26.98	28.76	29.81	28.52	23.1	15.3	15.0	23.8	17.80	13.7	4.6	1.6
25	26.83	28.61	30.08	28.51	21.7	14.9	16.2	22.2	17.60	13.8	4.2	2.1
26	29.58	30.36	31.42	30.45	21.5	16.7	17.6	22.0	18.60	11.8	4.0	2.6
27	28.91	28.87	30.76	29.51	24.7	16.2	15.2	25.4	18.70	11.4	5.6	1.9
28	28.66	29.41	30.24	29.44	22.7	15.6	14.5	23.6	17.60	12.0	4.2	1.6
29	28.01	29.66	30.33	29.33	21.1	15.4	15.4	21.8	13.30	14.0	4.0	1.7
30	28.14	28.73	29.34	28.74	21.5	15.3	15.6	26.0	17.40	10.0	4.3	1.8
31	27.33	29.71	30.56	29.20	23.1	15.9	15.8	23.7	17.87	14.9	4.2	1.5

1	29.47	29.87	29.51	29.62	19.7	15.1	16.7	20.4	17.17	12.5	3.2	2.2
2	27.98	29.70	28.08	28.59	23.2	15.4	17.1	23.8	18.57	11.9	4.8	2.4
3	26.20	27.67	29.54	27.80	24.5	15.1	15.9	24.8	18.50	14.0	5.1	1.6
4	27.31	28.11	29.12	28.18	22.2	14.9	14.0	23.0	17.03	12.1	4.6	1.4
5	26.41	27.78	29.23	27.81	22.3	14.9	15.5	22.8	17.57	13.0	4.3	1.4
6	27.56	29.21	29.99	28.92	22.2	16.4	14.6	27.0	17.73	13.2	4.0	1.7
7	26.88	29.86	29.85	28.87	20.6	15.3	16.2	21.4	17.37	11.3	3.5	2.0
8	27.88	29.38	29.58	28.94	22.5	15.2	17.0	23.0	18.23	11.8	4.3	1.5
9	27.57	28.90	30.07	28.85	23.2	15.2	16.0	25.2	18.13	13.5	3.4	1.6
10	28.05	28.74	28.65	28.47	22.1	15.2	14.8	26.8	17.37	12.0	4.0	1.6
11	27.06	26.72	28.16	27.31	24.1	15.4	14.4	17.97	13.0	6.0	1.3
12	28.33	27.46	29.17	28.32	19.5	16.7	15.1	24.8	17.10	14.1	2.8	1.5
13	27.45	28.61	29.61	28.56	20.1	15.3	14.8	20.8	16.70	10.5	3.1	1.5
14	27.63	28.46	30.29	28.77	21.9	15.0	13.6	22.6	16.83	12.5	6.0	1.2
15	29.56	29.17	29.90	29.51	18.7	14.3	13.3	19.5	15.45	11.0	5.6	1.1
16	27.49	27.95	30.20	28.54	20.9	14.2	15.2	21.6	16.77	13.0	3.6	1.7
17	29.00	29.10	30.52	29.54	19.2	13.6	14.6	20.1	15.80	11.9	3.0	1.4
18	28.85	29.83	30.19	29.62	20.3	13.5	13.4	21.0	15.73	8.4	3.6	2.1
19	26.77	28.80	30.71	28.76	22.3	14.1	13.8	22.8	16.73	8.6	5.2	1.9
20	29.66	30.92	30.77	30.45	19.7	13.1	14.0	21.6	15.60	10.9	3.6	3.7
21	29.72	29.70	29.67	29.70	20.9	13.2	16.7	21.4	16.93	8.7	4.1	5.0
22	26.98	28.34	28.49	27.94	24.0	14.4	13.8	21.4	17.40	11.2	6.4	1.7
23	28.31	29.67	30.22	29.40	16.4	15.1	16.0	17.9	15.83	12.2	2.3	1.9
24	30.62	30.70	30.11	30.48	20.3	15.1	15.7	20.8	17.63	10.0	3.9	2.2
25	28.67	29.80	31.19	29.69	22.1	15.2	13.0	22.6	16.77	10.9	4.6	1.3
26	28.70	30.34	30.45	29.81	21.3	14.0	13.2	22.0	16.17	12.1	4.2	1.2
27	27.69	29.13	30.46	29.09	21.1	14.1	13.9	21.6	16.37	12.0	4.3	1.5
28	28.03	28.34	28.86	28.58	19.5	12.9	13.2	19.7	15.20	10.0	3.1	1.3
29	27.36	28.11	29.05	28.17	19.6	13.4	13.3	19.8	15.43	11.0	3.2	1.4
30	27.15	29.11	29.59	28.73	19.5	13.3	13.0	20.0	15.27	10.2	3.2	1.4

DE 1873.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	5 h.	21 h.	2½ h.	9 5.	21 h.
62	88	75	12 58	9 99	11 29	NO ₂	NO ₁	NO ₁	D.	D.	Ni.
62	88	75	12 48	10 13	11 31	—	—	—	—	—	—
61	81	71	12 27	10 69	11 48	—	—	—	—	—	—
55	79	67	11 78	10 69	11 23	—	—	—	—	—	—
62	74	68	12 60	9 86	11 23	—	C.	—	—	—	—
59	86	69	12 34	10 91	11 62	—	NO ₁	—	—	—	D.
68	80	74	13 89	11 15	12 52	—	—	—	—	—	—
60.	81	71	12 86	11 21	12 04	—	—	—	—	—	—
...	88	11 48	—	—	—	Ni.
59	86	73	12 54	11 52	12 63	NO ₂	—	—	D.	—	—
67	79	73	13 43	11 33	12 38	—	—	—	—	—	—
67	79	73	12 10	10 93	11 51	—	NO ₂	—	—	—	D.
55	72	63	11 60	11 63	11 62	—	NO ₁	—	—	—	—
51	79	65	11 42	10 25	10 83	NO ₁	—	C.	—	—	—
59	75	67	12 34	11 82	12 08	NO ₂	—	NO ₁	—	—	—
54	74	64	11 95	11 60	11 78	—	—	—	—	—	—
59	82	70	12 50	12 31	13 40	—	NO ₂	—	—	—	—
64	77	71	12 93	10 73	11 83	—	NO ₁	—	—	—	—
63	81	72	12 21	10 89	11 55	—	NO ₂	—	—	—	—
62	75	68	11 69	11 42	11 56	—	NO ₁	—	—	—	—
56	81	69	11 42	10 69	11 05	—	NO ₂	—	—	—	—
59	82	71	11 48	10 25	10 87	—	—	—	—	—	—
58	79	68	11 24	10 49	10 87	—	NO ₁	—	—	—	—
59	82	71	11 45	10 65	10 75	—	—	—	—	—	Ni.
61	77	69	10 86	10 21	10 53	—	—	—	—	—	—
63	73	68	10 90	10 21	10 56	—	—	—	—	—	D.
53	79	66	16 66	9 73	10 19	—	—	—	—	—	—
62	82	72	11 51	9 84	10 68	—	—	—	—	—	Ni.
63	81	72	10 82	10 21	10 52	—	—	C.	—	—	—
61	80	71	10 56	10 31	10 44	—	—	NO ₁	—	—	D.
62	83	72	11 78	10 41	11 10	—	—	—	—	—	Ni.

DE 1873.

69	76	73	10 75	10 47	10 61	NO ₂	NO ₁	NO ₁	D.	D.	D.
58.	75	66	10 88	10 27	10 58	—	NO ₂	—	—	—	—
56	82	69	11 24	10 67	10 96	—	NO ₁	—	—	—	Ni.
58	84	71	10 54	9 61	10 07	—	—	—	—	—	—
62	84	73	11 09	10 24	10 66	—	—	—	—	—	D.
64	81	72	11 28	9 61	10 46	—	—	NO ₂	—	—	Ni.
67	78	73	11 05	10 43	10 74	—	—	NO ₁	—	—	D.
62	81	73	11 27	11 79	11 53	—	—	—	—	—	—
69	82	76	12 88	10 59	11 73	—	—	—	—	—	—
61	82	73	11 28	10 19	10 74	—	—	—	—	—	—
52	85	68	10 76	10 09	10 42	—	—	—	—	—	Ni.
72	85	79	11 31	10 37	10 84	—	—	—	—	—	—
70	85	77	11 13	10 16	10 61	—	—	NO ₂	—	—	D.
46	86	66	8 01	9 73	8 87	—	—	C.	—	—	Ni.
65	87	76	9 96	9 62	9 79	—	—	NO ₂	—	—	D.
66	81	73	11 07	10 21	10 64	—	—	NO ₁	—	—	Ni.
70	84	77	10 64	9 75	10 19	—	—	—	—	—	—
65	75	70	10 36	8 20	9 28	—	—	C.	—	—	D.
53	77	65	9 07	8 44	8 76	—	—	NO ₁	—	—	Ni.
65	61	63	9 96	7 83	8 90	—	—	—	—	—	D.
61	48	55	9 98	6 15	8 07	—	—	NO ₂	—	—	Ni.
46	80	62	8 88	9 18	9 65	—	NO ₂	NO ₁	—	—	Ni.
76	79	78	9 69	10 33	10 09	NO ₁	NO ₁	C.	N.	N.	Ni.
63	76	69	9 70	9 47	9 58	NO ₂	—	—	D.	D.	Ni.
57	85	71	9 83	9 36	9 59	—	—	NO ₁	—	—	D.
61	86	73	10 14	9 49	9 82	—	—	—	—	—	Ni.
56	83	69	7 47	9 55	8 54	—	—	—	—	—	D.
69	85	77	10 66	9 29	9 97	—	—	NO ₂	—	—	Ni.
68	83	76	10 60	9 47	9 89	—	NO ₁	NO ₁	—	—	Ni.
69	83	76	10 83	9 02	9 93	—	NO ₂	—	—	—	D.

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	27.40	28.12	30.21	28.58	19.1	15.2	12.1	19.9	14.90	10.0	2.7	1.1
2	27.92	29.06	29.74	28.91	17.7	12.7	15.1	18.1	15.17	11.8	2.7	1.9
3	28.38	28.96	29.63	28.99	17.8	13.0	12.6	18.4	14.47	11.8	3.3	1.3
4	27.63	28.57	29.46	28.55	18.0	13.4	12.5	18.0	14.63	11.2	2.6
5	27.05	28.03	29.90	28.53	18.0	12.0	12.7	18.4	14.23	12.0	2.5	1.2
6	29.15	30.68	30.53	30.05	18.2	13.2	12.9	14.77	10.8	2.7	1.2
7	27.74	28.41	29.46	28.54	18.5	14.9	12.6	19.0	15.33	10.4	2.8	1.2
8	27.81	28.94	30.33	29.03	17.0	13.0	12.0	17.7	14.00	10.8	2.3	0.9
9	29.40	29.26	29.96	29.21	17.2	12.7	12.4	17.8	14.10	7.9	2.6	1.9
10	28.26	29.27	31.37	29.63	18.6	12.8	11.6	19.0	14.33	10.7	3.0	1.2
11	30.32	30.19	31.67	30.73	18.3	12.4	11.7	14.13	10.8	3.3	1.0
12	30.58	29.97	30.61	30.40	17.3	12.0	12.5	17.7	13.93	11.9	2.3	1.4
13	30.39	30.87	31.80	31.02	17.2	12.9	11.7	17.7	13.93	9.9	2.4	1.2
14	29.81	30.46	29.73	30.00	16.9	12.7	12.3	17.3	13.97	10.0	2.5	1.3
15	28.71	28.69	30.42	29.27	15.5	14.1	13.3	15.9	14.30	9.0	1.9	1.8
16	28.71	29.47	31.04	29.74	18.4	13.1	12.1	18.8	14.50	9.5	3.1	1.2
17	29.78	30.19	30.77	30.25	17.9	14.4	12.4	14.90	7.9	2.9	2.1
18	28.56	29.50	30.62	29.56	18.0	14.5	9.7	19.0	14.07	7.2	3.0	0.9
19	29.63	29.86	30.96	29.98	17.4	12.1	12.0	18.0	13.83	7.3	2.9	1.4
20	29.73	30.54	30.37	30.21	17.1	12.0	11.4	18.0	13.50	8.9	3.0	1.6
21	27.87	28.49	30.45	28.94	18.0	14.9	12.5	18.0	15.13	10.8	3.2
22	28.74	29.41	30.09	29.41	16.8	11.9	12.3	17.2	13.67	7.2	2.5	1.8
23	28.10	29.61	29.82	29.18	18.2	12.0	13.5	23.5	14.57	8.7	3.3	2.5
24	26.67	28.57	29.05	28.10	20.7	14.2	13.5	20.8	16.15	8.5	4.1	3.0
25	27.63	29.07	29.86	28.69	19.6	13.9	13.2	20.3	15.57	8.9	3.2	3.3
26	27.84	29.61	30.16	29.20	19.4	12.5	11.4	19.8	14.43	9.8	4.2	1.6
27	30.09	30.65	30.86	30.37	16.7	14.9	12.0	17.0	14.53	7.1	2.8	2.2
28	30.19	29.04	30.21	29.81	17.8	11.3	11.0	18.4	13.57	9.5	3.3	1.1
29	28.32	28.30	30.99	29.20	15.2	12.1	9.7	15.5	12.33	7.0	2.3	1.5
30	28.30	29.75	30.09	29.38	17.1	11.0	9.4	17.7	12.50	4.8	3.5	2.8
31	27.54	28.33	30.02	28.64	18.7	11.1	7.0	12.97	5.5	4.7	0.9

1	29.12	29.55	30.41	29.69	15.1	10.9	9.0	15.7	11.67	6.2	2.7	1.0
2	28.42	28.58	29.06	28.69	16.2	11.3	7.3	16.7	11.60	5.0	3.1	2.8
3	27.28	29.02	30.55	28.95	15.0	9.7	10.9	15.6	11.87	7.5	2.6	1.2
4	29.98	30.66	30.80	30.45	14.7	9.9	10.4	15.2	11.67	6.8	2.3	1.2
5	30.09	30.72	30.49	30.43	16.3	12.0	11.1	16.7	13.13	8.3	3.1	2.3
6	29.36	30.63	30.89	30.29	16.0	11.2	11.8	16.3	13.00	9.8	2.9	1.8
7	30.44	29.74	32.33	30.84	13.7	11.0	10.4	14.1	11.70	8.4	2.6	1.7
8	31.58	31.66	32.32	31.82	15.3	9.6	9.0	15.5	11.30	6.6	3.3	1.5
9	29.43	29.05	30.10	29.53	16.7	10.4	8.4	16.8	11.83	4.0	4.7	3.0
10	28.59	30.64	33.11	30.77	15.5	10.2	8.8	15.8	11.50	5.6	1.2	1.3
11	31.75	31.57	31.53	31.62	14.0	9.2	8.8	14.5	10.67	3.5	2.6	2.5
12	29.06	29.75	31.44	30.08	15.1	9.1	8.6	15.5	10.93	7.9	3.2	1.2
13	28.67	29.59	31.34	29.87	13.6	9.4	9.0	14.1	10.67	8.4	2.2	1.3
14	28.81	29.82	31.23	29.99	15.6	12.4	7.2	16.0	11.73	6.1	3.0	0.8
15	30.31	31.09	29.98	30.46	15.3	9.0	11.7	15.0	12.00	7.1	2.0	2.4
16	28.65	30.27	31.48	30.13	17.3	12.1	10.0	18.2	13.13	9.1	4.1	1.1
17	30.57	30.38	29.06	30.00	15.0	10.0	9.5	15.3	11.50	6.8	2.6	1.2
18	26.52	28.27	32.11	28.97	18.1	13.0	13.4	18.9	14.90	9.1	4.5	1.2
19	29.16	31.03	31.57	30.59	15.6	13.3	12.5	19.0	13.80	9.4	2.9	1.4
20	28.16	31.63	31.31	30.37	17.7	13.3	12.5	18.0	14.50	9.0	2.8	2.1
21	28.66	28.86	29.80	29.11	20.3	12.7	10.9	21.5	14.63	7.2	4.6
22	27.76	27.86	30.20	28.61	16.3	11.0	8.9	16.7	12.07	7.1	2.7	1.6
23	28.79	29.96	32.28	30.31	13.2	11.5	12.6	13.6	12.43	8.3	1.6	1.4
24	31.11	30.20	31.54	30.95	17.0	11.6	10.8	17.2	13.13	7.7	3.0	2.3
25	30.55	31.09	31.84	31.09	16.8	11.7	12.1	17.2	13.53	10.1	3.0	1.3
26	29.62	30.42	31.04	30.36	18.1	11.8	10.2	18.3	13.37	7.1	2.1
27	28.45	28.96	30.52	28.98	19.0	11.5	9.0	19.1	13.17	7.2	4.2	1.2
28	30.64	30.96	32.77	31.46	14.5	11.5	12.2	14.9	12.73	8.9	2.6	2.0
29	31.11	31.87	31.28	31.42	16.1	11.8	11.1	16.3	13.00	7.8	2.6	1.6
30	28.49	28.57	30.69	29.38	16.6	11.9	12.0	17.7	13.50	9.7	3.0

DE 1873.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
73	86	80	10.75	9.13	9.94	NO ₂	NO ₂	NO ₁	D.	D.	Ni.
73	79	76	10.27	9.45	9.86	NO ₁	NO ₁	—	Np.	—	Np.
67	85	76	9.44	9.08	9.26	NO ₂	—	—	D.	Np.	Ni.
73	10.21	—	NO ₂	C.	—	D.	—
74	86	80	10.47	9.07	9.77	—	—	—	—	—	—
72	85	78	10.01	9.28	9.65	—	NO ₁	—	—	—	—
72	85	79	10.45	8.80	9.63	—	NO ₂	NO ₁	—	—	—
75	89	82	10.47	9.39	9.93	—	—	C.	—	—	—
73	77	75	10.07	8.72	9.40	—	NO ₁	NO ₁	—	—	D.
70	85	77	10.24	8.68	9.46	—	—	C.	—	—	Ni.
67	86	77	9.44	8.92	9.18	—	—	NO ₁	—	—	—
77	83	80	10.75	8.86	9.81	—	—	—	—	—	—
75	85	80	10.13	8.56	9.35	—	—	NO ₂	—	—	—
73	85	79	9.57	9.08	9.33	—	NO ₂	C.	—	N.	—
79	79	79	9.94	8.77	9.36	NO ₁	—	NO ₁	N.	—	D.
68	85	76	9.84	8.92	9.38	—	NO ₁	—	Np.	Np.	Ni.
70	74	72	9.96	7.73	8.85	NO ₂	—	—	D.	D.	D.
69	88	79	9.76	7.73	8.75	—	—	NO ₂	—	—	Ni.
70	83	76	9.68	8.44	9.06	—	—	NO ₁	—	—	D.
69	80	75	9.62	7.73	8.68	NO ₁	—	NO ₂	—	—	—
67	9.57	—	—	—	—	—	N.
74	78	76	9.79	8.14	8.97	—	NO ₂	NO ₁	—	—	D.
67	71	69	9.65	7.90	8.78	—	—	NO ₁	—	—	—
61	65	63	9.98	7.07	8.53	NO ₂	NO ₂	NO ₂	—	—	—
68	60	64	10.12	6.45	8.29	—	NO ₁	—	—	—	—
59	80	70	8.96	7.75	8.35	—	—	—	Np.	—	Np.
71	73	72	9.46	7.31	8.39	NO ₁	—	NO ₁	D.	—	D.
67	85	76	9.23	8.33	8.78	—	—	—	—	—	N.
76	80	78	9.06	7.04	8.05	—	—	—	N.	—	D.
64	63	63	8.34	5.32	6.83	NO ₂	—	—	D.	—	—
55	87	71	7.68	6.19	6.94	NO ₁	NO ₂	NO ₂	—	—	—

DE 1873.

71	86	78	8.82	7.29	8.06	NO ₂	NO ₁	NO ₁	D.	D.	Ni.
67	63	65	8.58	5.57	7.08	—	—	—	—	—	D.
71	84	78	8.71	8.09	8.40	—	—	—	—	—	N.
75	84	79	8.75	7.91	8.33	—	—	—	—	Np.	D.
67	72	69	8.58	6.81	7.69	NO ₁	—	—	N.	D.	—
69	77	73	8.77	7.61	8.19	NO ₂	—	NO ₂	D.	Ni.	Np.
70	78	74	7.65	7.29	7.47	—	C.	—	—	—	D.
63	79	71	7.35	6.50	6.92	—	NO ₂	NO ₁	—	D.	—
52	57	55	6.33	4.58	5.46	—	—	C.	—	—	N.
86	82	84	10.43	6.86	8.65	—	—	—	—	—	D.
70	65	68	7.89	5.39	6.64	NO ₁	—	NO ₁	—	—	—
60	83	72	5.87	6.92	6.39	NO ₂	—	—	—	—	Ni.
74	82	78	8.14	6.96	7.55	—	C.	NO ₂	—	—	—
67	88	77	8.33	6.62	7.48	—	NO ₁	NO ₁	—	—	—
76	70	73	8.44	6.87	7.66	—	—	—	Np.	—	—
57	86	71	7.59	7.81	7.70	NO ₁	—	—	N.	N.	Ni.
71	84	78	8.50	7.53	9.01	NO ₂	—	—	D.	D.	N.
56	86	71	7.94	9.73	8.83	—	NO ₂	—	N.	N.	Np.
71	83	77	10.63	8.95	9.79	—	—	—	D.	D.	—
71	74	73	9.95	7.85	8.10	—	—	—	N.	D.	—
56	8.65	—	NO ₁	—	D.	—	D.
71	79	75	9.17	7.11	8.14	—	—	—	—	—	Ni.
81	83	82	8.89	8.95	8.92	—	—	—	N.	Ni.	D.
68	72	70	9.20	6.53	8.07	—	—	—	D.	D.	Ni.
68	84	76	8.92	8.74	8.83	—	NO ₂	—	N.	N.	D.
...	72	6.63	—	NO ₁	—	D.	—	—
58	83	70	8.26	7.62	7.64	—	—	—	—	—	—
71	75	73	8.29	7.67	7.98	—	—	—	—	—	—
71	79	75	8.85	7.23	8.04	—	—	—	—	—	—
68	8.85	—	NO ₂	—	—	N.	N.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	28.03	29.67	31.65	29.78	15.9	13.9	11.8	16.1	13.63	10.1	2.9	1.9
2	30.24	30.33	32.19	30.92	15.2	11.9	11.5	15.5	12.87	9.1	3.1	1.8
3	29.77	32.49	32.42	31.56	15.7	10.8	8.3	15.8	11.60	4.9	3.3	1.9
4	29.50	30.15	30.09	29.91	16.8	10.0	9.3	17.1	12.03	4.8	5.0	3.4
5	29.42	30.85	31.53	30.43	16.7	10.4	9.4	17.1	12.17	8.2	3.9	1.3
6	30.24	31.66	32.71	31.54	14.4	9.9	9.8	14.8	11.37	8.6	3.0	1.2
7	30.53	32.98	33.68	32.40	13.1	13.3	9.8	13.7	12.07	8.1	1.7	1.0
8	31.52	31.14	30.50	31.05	14.1	9.6	8.9	14.5	10.87	4.1	2.4	2.0
9	28.99	29.27	29.55	29.04	15.4	10.4	9.6	16.0	11.80	6.1	3.4	2.2
10	27.73	28.53	31.64	29.10	15.7	11.6	12.0	16.0	13.10	9.1	2.8	1.5
11	30.08	29.46	31.69	30.41	15.9	12.6	12.3	16.4	13.60	10.3	2.3	1.2
12	30.54	31.84	32.11	31.50	15.3	12.0	12.9	19.6	13.40	10.3	1.9	1.8
13	30.72	31.53	31.93	31.39	15.2	10.5	10.9	15.6	12.20	9.1	2.3	0.4
14	32.56	32.55	34.41	33.17	11.4	10.1	9.3	12.9	10.27	7.1	1.6	1.3
15	33.44	33.84	31.36	32.88	12.3	9.9	11.9	14.5	11.37	5.7	0.9
16	27.83	30.70	31.56	30.03	20.9	9.0	10.1	21.2	13.33	8.1	5.6	1.1
17	29.59	28.57	29.32	29.16	15.2	11.2	10.5	16.0	12.30	6.0	2.3	2.2
18	27.79	27.93	30.41	28.71	18.9	10.9	10.0	13.27	9.2	4.7	1.2
19	29.96	30.59	31.26	30.60	14.6	10.5	10.7	14.1	11.93	9.0	2.4	1.6
20	30.61	31.63	31.58	31.27	14.8	10.2	8.7	15.1	11.23	4.1	2.9	2.1
21	28.93	31.18	32.31	30.81	17.4	10.4	10.0	17.1	12.60	6.7	4.4	0.9
22	32.19	30.22	31.54	31.32	17.7	13.1	12.0	17.7	14.27	6.8	4.9	2.9
23	28.20	27.46	30.97	28.88	22.4	17.8	12.1	22.1	17.43	6.1	6.9	1.1
24	28.54	28.52	31.07	29.38	16.6	9.7	10.2	17.2	12.17	7.0	3.0	0.6
25	29.12	29.48	30.31	29.61	17.0	9.8	11.3	18.1	12.70	6.3	3.3	3.3
26	28.60	29.90	30.03	29.51	17.7	12.1	11.0	13.60	6.1	4.8	2.8
27	28.39	29.97	29.07	29.14	17.4	11.1	16.1	17.7	14.87	5.2	3.6	2.8
28	28.77	29.70	30.36	29.61	15.0	10.8	9.5	16.4	11.77	7.3	2.5	0.9
29	28.41	28.38	31.14	29.31	14.6	11.4	11.1	15.6	12.37	7.1	1.9	1.1
30	29.22	30.76	31.60	30.53	16.2	9.0	9.0	16.6	11.40	7.1	2.2	0.8
31	30.51	30.44	30.59	30.51	16.7	8.9	11.2	17.1	12.27	7.8	3.1

1	28.49	29.75	30.43	29.56	18.0	8.7	9.2	18.5	11.97	7.7	0.8
2	28.49	30.13	32.71	30.44	16.4	12.3	11.1	17.2	13.27	8.9	2.3	3.1
3	31.23	29.52	32.84	31.20	13.8	11.4	9.8	14.4	11.67	6.2	1.8	1.2
4	31.19	30.90	34.23	32.11	17.1	11.1	10.0	17.4	12.73	6.6	2.1	1.1
5	32.84	32.41	33.14	32.80	15.7	10.5	11.2	16.2	12.47	9.5	2.7	3.4
6	32.57	32.63	32.30	32.50	18.0	11.2	11.3	13.50	6.2	2.7	2.0
7	30.19	31.47	35.20	32.29	17.6	11.3	10.8	17.8	13.23	6.2	3.2	2.3
8	30.19	32.03	30.52	30.91	17.0	11.7	14.3	17.2	14.33	6.5	4.9	3.8
9	28.32	30.03	31.15	29.83	21.5	12.0	10.0	22.0	14.50	6.6	6.7	1.7
10	29.01	29.24	28.30	28.85	17.7	11.0	12.7	17.7	13.80	6.2	5.4	3.5
11	28.42	29.10	30.37	29.30	17.5	10.4	9.0	12.30	7.1	3.3	1.0
12	28.94	29.67	30.17	29.59	16.1	10.7	13.6	16.9	13.47	7.1	2.8	3.6
13	29.94	31.04	33.13	31.37	21.6	11.3	9.4	22.6	14.10	7.4	4.9	1.1
14	31.43	31.81	33.18	32.14	16.3	12.0	18.5	8.6	2.2	0.2
15	30.34	32.34	32.23	31.64	17.1	11.7	12.1	19.4	13.63	7.5	5.0	4.3
16	29.57	30.49	31.11	30.39	18.7	11.3	11.7	19.2	13.90	7.2	4.0	1.8
17	29.45	31.44	32.13	31.01	19.9	11.2	11.0	14.05	7.8	3.0	1.6
18	32.41	34.15	35.15	33.90	14.3	10.4	12.7	15.6	12.47	9.1	2.6	2.0
19	33.74	32.76	32.92	33.14	18.5	12.7	13.6	18.7	14.93	6.9	3.9	4.1
20	32.77	31.16	28.96	30.96	22.8	13.7	14.6	23.4	17.03	9.0	7.5	4.3
21	27.00	27.53	31.70	28.74	19.9	11.4	10.9	20.9	14.07	9.0	6.6	1.4
22	28.20	28.77	29.62	28.86	17.9	11.4	10.4	18.3	13.25	6.2	0.3	1.8
23	28.40	30.13	31.11	29.88	17.4	11.5	12.1	17.7	13.67	9.7	3.1	1.5
24	29.68	30.37	31.41	30.49	17.3	11.2	11.8	17.7	13.43	8.9	0.2	1.6
25	29.29	29.94	30.33	29.85	17.8	11.2	11.3	18.5	13.43	9.2	3.0	1.0
26	28.42	28.35	29.87	28.88	17.4	11.0	11.8	17.8	13.40	9.6	3.0	1.5
27	27.92	29.16	29.31	28.90	17.1	11.2	11.9	17.7	13.40	9.2	3.0	0.5
28	28.11	28.60	30.06	28.92	17.3	9.3	14.7	17.7	13.77	9.0	3.2	1.5
29	28.47	28.99	31.77	29.74	17.8	12.8	13.4	19.2	14.67	11.2	3.7	1.5
30	31.46	33.20	33.45	32.70	16.0	12.0	13.0	17.2	13.67	7.9	2.7	3.9
31	30.95	31.86	30.57	31.19	19.1	12.8	14.0	20.3	13.50	8.2	4.8	3.2

DE 1873.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
68	76	72	8.39	7.61	8.00	NO ₂	NO ₁	C.	D.	D.	N.
65	77	71	7.71	7.49	7.60	—	C.	NO ₁	—	N.	D.
63	74	69	7.53	5.86	6.70	—	NO ₁	—	—	D.	Np.
47	53	50	5.86	4.38	6.12	NO ₁	—	—	—	—	D.
57	82	70	7.85	7.16	7.26	—	C.	—	—	—	Ni.
68	84	76	8.78	7.53	8.16	—	NO ₁	C.	Np.	—	N.
79	86	83	8.44	7.87	8.16	C.	—	—	N.	—	Ni.
72	72	72	8.20	6.60	7.10	NO ₁	—	—	—	—	D.
62	70	66	7.53	5.98	6.76	—	C.	NO ₁	D.	N.	—
69	82	76	8.59	8.26	8.43	NO ₂	—	—	—	Np.	Np.
75	85	80	9.34	8.98	9.16	C.	—	NO ₂	N.	N.	N.
79	78	79	9.59	8.38	8.98	NO ₁	NO ₂	NO ₁	Np.	D.	—
74	95	85	9.03	8.92	8.98	—	NO ₁	—	—	D.	—
79	82	81	7.41	6.96	7.19	NO ₂	C.	—	N.	N.	Np.
...	88	8.57	NO ₁	—	NO ₂	D.	N.	D.
47	85	66	7.27	7.76	7.51	—	NO ₁	C.	—	—	D.
74	71	73	9.03	6.52	7.78	—	—	NO ₁	—	—	N.
53	81	69	7.44	7.53	7.48	NO ₂	NO ₂	C.	Np.	—	D.
72	79	76	8.26	7.35	7.80	—	NO ₁	—	—	—	Ni.
67	70	69	7.77	5.73	6.75	—	C.	—	N.	—	D.
55	88	72	7.13	7.93	7.53	NO ₁	NO ₂	NO ₁	—	—	—
51	63	57	7.32	5.90	6.61	NO ₂	C.	—	—	—	—
39	85	62	6.49	6.88	6.69	C.	—	NO ₂	—	—	—
68	92	80	8.85	7.91	8.38	NO ₂	NO ₁	C.	—	—	—
65	59	62	8.74	5.51	7.12	—	C.	NO ₂	—	—	—
52	64	58	7.38	5.81	6.60	—	NO ₁	NO ₁	—	—	—
61	64	63	8.10	6.21	7.16	NO ₁	C.	—	—	—	—
72	88	80	8.63	7.73	8.18	NO ₂	NO ₁	C.	—	—	—
78	85	82	8.32	8.33	8.62	NO ₁	C.	C.	Np.	N.	N.
76	89	83	9.47	7.54	8.50	NO ₂	NO ₂	NO ₁	—	D.	Np.
66	8.34	NO ₁	—	—	D.	—	D.

DE 1873.

...	89	7.84	NO ₂	NO ₁	NO ₁	D.	D.	Ni.
75	61	68	9.77	5.98	7.88	—	—	C.	—	Np.	N.
79	84	81	8.70	7.59	8.14	NO ₁	—	NO ₁	—	D.	D.
77	85	81	9.51	7.61	8.57	—	—	—	—	Np.	—
70	58	64	8.65	5.50	7.08	—	NO ₂	NO ₂	—	—	N.
71	73	72	9.59	6.69	7.94	—	—	NO ₁	—	D.	D.
66	70	68	8.94	6.46	7.70	—	NO ₁	—	—	—	—
51	52	52	6.97	5.67	6.02	—	—	—	—	—	—
40	77	59	6.47	6.82	6.55	—	—	—	—	—	—
45	57	51	6.08	5.84	5.96	NO ₂	C.	—	—	—	Np.
65	86	76	8.74	7.24	7.99	C.	NO ₂	—	Np.	—	D.
70	57	64	8.76	6.15	7.45	NO ₂	NO ₁	—	D.	—	—
54	85	70	8.68	7.61	8.14	—	NO ₂	—	—	—	Ni.
76	97	87	9.19	9.22	9.29	—	NO ₁	—	Np.	—	D.
52	49	61	7.43	4.91	6.17	NO ₁	—	—	D.	—	—
59	76	68	8.31	7.35	7.83	NO ₂	—	—	Np.	—	—
69	79	74	9.69	7.51	8.62	—	—	C.	D.	—	Ni.
70	75	73	7.77	7.79	7.78	C.	—	NO ₁	N.	—	D.
60	51	56	8.44	5.33	6.89	NO ₁	—	—	D.	—	—
35	51	43	6.12	5.67	5.89	C.	C.	—	—	—	—
42	76	59	7.23	7.17	7.20	NO ₂	NO ₁	—	—	—	—
97	81	89	13.11	7.47	10.46	NO ₁	NO ₂	NO ₂	—	—	—
67	82	75	9.21	8.41	8.82	NO ₂	NO ₁	C.	—	—	Ni.
98	80	89	15.06	8.09	10.57	—	—	NO ₁	—	—	D.
69	86	78	6.62	8.09	8.26	NO ₁	—	—	—	—	Ni.
69	82	76	9.55	8.26	8.99	NO ₁	—	—	—	—	—
69	94	82	9.41	8.86	9.13	—	NO ₂	—	—	—	—
67	82	75	9.22	8.68	8.95	—	NO ₁	C.	—	—	—
64	82	73	9.41	9.34	9.38	NO ₁	—	NO ₁	—	—	N.
71	55	63	8.96	5.97	7.47	C.	—	—	N.	—	D.
56	64	60	8.99	7.71	8.35	NO ₂	—	—	D.	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mta.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	27.36	28.57	27.81	27.92	22.7	14.6	16.8	23.0	18.03	9.1	5.5	3.9
2	27.59	28.00	30.68	28.76	21.7	15.7	12.0	22.6	16.47	10.9	4.2	1.1
3	29.56	30.49	30.69	30.25	17.5	11.7	18.5	18.2	14.23	10.5	2.7	1.7
4	27.37	29.76	28.45	28.53	20.3	12.3	12.2	21.8	14.93	9.2	4.2	2.3
5	27.90	27.52	27.84	27.75	20.0	12.2	14.3	20.5	15.50	9.5	3.9	1.5
6	27.81	29.16	30.31	29.09	19.2	13.2	15.4	19.6	15.93	11.5	3.5	2.0
7	30.11	30.49	30.76	30.45	18.0	13.5	14.6	19.2	15.37	11.6	2.8	1.8
8	30.83	31.82	31.27	31.31	18.8	11.9	12.3	19.2	14.33	10.1	2.9	2.0
9	29.65	30.48	28.06	29.40	19.8	12.8	12.7	20.1	15.10	10.3	3.8	1.3
10	28.86	29.99	30.60	29.82	20.8	13.1	12.2	20.9	15.37	10.8	4.1	1.3
11	31.36	32.82	32.71	32.30	15.4	11.7	14.3	16.5	13.80	7.1	2.3
12	30.54	31.37	31.45	31.12	21.1	11.9	12.0	21.6	15.00	8.4	4.6	1.6
13	29.31	30.60	30.65	30.19	19.8	12.3	11.1	20.4	14.46	8.4	4.0	1.1
14	28.66	30.44	30.10	29.85	20.9	12.0	11.2	21.5	14.70	9.1	3.5	1.2
15	28.19	28.15	29.59	28.62	20.9	12.1	11.1	21.6	14.70	10.3	4.5	0.3
16	29.06	29.55	29.82	29.41	20.5	11.9	12.7	21.0	15.03	9.7	4.3	2.1
17	28.06	29.21	30.74	29.34	20.9	11.8	11.4	14.70	9.5	2.3	0.8
18	27.97	30.08	29.88	29.31	19.9	11.5	12.5	14.63	10.3	2.4	0.9
19	28.66	29.02	30.70	29.76	18.5	11.7	13.1	18.8	14.43	10.6	3.9	1.9
20	29.93	31.10	30.93	30.65	16.8	12.0	13.7	17.4	14.17	7.0	3.3	1.3
21	30.10	31.73	31.90	30.24	19.6	12.6	14.2	22.3	15.47	9.0	5.0	2.3
22	29.26	31.27	28.26	29.60	21.7	13.1	16.4	22.3	17.07	9.0	5.5	4.2
23	26.16	29.73	30.67	28.85	22.4	13.7	14.3	25.4	16.80	11.3	5.7	2.1
24	29.23	30.62	30.31	30.12	20.5	12.8	13.6	21.1	15.63	11.5	4.0	1.6
25	27.11	28.31	30.35	28.59	21.2	13.1	15.6	23.5	16.63	10.8	4.3	2.1
26	27.93	29.67	31.08	29.56	20.9	14.1	15.0	21.4	16.67	12.1	4.0	2.1
27	30.80	29.85	30.94	30.53	20.9	15.4	17.2	17.83	10.2	3.9	3.2
28	28.87	30.16	27.00	28.68	25.4	16.1	19.7	26.3	20.40	11.9	6.9	5.5
29	25.96	28.20	30.12	28.09	24.2	14.0	15.2	25.6	17.80	13.0	6.0	2.4
30	28.62	29.91	29.09	29.21	21.0	14.5	17.1	21.6	17.53	13.4	4.0	2.5

OCTUBRE

1	27.86	28.11	28.47	28.15	23.0	14.6	14.4	25.0	17.33	11.1	4.7	1.5
2	29.12	28.54	28.97	28.88	21.3	13.3	15.9	22.5	16.83	10.4	4.0	3.0
3	26.97	28.41	28.88	28.09	23.9	13.6	14.9	24.6	17.47	9.2	4.6
4	28.61	28.01	29.86	28.83	23.1	13.0	20.3	18.80	9.5	6.6	3.2
5	28.94	29.51	30.53	29.66	21.0	13.4	14.6	21.7	16.13	11.0	5.0	2.2
6	29.18	29.00	31.00	29.73	21.4	12.2	12.7	21.9	15.43	9.6	5.3
7	30.05	30.56	30.49	30.37	21.0	12.9	13.6	21.6	15.83	10.9	4.9	2.0
8	27.79	29.26	29.85	28.97	23.1	12.7	13.2	16.33	11.1	5.7	1.7
9	27.81	29.07	30.61	29.16	21.0	12.0	14.3	21.6	15.77	11.8	4.4	1.9
10	29.54	29.14	29.27	29.32	21.0	13.7	14.3	21.8	16.33	9.8	4.1	2.6
11	28.71	29.40	30.06	29.39	21.6	13.6	14.9	22.4	16.70	10.8	4.5	2.0
12	28.86	30.37	31.53	30.19	20.1	13.1	14.0	21.0	15.73	10.0	3.3	1.9
13	28.50	28.67	27.73	28.30	22.6	14.6	15.8	22.8	17.67	10.0	5.8	2.8
14	25.38	27.51	28.58	27.16	24.6	14.6	13.0	25.0	17.40	11.0	5.6
15	27.04	27.66	28.58	27.76	21.0	14.4	15.9	21.6	17.10	11.5	4.4	2.6
16	27.49	27.37	30.10	28.32	23.3	13.4	15.8	17.59	13.1	7.2	2.0
17	27.37	29.14	29.66	28.72	23.0	13.8	16.7	24.9	17.83	13.0	4.8	2.0
18	27.48	27.45	29.66	28.20	24.5	13.4	16.7	18.20	12.3	6.0	2.6
19	27.11	27.85	28.41	27.79	22.6	15.0	16.5	25.0	18.03	12.0	1.8	2.8
20	26.93	28.00	28.70	27.88	24.0	14.3	17.6	28.0	18.63	12.2	0.0
21	28.53	28.84	28.51	28.63	25.0	16.6	18.4	20.00	12.2	5.6	3.0
22	27.41	28.61	29.54	28.52	25.2	15.7	18.2	25.7	19.70	13.3	4.7	2.9
23	28.30	28.62	28.73	28.55	25.4	16.9	18.0	26.2	20.10	13.0	4.6	2.7
24	28.30	28.06	30.16	28.84	24.8	15.8	16.4	25.5	19.00	12.0	5.2	2.2
25	26.98	27.63	27.84	27.48	25.5	15.9	17.3	26.4	19.57	11.2	5.7	2.7
26	25.63	27.04	27.81	26.83	24.6	15.8	15.5	25.2	18.63	12.2	5.1	1.7
27	26.97	27.26	27.45	27.23	21.3	14.7	15.6	22.5	17.20	10.8	5.5	2.0
28	26.36	27.40	27.89	27.22	13.4	13.0	14.6	25.2	17.06	12.6	5.2	1.7
29	27.18	29.55	27.95	28.16	24.0	13.9	14.7	25.0	17.53	11.9	3.9	1.8
30	27.83	27.77	27.81	27.80	15.0	13.3	16.0	18.10	11.6	3.9	2.3
31	27.04	27.34	29.36	27.95	24.0	14.2	14.8	24.6	17.67	10.0	5.1	1.2

DE 1873.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	28 h.
51	58	55	9.12	7.29	8.29	NO ₂	C.	NO ₁	D.	D.	D.
60	85	72	10.07	8.80	9.44	—	NO.	—	—	—	Ni.
72	80	76	10.01	8.97	9.49	NO ₁	—	—	—	—	Np.
60	72	66	9.91	7.43	8.67	—	—	NO ₂	—	—	D.
63	82	72	10.10	8.56	9.33	NO ₂	—	NO ₁	—	—	N.
66	78	72	10.02	9.88	9.95	—	—	—	—	—	D.
71	80	76	9.95	9.58	9.77	NO ₁	C.	—	Np.	N.	Np.
71	76	73	10.71	7.96	9.34	NO ₂	—	NO ₂	—	D.	Ni.
63	85	74	10.32	9.08	9.70	—	NO ₁	—	D.	Np.	—
61	84	72	10.14	8.62	9.38	—	—	C.	—	—	—
76	9.27	—	—	NO ₁	—	D.	D.
57	80	69	9.19	8.20	8.69	—	—	—	—	—	—
62	85	73	9.48	8.15	8.87	—	—	—	—	—	—
66	84	75	10.18	8.15	9.16	—	—	—	—	—	—
58	96	77	9.89	9.28	9.59	—	—	—	—	—	—
60	75	68	9.85	8.02	8.93	—	—	—	—	—	—
75	90	82	10.49	8.98	9.74	—	—	—	—	—	Ni.
75	89	82	10.13	9.25	9.67	—	—	—	—	—	—
62	77	70	8.79	8.14	8.46	—	—	—	—	—	—
64	85	74	8.43	9.29	8.86	C.	—	—	N.	—	D.
48	74	61	7.26	8.68	7.97	NO ₂	NO ₂	—	D.	—	—
54	55	55	9.19	7.05	8.12	NO ₁	NO ₁	—	—	—	—
50	76	63	8.44	9.01	8.73	—	—	—	—	—	—
62	81	71	10.04	9.17	9.61	NO ₂	—	—	Np.	—	—
61	77	69	10.08	9.68	9.88	—	NO ₂	—	N.	—	—
63	77	70	10.34	9.40	9.87	—	—	—	D.	—	Ni.
63	67	65	10.02	9.29	9.66	—	NO ₁	—	—	—	D.
44	48	46	8.74	7.47	8.10	—	—	—	—	—	—
49	74	61	9.45	9.35	9.40	—	—	—	—	—	Ni.
63	74	69	10.50	10.06	10.28	—	—	—	—	—	D.

DE 1873.

59	82	70	10.76	9.52	10.14	NO ₂	NO ₁	NO ₁	D.	D.	D.
63	68	66	10.98	8.78	9.88	NO ₁	—	—	—	—	Np.
...	53	7.61	—	NO ₁	—	—	—	D.
42	64	53	7.65	7.29	7.47	—	—	—	—	—	—
53	75	64	8.76	8.69	8.68	—	—	—	—	—	—
52	8.01	NO ₂	NO ₂	—	—	—	—
55	77	66	9.33	8.65	8.99	NO ₁	NO ₁	—	—	—	—
51	80	66	9.63	8.76	9.19	—	NO ₁	NO ₂	—	—	—
59	78	68	9.87	9.27	9.57	NO ₁	—	—	—	Np.	—
62	71	67	10.28	8.22	9.25	—	NO ₂	NO ₁	D.	—	—
59	77	68	10.12	9.21	9.67	—	—	—	—	—	—
63	78	73	11.33	8.99	10.16	—	NO ₂	—	—	—	—
51	70	61	10.99	8.90	9.49	—	NO ₁	—	—	—	—
53	10.75	—	NO ₂	—	—	—	N.
59	72	66	9.95	9.16	9.56	—	NO ₁	—	Np.	Np.	D.
49	78	59	7.77	9.95	8.86	—	—	—	D.	—	D.
58	78	68	10.88	10.67	10.73	—	NO ₁	—	N.	—	—
50	73	61	9.88	9.79	9.83	—	NO ₁	—	D.	—	—
83	71	77	13.16	9.46	12.31	NO ₁	—	—	—	—	N.
...	100	11.79	NO ₂	—	—	—	—	D.
53	70	62	10.93	10.32	10.62	—	—	—	—	—	—
61	71	66	12.09	10.39	11.24	NO ₂	NO ₂	NO ₂	Np.	Np.	Np.
61	73	67	12.15	10.51	11.33	—	—	NO ₁	D.	—	D.
55	76	65	11.17	10.15	10.66	—	NO ₁	—	—	—	N.
54	72	63	11.21	10.01	10.61	—	NO ₂	NO ₁	—	—	Np.
57	81	69	11.58	10.06	10.82	—	—	—	—	—	D.
68	78	73	11.67	10.27	10.97	NO ₁	—	NO ₁	N.	—	Ni.
55	81	68	10.72	9.57	10.15	—	—	—	D.	—	—
66	79	72	12.04	9.33	10.68	—	NO ₁	NO ₂	—	—	D.
67	76	71	12.97	9.55	11.26	—	NO ₁	—	—	—	—
56	86	71	11.24	9.70	10.47	—	NO ₂	—	—	—	Ni.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	A 0°										Dif. de los termómetros.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	21.9	14.4	14.9	22.6	17.07	11.0	2.2	1.6
2	28.92	29.10	28.96	28.99	23.4	14.7	16.4	23.6	18.17	12.6	4.4	2.1
3	28.66	27.63	27.14	27.81	26.0	15.1	16.8	26.3	19.30	11.0	5.7	2.1
4	25.81	27.60	28.02	27.14	26.0	15.1	16.8	26.3	19.30	11.0	5.7	2.1
5	25.98	27.09	27.86	26.98	23.6	15.3	17.4	27.5	19.67	12.7	2.7	3.6
6	27.64	27.58	27.65	27.62	24.6	16.0	17.0	24.4	19.20	11.9	5.3	2.3
7	25.88	27.60	27.41	26.96	23.0	14.6	16.4	24.9	18.09	12.0	4.0	1.2
8	25.18	27.71	26.71	26.53	24.5	14.6	16.8	24.7	18.63	11.9	6.1	1.9
9	26.80	27.34	26.82	26.82	22.6	14.8	16.7	24.4	18.03	13.5	4.5	2.9
10	25.18	27.20	26.95	26.44	24.1	15.3	18.5	25.0	19.30	14.4	5.4	2.8
11	26.54	27.80	29.03	27.79	24.7	16.9	17.5	25.2	19.70	12.9	5.1	2.4
12	27.18	27.90	29.95	28.34	23.6	15.5	17.1	25.2	18.73	12.8	4.9	0.8
13	28.42	31.57	30.26	30.23	24.6	17.2	18.6	25.0	20.13	14.4	5.1	...
14	30.01	29.83	30.85	30.23	24.6	15.9	17.6	25.2	19.37	14.0	3.1	2.5
15	28.70	30.48	30.41	29.86	24.1	15.7	16.7	24.1	18.83	14.1	4.7	2.5
16	28.45	29.67	31.61	29.91	23.3	15.7	16.7	25.4	18.57	13.0	4.2	2.5
17	28.55	28.20	33.80	30.52	22.4	15.1	16.3	24.8	17.93	13.3	4.5	2.2
18	32.22	31.06	28.66	30.65	22.3	15.1	19.1	25.5	18.83	13.3	2.9	3.0
19	28.87	31.03	33.54	31.48	24.8	15.3	18.0	25.3	19.30	13.3	3.7	2.6
20	30.12	31.22	31.74	31.03	24.0	15.7	17.5	24.3	19.07	13.2	5.1	2.5
21	29.84	30.13	30.82	30.26	24.7	16.2	17.0	25.4	19.30	12.4	5.4	2.4
22	29.62	30.20	31.74	30.52	22.4	16.9	16.8	23.2	18.70	13.7	4.3	2.4
23	29.62	31.39	30.72	30.58	24.6	15.7	19.0	29.0	19.77	12.0	5.6	3.0
24	26.91	27.75	28.96	27.87	27.6	16.1	18.9	28.3	20.85	14.3	6.9	2.8
25	27.03	28.08	30.39	28.50	24.5	16.7	18.3	25.0	19.83	13.1	4.1	3.5
26	27.55	30.13	30.07	29.25	24.1	17.0	18.5	25.0	19.87	15.1	4.1	2.8
27	25.33	27.15	29.85	27.41	24.6	17.1	17.6	24.6	19.77	15.8	5.2	2.4
28	25.41	27.53	29.60	27.51	25.1	17.0	18.8	25.6	20.39	13.7	4.8	2.1
29	25.07	27.90	29.20	27.39	26.0	15.0	17.3	26.5	19.43	13.8	7.6	1.7
30	25.73	26.93	28.82	27.16	25.6	14.9	17.0	25.9	19.17	15.3	4.1	1.2
31	26.67	27.94	28.88	27.83	25.3	16.6	18.0	26.1	19.97	5.3	2.2

DICIEMBRE

1	26.95	28.27	29.64	28.29	25.4	14.1	18.0	25.8	20.17	15.5	5.0	0.0
2	27.98	28.54	29.18	28.57	26.0	18.0	19.0	26.4	21.00	13.5	3.3	2.1
3	28.27	26.49	28.54	27.77	26.6	17.9	20.3	27.6	21.60	14.1	5.9	3.6
4	28.16	29.41	28.78	28.78	26.1	17.3	19.8	26.1	21.07	14.1	4.2	2.8
5	27.20	27.01	29.31	27.84	25.9	17.7	21.5	21.70	16.1	8.0	4.6
6	28.54	29.97	30.04	29.52	25.0	18.0	21.4	25.2	21.47	14.5	5.1	2.1
7	28.69	29.32	29.68	29.23	26.3	19.0	20.3	27.2	21.87	13.9	3.9	3.3
8	26.63	28.36	28.38	27.74	28.0	18.8	22.6	23.13	13.6	2.6	3.9
9	26.78	29.71	28.70	28.40	26.2	17.6	20.0	28.8	21.30	13.9	7.2	2.9
10	27.64	27.48	29.15	27.89	26.3	17.7	19.1	26.7	21.09	13.7	5.9	1.1
11	27.49	29.48	29.47	28.81	26.3	16.8	17.1	25.8	20.95	15.4	5.6	1.9
12	27.14	28.00	27.41	27.52	24.7	17.5	18.8	25.4	20.33	16.0	4.6	2.5
13	27.21	35.31	29.38	30.64	25.4	17.0	20.3	25.6	20.90	15.9	4.9	2.9
14	30.28	27.61	31.44	29.78	26.0	18.0	20.7	21.57	13.6	2.1	3.5
15	29.98	27.56	29.99	29.18	26.8	19.0	21.0	27.4	22.27	13.9	1.5	3.7
16	29.07	28.11	30.07	29.08	27.0	19.1	20.8	27.3	22.39	14.3	2.0	3.8
17	28.95	29.03	27.67	28.55	26.3	16.9	27.0	13.5	6.1	5.0
18	27.35	28.30	28.83	28.49	26.5	16.3	17.4	27.8	20.07	15.4	6.0	2.2
19	29.70	29.50	29.70	29.63	23.1	19.0	17.6	24.2	19.90	13.9	3.1	2.4
20	27.62	29.61	28.88	28.70	25.1	18.9	18.5	25.2	20.53	14.0	4.9	3.1
21	26.64	27.90	27.67	27.40	26.3	17.3	18.4	27.2	20.67	15.4	7.1	1.9
22	28.66	28.76	27.13	28.18	27.7	17.5	18.6	21.27	13.0	7.7	2.5
23	26.76	28.58	29.37	28.24	26.4	18.9	19.4	21.57	17.0	5.5	2.2
24	26.23	29.44	28.30	27.99	26.3	18.0	17.5	26.7	20.60	15.7	1.3	1.8
25	26.91	27.55	26.07	26.84	26.5	18.6	18.8	27.7	21.30	14.9	7.1	1.5
26	25.96	27.56	28.16	27.23	25.8	18.6	21.3	26.5	21.90	16.2	5.0	2.8
27	26.74	28.12	28.77	27.88	27.6	17.6	19.7	28.0	21.63	15.1	5.6	2.4
28	26.71	27.24	28.93	27.64	27.1	18.7	20.9	27.8	22.23	14.9	5.2	3.0
29	27.73	28.01	28.75	28.16	26.1	20.3	19.6	26.5	22.09	14.4	5.0	2.6
30	28.58	29.70	29.01	29.10	25.9	19.7	18.6	26.4	21.40	14.7	5.0	2.2
31	27.87	28.58	29.76	28.71	25.8	18.0	19.8	27.3	21.20	16.5	4.9	2.8

DE 1873.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	Medio.	2½ h.	21 h.	Medio.						
78	81	80	11.92	9.45	10.69	NO ₂	NO ₁	NO ₁	D.	D.	Ni.
61	77	69	11.48	10.29	10.89	—	NO ₂	NO ₂	—	—	D.
54	77	66	11.57	10.61	11.09	—	NO ₁	—	—	—	—
75	64	70	15.49	9.05	11.23	—	—	—	—	—	—
56	76	66	11.18	10.33	10.76	—	NO ₂	—	—	—	—
65	86	76	12.70	10.91	11.86	—	NO ₁	NO ₁	—	—	Ni.
50	79	65	10.09	10.25	10.17	—	—	—	—	—	D.
60	71	66	10.88	10.47	10.68	—	—	—	—	—	—
65	72	64	11.21	10.69	10.95	—	—	—	—	—	—
57	75	66	11.58	10.69	11.14	—	NO ₂	—	—	—	—
58	91	75	11.36	10.89	11.13	—	—	—	—	—	Ni.
56	11.24	—	—	—	—	—	D.
73	74	74	14.55	10.63	12.59	—	NO ₁	NO ₂	—	—	—
59	74	67	11.48	10.28	10.88	—	—	NO ₁	—	—	N.
62	74	68	11.78	9.86	10.82	—	—	—	—	—	—
60	76	68	10.88	10.07	10.48	—	—	—	—	—	Ni.
73	70	72	12.74	10.72	11.73	MO ₁	—	—	—	—	D.
68	73	70	12.43	10.33	11.38	—	—	—	—	—	—
56	74	65	10.70	10.14	10.42	UO ₂	NO ₂	—	—	—	—
54	75	65	10.87	10.27	10.57	—	—	NO ₂	—	—	Ni.
62	75	69	11.00	10.20	10.60	—	—	—	—	—	—
55	70	65	11.29	10.32	10.81	—	—	—	—	—	D.
47	72	60	10.85	10.99	10.92	—	—	NO ₁	—	—	—
64	67	66	12.73	10.02	11.38	—	—	NO ₂	—	—	Ni.
64	72	68	12.19	10.61	11.40	—	—	NO ₁	—	Np.	D.
56	75	66	11.51	10.69	11.10	—	NO ₁	—	—	D.	Ni.
60	79	70	12.42	11.98	12.20	—	—	—	—	—	D.
41	82	62	9.17	11.20	10.19	—	NO ₂	—	—	—	—
64	87	76	12.73	11.50	12.12	—	NO ₁	—	—	—	Ni.
56	77	67	11.81	11.29	11.55	—	—	—	—	—	—

DE 1873.

54	94	74	11.27	13.80	12.54	NO ₂	NO ₂	NO ₁	D.	D.	N.
69	78	73	12.97	11.35	12.16	—	NO ₁	—	—	—	D.
53	66	60	11.54	10.75	11.14	—	—	—	—	—	—
62	72	67	11.33	11.15	11.24	—	—	—	—	—	—
36	57	47	7.52	9.83	8.68	—	—	—	—	—	—
57	79	68	11.49	12.62	12.05	—	—	—	—	—	—
67	68	67	13.47	10.85	12.16	—	—	—	—	—	—
77	64	70	15.45	10.96	13.20	—	—	—	—	—	—
43	72	58	9.23	11.25	10.24	—	—	—	—	—	—
55	90	71	11.18	12.96	12.07	—	—	—	—	—	—
55	80	68	12.13	11.31	11.72	—	NO ₂	—	—	—	Ni.
61	75	68	11.97	11.26	11.62	—	NO ₁	—	—	—	—
60	73	67	12.36	11.77	12.06	—	—	—	—	—	D.
81	67	71	15.94	10.81	13.38	—	—	—	—	—	—
85	65	75	13.43	10.85	12.14	—	—	—	—	—	—
81	64	72	13.20	10.86	12.03	—	—	—	—	—	—
50	54	52	10.45	9.11	9.78	—	—	—	—	—	Ni.
52	77	64	11.66	10.97	11.00	—	—	—	—	—	—
72	75	74	13.16	10.34	11.75	—	—	—	—	—	—
59	69	61	11.79	10.42	11.10	—	—	NO ₂	—	—	D.
44	81	63	9.66	11.78	10.72	—	—	—	—	—	—
43	75	59	9.72	11.18	10.45	—	—	NO ₁	—	—	—
56	78	67	11.99	11.92	11.96	—	—	—	—	—	—
88	82	85	15.26	12.44	13.85	—	—	—	—	—	Ni.
47	84	65	11.31	12.19	11.75	—	—	—	—	—	—
59	73	66	12.69	12.16	12.53	NO ₁	—	—	—	—	D.
55	77	66	12.73	12.07	12.40	NO ₂	NO ₂	—	—	—	—
59	72	65	13.16	11.71	12.43	—	NO ₁	—	—	—	—
59	71	67	12.30	11.36	11.83	—	—	—	—	Ni.	—
38	78	68	12.18	11.52	11.85	—	—	—	—	D.	—
60	73	67	12.56	11.83	12.20	—	—	—	—	—	Np.

Instrumentos.	MAYO 19.							
	2½ h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 729.63	mm. 730.12	mm. 729.56	mm. 729.73	mm. 731.35	mm. 730.81	mm. 730.96	mm. 730.28
Termómetro centígrado.....	o 17.4	o 15.1	o 12.1	o 10.3	o 7.2	o 7.0	o 12.0	o 11.59
Vientos.....	NO ₁	NO ₂	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.
MAYO 29.								
Barómetro reducido a 0°.....	mm. 728.32	mm. 729.79	mm. 728.30	mm. 729.42	mm. 730.90	mm. 730.06	mm. 730.99	mm. 729.68
Termómetro centígrado.....	o 15.2	o 13.5	o 12.1	o 11.1	o 7.0	o 7.0	o 9.7	o 10.80
Vientos.....	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁	NO ₂	NO ₁
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	D.
JUNIO 8.								
Barómetro reducido a 0°.....	mm. 731.58	mm. 731.63	mm. 731.56	mm. 732.23	mm. 732.40	mm. 731.97	mm. 732.32	mm. 731.96
Termómetro centígrado.....	o 15.3	o 12.2	o 9.6	o 8.0	o 4.7	o 5.0	o 9.0	o 9.11
Vientos.....	NO ₂	NO ₂	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.
JUNIO 18.								
Barómetro reducido a 0°.....	mm. 726.52	mm. 727.88	mm. 728.27	mm. 732.68	mm. 730.62	mm. 731.40	mm. 732.11	mm. 729.93
Termómetro centígrado.....	o 18.1	o 11.4	o 13.2	o 10.0	o 5.0	o 12.0	o 13.4	o 11.73
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₁	NO ₂	NO ₂	NO ₁
Estado atmosférico.....	N.	D.	N.	N.	Nl.	N.	Np.
JUNIO 28.								
Barómetro reducido a 0°.....	mm. 730.61	mm. 730.43	mm. 730.96	mm. 730.43	mm. 732.11	mm. 731.72	mm. 732.77	mm. 713.91
Termómetro centígrado.....	o 14.5	o 11.7	o 11.5	o 10.9	o 9.0	o 10.3	o 12.2	o 11.31
Vientos.....	NO ₂	NO ₂	NO ₁	C.	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	Np.	D.	D.	N.	D.	D.
JULIO 8.								
Barómetro reducido a 0°.....	mm. 731.52	mm. 731.03	mm. 731.11	mm. 730.75	mm. 731.45	mm. 730.18	mm. 730.50	mm. 730.95
Termómetro centígrado.....	o 14.1	o 12.1	o 9.6	o 8.3	o 7.0	o 4.2	o 8.9	o 9.17
Vientos.....	NO ₁	NO ₂	NO ₁	NO ₁	C.	C.	C.
Estado atmosférico.....	N.	Np.	D.	D.	Nl.	Nl.	D.

Instrumentos.	JULIO 18.							
	2½ h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 727.79	mm. 729.32	mm. 727.93	mm. 730.52	mm. 730.40	mm. 730.67	mm. 730.41	mm. 729.58
Termómetro centígrado.....	o 0	o 0	o 0	o 0	o 0	o 0	o 0	o 0
Vientos.....	18.9 NO ₂	14.2 C.	10.9 NO ₂	7.6 C.	7.1 NO ₁	8.0 NO ₂	10.0 C.	10.96
Estado atmosférico.....	Np.	N.	D.	D.	D.	N.	Ni.
JULIO 28.								
Barómetro reducido a 0°.....	mm. 728.77	mm. 726.52	mm. 729.70	mm. 731.01	mm. 730.65	mm. 729.66	mm. 730.36	mm. 729.52
Termómetro centígrado.....	o 15.0	o 12.6	o 10.8	o 7.0	o 8.0	o 9.5	o 9.5	o 10.34
Vientos.....	NO ₂	NO ₁	NO ₁	C.	NO ₁	C.	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	Ni.	D.
AGOSTO 8.								
Barómetro reducido a 0°.....	mm. 730.19	mm. 730.28	mm. 732.03	mm. 730.02	mm. 730.70	mm. 730.34	mm. 730.52	mm. 730.58
Termómetro centígrado.....	o 17.0	o 15.2	o 11.7	o 11.6	o 8.4	o 7.0	o 14.3	o 12.17
Vientos.....	NO ₁	NO ₁	NO ₁	NO ₁	C.	NO ₂	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.
AGOSTO 18.								
Barómetro reducido a 0°.....	mm. 732.41	mm. 732.58	mm. 734.15	mm. 730.35	mm. 731.34	mm. 731.62	mm. 735.15	mm. 732.66
Termómetro centígrado.....	o 14.3	o 7.3	o 10.4	o 11.0	o 10.4	o 7.2	o 12.7	o 10.76
Vientos.....	C.	NO ₁	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	D.
AGOSTO 28.								
Barómetro reducido a 0°.....	mm. 728.11	mm. 728.16	mm. 728.60	mm. 731.55	mm. 729.52	mm. 729.61	mm. 730.06	mm. 729.34
Termómetro centígrado.....	o 17.3	o 13.7	o 9.3	o 12.7	o 13.0	o 10.7	o 14.7	o 13.06
Vientos.....	NO ₂	NO ₁	NO ₁	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni.
SETIEMBRE 6.								
Barómetro reducido a 0°.....	mm. 727.81	mm. 730.29	mm. 729.16	mm. 731.29	mm. 727.87	mm. 730.25	mm. 730.31	mm. 729.57
Termómetro centígrado.....	o 19.2	o 14.3	o 13.2	o 13.1	o 12.0	o 12.5	o 15.4	o 14.24
Vientos.....	NO ₂	NO ₂	NO ₁	NO ₁	NO ₁	NO ₂	NO ₁
Estado atmosférico.....	D.	N.	Np.	D.	D.	N.	D.

Instrumentos.	SETIEMBRE 16.							
	2½ h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 729.06	mm. 728.35	mm. 729.35	mm. 729.11	mm. 728.51	mm. 730.64	mm. 729.82	mm. 729.26
Termómetro centígrado.....	o 20.5	o 12.1	o 11.9	o 9.7	o 8.7	o 9.5	o 12.7	o 12.16
Vientos.....	NO ₂	NO ₂	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.
SETIEMBRE 26.								
Barómetro reducido a 0°.....	mm. 727.93	mm. 729.66	mm. 729.67	mm. 729.66	mm. 729.96	mm. 727.65	mm. 731.08	mm. 729.37
Termómetro centígrado.....	o 20.9	o 21.2	o 14.1	o 18.6	o 12.0	o 19.7	o 15.0	o 17.93
Vientos.....	NO ₂	NO ₂	NO ₂	C.	NO ₂	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni.
OCTUBRE 6.								
Barómetro reducido a 0°.....	mm. 729.18	mm. 728.73	mm. 729.00	mm. 730.23	mm. 731.61	mm. 731.00	mm. 731.00	mm. 730.11
Termómetro centígrado.....	o 23.4	o 16.0	o 12.2	o 11.6	o 11.3	o 10.8	o 12.7	o 13.41
Vientos.....	NO ₂	NO ₁	NO ₁	NO ₁	NO ₁	C.	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	Ni.	Ni.	D.
OCTUBRE 16.								
Barómetro reducido a 0°.....	mm. 727.49	mm. 727.92	mm. 727.37	mm. 729.56	mm. 729.15	mm. 729.66	mm. 730.10	mm. 729.04
Termómetro centígrado.....	o 28.3	o 15.7	o 13.4	o 12.0	o 11.7	o 12.7	o 15.8	o 14.9
Vientos.....	NO ₁	NO ₁	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	Np.	D.	D.	Ni.	Ni.	Mi.	D.
OCTUBRE 26.								
Barómetro reducido a 0°.....	mm. 723.63	mm. 727.44	mm. 727.04	mm. 726.64	mm. 729.63	mm. 727.90	mm. 727.81	mm. 727.44
Termómetro centígrado.....	o 24.6	o 20.6	o 15.8	o 14.5	o 12.4	o 12.9	o 15.5	o 16.61
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₁	C.	NO ₁	NO ₂
Estado atmosférico.....	D.	N.	D.	D.	D.	Ni.	D.
NOVIEMBRE 5.								
Barómetro reducido a 0°.....	mm. 727.64	mm. 727.76	mm. 727.58	mm. 728.96	mm. 728.61	mm. 730.43	mm. 727.65	mm. 728.38
Termómetro centígrado.....	o 24.6	o 21.9	o 16.0	o 19.1	o 18.7	o 16.0	o 17.0	o 19.04
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₁	C.	NO ₁	NO ₂
Estado atmosférico.....	D.	D.	D.	D.	Ni.	Ni.	D.

Instrumentos.	NOVIEMBRE 15.							
	2½ h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 728.45	mm. 731.23	mm. 729.67	mm. 732.50	mm. 729.18	mm. 733.05	mm. 731.61	mm. 730.81
Termómetro centígrado.....	o 23.3	o 18.3	o 15.7	o 14.6	o 13.0	o 16.4	o 16.7	o 16.85
Vientos.....	NO ₂	NO ₂	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	Ni.	Ni.	Ni.	N.
NOVIEMBRE 25.								
Barómetro reducido a 0°.....	mm. 727.55	mm. 727.43	mm. 730.13	mm. 727.50	mm. 727.63	mm. 729.86	mm. 730.07	mm. 728.60
Termómetro centígrado.....	o 24.1	o 19.1	o 17.0	o 16.2	o 15.9	o 15.6	o 18.5	o 18.05
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	Np.	Ni.	Ni.	Ni.	D.
DICIEMBRE 5.								
Barómetro reducido a 0°.....	mm. 727.20	mm. 727.44	mm. 727.01	mm. 727.79	mm. 728.87	mm. 728.82	mm. 729.31	mm. 728.96
Termómetro centígrado.....	o 25.9	o 17.9	o 17.7	o 16.3.	o 15.0	o 17.1	o 21.5	o 18.77
Vientos.....	NO ₂	NO ₂	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	Np.	N.	Np.	D.
DICIEMBRE 15.								
Barómetro reducido a 0°.....	mm. 729.98	mm. 728.44	mm. 727.56	mm. 728.54	mm. 729.31	mm. 727.38	mm. 729.99	mm. 728.74
Termómetro centígrado.....	o 26.8	o 19.7	o 19.0	o 15.9	o 15.1	o 18.1	o 21.0	o 19.37
Vientos.....	NO ₂	NO ₂	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	Ni.	Ni.	D.	D.
DICIEMBRE 25.								
Barómetro reducido a 0°.....	mm. 726.91	mm. 726.63	mm. 727.55	mm. 727.82	mm. 728.34	mm. 729.06	mm. 726.00	mm. 127.48
Termómetro centígrado.....	o 26.5	o 21.8	o 18.6	o 16.9	o 15.7	o 16.0	o 18.8	o 19.11
Vientos.....	NO ₂	NO ₁	NO ₁	NO ₁	C.	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni

OBSERVACIONES METEOROLÓGICAS.

1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTIGRADO.						PSICÓMETRO.	
	2½ h	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Minim.	Dif. de los termómetros	
											2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	28.58	29.22	29.23	29.01	27.0	20.0	19.0	26.9	22.0	15.3	3.0	2.3
2	28.94	27.79	28.70	27.81	26.2	16.9	19.4	26.9	20.8	15.8	4.9	2.5
3	26.74	28.41	29.30	28.15	25.5	16.7	18.5	26.5	20.2	15.2	4.6	1.4
4	27.35	28.79	30.24	28.79	25.8	16.9	19.7	26.8	20.8	15.1	4.5	2.5
5	28.49	29.10	29.18	29.26	28.8	18.7	20.3	27.5	22.6	16.3	5.6	2.9
6	27.20	28.52	25.92	27.21	26.3	18.9	20.1	26.7	21.8	14.8	5.4	2.9
7	24.25	27.71	26.80	26.25	27.2	19.2	18.8	27.7	21.7	17.1	7.1	2.3
8	26.72	28.11	30.19	28.34	25.6	19.2	19.3	26.0	21.4	16.7	4.6	2.7
9	27.82	27.07	29.06	27.98	26.5	19.9	21.1	26.7	22.5	15.5	5.1	2.8
10	26.50	27.01	27.55	27.02	26.6	19.8	19.8	27.0	21.8	16.6	4.9	2.4
11	25.54	25.98	27.97	29.83	28.0	19.2	19.0	28.4	22.1	16.3	5.8	2.8
12	21.70	26.73	27.98	25.47	29.2	18.4	17.7	27.5	21.8	16.0	5.3	2.2
13	28.65	26.53	28.17	27.78	28.3	17.8	17.7	23.7	19.6	16.2	3.9	2.1
14	23.45	28.41	30.09	28.98	23.9	18.4	19.8	24.3	20.7	14.9	4.0	2.8
15	26.84	27.55	30.85	28.41	26.5	19.7	20.8	26.9	22.3	15.0	5.0	3.0
16	27.00	27.06	28.85	27.64	28.3	19.5	19.9	28.6	22.6	15.9	6.0	2.6
17	27.11	27.45	30.88	28.48	27.2	18.7	19.0	27.9	22.3	15.7	6.9	3.0
18	28.08	29.30	29.40	28.93	27.6	21.3	20.3	27.2	22.9	17.2	5.5	2.5
19	27.55	27.04	30.40	28.33	27.2	21.0	20.2	27.0	22.8	16.4	5.5	2.5
20	26.99	28.55	28.90	28.15	26.4	18.5	19.1	27.1	21.5	15.0	5.8	2.6
21	26.55	29.29	27.24	27.69	27.1	17.9	19.5	27.7	21.5	15.5	5.8	2.3
22	26.96	28.57	28.33	27.95	25.2	19.5	18.1	25.5	21.2	16.6	4.7	2.1
23	26.74	28.45	28.97	28.05	25.1	20.5	20.4	25.6	22.0	15.5	4.5	2.9
24	27.52	29.24	30.31	29.02	27.1	20.0	20.3	27.8	22.5	16.2	6.0	2.9
25	28.24	29.88	30.31	29.48	26.9	19.7	20.3	27.5	22.3	15.9	5.6	3.2
26	27.37	29.05	30.74	29.05	26.8	19.6	20.3	27.7	22.2	7.8	2.6
27	28.97	30.20	31.34	30.17	26.7	20.0	20.0	27.2	22.2	16.3	4.8	2.6
28	29.71	29.93	30.74	30.13	27.4	19.8	22.1	27.5	23.1	16.4	5.7	2.7
29	28.94	29.96	31.58	30.16	26.1	23.1	21.0	27.9	23.4	16.9	5.1	2.5
30	31.47	29.81	31.31	30.86	27.0	21.4	21.0	29.7	23.1	16.4	5.2	2.9
31	29.59	28.86	30.53	29.66	28.0	22.0	21.1	28.7	23.7	17.4	5.7	3.0

FEBRERO

1	29.71	29.08	32.45	30.08	27.5	19.1	19.7	27.8	22.1	16.8	5.5	2.2
2	29.76	30.18	31.16	30.37	26.3	19.4	22.1	26.9	22.9	17.7	4.8	2.8
3	30.55	30.69	29.60	30.28	26.8	19.3	21.0	27.6	22.6	16.5	5.0	2.5
4	27.43	28.82	29.24	26.83	27.8	19.2	20.2	28.0	22.6	14.4	5.5	3.0
5	28.94	29.00	28.77	28.90	25.7	19.3	22.1	26.2	22.5	16.0	5.0	3.4
6	26.94	29.04	27.98	27.99	26.1	17.5	19.3	26.6	21.3	19.3	4.5	3.0
7	26.77	28.20	27.78	27.58	27.7	19.1	18.5	28.0	22.6	15.1	5.4	4.0
8	26.51	28.88	29.04	28.14	24.7	18.3	18.0	25.8	20.5	16.9	4.4	2.2
9	26.73	29.99	29.11	28.61	24.3	16.9	17.3	27.6	19.5	15.5	4.0	2.5
10	27.18	29.91	29.55	28.88	24.7	17.4	16.5	27.1	19.5	15.4	4.5	1.9
11	27.62	29.95	29.61	29.06	26.5	16.9	17.7	26.8	20.5	14.1	4.6	2.1
12	27.69	28.91	28.45	28.55	26.9	17.4	18.9	27.4	21.1	14.2	5.6	2.3
13	26.59	27.31	29.32	27.74	27.0	18.6	18.7	27.2	21.6	16.4	5.3	1.6
14	26.79	27.68	27.33	27.27	25.5	18.1	18.3	26.2	20.9	16.5	4.9	1.9
15	28.71	28.11	27.58	28.13	25.6	16.5	18.7	25.7	20.3	16.5	4.3	2.1
16	26.78	28.53	27.03	27.45	26.4	16.3	20.1	26.8	20.9	16.9	4.9	2.2
17	27.12	27.87	27.82	27.42	25.2	17.2	20.0	26.9	20.8	16.9	4.7	2.2
18	27.24	28.30	29.62	28.19	25.9	18.9	18.1	26.4	21.0	15.6	4.3	2.6
19	26.28	27.62	27.93	26.98	25.9	18.8	19.3	26.2	21.3	16.3	4.8	2.0
20	25.45	26.55	28.01	26.67	26.1	17.5	18.2	26.5	20.6	15.4	4.5	1.4
21	26.64	27.22	28.58	27.45	25.3	19.4	19.3	25.8	21.3	16.9	4.6	2.3
22	25.94	27.08	27.78	26.93	26.7	19.4	18.7	26.8	21.6	15.1	4.9	1.6
23	25.83	27.52	28.28	27.21	25.7	17.4	20.2	26.4	21.1	16.4	4.4	2.3
24	27.39	28.28	29.28	28.65	26.5	19.6	20.2	26.4	22.1	15.9	3.4	1.8
25	28.25	28.85	29.27	28.79	27.1	21.6	22.6	27.1	23.8	18.1	4.8	2.0
26	28.35	29.19	28.60	28.71	27.3	21.8	22.2	28.0	23.8	18.1	4.7	2.8
27	28.65	29.29	29.30	29.08	27.1	20.0	18.5	28.5	21.9	16.1	4.0	1.8
28	26.83	28.07	29.78	28.23	28.3	21.5	18.1	27.4	22.9	16.8	4.5	2.3

DE 1874.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
74	79	76	14.51	11.50	12.50	NO.	NO.	NO.	00	00	00.
60	76	63	12.56	11.42	11.89	—	—	—	—	—	—
61	85	73	12.42	11.85	12.13	—	—	—	—	—	Cus
63	75	69	13.10	11.82	12.46	—	—	—	—	—	—
55	73	64	12.23	11.77	11.95	—	—	—	—	—	—
56	72	64	12.05	11.65	11.85	—	—	—	—	—	00
47	78	62	12.00	11.78	11.89	—	—	—	—	—	Ni.
61	74	67	13.24	11.89	12.56	—	—	—	—	—	—
59	73	66	12.84	12.46	12.65	—	—	—	—	—	00
60	77	68	13.26	12.16	12.71	—	—	—	—	—	—
55	75	65	13.12	11.66	12.39	—	—	—	—	—	—
58	77	67	13.21	11.13	12.17	—	—	—	—	—	Ni.
66	78	72	12.31	11.41	11.86	—	—	—	—	—	—
65	72	68	12.61	11.47	12.04	—	—	—	—	—	00
70	72	71	13.59	12.16	12.87	—	—	—	—	—	—
54	75	64	13.00	12.22	12.61	—	—	—	—	—	—
48	71	59	11.54	11.59	11.46	—	—	—	—	—	Ni.
56	76	66	12.89	12.46	12.67	—	—	—	—	—	00
56	76	66	12.89	12.46	12.67	—	—	—	—	—	—
55	74	64	12.79	11.28	12.03	—	—	—	—	—	—
54	72	62	12.31	11.23	11.77	—	—	—	—	—	Ni.
60	89	74	12.36	12.43	12.39	—	—	—	Cus-3 00	—	Cus-3 00
63	73	68	13.10	11.77	12.43	—	—	—	—	—	—
53	72	62	11.89	11.57	11.72	—	—	—	—	—	00
55	69	62	12.13	11.41	11.77	—	—	—	—	—	—
44	75	59	9.99	11.95	10.97	—	—	—	Crs 00	—	—
61	75	68	13.40	11.95	12.67	—	—	—	—	—	Cus
56	75	60	13.07	13.30	13.18	—	—	—	—	—	Cus
60	77	68	13.99	13.16	13.57	—	—	—	—	—	00
57	73	65	12.98	12.40	12.69	—	—	—	—	—	—
56	72	64	12.96	12.34	12.65	—	—	—	—	—	Cus

DE 1874.

57	78	67	13.09	12.55	12.82	NO.	NO.	NO.	00	00	Cus
60	74	67	12.72	12.98	12.85	—	—	—	—	—	00
59	76	67	13.20	12.82	12.01	—	—	—	—	—	—
56	71	64	12.69	11.59	12.14	—	—	—	—	—	—
58	68	63	12.00	12.18	12.09	—	—	—	—	—	—
63	71	67	12.70	10.95	11.82	—	—	—	—	—	—
56	63	60	12.55	10.50	11.52	—	—	—	—	—	—
62	78	70	12.18	11.36	11.77	—	—	—	—	—	Ni
65	74	69	12.61	10.63	11.62	—	—	—	—	—	—
62	79	70	12.12	10.56	11.34	—	—	—	—	—	00
62	78	70	12.54	10.95	11.74	—	—	—	—	—	—
54	78	66	11.18	11.38	11.28	—	—	—	—	—	Ni.
58	83	71	12.41	11.58	11.99	—	—	—	—	—	—
59	80	70	12.21	11.70	11.95	—	—	—	—	—	—
64	79	71	12.83	11.66	12.24	—	—	C.	—	—	—
60	78	69	12.66	12.28	12.47	—	—	NO.	—	—	—
61	78	69	12.88	12.28	12.58	—	—	—	—	—	—
64	81	73	13.13	11.78	12.45	—	—	—	—	—	—
60	80	70	12.52	12.04	12.28	—	—	—	—	—	Cus-3
63	85	74	13.50	11.85	14.67	—	—	—	—	—	Ni.
61	77	69	12.17	11.70	11.93	—	—	—	—	—	Cus
60	83	71	13.06	12.20	12.63	—	—	—	—	—	00
62	77	69	12.54	12.49	12.51	—	—	—	—	—	—
63	82	73	13.46	12.98	13.22	—	—	—	—	—	—
61	81	71	13.73	14.33	13.58	—	—	—	—	—	—
61	74	67	13.69	13.07	12.28	—	—	—	—	—	—
66	81	73	14.77	12.00	13.28	—	—	—	—	—	—
61	77	70	13.59	11.51	12.56	—	—	—	—	Ni.	N.

Días.	BARÓMETRO REDUCIDO ▲ 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	28.64	28.88	29.48	29.00	26.7	18.1	19.3	24.4	21.4	14.6	4.6	1.4
2	27.30	29.23	28.64	28.39	26.9	18.2	19.6	26.8	21.6	14.5	3.6	1.7
3	27.27	27.45	27.81	27.51	24.6	17.3	17.3	25.0	19.7	16.0	4.2	2.4
4	27.36	27.66	27.86	27.63	22.3	17.0	16.5	23.2	18.6	13.9	2.9	1.6
5	28.54	29.70	29.60	29.28	20.0	17.0	19.3	24.4	18.8	16.9	4.9	2.5
6	27.35	28.84	29.20	28.46	26.1	17.6	19.1	25.5	20.9	12.7	6.3	3.9
7	27.24	27.82	29.44	28.00	25.1	17.7	17.0	27.0	19.9	14.2	4.8	2.6
8	26.45	27.53	28.88	27.62	25.7	16.0	17.5	26.4	19.7	14.2	2.4	1.9
9	26.46	27.60	27.85	27.30	25.0	16.6	17.1	25.6	19.6	14.4	4.0	1.8
10	26.28	27.90	28.06	27.40	24.7	15.9	17.0	24.4	19.2	14.5	3.4	1.7
11	26.01	27.58	28.45	27.35	22.2	17.1	17.0	24.3	18.8	14.6	4.4	4.4
12	25.01	26.68	28.84	26.84	24.0	18.4	18.0	24.0	20.1	12.3	4.6	2.0
13	28.80	27.77	28.98	28.35	24.7	18.5	19.5	26.0	20.9	15.0	4.1	2.2
14	28.50	28.41	30.20	29.04	23.3	18.4	19.5	24.8	20.4	13.5	4.7	2.4
15	30.01	30.12	27.60	29.24	26.0	18.5	19.7	26.5	21.4	15.0	6.0	2.3
16	27.61	29.26	27.64	28.17	25.0	18.4	18.8	25.5	20.7	13.5	7.0	3.7
17	25.47	27.14	30.53	27.71	25.8	16.8	18.5	26.5	20.4	15.5	5.6	2.4
18	28.20	29.54	27.94	28.56	23.5	17.5	16.5	26.0	19.2	12.0	5.9	1.5
19	28.29	29.44	28.94	28.89	24.0	17.4	17.6	24.5	19.3	12.2	8.6	2.6
20	27.03	29.44	30.50	28.99	24.5	17.4	15.0	26.0	19.0	14.0	4.9	1.8
21	28.67	29.56	29.58	29.27	22.8	16.0	16.7	27.0	18.5	11.5	4.5	1.1
22	29.35	29.06	33.48	30.63	23.0	17.8	15.5	23.5	18.8	14.3	4.5	1.3
23	31.71	30.26	30.56	30.84	23.8	16.8	16.8	22.5	19.1	13.3	4.6	2.0
24	29.77	31.11	31.07	30.65	22.7	16.0	15.8	23.3	18.2	11.5	5.0	1.8
25	28.44	28.24	30.44	29.04	23.7	15.5	14.5	24.5	17.9	13.8	4.5	1.4
26	28.88	31.39	32.59	30.95	21.3	15.8	15.8	21.5	17.6	12.8	4.3	1.6
27	28.77	31.49	30.17	30.14	22.5	15.9	14.0	18.0	17.5	7.5	4.8	3.7
28	27.27	29.12	30.83	29.07	22.5	16.5	15.9	17.8	18.3	13.0	4.2	2.0
29	28.31	30.55	29.36	29.41	22.2	15.8	16.5	18.5	18.5	10.5	5.2	5.1
30	28.14	27.94	29.61	28.56	22.8	15.0	15.0	17.8	17.6	11.9	4.5	2.6
31	27.32	26.90	28.57	27.60	21.8	14.8	14.8	16.8	17.1	10.5	6.3	2.5

ABRIL

1	25.92	28.79	31.24	28.65	21.8	14.5	14.0	16.8	16.8	12.0	5.5	1.4
2	27.46	28.59	29.09	28.58	21.5	14.5	14.5	17.0	16.8	12.3	4.8	1.1
3	29.40	28.85	30.55	29.60	21.6	14.0	16.5	21.8	17.0	13.5	5.4	2.8
4	28.21	29.23	28.52	28.65	21.9	15.0	16.8	21.6	17.9	11.5	4.3	1.4
5	27.72	28.77	30.11	28.87	23.5	17.2	13.5	24.0	18.1	10.8	6.6	2.2
6	29.25	28.89	29.45	29.20	21.5	16.2	14.8	18.5	17.5	11.8	4.9	2.0
7	29.34	29.02	31.31	29.89	20.8	16.8	15.9	18.9	17.8	11.5	4.3	2.2
8	28.20	28.55	28.93	28.56	22.0	16.5	16.0	22.5	18.2	12.5	5.0	2.2
9	29.02	27.99	30.17	29.06	21.0	17.0	15.5	21.5	17.8	13.5	4.3	1.5
10	26.85	28.07	30.42	28.45	19.9	18.0	15.9	20.0	17.9	14.0	3.6	2.0
11	31.85	30.64	29.88	30.79	19.8	15.8	16.3	20.0	17.3	11.5	3.7	2.2
12	29.37	30.19	31.31	30.62	18.9	15.3	15.9	23.5	16.7	11.8	3.2	2.2
13	28.27	29.66	30.69	29.54	21.4	15.6	14.5	21.0	17.2	11.8	4.3	1.3
14	27.78	29.96	32.28	30.01	20.5	15.6	14.5	20.3	16.9	14.0	3.1	1.6
15	28.40	29.98	31.31	29.90	19.5	15.4	14.2	19.5	16.4	12.9	3.7	1.6
16	27.19	31.00	31.86	30.02	18.7	14.3	13.8	19.0	15.6	10.0	3.5	1.5
17	28.20	31.20	31.77	30.39	19.5	14.3	14.6	19.5	16.1	12.0	4.1	1.8
18	29.32	31.18	32.44	30.98	18.5	14.5	14.0	21.0	15.7	12.0	3.8	1.9
19	28.52	29.25	30.85	29.54	21.0	14.8	14.0	21.7	16.6	10.9	0.6	2.2
20	32.07	32.77	31.62	32.15	19.6	14.6	15.0	20.1	16.4	8.4	3.8	2.5
21	30.81	30.11	31.37	30.76	21.0	15.2	16.3	21.0	17.5	11.2	4.9	2.2
22	32.34	29.57	31.78	31.23	21.6	15.4	15.3	22.5	17.4	8.2	6.3	2.1
23	30.07	30.59	33.80	31.49	23.0	15.3	14.3	25.4	17.5	8.2	7.2	2.9
24	29.13	27.01	29.57	28.57	23.4	14.3	13.8	21.0	17.2	10.0	5.9	1.9
25	29.81	28.57	32.08	30.15	19.4	13.8	12.8	21.1	15.3	9.0	4.3	1.0
26	29.72	31.17	32.00	30.96	22.7	15.4	13.5	22.4	17.2	8.0	4.1	1.2
27	28.74	29.48	31.95	30.06	18.3	13.7	13.1	18.4	15.0	7.5	3.9	2.4
28	28.70	29.62	33.18	30.17	19.5	13.4	12.1	19.5	15.0	7.2	5.0	1.9
29	29.78	28.74	32.73	30.42	18.8	13.2	12.5	19.5	14.8	8.2	2.8	1.8
30	30.46	31.53	32.13	31.37	18.0	13.2	11.6	18.1	14.3	8.0	4.0	1.4

DE 1874.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	5 h.	21 h.	2½ h.	9 5.	21 h.
59	87	73	11.36	12.69	12.02	NO.	NO.	NO.	00	00	00
69	82	75	15.02	11.67	13.34	—	—	—	—	—	—
64	75	69	12.79	10.77	11.78	—	—	—	—	—	Ni.
71	83	77	12.28	10.94	11.61	—	—	C.	—	—	—
72	75	73	11.57	11.34	11.45	—	—	NO.	—	—	00
59	63	61	12.06	10.10	11.08	—	—	—	—	—	—
47	73	60	9.50	10.41	9.95	—	—	—	—	—	—
60	80	70	12.42	11.47	11.94	—	—	—	—	—	Ni.
78	81	79	15.64	11.13	13.38	—	—	—	—	—	Np.
65	82	73	12.61	10.04	11.32	—	—	—	—	—	Ni.
68	59	63	12.19	9.49	10.84	—	—	—	—	—	—
61	80	70	11.57	11.72	11.64	—	—	—	—	—	00
61	78	69	11.97	12.37	12.17	—	—	—	—	—	Np.
65	77	71	12.85	12.07	12.46	—	—	—	Np.	00	00
60	77	68	12.27	12.58	12.37	—	—	—	00	—	—
53	64	58	12.09	10.14	11.11	—	—	—	—	—	—
47	76	61	11.47	11.56	11.51	—	N.	—	—	—	Np.
54	83	68	11.36	10.81	11.08	N.	NO.	—	—	—	00
52	75	63	11.18	10.69	10.93	NO.	—	—	—	—	—
34	80	52	7.62	10.07	8.84	—	—	—	—	—	Ni.
58	89	73	11.36	11.24	11.30	—	—	—	—	—	00
60	85	72	11.51	10.44	10.97	—	—	—	—	—	Ni.
62	78	70	11.94	10.23	11.08	—	—	—	—	—	00
57	80	68	11.03	10.07	10.55	—	—	—	—	—	00
62	84	73	11.94	9.89	10.91	—	N.	—	—	—	Ni.
61	82	71	10.72	10.06	10.39	—	NO.	—	—	—	00
58	58	58	10.88	6.88	8.88	—	—	—	—	—	—
62	76	69	11.51	9.97	10.74	—	—	—	—	—	—
55	47	51	10.90	6.39	8.64	—	—	—	—	—	—
60	71	65	11.51	8.85	10.18	N.	—	—	—	—	—
46	73	54	8.56	9.01	8.78	—	—	—	—	—	—

DE 1874.

52	84	68	9.99	9.82	9.85	NO.	NO.	NO.	00	00	00
58	87	72	10.89	10.14	10.51	—	—	—	—	—	—
53	73	63	10.05	10.00	10.02	—	—	—	—	—	—
62	85	73	11.09	11.22	11.15	—	—	—	—	—	—
47	75	61	9.79	8.60	9.19	—	—	—	—	—	—
56	78	67	10.44	9.53	9.98	—	—	—	—	—	—
61	76	68	10.56	10.11	10.33	—	—	—	—	—	—
57	26	41	11.03	9.97	10.50	—	—	—	—	—	—
62	83	72	10.91	10.88	11.00	—	—	—	—	—	Ni.
67	78	72	11.34	10.37	10.85	—	—	—	—	—	00
65	76	70	10.85	10.32	10.58	—	—	—	Np.	—	Np.
69	76	72	10.99	9.75	10.37	—	—	—	00	—	00
61	85	73	10.18	10.09	10.13	—	—	—	—	—	—
70	80	75	11.21	9.65	10.43	—	—	—	—	—	Ni.
65	82	73	10.53	9.70	10.11	—	—	—	—	—	—
66	83	74	10.32	9.62	9.97	—	—	—	—	—	—
61	80	70	9.92	9.37	9.64	—	—	C.	—	—	—
63	78	70	9.84	9.27	9.55	—	—	NO.	—	—	00
94	75	84	14.86	8.81	12.83	—	—	C.	—	—	—
64	73	68	10.54	9.08	9.81	—	—	NO.	—	—	—
56	76	66	9.72	9.68	9.70	—	—	—	—	N.	—
46	77	61	8.72	10.24	9.48	—	—	—	—	—	—
42	64	55	8.79	8.60	8.69	—	—	—	—	—	—
50	79	64	9.27	9.45	9.36	—	—	—	—	Ni.	N.
60	86	73	9.71	8.80	9.25	—	—	—	Ni.	Ni.	Ni.
62	86	74	10.20	9.49	9.84	—	—	—	—	—	—
63	73	68	9.62	8.14	8.88	—	—	—	—	—	N.
54	77	65	9.27	8.20	8.73	—	—	—	—	—	N.
63	79	71	9.92	8.50	9.21	—	—	—	—	—	Ni.
62	83	72	9.48	8.44	8.96	—	—	—	—	—	—

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	29.70	29.87	30.53	30.00	18.6	13.8	12.5	22.0	15.0	7.5	4.2	1.6
2	29.35	29.21	30.50	29.69	17.4	13.5	13.6	18.5	14.8	8.1	4.2	2.1
3	29.63	30.02	30.43	30.03	18.4	12.6	12.5	19.2	14.5	5.5	4.2	1.1
4	29.55	30.00	30.34	29.96	20.7	11.9	11.4	19.3	14.7	3.8	6.3	2.7
5	29.23	30.16	30.12	29.85	18.4	11.4	10.9	19.4	13.6	7.5	5.6	1.4
6	27.00	30.12	29.16	28.76	21.2	10.9	13.8	22.5	15.3	7.1	6.6	3.6
7	28.91	29.84	29.38	29.21	21.1	13.2	14.6	20.5	16.3	7.5	6.7	4.0
8	30.70	29.81	29.37	29.96	21.1	10.1	12.1	22.5	14.4	7.8	6.5	2.0
9	29.20	29.51	29.50	29.40	18.6	11.8	11.9	19.2	14.1	8.4	4.7	1.8
10	28.80	29.64	29.88	29.24	17.8	10.7	11.2	19.5	13.2	8.9	3.9	1.7
11	29.35	29.31	29.50	29.39	17.4	12.6	11.9	18.4	14.0	9.0	3.9	4.8
12	29.05	29.04	30.50	29.54	17.4	15.4	13.6	18.2	15.1	8.0	2.8	2.8
13	29.74	29.34	30.78	29.95	18.3	12.4	12.9	18.4	14.5	5.0	4.0	1.4
14	29.70	29.52	30.66	29.99	17.8	12.6	12.2	18.1	14.2	8.0	3.2	1.8
15	29.93	30.18	30.35	30.15	16.4	11.1	12.3	16.5	13.3	8.5	3.0	2.2
16	28.88	30.22	30.49	29.86	21.3	13.4	12.0	23.5	15.6	10.5	3.1	1.0
17	28.80	30.03	29.97	29.60	20.3	12.5	12.1	22.4	14.6	9.1	2.8	1.7
18	29.41	30.13	31.31	30.32	16.9	12.5	10.9	17.1	13.4	6.3	6.5	1.9
19	29.50	29.60	30.29	29.80	16.1	11.1	12.0	16.2	13.1	7.8	4.4	2.3
20	29.68	30.17	34.48	31.48	17.1	12.1	11.2	17.5	13.5	6.8	4.0	3.3
21	31.63	30.86	31.88	31.49	15.8	13.1	12.8	18.1	13.9	8.0	1.8	2.2
22	30.95	31.49	31.77	31.40	17.3	12.8	12.9	17.4	14.3	9.1	4.0	1.2
23	31.15	31.70	31.59	31.41	17.3	11.9	14.4	17.5	14.5	8.1	3.4	3.6
24	30.96	31.82	30.84	31.21	18.0	13.4	14.1	18.3	13.2	6.1	2.6	2.9
25	31.29	31.91	32.45	31.88	18.6	12.6	11.4	18.2	14.2	7.3	5.1	2.6
26	31.20	31.84	32.26	31.77	16.0	12.3	12.1	16.6	13.5	8.1	2.7	2.0
27	33.17	31.25	33.21	32.54	13.7	12.2	10.9	19.1	12.3	8.2	2.8	1.7
28	31.15	32.10	29.18	30.81	18.1	11.8	12.9	18.1	14.3	5.5	5.7	4.8
29	31.51	32.09	33.45	32.35	17.6	11.9	12.2	17.9	13.9	7.4	5.0	2.3
30	31.50	32.62	32.37	32.16	16.9	10.8	12.9	17.1	13.5	6.9	3.6	0.3
31	31.37	32.07	31.92	31.92	17.1	9.6	10.8	17.7	12.5	6.5	3.3	1.3

1	31.16	31.56	31.85	31.52	11.4	12.1	11.4	18.1	11.6	8.0	1.5	2.3
2	31.62	31.83	33.02	32.16	14.2	11.6	10.8	14.9	12.2	6.1	3.3	1.2
3	32.30	32.56	32.40	32.42	15.2	11.3	11.8	15.8	12.8	4.3	1.8	1.8
4	31.30	31.19	31.52	31.34	16.0	10.3	10.8	18.0	12.4	5.2	2.1	1.2
5	31.50	32.20	32.53	32.08	14.3	10.1	11.6	15.0	12.0	6.0	2.3	2.0
6	31.78	32.22	32.70	32.23	14.5	10.8	11.0	15.0	12.1	6.0	1.3	0.6
7	31.58	32.06	31.70	31.75	15.4	11.3	11.0	16.8	12.6	7.3	1.5	1.8
8	30.93	32.04	31.30	31.42	18.4	12.3	11.0	20.1	13.9	7.1	2.7	1.8
9	30.47	31.89	31.91	31.42	16.4	11.9	11.7	16.8	13.3	7.0	4.4	1.6
10	31.18	31.83	32.26	31.76	16.2	12.4	13.0	17.0	13.9	6.1	3.3	1.5
11	31.67	31.41	32.17	31.75	17.1	12.6	10.4	17.6	13.4	4.5	3.1	3.2
12	30.43	31.84	32.50	31.52	18.4	11.5	10.1	18.0	13.3	6.2	6.2	1.1
13	29.80	31.42	31.38	30.87	19.4	10.8	12.8	20.0	13.7	5.5	5.3	4.3
14	31.68	31.08	31.85	31.54	17.0	11.2	8.0	18.1	12.1	4.1	3.3	1.8
15	31.72	32.11	32.16	32.00	15.0	10.9	7.9	15.5	11.3	3.8	2.1	1.2
16	30.96	32.54	30.83	31.44	14.7	9.8	7.4	16.4	10.6	3.5	2.2	1.4
17	30.46	31.77	32.02	31.42	13.0	8.7	7.4	14.1	9.7	5.3	1.5	0.7
18	31.97	32.10	32.10	32.06	12.9	9.3	11.8	13.0	11.0	6.8	1.0	0.6
19	30.27	31.47	32.21	31.32	18.0	9.5	11.7	18.5	13.1	6.3	4.9	2.3
20	30.90	32.32	32.70	31.97	17.7	10.8	11.8	18.3	13.4	7.5	5.9	1.1
21	32.23	32.36	30.14	31.58	14.1	9.6	11.5	15.8	11.7	5.2	2.2	1.9
22	30.35	31.90	31.96	31.40	14.8	10.1	12.1	15.6	12.3	5.5	3.2	3.1
23	29.31	32.07	32.97	31.45	17.7	10.4	9.5	17.9	12.5	0.5	5.9	2.6
24	29.98	31.39	35.10	32.16	17.1	9.4	11.0	17.5	12.5	5.1	4.3	2.2
25	34.80	32.20	33.86	33.62	15.2	10.1	12.1	16.1	12.5	4.5	2.1	3.2
26	28.72	27.12	32.66	29.50	18.5	12.6	12.1	19.2	14.4	6.1	6.1	3.0
27	27.47	30.87	32.17	30.17	21.4	12.1	11.2	24.4	14.9	8.1	7.3	1.8
28	32.41	31.84	30.56	31.57	14.2	12.3	11.3	14.8	12.6	7.2	2.8	1.5
29	31.93	32.06	33.38	32.28	16.6	12.1	12.0	17.5	13.6	7.1	4.7	1.6
30	32.30	32.71	35.03	33.55	15.2	12.9	10.7	16.5	12.8	5.3	3.0	2.2

DE 1874.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.						
60			9.67	10.91	10.29	NO.	NO.	NO.	Ci-3	OO.	Ni.
59	100	80	8.75	8.81	8.78	—	—	—	OO.	—	—
60	75	67	9.51	9.41	9.46	—	—	—	—	—	OO.
60	86	73	8.12	6.81	7.46	—	—	—	—	Ni.	Ni.
45	67	56	7.62	8.21	7.91	—	—	—	—	—	OO.
47	82	64	8.38	7.11	7.74	N.	—	C.	—	OO.	—
44	60	52	8.16	7.11	7.63	NO.	—	NO.	—	Ci-3	—
44	57	49	3.82	8.02	8.42	—	—	—	—	OO.	Ni.
46	76	61	9.21	8.14	8.67	—	—	—	—	—	—
57	78	62	9.42	8.33	8.37	—	C.	—	—	—	—
62	54	73	9.14	7.31	8.22	—	NO.	—	—	—	—
62	52	57	10.69	7.95	9.32	—	—	—	Cu-2	—	Cu
62	68	70	9.96	9.02	9.49	—	—	—	OO.	—	Ci-3
68	83	72	10.52	8.44	9.48	N.	—	C.	—	—	Cu
68	78	73	9.76	9.54	9.60	NO.	—	—	Cu-3	Ci-3	—
69	76	72	13.86	9.33	11.59	—	—	—	OO.	Ni.	—
73	87	80	12.16	9.65	10.90	—	—	—	Cu-3	—	Ni.
74	71	72	5.66	7.49	6.57	—	—	—	OO.	Ci-3	—
38	76	56	9.79	7.67	8.73	—	—	—	Ci-3	Cu-3	Ci-2
56	72	65	8.87	6.09	7.48	—	C.	—	Ci-3	OO.	Ni.
61	60	60	10.89	8.32	9.60	—	—	—	OO.	—	Ci-3
81	74	77	8.81	9.63	9.22	—	—	—	—	—	Cu
57	86	71	9.92	7.53	8.72	—	—	—	—	—	Ni.
67	60	63	11.44	8.32	9.88	—	—	—	—	—	—
74	67	70	8.70	7.13	7.91	—	—	—	—	—	OO.
53	69	61	9.87	8.20	9.03	—	—	—	—	Ni.	Ni.
72	76	74	8.17	7.97	8.07	N.	—	—	Cu	Cu-3	OO.
69	79	74	7.84	5.37	6.60	NO.	—	—	OO.	OO.	—
48	47	47	7.84	7.84	7.91	—	—	—	—	—	Ni.
52	73	62	7.99	7.84	7.91	—	—	—	—	—	Ni.
64	97	80	9.33	10.35	9.84	—	—	—	—	—	Cu.
68	83	75	9.90	7.15	8.52	—	—	C.	Ci-2	Ni.	OO.

DE 1874.

82			8.32	7.25	7.79	NO.	NO.	NO.	OO.	OO.	OO.
64	71	76	7.87	8.33	8.10	—	—	NE.	Cu-3	Ci-3	Cu-3
86	84	74	11.20	8.32	9.76	—	—	NO.	Ni	Ni.	Cu-1
78	78	82	10.71	8.33	9.52	—	—	—	OO.	—	Ni.
75	84	81	9.20	7.85	8.52	—	—	—	Ni-2	Ni.	Cu-2
75	75	75	10.65	8.57	9.61	—	—	—	OO.	Cu	Ni
85	92	88	11.08	7.73	9.40	—	—	—	—	Cu-1	Cu
84	77	80	11.78	7.73	9.75	—	—	—	—	OO.	OO.
73	77	73	7.93	8.44	8.18	—	—	—	—	—	—
56	80	68	9.23	9.38	9.30	—	—	—	—	—	—
67	82	75	10.48	3.32	6.90	—	—	—	—	—	—
69	22	45	7.26	8.03	7.64	—	—	—	—	—	Ni.
48	85	64	8.96	5.85	7.49	—	—	—	—	—	OO.
58	51	52	9.76	6.07	7.91	—	—	—	—	—	Ni.
67	75	71	9.96	6.68	8.32	—	—	—	—	—	Ni.
77	83	80	9.61	6.26	7.93	—	—	—	—	—	Ni.
76	80	78	9.33	7.03	8.20	—	—	—	—	Ni.	Cu
83	90	86	9.38	8.92	9.38	—	—	—	Cu-1	Cu-2	Cu-3
88	93	90	9.85	8.92	9.38	—	—	—	Ni.	Ni.	Ni.
49	72	64	8.33	7.67	8.09	—	—	—	Cu-2	OO.	Cu-4
44	86	65	6.57	9.76	8.16	—	—	—	OO.	—	OO.
76	76	76	9.19	7.79	8.49	—	—	—	—	—	—
66	62	64	8.52	6.45	7.48	—	—	—	Ni	—	—
46	66	56	7.02	5.98	6.50	—	C.	C.	Ci	Ni	—
58	71	65	8.68	7.25	7.96	—	—	—	Ci-2	OO.	Ni.
77	63	70	10.18	6.88	8.53	C.	NO.	NO.	Ni.	Ci-3	OO.
40	54	47	6.89	5.85	6.37	—	—	—	OO.	Ni	—
60	77	58	7.87	7.85	7.86	NO.	—	C.	—	Ci-3	Cu-3
49	82	75	8.52	8.32	8.42	—	—	NO.	Ni	Ni	Ni
54	80	67	7.68	8.68	8.18	—	—	—	Cu-3	OO.	OO.
68	72	70	8.92	7.11	8.01	—	—	—	Ni.	Cu-2	OO.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros	
											2½ h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700.4	700.4	700.4	700.4	16.9	12.7	10.5	17.5	13.4	0	0	0
2	34.16	31.99	33.00	33.03	16.9	12.7	10.5	17.5	13.4	5.0	4.4	2.6
3	30.76	31.85	33.86	32.15	15.8	12.5	11.6	16.5	13.1	6.0	5.6	2.2
4	32.15	32.56	32.22	32.31	16.1	11.1	12.2	17.0	13.1	5.0	5.3	4.2
5	27.44	28.62	30.61	28.89	20.5	12.1	10.8	23.1	14.5	4.5	6.3	3.0
6	29.29	29.88	31.28	30.15	16.3	11.9	10.1	17.5	12.8	7.1	1.6	0.6
7	31.41	31.72	31.74	31.60	15.1	10.0	10.0	16.1	11.7	3.0	1.3	2.0
8	31.41	28.92	32.84	31.03	15.0	8.0	6.5	16.1	9.8	2.5	1.8	1.8
9	31.72	30.32	31.94	31.33	15.1	9.1	5.8	16.1	10.0	3.3	5.2	2.2
10	33.93	29.94	32.82	32.23	14.9	10.1	8.6	15.8	11.2	3.9	5.1	1.7
11	30.86	30.80	32.37	31.08	14.7	11.3	9.3	17.3	11.8	2.8	4.9	1.9
12	26.86	30.84	30.72	29.47	21.2	12.3	9.8	21.9	14.4	3.5	8.6	1.8
13	29.56	31.38	31.65	30.66	15.1	11.3	11.1	16.2	12.5	4.3	3.0	1.6
14	30.43	30.45	32.23	31.03	14.2	10.1	8.8	16.5	11.0	2.0	1.4	1.0
15	31.33	29.06	32.20	31.86	14.1	10.0	9.1	17.7	11.1	2.3	0.8	1.8
16	32.13	29.77	32.43	31.44	15.7	9.4	10.3	18.5	11.8	3.5	4.0	3.2
17	31.13	31.66	30.80	31.20	17.2	10.1	8.9	17.5	12.1	4.0	5.4	2.7
18	31.05	32.05	30.58	31.23	16.2	9.8	7.9	16.6	11.3	3.5	5.9	1.0
19	30.98	32.85	33.23	32.35	15.3	10.3	8.3	15.5	11.3	2.9	1.7	1.6
20	31.04	30.91	32.87	31.61	16.2	12.1	8.1	17.5	12.1	4.2	5.9	1.1
21	31.25	29.29	32.67	31.07	13.4	9.6	9.3	13.7	10.8	5.5	2.8	1.0
22	30.40	28.26	34.21	30.96	18.8	9.7	10.0	19.3	12.8	5.7	5.9	2.5
23	30.46	31.55	32.08	31.30	18.4	8.7	11.9	19.6	13.0	6.0	5.7	3.8
24	29.44	28.76	29.88	29.69	21.6	13.7	11.6	22.3	15.6	6.0	7.7	4.4
25	27.27	28.39	32.20	29.29	24.0	13.5	7.6	25.3	15.0	5.4	7.4	1.5
26	26.09	29.64	32.20	29.51	25.3	16.2	7.9	26.4	16.5	6.0	10.4	1.6
27	30.53	29.55	32.56	30.86	16.1	9.5	8.4	17.3	11.3	5.4	2.1	1.7
28	28.54	31.95	32.82	31.14	19.3	10.1	4.3	20.1	11.2	2.1	2.8	0.9
29	28.50	30.58	30.35	29.81	18.0	12.0	10.6	18.5	13.5	3.5	4.2	2.9
30	33.08	32.77	32.11	32.65	18.9	8.1	9.8	12.3	12.3	2.1	3.4	2.5
31	32.24	29.65	32.55	31.48	18.8	9.5	11.7	19.0	13.3	9.0	4.6	1.8

AGOSTO

1	28.21	29.05	30.52	29.26	22.2	14.1	9.3	23.1	15.2	3.1	7.9	5.6
2	27.40	27.79	32.11	29.07	24.2	16.0	10.1	24.5	16.8	8.4	8.2	2.1
3	27.30	28.46	31.24	29.09	19.9	12.3	9.1	19.9	13.8	6.3	3.9	2.1
4	27.93	28.95	24.91	27.26	20.1	11.8	9.3	21.0	13.8	8.6	3.9	1.5
5	27.99	28.86	32.13	29.66	18.2	10.3	6.7	20.5	11.7	7.1	3.1	1.4
6	31.09	28.87	32.92	30.96	17.0	9.8	11.0	17.5	12.6	9.2	3.3	1.2
7	31.08	30.25	33.18	31.50	17.9	9.4	7.4	18.1	11.6	6.1	2.9	1.8
8	31.02	32.17	29.17	30.79	19.4	8.3	7.1	20.1	11.6	6.0	5.4	1.9
9	30.34	31.23	30.42	30.66	18.4	8.1	6.1	19.1	10.9	5.0	3.5	1.9
10	28.97	32.13	33.28	31.46	19.1	9.5	5.9	20.0	11.5	3.0	3.8	1.8
11	29.71	30.52	32.91	31.05	17.8	12.1	8.8	19.4	13.2	7.5	3.3	1.8
12	32.60	31.52	28.66	30.93	16.6	11.3	9.5	17.1	12.5	7.5	4.0	1.6
13	29.43	30.85	32.63	30.97	16.4	10.9	10.1	17.0	12.5	6.5	3.6	2.4
14	29.23	30.13	32.08	30.48	14.5	9.9	10.3	15.1	11.6	6.0	3.1	1.6
15	34.98	32.61	34.43	34.01	14.8	10.3	9.8	15.5	11.6	3.8	3.2	1.2
16	31.95	31.78	32.78	33.17	18.4	11.1	9.7	19.6	13.1	6.4	6.6	3.0
17	31.71	32.14	32.36	32.07	17.5	10.1	10.1	18.1	12.6	7.4	5.7	2.8
18	28.61	32.72	31.95	31.09	15.2	9.9	11.5	16.1	12.2	8.5	3.1	2.8
19	32.21	32.18	32.65	32.35	16.0	10.0	11.6	16.5	12.5	8.0	2.6	2.2
20	32.57	30.52	32.19	31.76	17.1	12.1	9.7	17.4	13.0	7.5	4.4	0.9
21	32.23	32.40	32.45	32.36	15.5	11.3	8.9	15.8	15.2	6.9	5.6	1.9
22	32.38	30.71	30.57	31.22	19.6	13.5	15.0	20.0	16.0	7.5	7.3	3.1
23	31.76	32.07	31.49	31.75	24.1	14.0	11.2	25.0	16.4	2.0	9.6	3.2
24	32.39	31.13	31.85	31.75	21.0	14.1	10.9	21.1	15.3	7.4	7.5	1.0
25	31.87	32.23	31.24	32.78	18.1	13.1	9.7	19.0	13.6	7.9	4.4	1.3
26	34.50	31.76	32.72	32.99	17.3	11.0	9.3	18.3	12.5	5.4	4.4	1.3
27	34.66	33.54	33.09	33.76	14.2	9.5	11.4	14.5	11.7	6.5	2.1	0.7
28	31.20	35.55	33.10	33.28	19.4	9.4	13.1	20.0	13.9	8.0	4.9	1.8
29	30.82	32.97	32.58	32.12	22.1	10.1	11.4	22.3	14.5	7.5	5.2	2.3
30	32.64	31.16	32.09	31.96	20.1	12.0	12.1	20.1	14.7	8.9	5.4	1.9
31	32.89	27.86	32.88	31.21	17.4	11.5	10.4	18.0	13.1	7.0	3.5	1.9

DE 1874.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			VIENTOS.			ESTADO ATMOSFÉR.		
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
56	68	62	8.38	6.57	7.47	NO.	NO.	NO.	OO.	OO.	OO.
42	73	57	6.14	7.25	6.69	—	—	—	—	Cu-2	—
48	52	50	6.59	5.61	6.10	—	—	—	—	OO.	—
46	63	54	8.56	6.21	7.38	—	—	—	—	—	—
83	92	87	11.66	7.63	9.64	—	—	—	—	—	—
85	74	79	11.00	6.93	8.96	—	—	—	—	—	—
80	74	77	10.49	5.56	8.02	—	—	—	Cu-2	—	—
47	68	57	6.08	4.71	5.39	—	—	—	OO.	—	Cu-2
57	77	67	7.38	6.52	6.95	—	—	—	Cu-1	Ni	—
49	75	62	6.57	6.93	6.75	—	—	—	Ni-1	Ci-2	OO.
29	76	52	5.81	7.17	6.49	—	—	—	OO.	Ci-1	—
68	80	74	8.85	8.09	8.47	—	—	—	—	OO.	Ni
84	86	85	10.38	7.42	8.90	—	—	—	Ni	—	Ni-1
91	76	83	11.03	6.71	8.87	—	—	—	Cu-2	—	OO.
59	60	59	8.17	5.67	6.92	—	—	—	OO.	—	—
49	64	56	7.60	5.68	6.64	—	—	—	—	—	—
42	86	64	6.14	7.42	6.78	—	—	—	—	—	Ci-2
81	77	77	10.75	6.49	8.62	—	—	—	Ci-2	—	Ni
42	85	63	6.14	6.98	6.57	—	—	—	OO.	—	—
68	86	77	7.95	7.90	7.92	—	—	—	Cu-2	—	Ci-2
46	68	57	7.93	6.29	7.11	—	—	—	OO.	—	OO.
47	56	51	7.54	6.09	6.81	—	—	—	—	—	—
38	48	43	7.71	5.10	6.40	—	—	—	—	—	—
42	77	59	9.74	6.30	8.02	—	—	—	—	—	Ni
26	78	52	6.69	6.29	6.49	—	—	—	—	—	—
78	76	77	10.79	6.13	8.46	—	—	—	—	—	—
78	85	79	12.46	5.43	8.94	—	—	—	Cu	—	—
60	63	61	9.43	6.20	7.81	—	—	—	OO.	—	—
68	67	67	11.46	6.24	8.85	—	—	—	—	Cu-2	OO.
57	78	67	9.43	8.20	8.81	—	—	—	Ci-1	—	—
...

DE 1874.

87	31	64	7.51	2.79	5.15	NO.	NO.	NO.	OO.	OO.	OO.
83	73	55	8.62	6.81	7.71	—	—	—	—	—	Ni
65	72	68	11.43	6.33	8.88	—	—	—	—	—	Cu
58	80	69	10.91	7.23	9.07	—	—	—	—	—	Ni
70	81	75	11.05	6.90	8.52	—	—	—	—	—	Cu
68	84	76	9.98	8.33	9.15	—	—	C.	—	—	Ni
72	75	73	11.17	6.07	8.62	—	—	NO.	—	—	—
51	73	62	8.86	5.60	7.23	—	—	—	Cu-1	—	—
66	73	69	10.65	5.45	8.05	—	—	—	OO.	—	—
64	73	68	10.78	5.14	7.96	—	—	—	—	—	O.
77	79	78	12.22	7.35	9.78	—	—	—	—	—	Ni
59	66	62	8.59	6.13	7.36	—	—	—	—	—	OO.
64	79	71	9.12	9.59	9.35	—	—	—	—	—	Cu
66	84	75	8.48	8.33	8.40	—	—	—	—	—	OO.
56	62	59	7.25	5.89	6.57	—	—	—	—	—	—
39	64	51	5.94	5.96	5.95	—	—	—	—	—	—
47	64	55	7.00	6.66	6.53	—	—	—	—	—	—
67	73	70	8.86	7.55	8.20	—	—	—	—	—	Cu
73	88	81	9.93	9.18	9.55	—	—	—	—	—	Cu
56	75	65	8.35	6.99	7.17	—	—	N.	—	—	Ni
44	61	52	5.84	5.68	5.76	—	—	NO.	—	—	O.
37	67	52	6.38	9.22	7.80	—	—	—	—	—	—
28	86	57	6.47	9.04	7.75	—	—	—	—	—	—
37	83	65	7.17	8.21	7.69	—	—	—	—	—	—
57	83	70	9.21	7.65	8.43	—	—	—	Cu	—	—
57	77	67	8.56	6.87	7.71	—	—	—	OO.	—	—
77	78	77	9.40	8.32	8.86	—	—	—	Ni	Cu	—
56	74	65	9.88	8.61	9.24	—	—	—	OO.	OO.	—
56	77	66	11.52	8.02	9.77	—	—	—	—	—	Cu
33	74	63	9.57	7.90	8.73	—	—	—	—	—	Ni
66	75	70	9.78	7.29	8.53	—	—	—	Ni	Ni	Ni

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
											Dif. de los termómetros	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	30.21	30.92	33.06	31.40	17.0	11.7	11.4	19.0	13.4	6.0	4.4	1.4
2	30.13	31.38	32.86	31.45	17.5	13.0	12.0	18.0	14.2	9.8	3.7	2.8
3	31.54	32.60	31.84	31.99	18.4	11.6	11.1	18.7	13.7	8.5	3.7	1.9
4	30.68	33.23	32.61	32.17	17.5	12.0	11.7	18.0	13.7	9.8	3.9	2.0
5	31.51	32.86	32.71	32.36	18.4	11.8	9.2	19.5	13.1	7.4	2.7	1.2
6	28.16	30.09	31.64	30.00	21.6	11.2	10.5	21.9	14.4	6.5	5.6	1.5
7	28.51	29.42	30.47	29.43	17.4	10.6	12.0	18.0	13.3	7.0	4.0	2.5
8	30.72	32.14	31.74	31.53	18.4	11.3	13.0	20.0	14.2	9.4	4.4	3.3
9	27.66	33.52	31.36	30.85	19.5	10.8	13.5	20.0	14.6	7.5	5.9	3.5
10	29.52	32.46	30.42	30.80	20.0	11.4	13.4	21.5	14.9	9.8	5.4	2.8
11	28.21	31.73	32.40	30.78	18.6	12.3	13.5	18.8	14.8	9.5	5.2	3.4
12	29.67	32.44	30.19	30.77	18.4	12.6	13.2	20.2	14.7	8.5	5.4	3.8
13	29.38	32.38	31.00	30.91	18.1	12.0	12.8	21.1	14.3	9.5	3.7	4.0
14	28.90	33.38	33.74	32.01	17.7	11.9	15.3	17.5	14.9	10.0	3.6	3.2
15	29.93	30.29	32.88	31.03	19.3	12.0	14.8	19.5	15.4	9.0	5.9	8.0
16	31.45	30.07	27.32	29.62	23.5	15.3	19.7	24.5	19.5	10.5	8.5	2.5
17	28.92	31.63	28.05	29.53	26.4	14.1	15.1	27.0	18.5	10.4	10.4	2.6
18	27.72	32.85	31.73	30.60	20.5	13.0	14.1	21.0	15.9	8.4	4.9	2.7
19	31.92	31.97	33.36	32.42	19.9	12.4	13.5	20.0	15.3	9.5	6.1	2.7
20	30.87	33.40	32.34	32.04	21.0	11.7	14.1	22.4	16.9	9.0	6.7	2.0
21	33.06	32.44	34.88	33.46	16.2	10.8	13.8	17.0	13.6	7.5	4.3	3.5
22	35.14	32.34	33.86	33.45	18.1	11.1	12.0	18.5	13.7	8.4	6.3	1.5
23	30.99	30.29	29.81	30.33	18.0	12.5	14.2	18.5	14.9	6.8	5.4	3.5
24	30.85	31.25	29.95	30.68	17.9	11.7	13.5	18.0	14.4	9.4	4.0	0.7
25	29.15	31.77	30.52	30.48	24.7	17.8	14.0	25.0	18.8	12.5	7.1	2.5
26	32.25	33.90	33.03	33.06	28.9	16.0	9.8	22.0	18.2	8.0	3.9	1.7
27	30.62	31.92	32.59	31.71	19.5	15.9	8.4	20.0	14.6	5.0	6.1	1.9
28	34.55	32.27	29.84	32.22	22.4	13.5	7.4	23.0	14.4	4.0	7.5	3.0
29	32.02	33.30	33.04	32.79	18.5	14.2	15.0	19.0	15.9	8.5	4.3	2.6
30	33.72	33.23	32.71	33.22	17.5	11.8	13.5	18.5	14.3	9.6	6.0	3.4

OCTUBRE

1	31.17	32.10	31.23	31.49	21.4	17.5	14.3	22.1	17.7	11.5	7.2	2.1
2	31.92	29.89	32.23	31.35	19.9	13.5	11.4	20.2	14.9	9.5	6.3	3.1
3	32.34	30.98	33.13	32.15	17.5	12.9	9.7	18.0	13.4	6.5	2.5	1.5
4	26.08	34.66	28.74	29.81	24.7	19.0	14.7	25.0	19.5	13.5	6.8	5.0
5	27.61	30.82	30.73	29.72	20.5	12.1	9.4	21.0	10.0	8.4	1.6	2.2
6	31.80	31.18	29.63	30.70	17.4	12.2	10.1	18.1	13.2	7.5	5.1	1.5
7	31.52	30.19	31.17	30.96	19.1	13.4	10.9	25.1	14.3	7.4	4.5	2.7
8	27.28	31.62	33.53	30.81	22.2	15.9	14.1	24.0	17.4	9.4	6.7	4.4
9	27.63	32.38	32.83	30.95	24.9	13.5	11.5	25.1	16.6	7.4	8.6	3.7
10	28.60	29.80	32.45	30.28	23.5	14.2	10.9	24.0	16.2	9.4	6.3	3.6
11	28.32	31.35	28.07	9.25	19.1	15.0	9.9	20.0	14.7	7.5	5.0	2.9
12	32.67	33.84	33.83	33.45	18.4	14.9	8.7	19.1	14.0	6.9	4.7	2.5
13	31.28	32.73	32.51	32.17	16.1	11.1	7.8	16.5	11.7	5.4	3.9	2.9
14	25.04	28.67	32.33	28.68	29.4	19.9	15.0	30.0	21.4	14.1	13.5	2.4
15	29.04	31.78	32.03	30.95	22.1	15.0	13.3	23.1	16.8	9.0	7.5	3.4
16	29.16	31.13	33.00	31.10	20.0	14.4	12.3	20.5	15.6	8.9	4.7	1.1
17	31.42	28.62	32.04	30.69	22.0	13.9	10.9	22.5	15.6	7.8	5.6	1.6
18	25.61	29.86	34.25	29.91	22.0	19.4	15.8	30.5	19.1	14.8	10.4	5.0
19	27.60	28.85	32.44	29.63	29.9	18.4	12.9	26.4	20.4	10.1	5.7	1.1
20	29.91	28.39	32.71	30.34	25.5	13.0	10.0	22.1	16.1	8.0	7.4	2.2
21	27.86	28.14	33.81	29.94	21.5	14.4	9.9	20.0	15.3	7.0	6.9	7.5
22	26.81	31.38	31.80	29.99	19.4	12.4	14.8	18.4	15.5	9.5	5.0	7.6
23	27.95	37.33	29.84	31.71	17.7	19.0	17.0	24.5	17.9	13.0	8.5	2.2
24	29.22	28.59	29.89	29.23	24.0	10.1	11.0	20.7	15.0	7.7	5.2	7.2
25	29.41	29.14	31.55	30.03	24.3	19.9	14.0	25.0	19.7	15.8	6.9	5.7
26	24.27	28.29	30.47	27.68	25.8	13.0	15.5	26.0	18.1	8.0	5.9	2.0
27	27.93	27.41	30.74	28.69	24.3	12.9	12.7	25.0	16.6	7.0	7.7	2.0
28	31.91	25.76	28.37	29.68	19.9	11.9	12.5	20.1	14.4	6.5	2.7	4.5
29	27.34	26.59	28.75	27.56	24.4	11.5	13.5	25.0	16.5	8.0	8.8	7.2
30	31.80	28.37	29.87	30.18	25.0	14.0	12.9	26.4	17.3	10.0	7.4	6.4
31	33.33	32.12	31.44	32.30	24.4	17.0	13.7	25.6	18.4	8.0	7.3	4.3

DE 1874.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.								
2½ h.	21 h.	Medio.	2½ h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
57	83	70	8.49	8.44	8.46	NO.	NO.	NO.	OO.	OO.	Cu ₄
64	67	65	9.66	7.18	8.39	—	—	—	—	—	OO.
65	76	70	10.45	7.85	9.10	—	—	—	—	—	—
63	76	69	6.62	7.96	8.79	—	—	—	—	—	—
73	84	78	11.62	7.41	9.51	—	—	—	—	—	Cu ₄₋₃
50	84	67	8.98	8.51	8.74	—	—	—	—	—	Ni ₄
61	87	74	9.29	7.07	8.18	—	C.	—	—	—	OO.
59	70	64	9.23	7.23	8.23	—	NO.	—	—	—	—
48	63	55	9.22	7.29	8.25	—	—	—	—	—	—
53	61	57	9.41	7.95	8.68	—	—	—	—	—	—
52	68	60	8.57	7.35	7.96	—	—	—	Ci ₄₋₂	—	—
50	62	56	8.16	6.76	7.46	—	—	—	OO.	—	Cu ₄
64	57	60	9.63	6.52	8.07	—	—	—	—	—	OO.
64	57	60	9.12	7.79	8.45	—	—	—	—	—	—
46	58	52	8.00	8.52	8.26	—	—	—	—	—	—
32	66	49	7.68	5.89	6.79	—	—	—	—	—	—
28	32	30	7.37	9.65	8.51	—	C.	—	—	—	—
56	74	65	10.44	8.88	9.66	C.	C.	—	Ci ₄₋₃	—	—
47	72	59	8.20	8.16	8.18	C.	NO.	—	OO.	—	—
36	70	53	6.74	9.46	8.05	NO.	—	—	—	—	—
57	78	67	7.99	7.29	7.59	—	—	—	—	—	—
43	61	52	6.64	8.86	7.75	—	—	—	CuNi ₄	Ni ₄	Ni ₄
50	82	66	7.83	7.68	7.75	—	C.	—	Ni ₄₋₂	OO.	—
62	62	62	9.48	11.02	10.25	—	NO.	—	OO.	—	OO.
46	92	69	11.01	8.34	9.67	C.	—	—	—	—	—
66	63	64	12.40	7.23	9.81	—	—	—	—	—	—
46	78	61	8.09	6.31	7.15	—	—	—	C.	—	—
39	73	56	8.05	7.74	7.89	—	—	—	C.	—	—
58	59	58	9.04	9.58	9.31	—	—	NO.	—	—	—
43	73	58	6.51	7.41	6.96	—	—	—	—	—	Ni.

DE 1874.

40	76	58	7.85	9.34	8.59	NO.	NO.	NO.	OO.	OO.	OO.
44	62	53	7.90	6.35	7.17	—	—	—	—	—	—
75	80	78	11.26	7.41	9.33	—	—	—	Cu ₄₋₂	Ci ₄₋₁	—
47	47	47	10.90	6.10	8.50	C.	—	—	OO.	OO.	—
84	71	78	15.12	6.42	10.77	NO.	—	—	—	—	—
51	68	59	7.44	6.44	6.94	—	—	—	—	—	—
58	67	62	9.69	6.39	8.04	—	—	—	—	—	—
45	52	48	9.02	6.22	7.62	—	—	—	St ₄₋₂	—	—
31	57	44	8.13	5.79	6.96	—	—	—	OO.	—	—
50	56	53	11.20	5.58	8.39	—	—	—	—	—	—
54	68	58	8.19	5.80	6.99	—	—	—	—	—	Cu ₄₋₂
56	66	61	8.94	5.70	7.32	—	—	—	—	—	OO.
60	60	60	8.44	4.90	6.67	—	—	—	—	—	—
16	74	45	5.20	9.56	7.38	—	—	—	—	—	—
45	62	53	10.57	7.17	8.87	—	—	—	—	—	—
58	86	72	10.24	9.41	9.82	—	—	—	—	—	—
53	80	67	10.75	7.91	9.33	—	—	—	—	—	—
33	48	40	10.52	6.69	8.60	—	—	NE.	—	—	—
57	85	72	13.89	8.09	10.99	—	—	NO.	—	—	—
39	71	55	7.73	6.62	7.17	—	—	—	—	—	—
39	25	32	6.91	5.23	5.07	—	—	—	—	—	—
53	28	40	8.13	4.47	6.30	—	—	—	Cu ₄₋₁	—	Cu ₄₋₂
35	72	53	7.92	7.13	7.52	—	—	—	OO.	—	OO.
53	26	39	9.39	3.16	6.57	—	—	—	—	—	—
49	42	45	11.32	5.68	8.50	—	—	—	—	—	—
55	100	77	13.72	4.60	9.16	—	—	—	—	—	—
41	76	59	9.56	8.26	8.91	—	—	—	—	—	—
75	57	66	13.09	8.78	10.93	—	—	—	—	—	—
33	26	29	7.58	3.16	5.37	—	—	—	—	—	—
45	29	37	10.83	3.41	7.12	—	—	—	—	—	—
42	53	47	9.66	6.22	7.91	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.	
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros.	
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	30.23	31.60	28.68	30.17	18.4	10 1	10.4	19.0	13.0	7.0	3.5	1.8
2	31.01	31.48	28.86	30.48	21.0	12 0	13 9	21.0	15.6	9.7	3.9	6.5
3	29.49	26.80	29.69	28.66	24.6	14 4	14 5	25.0	14.5	11.5	5.9	5.6
4	27.00	28.66	33.02	29.56	23.7	13 9	12 5	24.4	16.7	10.0	9.4	5.0
5	28.00	29.99	32.64	30.21	19.5	12 0	17 4	19.2	16.3	10.5	5.8	7.8
6	24.53	31.05	31.70	29.09	28.5	19 0	16 0	29.0	21.2	17.4	10.4	7.6
7	29.86	30.70	30.04	30.17	21.5	14 4	12 4	22.0	16.1	10.0	7.3	5.2
8	32.27	31.27	31.24	31.89	23.0	15 4	9 9	23.5	16.1	8.4	7.3	3.4
9	32.17	31.29	33.10	31.85	18.8	14 4	11 0	19.5	14.7	10.4	5.1	2.9
10	30.71	31.86	32.06	31.54	27.7	18 0	12 1	28.0	19.3	9.9	10.8	2.9
11	31.43	32.25	28.87	30.88	19.1	11 4	12 1	19.4	14.2	10.0	3.9	2.3
12	30.28	31.70	28.19	30.06	18.8	11 0	14 5	19.0	14.8	9.8	4.8	5.5
13	27.01	28.07	29.65	28.24	24.5	18 0	14 0	25.0	18.8	12.8	7.6	5.1
14	29.77	27.73	29.16	28.89	22.2	16 7	10 5	23.0	16.5	8.0	5.3	3.8
15	28.81	28.67	32.74	30.07	19.4	15 5	9 8	20.0	14.9	7.0	3.7	4.0
16	28.05	27.95	28.64	28.21	19.9	14 8	12 4	20.1	15.7	11.5	5.5	2.7
17	27.73	28.57	31.71	29.34	17.5	13 0	11 7	18.0	14.1	9.0	4.9	4.9
18	28.04	29.80	31.89	29.89	20.0	14 4	16 1	20.5	16.8	11.0	6.2	4.7
19	26.97	29.12	29.81	28.63	23.9	15 1	13 5	24.5	17.5	10.9	19.5	5.0
20	26.94	33.03	28.77	29.58	25.9	20 0	14 7	26.5	20.2	13.0	8.5	4.0
21	29.77	31.34	31.89	31.00	21.4	17 4	12 7	22.0	17.2	9.0	2.8	4.9
22	30.11	28.25	30.06	29.47	19.4	14 0	11 4	20.0	14.9	9.5	8.6	3.8
23	28.97	28.33	31.44	29.58	21.4	17 5	15 7	22.0	18.2	14.2	7.5	5.4
24	26.76	29.22	29.56	28.51	25.7	19 3	16 4	26.0	20.5	15.5	12.8	6.9
25	27.44	30.63	31.84	29.97	23.4	15 0	14 0	24.0	17.5	12.9	13.6	6.5
26	28.90	28.14	30.05	29.32	22.0	14 9	20 7	23.0	18.9	17.7	11.9	12.5
27	27.87	28.98	27.88	28.24	26.5	15 4	17 1	27.0	19.7	13.4	15.3	7.4
28	28.65	28.24	29.23	28.71	22.4	14 1	18 4	23.0	18.3	12.9	9.8	8.5
29	29.40	29.85	31.88	30.38	25.4	17 4	18 7	26.0	20.5	15.4	11.6	7.9
30	31.47	28.14	31.61	30.41	21.3	14.1	15.1	26.0	16.8	15.4	8.5	6.3

DICIEMBRE

1	30.40	30.80	28.13	29.78	25.3	19.4	15.0	19.9	8.8	5.5
2	31.34	31.96	38.12	33.81	22.4	18 0	14 9	18.4	4.6	4.9
3	31.61	31.64	31.45	31.57	19.3	14 0	13 1	15.5	5.7	4.6
4	29.06	29.74	30.45	29.75	27.4	20 0	17 4	21.6	3.4	4.7
5	30.51	31.61	31.84	31.32	22.7	15 1	14 0	17.3	4.5	4.8
6	27.12	28.11	28.62	27.95	19.3	16 0	15 1	16.8	6.7	7.1
7	28.13	28.57	29.05	28.58	20.1	15 5	14 0	16.5	6.9	4.6
8	29.37	29.88	28.41	30.22	18.0	12 0	13 4	14.5	4.5	3.2
9	31.35	32.29	32.19	30.94	22.4	14 4	16 1	17.6	7.8	6.3
10	25.89	27.11	28.41	27.14	29.7	25 3	17 7	24.2	5.2	3.4
11	29.49	28.80	30.80	29.03	26.6	16 1	14 4	19.0	8.1	3.5
12	29.80	31.34	31.75	30.96	22.8	14 0	13 9	16.9	8.1	4.0
13	30.33	28.64	32.71	30.56	20.0	14 9	10 0	14.0	7.1	1.8
14	31.81	27.78	32.54	30.71	18.5	13 7	9 8	14.0	5.1	2.1
15	28.62	30.50	30.01	29.71	23.5	14 4	11 8	16.6	4.8	3.6
16	29.90	30.96	31.19	30.65	26.1	18 0	14 4	19.5	6.5	4.5
17	28.64	27.85	28.52	28.34	23.4	17 4	15 9	18.9	5.0	4.0
18	29.15	30.10	30.58	29.94	24.0	19 5	14 6	19.9	4.3	1.7
19	30.05	31.53	31.41	31.00	19.9	12 4	16 8	16.4	4.9	6.3
20	27.17	27.45	32.28	28.97	27.4	21 6	17 9	22.3	10.7	5.7
21	28.33	28.25	36.82	31.13	26.0	18 2	19 9	21.4	8.4	5.2
22	27.81	28.79	35.35	30.65	21.9	11 5	13 0	16.3	5.2	3.4
23	28.94	29.68	30.23	29.62	20.0	13 7	18 4	17.4	4.8	2.8
24	29.75	31.73	30.84	30.77	19.0	14 1	12 4	15.2	5.2	4.8
25	30.64	37.31	32.85	33.60	19.9	15 0	11 4	15.4	5.3	7.1
26	31.42	31.17	31.11	31.23	18.4	16 3	15 9	16.8	2.5	5.7
27	28.44	29.24	27.22	28.30	25.0	14 9	21 0	20.3	6.3	3.9
28	26.32	30.05	29.11	28.49	29.4	19 9	19 4	22.5	9.6	6.0
29	27.87	28.54	28.60	28.34	18.9	12 4	14 4	15.2	4.8	4.8
30	29.55	30.39	30.08	29.94	17.4	10 3	17 1	14.9	5.9
31	27.59	27.61	28.49	27.00	28.0	19.4	16.9	21.4	8.7	5.2

DE 1847.

PSICRÓMETRO.						VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.			FUERZA ELÁSTICA.			2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	Medio.	2½ h.	21 h.	Medio.						
66	76	71	10.65	7.35	9.00	NO.	NO.	NO.	OO.	OO.	OO.
66	31	49	12 36	3 79	8 07	—	—	—	—	—	—
54	40	47	12 45	5 10	8 78	—	—	—	—	—	—
29	48	86	6 59	4 84	5 71	—	—	—	—	—	—
47	27	37	7 99	4 29	6 14	—	—	—	—	—	—
30	26	28	8 88	3 74	6 31	—	—	—	—	—	—
40	41	40	7 79	4 62	6 21	—	—	—	—	—	—
41	56	48	8 61	5 31	6 96	—	—	—	—	—	—
54	64	59	8 81	6 57	7 69	—	—	—	—	—	—
28	66	47	7 82	7 07	7 44	—	—	—	—	—	—
64	73	68	10 80	7 84	9 32	—	—	—	—	—	—
55	44	49	9 01	5 26	7 13	—	—	—	—	—	—
41	46	43	9 71	5 50	7 61	—	—	—	—	—	—
56	54	55	11 27	5 21	8 24	—	—	—	—	—	—
58	50	54	10 67	4 60	7 63	—	—	—	—	—	—
51	45	48	8 96	5 21	7 09	—	—	—	—	—	—
54	44	49	8 19	4 55	6 37	—	—	—	—	—	—
45	49	47	8 63	5 98	7 01	—	—	—	—	—	—
06	45	25	0 76	5 49	3 13	—	—	—	—	—	—
39	50	44	9 56	6 33	7 94	—	—	—	—	—	—
77	46	61	17 61	5 07	11 34	—	—	—	—	—	—
25	54	39	4 45	5 66	5 04	—	—	—	—	—	—
39	45	42	7 35	6 14	6 74	—	—	—	—	—	—
16	32	24	2 69	4 77	3 73	—	—	—	—	—	—
03	31	17	0 39	3 94	2 16	—	—	—	—	—	—
14	05	10	2 33	0 81	1 57	—	—	—	—	—	—
06	30	18	0 84	4 65	2 74	—	—	—	—	—	—
23	26	24	5 08	4 09	4 58	—	—	—	—	—	—
24	31	27	4 93	5 01	4 97	—	—	—	—	—	—
30	37	33	6.36	4.84	5.60	—	—	—	—	—	—

DE 1874.

38	43	40	9.80	5.80	7.80	NO.	NO.	NO.	OO.	OO.	OO.
62	51	56	12 54	6 33	9 43	—	—	—	—	—	—
49	48	48	8 44	5 73	7 08	—	—	—	—	—	—
74	54	64	20 08	8 24	14 16	—	—	—	—	—	—
62	48	55	13 00	6 04	9 52	—	—	—	—	—	—
40	29	34	6 80	3 74	5 21	—	—	—	—	—	—
40	50	45	7 25	6 16	6 70	—	—	—	—	—	—
58	64	61	9 17	7 41	8 29	—	—	—	—	—	—
39	39	39	7 95	5 86	6 65	—	—	—	—	—	—
63	51	57	19 11	8 62	13 86	—	—	—	—	—	—
38	61	49	6 80	7 41	8 10	—	—	—	—	—	—
35	57	46	7 38	6 75	7 06	—	—	—	—	—	—
39	76	57	6 93	7 17	7 05	—	—	—	—	—	—
52	72	62	8 49	6 68	7 58	—	—	—	—	—	—
60	58	59	13 32	6 64	9 98	—	—	—	—	—	—
50	52	51	13 35	6 51	9 93	—	—	—	—	—	—
59	41	50	12 90	6 46	9 68	—	—	—	—	—	—
64	71	67	14 70	8 82	11 76	—	—	—	—	—	—
56	40	48	9 72	5 78	7 75	—	—	—	—	—	—
25	45	35	7 82	7 03	7 42	—	—	—	—	—	—
40	45	42	10 22	5 86	8 04	—	—	—	—	—	—
55	62	58	11 17	7 11	9 14	—	—	—	—	—	—
57	65	61	10 10	6 75	8 42	—	—	—	—	—	—
53	45	49	8 75	5 01	6 88	—	—	—	—	—	—
52	27	39	9 33	3 48	6 40	—	—	—	—	—	—
76	39	57	12 10	4 83	8 45	—	—	—	—	—	—
51	66	58	12 40	12 04	12 22	—	—	—	—	—	—
37	47	42	11 50	8 26	9 88	—	—	—	—	—	—
56	59	53	9 07	6 27	7 67	—	—	—	—	—	—
...	43	43	6 37	6 37	—	—	—	—	—	—
19	68	51	11.67	10.91	10.85	—	—	—	—	—	—

Instrumentos.	MARZO 5.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 727.54	mm. 727.87	mm. 728.88	mm. 729.66	mm. 729.66	mm. 729.66	mm. 729.66	mm. 728.73	mm. 728.73
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	21.9	19.3	18.1	17.5	16.0	NO.	NO.	NO.	18.6
Estado atmosférico.....	D.				Nl.		N.		

Instrumentos.	MARZO 15.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	728.08	628.78	727.23	728.54	729.32	729.32	728.22	728.22	728.22
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	22.0	19.5	19.8	16.0	17.0				18.9
Estado atmosférico.....	NO.		C.						
	D.								

Instrumentos.	MARZO 25.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	729.54	730.38	728.96	729.66	731.19	729.93	729.93	729.93	729.93
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	19.5	17.5	18.5	16.4	13.3				17.0
Estado atmosférico.....	NO.		C.	NO.					
	D.								

Instrumentos.	ABRIL 4.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	727.95	728.73	728.32	729.97	729.53	729.53	728.33	728.33	728.33
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	21.6	15.0	18.5	17.2	12.5				17.0
Estado atmosférico.....	NO.			C.	NO.				
	D.				D.				

Instrumentos.	ABRIL 14.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	728.04	731.56	731.48	732.13	732.58	732.58	731.10	731.10	731.10
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	18.3	13.0	12.5	12.2	10.3				13.3
Estado atmosférico.....	N.	NO.			N.				
	D.				Nl.				

Instrumentos.	ABRIL 21.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	728.10	728.69	730.30	730.21	731.03	729.6	729.6	729.6	729.6
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	14.1	11.1	15.0	9.5	3.6				10.6
Estado atmosférico.....	N.	C.	NO.		N.				
	D.	Nl.	D		Nl.				

Instrumentos.	MAYO 4.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	729.61		729.27		730.00	730.04	729.98		729.79
Termómetro centígrado.....	13.1		16.4		11.1	9.8	4.4		11.0
Vientos.....	NO.					C.	NO.		
Estado atmosférico.....	D.						Ni.		
MAYO 14.									
Barómetro reducido a 0°.....	729.64		729.64		727.77	730.21	730.09		729.87
Termómetro centígrado.....	14.1		13.2		11.3	10.0	8.5		11.2
Vientos.....	NO.					C.	NO.		
Estado atmosférico.....	D.				N.	Np.	Ni.		
MAYO 24.									
Barómetro reducido a 0°.....	730.14		729.52		729.95	730.13	730.36		730.02
Termómetro centígrado.....	16.6		13.4		12.3	10.8	7.9		12.2
Vientos.....	NO.					C.	NO.		
Estado atmosférico.....	D.				Ni.	D.			
JUNIO 3.									
Barómetro reducido a 0°.....	731.65		731.85		731.90	732.11	732.36		731.97
Termómetro centígrado.....	12.2		11.4		10.1	7.5	5.4		9.5
Vientos.....	NO.								
Estado atmosférico.....	Ni.		D.		Ni.	D.			
JUNIO 13.									
Barómetro reducido a 0°.....	732.05		731.58		731.11	732.07	731.89		731.75
Termómetro centígrado.....	13.1		12.0		8.1	7.0	6.0		9.2
Vientos.....	NO.								
Estado atmosférico.....	D.								
JUNIO 23.									
Barómetro reducido a 0°.....	731.97		731.11		732.05	732.41	733.75		732.32
Termómetro centígrado.....	12.3		11.0		7.2	5.0	2.1		7.8
Vientos.....	NO.								
Estado atmosférico.....	D.				N.	D.			

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTIGRADO.				PSICRÓMETRO. Dif. de los termómetros		
	24 h.	9 h.	21 h.	Medio	24 h.	9 h.	21 h.	Medio	24 h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o
1	58.37	57.12	58.57	58.12	20.1	20.4	17.1	19.30	2.9	0.3	1.4
2	57.42	58.55	58.34	58.10	20.4	20.6	16.9	19.30	0.3	3.5	1.7
3	58.27	58.61	57.53	58.14	18.8	20.2	16.2	18.16	2.8	4.0	0.8
4	58.06	56.76	57.61	57.48	18.6	19.2	16.9	18.23	3.4	3.1	2.5
5	60.17	59.35	57.84	59.12	19.8	20.3	17.5	19.20	2.5	2.9	1.3
6	61.02	60.61	60.33	60.65	20.3	21.3	16.8	19.47	1.2	4.0	1.5
7	58.49	57.65	58.67	58.27	17.7	20.6	17.5	18.66	2.4	3.4	0.5
8	59.77	57.96	58.51	58.75	18.7	21.0	17.2	18.97	0.4	3.9	0.0
9	59.87	59.21	60.21	59.78	18.5	21.9	17.5	19.39	2.4	0.7	0.3
10	59.68	58.82	57.92	58.81	18.8	22.1	18.3	19.63	3.4	1.7	0.9
11	60.34	59.66	60.51	60.18	17.8	20.2	17.3	18.65	1.8	0.1
12	60.23	59.60	58.63	59.49	18.3	20.8	17.4	18.87	2.1	4.4	0.1
13	58.83	58.21	57.91	58.32	19.3	21.4	17.8	19.50	3.0	4.4	0.5
14	58.15	56.93	57.74	57.60	18.0	21.0	17.3	18.77	1.9	0.6	0.1
15	58.32	57.12	55.75	57.63	18.9	21.2	18.1	19.46	2.7	1.0
16	60.17	58.61	58.61	58.33	19.1	21.9	18.0	19.65	2.4	0.5	1.9
17	60.59	58.62	60.67	59.46	17.8	20.2	16.7	18.25	2.0	1.2	0.9
18	60.73	58.89	58.62	59.41	18.5	21.1	17.2	18.93	2.4	4.1	0.1
19	58.76	59.42	61.66	59.95	18.5	20.5	17.2	18.57	0.3	3.3	2.9
20	61.53	60.73	61.09	20.0	17.2	18.60	2.6	1.8
21	61.77	60.58	58.35	60.30	18.2	20.1	16.4	18.33	0.1	3.4	1.1
22	60.04	58.67	57.67	58.79	18.1	21.1	17.2	18.87	3.1	4.0
23	58.87	58.92	58.64	58.80	17.7	19.7	17.2	18.30	0.5	3.4	1.8
24	57.94	58.70	58.61	58.48	17.1	20.9	16.7	18.33	0.4	4.5	0.5
25	58.72	59.66	58.70	59.63	18.5	21.0	17.2	18.90	2.5	4.9	1.0
26	58.86	58.83	58.15	58.62	17.2	19.2	17.1	18.05	1.1	1.0	1.4
27	58.81	58.96	58.97	58.51	18.2	19.0	16.7	18.33	1.0	3.8	1.5
28	60.16	58.75	58.85	59.35	18.6	20.2	19.1	19.36	2.6	3.0	2.9
29	59.91	58.52	58.76	59.06	19.1	21.3	20.0	20.16	2.1	4.3	3.8
30	57.35	58.05	57.47	21.6	18.0	20.10	4.7	1.7
31	59.64	57.38	57.69	58.16	18.1	21.8	19.0	19.89	2.4	5.8	3.3

FEBRERO

1	63.45	58.46	57.92	59.94	11.2	22.7	19.2	18.74	3.2	2.3	1.0
2	58.92	59.40	58.62	58.98	15.5	22.7	18.2	20.15	3.4	5.6	2.2
3	60.51	60.78	58.61	59.97	19.4	21.2	18.0	19.87	2.4	5.0	2.3
4	59.39	61.41	57.93	59.65	19.2	21.6	18.2	19.60	1.3	4.6	1.0
5	60.53	58.59	57.55	58.89	19.5	21.5	17.9	19.60	1.6	4.3	0.8
6	60.75	59.21	58.87	59.61	18.5	20.7	17.2	18.33	3.1	5.5	1.3
7	59.62	60.41	59.65	59.63	18.6	20.3	17.2	18.33	3.6	4.0	1.0
8	60.65	59.85	61.59	60.53	18.2	20.0	17.7	18.65	2.2	4.7	2.3
9	60.71	60.54	60.61	20.2	18.3	19.20	2.8	2.9
10	59.61	59.62	60.28	59.81	19.1	21.0	18.5	19.55	3.4	3.8	3.3
11	59.77	58.82	58.65	59.08	19.8	20.5	17.1	19.23	4.3	3.5	2.3
12	59.63	59.62	57.52	59.26	19.0	20.2	17.2	19.13	4.0	3.2	1.8
13	60.78	58.55	57.06	58.79	17.2	19.9	17.2	18.33	2.2	2.9	1.8
14	60.83	58.76	58.75	59.45	17.3	19.7	17.2	18.40	2.0	3.6	1.9
15	58.71	58.13	59.67	58.84	16.2	17.2	16.8	17.30	1.2	2.0	1.9
16	58.97	58.99	58.68	58.63	17.2	19.7	16.8	17.15	2.2	1.7	1.7
17	59.64	58.87	59.33	59.33	17.3	19.6	17.2	18.15	2.3	1.7	1.2
18	59.36	59.97	59.64	59.66	19.2	21.8	17.0	19.33	3.2	6.5	3.2
19	59.16	61.91	61.20	24.2	16.0	18.30	1.2	1.5
20	60.17	59.35	58.87	59.37	18.2	19.3	15.5	17.66	1.8	3.1	1.3
21	60.09	59.94	58.11	59.09	16.7	19.2	16.5	17.33	1.9	3.2	0.5
22	60.16	58.44	59.97	59.99	16.2	18.2	16.5	17.99	2.2	3.2	2.1
23	60.50	58.55	58.87	59.41	15.7	18.3	15.6	16.87	1.7	2.9	0.6
24	59.81	58.89	59.61	59.17	17.2	19.1	18.2	18.17	2.2	3.1	3.1
25	59.97	58.65	59.71	59.44	18.2	19.2	16.2	17.87	3.0	3.0	1.8
26	60.19	58.67	57.89	58.91	15.6	17.8	16.2	16.95	1.6	2.7	1.2
27	60.19	58.89	58.15	59.69	15.2	17.5	15.2	15.95	1.2	2.1	1.8
28	61.37	61.44	58.87	59.77	15.2	18.2	15.7	16.73	1.8	3.2	0.5

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Dif. de los termómetros.		
									2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o
1	58.17	58.17	57.79	57.98	19.6	16.2	17.96	4.5	1.2
2	58.31	57.69	58.79	57.99	17.5	18.7	16.2	17.47	1.4	1.7	0.9
3	59.31	59.52	59.59	59.43	15.7	18.7	14.6	16.33	2.3	3.7	1.5
4	59.04	59.67	60.45	59.72	16.3	19.2	16.8	17.43	2.0	3.9	1.8
5	61.10	59.89	59.34	60.28	17.0	18.7	13.3	17.33	0.9	3.3	1.0
6	62.21	61.04	61.29	61.51	16.7	19.6	16.7	17.67	1.3	3.4	0.7
7	62.38	60.78	60.68	61.28	17.2	19.9	17.0	18.63	0.1	2.6	1.6
8	61.24	59.55	60.81	60.59	18.2	19.2	17.1	18.17	1.2	2.2	1.1
9	61.78	59.71	58.11	59.88	17.5	18.1	16.9	17.20	1.4	2.1	1.0
10	59.23	58.36	60.22	59.44	15.9	18.8	15.5	16.73	0.9	2.4	0.4
11	60.39	17.4	3.0
12	61.31	60.29	60.82	15.6	17.4	16.50	0.5	1.0
13	60.45	59.23	59.84	18.3	15.2	16.75	1.2	0.2
14	62.41	59.59	59.81	60.61	16.6	18.2	15.6	16.60	0.0	1.2	0.5
15	62.69	60.25	61.54	61.29	15.7	18.7	15.0	16.47	0.6	3.3	0.9
16	60.60	59.34	59.97	17.3	14.9	16.10	2.1	0.8
17	60.64	59.71	59.79	60.61	14.9	17.6	15.2	15.90	0.8	2.2	0.2
18	61.35	61.09	61.22	18.3	15.2	16.75	3.1	1.1
19	61.20	60.27	59.08	60.38	16.1	18.8	15.6	16.83	0.1	2.5	1.0
20	60.90	60.68	60.79	60.79	16.0	18.6	15.6	16.73	0.0	1.1	0.5
21	60.37	61.07	60.72	17.9	14.4	16.15	2.7	1.4
22	62.49	61.85	61.67	61.94	16.2	19.0	15.2	16.80	0.8	3.7	0.8
23	62.40	60.87	61.64	16.2	19.2	17.70	0.1	1.0
24	60.91	59.49	59.10	59.87	15.6	18.3	14.8	16.23	0.4	3.1	0.8
25	60.61	60.06	59.33	60.60	15.3	17.8	14.2	15.77	1.9	2.8	1.2
26	61.98	62.11	62.48	62.19	15.6	17.0	16.0	16.20	0.4	2.8	1.9
27	62.74	62.01	61.18	62.60	17.2	19.2	16.2	17.53	0.2	2.9	1.2
28	59.89	61.72	61.65	61.09	16.4	18.9	15.5	16.93	0.1	2.5	0.9
29	63.00	60.52	60.82	61.28	16.6	16.2	15.3	15.83	1.0	2.0	1.1
30	60.78	61.79	61.29	15.2	15.7	15.45	1.0	1.6
31	60.50	60.69	61.98	60.73	15.1	17.0	16.1	16.07	0.9	1.6	2.0

1	62.25	61.94	62.81	62.33	18.6	15.1	15.2	16.3	3.5	2.2	1.3
2	60.37	61.29	62.28	61.31	18.8	14.8	15.1	16.2	2.9	2.2	1.2
3	58.10	59.29	60.11	59.18	18.1	14.4	13.7	15.4	2.9	1.9	1.3
4	59.38	59.60	60.81	59.43	17.8	14.2	15.2	15.7	2.6	1.1	1.6
5	59.29	59.61	60.26	59.72	17.1	15.2	14.9	15.7	3.2	1.9	1.7
6	60.71	61.20	61.15	61.02	17.5	15.1	15.5	16.0	4.3	1.6	1.7
7	61.50	62.11	61.93	61.26	18.3	15.4	15.2	16.3	3.4	2.2	1.1
8	60.39	61.15	61.41	60.95	17.4	15.5	15.6	16.2	2.8	2.1	1.4
9	59.83	60.00	60.98	60.27	18.6	15.4	16.2	16.7	3.2	2.2	1.3
10	60.18	60.83	61.73	60.91	18.5	14.9	13.9	15.8	2.9	1.7	1.3
11	59.09	58.10	59.89	59.69	17.8	13.9	13.1	14.3	2.6	1.1	0.9
12	59.44	60.51	59.79	59.91	17.5	13.7	14.4	15.2	2.4	1.2	1.9
13	60.82	61.76	61.11	61.23	18.2	14.8	15.1	16.0	1.8	1.6	1.2
14	60.25	59.81	61.36	60.48	18.1	15.1	15.4	16.2	3.7	1.7	1.5
15	61.78	61.65	62.48	61.77	17.9	15.4	15.1	16.1	3.0	1.8	1.3
16	60.46	61.31	61.54	61.10	16.2	15.2	14.9	15.4	2.8	1.6	2.3
17	62.11	62.62	62.58	62.41	16.4	14.9	14.8	15.4	2.5	1.7	0.9
18	62.91	62.51	61.90	62.45	16.9	14.8	14.9	15.5	2.1	1.5	3.0
19	59.31	60.37	62.48	60.73	17.1	14.3	15.5	15.6	2.9	1.9	1.7
20	61.67	62.59	62.99	62.39	18.2	15.1	14.5	15.9	2.8	1.6	2.1
21	62.11	62.91	63.85	62.97	16.6	15.5	15.6	15.9	2.5	1.8	2.2
22	59.46	60.69	61.72	60.62	16.4	15.4	12.9	14.9	3.1	2.2	1.1
23	58.73	58.97	58.61	58.77	14.9	14.8	13.1	14.3	2.1	1.7	1.2
24	62.50	62.64	61.86	62.39	18.5	11.2	15.7	16.1	3.7	1.4	2.1
25	60.40	61.71	62.31	61.83	17.3	13.5	15.5	15.4	2.1	1.1	2.1
26	61.90	62.21	62.21	62.41	15.6	12.8	13.8	14.1	2.2	0.9	1.4
27	61.78	62.81	62.52	62.31	16.2	12.5	13.2	13.6	2.3	1.3	1.1
28	60.41	61.62	61.39	60.91	14.6	12.7	13.6	13.6	2.1	1.6	1.2
29	59.75	60.23	61.02	60.31	16.1	11.8	13.7	14.9	2.7	1.9	0.9
30	61.77	60.81	16.5	11.1	15.3	2.8	1.9

DE 1873.

PSICRÓMETRO.								VIENTOS.		ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	9 h.	21 h.	2½ h.	9 h.	21 h.
76	85	87	83	10.04	11.97	11.06	11.06	C.	O.	N.	D.	D.
76	85	83	83	12.77	13.38	12.39	12.85	C.	O.	N.	N.	Np.
79	84	81	81	10.09	10.45	10.33	10.29	C.	O.	N.	N.	N.
91	80	80	83	10.33	10.56	11.60	11.03	C.	O.	N.	N.	N.
83	80	83	83	13.08	11.01	12.33	12.14	C.	O.	N.	N.	N.
83	80	83	83	12.23	11.64	13.11	12.33	C.	O.	N.	N.	N.
83	80	80	80	14.45	13.10	12.05	13.20	C.	O.	N.	N.	N.
86	80	80	80	13.63	13.08	12.87	13.21	C.	O.	N.	N.	N.
86	80	80	80	12.77	12.26	12.09	12.37	C.	O.	N.	N.	N.
86	80	80	80	12.15	12.43	12.54	12.37	C.	O.	N.	N.	N.
95	80	80	80	12.48	10.40	11.00	11.00	C.	O.	N.	N.	N.
100	80	80	80	12.48	13.39	12.58	13.18	C.	O.	N.	N.	N.
100	80	80	80	13.54	13.69	12.48	13.24	C.	O.	N.	N.	N.
91	80	80	80	12.41	10.01	11.44	11.29	C.	O.	N.	N.	N.
91	80	80	80	11.58	11.58	11.50	11.54	C.	O.	N.	N.	N.
99	80	80	80	11.50	11.68	12.58	11.92	C.	O.	N.	N.	N.
100	80	80	80	13.48	10.37	11.32	11.15	C.	O.	N.	N.	N.
91	80	80	80	13.54	14.26	12.48	13.41	C.	O.	N.	N.	N.
91	80	80	80	12.00	11.22	10.31	10.77	C.	O.	N.	N.	N.
96	80	80	80	13.57	14.35	11.42	14.25	C.	O.	N.	N.	N.
79	80	80	80	12.62	10.37	11.42	11.42	C.	O.	N.	N.	N.
86	80	80	80	10.33	10.33	10.43	10.38	C.	O.	N.	N.	N.
86	80	80	80	12.62	10.37	10.43	11.27	C.	O.	N.	N.	N.
88	80	80	80	14.30	12.04	11.37	13.77	C.	O.	N.	N.	N.
89	80	80	80	13.75	12.00	11.84	12.65	C.	O.	N.	N.	N.
89	80	80	80	12.09	10.37	11.46	11.45	C.	O.	N.	N.	N.
89	80	80	80	11.46	11.14	11.30	11.30	C.	O.	N.	N.	N.
92	80	80	80	11.52	12.17	10.31	11.33	C.	O.	N.	N.	N.

DE 1873.

66	71	74	74	10.65	9.57	11.09	10.43	O.	NE.	N.	D.	N.
71	71	74	74	11.09	9.57	9.57	10.73	O.	NE.	N.	N.	N.
74	74	74	74	11.28	10.57	10.61	10.82	O.	E.	N.	N.	N.
74	74	74	74	9.82	10.22	10.27	10.11	O.	N.	N.	N.	N.
74	74	74	74	8.69	10.51	10.69	9.97	O.	N.	N.	N.	N.
66	74	74	74	10.56	9.37	11.32	10.62	O.	N.	N.	N.	N.
69	74	74	74	10.63	10.17	11.20	10.67	O.	N.	N.	N.	N.
71	74	74	74	11.07	9.37	11.49	10.51	O.	N.	N.	N.	N.
71	74	74	74	11.44	10.35	10.05	10.30	O.	N.	N.	N.	N.
76	74	74	74	11.32	10.08	9.66	10.33	O.	N.	N.	N.	N.
76	74	74	74	12.80	10.33	11.06	11.40	O.	N.	N.	N.	N.
76	74	74	74	9.9	10.41	10.88	10.44	O.	N.	N.	N.	N.
76	74	74	74	10.21	10.19	10.33	10.71	O.	N.	N.	N.	N.
76	74	74	74	9.24	10.61	9.48	9.94	O.	N.	N.	N.	N.
74	74	74	74	10.28	10.27	11.35	10.60	O.	N.	N.	N.	N.
73	74	74	74	10.31	10.39	9.82	10.19	O.	N.	N.	N.	N.
71	74	74	74	10.31	10.54	9.47	10.11	O.	N.	N.	N.	N.
74	74	74	74	10.45	10.30	10.11	10.72	O.	N.	N.	N.	N.
74	74	74	74	9.9	9.9	9.9	9.35	O.	N.	N.	N.	N.
74	74	74	74	10.12	10.17	10.31	10.33	O.	N.	N.	N.	N.
73	74	74	74	10.11	9.9	10.31	10.33	O.	N.	N.	N.	N.
73	74	74	74	10.11	9.15	9.8	9.20	O.	N.	N.	N.	N.
73	74	74	74	9.54	8.8	10.01	9.48	O.	N.	N.	N.	N.
73	74	74	74	9.26	8.2	10.37	10.10	O.	N.	N.	N.	N.
73	74	74	74	9.21	8.2	10.37	10.10	O.	N.	N.	N.	N.

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
	A 0°								Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°
1	700.4	700.4	700.4	700.4	17.2	14.6	13.4	15.1	2.0	1.7	2.1
2	59.16	60.99	60.91	60.35	15.7	14.7	11.8	15.1	2.5	2.0	2.1
3	60.35	61.17	61.77	61.39	16.9	13.5	11.8	14.3	3.7	1.1	1.7
4	60.60	61.02	61.87	61.16	16.9	13.4	11.9	14.7	3.1	0.9	1.7
5	60.24	60.86	60.76	60.62	15.9	13.4	11.6	14.3	2.2	2.0	1.4
6	59.16	59.60	60.99	59.92	11.8	11.6	13.6	14.3	2.2	2.0	1.4
7	61.25	61.96	61.99	61.73	15.3	13.7	11.2	14.4	2.6	1.5	0.9
8	59.91	60.56	62.87	61.11	16.1	13.9	11.8	14.9	2.4	1.4	2.1
9	59.85	60.71	60.39	60.33	15.2	11.1	13.6	14.3	2.4	0.9	1.4
10	61.31	61.97	62.16	61.81	15.8	11.9	11.6	15.1	2.9	2.8	2.5
11	60.16	61.50	61.83	60.11	15.4	11.2	11.8	14.8	1.6	2.2	2.7
12	62.20	63.17	63.87	63.08	15.9	13.9	11.7	14.8	1.7	1.8	2.2
13	63.00	63.56	65.06	63.81	14.6	13.1	13.2	15.6	2.4	1.0	1.4
14	63.40	63.36	63.63	63.67	11.9	12.8	11.1	13.9	2.6	1.5	1.4
15	62.41	63.30	61.15	62.29	11.6	13.2	12.5	13.5	2.2	0.9	1.3
16	60.60	61.78	61.06	61.15	15.6	11.2	13.6	14.5	2.5	1.3	0.8
17	60.59	61.51	61.86	61.25	15.7	13.7	12.7	14.0	2.8	1.5	1.1
18	62.19	62.13	63.38	62.57	14.8	13.3	13.6	13.9	2.5	1.4	3.3
19	60.77	61.68	62.19	61.32	15.5	13.7	13.1	14.1	2.4	0.9	1.3
20	62.34	63.34	62.58	62.92	15.8	14.3	11.5	13.9	2.5	2.1	1.3
21	61.71	62.70	63.50	62.63	15.2	12.7	12.6	13.5	2.7	1.5	2.4
22	59.94	60.96	61.92	60.93	13.9	12.7	11.3	12.8	1.4	1.2	1.6
23	60.31	61.37	61.79	61.13	15.8	12.5	13.1	13.8	2.6	1.3	1.9
24	60.69	61.38	62.11	61.39	11.6	13.1	12.1	13.3	2.0	1.2	1.3
25	59.69	60.71	62.05	60.82	17.5	13.9	14.1	15.2	3.2	1.8	1.5
26	59.32	60.37	60.41	60.07	16.6	11.1	11.3	15.6	1.7	1.2	1.8
27	59.82	60.73	62.09	60.85	15.7	13.1	13.6	14.2	3.5	1.1	1.4
28	62.26	63.15	63.08	62.83	14.6	12.2	12.1	13.6	1.8	1.1	1.3
29	60.26	61.48	61.88	61.21	15.5	12.8	12.1	13.5	2.2	1.3	1.2
30	60.85	61.96	61.96	61.57	13.8	11.9	11.1	12.7	1.9	1.8	1.0
31	60.31	62.46	62.08	61.62	13.9	10.2	10.9	11.7	2.3	0.9	1.5
31	59.06	60.87	61.57	60.83	13.8	10.6	10.6	11.7	2.5	1.4	1.5

JUNIO

1	60.79	61.03	62.77	61.72	12.7	10.1	10.6	11.1	2.5	0.9	1.4
2	60.37	61.22	61.46	61.02	11.7	11.1	10.4	12.2	3.6	0.9	1.7
3	59.90	60.53	61.31	60.61	12.5	11.5	9.3	11.1	2.3	1.2	1.1
4	62.06	62.20	61.87	62.04	13.8	11.4	12.9	12.8	3.1	0.9	1.4
5	62.37	63.23	64.15	63.26	15.2	11.4	11.1	13.2	2.0	1.2	1.7
6	61.06	63.78	63.73	62.32	13.2	11.1	10.9	12.4	2.9	0.0	1.2
7	62.86	63.06	63.83	63.25	14.5	12.5	12.8	15.3	1.4	4.1	0.9
8	61.26	62.26	62.17	61.93	11.2	12.1	12.1	11.3	0.7	6.9	0.9
9	61.25	62.39	61.79	61.79	15.1	11.9	12.7	13.2	1.0	1.1	0.9
10	61.06	61.55	62.22	61.76	15.1	12.1	11.8	13.1	0.7	1.0	0.6
11	62.07	62.18	61.58	61.93	14.9	11.9	11.1	12.6	1.2	1.1	0.2
12	60.56	60.32	60.94	60.36	11.3	12.1	12.1	12.8	1.0	0.6	0.4
13	59.77	61.29	61.11	60.42	11.9	12.5	11.9	13.1	1.6	1.0	1.1
14	61.10	61.66	61.33	61.05	13.8	12.5	11.8	12.7	0.6	1.1	1.0
15	61.21	61.31	61.41	61.31	11.1	12.5	12.2	12.9	1.2	0.9	0.8
16	60.88	61.13	61.34	61.11	11.1	11.9	11.8	12.6	1.4	0.7	0.6
17	62.67	61.91	61.45	62.07	14.2	11.1	10.9	12.1	1.0	0.4	0.8
18	58.41	59.10	60.46	59.99	11.0	12.1	10.2	12.1	0.8	1.2	0.8
19	61.49	62.35	62.83	62.39	14.0	12.2	11.2	12.5	2.6	1.3	0.3
20	62.88	63.16	63.13	63.11	11.0	11.9	12.3	12.7	0.8	1.0	1.3
21	61.17	61.60	62.84	61.89	16.2	12.9	13.0	14.0	0.8	1.2	0.8
22	60.76	62.37	61.33	61.59	15.3	12.2	12.2	13.2	0.9	0.9	0.7
23	60.42	61.36	61.37	61.53	11.1	12.0	11.4	12.4	0.9	1.1	0.9
24	62.38	62.75	62.37	62.62	13.8	13.5	13.4	14.1	0.7	0.5	1.2
25	61.77	63.28	63.37	62.81	13.8	11.2	12.5	12.5	0.5	0.9	1.1
26	62.26	63.08	63.48	62.81	13.5	13.0	11.7	13.5	0.7	1.1	1.5
27	60.64	60.32	62.21	61.06	13.0	11.6	8.7	11.4	0.3	1.2	0.6
28	59.46	61.65	61.66	60.67	12.5	12.2	11.4	12.0	3.1	1.2	1.3
29	61.02	61.75	63.94	62.24	15.1	13.5	13.5	13.8	1.3	0.8	0.4
30	61.86	62.61	62.88	62.13	11.7	11.3	13.1	13.3	1.3	0.8	1.1

DÍAS.	BARÓMETRO REDUCIDO A 0'				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Dif. de los termómetros.		
									2½ h.	9 5.	21 h.
	mm.	f.m.	mra.	mm.	o	o	o	o	o	o	o
1	700.4	700.4	700.4	700.4	0	0	0	0	0	0	0
2	59.19	60.81	61.25	60.42	11.3	13.0	12.7	13.3	4.1	1.9	1.6
3	61.78	62.92	63.45	62.72	11.8	12.6	12.9	13.1	0.8	1.2	2.6
4	64.75	64.97	65.57	65.10	15.8	13.1	12.1	13.7	2.7	1.8	0.8
5	61.07	62.08	63.79	62.31	16.1	12.5	11.1	13.2	0.7	1.3	0.8
6	60.78	61.47	63.03	61.76	15.0	12.8	12.7	13.5	0.8	1.5	1.6
7	61.90	62.82	63.66	62.79	15.7	12.9	12.2	13.6	2.5	1.5	0.8
8	62.52	63.81	63.93	63.42	15.4	13.1	13.0	13.8	1.3	2.0	2.6
9	64.77	62.07	63.28	63.37	14.0	12.4	11.4	12.6	3.0	1.9	1.2
10	60.63	60.19	62.36	61.06	14.7	11.9	9.4	12.6	0.6	3.7	1.0
11	58.19	58.87	61.82	59.63	16.2	12.0	12.3	13.5	2.1	1.7	1.1
12	61.47	61.35	62.01	61.61	15.6	13.0	13.2	13.9	1.3	0.9	0.2
13	62.42	63.72	64.05	63.40	13.5	12.2	13.1	12.9	2.2	1.1	1.7
14	63.67	63.29	64.35	63.77	14.2	10.2	13.0	12.5	1.2	1.9	1.6
15	63.08	65.87	61.26	64.40	14.1	11.2	10.8	12.0	3.7	1.9	2.5
16	65.10	64.87	64.26	64.64	14.1	11.2	13.0	12.8	3.7	0.9	0.9
17	60.19	64.05	63.83	62.66	16.1	12.5	11.8	13.5	3.8	1.3	1.5
18	64.95	62.58	63.09	62.54	13.6	11.9	12.0	12.5	2.4	1.5	0.9
19	61.19	61.56	62.99	60.61	15.3	11.5	13.2	13.3	3.9	1.3	1.8
20	61.15	62.58	62.93	62.22	13.7	12.6	11.8	12.7	3.4	2.3	1.7
21	64.37	64.98	62.37	63.91	11.0	10.9	11.6	12.2	0.9	1.8	1.4
22	61.83	62.79	63.34	62.65	13.9	12.0	11.7	12.5	2.9	1.8	2.4
23	65.27	65.02	62.97	64.42	15.4	11.7	12.1	13.1	3.4	2.4	0.8
24	60.68	60.64	61.87	61.06	16.0	12.3	11.5	13.3	3.6	1.7	3.4
25	62.12	63.30	63.79	63.07	15.0	11.9	11.7	12.9	2.8	1.8	0.7
26	61.12	62.23	63.29	62.21	16.2	11.5	11.8	13.2	4.1	2.2	1.8
27	60.47	61.08	61.64	61.06	15.1	11.1	10.3	12.2	3.9	1.0	2.1
28	59.46	60.36	60.31	60.04	14.8	10.6	12.8	12.7	3.7	1.5	1.4
29	61.27	60.61	60.17	60.68	12.0	10.4	10.5	11.0	2.6	2.0	1.4
30	60.13	59.48	62.21	60.61	12.7	12.1	11.8	12.2	2.6	1.8	2.4
31	61.18	62.96	62.29	62.14	14.6	11.2	12.7	12.8	1.4	1.8	2.4
	63.10	63.87	64.43	63.80	14.3	11.6	12.0	12.6	2.9	1.5	2.9

AGOSTO

1	59.67	60.08	61.48	60.41	15.2	13.9	12.8	13.9	2.2	2.7	2.7
2	59.45	61.15	66.60	62.53	13.7	11.6	15.0	13.4	1.6	1.2	3.0
3	65.78	66.70	65.65	66.04	15.1	11.4	13.5	13.3	3.1	1.1	2.4
4	64.36	64.51	66.19	65.02	15.5	11.0	10.3	12.3	4.1	0.7	2.9
5	65.33	66.96	65.78	66.02	14.0	12.5	12.6	13.0	3.0	1.1	1.5
6	64.92	66.16	66.83	65.97	15.3	11.6	12.2	13.0	1.2	1.5	0.8
7	62.65	63.13	64.68	63.49	15.0	11.4	13.6	13.0	3.7	1.2	2.3
8	62.66	63.90	64.28	63.61	15.8	12.1	11.2	13.6	3.6	1.7	0.8
9	60.02	61.37	61.16	60.85	15.7	11.0	12.1	12.9	1.7	1.7	1.0
10	61.37	61.25	62.33	61.65	14.0	11.7	12.7	12.8	2.8	1.6	1.1
11	60.37	60.70	60.79	60.62	12.3	11.5	10.2	11.3	2.2	1.5	1.2
12	60.16	60.96	61.59	60.90	13.0	11.0	10.4	11.4	1.8	1.8	1.3
13	63.65	64.26	61.98	64.30	13.2	11.1	11.4	11.9	1.8	1.9	1.3
14	65.13	65.53	65.75	65.48	14.1	12.6	12.5	13.1	2.0	1.3	1.3
15	64.40	65.13	66.28	65.27	14.9	11.4	10.4	12.2	2.9	1.2	1.0
16	62.71	64.35	64.21	63.76	16.2	12.7	12.4	13.8	4.1	1.5	1.4
17	60.16	60.89	61.98	60.98	13.4	11.7	10.4	11.8	2.1	1.5	1.2
18	64.76	64.91	65.21	64.96	13.8	11.9	11.3	12.3	3.5	0.8	1.0
19	62.27	63.46	64.63	63.45	16.0	12.2	13.2	13.8	3.9	1.8	2.8
20	61.77	62.96	63.21	62.71	16.3	12.4	13.4	14.0	3.9	1.4	2.2
21	60.92	62.11	62.07	61.79	16.2	11.9	12.4	13.5	4.0	1.5	2.0
22	61.96	62.86	62.82	62.55	15.1	12.0	11.4	12.5	2.1	0.8	1.2
23	63.08	64.42	64.17	63.89	15.5	11.8	11.2	12.8	4.4	0.6	0.9
24	61.75	63.33	63.18	62.75	16.1	12.0	12.2	13.4	3.9	0.6	0.8
25	62.85	63.56	64.05	63.49	16.4	13.1	13.3	14.3	3.3	1.0	1.2
26	61.05	63.05	62.18	62.10	16.1	12.2	12.4	13.6	3.7	0.8	1.1
27	62.86	61.33	61.82	61.00	15.9	13.0	13.1	14.0	4.5	1.8	0.9
28	61.76	62.85	63.92	62.54	16.3	12.4	12.2	13.6	4.1	1.3	0.9
29	60.91	61.78	62.01	61.57	16.5	12.2	13.3	14.0	5.1	0.8	1.1
30	63.08	62.91	63.98	62.69	15.1	11.9	12.4	13.5	4.0	0.8	1.1
31	61.95	62.67	62.76	62.26	16.3	12.2	13.2	13.9	3.9	0.9	1.1

DE 1873.

PSICRÓMETRO.								VIENTOS.		ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	21 h.	2½ h.	9 h.	21 h.
86		X1	X2	6.51	X.71	X.8	X.04	NO.	NO.	N.	N.	D.
86	X2	90	77	X.99	X.21	X.77	X.66	X.X	X.X	N.	N.	N.
72	79	90	77	9.59	X.91	9.52	9.01	X.X	X.X	N.	N.	N.
92	X5	90	X9	12.59	9.15	X.84	10.19	X.X	X.X	N.	N.	N.
91	X2	X1	X5	11.68	9.16	X.8	X.9	X.X	X.X	N.	N.	N.
71	X0	90	X1	9.79	9.04	9.59	9.47	X.X	X.X	N.	N.	N.
86	77	70	X7	11.19	X.65	X.7	10.24	X.X	X.X	N.	N.	N.
67	71	X5	73	7.9	X.32	X.56	X.5	X.X	X.X	N.	N.	N.
92	55	X6	X8	11.56	5.91	X.66	X.9	X.X	X.X	N.	N.	N.
78	75	X3	X1	10.71	X.32	X.43	9.01	X.X	X.X	N.	N.	N.
86	X9	X8	X1	11.36	9.8	11.04	10.79	X.X	X.X	N.	N.	N.
75	X9	X0	X0	X.73	9.29	9.01	9.01	X.X	X.X	N.	N.	N.
86	X5	X1	X1	10.43	9.5	9.19	X.9	X.X	X.X	N.	N.	N.
59	X7	69	X6	7.7	6.1	6.6	6.6	X.X	X.X	N.	N.	N.
59	X8	90	79	X.7	X.7	X.7	6.16	X.X	X.X	N.	N.	N.
61	X5	X2	76	X.36	X.15	X.50	6.67	X.X	X.X	N.	N.	N.
73	X2	X9	X1	X.36	X.59	X.59	7.17	X.X	X.X	N.	N.	N.
59	X1	79	79	X.72	X.8	X.8	7.4	X.X	X.X	N.	N.	N.
62	73	79	71	10.26	X.96	X.8	9.2	X.X	X.X	N.	N.	N.
68	X1	70	72	X.91	X.29	X.25	9.5	X.X	X.X	N.	N.	N.
64	90	90	75	X.49	X.31	9.52	9.4	X.X	X.X	N.	N.	N.
62	79	59	66	X.32	X.32	X.32	6.64	X.X	X.X	N.	N.	N.
76	X7	72	73	X.99	X.14	9.37	9.5	X.X	X.X	N.	N.	N.
59	X8	X3	73	X.7	X.8	X.8	9.3	X.X	X.X	N.	N.	N.
59	X9	X3	73	X.57	X.43	X.47	9.3	X.X	X.X	N.	N.	N.
60	X2	X3	73	13.62	7.3	7.3	10	X.X	X.X	N.	N.	N.
68	74	X2	75	X.19	X.95	X.7	11.34	X.X	X.X	N.	N.	N.
79	71	71	73	X.65	X.9	7.7	11.7	X.X	X.X	N.	N.	N.
74	72	72	72	10.45	X.33	X.36	X.3	X.X	X.X	N.	N.	N.
68	72	72	72	X.7	X.7	X.7	X.7	X.X	X.X	N.	N.	N.

DE 1873.

73								NO.	NO.	N.	N.	N.
82								X.X	X.X	N.	N.	N.
97								X.X	X.X	N.	N.	N.
57								X.X	X.X	N.	N.	N.
87								X.X	X.X	N.	N.	N.
67								X.X	X.X	N.	N.	N.
62								X.X	X.X	N.	N.	N.
82								X.X	X.X	N.	N.	N.
69								X.X	X.X	N.	N.	N.
74								X.X	X.X	N.	N.	N.
79								X.X	X.X	N.	N.	N.
70								X.X	X.X	N.	N.	N.
59								X.X	X.X	N.	N.	N.
76								X.X	X.X	N.	N.	N.
61								X.X	X.X	N.	N.	N.
66								X.X	X.X	N.	N.	N.
66								X.X	X.X	N.	N.	N.
59								X.X	X.X	N.	N.	N.
59								X.X	X.X	N.	N.	N.
55								X.X	X.X	N.	N.	N.
66								X.X	X.X	N.	N.	N.
67								X.X	X.X	N.	N.	N.
56								X.X	X.X	N.	N.	N.
54								X.X	X.X	N.	N.	N.
59								X.X	X.X	N.	N.	N.
50								X.X	X.X	N.	N.	N.
59								X.X	X.X	N.	N.	N.
69								X.X	X.X	N.	N.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
									D.f. de los termómetros		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o
1	700+	700+	700+	700+	16.8	13.6	13.1	11.6	4.7	2.2	2.3
2	59.81	62.30	63.33	61.31	12.9	12.4	12.9	12.7	1.7	2.0	1.6
3	59.28	62.12	63.15	62.18	13.0	12.3	13.1	12.8	1.6	2.0	1.7
4	62.31	64.33	63.96	63.53	13.1	13.1	14.1	14.1	0.9	1.8	2.0
5	61.25	63.46	62.62	62.41	14.4	12.6	12.8	13.3	1.3	1.6	1.6
6	60.04	61.95	61.56	61.18	13.2	13.0	11.4	12.5	1.8	1.7	1.0
7	61.77	63.63	61.37	63.26	11.1	12.4	13.2	13.2	1.1	1.3	1.1
8	61.22	62.92	62.15	62.20	15.2	14.2	13.1	14.3	0.9	1.9	1.2
9	61.85	61.46	63.12	62.14	15.1	13.1	13.1	11.8	2.9	1.0	1.7
10	62.55	61.04	64.66	62.55	14.9	13.4	12.8	13.4	0.9	1.2	0.7
11	61.42	61.11	62.45	61.66	16.4	14.0	14.3	11.9	3.3	0.9	2.0
12	63.80	60.15	61.52	62.82	14.2	13.2	12.2	13.2	1.9	1.8	1.8
13	59.32	60.07	61.06	60.15	14.2	14.2	11.3	13.5	1.9	1.2	1.2
14	59.51	59.64	60.68	59.74	15.1	14.2	11.3	13.5	2.0	0.5	0.4
15	60.55	60.82	62.18	61.18	11.4	12.7	10.4	12.5	2.0	0.6	0.4
16	60.32	60.70	61.56	60.80	14.3	12.5	12.1	12.9	2.1	1.1	1.0
17	61.22	62.01	63.65	61.89	15.2	12.4	12.2	13.6	1.1	1.1	1.9
18	60.75	61.31	62.47	61.52	15.1	13.1	11.6	13.4	2.0	1.0	0.4
19	60.15	60.55	61.36	60.69	15.2	13.3	12.1	13.5	2.0	1.1	1.1
20	60.63	61.12	62.82	61.52	15.1	13.0	13.2	13.8	2.0	1.6	1.9
21	59.25	60.25	60.10	59.87	16.1	13.1	14.1	14.4	1.8	1.9	2.0
22	59.31	60.23	60.75	60.11	16.4	12.8	13.2	14.1	2.3	2.4	1.8
23	61.51	62.01	62.12	61.50	16.1	12.7	12.1	13.6	1.9	2.4	0.8
24	61.68	62.51	62.15	62.12	17.5	13.2	12.3	14.3	3.4	2.1	0.9
25	64.28	61.60	61.65	62.51	14.1	12.8	13.4	13.4	0.9	1.5	1.2
26	59.51	59.34	60.07	59.61	15.2	12.8	13.5	13.8	2.8	1.7	1.4
27	61.29	60.83	62.99	61.70	15.0	13.1	13.0	13.7	2.6	1.7	1.6
28	63.35	64.66	69.95	62.99	19.0	12.8	13.3	15.0	2.8	2.4	2.0
29	61.44	59.65	60.38	60.49	17.6	13.4	14.1	15.0	4.2	1.5	1.9
30	56.68	56.68	59.25	57.34	17.7	13.8	11.5	15.3	0.6	1.8	2.4
31	60.57	62.47	60.04	61.03	13.8	13.0	14.6	14.5	3.4	1.0	2.5

OCTUBRE

1	60.62	60.20	63.01	61.28	15.9	12.3	14.0	13.8	2.0	0.9	1.8
2	59.96	62.06	60.70	60.87	17.1	12.6	13.4	14.4	1.7	2.2	0.7
3	60.45	62.32	61.40	61.39	17.9	13.4	14.3	15.2	1.5	2.3	2.9
4	60.04	61.84	60.81	60.91	17.8	12.7	14.2	14.9	1.7	1.7	2.1
5	61.99	61.47	62.71	62.04	17.3	14.9	14.4	14.5	1.3	0.8	2.2
6	62.16	62.61	63.74	62.82	16.5	12.5	14.1	14.4	3.3	2.1	2.1
7	62.79	62.56	63.25	62.53	15.2	11.8	13.1	13.5	1.9	1.7	2.0
8	61.29	61.16	62.36	61.89	16.6	12.0	14.0	14.2	3.3	0.7	1.8
9	60.62	61.35	62.67	61.33	15.9	13.3	14.2	14.2	2.7	1.9	2.9
10	60.92	61.41	62.54	61.65	14.8	11.3	13.9	13.0	2.8	1.0	0.9
11	61.12	61.37	62.25	61.58	12.3	12.5	13.2	11.0	2.1	1.5	1.2
12	59.91	61.85	62.42	61.39	15.9	12.0	13.4	13.4	3.7	0.9	1.1
13	61.74	63.00	62.63	62.47	18.2	12.4	14.1	14.9	2.1	1.3	2.8
14	58.15	58.18	60.19	58.51	17.2	11.3	13.1	13.9	3.9	1.3	2.0
15	59.54	60.49	60.83	60.29	15.6	13.5	13.3	13.9	2.8	2.3	2.2
16	60.26	60.71	61.62	60.39	16.4	12.1	14.7	14.4	2.2	0.9	2.6
17	61.19	60.46	62.89	61.48	14.7	12.2	13.9	12.6	2.5	1.2	1.9
18	59.94	60.74	60.63	60.31	15.3	12.5	13.4	13.8	2.5	1.3	2.0
19	61.02	62.24	61.76	61.31	15.0	12.9	14.1	15.3	0.9	1.5	2.1
20	60.41	60.39	61.59	60.76	15.0	13.7	13.9	14.2	2.6	0.6	1.8
21	59.89	60.86	60.57	60.31	14.9	13.5	13.7	14.0	2.5	1.1	1.5
22	61.65	60.11	62.25	61.15	16.5	13.0	14.0	14.5	3.2	1.7	1.8
23	60.59	61.34	61.99	61.34	19.0	12.7	14.1	15.1	4.9	2.3	2.1
24	61.15	60.34	62.30	61.24	17.0	14.9	15.0	15.3	3.6	0.8	2.6
25	61.74	62.59	62.83	62.36	18.0	14.1	14.3	15.5	3.8	1.9	2.1
26	60.99	61.71	61.74	61.38	17.6	14.1	14.1	15.7	3.2	1.4	2.1
27	59.34	60.72	61.91	60.86	16.4	12.9	14.3	14.7	3.2	0.9	2.0
28	59.25	61.82	61.72	60.19	15.8	13.0	14.2	14.7	3.1	1.3	2.0
29	61.35	62.22	62.15	61.37	17.7	13.4	15.0	15.1	3.6	1.3	2.0
30	61.00	61.60	63.17	62.19	15.1	12.8	14.1	14.7	4.2	1.5	2.2
31	60.79	61.31	61.71	61.28	13.9	13.1	15.1	15.6	2.9	0.9	2.7

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Dif. de los termómetros		
									2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°
1	700+	701+	700+	700+							
2	62.19	62.38	63.19	62.59	17.9	15.2	14.1	15.7	2.3	1.1	0.9
3	62.68	62.81	62.74	62.71	17.2	15.5	14.4	15.7	1.8	1.4	1.2
4	61.63	61.59	61.72	61.44	17.9	16.1	15.6	16.5	1.8	1.2	1.5
5	60.69	61.08	61.00	60.92	18.1	16.9	16.8	17.3	2.2	1.5	1.9
6	61.93	62.16	61.94	62.01	17.9	16.8	16.2	16.9	2.3	1.9	1.4
7	62.59	63.01	62.76	62.79	16.9	15.6	15.2	15.9	1.8	0.8	1.1
8	62.99	63.51	63.41	63.30	16.7	15.9	14.9	15.8	2.6	1.0	1.7
9	63.04	62.58	63.31	62.99	17.1	16.1	15.2	16.1	2.0	1.3	1.1
10	61.99	62.43	62.26	62.23	16.9	16.1	14.2	15.7	2.0	1.4	1.1
11	62.06	62.09	62.53	62.23	17.1	16.6	15.3	16.3	0.4	1.7	1.1
12	62.81	63.91	63.13	62.98	16.8	16.2	14.1	15.7	1.7	2.0	1.0
13	61.98	62.60	62.61	62.40	17.5	16.7	15.5	16.6	1.6	2.1	1.3
14	61.73	62.01	62.09	61.94	17.9	16.4	16.2	16.8	2.1	1.9	1.8
15	62.34	62.61	63.19	62.71	17.8	16.4	16.1	16.8	1.7	1.9	1.9
16	62.98	63.44	63.60	63.34	17.2	16.2	15.4	16.3	1.0	1.9	1.3
17	63.16	63.66	63.92	63.58	17.1	15.4	14.3	15.6	1.2	1.5	1.1
18	64.01	61.25	64.55	64.27	16.8	15.6	13.9	15.4	1.6	1.5	1.7
19	63.80	64.04	64.11	63.98	16.9	15.7	14.1	15.6	1.4	1.8	0.4
20	63.06	63.66	64.80	63.84	17.2	16.1	14.6	16.0	1.1	1.4	1.0
21	62.81	63.93	63.40	63.08	16.5	15.3	13.9	15.2	1.6	1.1	1.7
22	61.11	61.63	61.60	61.45	16.9	15.5	14.2	15.5	2.2	1.4	0.9
23	63.39	63.62	64.05	63.69	17.3	16.1	15.6	16.3	1.4	1.9	1.2
24	63.31	62.86	62.79	63.00	17.8	16.2	16.1	16.7	1.7	1.3	0.9
25	60.94	61.11	61.20	62.42	17.7	16.3	16.6	16.9	1.3	1.4	1.4
26	62.29	62.29	62.64	62.47	18.1	17.5	17.5	17.7	1.0	0.8	1.3
27	61.09	61.39	61.46	61.31	17.2	16.9	15.8	16.6	1.3	1.6	1.6
28	60.00	60.81	60.43	60.41	17.4	16.8	16.6	16.9	1.9	1.6	1.7
29	61.79	61.86	61.94	61.89	16.9	15.3	15.5	15.9	2.2	1.5	1.3
30	61.51	61.86	61.78	61.72	16.7	15.5	15.3	15.8	2.4	1.7	1.2
31	61.11	61.81	61.79	61.57	17.1	16.2	15.4	16.2	1.7	2.3	1.9

DICIEMBRE

1	59.78	60.54	60.50	60.25	19.8	17.1	17.5	18.1	2.6	1.9	1.3
2	60.15	60.79	60.99	60.64	18.9	16.8	17.4	17.7	2.1	1.9	1.0
3	59.68	60.76	60.73	60.37	18.2	16.9	17.8	17.6	1.4	2.2	0.9
4	58.61	59.39	59.19	59.06	19.9	16.5	16.9	17.8	2.8	2.1	1.0
5	58.48	59.08	59.33	58.96	19.8	16.5	17.4	17.9	2.1	0.7	1.2
6	59.73	60.67	60.20	60.20	19.5	16.9	16.9	17.8	2.3	1.5	1.3
7	59.43	60.57	59.98	59.99	20.2	17.1	17.7	18.3	2.4	1.2	1.9
8	59.39	60.21	60.77	60.12	21.2	17.2	17.2	18.5	3.1	1.1	1.7
9	60.36	60.77	61.53	60.85	18.4	16.9	17.5	17.6	0.9	1.0	1.6
10	60.48	60.22	60.92	60.51	19.9	16.9	16.9	17.9	1.7	1.2	1.2
11	58.06	58.78	59.62	58.82	21.1	17.6	17.2	18.6	1.2	1.5	1.1
12	59.13	60.09	60.26	59.82	18.5	17.1	17.5	17.8	1.4	1.7	2.4
13	58.81	59.83	59.93	59.26	18.8	16.8	17.8	17.8	1.7	1.7	1.6
14	61.83	61.71	51.79	61.78	20.5	17.4	17.9	18.6	1.6	1.3	1.4
15	61.69	61.69	63.07	62.15	21.5	17.8	18.5	19.3	3.2	1.6	2.3
16	61.44	61.43	61.97	61.61	20.2	16.6	18.1	18.3	2.1	0.8	1.7
17	60.80	61.57	61.45	61.27	19.8	16.9	17.9	18.2	1.9	1.0	1.8
18	61.63	60.90	61.64	61.49	19.7	17.0	17.7	18.1	1.6	1.0	1.8
19	60.33	60.41	60.93	60.57	20.8	17.2	17.8	18.6	2.6	1.1	1.4
20	59.73	60.25	60.69	60.22	21.1	16.5	17.2	18.3	1.2	1.1	1.0
21	60.74	60.06	60.40	60.40	19.5	16.4	16.9	17.6	1.4	0.7	1.7
22	59.06	59.67	60.50	59.74	19.4	17.1	17.4	17.9	2.2	1.1	2.0
23	59.39	60.28	59.90	59.86	20.3	16.8	17.5	18.2	2.4	1.7	1.3
24	58.70	59.88	59.67	59.42	21.4	16.6	17.9	18.6	2.8	1.2	1.5
25	58.96	60.79	60.37	60.04	20.7	17.3	18.1	18.7	2.5	1.4	1.2
26	59.81	60.85	60.49	60.38	19.9	17.2	17.8	18.3	1.8	1.4	1.1
27	59.58	60.63	60.63	60.28	19.8	16.9	17.5	18.1	2.0	1.9	1.2
28	60.26	61.54	61.50	61.07	20.3	17.1	17.6	18.3	1.9	1.4	1.3
29	60.56	61.77	61.74	61.36	21.8	17.9	17.6	19.1	2.9	1.9	0.9
30	60.27	61.65	61.35	61.09	21.9	17.8	17.8	19.2	3.0	1.9	1.1
31	60.61	62.19	61.46	61.12	20.5	16.9	17.9	18.4	2.3	1.1	1.8

DE 1873.

PSICRÓMETRO.								VIENTOS.		ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	21 h.	2½ h.	9 h.	21 h.
77	88	90	85	11.78	11.32	10.76	11.29	SO.	SO.	N.	N.	N.
81	84	86	84	11.92	11.14	10.57	11.21	Np.	SO.	N.	N.	N.
86	84	84	84	12.33	11.96	11.98	11.75	NO.	NO.	Np.	Np.	N.
78	87	86	86	12.08	12.11	10.47	11.55	O.	NO.	N.	Np.	N.
77	80	85	81	11.78	11.47	11.70	11.62	SO.	SO.	N.	N.	Np.
81	80	80	80	11.68	12.06	11.32	11.69	O.	SO.	N.	N.	N.
73	88	81	81	10.41	12.02	10.27	10.96	SO.	O.	N.	N.	N.
80	86	88	85	11.56	11.76	11.32	11.55	SO.	N.	N.	N.	N.
79	84	88	84	11.41	11.62	10.57	11.20	SO.	N.	N.	N.	N.
96	82	88	89	13.92	11.50	11.49	12.27	N.	N.	N.	N.	N.
82	89	89	89	11.75	10.85	10.64	11.98	NO.	NO.	N.	N.	N.
81	88	86	82	12.32	11.11	11.28	11.57	N.	SO.	N.	N.	Np.
79	80	81	80	12.06	11.15	11.13	11.35	O.	O.	D.	D.	D.
83	80	80	80	12.59	11.15	10.91	11.55	O.	O.	D.	D.	D.
90	80	85	85	13.11	11.99	11.29	12.07	NO.	SO.	N.	N.	Np.
87	88	88	88	12.69	10.78	10.64	11.57	NO.	N.	N.	N.	N.
82	84	84	84	11.89	11.08	9.57	10.85	O.	N.	N.	N.	N.
84	80	85	86	12.25	10.70	11.41	11.45	NO.	O.	N.	N.	N.
89	85	89	88	12.96	11.62	10.98	11.85	NO.	N.	N.	N.	N.
82	88	81	84	11.66	11.40	9.57	10.88	SO.	N.	N.	N.	N.
78	84	80	84	11.13	11.14	10.73	11.00	O.	NO.	N.	N.	N.
84	89	87	87	12.57	12.17	11.50	12.08	NO.	NO.	N.	N.	N.
83	87	90	87	12.59	11.84	12.31	12.25	NO.	O.	N.	N.	N.
87	85	85	82	13.10	11.78	8.44	11.14	NO.	NO.	N.	N.	N.
90	88	82	87	13.99	13.68	12.92	13.59	O.	NO.	N.	Np.	N.
86	88	88	84	12.63	11.97	11.16	11.92	NO.	NO.	N.	N.	N.
80	88	82	82	11.94	11.89	10.60	11.48	SO.	NO.	N.	N.	N.
77	88	85	82	11.13	10.81	11.28	11.07	N.	N.	N.	N.	N.
84	81	81	81	10.69	10.82	11.26	11.26	O.	O.	N.	N.	N.
82	74	79	88	12.65	10.14	9.66	10.62	O.	O.	N.	N.	N.

DE 1873.

76	89	87	81	13.10	11.70	12.92	12.57	SO.	NO.	N.	N.	N.
79	80	80	83	12.98	11.47	13.29	12.91	N.	O.	N.	N.	N.
86	87	87	85	13.49	11.13	13.80	12.78	O.	NO.	N.	N.	N.
71	88	88	80	12.80	10.95	12.90	12.22	O.	NO.	N.	N.	N.
83	88	88	84	13.77	12.91	12.93	13.22	N.	NO.	N.	N.	N.
78	84	88	83	13.29	12.11	12.39	12.57	N.	NO.	N.	N.	N.
77	84	81	81	13.67	12.69	12.18	12.82	N.	NO.	N.	N.	N.
72	89	82	82	13.55	12.93	12.07	12.84	N.	NO.	N.	N.	N.
84	87	87	85	13.27	12.81	12.45	12.84	N.	NO.	N.	N.	N.
88	88	88	88	11.52	12.53	12.53	13.19	N.	O.	N.	N.	N.
86	85	86	84	15.52	12.71	12.96	13.73	O.	N.	N.	N.	N.
86	86	86	81	14.63	11.99	11.32	12.32	N.	N.	N.	N.	N.
83	88	88	88	13.47	11.73	12.74	12.65	SE.	NE.	N.	N.	N.
85	88	88	88	15.23	12.83	13.13	13.75	NO.	N.	N.	N.	N.
72	84	81	81	13.79	12.71	12.31	12.92	NE.	N.	N.	N.	N.
81	81	81	81	14.17	12.85	12.85	13.29	O.	NO.	N.	N.	N.
82	88	88	88	11.07	12.81	12.33	13.14	N.	NO.	N.	N.	N.
85	86	86	81	14.48	12.93	12.32	13.24	N.	O.	N.	N.	N.
76	88	88	81	13.97	12.93	13.61	13.32	NO.	N.	N.	N.	N.
82	88	88	88	16.69	12.35	13.11	14.02	NO.	N.	N.	N.	N.
87	88	88	88	14.69	12.83	12.25	13.23	NE.	NE.	N.	N.	N.
78	88	88	88	13.25	12.87	11.89	12.65	N.	O.	N.	N.	N.
77	88	88	88	13.73	11.75	12.92	12.81	O.	SE.	N.	N.	N.
75	88	88	88	11.24	12.29	12.98	13.17	SO.	O.	N.	N.	N.
82	85	88	88	14.93	12.97	13.61	13.49	N.	N.	N.	N.	N.
81	88	88	88	11.96	12.49	13.50	13.45	O.	NE.	N.	N.	N.
81	88	88	88	13.92	11.51	13.07	12.81	N.	SO.	N.	N.	N.
82	81	87	84	14.69	12.41	13.01	13.34	NE.	N.	N.	N.	N.
84	81	81	81	14.13	12.37	13.62	13.49	N.	N.	N.	N.	N.
83	81	81	81	14.13	12.37	13.62	13.49	N.	N.	N.	N.	N.
82	81	81	81	14.13	12.37	13.62	13.49	N.	N.	N.	N.	N.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 19 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.99	758.92	758.83	758.51	758.17	758.84	759.12	761.66	759.22
Termómetro centígrado.....	19.7	20.9	20.7	18.2	16.8	13.8	15.7	17.9	17.9
Psicrómet. { Dif. de los term.	2.7	3.6	0.5	2.1	1.4	0.4	2.9
{ Humedad relat....	75	68	95	79	85	96	72	81
{ Fuerza elástica...	12.77	12.49	17.31	12.35	12.17	12.70	10.95	12.56
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	N.	N.
ENERO 29 DE 1873.									
Barómetro reducido a 0°.....	759.66	757.51	758.92	758.05	758.07	758.87	759.01	758.76	758.52
Termómetro centígrado.....	20.5	21.7	20.0	19.0	17.3	17.4	17.5	20.0	19.1
Psicrómet. { Dif. de los term.	4.1	4.6	5.6	2.8	1.3	1.5	1.3	3.8
{ Humedad relat....	63	61	67	73	87	87	87	.65	74
{ Fuerza elástica...	11.40	11.70	11.70	12.01	12.73	12.92	12.92	11.40	12.10
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.
FEBRERO 8 DE 1873.									
Barómetro reducido a 0°.....	761.79	759.77	759.02	759.55	759.87	759.78	760.79	761.09	760.21
Termómetro centígrado.....	19.2	20.5	18.2	17.6	16.8	16.7	16.9	17.7	17.9
Psicrómet. { Dif. de los term.	3.2	5.1	3.1	2.2	1.6	1.4	1.7	2.3
{ Humedad relat....	70	55	70	78	83	85	82	78	73
{ Fuerza elástica...	11.58	9.91	10.89	11.68	11.89	12.09	11.83	11.62	11.44
Estado atmosférico.....	D.	D.	D.	N.	N.	N.	N.	N.
FEBRERO 18 DE 1873.									
Barómetro reducido a 0°.....	759.79	759.42	759.62	758.97	758.87	758.71	759.79	759.61	759.35
Termómetro centígrado.....	21.0	21.5	19.1	16.2	15.2	15.0	13.4	17.6	17.3
Psicrómet. { Dif. de los term.	3.0	6.1	4.0	1.0	1.9	2.5	2.1	3.2
{ Humedad relat....	73	49	63	89	79	73	76	68	71
{ Fuerza elástica...	13.52	9.51	10.34	12.25	10.25	9.29	8.73	10.28	10.50
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
FEBRERO 28 DE 1873.									
Barómetro reducido a 0°.....	759.79	758.07	758.67	759.19	759.10	758.79	759.79	758.87	759.03
Termómetro centígrado.....	17.4	19.2	17.2	15.0	14.2	14.3	14.6	15.7	15.9
Psicrómet. { Dif. de los term.	3.0	4.1	2.8	1.9	1.2	1.3	0.6	0.5
{ Humedad relat....	70	62	72	79	86	85	93	95	80
{ Fuerza elástica...	10.49	10.28	10.53	10.99	10.45	10.37	11.54	12.56	10.77
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	Np	D.

Instrumentos.	MAYO 9 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	762.35	761.89	761.61	761.97	762.27	762.00	761.32	761.43	761.79
Termómetro centígrado.....	11.2	15.9	15.1	14.9	12.2	11.9	11.5	14.8	12.7
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica...	2.7 69 8.91	3.0 68 9.27	2.8 70 8.97	2.8 70 8.82	1.3 84 8.92	1.2 85 8.86	0.9 89 8.98	2.7 71 8.89 80 8.95
Estado atmosférico.....	N.	Np.	N.	N.	D.	Np.	N.	N.
MAYO 19 DE 1873.									
Barómetro reducido a 0°.....	762.66	762.19	762.64	763.24	762.37	762.08	762.30	763.50	762.62
Termómetro centígrado.....	15.1	15.7	14.6	14.3	13.1	12.1	11.1	12.6	14.7
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica...	2.2 76 9.75	2.4 75 9.92	2.1 77 9.51	2.1 77 9.33	1.2 86 9.70	1.3 84 9.86	0.6 89 9.10	2.4 72 9.81 80 9.22
Estado atmosférico.....	D.	Np.	N.	N.	Np.	D.	D.	D.
MAYO 29 DE 1873.									
Barómetro reducido a 0°.....	761.68	760.57	760.51	761.96	761.36	761.18	761.43	762.08	761.31
Termómetro centígrado.....	12.7	11.1	13.1	11.9	12.5	11.4	10.2	10.9	12.1
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica...	1.4 83 9.16	2.2 75 9.09	2.0 77 8.64	1.8 78 8.11	1.6 80 8.73	0.8 90 9.04	0.1 86 8.55	1.5 82 8.50 81 8.73
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
JUNIO 8 DE 1873.									
Barómetro reducido a 0°.....	761.77	761.28	762.15	763.00	763.48	763.28	762.49	761.76	762.40
Termómetro centígrado.....	13.2	14.5	13.7	12.5	12.0	11.2	10.4	12.7	12.6
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica...	0.8 90 10.25	1.4 85 11.14	1.2 86 10.8	1.1 86 9.41	0.9 89 9.82	0.4 95 9.50	0.4 95 8.99	0.9 89 9.82 89 9.97
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
JUNIO 18 DE 1873.									
Barómetro reducido a 0°.....	758.98	758.47	759.09	759.90	760.80	760.34	760.41	762.88	760.11
Termómetro centígrado.....	13.4	14.2	13.1	12.1	11.4	11.0	10.1	11.2	12.1
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica...	1.1 87 10.00	0.9 90 10.83	0.1 89 10.03	1.2 85 9.97	1.1 85 8.68	0.6 92 9.01	0.8 88 8.27	0.3 81 9.01 88 9.57
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Np.

Instrumentos.		OCTUBRE 6 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	762.82	762.22	762.34	762.61	763.05	761.80	762.84	763.25	762.62
Termómetro centígrado.....	o	14.4	16.7	14.1	12.5	12.3	12.4	12.4	13.4	13.5
Psicrómet. {	Dif. de los term...	2.2	4.3	2.7	2.1	2.0	1.0	1.4	2.0
	Humedad relativa	76	57	71	73	78	77	83	77	74
	Fuerza elástica.....	9.26	8.20	9.10	8.02	9.46	8.65	8.95	8.86	8.81
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	
		OCTUBRE 16 DE 1873.								
Barómetro reducido a 0°.....	mm.	760.85	760.60	761.20	761.71	762.12	761.65	762.17	762.80	761.61
Termómetro centígrado.....	o	15.4	16.1	13.6	12.1	11.4	11.2	13.2	13.9	13.4
Psicrómet. {	Dif. de los term...	3.4	3.8	0.9	0.0	0.0	0.0	0.0	0.0
	Humedad relativa	61	61	84	89	100	100	100	100	87
	Fuerza elástica.....	8.40	8.50	9.75	9.39	10.07	9.93	11.30	11.79	9.89
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.	
		OCTUBRE 26 DE 1873.								
Barómetro reducido a 0°.....	mm.	760.72	760.90	761.34	761.71	761.25	761.40	761.12	761.85	761.23
Termómetro centígrado.....	o	16.4	17.9	16.5	14.4	14.0	13.3	13.1	14.3	14.9
Psicrómet. {	Dif. de los term...	3.1	3.8	3.1	1.4	1.6	1.9	1.0	2.0
	Humedad relativa	68	63	68	84	80	78	88	78	76
	Fuerza elástica.....	9.49	9.68	9.56	10.31	9.65	8.92	9.92	9.46	9.62
Estado atmosférico.....	N.	N.	N.	N.	N.	D.	D.	D.	
		NOVIEMBRE 5 DE 1873.								
Barómetro reducido a 0°.....	mm.	762.08	761.86	761.96	762.16	761.79	761.40	761.20	762.76	761.90
Termómetro centígrado.....	o	17.3	17.9	16.9	16.8	15.1	14.9	14.8	15.2	16.1
Psicrómet. {	Dif. de los term...	2.1	1.8	1.8	1.9	0.9	0.8	0.9	1.1
	Humedad relativa	79	82	81	80	90	91	90	88	85
	Fuerza elástica.....	11.58	12.53	11.68	11.47	11.59	11.59	11.25	11.32	11.61
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.	
		NOVIEMBRE 15 DE 1871.								
Barómetro reducido a 0°.....	mm.	763.29	762.95	763.16	763.44	763.15	763.06	763.28	763.91	763.41
Termómetro centígrado.....	o	15.9	17.6	17.1	16.2	14.9	14.1	13.9	14.3	15.6
Psicrómet. {	Dif. de los term...	1.7	1.1	1.0	1.9	0.8	0.2	0.7	1.1
	Humedad relativa	82	89	99	80	91	98	92	88	89
	Fuerza elástica.....	11.83	13.32	13.02	10.39	11.59	11.57	10.88	10.61	11.64
Estado atmosférico.....	Np.	D.	D.	D.	D.	D.	Np	N.	

OBSERVACIONES METEOROLÓGICAS.

1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	Dif. de los termómetros		
									2½ h.	9 5.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o
1	61.73	62.33	62.79	62.28	19.2	16.7	16.6	17.5	4.3	1.8	2.7
2	61.57	61.95	62.08	61.87	18.9	16.4	16.9	17.4	4.4	1.9	3.1
3	60.46	60.87	60.97	60.77	19.9	16.9	17.5	18.1	3.8	1.8	2.6
4	60.20	61.35	60.89	60.81	20.2	16.9	17.6	18.2	3.3	1.7	2.8
5	60.87	61.11	61.71	61.23	19.2	16.7	16.8	17.6	2.7	2.5	2.6
6	58.94	59.49	60.49	59.64	20.5	16.9	17.1	18.2	3.2	1.6	0.9
7	58.45	59.10	59.27	58.94	20.2	16.2	17.6	18.0	2.9	1.0	1.5
8	58.16	60.47	59.04	59.22	20.1	16.9	17.7	18.2	2.9	1.5	1.2
9	57.80	60.54	61.53	59.96	20.3	16.8	17.5	18.2	3.3	1.5	1.6
10	59.57	59.44	60.27	59.76	19.8	16.4	16.9	17.7	4.8	1.6	2.7
11	59.60	59.52	59.92	59.71	19.7	15.6	16.2	17.2	3.4	0.6	6.9
12	59.21	59.88	60.49	59.86	18.6	15.8	15.9	16.8	2.4	1.4	1.4
13	59.13	59.67	60.63	59.81	19.5	15.9	16.4	17.3	3.7	0.8	1.5
14	58.68	59.70	59.90	59.43	18.9	15.6	15.9	16.8	3.5	1.0	1.2
15	59.73	59.39	62.58	60.57	19.4	16.2	17.9	17.8	3.0	0.8	1.7
16	60.57	61.31	61.83	61.24	18.6	16.2	16.8	17.2	3.3	1.0	1.9
17	59.72	60.73	60.97	60.47	20.1	15.9	17.2	17.7	1.9	0.8	1.2
18	59.52	59.78	60.60	59.97	20.3	16.5	16.5	17.8	3.1	2.2	1.6
19	59.96	61.37	61.84	61.06	19.4	15.7	17.7	17.6	3.2	0.6	2.1
20	59.72	60.54	61.80	60.69	19.3	16.3	16.8	17.5	3.5	1.1	2.0
21	59.17	59.64	60.75	59.85	19.8	15.8	17.1	17.6	3.6	0.5	2.2
22	59.31	59.39	60.38	59.86	18.7	16.3	16.4	17.1	2.7	1.1	1.3
23	59.45	60.70	60.61	60.25	18.5	15.9	16.6	17.0	3.3	0.8	2.0
24	58.22	59.42	59.90	59.18	19.3	15.7	16.9	17.3	3.2	0.5	2.2
25	59.36	60.29	61.17	60.27	20.2	15.5	17.8	17.8	2.4	2.7
26	59.81	61.00	61.73	60.85	21.5	16.4	17.1	18.5	1.1	1.5	1.8
27	59.20	62.20	62.63	61.34	22.1	16.2	17.8	18.7	5.1	1.0	3.0
28	61.73	62.66	62.78	62.39	21.7	16.3	17.3	18.4	4.5	0.5	2.8
29	59.55	60.37	61.60	60.51	20.8	16.8	17.4	18.3	3.4	1.5	1.5
30	59.29	59.94	60.49	59.91	19.6	16.2	17.3	17.6	2.8	1.0	1.2
31	58.52	59.37	59.88	59.26	20.4	16.0	17.1	17.8	3.2	0.9	1.4

MARZO

1	60.23	60.08	60.82	60.38	19.2	16.1	16.3	17.2	2.2	1.1	2.0
2	59.35	61.77	60.02	60.38	18.3	15.3	15.4	16.3	2.2	1.0	1.3
3	59.35	58.37	60.67	59.46	18.3	15.4	15.8	16.5	2.2	1.0	1.6
4	57.80	58.51	59.49	58.57	18.2	16.3	16.2	16.9	2.8	1.9	1.8
5	59.21	66.02	60.57	59.93	16.4	16.3	16.0	16.2	1.3	1.3	1.7
6	59.80	61.17	60.65	60.54	20.1	15.4	17.3	17.6	0.1	1.3	2.0
7	59.20	59.08	60.88	59.72	19.2	15.3	16.4	17.0	3.1	1.2	2.3
8	59.10	58.79	58.32	58.74	19.0	15.4	16.3	16.9	2.7	1.1	2.1
9	59.25	58.69	58.89	58.94	17.3	15.1	15.2	15.9	2.2	1.7	1.1
10	57.71	58.17	59.02	58.30	16.2	15.2	15.1	15.5	1.8	1.0	1.7
11	58.34	58.63	60.73	59.23	18.0	16.0	15.4	16.5	2.7	1.6	1.0
12	58.57	58.32	61.15	59.35	18.3	16.1	15.2	16.5	2.3	1.1	1.0
13	59.97	58.77	61.05	59.93	19.1	15.4	16.2	16.9	3.1	0.4	1.8
14	60.59	60.87	60.24	60.57	18.3	15.2	16.4	16.6	2.9	0.9	2.0
15	60.00	60.27	58.84	59.70	18.2	16.3	15.4	16.6	2.1	1.1	1.1
16	59.91	60.03	60.19	60.04	17.3	15.3	16.2	16.3	2.0	0.9	1.0
17	57.32	58.19	61.65	59.05	18.2	15.1	15.2	16.2	2.1	0.7	1.0
18	59.77	60.32	59.29	59.79	18.2	15.1	15.3	16.2	2.8	1.0	1.0
19	60.19	60.48	61.38	60.68	18.4	14.5	15.4	16.1	2.4	0.4	1.3
20	58.77	59.17	63.99	60.64	18.0	15.3	15.3	16.2	2.8	2.9	1.3
21	60.25	60.68	63.70	61.54	17.4	15.1	15.2	15.9	2.4	0.7	1.8
22	60.35	61.03	62.20	61.19	17.2	14.4	15.1	15.6	3.9	0.3	1.1
23	64.02	63.25	63.00	63.42	15.3	14.6	15.1	15.0	2.3	1.5	0.3
24	62.50	62.87	62.95	62.77	17.2	13.4	14.4	15.0	3.9	0.9	1.3
25	61.52	60.69	59.74	60.65	15.2	14.1	14.3	14.5	1.9	2.0	1.1
26	60.98	61.56	58.96	60.50	15.1	14.8	14.3	14.7	1.1	2.5	1.3
27	62.04	60.80	60.55	61.13	16.3	13.0	14.3	14.5	1.9	0.7	1.3
28	60.65	60.25	59.34	60.08	16.4	15.3	14.3	15.3	1.4	3.9	1.2
29	61.20	61.00	62.81	61.67	17.2	14.4	14.1	15.3	2.1	0.3	1.2
30	58.82	59.84	60.34	59.67	17.3	13.4	14.3	15.0	3.0	0.2	1.1
31	57.77	59.31	59.76	58.95	18.2	14.2	15.1	16.2	2.1	1.1	0.9

DE 1874.

PSICRÓMETRO.								VIENTOS.		ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	21 h.	2½ h.	9 h.	21 h.
59	81	72	71	9.92	11.44	10.15	10.50	NO.	O.	N.	N.	N.
59	80	68	69	9.51	11.10	9.81	10.15	N.	O.	Np.	N.	N.
65	81	73	73	11.30	11.68	10.91	11.31	N.	N.	D.	D.	N.
69	82	72	74	12.24	11.83	10.77	11.61	O.	NO.	—	—	—
74	74	73	74	11.29	10.53	10.47	10.76	O.	SO.	—	—	D.
71	83	91	82	12.74	11.97	13.17	12.63	SO.	—	—	—	—
73	89	85	82	12.92	12.35	12.71	12.66	—	—	—	—	—
73	84	83	82	12.83	12.11	13.20	12.75	S.	O.	—	—	—
70	84	83	79	12.41	12.03	11.45	11.96	SO.	NO.	—	—	Np.
57	83	72	71	9.78	11.50	10.41	10.56	—	—	Np.	N.	—
68	93	90	84	11.70	12.33	12.39	12.14	—	—	N.	D.	—
77	85	85	82	12.23	11.34	11.35	11.64	NO.	—	N.	D.	—
65	91	81	80	11.09	12.29	11.63	11.67	NO.	—	N.	N.	—
65	89	86	80	10.89	11.72	11.67	11.43	—	—	—	—	—
72	91	83	82	12.03	12.53	12.62	12.39	—	O.	—	—	—
68	89	80	79	10.33	12.25	11.38	11.52	—	—	—	—	—
82	91	85	86	14.38	12.29	12.49	13.05	—	NO.	—	—	—
71	77	83	77	12.62	10.78	11.57	11.66	O.	NO.	Np.	—	—
70	93	79	81	11.74	12.41	11.90	12.02	O.	SO.	D.	D.	D.
66	88	79	78	11.21	12.19	11.25	11.55	SO.	SO.	—	—	D.
67	95	77	89	11.59	12.64	11.29	11.78	O.	SO.	—	—	N.
74	88	86	83	11.89	12.19	11.99	12.02	—	SO.	—	—	D.
68	91	79	79	10.85	12.29	11.11	11.45	—	—	N.	N.	D.
70	95	77	81	11.66	12.56	11.09	11.77	SO.	O.	—	—	N.
77	...	73	75	13.67	11.14	12.40	O.	—	—	—	N.
90	84	81	85	17.16	11.63	11.84	13.54	O.	—	D.	—	D.
57	89	70	72	11.31	12.25	10.64	11.40	—	—	—	D.	—
69	95	72	79	11.85	13.04	10.56	11.82	SO.	SO.	—	—	—
61	84	84	77	12.70	12.03	12.51	12.41	O.	O.	D.	D.	D.
73	89	88	83	12.47	12.25	12.96	12.56	—	—	—	—	—
71	96	85	82	12.65	12.23	12.41	12.43	SO.	—	D.	D.	D.

DE 1874.

79	88	79	82	13.08	12.03	10.95	12.01	NO.	O.	D.	D.	D.
78	82	86	84	12.27	11.51	11.29	11.66	—	—	—	—	—
78	82	83	83	12.27	11.58	11.70	11.85	—	SO.	—	Np.	—
72	86	81	78	11.31	11.63	11.13	11.16	SO.	S.	—	N.	—
86	86	82	85	11.99	11.91	11.12	11.67	SO.	SO.	—	—	—
99	86	80	88	17.33	11.19	11.72	13.41	SO.	—	D.	D.	D.
71	87	76	78	11.73	11.25	10.59	11.19	—	—	—	—	—
74	88	78	82	12.13	11.45	10.79	11.46	—	—	—	—	—
78	87	88	82	11.44	11.41	11.32	11.39	—	—	N.	—	N.
81	83	81	81	11.09	11.44	10.41	10.98	—	NO.	—	N.	—
73	83	89	82	11.90	11.42	11.62	11.45	—	O.	D.	—	—
77	83	85	85	12.13	12.63	11.46	11.87	—	—	—	—	—
70	96	84	82	11.65	12.46	11.13	11.75	SO.	O.	—	Np.	—
71	90	80	80	11.25	11.60	11.89	11.53	—	SO.	—	D.	D.
79	88	86	85	12.85	12.19	11.32	11.95	NO.	NE.	—	N.	—
80	90	86	86	11.72	11.67	12.25	11.88	—	—	—	—	—
79	82	82	87	12.35	11.86	11.46	11.87	SO.	NO.	—	D.	D.
92	82	83	86	13.29	11.38	11.51	12.07	—	—	—	—	—
77	95	86	86	12.07	11.74	10.99	11.60	—	—	—	—	—
72	82	76	76	11.15	8.98	11.12	10.42	—	—	—	—	—
72	82	82	83	11.24	11.89	10.35	11.15	NO.	O.	—	N.	—
62	87	88	82	9.01	11.81	10.59	10.44	NO.	S.	—	—	—
73	83	82	83	9.77	10.32	11.89	10.63	NO.	NO.	—	D.	—
62	86	83	83	9.01	10.26	10.41	9.90	O.	N.	D.	—	—
79	88	82	82	10.22	9.32	10.64	10.66	—	—	—	—	—
88	88	88	82	11.24	9.15	10.37	10.25	—	NE.	—	—	—
86	88	88	86	11.03	10.21	10.37	10.54	—	—	—	D.	D.
85	88	88	87	11.85	7.71	10.59	10.02	—	—	—	N.	—
79	87	86	87	11.59	11.81	10.57	11.33	—	NO.	D.	N.	D.
79	88	88	87	10.29	11.18	10.71	10.73	—	NE.	—	—	—
79	88	88	86	12.34	19.57	11.52	11.48	—	O.	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTIGRADO.				PSICRÓMETRO. Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o
1	59.24	60.29	60.69	60.04	18.0	13.4	11.4	15.3	3.7	1.4	1.3
2	58.67	60.44	59.65	59.58	17.3	14.1	14.2	15.2	2.1	1.7	1.8
3	59.94	61.55	61.10	60.86	16.4	13.3	14.4	14.7	2.0	1.1	1.3
4	60.14	60.48	60.96	60.53	15.2	13.4	14.1	14.2	1.9	1.3	1.1
5	59.84	60.09	60.70	60.21	15.1	13.1	14.2	14.1	1.8	1.1	1.8
6	59.61	60.60	60.28	60.16	16.0	12.1	12.4	13.5	1.9	0.7	1.0
7	61.20	60.78	62.56	61.51	16.2	13.3	14.4	14.6	2.1	0.6	1.0
8	60.88	62.90	62.12	61.97	16.3	13.2	14.3	14.6	1.9	1.2	1.2
9	58.71	59.21	59.13	59.02	16.2	13.1	13.3	14.2	2.1	1.2	1.1
10	59.71	60.53	60.39	60.21	16.2	15.0	15.0	15.4	2.0	1.8	1.7
11	61.40	62.38	62.05	61.94	17.0	14.4	15.3	15.6	2.8	1.3	1.1
12	66.69	63.70	61.00	63.80	17.4	14.1	15.4	15.6	2.0	0.8	1.1
13	61.20	62.11	62.65	61.99	16.2	14.3	13.4	14.6	1.8	1.3	1.1
14	61.19	61.70	62.11	61.67	16.0	14.2	14.4	14.9	1.8	1.0	1.3
15	60.33	60.83	60.65	60.60	15.3	14.4	14.1	14.6	2.3	1.1	0.9
16	59.58	60.36	59.83	59.92	15.1	14.3	14.2	14.5	1.1	1.2	1.2
17	61.09	61.36	61.31	61.25	15.0	14.3	14.2	14.5	1.7	2.1	1.2
18	60.27	61.48	61.20	60.98	16.3	14.4	14.2	15.0	2.3	2.0	1.8
19	60.17	60.99	61.11	60.73	15.4	13.3	14.1	14.3	2.2	1.1	1.8
20	59.99	61.05	61.48	60.84	17.4	13.4	14.4	15.1	3.2	1.0	2.2
21	60.94	61.53	61.80	61.42	16.3	14.1	14.3	14.9	2.1	0.9	0.2
22	61.70	62.09	62.60	62.13	17.3	13.4	16.1	15.6	2.1	1.3	2.7
23	59.81	60.34	61.68	60.61	17.3	14.1	15.1	15.5	2.1	1.7	3.0
24	60.66	61.20	60.80	60.89	15.4	14.3	13.2	14.3	1.3	1.0	0.8
25	61.05	62.62	60.44	61.37	16.0	12.4	14.3	14.2	2.8	1.2	1.3
26	61.03	62.00	62.20	61.74	15.1	14.1	14.2	14.5	2.1	0.9	1.8
27	61.33	62.10	62.48	61.97	15.4	14.1	14.1	14.5	3.0	1.9	1.7
28	61.01	63.08	62.19	62.09	15.2	14.2	13.4	14.3	3.8	1.0	0.4
29	62.53	61.68	62.89	62.34	15.2	13.6	14.3	14.4	2.1	1.2	2.0
30	62.61	63.11	61.34	62.35	15.4	14.4	14.8	14.9	1.4	1.1	2.3

1	59.54	60.97	60.92	60.48	17.4	11.2	14.1	14.2	2.3	1.1	1.7
2	59.76	60.30	60.26	60.11	16.1	12.1	13.3	13.8	2.0	1.1	1.1
3	61.60	61.99	62.44	62.04	15.8	12.0	13.1	13.6	1.6	1.6	1.7
4	60.53	61.16	61.97	61.22	16.3	11.4	12.0	13.2	2.1	1.3	1.7
5	61.04	62.05	59.53	60.87	15.1	11.3	11.1	12.5	1.9	1.1	1.0
6	59.24	60.55	60.42	60.07	13.4	11.4	12.0	12.3	1.2	1.1	1.6
7	61.79	61.97	62.24	62.00	14.2	11.2	11.4	12.3	1.0	1.1	1.3
8	59.81	60.76	60.73	60.43	15.3	11.0	10.4	12.2	1.3	1.0	0.4
9	59.79	60.82	60.66	60.42	14.2	11.3	12.0	12.5	1.2	1.1	1.7
10	59.49	60.16	60.35	60.00	16.2	12.2	13.0	13.8	2.1	1.9	1.9
11	63.91	58.81	60.46	61.06	15.4	12.0	12.1	13.2	2.2	0.8	1.7
12	58.66	59.27	59.83	59.25	14.2	13.3	12.3	13.3	1.2	1.1	1.2
13	60.79	60.47	59.96	60.41	15.3	13.2	14.1	14.2	2.1	1.8	2.0
14	60.26	61.65	62.17	61.36	15.3	13.0	11.0	14.1	2.3	1.7	1.7
15	60.51	61.42	61.31	61.15	14.3	11.0	12.0	12.4	1.2	1.6	0.7
16	61.82	62.15	60.69	61.55	13.3	12.2	14.4	12.3	2.0	1.1	1.2
17	62.56	63.66	62.40	62.87	13.2	12.3	11.2	12.2	1.8	1.3	1.2
18	62.41	61.44	62.77	62.24	13.4	12.1	12.0	12.5	2.0	1.5	1.6
19	60.48	60.51	61.75	60.94	13.0	12.3	13.2	12.8	1.9	1.9	2.0
20	58.35	58.16	62.82	59.78	16.1	14.8	14.0	15.0	4.9	2.7	2.6
21	62.46	62.07	59.43	61.32	16.4	12.7	14.2	14.4	2.0	1.5	0.2
22	62.30	63.00	64.06	63.12	13.4	12.3	12.4	12.7	1.2	1.9	1.0
23	63.35	64.02	64.44	63.93	14.1	12.1	13.0	13.1	2.1	1.6	1.6
24	62.86	63.37	64.37	63.60	12.4	12.0	12.1	12.2	1.3	1.0	1.1
25	61.34	63.46	63.46	62.75	14.8	12.2	11.8	12.9	1.8	1.1	1.4
26	61.38	63.13	62.36	62.29	11.3	12.3	12.1	11.9	1.0	2.0	1.7
27	62.86	63.17	62.36	62.80	12.4	11.3	13.4	12.4	1.3	1.1	2.3
28	63.57	63.69	64.25	63.84	13.0	12.6	11.4	12.3	2.0	2.0	1.1
29	61.79	61.47	65.07	62.78	15.4	11.4	11.9	12.9	2.1	1.3	1.8
30	59.37	62.80	59.86	60.68	12.3	10.3	11.1	11.2	1.2	1.1	1.0
31	61.91	61.08	63.00	14.3	13.2	13.7	2.1	2.2

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°	°	°	°
1	59.23	60.13	59.78	59.71	14.2	13.4	13.0	13.5	2.1	1.3	1.6
2	60 55	61 45	64 97	62 66	14 4	13 2	13 1	13 6	2 0	1 0	1 1
3	63 82	63 77	60 96	62 85	18 1	13 3	13 3	14 9	2 7	1 9	2 0
4	64 41	64 41	11 4	11 4	1 4
5	63 35	61 70	62 55	14 1	12 6	13 3	2 1	1 4
6	62 81	62 81	13 2	13 2	1 8
7	61 22	62 87	62 71	62 27	15 1	13 0	13 2	13 8	3 7	1 8	2 0
8	60 94	61 51	61 22	14 3	13 2	13 7	2 3	1 8
9	60 36	62 17	64 40	62 31	15 0	13 3	12 2	13 5	2 8	1 2	1 1
10	64 90	61 97	63 43	63 43	14 0	11 4	13 0	12 8	2 6	1 4	1 7
11	64 10	62 27	64 05	63 47	13 4	10 4	11 4	11 7	1 3	1 4	1 2
12	61 32	61 65	61 48	15 2	10 8	13 0	2 1	1 1
13	60 47	60 58	60 52	14 2	9 4	11 8	3 2	1 1
14	63 35	60 29	60 71	61 45	14 3	10 3	12 1	12 2	2 2	1 3	1 0
15	59 58	60 51	61 97	60 69	14 2	10 4	12 3	12 3	3 9	1 1	2 2
16	60 14	60 46	60 71	60 44	12 2	11 3	12 0	11 8	3 0	1 3	1 6
17	60 61	63 04	61 82	11 2	12 2	11 7	1 0	0 8
18	63 27	61 28	64 19	62 91	14 0	11 3	12 4	12 6	0 9	1 2	1 1
19	64 27	60 91	62 59	14 4	13 4	13 9	2 4	2 1
20	59 27	60 16	59 81	14 2	13 1	13 6	2 0	2 1
21	59 43	59 43	13 0	13 0	0 8
22	59 07	62 17	59 87	60 37	15 1	12 4	12 3	13 3	2 1	1 1	1 2
23	58.47	59 59	60 51	59 52	16.1	12.2	13 2	13 8	2 9	0.8	1 4
24	64 37	64 37	13 4	13 4	2 2
25	61 82	61 82	12 1	12 1	1 7
26	60 95	60 95	10 4	10 4	1 3
27	60 07	60 07	10 2	10 2	1 9
28	61 49	61 49	12 2	12 2	1 1
29	60 97	60 97	12 4	12 4	1 3
30	61.77	61 77	12.4	12.4	1.2

DE 1874.

PSICRÓMETRO.								VIENTOS.		ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	9 h.	21 h.	2½ h.	9 h.	21 h.
77	85	81	81	9.26	9.74	9.00	9.33	O.	N.	D.	N.	Np.
78	88	87	84	9.53	9.99	9.79	9.77	NO.	O.	D.	Np.	N.
73	78	77	76	11.38	8.92	8.79	9.70	—	—	D.	D.	D.
...	...	83	83	8.32	8.32	...	SE.
77	...	83	80	9.19	9.09	9.14	SO.	SO.	D.	...	N.
...	...	79	79	8.98	8.98	...	SE.
60	79	77	72	7.83	8.84	8.72	8.46	SO.	O.	D.	N.	—
75	...	79	77	9.06	8.98	9.02	—	SO.	N.	...	Np.
70	86	86	81	9.90	9.80	9.20	9.63	NO.	O.	—	...	N.
71	83	80	78	8.50	8.32	8.97	8.60	O.	O.	—	Np.	D.
85	82	85	81	9.74	7.73	8.56	8.68	—	—	D.	D.	—
77	...	85	81	9.96	8.33	9.14	—	—	—	...	—
65	...	85	75	7.86	7.54	7.70	...	—	—	...	—
76	83	87	82	9.19	7.79	9.26	8.75	NO.	—	—	D.	—
57	85	74	72	6.99	8.09	7.90	7.66	—	SE.	—	—	N.
65	84	80	76	6.89	8.38	8.44	7.90	SO.	O.	N.	N.	—
86	...	90	88	8.68	9.59	9.13	O.	—	—	...	—
90	85	86	87	10.69	8.50	9.34	9.51	SO.	NE.	—	D.	D.
74	...	76	75	9.00	8.75	8.86	—	—	D.	...	—
75	...	76	75	9.26	8.52	8.89	O.	O.	—	...	—
...	...	90	90	10.11	10.11	...	NE.	N.
77	86	86	83	9.80	9.36	9.11	9.40	SO.	SO.	N.	D.	D.
70	90	83	81	9.54	9.59	9.51	9.55	O.	O.	D.	N.	—
...	...	75	75	8.60	8.60	...	E.	N.
...	...	79	79	8.38	8.38	...	SO.	—
...	...	83	83	7.85	7.85	...	O.	—
...	...	75	75	7.05	7.05	...	—	D.
...	...	86	86	9.20	9.20	...	SO.	—
...	...	85	85	9.08	9.08	...	—	N.
...	...	86	86	9.21	9.21	...	O.	—

Instrumentos.	ABRIL 4 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	760.81	759.79	759.34	759.98	759.91	759.59	759.46	759.11	759.74
Termómetro centígrado.....	14.4	16.0	14.3	13.3	11.4	11.1	12.2	11.2	13.5
Psicrómet. {	Dif. de los term...	1.2	2.0	1.0	1.1	0.4	1.0	0.9	1.8
	Humedad relativa	85	79	89	87	95	85	89	86
	Fuerza elástica....	10.57	10.69	10.77	9.93	9.55	8.56	9.46	9.65
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	D.	D.

Instrumentos.	ABRIL 14 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
	Barómetro reducido a 0°.....	761.80	761.01	761.50	762.39	762.32	761.60	761.09	760.66
Termómetro centígrado.....	15.3	15.4	15.1	15.0	14.4	14.3	14.0	14.1	14.7
Psicrómet. {	Dif. de los term...	1.2	1.4	1.7	1.6	1.1	1.0	1.0	0.9
	Humedad relativa	87	85	81	82	88	89	89	86
	Fuerza elástica....	11.26	11.06	10.41	10.47	10.71	10.77	10.56	10.75
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.

Instrumentos.	ABRIL 24 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
	Barómetro reducido a 0°.....	760.33	760.46	760.61	761.20	760.82	760.63	759.99	760.44
Termómetro centígrado.....	15.2	15.1	14.2	14.3	14.1	13.8	13.4	14.3	14.3
Psicrómet. {	Dif. de los term...	2.0	1.1	1.8	1.0	1.8	0.5	1.4	1.9
	Humedad relativa	78	88	80	89	80	94	84	79
	Fuerza elástica....	10.09	11.24	9.65	10.77	9.58	10.36	9.61	9.59
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	D.	D.

Instrumentos.	MAYO 4 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
	Barómetro reducido a 0°.....	760.87	760.06	760.87	761.65	761.62	760.80	761.05	760.63
Termómetro centígrado.....	15.2	16.0	14.0	13.0	12.3	11.4	11.0	12.0	13.1
Psicrómet. {	Dif. de los term...	1.6	2.8	1.8	1.7	1.1	1.0	0.9	0.7
	Humedad relativa	82	71	80	80	86	86	89	92
	Fuerza elástica....	10.61	9.66	9.51	8.97	9.27	8.80	8.68	9.58
Estado atmosférico.....	Np.	D.	D.	D.	Np.	N.	N.	N.

Instrumentos.	MAYO 11 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
	Barómetro reducido a 0°.....	761.34	760.73	760.92	761.16	760.51	760.06	760.18	759.53
Termómetro centígrado.....	15.1	16.4	13.4	11.4	10.2	9.6	10.1	11.1	12.2
Psicrómet. {	Dif. de los term...	2.7	2.1	0.3	1.3	1.1	1.4	0.8	1.0
	Humedad relativa	71	78	95	84	85	81	89	83
	Fuerza elástica....	9.12	10.87	10.92	8.41	7.97	7.59	8.27	8.62
Estado atmosférico.....	D.	D.	D.	Np.	Np.	D.	N.	N.

Instrumentos.	MAYO 24 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 763.67	mm. 762.45	mm. 762.22	mm. 763.57	mm. 763.02	mm. 762.50	mm. 762.08	mm. 762.36	mm. 762.86
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	12.3	12.3	12.1	12.0	11.4	11.0	11.2	11.8	11.8
Psicrómet. {	Dif. de los term...	1.2	1.1	1.1	1.0	1.0	1.6	1.2	1.4
	Humedad relativa	86	86	86	87	86	80	85	83
	Fuerza elástica....	9.14	9.27	9.13	9.19	8.80	7.85	8.44	8.56
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
	JUNIO 13 DE 1874.								
Barómetro reducido a 0°.....	mm. 760.87	mm. 760.35	mm. 760.71	mm. 761.37	mm. 760.52	mm. 760.71	mm.	mm.	mm. 760.75
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	13.3	14.4	12.1	11.2	8.4	8.0
Psicrómet. {	Dif. de los term...	3.0	3.2	1.8	1.8	1.1	1.8
	Humedad relativa	66	65	78	77	85	75	74
	Fuerza elástica....	7.53	8.00	8.26	7.73	6.98	6.02	7.42
Estado atmosférico.....	D.	D.	D.	D.	D.	D.

OBSERVACIONES METEOROLÓGICAS,
1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	15.27	15.50	16.45	15.74	26.9	15.9	14.0	27.6	18.93	9.2	1.1	2.9	0.8
2	16.74	18.54	17.28	17.50	22.0	14.7	15.9	23.4	17.53	12.1	2.6	0.9	0.7
3	16.34	16.25	23.0	16.9	24.2	10.0	2.6	1.7
4	13.62	15.18	26.0	16.6	28.3	12.7	3.4	1.2
5	15.05	17.45	19.40	17.30	23.9	15.0	15.5	25.1	18.13	9.2	2.6	0.7	0.7
6	19.21	19.22	16.78	18.40	24.0	17.7	18.5	25.8	20.07	11.7	2.5	0.6	1.4
7	14.09	13.85	15.98	14.64	28.9	20.7	19.7	30.6	23.10	13.3	3.4	2.3	2.2
8	15.43	16.17	16.45	16.02	25.0	18.2	18.6	26.0	20.60	12.2
9	15.78	16.50	17.13	16.47	26.9	18.5	19.0	27.9	21.47	13.5	3.8	3.7	1.6
10	16.32	17.68	18.50	17.43	28.2	18.9	19.2	29.8	22.16	13.5	3.8	4.0	1.2
11	17.85	17.03	16.95	17.28	29.4	20.1	20.7	30.4	23.40	14.5	3.9	1.6	2.0
12	15.08	16.00	16.12	15.73	29.7	20.0	18.2	30.6	22.63	12.6	4.6	1.3	1.8
13	15.17	15.29	28.1	19.5	30.6	3.7	2.0
14	13.99	14.92	16.11	15.01	28.6	20.9	19.5	29.6	23.00	13.8	3.9	2.0	2.3
15	15.45	14.88	15.56	15.30	28.4	20.6	20.0	29.5	23.00	13.4	4.0	2.7	1.6
16	15.23	16.00	16.02	15.75	28.5	20.1	17.0	29.5	21.87	12.3	3.6	2.3	1.4
17	16.25	17.65	18.12	17.34	24.9	17.1	15.0	25.2	19.00	10.6
18	17.11	18.09	17.70	17.63	24.2	16.1	15.7	27.0	18.67	11.3	1.5
19	17.47	18.45	18.23	18.05	27.6	18.1	16.9	28.0	20.87	12.9	3.8	2.1	1.9
20	18.48	18.35	26.7	15.7	27.9	11.9	3.0	2.3
21	16.60	17.59	17.41	17.20	28.9	20.0	18.1	29.9	22.33	13.0	3.8	2.8	3.1
22	15.95	16.58	16.48	16.34	28.1	19.1	17.3	29.0	21.56	12.1	3.8	2.6	3.0
23	15.41	16.04	16.58	16.01	25.6	17.0	14.9	27.0	19.17	10.0	4.4	1.4	1.3
24	17.77	18.25	17.71	17.91	22.9	15.2	13.7	25.7	17.27	9.9	2.4	1.4	1.8
25	16.64	16.78	25.0	15.1	26.0	9.7	2.7	2.7
26	16.22	15.78	18.4	16.0	28.5	11.2	2.9
27	15.18	15.89	16.35	15.80	25.7	17.0	15.2	27.0	19.30	11.9	4.7	3.3	2.3
28	16.04	16.45	16.01	16.17	26.6	16.7	15.5	27.1	19.60	11.8	3.4	1.8	1.2
29	16.04	15.93	16.23	16.07	25.5	16.4	14.7	26.0	18.87	13.0	2.5	1.2	1.0
30	15.15	15.33	15.27	15.25	24.1	15.5	13.1	24.8	17.57	12.9	2.6	0.8	0.4
31	15.09	15.14	15.27	15.17	23.7	15.4	14.1	25.9	17.73	11.6	2.1	0.7	0.3

FEBRERO

1	17.61	19.19	18.89	18.56	18.0	14.9	14.5	19.3	15.80	12.2	1.3	1.5
2	19.14	19.27	19.18	19.20	17.9	15.1	12.5	19.4	15.17	9.2	1.5	1.1	0.6
3	18.18	19.69	20.80	19.56	24.5	15.9	16.0	25.1	18.80	9.3	3.1	1.2	2.2
4	19.84	18.59	17.88	18.77	25.0	17.7	17.5	25.9	20.07	10.8	3.3	2.3	2.6
5	15.66	16.26	15.77	15.90	27.6	18.4	18.9	27.9	21.63	10.9	5.8	2.9	3.1
6	16.28	17.18	16.34	16.60	26.0	17.0	16.2	27.0	19.73	10.0	4.6	1.9	2.2
7	17.22	18.18	17.43	17.61	24.9	15.6	16.5	26.0	19.00	11.2	4.1	2.2	1.9
8	16.56	17.43	18.49	17.49	26.9	17.7	15.5	27.0	20.03	11.8	4.1	1.6	2.6
9	16.72	17.36	16.85	16.98	27.1	18.5	17.1	27.4	20.90	12.1	4.3	2.5	3.1
10	15.93	16.91	15.92	16.23	27.2	18.2	18.0	27.7	21.13	12.3	5.2	2.6	3.0
11	15.32	16.07	15.43	15.61	28.0	18.9	18.4	28.4	21.77	13.0	6.4	2.9	2.8
12	16.48	17.52	16.88	16.96	27.7	19.1	18.8	28.0	21.87	12.7	5.8	3.1	2.9
13	15.98	17.11	16.84	16.63	27.6	16.2	17.7	27.5	20.30	11.3	4.3	2.3	2.2
14	15.49	15.66	15.41	15.52	27.2	19.7	16.1	28.6	21.00	14.2	4.6	2.0	0.6
15	14.87	15.48	17.24	15.86	25.7	16.5	15.6	26.0	19.27	12.0	3.2	0.7	0.7
16	16.70	23.0	23.8	10.8	2.2
17	16.46	17.70	19.45	17.87	21.5	15.0	14.0	22.4	16.83	12.2	0.9	0.6
18	18.86	19.50	19.85	19.40	19.5	13.4	11.4	22.6	14.77	7.9	2.7	1.6	1.0
19	19.03	19.24	18.79	19.02	22.9	17.0	12.1	23.9	17.33	8.9	4.4	1.1	0.1
20	17.46	17.63	25.4	13.4	23.5	10.1	4.9	0.6
21	15.94	16.84	17.71	16.83	26.0	16.5	11.6	26.9	18.03	9.0	5.1	2.1	0.2
22	16.65	17.58	17.84	17.33	23.2	13.7	12.5	24.1	16.47	3.6	1.2	0.7
23	16.66	13.5	25.5	8.8	1.0
24	16.32	17.91	18.21	17.49	23.5	13.6	10.2	25.0	15.77	8.0	3.0	1.0	0.0
25	16.72	17.10	16.63	16.82	22.7	14.0	13.6	25.0	16.77	9.0	3.6	1.0	0.9
26	15.07	15.47	15.73	15.42	24.9	15.6	14.5	27.1	18.33	9.6	1.9	1.9
27	15.25	16.52	17.17	16.31	23.4	14.2	13.1	25.1	15.90	7.4	4.6	1.9	0.4
28	17.11	17.31	17.68	17.57	20.7	12.6	9.3	22.5	14.49	6.4	3.3	1.3	0.8

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
92	70	91	84	24.13	9.47	10.82	14.81	SO.	SE.	C.	D.	D.	D.
77	90	92	86	15.25	11.18	12.35	12.93	—	E.	—	Np.	Np.	—
77	82	16.45	11.67	—	O.	—	D.	D.	...
73	...	87	...	18.79	12.29	C.	—	C.	D.	Np.	Np.
78	92	92	87	17.38	11.64	12.12	13.71	SO.	E.	—	Np.	—	N.
79	94	86	86	17.80	13.17	15.30	15.42	—	O.	—	D.	D.	D.
75	82	79	79	22.43	14.45	13.53	16.80	—	C.	—	—	—	—
...	—	—	—	—	—	—
71	64	84	73	18.80	10.38	13.80	14.33	—	—	—	—	—	—
71	63	88	74	20.68	10.26	14.71	15.22	—	E.	—	—	—	—
72	85	81	79	22.04	15.08	14.93	17.35	—	—	—	—	—	—
67	88	82	79	21.26	15.42	12.80	16.49	—	—	—	—	—	—
72	...	81	...	20.66	13.74	—	—	—	—	—	—
74	81	79	77	20.90	14.93	13.29	16.37	—	S.	—	Np.	—	Np.
70	76	85	77	20.41	13.71	14.78	16.30	—	C.	—	D.	—	D.
73	79	85	79	21.32	13.83	12.33	15.83	—	—	—	—	—	Np.
...	...	84	11.24	—	E.	—	Np.	—	D.
71	79	80	77	19.84	12.55	11.39	14.53	—	—	—	D.	—	—
76	...	76	...	20.08	10.25	—	—	—	—	—	—
72	74	70	72	21.34	12.98	10.97	15.10	—	SE.	—	—	—	—
71	75	70	72	20.40	12.13	10.40	14.31	—	C.	—	—	—	—
66	85	85	79	17.31	12.49	10.93	13.58	—	—	—	—	—	—
79	85	89	81	16.58	11.06	9.37	12.34	—	O.	—	—	—	—
78	...	71	...	18.36	9.17	SO.	—	—	—	—	—
...	...	70	9.54	—	—	—	—	—	—
64	67	76	69	15.73	9.79	9.77	11.76	—	E.	—	—	—	—
73	81	87	80	19.05	11.76	11.50	14.10	—	C.	—	—	—	—
80	87	89	85	19.35	12.13	11.19	14.22	—	—	—	—	—	—
78	91	95	88	17.62	12.06	10.77	13.48	—	—	—	Np.	Np.	N. Ni.
82	92	97	90	17.93	12.04	11.72	13.90	—	N.	—	—	—	—

DE 1873.

87	...	83	...	13.19	10.33	NE.	N.	N.	N.	N.	N.
85	89	93	89	12.80	11.24	10.06	11.37	N.	C.	C.	—	Np.	D.
75	87	76	79	17.19	11.82	10.25	13.09	SO.	—	—	—	D.	Np.
73	77	74	75	17.35	11.79	11.12	13.39	O.	—	—	—	—	D.
58	72	79	67	16.09	11.41	11.53	13.01	—	E.	—	—	—	N.
64	81	77	74	16.39	11.79	10.73	12.94	—	—	—	—	—	N.
67	76	89	74	15.87	10.31	11.31	12.83	SO.	C.	—	—	—	Np.
68	84	73	75	18.10	12.74	9.58	13.47	—	—	—	—	—	—
68	76	69	71	18.24	12.19	10.18	13.51	—	—	—	—	—	—
61	74	71	69	16.70	11.81	10.95	13.16	—	—	—	—	—	D.
54	73	72	66	15.40	11.95	11.55	12.97	—	—	—	—	—	—
58	71	73	67	16.24	11.92	11.77	13.39	—	—	—	—	—	—
67	77	78	74	17.97	10.59	11.92	13.49	—	—	—	—	—	—
65	81	93	89	17.79	13.92	12.73	14.81	—	—	—	N.	N.	N.
74	92	92	86	18.53	12.91	12.27	14.57	—	—	Np.	Np.	D.	—
81	16.92	—	—	—	Np.	D.	—
...	90	93	11.41	11.15	—	—	—	Np.	—	—
75	81	86	81	12.77	9.31	8.89	10.29	—	C.	SE.	—	—	D.
63	88	99	83	13.05	10.35	10.54	11.32	—	O.	E.	D.	D.	—
62	...	93	...	15.26	10.72	SO.	C.	—	—	—	Np.
61	78	97	79	15.72	11.03	9.88	12.21	—	—	E.	—	—	—
69	86	92	82	14.69	10.15	9.93	11.59	—	—	—	—	—	D.
...	88	10.27	—	C.	—	—	—	—
74	88	100	87	16.21	9.27	9.29	11.92	SO.	—	C.	—	—	Ni.
69	89	89	82	14.47	10.56	10.53	11.85	—	—	—	—	—	D.
...	79	79	10.73	9.73	—	C.	—	—	—	—
62	79	95	79	13.41	9.52	8.81	10.59	SO.	—	—	—	—	Ni.
65	85	89	81	11.97	9.15	8.99	9.74	—	—	—	—	—	D.

Días	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	15.83	16.52	16.03	16.13	22.4	13.7	11.1	23.2	15.73	8.0	3.7	1.1	0.8
2	14.99	15.91	23.0	11.7	25.2	9.1	4.3	0.7
3	16.32	17.13	21.2	14.4	23.4	10.8	3.5	1.2
4	16.43	18.07	18.52	17.67	23.9	16.4	12.5	25.7	17.60	8.0	5.2	2.3	1.1
5	17.40	17.79	24.2	13.2	26.1	9.2	5.2	1.7
6	17.50	19.01	19.30	18.60	23.5	13.5	10.1	25.3	15.70	9.5	1.1
7	18.58	19.55	18.12	18.75	23.2	16.2	12.4	25.5	17.27	9.6	5.1	3.2	0.5
8	18.74	18.61	23.0	12.9	25.2	9.1	5.4
9	17.52	17.26	16.50	17.09	25.2	15.0	13.9	27.5	18.03	9.4	7.1	2.0	2.1
10	15.97	16.50	16.32	16.26	26.6	17.0	12.9	28.9	18.83	9.5	7.6	4.0
11	15.90	18.06	17.84	17.27	27.5	15.6	12.8	29.5	18.63	8.0	8.6	2.8	1.4
12	17.18	18.21	17.85	17.75	25.0	14.0	12.0	26.9	17.00	8.2	4.5	2.8	1.7
13	17.75	18.35	16.78	17.63	24.4	16.6	13.0	27.2	18.06	9.7	7.2	2.2	2.0
14	16.02	17.27	17.85	17.05	26.5	16.7	13.5	29.0	18.90	9.3	7.3	3.2	2.0
15	18.15	19.22	19.22	18.86	25.0	13.5	11.5	27.1	16.67	8.7	1.8	1.5
16	18.56	17.95	17.37	17.96	25.2	17.4	13.7	27.3	18.77	11.0	9.8	2.0	0.6
17	17.50	18.17	18.09	17.92	22.5	14.9	13.2	24.3	16.87	10.1	3.6
18	18.47	19.42	19.50	19.13	19.6	13.1	11.7	20.1	14.60	19.0	3.6	4.3	0.8
19	18.21	17.81	17.91	17.98	20.9	15.0	12.8	22.5	16.23	11.5	5.1	3.0	1.4
20	17.57	18.61	18.57	18.18	20.2	12.9	9.9	22.2	14.33	8.0	4.6	1.5	0.9
21	17.07	18.53	19.70	18.43	23.0	14.1	10.1	24.9	15.73	7.1	6.4	2.7	1.3
22	19.47	19.65	20.66	19.93	22.1	15.2	8.7	24.5	15.33	7.2	6.4	2.9	0.9
23	19.10	18.45	18.83	18.73	21.2	13.6	9.5	23.0	14.77	7.2	2.6	1.1
24	17.04	18.29	16.86	17.38	21.4	12.5	10.8	23.6	14.96	7.1	6.6	1.4
25	16.68	17.73	21.7	10.2	23.8	6.9
26	18.61	20.25	21.57	20.14	19.4	11.2	10.6	21.4	13.73	8.8
27	20.54	19.50	18.88	19.64	19.4	12.1	9.5	22.2	13.67	6.6
28	17.74	17.84	23.5	13.7	25.4	8.0
29	16.85	18.55	18.82	18.07	26.6	10.7	11.1	16.13	10.2
30	18.71	19.21	18.36	18.76	16.5	11.7	9.6	19.5	12.60	6.9
31	16.50	18.97	22.8	6.8	21.5	5.8

ABRIL

1	20.13	21.42	17.6	11.8	19.8
2	20.32	21.21	20.63	20.72	17.7	11.4	8.4	20.2	12.50	5.9
3	18.55	18.97	19.67	19.03	20.4	9.8	8.9	23.0	13.63	5.8
4	18.11	18.81	16.26	17.73	23.8	10.4	9.8	25.2	14.67	6.9
5	15.19	16.42	16.78	16.13	25.5	11.6	9.0	27.0	15.37	7.2
6	16.80	17.16	18.32	17.43	17.6	10.0	8.3	18.2	11.77	9.0
7	18.03	20.40	17.8	7.2	8.0	11.00
8	18.07	18.51	19.10	18.56	20.2	12.5	8.5	22.8	13.78	6.5
9	18.23	19.46	22.6	8.1	24.5	7.6
10	19.67	20.87	19.54	19.96	19.5	8.8	6.5	21.0	11.58	3.1
11	16.41	15.23	13.85	15.16	21.8	9.8	7.8	24.4	13.13	4.0
12	14.51	16.27	19.07	16.62	22.0	10.6	8.8	23.6	13.80	6.0
13	18.61	18.66	7.5	5.8	15.9	3.5
14	17.78	17.99	17.51	17.77	18.7	9.8	6.8	20.5	11.77	5.0
15	18.69	19.31	19.09	19.03	18.2	8.8	7.0	19.9	11.33	6.2
16	17.42	17.93	18.58	17.98	18.7	11.4	9.4	20.0	13.17	7.8
17	19.61	20.30	21.14	20.35	13.9	8.7	6.0	15.2	9.53	5.9
18	21.61	22.76	22.14	22.17	12.9	5.4	2.6	6.97	1.2
19	19.35	18.90	16.56	18.27	17.5	8.0	4.8	20.1	10.10
20	18.56	20.36	7.8	8.7	23.7	5.2
21	15.97	21.21	20.70	20.63	14.6	7.3	4.2	16.7	8.70	3.9
22	17.92	15.25	20.9	5.2	23.0	3.6
23	12.88	16.53	16.30	15.44	20.5	10.4	9.7	23.3	13.53	9.0
24	18.80	20.99	11.9	10.5	7.0
25	20.93	21.37	21.33	21.23	16.8	9.2	6.0	18.1	10.67	5.4
26	20.59	21.16	19.6	6.2	21.0	4.9
27	19.49	19.73	20.01	19.74	20.0	9.8	7.3	21.2	12.37	5.8
28	18.73	18.82	18.47	18.69	19.6	9.8	5.0	21.1	11.47	4.9
29	16.65	18.63	18.15	17.81	20.8	10.1	4.6	22.5	12.03	4.8
30	17.82	19.70	18.32	18.81	21.4	10.2	7.0	21.2	12.87	5.5

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	A 0°										D.f. de los termómetros		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	19 h.	19 1
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	23.6	12.2	25.0	7.2
2	17.34	16.44	18.4	9.9	10.3	12.77
3	18.19	18.90	19.10	18.73	17.4	9.8	8.2	19.2	11.89	5.2
4	18.23	18.87	18.01	18.37	21.6	10.0	6.8	21.7	12.80	5.4
5	17.33	18.17	18.07	17.86	20.8	8.2	8.8	21.5	12.60	5.9
6	17.71	21.0	5.1
7	18.52	19.39	19.85	19.25	22.0	9.7	7.4	23.2	13.03	6.3
8	18.18	19.57	19.89	19.21	22.0	11.8	7.9	23.0	13.90	7.1
9	19.32	20.28	20.40	20.00	21.2	11.2	7.3	21.5	13.23	6.9
10	18.74	18.59	19.31	18.88	21.3	11.4	6.8	21.7	13.17	6.0
11	19.93	21.38	21.27	20.86	21.5	12.0	5.6	21.8	13.03	5.4
12	20.11	21.06	20.21	20.16	21.0	11.6	9.0	22.5	13.87	6.0
13	20.65	17.1	18.3	9.8
14	22.21	20.60	11.0	9.6	9.2
15	19.51	19.32	15.5	5.6	17.0	4.8
16	19.06	19.92	20.88	19.95	15.6	10.0	6.4	17.0	10.67	5.9
17	19.93	20.69	20.89	20.17	16.1	8.6	5.7	17.9	9.93	4.4
18	20.10	20.66	20.04	20.27	16.8	10.0	6.0	18.1	10.92	5.3
19	19.91	21.38	21.61	20.97	18.0	9.2	6.6	19.8	11.07	5.0
20	21.14	21.95	21.35	21.48	17.2	9.2	6.4	19.0	10.95	5.5
21	19.07	18.86	19.46	19.13	19.3	9.0	6.6	21.0	11.63	6.2
22	18.66	18.80	17.8	11.6	19.4	10.5
23	18.42	20.14	20.91	19.82	12.4	9.8	8.6	15.6	10.27	8.5
24	20.53	20.15	12.7	6.9	14.4	6.8
25	19.87	20.60	19.89	20.12	10.4	8.5	6.4	8.43	6.1
26	18.61	19.02	18.97	18.87	16.5	8.8	6.6	17.7	10.63	5.6
27	19.97	22.39	21.53	21.30	12.8	10.5	7.8	15.0	10.57	7.2
28	20.28	20.02	19.34	19.88	13.5	7.0	5.2	14.7	8.57	3.0
29	19.25	20.74	20.91	20.36	15.5	7.6	6.0	15.9	9.50	5.3
30	19.44	20.01	19.36	19.60	12.3	7.8	3.2	17.2	7.77	3.1
31	18.14	18.50	17.69	18.09	18.9	8.4	4.4	19.5	10.57	4.0

JUNIO

1	17.94	19.37	19.4	9.5	20.0	4.2
2	17.83	18.54	17.73	18.03	16.5	8.6	3.0	18.0	9.57	2.0
3	17.06	17.99	19.75	18.27	8.5	6.2	3.0	5.90	2.3
4	19.98	21.02	21.80	20.93	9.7	5.9	2.6	13.0	6.07	2.4
5	20.71	22.39	21.79	21.63	13.0	6.0	5.4	14.1	8.13	3.9
6	20.00	20.27	20.46	20.24	12.0	8.6	7.2	14.8	9.47	6.8
7	20.35	21.06	21.24	20.88	9.7	6.4	2.8	11.3	6.30	2.4
8	22.41	24.45	23.77	23.55	9.0	5.7	2.4	9.2	5.70	2.2
9	22.01	21.00	20.18	21.06	9.4	6.6	3.0	10.6	6.13
10	19.27	20.65	22.88	20.93	11.3	2.9	0.0	12.0	4.73	-0.1
11	22.85	21.33	22.73	22.32	13.2	5.2	1.1	15.0	6.57	1.0
12	19.76	19.95	18.99	19.57	15.3	6.2	1.8	15.9	7.77	1.0
13	18.14	18.90	15.1	4.8	17.0	1.0
14	18.79	19.03	18.26	18.63	15.0	5.0	0.8	16.6	6.93	0.3
15	19.15	20.92	19.69	19.92	11.1	3.4	0.0	14.6	5.83	-0.9
16	16.98	17.35	11.8	7.2	16.6	3.6
17	20.55	20.55	19.15	20.22	7.7	3.6	1.6	9.5	4.30	1.2
18	17.78	15.26	16.95	16.73	7.8	3.8	9.8	12.9	7.13	3.1
19	18.03	19.68	18.79	18.84	13.6	7.1	6.5	13.5	8.87	5.5
20	16.40	19.98	10.0	10.9	7.9
21	17.41	16.06	12.2	9.1	8.2	12.5	9.85	7.1
22	14.89	14.62	14.41	14.61	11.5	9.0	6.9	11.9	9.13	6.3
23	14.91	16.94	18.95	16.93	11.9	9.2	8.6	13.0	9.96	8.2
24	18.71	17.97	17.02	17.90	12.4	9.0	8.0	13.4	9.80	7.0
25	17.31	18.18	9.1	8.4	11.2	7.2
26	19.41	19.65	18.82	19.36	13.3	8.4	5.1	15.8	8.93	4.3	1.5	0.4
27	17.19	16.56	14.73	16.16	15.2	6.8	3.5	8.50	3.2	2.5	0.2	0.3
28	12.19	15.18	15.12	14.16	16.4	8.2	7.6	10.73	5.4	4.9	0.5	0.6
29	16.96	20.40	20.24	19.20	13.2	8.6	6.6	9.47	5.9	1.6	0.3	0.0
30	17.64	17.79	16.00	16.48	10.5	6.7	2.8	6.35	2.0	1.5	0.2

DE 1875.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio						
								C.	C.	...	D.	D.	...
								SO.	—	NE.	N.	N.	Ni.
								NE.	E.	NE.	Np.	—	Np.
								SO.	...	C.	—	—	—
									C.	...	D.
									...	C.	Np.	Np.	Np.
									C.	...	D.
									Np.	Np.	Np.
									SO.	...	D.
									C.	...	Np.	Np.	Np.
									D.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	D.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									D.
									SO.	...	Np.	Np.	Np.
									D.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	D.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									D.
									SO.	...	Np.	Np.	Np.
									D.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	D.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									D.
									SO.	...	Np.	Np.	Np.
									D.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	D.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									D.
									SO.	...	Np.	Np.	Np.
									D.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	D.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									D.
									SO.	...	Np.	Np.	Np.
									D.

DE 1873.

2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
								S.	E.	...	Np.	Np.	D.
								SO.	...	C.	—	—	—
								C.	Np.	Np.	Np.
								SO.	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									C.	...	Np.	Np.	Np.
									Np.	Np.	Np.
									SO.	...	Np.	Np.	Np.
									Np.	Np.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	700.4	700.4	700.4	700.4	11.6	8.0	6.8	11.9	8.80	6.6	1.7	0.6	0.3
2	14.08	14.71	17.91	15.57	11.6	8.4	6.6	11.8	8.87	6.2	2.0	0.9	0.2
3	17.38	18.15	21.00	18.83	11.7	5.8	1.8	11.7	6.45	1.2	2.4	0.5	0.5
4	21.66	21.65	20.96	21.41	9.6	10.2	-0.1	1.4	0.2
5	29.17	18.81	12.0	4.8	0.2	13.5	5.67	-0.1	3.3	0.8	0.4
6	17.52	16.93	17.90	17.45	12.6	3.6	2.1	12.9	6.10	2.0	3.6	0.2	0.5
7	17.77	18.07	18.33	18.06	6.6	5.4	4.6	7.6	5.33	4.1	0.4	0.8	0.6
8	19.48	20.50	20.98	20.33	7.2	3.5	-1.2	8.0	3.17	-1.5	1.8	0.9	0.1
9	21.37	20.05	20.36	20.59	9.1	3.4	0.8	11.5	4.43	-0.3	1.9	0.3	0.3
10	19.89	21.15	19.17	20.04	11.7	5.1	0.8	13.3	5.87	-0.2	3.3	0.4	0.7
11	16.22	14.48	14.63	15.11	11.8	5.8	5.6	12.1	7.73	5.6	2.8	0.6	0.4
12	16.59	17.03	15.90	16.52	10.2	3.8	10.5	3.1	1.4	0.2
13	14.43	18.89	9.3	4.2	0.8	9.5	4.77	0.6	0.8	0.2	0.1
14	21.37	20.50	19.27	20.38	10.6	4.0	1.6	11.8	5.20	0.4	2.4	0.4	0.6
15	18.82	19.86	22.25	20.31	10.1	4.2	1.0	11.1	5.10	0.8	2.2	0.2	0.0
16	21.00	21.05	20.00	20.83	10.6	3.8	1.4	11.6	5.27	0.3	2.0	0.0	0.0
17	18.47	17.07	16.60	17.35	6.0	5.5	4.6	7.1	5.57	4.2	0.0	0.1	0.0
18	17.70	19.90	20.45	19.33	8.7	6.3	4.4	6.47	0.7	0.4	0.0
19	17.51	15.66	15.17	16.11	9.3	6.3	7.0	10.4	7.53	5.5	0.6	0.1	0.0
20	15.44	16.33	18.62	16.89	11.2	7.1	5.4	11.7	7.90	4.9	0.4	0.2	0.0
21	20.78	20.88	19.53	20.46	13.3	6.2	5.0	11.1	7.17	3.0	1.5	0.2	0.0
22	18.36	18.84	22.11	19.77	13.1	7.3	3.9	13.9	8.16	1.8	2.6	0.5	0.2
23	18.71	18.21	17.35	18.30	15.4	10.3	8.8	15.8	11.50	7.9	3.6	0.5	0.6
24	19.25	21.55	7.0	4.3	8.7	1.8	0.6	0.2
25	21.32	22.85	20.65	21.61	9.8	3.5	1.3	10.9	5.00	0.0	1.7	0.7	0.1
26	18.60	18.74	18.39	18.58	11.7	5.0	1.6	12.8	6.10	1.0	3.3	0.6	0.2
27	16.88	16.96	14.90	16.25	15.3	8.2	4.0	15.7	9.23	2.0	2.4	1.0	0.5
28	14.42	15.92	16.17	15.59	15.2	7.3	7.4	16.6	9.97	6.0	4.6	0.3	0.6
29	15.48	12.86	9.6	9.5	14.5	7.4	0.8	1.8
30	14.18	16.47	18.20	15.32	11.5	6.8	5.8	13.3	8.17	5.6	3.1	0.4	0.1
31	17.29	15.36	12.52	15.12	9.7	12.1	9.8	13.9	10.53	8.0	0.7	2.9	1.4

AGOSTO

1	11.08	10.22	11.21	10.85	11.8	12.0	6.4	13.0	10.07	5.6	2.5	2.4	0.4
2	16.03	15.42	17.04	16.16	4.8	4.5	4.8	5.7	4.70	3.3	0.6	0.3	0.6
3	19.07	22.91	22.39	21.46	8.4	5.0	0.9	8.5	4.77	0.7	1.4	0.5	0.2
4	22.23	22.45	21.45	22.07	9.4	4.0	1.2	10.3	4.87	6.4	2.8	0.6	0.3
5	20.73	21.26	20.78	20.92	8.8	5.9	5.7	9.5	6.80	5.1	2.1	0.7	0.3
6	21.73	21.82	20.76	21.42	9.3	4.4	1.2	10.6	4.97	0.7	1.1	0.2	0.6
7	19.35	20.35	21.57	20.56	10.5	5.4	0.9	11.8	5.66	0.8	2.2	0.4	0.1
8	21.23	20.92	20.11	20.76	12.5	6.2	2.8	13.1	10.50	1.9	3.6	0.8	0.5
9	18.15	18.89	19.10	18.71	14.5	7.0	2.5	15.0	11.33	1.2	5.0	1.1	0.3
10	18.04	18.58	16.23	17.62	14.9	7.2	4.0	15.7	8.70	3.0	4.9	0.7
11	14.84	15.45	14.85	15.04	18.2	9.8	5.4	19.0	11.17	4.2
12	15.24	16.95	16.53	16.26	14.5	8.0	7.0	15.6	9.83	6.4	2.7	0.2	0.0
13	15.46	18.38	19.12	17.63	12.6	7.8	6.9	13.1	8.90	6.2	1.5	0.4	0.3
14	19.38	21.69	12.8	9.7	13.5	7.0	2.8	0.3
15	21.77	22.00	20.49	21.32	12.6	10.1	7.4	13.6	10.03	7.6	1.4	0.7	0.2
16	19.16	19.53	18.62	19.10	12.6	8.8	4.0	13.2	8.47	3.9	2.8	1.2	0.0
17	17.93	18.92	17.86	17.91	11.2	8.7	5.4	13.3	8.56	4.7	1.8	0.4	0.4
18	19.51	21.92	21.74	22.66	14.6	8.2	7.5	14.2	9.90	6.5	3.6	0.4	0.3
19	24.18	21.49	22.97	21.05	11.8	6.3	-2.8	12.5	6.97	2.0	3.7	0.5	0.0
20	21.46	19.93	18.32	19.88	11.5	7.8	4.2	15.7	8.83	-2.7	4.0	1.2	0.4
21	17.19	18.23	17.86	17.76	13.7	8.2	4.8	18.1	9.90	4.0	4.4	1.3	0.6
22	17.22	17.52	15.81	16.85	18.2	9.8	6.1	19.2	11.40	4.6	5.3	1.7	0.5
23	14.92	17.06	18.54	17.87	19.7	12.6	7.2	29.4	12.50	5.0	5.5	1.2	0.0
24	19.43	19.26	18.44	19.03	16.8	3.0	9.5	11.2	9.80	9.6	1.2	0.5	0.5
25	17.73	17.73	13.0	5.2	17.2	5.6	2.8	0.0
26	15.63	17.23	13.4	8.2	18.3	4.7	3.5	0.6
27	15.74	17.05	16.93	17.31	15.2	9.8	9.4	16.7	11.17	7.8	1.7	0.2	0.4
28	15.09	15.25	17.8	19.2	13.1	6.1	2.8	0.5
29	15.35	14.25	16.10	15.30	17.6	9.0	9.6	18.0	12.67	7.5	4.1	6.4	0.0
30	18.35	21.25	21.74	21.67	9.8	9.0	7.7	19.4	8.85	7.3	0.6	0.0	0.3
31	22.23	21.19	20.82	21.11	12.7	9.6	4.5	14.5	9.33	3.5	1.6	0.8	0.1

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 0.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio.	2 h.	10 h.	19 h.	Medio.	2 h.	10 h.	19 0.	2 h.	10 h.	19 h.
79	92	96	89	7 85	7 66	7 07	7 53	SO.	—	—	Np.	N.	N.
75	90	97	87	7 49	7 32	7 08	7 30	C.	—	—	Np.	—	—
71	98	95	86	7 13	6 38	4 96	6 16	—	—	—	—	D.	D.
81	96	7 05	4 57	SO.	—	—	—	—	—
69	87	92	80	6 45	5 62	4 30	5 46	—	—	—	D.	—	—
59	97	95	84	6 40	5 73	5 08	5 74	—	—	—	Ni.	N.	Ni.
94	87	90	90	6 39	5 86	5 71	6 00	—	—	—	Ni.	N.	Ni.
74	85	98	85	5 66	5 01	4 23	4 97	—	—	E.	Np.	D.	Np.
75	95	94	88	6 45	5 55	4 57	5 52	—	—	—	D.	—	D.
60	93	87	80	6 27	6 14	4 21	5 51	—	—	C.	Np.	Np.	Np.
67	91	94	84	6 89	6 27	6 39	6 52	SO.	—	—	Np.	N.	N.
81	97	7 05	5 81	C.	SE.	—	Np.	N.	N.
89	97	98	95	7 79	5 98	4 75	6 17	—	—	C.	Np.	Np.	D.
70	93	160	88	6 69	5 69	4 94	5 77	—	—	—	D.	D.	—
71	97	100	82	6 62	5 98	4 94	5 85	—	—	—	—	—	—
74	100	100	91	7 11	6 01	5 10	6 07	—	—	—	—	Ni.	Ni.
100	99	100	100	7 30	6 67	6 34	6 77	—	E.	—	Ni.	—	—
91	94	100	95	7 60	6 71	6 26	6 87	SO.	C.	—	Np.	N.	N.
92	99	100	97	8 01	7 61	7 49	7 51	C.	—	—	N.	—	Ni.
95	97	100	97	9 40	7 33	6 73	7 82	—	—	—	N.	—	Ni.
80	97	100	92	7 59	6 88	6 53	7 00	—	—	—	Np.	Np.	Ni.
76	93	97	87	7 89	7 10	5 85	6 98	SO.	—	—	Np.	D.	N.
61	94	92	82	8 17	8 75	7 76	8 23	—	NO.	—	Np.	N.	Ni.
91	97	7 13	6 02	SE.	E.	—	Np.	N.	N.
78	89	98	88	7 05	5 35	C.	—	—	Np.	D.	N.
60	90	96	82	6 27	5 96	4 98	5 72	—	C.	—	—	Np.	Np.
73	86	92	84	9 78	6 99	5 59	7 45	—	—	—	Np.	—	—
52	96	91	80	6 75	7 31	7 04	7 03	SO.	E.	—	Np.	N.	N.
89	76	7 94	6 76	C.	SE.	—	Np.	—	—
62	94	99	85	6 63	6 96	6 82	6 89	—	C.	—	—	—	Np.
91	66	81	79	8 15	6 95	7 41	7 50	SE.	N.	E.	—	—	N.

DE 1873.

90	95	90	82	5 71	5 79	6 00	5 76	SE.	N.	NO.	N.	N.	Ni.
81	92	96	89	6 05	6 00	4 69	5 82	NE.	NE.	—	—	—	N.
63	99	94	82	5 62	5 49	4 69	5 27	SO.	E.	C.	D.	D.	N.
71	90	93	85	6 69	6 21	6 33	6 21	—	N.	C.	N.	N.	N.
86	97	100	91	7 46	6 06	5 02	6 18	C.	—	C.	D.	D.	Np.
72	91	98	88	6 87	6 29	4 78	5 98	—	—	C.	Np.	Np.	N.
57	88	91	79	6 39	6 25	5 12	5 92	SO.	—	—	Np.	Np.	N.
47	85	95	76	5 86	6 33	5 20	5 86	C.	—	—	D.	D.	—
73	6 21	6 83	—	—	—	Np.	Np.	Np.
74	97	100	83	8 72	7 77	7 49	7 99	—	E.	C.	Np.	N.	Ni.
82	94	96	91	8 56	7 45	7 12	7 71	SO.	C.	—	Np.	N.	N.
68	96	7 47	8 33	—	—	—	—	—	—
67	83	91	79	9 09	8 33	7 47	8 32	—	—	—	Np.	N.	N.
77	83	160	83	7 11	7 07	6 10	6 85	—	—	C.	Np.	Np.	Ni.
77	94	94	88	7 23	7 03	6 29	7 36	—	N.	C.	Np.	N.	Np.
69	94	96	83	7 77	7 05	7 41	7 13	SO.	—	—	Np.	N.	N.
57	93	100	83	5 05	6 63	5 62	6 03	—	E.	—	—	D.	Ni.
57	83	93	83	7 00	6 67	5 77	6 47	SO.	C.	—	—	—	D.
36	82	90	73	8 00	6 07	5 82	6 83	—	—	—	—	—	—
51	78	93	83	7 12	7 05	6 53	7 18	C.	—	—	—	—	—
41	85	100	79	8 11	8 32	7 59	8 41	SO.	—	—	—	—	Ni.
24	83	94	80	8 27	7 97	8 27	8 17	—	—	SO.	N.	N.	N.
71	100	9 60	6 63	—	—	—	D.	D.	Ni.
67	100	19 23	8 12	—	—	SO.	—	—	—
81	97	95	84	10 33	8 81	8 33	9 22	—	—	—	Np.	N.	N.
69	95	100	85	10 34	8 69	—	—	—	Np.	Np.	N.
92	95	96	86	9 02	8 57	8 57	8 54	—	—	—	D.	—	G.
82	89	59	80	8 33	8 57	7 51	8 14	—	—	—	N. i G	Li.	Np.
.....	9 70	7 34	6 20	7 95	—	D.	—	Np.	Np.	D.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	700.4	709.4	700.4	700.4	o	o	o	o	o	o	o	o	o
2	18.70	18.98	17.24	18.29	15.9	9.2	6.2	17.0	10.43	4.5	1.7	1.5	0.6
3	15.19	16.14	17.61	16.92	18.8	10.3	7.7	20.0	12.27	5.1	4.8	0.8	0.4
4	17.38	18.54	19.37	18.43	17.2	10.8	9.6	17.5	12.53	8.0	3.1
5	18.68	18.40	17.29	18.12	16.4	9.9	6.5	17.7	10.93	5.4	1.0	0.1
6	15.85	16.46	15.97	16.09	17.6	10.0	7.8	18.2	11.80	6.3	3.6	0.8	0.4
7	16.10	17.47	17.56	17.04	17.1	10.6	8.3	18.0	12.00	7.5	3.1	0.6	0.3
8	18.67	19.98	12.9	10.7	17.8	10.4	1.3	0.4
9	19.04	20.59	19.79	19.81	15.3	9.0	10.2	16.6	11.59	7.9	3.2	0.5	0.0
10	18.14	18.01	16.68	17.61	14.6	9.4	7.6	15.9	10.53	5.9	2.6	0.7	0.4
11	17.00	17.47	17.43	17.30	12.7	9.6	8.8	13.8	10.37	7.9	2.3	0.8	0.3
12	24.13	23.45	25.29	22.96	8.3	7.6	4.9	9.9	6.93	3.9	0.5	0.2	0.4
13	29.00	23.00	21.56	22.91	11.1	5.2	4.0	12.1	6.77	2.9	2.8	0.4	0.4
14	13.89	20.01	19.01	19.65	14.3	7.2	5.4	15.6	8.97	4.0	3.5	0.6	0.2
15	17.45	16.71	11.7	8.4	20.5	5.1	1.7	0.6
16	15.94	15.84	14.95	15.58	21.8	13.2	7.6	23.2	14.20	6.2	6.0	1.0	0.0
17	15.96	16.46	16.21	16.22	13.3	10.9	10.6	14.5	11.60	7.7	1.0	0.0	0.2
18	16.46	16.59	15.92	16.92	14.2	11.4	9.6	14.8	11.73	8.9	1.8	0.5	0.4
19	16.39	16.61	15.54	16.15	13.4	9.6	8.0	14.3	10.35	7.2	1.8	0.7	0.6
20	15.70	15.49	15.47	15.55	10.6	8.6	6.9	11.1	8.70	5.9	1.6	0.8	0.2
21	15.04	17.96	19.48	17.49	12.6	8.1	7.1	13.1	9.27	6.5	3.4	0.5	0.2
22	18.45	19.87	20.48	19.60	13.0	9.8	7.2	14.8	10.09	5.2	3.0	0.9	0.4
23	19.09	20.63	17.77	19.13	14.7	8.6	5.3	15.4	9.53	3.4	4.4	0.8	0.4
24	15.92	16.60	18.63	17.05	16.7	11.0	7.1	17.4	11.60	5.6	4.7	0.5	0.3
25	19.59	18.80	16.0	6.8	17.0	4.4	2.6	0.0
26	17.20	16.16	16.30	16.55	18.8	11.0	7.3	19.6	12.37	6.1	5.8	1.2
27	16.59	17.32	19.58	17.83	14.8	9.9	7.8	10.83	7.0	2.3	0.8	0.6
28	22.05	22.94	12.6	4.6	14.0	3.1	3.3	0.2
29	21.42	21.22	19.68	20.77	16.5	8.7	8.2	17.3	11.13	5.1	3.3	0.7	0.4
30	17.14	15.88	16.21	16.41	20.0	11.4	8.8	21.0	13.40	6.6	6.0	1.6	0.8
31	16.15	18.66	18.48	17.76	20.0	11.7	9.8	20.3	13.83	9.0	5.2	0.7	0.8

OCTUBRE

1	17.43	15.33	15.32	16.59	16.8	9.8	9.0	17.2	11.87	8.0	3.7	1.2	1.8
2	15.27	18.17	17.38	16.94	16.1	8.9	7.8	16.9	10.93	7.5	4.0	0.5	1.2
3	17.39	19.63	19.82	18.97	12.7	8.1	6.2	14.5	9.00	4.0	2.7	1.8	0.9
4	19.59	19.60	18.54	19.21	13.5	6.6	4.9	14.4	8.33	2.6	4.1	1.1	0.6
5	17.97	18.58	18.72	18.42	15.8	8.3	7.4	16.7	10.59	4.0	2.7	1.4	1.2
6	18.78	19.29	18.71	18.99	17.1	10.6	8.9	18.6	12.99	5.1	3.0	1.2	0.9
7	18.29	19.56	19.23	19.05	20.0	11.8	9.7	21.1	13.83	6.9	6.4	1.6	0.7
8	18.21	17.81	17.11	17.72	19.6	12.6	10.4	20.5	14.20	8.9	4.9	1.6
9	16.60	17.46	17.92	17.33	18.7	13.4	10.1	19.0	14.07	8.3	4.4	1.2	0.5
10	17.78	17.73	18.53	18.03	18.7	12.1	12.0	19.0	14.27	9.9	3.6	1.2	1.2
11	47.63	17.83	17.58	17.68	19.6	12.2	10.9	23.6	14.23	8.0	5.6	1.4	0.7
12	19.04	21.16	21.74	20.65	19.0	9.4	7.6	19.9	12.00	7.0	3.0	2.1	1.5
13	21.25	21.11	14.1	7.2	15.0	3.2	5.7	1.3
14	15.24	15.95	15.04	15.41	21.5	11.0	11.4	23.1	14.63	6.1	8.2	2.4	2.4
15	13.61	15.01	16.54	14.99	26.8	14.4	10.8	27.3	17.33	6.9	10.2	2.4	1.0
16	15.84	15.85	17.06	16.25	22.5	13.0	9.5	23.5	15.09	7.9	5.5	1.0	0.0
17	16.57	17.28	17.14	17.60	21.1	12.2	12.8	22.0	15.37	8.4	4.0
18	16.49	16.99	16.40	16.63	23.3	16.2	14.0	23.7	15.83	10.0	1.6	1.1
19	15.60	16.67	17.04	16.44	24.0	15.1	13.0	24.7	17.37	9.9	7.3	2.1	1.0
20	15.92	16.10	16.16	16.06	24.6	15.6	12.8	25.1	17.67	9.7	6.6	2.8	0.9
21	15.20	16.54	15.82	15.89	24.0	16.2	13.6	24.2	17.93	12.6	3.4	1.8
22	16.42	16.99	17.21	16.87	15.2	11.0	11.4	19.1	12.53	10.0	2.2	0.7	0.8
23	16.81	17.29	17.35	17.15	20.4	10.8	12.4	20.6	14.53	9.6	5.2	1.0	1.0
24	17.53	17.87	17.49	17.64	20.6	12.2	10.5	20.8	14.43	7.9	5.7	2.0	0.9
25	17.43	19.02	17.96	18.34	20.3	11.0	11.0	20.6	14.10	7.3	4.9	1.4	1.2
26	16.91	17.80	16.21	16.98	21.7	14.3	12.8	22.7	16.27	8.3	5.9	2.9	2.5
27	16.06	17.08	16.53	16.50	22.9	15.3	13.6	23.4	17.27	9.0	8.4	3.5	2.4
28	16.19	16.63	22.7	23.2	8.0	7.4
29	15.89	16.91	21.6	12.2	21.9	7.4	2.4
30	16.23	18.49	17.73	17.45	18.3	10.4	10.6	19.9	13.10	5.9	6.7	1.5	1.5
31	17.01	17.05	16.69	16.89	22.1	13.0	14.6	25.1	16.57	7.8	9.8	1.8	2.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio						
82	80	91	84	11.04	6.94	6.47	8.15	SO.	C.	C.	D.	D.	D.
86	89	94	80	8.99	8.33	7.40	8.26	C.	—	—	Np.	—	—
69	10.10	SO.	E.	—	—	Np.	N.
65	86	99	7.81	7.14	—	C.	—	D.	D.	D.
69	89	94	83	9.72	8.24	7.45	8.44	—	—	—	Np.	—	—
85	95	10.02	8.30	7.84	8.89	—	—	—	—	N.	N.
65	93	88	82	9.43	9.10	—	O.	—	N.	—	—
72	91	94	86	8.59	7.97	8.21	8.26	—	E.	—	Np.	D.	—
74	85	96	86	8.88	7.95	7.75	8.06	—	—	—	D.	—	—
93	97	93	94	8.02	7.91	8.09	8.02	—	C.	O.	N.	N.	—
65	93	93	84	7.59	6.18	6.09	6.15	SE.	—	—	Ll.	Ll.	Np.
62	91	97	83	5.61	6.94	6.51	6.93	C.	—	C.	Np.	D.	D.
49	79	91	7.55	8.14	7.53	—	E.	—	D.	—	—
88	86	100	78	6.69	9.59	7.79	8.16	SO.	C.	O.	—	—	Ni.
80	100	97	95	10.06	9.71	9.28	9.68	—	SO.	C.	G.	G.	G.
79	91	91	87	9.65	9.40	8.45	9.17	N.	—	—	N.	—	—
84	89	97	89	8.12	8.65	7.73	8.33	SO.	—	SO.	N.	—	—
61	93	97	84	7.61	7.41	7.25	7.42	—	C.	—	—	—	—
66	88	94	83	6.34	7.43	7.33	7.15	N.	SE.	—	Ll.	Ll.	Np.
33	89	93	78	7.35	8.02	7.16	7.51	SO.	C.	—	N.	D.	D.
35	94	96	82	6.69	7.41	6.22	6.77	—	—	—	Np.	D.	D.
73	100	7.61	8.57	7.22	7.80	—	—	—	Np.	D.	Ni.
47	84	9.86	7.40	—	—	—	D.	D.	D.
76	89	91	85	7.61	8.53	C.	—	—	N.	D.	Ll.
62	97	9.41	8.15	7.23	8.26	SO.	SO.	SE.	N.	D.	Ll.
60	91	94	82	6.76	6.14	C.	—	—	Np.	D.	D.
47	80	89	89	6.15	7.60	7.65	7.13	—	—	—	D.	—	N.
53	92	89	78	8.26	8.05	7.54	7.96	SO.	—	—	N.	—	Np.
.....	9.53	8.33	8.09	8.94	—	SO.	SO.	N.	—	Np.

DE 1873.

64	84	76	75	8.99	7.65	6.51	7.72	SO.	C.	—	Np.	Np.	N.
59	93	83	78	8.10	7.92	6.58	7.53	C.	SO.	—	—	N.	D.
69	75	87	77	7.53	6.07	6.11	6.58	SO.	E.	—	—	—	—
54	85	90	76	6.34	6.15	5.86	6.11	—	SO.	—	—	D.	—
72	80	85	78	9.59	6.61	6.36	7.53	—	C.	—	D.	—	—
32	84	88	75	7.59	7.77	7.47	—	—	—	—	—	—
33	80	91	71	7.79	8.32	8.15	8.93	—	—	—	Np.	—	Np.
35	81	9.49	8.82	—	—	—	N.	N.	N.
50	86	94	80	9.47	9.87	8.63	9.32	C.	E.	—	N.	Np.	Np.
66	85	85	79	10.59	8.88	8.92	9.56	SO.	C.	—	D.	Np.	N.
59	83	92	75	8.59	8.26	8.26	8.72	—	—	—	N.	Np.	N.
72	72	79	74	11.71	6.58	6.15	8.07	SO.	SO.	SE.	Np.	D.	N.
46	81	4.83	6.21	—	O.	—	D.	D.	D.
70	70	71	58	6.39	6.95	7.13	6.82	—	C.	—	—	—	—
74	86	63	63	7.85	9.99	8.45	8.43	—	E.	O.	—	—	Ni.
88	88	100	79	7.12	9.83	8.87	8.61	—	C.	C.	—	—	N.
.....	12.07	—	—	—	Np.	Np.	N.
.....	83	86	11.42	19.42	—	—	—	—	—	N.
.....	77	86	69	9.71	9.29	9.85	9.82	—	E.	—	D.	D.	D.
.....	70	89	69	11.32	9.32	9.88	10.17	—	SO.	—	D.	D.	Np.
.....	84	79	8.88	9.96	9.26	—	SO.	—	N.	—	Np.
.....	92	90	9.85	8.88	9.61	9.26	—	SO.	SO.	Np.	N.	Np.
.....	86	87	76	9.69	8.88	9.47	9.18	—	E.	—	D.	D.	N.
.....	76	88	71	9.16	8.88	8.88	8.54	—	C.	SO.	D.	D.	D.
.....	82	84	74	10.04	8.88	8.88	8.88	—	SE.	C.	Np.	—	N.
.....	83	71	69	9.75	7.74	7.65	7.95	—	C.	—	D.	—	Np.
.....	63	73	57	8.88	8.24	8.9	7.97	—	E.	—	—	Np.	D.
.....	71	8.43	—	C.	—	—	D.	N.
.....	81	66	6.16	7.65	7.75	7.18	—	—	—	—	—	D.
.....	79	74	69	1.73	8.21	9.25	7.61	—	—	—	D.	—	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTIGRADO.						PSICRÓMETRO.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Max.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	15.21	17.20	16.41	16.27	26.2	15.8	13.6	27.2	18.37	9.2	10.0	2.9	1.9
2	15.78	17.16	17.07	16.67	26.8	17.2	17.2	27.0	20.46	11.8	9.6	3.4	3.0
3	16.50	16.83	16.48	16.60	25.7	17.2	15.6	26.7	19.50	10.3	9.2	3.1	3.2
4	14.69	15.41	14.44	14.85	26.3	18.1	15.8	27.0	20.07	11.0	10.0	3.1	3.2
5	15.40	16.18	14.80	15.46	24.2	15.2	14.8	25.0	18.07	9.7	7.5	3.6	3.3
6	12.90	14.96	15.60	14.29	23.1	11.6	10.4	23.5	15.03	8.0	7.2	1.3	0.4
7	14.50	15.87	14.68	15.02	21.4	12.2	14.2	23.0	15.93	8.0	6.2	1.6	1.8
8	14.64	15.70	25.9	12.5	27.3	8.6	9.4	1.6
9	15.30	14.94	14.25	14.83	24.8	16.4	13.6	26.0	18.27	9.6	8.2	2.9
10	14.97	15.24	22.1	12.4	7.6	1.5
11	15.29	18.62	17.60	17.17	20.8	12.4	13.3	22.4	15.40	6.1	5.7	3.0	2.4
12	16.62	17.42	18.20	17.41	23.2	15.6	13.6	25.0	17.47	9.3	9.1	3.0	1.9
13	18.20	19.44	18.20	18.61	21.7	14.5	13.2	22.9	16.30	8.0	5.9	2.6	1.0
14	17.03	18.12	17.03	17.39	22.0	14.6	13.0	22.9	16.50	8.0	6.1	3.3	1.2
15	15.35	17.05	18.18	16.85	22.3	13.3	10.0	22.7	15.20	8.5	6.2	2.1	0.6
16	18.46	20.03	19.69	19.39	17.1	11.0	11.6	17.4	13.23	9.2	3.3	1.2	1.3
17	18.82	17.49	19.45	19.25	21.7	13.3	12.4	22.4	15.80	7.0	6.4	3.3	1.8
18	18.45	17.85	19.54	18.69	22.3	15.3	13.6	23.7	17.07	10.0	6.6	2.9	2.5
19	18.86	19.18	18.06	18.70	23.3	16.2	14.9	24.4	18.13	9.3	7.2	4.0	2.7
20	17.82	18.05	15.83	17.23	24.7	17.2	16.0	25.0	19.30	10.2	7.8	4.4	3.0
21	14.59	14.26	18.19	15.68	27.2	17.3	12.3	28.3	18.93	10.7	9.4	5.8	0.0
22	18.17	19.49	17.99	18.55	18.5	13.4	13.4	19.0	15.10	9.0	3.2	1.2	1.3
23	16.46	15.52	15.14	15.71	24.0	16.5	17.5	25.5	19.53	11.8	5.0	3.4
24	14.29	14.76	13.80	14.12	29.7	19.1	18.0	29.3	22.93	11.9	4.1	3.0
25	16.15	16.49	18.24	16.99	21.6	13.0	14.4	22.0	16.53	12.3	5.4	1.4	2.1
26	17.25	16.10	15.79	16.38	21.7	15.4	14.2	22.9	17.10	9.8	5.9	3.0	1.1
27	15.76	17.32	17.09	16.71	22.2	15.2	14.8	23.5	17.40	9.2	6.7	4.4	2.6
28	16.25	16.39	16.52	16.39	23.7	17.0	16.8	25.1	19.17	10.1	7.5	4.0	4.2
29	14.99	13.66	25.6	16.9	26.9	10.9	9.2	3.3
30	12.95	14.57	15.06	14.19	27.9	18.2	16.6	28.0	20.90	11.6	11.1	4.9

1	15.31	15.54	16.10	15.65	25.9	15.2	16.4	27.0	19.17	10.1	9.4	3.0	3.0
2	16.39	16.85	16.89	16.72	26.2	16.7	15.8	26.8	19.57	11.2	9.7	3.5	2.8
3	16.17	17.11	16.62	16.63	26.3	18.5	17.4	27.0	20.73	11.9	8.5	4.1	3.2
4	15.10	16.00	13.67	14.92	26.8	17.2	16.2	27.2	20.07	10.7	9.6	5.2	3.0
5	11.46	13.04	13.98	12.83	25.1	14.4	13.2	25.3	17.57	10.3	7.8	2.6	1.4
6	16.76	18.06	14.7	12.4	17.2	8.9	2.9	0.0
7	16.24	16.22	17.99	16.82	20.9	14.4	13.4	21.2	16.23	12.0	4.5	1.3	1.6
8	17.37	16.77	16.11	16.75	21.5	14.7	13.8	22.0	16.67	9.0	5.8	2.7	2.0
9	15.20	16.66	16.63	16.16	23.6	14.2	14.8	24.2	17.53	9.4	7.0	2.4	2.0
10	15.72	15.47	15.79	15.66	24.3	17.2	15.8	25.0	19.10	11.5	7.2	3.0	2.2
11	15.67	16.37	15.37	15.80	25.7	17.8	19.2	26.1	20.90	13.0	9.5	3.8	3.5
12	14.03	13.50	14.38	13.97	27.1	17.5	12.6	27.2	19.07	11.0	8.3	4.0	1.1
13	13.01	13.94	19.4	12.7	10.3	4.1	1.6
14	15.37	16.99	17.01	16.46	18.6	12.1	14.2	20.3	14.97	10.2	4.4	1.8	1.8
15	16.05	18.16	17.89	17.37	20.6	14.2	11.6	21.2	15.47	9.4	5.4	2.2	1.4
16	17.54	18.41	19.20	18.38	14.4	11.5	10.6	14.9	12.17	10.0	3.1	0.5	1.0
17	20.57	20.46	17.39	19.47	16.8	15.0	12.0	17.6	14.60	6.4	4.6	3.4	0.0
18	14.27	15.14	15.79	15.07	26.8	19.2	17.8	28.9	21.27	11.0	4.2	3.8
19	15.09	16.17	15.59	15.62	28.8	18.6	19.4	22.27	13.0	8.8	2.6	3.4
20	13.99	15.85	16.71	15.53	27.5	15.8	13.4	28.7	18.90	10.8	8.9	2.3	1.1
21	15.68	16.83	16.29	16.27	25.0	16.4	17.4	25.5	19.60	12.8	1.6	2.0
22	14.81	15.09	15.40	15.10	26.0	19.7	17.9	27.1	21.20	13.0	6.2	3.3	2.2
23	15.05	15.48	14.68	15.07	25.8	17.6	17.8	26.3	20.40	12.7	7.0	3.8	3.0
24	14.05	16.26	15.98	15.43	26.3	17.6	18.6	27.2	20.83	11.2	7.1	2.4	4.2
25	15.09	15.18	14.75	15.01	26.9	19.4	18.4	27.7	21.57	12.2	5.5	4.4	3.3
26	14.24	15.57	16.02	15.28	27.8	17.5	18.0	28.0	21.10	12.0	8.2	4.1
27	15.82	16.78	26.8	17.0	27.7	10.0	7.7	4.5
28	15.70	17.64	17.94	23.0	14.7	14.7	23.8	17.47	10.1	6.2	1.5	2.3
29	16.97	17.66	16.73	17.12	22.5	14.2	14.6	24.1	17.10	8.8	6.5	3.2	2.1
30	15.42	14.07	14.85	14.78	24.6	18.6	17.2	26.0	20.13	11.9	8.2	3.1	2.7
31	14.41	15.56	17.05	15.67	26.4	18.4	17.2	28.0	20.53	12.0	7.9	3.5	2.8

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio						
30	69	84	61	7.62	8.98	9.75	8.78	SO.	C.	C.	D.	D.	D.
33	66	70	56	8.71	9.66	10.24	9.55	SE.	—	C.	Np.	Np.	Np.
30	70	64	55	8.37	—	—	—	SO.	—	—	—	—	—
42	61	63	55	7.71	10.81	8.68	9.07	—	—	—	D.	—	—
48	84	95	74	9.59	8.03	7.89	8.59	—	NE.	—	—	Np.	—
42	80	80	69	9.03	8.56	8.92	8.84	—	C.	—	—	D.	—
32	80	—	—	9.08	8.56	9.65	9.10	—	SE.	—	—	—	—
38	70	—	—	8.25	8.74	—	—	SO.	SE.	—	Np.	—	—
...	...	82	...	9.07	9.75	—	—	SO.	SE.	—	Np.	—	D.
51	65	72	63	—	8.89	—	—	—	SE.	—	—	—	—
31	68	78	59	9.31	7.01	8.68	8.13	—	SO.	—	—	—	N.
50	71	88	70	6.46	9.05	9.13	8.22	—	C.	—	—	—	Np.
49	64	86	66	9.75	8.56	9.99	9.41	—	C.	E.	Np.	—	Np.
49	76	92	72	9.71	7.91	9.63	9.09	—	—	—	—	Np.	N.
67	84	81	78	9.84	8.66	8.45	8.98	—	—	—	—	Np.	N.
46	63	78	62	9.72	8.33	8.56	8.57	SE.	—	SO.	—	N.	N.
45	69	72	62	9.04	7.17	8.44	8.22	SE.	—	C.	D.	Np.	D.
43	59	71	58	9.24	8.38	8.35	8.32	—	C.	—	—	D.	—
40	56	69	55	9.23	8.17	8.66	8.71	—	—	—	—	D.	—
34	63	94	64	9.59	8.55	9.34	9.09	—	—	—	—	—	—
69	86	85	80	9.40	9.29	10.05	9.55	—	C.	—	N.	N.	G.
60	66	—	—	10.37	9.87	9.74	10.23	SO.	—	—	D.	D.	D.
...	62	71	...	13.28	9.17	—	—	—	—	—	—	D.	—
54	89	77	71	10.26	10.26	10.87	—	—	—	—	—	Np.	Np.
50	68	82	67	10.42	9.37	9.40	9.73	—	SO.	—	—	Np.	N.
45	58	72	57	9.75	8.92	9.91	9.53	—	—	SO.	—	D.	D.
42	61	58	54	9.02	6.99	9.62	8.34	—	E.	—	—	—	—
33	...	67	...	9.11	8.73	8.33	8.73	—	C.	—	—	—	—
26	54	8.28	—	9.58	—	—	—	—	—	—	—
...	7.49	8.40	—	—	—	—	—	—	—	—

DE 1873.

32	68	62	54	8.25	8.78	8.84	8.32	SO.	C.	C.	D.	D.	D.
31	66	71	56	8.07	9.18	9.46	8.90	—	—	—	—	—	—
39	61	68	56	9.95	9.74	10.12	9.94	—	E.	—	—	—	—
23	50	62	48	8.74	7.31	8.79	8.25	—	—	—	Np.	Np.	Np.
42	71	83	65	9.93	8.78	9.51	9.41	—	—	—	Np.	Np.	Np.
68	...	93	...	8.60	—	9.99	—	—	SE.	—	Ll.	Np.	Np.
60	85	81	75	11.15	10.45	9.38	10.33	—	—	—	Np.	Np.	Np.
56	71	77	66	9.73	8.32	9.14	9.23	—	SE.	—	D.	—	—
44	73	78	65	9.81	8.90	9.81	9.51	—	—	—	—	—	—
45	70	76	64	10.11	10.21	10.31	10.22	—	—	—	—	—	—
32	61	67	54	7.98	10.38	11.27	9.88	—	—	—	—	—	—
41	61	87	63	11.08	9.66	9.48	9.88	—	—	SO.	—	—	—
62	81	10.44	8.33	—	—	—	—	—	Np.	—	—
59	78	80	72	9.39	8.23	9.65	9.19	SE.	SE.	—	—	—	—
53	76	83	71	9.57	9.12	8.44	9.04	SO.	SO.	—	—	Np.	Np.
66	94	86	82	8.15	9.49	8.33	8.65	—	C.	E.	N.	N.	N.
54	63	93	70	7.84	8.16	9.71	8.56	—	—	SO.	Np.	D.	D.
...	61	63	10.14	9.66	—	—	C.	—	D.	—	—
41	75	72	63	11.99	11.95	12.67	12.06	—	—	—	—	—	—
38	76	88	67	10.51	10.17	10.13	10.27	—	—	—	—	—	—
...	83	76	67	...	11.58	11.24	—	—	—	—	Np.	—	—
53	69	78	67	13.45	11.88	11.92	12.41	—	—	—	D.	—	—
47	63	65	58	11.87	9.41	9.88	10.42	—	E.	—	—	—	—
48	76	60	61	12.22	11.49	9.67	11.16	—	—	—	Np.	—	—
59	69	67	62	15.59	10.62	10.50	12.04	SO.	—	—	D.	—	—
42	69	11.86	8.95	—	—	—	E.	SO.	—	—	—
45	56	11.73	8.08	—	—	—	—	—	—	Np.	Np.
43	83	73	68	10.47	10.41	9.08	10.96	—	O.	C.	Np.	Np.	Np.
45	63	72	62	9.57	7.86	8.88	8.77	SO.	—	SO.	D.	D.	—
58	67	72	59	8.88	19.79	10.58	19.07	O.	—	C.	—	—	—
43	69	72	59	11.62	9.75	19.53	19.74	—	E.	—	—	—	—

OBSEVACIONES METEOROLÓGICAS
OBSEVACIONES HORARIAS.
 ENERO DE 1873.

Dia 9.								Dia 19							
HORAS.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	
			Diferencia de los termóm.	Humedad relat	Fuerza elástica					Diferencia de los termóm.	Humedad relat	Fuerza elástica			
															o
0	16.32	25.5	3.3	74	18.11	C.	D.	17.51	24.0	3.1	75	16.83	C.	D.	
1	15.98	26.8	3.3	72	19.00	SO.	—	17.15	25.8	3.2	74	18.53	—	—	
2	15.77	26.9	3.8	71	18.80	—	—	16.87	26.4	3.2	73	19.17	—	—	
3	15.69	27.0	3.8	71	19.00	—	—	16.79	27.1	3.2	75	20.21	—	—	
4	15.55	26.1	3.8	70	17.89	—	—	16.59	26.8	2.8	78	20.45	—	—	
5	15.15	25.9	3.5	73	17.98	—	—	16.64	25.8	3.3	74	18.23	—	—	
6	15.60	24.0	3.0	75	16.65	—	—	16.87	23.6	2.3	81	17.44	—	—	
7	15.35	21.5	2.3	80	15.05	—	—	17.84	20.5	1.9	82	14.80	—	—	
8	16.17	20.5	2.1	81	14.07	SE.	—	17.66	18.8	3.7	65	10.61	S.	—	
9	16.38	19.1	1.9	82	13.53	—	—	17.81	17.8	1.6	84	12.65	—	—	
10	16.50	18.5	3.7	64	11.38	E.	—	18.14	17.1	1.5	84	12.27	SE.	—	
11	16.84	17.0	2.7	73	10.51	C.	—	17.90	17.4	2.0	80	11.80	E.	—	
12	16.06	15.6	1.1	89	11.80	—	—	17.90	16.8	1.6	83	11.89	C.	—	
13	15.96	15.2	0.8	91	12.06	—	—	17.53	14.3	0.6	93	11.22	—	—	
14	15.84	14.1	0.4	95	11.48	—	—	17.05	13.8	0.4	95	11.20	—	—	
15	15.72	14.0	0.5	94	11.35	—	—	17.03	12.9	0.2	98	10.90	—	—	
16	15.93	13.8	0.5	94	11.14	—	—	17.26	12.1	0.2	98	10.48	—	—	
17	16.17	13.5	0.5	94	11.07	—	—	17.46	11.8	0.1	99	10.29	—	—	
18	16.71	15.1	1.4	95	12.22	—	—	17.97	13.8	0.4	95	11.20	—	—	
19	17.13	19.0	1.6	84	13.80	—	—	18.33	16.1	0.7	92	12.67	—	—	
20	17.28	20.3	2.0	82	15.12	—	—	18.67	18.8	1.6	84	13.71	—	—	
21	17.24	23.0	2.3	81	16.75	—	—	19.00	21.0	1.9	83	15.40	—	—	
22	17.21	23.9	2.7	78	17.08	O.	—	19.08	22.5	2.4	79	16.14	—	—	
23	17.02	25.9	3.1	75	18.85	SO.	—	19.01	23.8	2.6	78	17.14	SO.	—	
Medios.	716.23	20.5	81	14.74	17.63	19.5	84	14.38	

ENERO DE 1873.

FEBRERO DE 1873.

Dia 29.								Dia 8.							
0	16.36	22.5	2.1	82	16.65	O.	D.	17.86	25.5	8.7	70	17.30	SO.	D.	
1	16.18	24.3	2.4	80	18.10	SO.	—	17.30	26.2	4.2	67	17.31	—	—	
2	15.92	24.6	2.0	79	18.18	—	—	16.56	26.9	4.1	68	18.19	—	—	
3	15.49	24.9	2.5	89	18.60	—	—	16.45	27.2	4.8	64	18.42	—	—	
4	15.11	24.9	2.5	80	18.48	—	—	16.87	26.9	4.8	64	16.82	—	—	
5	15.07	24.4	2.5	79	17.92	—	—	16.64	26.2	4.6	64	16.63	—	—	
6	15.27	22.8	2.2	81	16.59	—	—	16.75	24.0	3.4	72	17.24	—	—	
7	15.36	20.6	1.7	84	15.22	O.	—	16.08	21.2	2.0	82	15.56	—	—	
8	15.81	19.0	1.4	86	14.11	S.	Np.	17.46	19.9	2.2	79	13.80	S.	—	
9	15.89	18.0	2.2	78	12.19	D.	—	17.46	18.5	2.6	75	11.95	SE.	—	
10	15.62	17.8	1.1	90	13.32	SE.	—	17.33	17.7	1.6	84	12.74	C.	—	
11	15.65	16.4	0.6	98	13.05	C.	—	17.59	17.1	1.3	86	12.63	E.	—	
12	15.77	15.6	0.4	96	12.78	—	—	17.47	16.5	1.3	86	12.15	C.	—	
13	15.51	14.5	0.2	98	12.03	—	—	17.27	16.0	1.2	87	11.90	—	—	
14	15.52	14.5	0.4	95	11.66	O.	Np.	17.15	15.0	1.1	89	11.24	—	—	
15	15.47	14.0	0.2	98	11.60	—	—	17.86	14.4	1.5	85	11.53	—	—	
16	15.71	13.5	0.0	100	11.58	C.	Ni.	17.74	13.7	1.0	88	10.49	—	—	
17	16.14	12.9	0.0	100	11.16	—	—	17.88	12.9	1.9	89	9.98	—	—	
18	16.63	13.4	0.0	100	11.37	—	—	18.19	13.3	0.7	92	10.52	—	—	
19	16.87	14.0	0.0	100	11.73	—	—	18.49	15.5	2.6	73	9.58	—	—	
20	16.64	17.0	0.4	93	13.74	—	Np.	19.06	17.0	2.1	79	11.42	—	D.	
21	16.73	19.3	1.2	88	14.50	—	—	19.18	18.1	2.5	76	11.82	SO.	—	
22	16.64	20.9	1.6	85	15.70	—	—	19.12	19.6	1.7	84	14.01	—	—	
23	16.57	22.5	1.9	83	16.89	SO.	—	19.94	21.4	2.6	82	15.54	—	—	
Medios.	15.91	18.8	89	14.47	16.55	19.6	78	13.61	

FEBRERO DE 1873.

HORAS.	Día 18.						Día 28						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica.				Vientos.	Diferencia de los termómet.	Humedad relat.		Fuerza elástica.
	mm.	o	o				mm	o	o				
0	19 85	18.4	3.1	70	11.13	C.	17.56	18.5	3.1	70	11.13	SO.	D.
1	19 37	18.5	2.7	73	12.31	—	17.41	20.0	3.5	68	11.85	—	—
2	18 86	19.5	2.7	75	12.77	—	17.11	20.8	3.9	65	11.97	—	—
3	18 59	20.1	2.9	73	12.83	SO.	16.75	20.9	3.9	66	12.04	—	—
4	18 52	20.2	2.9	73	13.46	—	16.72	20.6	3.9	65	11.89	—	—
5	18 61	19.6	2.9	73	12.31	O.	16.87	19.8	3.6	67	11.52	SO.	—
6	19 09	18.3	2.8	72	11.25	—	16.87	17.0	2.8	72	10.37	—	—
7	19 50	15.6	2.1	77	10.21	E.	17.21	15.4	2.3	76	9.77	—	—
8	19 54	14.5	2.0	78	9.53	SO.	17.77	11.0	1.8	80	9.51	—	—
9	19 70	13.9	1.8	80	9.37	—	18.02	13.1	1.7	89	9.01	—	—
10	19 50	13.4	1.6	81	9.31	C.	17.91	12.6	1.3	85	9.15	—	—
11	19 44	12.5	1.3	85	9.15	—	17.72	12.1	1.6	80	8.56	—	—
12	19 41	12.1	1.1	87	9.13	—	17.66	9.9	0.4	95	8.69	—	—
13	19 26	11.2	1.0	86	8.86	—	17.34	8.8	0.4	94	6.51	—	—
14	19 15	9.8	0.3	96	8.81	—	17.21	7.8	0.5	96	7.61	—	—
15	19 19	8.6	0.1	93	8.41	—	17.01	7.3	0.4	94	7.25	—	—
16	19 29	8.5	0.2	97	8.20	—	16.98	6.9	0.4	94	7.06	—	—
17	19 43	8.1	0.0	100	8.12	—	17.15	6.5	0.4	94	6.86	—	—
18	19 64	8.0	0.0	100	8.02	—	17.32	6.8	0.5	93	6.99	—	—
19	19 85	11.4	1.0	86	8.80	—	17.68	9.9	0.2	89	8.09	—	—
20	19 96	14.8	2.2	76	9.54	—	17.89	13.1	2.1	75	8.44	—	—
21	19 85	16.5	2.5	74	10.59	—	17.68	14.9	2.6	72	9.02	—	—
22	20 11	17.8	2.7	73	11.06	O.	17.52	16.2	3.5	64	8.90	—	—
23	19 99	18.9	3.1	70	11.45	E.	17.10	18.5	3.6	66	10.51	—	—
Medios.	19.40	14.62	82	10.18	...	17.35	13.8	...	79	9.28

MARZO DE 1873.

HORAS.	Día 19.						Día 20.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica.				Vientos.	Diferencia de los termómet.	Humedad relat.		Fuerza elástica.
	mm.	o	o				mm	o	o				
0	16.43	23.8	6.0	53	11.69	C.	17.91	19.5	4.9	55	9.49	C.	N.
1	16 11	25.5	6.6	50	12.50	SO.	17.79	19.9	4.7	58	10.00	—	—
2	15 97	26.6	7.6	45	11.99	—	17.56	20.3	4.6	58	10.38	—	—
3	15 67	27.1	7.9	44	11.80	—	17.30	20.3	4.9	56	9.96	—	—
4	15 62	27.1	7.7	45	12.12	—	17.49	19.3	4.4	59	9.87	SO.	—
5	15 78	26.5	7.4	46	12.01	—	17.61	18.6	4.3	60	9.45	—	—
6	16 26	23.0	5.8	53	11.06	C.	17.64	17.1	3.2	68	9.96	C.	—
7	16 52	20.3	5.2	54	9.69	—	18.08	15.1	3.2	67	9.22	E.	—
8	16 74	19.5	5.0	25	9.35	—	18.35	15.6	2.8	70	9.32	—	Np.
9	16 69	17.6	4.5	57	8.57	—	18.42	15.0	2.5	73	9.29	—	—
10	16 59	17.0	4.0	61	8.73	—	18.61	12.9	1.5	82	9.17	C.	—
11	16 41	13.4	1.8	79	9.25	—	18.45	12.5	1.4	83	9.09	—	—
12	16 15	11.6	1.3	84	8.56	—	18.59	11.3	1.2	85	8.68	D.	—
13	15 91	11.8	1.5	82	8.44	—	18.46	10.3	1.6	86	8.33	—	—
14	15 64	11.6	1.6	86	8.26	—	18.43	10.0	1.0	86	8.09	—	—
15	15 44	11.1	1.7	79	8.97	—	18.33	9.0	0.6	92	7.86	SE.	—
16	15 50	10.9	1.8	77	7.79	—	18.32	8.5	0.2	89	7.64	—	—
17	15 59	10.5	1.6	80	7.79	—	18.24	8.3	0.3	89	7.41	C.	—
18	15 76	9.8	1.2	84	7.62	—	18.24	8.0	0.7	90	7.37	—	—
19	16 31	12.9	2.3	74	8.14	—	18.57	9.9	0.9	88	8.03	—	—
20	16 43	17.5	4.8	53	8.17	—	18.59	13.8	2.9	76	8.93	—	—
21	16 31	19.8	5.4	51	8.94	—	18.55	15.5	2.9	69	9.13	—	—
22	16 28	21.8	5.8	51	10.00	—	18.53	17.0	3.4	66	9.52	—	—
23	16 25	23.4	6.8	45	9.33	—	18.31	18.9	4.3	59	9.65	—	—
Medios.	16.09	18.5	62	9.59	...	18.19	14.4	71	9.05

HORAS.	Día 30							Día 9.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
	mm.	o	o				mm.	o	o					
0	700.4	11.1	0				709.4	13.0	0					
1	19.19	11.1	0				19.34	13.1	0					
2	18.73	11.1	0				18.61	12.1	0					
3	18.71	13.3	0				18.23	12.6	0					
4	18.30	17.3	0				17.12	17.7	0					
5	18.64	17.9	0				18.00	12.1	0					
6	17.80	17.5	0				18.78	12.5	0					
7	18.59	15.5	0				18.44	18.4	0					
8	18.74	13.3	0				18.47	17.8	0					
9	18.89	13.0	0				17.61	15.7	0					
10	19.11	12.4	0				18.74	15.6	0					
11	19.21	11.7	0				18.78	14.4	0					
12	18.28	9.6	0				18.94	12.7	0					
13	17.94	9.9	0				18.84	12.0	0					
14	17.76	8.8	0				19.19	12.8	0					
15	17.51	8.8	0				18.74	11.3	0					
16	17.52	7.1	0				18.74	9.7	0					
17	17.54	7.1	0				19.03	9.0	0					
18	17.72	5.4	0				19.08	8.2	0					
19	18.36	9.6	0				19.45	8.1	0					
20	18.32	11.6	0				20.13	11.7	0					
21	17.93	12.6	0				20.13	13.4	0					
22	17.91	15.2	0				20.32	15.0	0					
23	17.41	17.6	0				20.28	17.1	0					
Medios.	18.22	12.3					18.97	14.9						

ABRIL DE 1873

HORAS.	Día 19.							Día 29.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
	mm.	o	o				mm.	o	o					
0	20.52	15.8	0				17.67	18.0	0					
1	19.94	17.0	0				16.20	19.3	0					
2	19.35	17.5	0				15.61	20.8	0					
3	18.95	18.9	0				16.37	21.0	0					
4	18.81	19.4	0				17.15	20.7	0					
5	18.94	18.6	0				17.16	18.7	0					
6	19.04	14.8	0				18.24	16.5	0					
7	19.20	11.4	0				18.47	14.6	0					
8	19.03	10.0	0				18.47	13.4	0					
9	19.14	9.0	0				18.61	11.2	0					
10	18.90	8.6	0				18.63	10.4	0					
11	18.91	7.8	0				18.12	9.2	0					
12	18.83	7.3	0				18.04	8.8	0					
13	18.11	6.4	0				17.72	7.8	0					
14	17.55	5.6	0				17.68	7.3	0					
15	17.10	5.6	0				17.66	6.9	0					
16	16.66	5.0	0				17.64	6.4	0					
17	16.66	4.2	0				17.71	6.2	0					
18	16.35	3.7	0				17.29	5.7	0					
19	16.56	4.2	0				18.15	4.9	0					
20	16.87	4.1	0				18.66	9.5	0					
21	17.10	11.1	0				18.27	11.8	0					
22	17.31	14.4	0				18.98	14.2	0					
23	17.13	12.1	0				18.73	16.5	0					
Medios.	18.29	10.1					17.65	12.4						

MAYO DE 1873.

HORAS.	Día 9.						Día 19.							
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico
			Diferencia de los termómet.	Humeda i relat.	Fuerza elástica					Diferencia de los termómet.	Humeda i relat.	Fuerza elástica		
	mm. 700+	o	o				mm. 707+	o	o					
0	20 03	19.1	C.	Np.	20 31	16.2	D.
1	19 54	20 1	SO.	D.	20 07	17 4	—
2	19 32	21 2	19 91	15 0	—
3	19 24	21 2	20 05	15 7	—
4	19 38	20 8	19 90	15 1	Np.
5	19 37	19 0	19 93	16 3	—
6	19 74	16 5	C.	20 36	14 6	—
7	19 89	14 7	20 80	13 8	D.
8	20 04	12 4	20 81	11 6	E.	C.
9	20 22	13 3	21 65	9 0	SO.	C.
10	20 29	11 2	21 53	9 2	—
11	20 63	11 3	21 82	8 2	—
12	20 74	11 1	21 37	7 0	E.	—
13	20 56	9 8	21 38	7 8	—
14	20 30	10 2	21 40	6 8	—
15	20 06	9 3	21 68	6 5	—
16	19 99	8 6	21 67	6 2	—
17	19 91	8 0	21 69	6 0	—
18	20 07	7 3	21 63	5 7	—
19	20 40	7 3	E.	21 61	6 0	—
20	20 38	8 4	SO.	Np.	21 96	8 8	SE.	C.
21	20 30	12 7	22 07	11 5	Np.
22	20 29	14 9	Nialo	22 29	13 0	SO.	—
23	20 43	15 9	22 25	13 6	D.
Medios	20 05	16.3	21 17	11.2

MAYO DE 1873.

JUNIO DE 1873.

	Día 29.						Día 8.							
	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humeda i relat.	Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humeda i relat.	Fuerza elástica	Vientos.	Estado atmosférico
0	19.75	10.5	SO.	Np.	22 54	8.2	SO.	Np.
1	19 69	10 8	C.	D.	22 58	9 1	—
2	19 25	12 3	22 44	9 0	—
3	19 24	13 7	22 69	8 3	—
4	19 50	14 1	22 92	7 4	—
5	19 54	12 3	23 23	6 7	N.
6	19 99	10 8	23 21	5 4	—
7	19 99	9 6	23 60	6 0	SE.	—
8	20 38	8 6	21 13	6 0	SO.	—
9	20 87	7 7	21 23	5 9	—
10	20 74	7 0	21 45	5 7	—
11	19 61	6 6	21 29	6 0	C.	—
12	20 33	6 0	21 04	4 6	—
13	19 81	6 7	23 74	3 8	—
14	19 78	5 8	N.	23 74	3 5	—
15	19 78	5 4	23 71	3 6	—
16	19 85	5 8	23 61	3 5	—
17	20 00	6 3	23 53	3 4	—
18	20 40	5 5	O.	23 51	3 4	—
19	20 91	6 0	C.	23 76	2 4	Np.
20	21 54	7 0	23 62	3 4	L.
21	21 12	8 5	Np.	23 61	5 0	—
22	21 01	10 4	SO.	23 53	4 0	—
23	20 89	12 0	23 39	7 3	Np.
Medios	20 17	8.73	23 32	5.6

JUNIO DE 1873.

HORAS.	Día 18.						Día 28.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica				Vientos.	Diferencia de los termómet.	Humedad relat.		Fuerza elástica
	mm. 700+	o	o				mm. 700+	o	o				
0	18.53	6.9	C.	N.	13.22	14.0	3.0	67	7.98	C.	Np.
1	18.11	7.2	—	—	12.79	15.7	4.5	54	7.21	—	—
2	17.78	7.8	—	—	12.19	16.4	4.9	51	7.18	—	—
3	17.40	8.0	—	—	11.82	15.9	2.9	70	9.40	—	—
4	17.32	7.9	—	—	11.80	12.2	0.7	92	9.72	SO.	—
5	17.09	7.5	—	—	11.76	10.6	0.9	88	8.45	—	—
6	16.58	6.2	—	N. ni.	12.36	8.2	1.2	97	7.90	—	—
7	16.29	5.4	—	N.	12.48	7.8	0.0	100	7.89	O.	N.
8	16.15	5.0	—	—	13.46	7.8	0.2	97	7.47	—	—
9	15.78	4.4	—	—	14.31	7.8	0.4	94	7.45	—	—
10	15.46	3.8	—	Np.	15.18	8.2	0.5	93	7.54	E.	—
11	15.15	3.9	—	D. Ni	16.92	8.1	0.4	94	7.40	NE.	G.
12	14.86	3.8	—	Ni.	15.69	7.8	0.3	96	7.56	NE.	Np.
13	14.12	3.7	—	—	15.72	7.5	0.6	91	7.13	—	—
14	14.36	4.5	—	—	15.21	7.7	0.7	90	7.07	C.	—
15	15.07	4.5	—	—	15.17	7.4	0.8	88	6.82	E.	—
16	15.15	6.0	—	—	15.09	6.2	0.4	94	6.69	—	—
17	15.17	5.0	NE.	N.	14.82	7.4	1.0	85	6.60	—	—
18	15.58	6.5	NE.	—	15.42	7.1	0.8	88	6.67	SO.	N.
19	16.95	9.8	N.	—	15.17	7.6	0.6	91	7.13	SE.	—
20	16.95	9.6	—	—	16.71	7.8	0.4	94	7.45	—	Llov.
21	17.65	9.5	—	—	17.29	8.3	0.0	100	8.17	NO.	—
22	18.13	9.2	—	—	17.88	10.4	1.2	84	7.97	—	—
23	19.28	9.9	NO.	—	17.75	12.3	2.1	75	8.02	N.	N.
Medios.	16.45	6.5	14.60	9.7	86	7.63

JULIO DE 1873.

HORAS.	Día 8.						Día 18.							
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.		
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica				Vientos.	Diferencia de los termómet.	Humedad relat.		Fuerza elástica	Vientos.
	mm. 700+	o	o				mm. 700+	o	o					
0	21.69	6.2	1.5	77	5.2	C.	Np.	18.92	7.5	0.3	96	7.41	C.	Ni.
1	21.41	6.7	1.5	78	5.74	—	Np.	18.30	7.6	0.5	93	7.24	SO.	—
2	21.37	7.2	1.8	74	5.66	—	—	17.81	8.7	0.7	91	7.60	—	Np.
3	20.58	7.8	1.7	76	6.03	—	D.	16.79	9.8	1.3	83	7.53	—	—
4	20.46	7.8	1.7	73	5.92	—	—	16.34	10.2	1.4	81	7.65	C.	—
5	20.67	7.6	1.5	78	5.89	—	—	16.46	10.1	1.4	81	7.59	—	—
6	21.36	6.2	1.1	84	5.76	C.	Np.	16.28	8.6	1.8	89	7.41	—	—
7	21.21	5.7	0.9	86	5.17	—	D.	16.18	7.8	0.6	91	7.23	—	N.
8	21.32	4.2	0.4	93	5.45	—	—	15.95	7.4	0.6	91	7.04	E.	—
9	20.72	3.2	0.4	93	5.22	—	—	15.73	6.7	0.5	93	6.80	—	—
10	20.65	3.5	0.3	95	5.56	—	—	15.66	6.3	0.4	94	6.74	C.	—
11	20.27	2.8	0.5	91	5.12	E.	—	15.69	6.0	0.3	96	6.70	—	—
12	20.42	2.8	0.5	91	5.12	—	—	15.30	6.0	0.3	96	6.70	—	—
13	20.28	2.8	0.5	91	5.12	C.	—	14.96	6.0	0.3	96	6.70	—	—
14	20.06	1.0	0.2	96	4.72	—	—	14.68	5.2	0.2	97	6.41	—	—
15	19.95	0.8	0.2	96	4.66	—	Np.	14.54	5.2	0.1	99	6.52	—	—
16	19.85	0.8	0.2	96	4.66	—	—	14.30	4.5	0.2	97	6.10	—	—
17	20.24	-0.7	0.1	98	4.42	O.	—	14.42	4.4	0.2	97	6.06	—	—
18	20.08	0.0	0.2	96	4.42	C.	—	14.59	5.1	0.1	99	6.47	—	—
19	20.37	-1.2	0.1	98	4.31	E.	Np.	15.17	4.4	0.0	100	6.26	—	—
20	20.60	2.1	0.1	98	5.24	C.	—	15.41	5.6	0.2	97	6.61	—	—
21	20.79	4.3	0.1	99	6.04	—	—	15.69	6.7	0.3	96	7.02	—	—
22	20.72	6.0	1.2	91	5.70	—	—	16.14	6.6	0.2	97	7.08	—	—
23	21.59	6.6	1.1	85	6.15	—	—	16.28	8.0	0.5	93	7.44	—	—
Medios.	20.66	3.9	...	89	5.35	...	—	15.89	6.9	...	93	6.93

JULIO DE 1873.

AGOSTO DE 1873.

HORAS.	Día 28.						Día 7.							
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.		
			Diferencia de los termómet.	Humedad relat	Fuerza elástica				Diferencia de los termómet	Humedad relat	Fuerza elástica			
													Vientos.	Vientos.
	mm.	o	o			mm.	o	o						
	700+					700+								
0	14.71	13.3	3.3	63	7.17	C.	N.	19.91	9.0	1.3	82	7.06	C.	Np.
1	14.37	15.0	4.5	53	6.75	SO.	—	19.62	9.6	1.6	79	7.05	D.	—
2	14.42	15.2	4.6	52	6.73	—	—	19.35	10.3	2.2	72	6.87	—	—
3	14.77	13.7	3.0	66	7.83	—	—	19.22	11.1	2.6	68	6.75	—	—
4	15.39	12.3	2.4	71	7.67	—	—	19.24	11.6	2.5	70	7.13	—	—
5	15.89	10.7	1.9	75	7.35	—	—	19.45	11.2	2.5	69	6.93	SO.	—
6	15.19	9.5	0.9	88	7.78	E.	—	19.76	9.2	1.8	76	6.77	—	—
7	15.27	8.2	0.5	93	7.54	SO.	—	19.86	8.1	0.8	89	7.16	—	—
8	15.2	7.7	0.2	97	7.62	E.	—	19.86	7.7	1.0	85	6.75	C.	—
9	15.65	7.7	0.3	96	7.51	SO.	—	20.16	6.0	0.4	94	6.59	—	—
10	15.32	7.3	0.3	96	7.31	E.	—	20.35	5.4	0.4	91	6.29	—	—
11	16.17	7.6	0.6	91	7.13	—	—	20.46	5.0	0.4	93	6.10	—	—
12	15.95	7.3	0.4	94	7.21	C.	—	20.56	4.5	0.3	95	6.00	E.	—
13	15.76	7.0	0.3	96	7.17	—	—	20.48	3.9	0.2	97	5.85	C.	—
14	15.00	6.8	0.2	97	7.18	SE.	—	20.44	2.8	0.2	96	5.42	—	—
15	14.73	6.7	0.2	97	7.13	—	—	20.70	2.8	0.2	96	5.42	E.	—
16	14.66	6.8	0.2	97	7.18	—	—	20.71	2.4	0.4	96	5.18	—	—
17	15.01	6.7	0.3	96	7.02	O.	LI.	21.26	2.0	0.2	96	5.14	—	—
18	15.88	6.8	0.2	97	7.18	—	—	21.60	1.6	0.3	95	4.88	—	—
19	16.17	7.4	0.6	91	7.04	C.	N.	21.97	0.9	0.1	98	4.77	—	—
20	16.32	8.1	1.0	86	6.94	—	LI.	22.25	3.0	0.3	95	5.40	C.	—
21	17.09	8.4	0.8	89	7.31	—	SO.	22.56	5.4	0.7	89	5.96	—	—
22	17.09	8.8	0.8	89	7.54	C.	—	22.45	7.9	1.3	82	6.52	—	Np.
23	17.34	9.0	0.7	91	7.73	—	N.	22.20	8.7	1.3	82	6.91	—	—
Medios.	15.58	9.1	...	86	7.29	20.60	6.3	87	6.20

AGOSTO DE 1873.

	Día 17.						Día 27.							
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Estado atmosférico.		
			Diferencia de los termómet.	Humedad relat	Fuerza elástica				Diferencia de los termómet	Humedad relat	Fuerza elástica			
													Vientos.	Vientos.
	mm.	o	o			mm.	o	o						
	700+					700+								
0	18.11	11.0	1.3	83	8.21	C.	N.	15.90	16.1	2.3	76	10.41	SO.	N.
1	17.92	11.3	1.4	82	8.27	—	—	15.75	16.2	2.3	76	10.49	—	—
2	17.93	11.4	1.8	77	7.85	—	—	15.74	15.2	1.7	81	10.53	—	—
3	17.74	11.7	1.9	76	7.91	—	—	15.94	14.3	1.9	79	9.59	—	—
4	17.73	11.7	2.0	75	7.79	—	—	15.93	14.2	1.5	83	10.04	—	—
5	17.71	11.4	2.0	75	7.61	—	—	16.40	13.6	1.4	84	9.75	—	—
6	17.66	10.4	1.2	84	7.97	—	—	16.69	13.2	1.2	86	9.73	C.	Np.
7	17.75	9.8	0.8	89	8.09	—	—	16.93	12.4	1.0	87	9.47	—	—
8	18.30	9.4	0.6	92	8.06	—	—	17.17	11.5	0.7	92	9.22	—	D.
9	18.26	8.8	0.4	94	7.98	—	—	17.28	10.9	0.5	94	9.10	—	Np.
10	18.02	8.7	0.4	94	7.93	—	—	17.03	9.8	0.2	97	8.81	—	D.
11	18.04	8.3	0.5	93	7.59	—	—	16.49	9.6	0.3	96	8.57	—	—
12	18.04	8.5	0.6	91	7.58	—	N.	16.86	9.8	0.4	95	8.57	E.	N.
13	18.05	8.5	0.8	89	7.36	—	—	15.98	9.8	0.2	97	8.81	C.	—
14	17.97	7.4	0.7	90	7.42	—	Np.	15.84	9.8	0.2	97	8.81	—	—
15	17.61	6.9	0.6	91	6.79	—	—	15.53	9.6	0.1	99	8.81	—	—
16	17.49	6.5	0.4	94	6.81	—	—	15.32	9.4	0.2	97	8.57	—	—
17	17.18	6.9	0.5	93	6.90	—	—	15.48	9.1	0.2	97	8.35	—	Np.
18	17.32	6.1	0.3	96	6.75	—	—	16.41	8.8	0.0	100	8.42	E.	NiNi.
19	17.86	5.4	0.4	94	6.29	—	N.	16.69	9.4	0.4	95	8.33	C.	N.
20	18.40	7.1	0.6	91	6.89	—	—	16.66	10.0	0.2	97	8.93	—	—
21	18.94	8.8	0.7	91	7.65	—	—	16.61	11.8	0.6	93	9.57	—	—
22	19.59	10.0	1.5	80	7.41	O.	—	16.54	13.0	0.9	89	9.98	—	—
23	19.84	10.6	1.6	80	7.61	C.	—	16.08	14.4	1.4	84	10.31	—	Np.
Medios.	18.06	9.0	...	87	7.53	16.25	11.7	90	9.30

HORAS.	Día 6.							Día 16.							
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica			
0	16.97	16.2	0	3.3	76	10.49	C.	N.	16.08	11.6	0.5	94	9.56	SO.	Ni.
1	16.76	17.3	3.4	3.3	67	9.92			15.90	12.9	0.7	92	10.17		
2	16.10	17.1	3.1	6.9	64	10.62	SO.	Np.	15.96	13.3	1.0	83	9.06		
3	16.00	17.6	3.3	7.1	61	9.13			15.92	13.2	1.1	88	9.86		
4	15.97	16.0	3.6	6.9	69	9.83			15.80	12.6	1.0	87	9.61		
5	16.36	15.7	2.4	7.3	9.92				16.06	12.1	0.9	89	9.39		
6	16.69	13.2	1.2	8.6	9.73			Np.	16.06	11.6	0.6	93	9.43		
7	17.18	12.0	1.0	8.7	9.15				16.06	11.6	0.6	93	9.43		
8	17.49	11.9	1.2	8.5	8.86		C.		16.19	11.3	0.3	96	9.61		
9	17.59	11.8	1.0	8.6	9.04			N.	16.42	11.0	0.1	99	9.65		G.
10	17.47	10.6	0.6	9.3	8.80				16.46	10.9	0.0	100	9.71		
11	17.16	10.2	0.5	9.4	8.69				16.44	10.8	0.0	100	9.65	SE.	
12	17.69	10.0	0.4	9.5	8.69				16.34	10.7	0.0	100	9.59	SO.	
13	17.47	9.6	0.4	9.5	8.45				16.36	10.5	0.0	100	9.47		
14	17.45	9.0	0.4	9.4	8.08		O.		16.37	10.4	0.0	100	9.41		
15	17.26	8.9	0.3	9.6	8.14		C.		16.00	10.5	0.0	100	9.47		
16	17.03	8.6	0.3	9.6	7.99				16.03	10.6	0.0	100	9.53		
17	17.38	8.6	0.3	9.6	7.99				16.11	10.7	0.1	99	9.47	E.	
18	17.42	8.0	0.0	100	8.02				16.38	10.6	0.0	100	9.53	C.	
19	17.56	8.3	0.3	9.6	7.84				16.24	10.6	0.2	97	9.28		
20	17.99	9.0	0.1	8.9	7.75				16.45	10.8	0.2	97	9.40	E.	
21	18.23	9.8	0.8	8.9	8.05				16.60	11.2	0.4	95	9.40	C.	
22	18.63	10.3	0.2	9.7	8.10				16.60	11.6	0.6	93	9.43		N.
23	19.20	11.0	0.4	9.5	8.28				17.17	12.8	1.2	86	9.49		
Medios.	17.24	11.7	...	8.7	8.88	16.25	11.4	...	95	9.59

SETIEMBRE DE 1873.

OCTUBRE DE 1873.

	Día 26.							Día 6.						
	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humedad relat.	Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humedad relat.	Fuerza elástica	Vientos.	Estado atmosférico.
0	16.96	17.1	SO.	Np.	16.08	15.2	4.4	53	6.99	SO.	D
1	16.73	16.9	3.4	66	9.45			18.97	16.1	4.6	53	7.36		
2	16.59	14.8	2.3	76	9.47		N.	18.78	17.1	5.0	52	7.50		
3	16.48	14.9	2.4	74	9.35			18.75	18.1	6.3	41	6.54		
4	16.48	14.6	2.0	78	9.67			18.43	18.4	6.1	44	6.97		
5	16.71	14.3	2.2	76	9.19			18.41	17.8	5.6	17	7.20		
6	16.62	13.6	2.2	75	8.74			18.56	15.2	3.8	60	7.77		
7	17.06	11.6	1.2	85	8.68			18.35	13.0	3.0	63	7.35		
8	17.12	11.0	1.2	84	8.33			19.11	12.4	2.6	69	7.49		
9	17.25	10.0	0.8	89	8.21			19.23	11.7	2.0	73	7.79		
10	17.32	9.9	0.8	89	8.15			19.20	10.6	1.2	81	7.77		C.
11	17.39	9.8	0.8	89	8.03			18.90	9.8	1.2	84	7.65		
12	17.42	9.4	0.7	89	7.81			18.82	7.8	0.6	91	7.23		
13	17.68	9.1	0.5	93	7.80		G.	18.52	7.8	0.7	90	7.12		
14	18.14	8.9	0.5	93	7.92			18.14	7.2	0.6	91	6.94		
15	18.48	8.6	0.6	92	7.66		SE.	18.85	7.1	0.5	93	7.00		
16	18.72	8.1	0.6	93	7.49			18.34	6.7	0.6	91	6.69		
17	19.13	7.9	0.5	93	7.39			18.23	6.0	0.6	91	6.37		
18	19.50	7.8	0.5	93	7.23			18.18	5.6	0.6	91	6.17		
19	19.58	7.7	0.6	91	7.23			18.71	8.9	0.9	82	7.48		E.
20	20.34	8.2	0.9	88	7.48			18.82	11.4	1.8	77	7.85		
21	21.41	8.2	1.0	86	7.39		C.	18.63	12.6	2.0	76	8.32		
22	22.56	8.2	1.0	84	7.43			18.53	14.2	2.9	68	8.39		
23	22.99	8.3	1.2	84	7.35			18.43	16.2	3.6	62	8.70		Np.
Medios.	18.27	10.8	...	81	8.13	18.67	11.9	...	72	7.30

OCTUBRE DE 1873.

HORAS.	Día 13.							Día 23.						
	Barómetro reducida 6	PSICRÓMETRO.						Estado atmosférico.	Barómetro reducida 6	PSICRÓMETRO.				Estado atmosférico.
		Temper. seco centígrado	Temper. de los termómetros	Humedad relativa	Fuerza elástica	Vientos.	Diferencia de los termómetros			Humedad relativa	Fuerza elástica	Vientos.		
	mm. 760.4	o	o					mm. 760.4	o	o				
0	16.22	13.1	3.5	07	11.05	SO	D.	17.64	13.7	3.0	63	10.82	C.	D.
1	16.22	13.6	3.5	1	10.88	—	—	17.15	13.3	3.6	59	10.73	—	—
2	15.84	12.2	5.9	5	11.66	—	—	16.94	12.7	5.9	59	9.73	SO.	—
3	15.32	13.3	5.9	3	11.27	—	—	16.25	12.5	7.1	43	8.79	—	—
4	15.37	12.2	3.3	5	11.49	—	—	16.02	12.2	6.8	41	9.04	—	—
5	15.49	11.3	4.7	5	11.12	—	—	17.02	11.2	7.3	38	7.36	—	—
6	15.66	11.3	2.6	3	11.42	—	—	16.68	10.2	6.3	44	7.69	—	—
7	15.79	16.4	1.9	9	11.13	—	—	16.26	16.6	1.3	57	8.06	N. lij.	—
8	15.63	15.4	1.9	8	10.75	—	—	17.47	15.8	4.6	53	7.15	SE.	—
9	15.84	14.1	1.3	8	10.33	—	—	19.55	15.2	4.4	53	6.99	—	—
10	15.85	13.0	1.0	8	9.85	C.	—	17.80	14.3	2.9	54	8.32	C.	—
11	16.02	11.8	0.8	6	9.34	—	—	17.56	13.0	2.3	71	8.20	—	—
12	16.06	10.6	0.6	9	8.86	—	—	17.05	12.4	2.0	75	8.20	—	—
13	15.75	9.9	0.3	5	8.45	—	—	16.68	11.2	1.4	82	8.24	—	—
14	15.63	9.2	0.5	3	8.8	—	—	16.24	10.8	1.4	82	7.97	—	—
15	15.57	8.8	0.2	3	7.82	SO.	—	15.86	16.0	1.0	86	7.77	—	—
16	16.06	8.6	0.3	3	7.88	—	—	16.04	9.6	1.1	86	7.61	—	—
17	15.57	8.5	0.3	3	7.94	—	—	15.44	9.0	0.9	88	7.53	—	—
18	16.87	8.2	0.2	3	7.92	C.	N. Np.	15.28	9.2	0.7	91	7.85	—	—
19	17.06	9.5	0.0	0	8.87	—	—	16.24	12.2	2.5	71	7.84	N. lij.	—
20	15.95	12.9	0.7	9	10.17	—	—	16.26	14.4	2.6	71	8.78	D.	—
21	17.16	13.7	1.0	8	11.65	—	—	15.15	16.5	1.1	59	8.25	—	—
22	17.12	17.4	1.2	8	11.52	SO.	—	16.32	17.8	3.2	59	9.03	—	—
23	17.57	17.8	1.9	8	12.26	—	—	16.38	19.3	5.7	48	8.12	SO.	N. lij.
Medios.	16.15	14.8	...	81	10.62	16.78	15.7	...	61	8.34	...	—

NOVIEMBRE 1873

HORAS.	Día 5.							Día 15.						
	Barómetro reducida 6	PSICRÓMETRO.						Estado atmosférico.	Barómetro reducida 6	PSICRÓMETRO.				Estado atmosférico.
		Temper. seco centígrado	Temper. de los termómetros	Humedad relativa	Fuerza elástica	Vientos.	Diferencia de los termómetros			Humedad relativa	Fuerza elástica	Vientos.		
	mm. 760.4	o	o					mm. 760.4	o	o				
0	15.40	22.9	6.1	4	9.65	SO.	D.	15.88	21.1	5.3	54	10.11	SO.	Np.
1	15.52	23.8	7.1	4	9.84	—	—	15.72	21.7	5.6	53	10.21	—	—
2	15.40	24.2	7.5	4	9.59	—	—	15.55	22.3	6.2	49	9.84	—	—
3	15.10	24.8	7.8	4	9.65	—	—	15.58	22.4	5.9	51	10.12	—	N.
4	14.97	24.0	7.6	4	9.26	—	—	15.50	20.9	5.2	54	10.09	—	—
5	15.08	23.5	7.2	4	9.23	—	—	15.25	19.3	4.4	59	9.86	—	—
6	15.25	20.8	5.8	5	9.17	—	—	15.25	18.2	4.2	60	9.55	—	—
7	15.73	18.0	5.6	3	8.43	—	—	15.73	16.2	3.2	67	9.22	—	—
8	16.15	16.3	4.3	3	7.63	—	—	16.24	14.6	2.6	72	8.88	—	Np.
9	16.37	15.3	4.0	3	7.58	—	—	16.36	13.4	2.3	75	8.47	E.	—
10	16.18	15.2	3.6	6	8.65	C.	—	17.03	13.3	2.1	76	8.66	—	—
11	16.26	13.2	2.4	4	8.26	—	—	17.06	11.4	1.3	81	8.44	SO.	—
12	15.44	12.8	2.0	5	8.44	—	—	17.11	10.0	0.9	88	8.09	S.	—
13	15.09	11.7	1.5	2	8.2	E.	—	17.15	9.1	0.4	94	8.13	—	—
14	14.86	10.4	0.8	3	8.45	C.	—	17.17	9.1	0.4	94	8.13	—	Ni.
15	14.64	10.4	1.6	3	8.24	—	—	17.19	9.1	0.4	94	8.13	SO.	—
16	14.58	10.0	0.8	3	8.24	—	—	17.24	9.3	0.4	94	8.23	—	—
17	14.59	10.0	1.6	3	8.24	—	—	17.54	9.2	0.4	94	8.23	—	—
18	14.51	10.9	0.3	3	8.32	—	—	17.88	9.4	0.4	95	8.33	SO.	—
19	14.89	11.8	0.3	3	8.32	—	—	18.18	10.0	0.6	92	8.45	C.	—
20	14.65	16.2	3.3	6	8.13	—	—	18.55	10.1	0.7	91	8.39	—	—
21	14.36	18.4	4.3	6	8.54	—	—	18.86	11.3	0.7	91	8.51	—	—
22	14.17	19.7	4.3	6	8.46	—	—	19.18	11.8	1.2	85	8.86	—	N.
23	13.74	20.0	4.3	6	8.46	—	—	19.16	12.6	1.3	82	8.96	SO.	—
Medios.	15.20	17.2	...	77	8.50	16.50	14.4	...	75	8.50	...	—

HORAS.	Día 25.							Día 5.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
	mm. 700+	o	o				mm. 700+	o	o					
0	16.17	20.6	4.9	56	10.34	SO.	12.55	23.4	7.3	43	9.17	SO.	Np.	
1	16.21	21.3	5.3	55	10.30	—	12.07	24.1	7.4	42	9.65	—	—	
2	16.15	21.6	5.4	54	10.42	—	11.46	25.1	7.8	42	9.93	—	—	
3	15.77	21.4	5.5	52	10.07	—	11.13	25.0	7.6	43	10.14	—	—	
4	15.48	21.0	5.2	54	10.17	—	10.80	24.0	7.4	42	9.56	—	—	
5	15.52	20.2	4.6	58	10.38	—	10.91	22.4	6.6	45	9.32	—	—	
6	15.63	18.7	4.0	62	10.04	—	11.12	20.6	5.6	51	9.29	—	—	
7	16.01	16.0	2.9	70	9.47	—	11.81	17.2	4.3	55	8.09	—	—	
8	16.28	14.6	2.0	78	9.67	E.	12.48	15.6	3.6	62	8.28	—	—	
9	16.39	14.2	2.0	78	9.39	SO.	13.08	15.4	3.4	64	8.40	—	—	
10	16.40	13.0	1.4	83	9.37	—	13.04	14.4	2.6	71	8.78	E.	—	
11	16.36	12.4	1.1	87	9.34	—	13.01	14.7	2.3	76	9.34	E.	—	
12	16.20	13.0	1.4	83	9.37	E.	12.81	14.4	2.4	74	9.00	E.	—	
13	16.01	12.4	1.1	87	9.34	SO.	12.27	12.0	1.2	85	8.92	C.	D.	
14	15.78	12.6	1.2	86	9.35	—	12.08	11.0	0.6	93	9.01	—	Np.	
15	16.27	13.0	1.4	83	9.37	—	12.22	11.0	0.7	92	8.92	—	Np.	
16	17.10	13.0	1.4	83	9.37	SO.	12.91	10.8	0.9	88	8.57	SO.	Np.	
17	17.50	13.8	1.6	80	9.37	E.	12.92	11.5	1.0	86	8.86	C.	N.	
18	17.89	14.0	1.8	82	9.77	C.	13.47	12.8	1.2	86	9.49	—	—	
19	18.34	14.4	2.1	77	9.49	SO.	13.43	13.2	1.4	83	9.51	—	—	
20	18.91	15.6	3.2	66	8.80	—	14.99	14.0	1.8	80	9.51	—	—	
21	18.50	16.5	3.2	75	10.53	C.	15.19	16.4	3.9	70	9.75	NE.	—	
22	18.47	18.0	3.2	72	11.17	SO.	15.38	16.3	3.3	67	9.16	—	—	
23	18.05	18.9	3.3	68	11.17	—	15.59	15.8	3.4	64	8.68	—	—	
Medios.	16.73	16.3	...	72	9.83	...	12.80	16.7	...	67	9.14	

DICIEMBRE DE 1873.

	Día 15.							Día 25.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
	mm. 700+	o	o				mm. 700+	o	o					
0	16.16	20.0	SO.	15.60	25.3	6.8	48	11.70	SO.	D.	
1	16.22	20.9	5.7	51	9.39	—	15.31	26.3	7.1	48	12.28	—	—	
2	16.05	20.6	5.4	53	9.57	—	15.09	26.9	5.5	59	15.59	—	—	
3	16.03	19.6	4.8	56	9.63	N.	14.80	27.2	7.8	44	11.96	—	Np.	
4	16.12	19.1	4.7	57	9.37	—	14.51	27.0	7.8	44	11.76	—	—	
5	16.49	17.8	4.2	59	9.03	—	14.27	26.7	7.7	45	11.63	—	—	
6	16.72	17.2	3.9	62	9.00	—	14.08	26.0	7.4	45	11.43	—	—	
7	17.23	16.5	3.9	60	8.51	E.	14.61	23.4	5.8	53	11.42	—	D.	
8	17.86	16.2	2.9	70	9.61	C.	14.84	21.3	5.8	50	9.57	—	—	
9	17.91	16.0	3.2	66	9.98	E.	15.09	19.6	5.4	51	8.78	—	—	
10	18.16	14.2	2.2	76	9.12	SO.	15.18	19.4	4.4	60	10.62	—	—	
11	18.47	10.8	0.8	90	8.68	—	14.73	18.4	3.0	71	11.19	—	—	
12	18.23	11.8	1.2	85	8.80	SE.	14.41	17.5	3.5	66	9.60	E.	—	
13	17.81	11.6	1.2	85	8.63	E.	14.00	15.6	2.6	73	9.58	C.	—	
14	17.36	11.3	1.1	86	8.62	—	13.97	14.8	2.0	78	9.81	—	—	
15	17.30	11.0	1.0	86	8.56	SO.	13.79	14.2	1.7	81	9.78	E.	—	
16	17.13	10.6	1.0	86	8.33	—	14.01	13.2	1.2	86	9.73	—	—	
17	17.17	10.0	0.6	92	8.45	—	14.18	13.9	1.3	85	10.09	—	—	
18	18.02	10.5	1.0	86	8.27	C.	14.38	15.3	1.7	81	10.61	—	—	
19	18.89	11.6	1.4	83	8.44	E.	14.75	18.4	3.5	67	10.50	—	C.	
20	17.85	13.6	2.4	73	8.48	—	14.76	20.4	4.8	57	10.26	—	—	
21	17.55	15.0	2.7	71	9.03	C.	14.55	21.8	4.8	59	11.49	—	—	
22	17.28	15.6	3.2	66	8.80	SO.	14.30	23.4	5.6	54	11.72	—	—	
23	17.32	15.4	3.4	64	8.40	—	13.66	25.0	6.0	54	12.67	—	—	
Medios.	17.26	14.9	...	72	8.86	...	14.54	20.9	...	61	10.95	

OBSERVACIONES METEOROLÓGICAS,
1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
	700+	700+	700+	700+									
1	17.30	18.14	17.41	17.62	23.8	15.3	14.2	25.0	17.77	10.0	5.6	3.2	1.6
2	16.32	16.99	16.01	16.44	23.2	14.6	15.6	24.2	17.80	10.5	4.6	2.6	2.4
3	15.19	14.98	15.04	25.5	17.6	26.6	21.55	12.0	4.6	2.6
4	15.63	16.27	16.82	16.64	27.6	18.5	18.8	28.1	21.67	12.3	3.7	1.9	3.2
5	16.43	17.39	16.91	27.7	19.1	29.1	23.40	11.5	3.0	2.3
6	16.20	17.69	15.88	16.53	27.0	17.8	17.4	27.6	20.73	12.6	2.1	1.4	2.2
7	13.81	14.65	15.11	14.32	27.8	20.2	18.4	28.8	22.13	12.0	2.4	1.4	3.1
8	14.40	16.86	16.56	15.94	28.2	18.7	17.3	28.5	21.40	12.8	6.1	2.7	3.0
9	14.81	15.96	14.56	15.12	27.6	20.1	18.4	28.5	22.03	12.4	3.1	3.6
10	13.24	14.03	13.41	13.56	28.8	21.7	15.8	29.1	22.10	11.7	9.0	3.8	1.9
11	13.90	15.06	14.72	14.54	26.6	15.9	12.0	26.8	18.17	9.9	7.3	2.1	0.4
12	13.95	15.60	14.83	14.79	25.3	15.9	15.2	26.7	18.80	10.0	6.3	2.0	1.6
13	12.62	13.80	13.19	13.19	27.0	19.0	18.4	27.6	21.47	12.6	7.5	2.8	2.2
14	12.55	15.40	16.65	14.87	27.7	16.8	13.1	28.0	19.20	11.9	6.9	1.6	0.3
15	16.90	17.78	17.34	22.0	16.0	22.6	19.00	11.4	4.1	1.2
16	16.71	17.04	15.97	16.57	25.8	18.6	18.8	26.8	21.07	13.0	1.2	1.5	1.7
17	14.82	15.78	15.30	28.4	19.2	28.9	23.80	12.0	2.7	1.7
18	14.74	17.03	17.73	16.50	28.1	16.6	14.8	28.2	19.83	10.9	8.7	1.6	0.4
19	16.96	17.10	17.87	17.31	24.7	16.2	15.4	25.0	18.77	12.7	2.6	1.6	1.0
20	17.71	16.56	17.14	23.6	17.2	20.40	11.1	2.4	1.4
21	15.49	15.13	13.66	14.76	26.8	19.0	18.0	21.27	12.0	3.6	1.8	1.6
22	11.94	13.36	14.32	13.21	28.4	17.7	19.2	28.8	21.83	12.2	4.0	2.9	1.8
23	14.45	15.70	15.94	15.36	24.6	15.6	13.0	24.9	17.73	10.8	2.5	1.6	0.0
24	16.34	16.65	18.15	17.05	24.6	16.8	14.2	25.0	18.53	11.8	4.0	1.4	0.4
25	16.64	15.94	16.97	16.52	24.7	16.4	13.7	25.9	18.27	11.9	4.7	1.8	0.5
26	16.08	15.46	17.66	16.40	23.0	17.0	14.4	24.0	18.13	12.2	3.2	2.2	1.0
27	17.20	18.27	18.92	18.13	24.1	15.4	15.8	24.8	18.43	11.6	1.3	1.1
28	17.78	17.54	17.78	17.70	25.0	17.2	14.2	25.2	18.80	12.7	3.0	1.5	0.0
29	17.06	17.73	18.22	17.67	23.7	16.5	16.0	24.4	18.73	12.8	1.3	0.8	0.5
30	19.15	19.52	19.22	19.30	21.2	15.8	15.3	21.9	17.43	11.7	1.6	1.0	0.8
31	17.54	18.91	18.21	18.22	25.6	15.3	15.7	26.4	18.87	10.9	1.6	0.8	0.9

FEBRERO

1	17.35	19.27	18.71	18.46	27.2	16.6	15.4	27.4	19.73	10.7	4.0	1.7	1.2
2	18.21	19.92	19.58	19.24	25.8	16.2	15.4	26.1	19.13	10.4	0.9
3	17.75	17.88	17.26	17.63	26.0	18.5	18.0	26.5	20.83	12.0	5.5	2.2	2.2
4	17.42	17.85	17.64	17.8	15.4	26.7	10.0	0.8
5	16.08	17.43	17.00	16.84	25.8	17.8	12.8	27.0	18.80	10.9	3.3	1.7	0.0
6	16.72	18.36	18.89	17.99	24.0	14.6	14.0	17.53	11.0	3.1	1.1	0.8
7	16.58	16.18	16.36	23.8	16.5	20.10	10.9	4.6	1.2
8	14.15	15.45	15.86	15.15	26.4	17.2	14.0	27.4	19.20	10.3	4.1	2.0	1.0
9	14.73	16.25	15.68	15.55	23.5	14.8	12.4	24.3	16.90	9.2	3.5	1.0	0.3
10	15.26	16.22	16.52	16.06	23.9	15.1	13.1	24.3	17.37	9.6	4.0	0.4
11	16.44	17.60	17.12	17.05	25.6	15.2	15.2	26.0	18.67	11.0	3.8	0.4
12	16.28	15.81	16.15	16.08	26.6	16.4	15.8	26.6	19.60	11.1	2.8	0.6	0.4
13	16.04	15.37	15.37	15.59	26.6	16.7	16.5	26.3	19.93	11.8	3.5	0.5	0.5
14	15.64	16.28	14.65	15.51	26.5	16.8	16.6	26.7	19.97	12.6	3.0	0.4	0.6
15	13.02	14.56	15.21	14.26	29.2	17.5	13.2	29.4	19.97	11.4	4.0	1.1	0.0
16	14.47	14.56	14.59	14.49	24.0	14.6	12.8	24.6	17.13	11.3	3.1	0.4	0.0
17	14.25	14.17	14.22	14.21	22.1	16.1	15.2	22.7	17.80	11.6	1.6	0.5	0.3
18	14.12	15.19	15.21	14.84	23.7	15.6	14.6	24.4	17.97	12.9	1.6	0.3	0.1
19	15.64	15.25	14.75	15.21	22.9	14.8	13.2	23.3	16.97	9.4	1.7	0.8	0.3
20	14.67	14.77	15.64	15.03	24.0	14.7	13.8	23.1	17.17	9.6	2.1	0.6	0.4
21	14.95	16.00	16.89	15.95	23.3	15.8	14.1	24.6	17.73	10.0	2.3	0.9	0.5
22	15.71	15.64	15.57	15.64	24.1	15.6	16.2	24.8	18.63	11.1	2.4	0.6	0.7
23	13.95	14.35	15.76	14.69	27.0	17.6	15.5	27.7	20.03	12.4	3.5	0.8	0.5
24	15.86	16.68	17.93	16.82	24.2	15.0	13.0	24.6	17.40	10.2	2.1	0.4	0.2
25	17.15	16.59	17.62	17.12	24.7	16.8	16.8	25.1	19.43	12.8	0.8
26	16.27	16.94	18.72	17.31	27.3	19.7	17.1	28.3	21.37	12.8	4.0	1.3	1.3
27	17.26	17.43	17.26	17.32	27.2	17.7	15.9	27.9	20.37	11.5	3.7	1.0
28	15.87	15.83	17.04	16.23	25.8	17.0	13.8	26.3	18.87	11.1	4.0	1.4	0.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio						
55	66	82	68	12.13	8.59	9.91	19.21	SO.	C.	C.	D.	D.	D.
62	72	75	70	13.13	8.88	9.86	10.62	—	SE.	—	—	—	—
64	...	74	69	15.56	11.12	13.31	—	—	—	—	—	—
72	82	69	74	19.77	13.00	14.25	14.67	—	E.	—	—	—	—
77	78	...	78	21.28	12.81	17.06	—	C.	—	—	—	—
84	86	78	83	22.11	13.04	11.53	15.56	—	E.	—	—	—	—
81	87	70	79	22.64	15.29	11.06	16.33	—	SO.	—	—	—	—
57	74	70	67	16.02	11.89	10.32	12.74	—	C.	—	—	—	—
...	72	66	69	12.53	10.35	11.44	—	—	—	—	—	—
40	67	80	62	11.66	12.94	10.68	11.76	—	—	—	—	—	—
46	78	95	73	12.18	10.48	9.95	10.87	—	O.	E.	—	—	Ni.
52	79	83	71	12.49	10.62	10.61	11.25	—	C.	SO.	—	—	D.
46	73	78	66	12.27	12.01	12.37	12.22	—	E.	C.	—	—	—
51	83	97	77	14.03	11.90	10.84	12.26	—	—	—	Np.	Np.	Ni.
65	...	87	76	12.76	11.81	12.29	—	C.	—	D.	D.	D.
90	85	84	86	22.26	13.60	13.47	16.44	—	E.	C.	—	—	—
80	84	22.88	13.85	18.37	—	—	—	—	—	—
40	83	95	73	11.43	11.73	11.98	11.71	—	C.	—	Np.	—	Np.
78	83	89	83	17.02	11.41	11.62	13.35	—	E.	SO.	—	—	N.
80	...	86	83	17.25	12.51	14.88	—	...	C.	—	—	D.
72	83	84	80	18.93	13.51	12.91	15.12	—	SE.	—	D.	—	—
70	72	83	75	20.25	10.93	13.70	14.96	—	C.	SO.	—	—	—
80	83	100	88	18.24	10.94	11.16	13.45	—	O.	C.	—	—	N.
68	85	95	83	15.60	12.18	11.51	13.19	—	SO.	SO.	—	—	—
62	81	94	79	14.51	11.28	11.01	12.27	—	C.	—	—	—	—
73	78	89	80	15.22	11.20	10.86	12.43	—	E.	—	—	—	Np.
...	86	88	87	11.20	11.79	11.50	—	SO.	—	—	—	—
76	84	100	87	17.81	12.37	12.07	14.08	—	E.	C.	Np.	—	N.
89	92	95	92	19.35	12.80	12.82	14.99	—	C.	SO.	—	—	Np.
86	89	91	89	15.99	11.93	11.82	13.25	—	—	—	—	—	D.
87	91	90	89	21.20	11.82	11.99	15.00	—	SO.	C.	—	Np.	—

DE 1874.

69	82	87	79	18.68	11.59	11.31	13.94	SO.	C.	SO.	Np.	D.	D.
...	...	90	11.76	—	—	—	D.	—	—
58	78	78	71	14.57	12.46	12.02	13.02	—	E.	SO.	—	—	—
...	...	91	11.89	—	C.	C.	—	Np.	—
74	83	100	86	18.24	12.59	11.02	13.95	SO.	—	SO.	Np.	—	Ni.
74	88	91	84	16.48	10.87	10.83	12.75	—	E.	—	D.	D.	Np.
62	...	87	75	13.74	12.22	12.98	—	—	—	—	—	Np.
68	80	89	79	17.51	11.65	10.56	13.24	—	E.	C.	—	—	D.
71	89	97	86	15.24	11.15	10.35	12.25	—	—	SO.	Np.	Np.	Np.
67	...	95	81	14.84	11.07	12.36	—	C.	C.	—	D.	D.
70	...	96	83	17.09	12.59	14.63	—	E.	SO.	D.	—	D.
78	94	96	89	20.19	13.00	12.79	15.33	—	C.	C.	—	Np.	—
73	95	95	88	18.86	13.41	13.23	15.17	—	—	—	—	—	—
76	96	94	89	19.69	13.59	13.17	15.49	—	E.	—	—	—	—
71	89	100	87	21.36	13.22	11.31	15.49	—	C.	SO.	—	—	Ni.
74	95	100	90	16.48	11.82	11.02	13.11	—	SO.	—	—	—	—
86	95	97	93	16.96	12.90	12.44	14.10	—	C.	C.	Np.	—	D.
86	97	99	93	18.79	12.77	12.25	11.69	—	SO.	—	D.	—	N.
85	91	97	91	17.68	11.42	10.91	13.34	—	E.	SO.	—	—	D.
82	93	95	90	17.10	11.62	11.22	13.31	—	—	C.	Np.	—	D.
81	90	94	83	17.08	12.07	11.39	13.48	—	C.	—	—	—	—
80	93	92	88	17.83	12.33	12.69	14.28	—	—	—	—	—	—
73	92	95	87	17.88	13.75	12.40	15.18	—	—	—	—	—	—
83	96	98	92	18.49	12.14	10.90	13.84	—	—	—	—	—	Np.
...	...	92	13.05	—	E.	—	Np.	N.	D.
69	87	87	81	18.81	14.96	12.57	15.45	—	C.	—	—	Np.	D.
72	...	89	81	19.26	12.61	15.64	—	—	—	D.	—	—
...	...	85	...	16.97	12.35	10.68	13.33	—	—	—	—	—	—

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	16.09	18.18	17.97	17.41	25.1	16.1	12.8	25.6	18.00	12.0	4.6	1.1
2	17.87	19.55	18.96	17.79	21.0	15.3	14.4	22.2	16.93	9.8	1.6	1.1	1.0
3	16.07	15.04	14.11	15.07	24.6	14.8	15.0	25.8	18.13	9.4	2.8	1.0	1.2
4	12.75	13.84	14.99	13.86	25.6	14.0	10.6	25.9	16.73	8.0	4.4	1.0	0.6
5	15.35	16.08	16.98	16.14	16.7	12.2	12.8	18.5	13.90	10.9	1.3	0.7	0.4
6	17.20	18.88	18.92	18.33	19.6	12.5	11.6	20.0	14.57	7.7	2.2	0.4	0.4
7	17.06	17.02	16.84	16.97	21.8	14.4	12.8	23.3	16.33	9.0	3.3	0.8	0.1
8	15.33	15.50	16.71	15.85	27.8	18.2	14.2	28.3	20.07	9.9	4.8	1.5
9	15.97	15.67	15.25	15.63	26.3	15.2	11.8	26.6	18.80	10.1	3.0	0.6	0.8
10	13.90	14.03	14.36	14.10	26.8	15.0	14.8	27.5	18.87	10.2	2.7	0.8	0.4
11	13.72	14.68	12.88	13.76	27.1	16.2	13.0	27.4	18.77	10.0	3.9
12	14.65	15.81	16.17	15.54	29.3	13.6	10.8	21.5	14.90	7.0	1.3	0.9	0.6
13	15.82	16.00	16.97	16.26	23.4	13.6	10.2	23.9	15.73	7.9	1.6	0.0
14	17.28	18.00	16.82	16.37	21.4	14.7	13.0	22.7	16.37	8.9	1.2	1.5	0.6
15	15.73	17.40	17.48	16.87	24.9	16.5	12.2	25.0	17.87	9.0	1.4	0.6	0.6
16	16.62	18.38	16.58	17.19	23.2	15.4	12.6	23.6	17.07	10.1	0.9	0.4	0.0
17	14.39	15.73	18.55	16.22	23.8	14.4	24.1	19.10	9.2	1.8	1.1
18	18.09	17.70	17.70	17.83	15.7	14.2	9.8	16.6	12.23	8.0
19	17.45	18.88	18.34	18.22	19.8	13.3	10.2	20.3	14.43	6.8	1.1	1.1	0.0
20	16.01	15.70	16.26	15.95	23.3	15.0	11.5	24.1	16.00	8.2	1.7	1.0	0.3
21	15.86	16.97	16.13	16.32	24.3	15.0	10.7	24.9	16.67	8.4	1.7	0.8	0.2
22	15.59	16.56	18.23	16.79	24.8	14.8	11.4	25.3	17.00	8.0	1.8	0.6	0.4
23	18.50	20.44	19.77	19.57	22.3	12.1	9.4	23.3	14.60	7.7	1.6	0.5	0.0
24	18.39	19.72	19.21	19.19	22.6	13.0	10.6	22.4	15.63	7.9	3.2	0.7	0.2
25	17.54	16.56	15.35	16.48	23.0	15.1	10.3	24.0	16.13	8.0	2.7	1.4	0.2
26	15.18	17.19	18.78	16.72	21.0	10.3	8.0	21.3	13.16	6.4	2.4	0.4	0.0
27	18.62	17.81	16.40	17.61	16.8	13.2	7.5	17.1	12.50	5.2	1.8	0.7	0.0
28	14.72	17.09	18.13	16.63	26.8	11.9	8.8	24.6	13.83	6.8	2.9	0.3	0.0
29	17.37	17.56	16.89	17.24	21.6	13.2	9.3	21.5	14.67	8.1	1.5	0.5	0.0
30	15.16	16.37	16.95	16.16	18.1	14.3	9.2	18.7	12.87	6.6	0.5	0.3	0.0
31	15.06	14.49	13.89	14.44	21.9	12.6	9.7	23.2	14.73	7.0	1.3	0.4	0.2

ABRIL

1	12.86	16.56	14.71	24.8	9.8	25.9	17.30	7.8	4.7	1.3
2	15.98	17.36	16.67	21.2	12.7	8.8	21.7	14.29	7.2	1.2	0.5
3	16.27	17.36	17.19	16.94	21.2	12.1	7.7	21.7	13.73	5.9	1.6	0.3	0.1
4	15.99	17.11	17.94	16.73	22.6	11.9	7.8	23.4	14.10	6.4	2.4	0.4	0.0
5	16.09	16.75	16.42	24.1	12.5	26.0	18.06	7.5	3.2	0.8
6	14.97	15.80	16.13	15.63	27.8	14.3	8.2	28.1	13.77	8.1	2.2	0.2	0.0
7	15.91	16.39	18.52	16.94	22.8	12.5	10.0	23.3	15.16	8.0	0.7	0.5	0.0
8	18.24	16.10	14.48	16.23	16.3	10.6	7.8	18.6	11.57	6.0	0.9	0.0	0.0
9	14.85	15.42	15.58	15.28	21.3	12.3	7.0	23.2	13.77	6.8	1.2	0.8	0.0
10	15.25	17.03	18.68	16.95	16.1	11.6	12.0	17.0	13.23	6.8	0.9
11	18.70	19.86	19.28	15.8	8.8	17.0	12.30	7.7	0.6
12	18.56	17.56	17.17	17.76	21.1	12.6	7.8	22.4	14.05	7.6	1.7	0.6	0.0
13	16.57	18.02	17.72	17.44	21.1	12.0	8.4	25.0	14.97	7.1	0.7	0.5	0.4
14	17.22	19.35	18.68	18.42	21.2	12.3	8.6	22.0	14.23	7.2	2.9	0.4	0.0
15	16.78	16.45	15.67	16.32	22.6	13.8	8.3	22.2	14.70	8.1	0.9	0.2	0.0
16	14.89	16.37	16.86	16.04	21.5	12.2	6.1	21.6	13.53	6.1	0.7	0.2	0.0
17	16.52	18.12	17.21	17.28	20.1	10.2	7.0	21.6	12.57	6.4	1.0	0.0	0.0
18	16.59	16.22	16.41	23.2	8.8	24.0	16.00	7.0	2.1	0.2
19	17.04	16.95	18.33	17.46	18.2	9.8	9.6	18.9	12.33	5.9	1.0	0.2	0.0
20	17.73	16.80	17.37	17.30	11.3	10.2	9.9	12.6	10.87	8.9	0.1	0.0	0.0
21	17.33	18.19	19.89	18.44	15.2	11.0	9.6	16.0	11.73	7.6	0.4	0.0	0.0
22	18.73	19.91	19.81	19.48	18.7	10.4	6.4	19.4	11.83	5.8	1.5	0.2	0.0
23	18.23	18.62	17.32	18.00	21.3	11.2	7.2	22.3	13.23	6.0	3.1	0.7	0.5
24	15.80	17.23	17.22	16.77	23.0	11.2	7.6	23.4	13.93	6.4	2.8	0.2	0.0
25	17.45	18.36	18.26	18.02	18.4	9.8	5.8	18.7	11.33	4.3	0.3	0.2	0.0
26	17.12	17.00	18.69	17.60	18.3	10.4	9.0	19.7	12.77	7.1	0.3	0.2	0.0
27	18.25	18.64	18.45	11.3	7.2	12.7	9.25	5.4	0.0	0.0
28	17.44	18.16	18.75	18.13	14.4	11.6	8.3	14.9	11.23	7.6	0.1	0.5	0.0
29	17.86	19.29	19.89	19.01	18.2	8.8	5.0	19.2	10.87	4.2	0.5	0.6	0.0
30	19.47	20.86	20.40	20.24	16.7	11.2	6.6	17.5	11.30	5.5	1.6	0.7	0.5

DE 1874

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	19 h.	19 h.	Medio						
63	88	...	76	15 12	12 03	13 58	SO.	E.	C.	D.	Np.	N.
85	88	89	87	15 75	11 40	10 85	12 68	—	—	—	Np.	D.	D.
77	89	87	84	17 70	11 15	11 05	13 23	—	C.	—	D.	—	—
65	89	100	85	16 02	10 56	9 54	12 05	—	E.	E.	—	Np.	N.
86	92	95	91	12 24	9 70	10 49	10 81	—	E.	C.	—	—	—
79	95	95	90	13 45	10 28	9 68	11 13	—	C.	E.	Np.	D.	D.
71	91	93	85	13 85	11 12	10 23	11 75	—	—	C.	D.	—	—
65	96	...	76	17 93	13 24	15 56	—	—	—	—	—	—
76	93	91	87	19 56	12 01	11 42	14 33	—	—	—	—	—	—
79	91	95	88	20 66	11 58	11 28	14 73	—	—	—	—	—	—
72	21 33	—	—	—	—	—	N.
88	90	100	93	15 55	10 41	9 67	11 88	—	—	—	Np.	—	D.
86	88	100	93	18 41	9 29	13 77	—	—	—	D.	—	—
89	88	100	94	16 87	16 49	11 16	12 81	—	—	—	Np.	—	—
88	94	100	94	20 67	13 09	10 60	14 73	—	E.	—	—	—	Np.
92	96	100	96	19 48	12 56	10 85	14 27	—	—	SO.	—	—	D.
85	88	...	87	18 53	10 72	14 64	—	O.	SO.	—	Np.	N.
82	—	E.	SO.	—	—	—
85	87	100	92	15 54	9 33	9 29	11 53	—	C.	C.	Np.	D.	D.
85	89	96	90	18 15	11 30	9 74	13 05	—	—	—	D.	—	—
84	91	97	91	19 23	11 58	9 33	13 43	—	—	—	—	—	—
85	93	95	91	13 78	11 70	9 55	13 68	—	—	—	—	—	—
86	92	100	93	17 18	9 81	8 81	11 95	—	—	—	—	—	Ni.
72	94	97	87	11 18	10 24	8 92	11 11	—	C.	—	—	—	D.
85	95	95	83	16 06	10 81	8 28	11 96	—	—	—	—	—	—
78	85	100	94	14 48	9 17	8 02	10 53	—	SE.	—	Np.	Np.	N. Ni.
81	92	100	94	11 60	10 33	7 76	9 92	—	C.	E.	N.	N.	Ni.
74	93	100	90	13 43	10 01	8 46	10 65	SO.	C.	—	D.	D.	Np.
86	94	100	93	15 95	10 65	9 65	11 88	—	—	—	Np.	—	D.
95	93	100	97	14 68	9 61	8 39	10 39	—	O.	—	D.	—	D.
8	97	97	13	—	C.	—	—	—	—

DE 1871.

63	...	83	73	14 62	7 71	11 57	—	—	—	D.	D.	D.
84	94	...	92	16 65	10 23	12 47	—	C.	—	—	Np.	—
86	96	98	93	16 29	10 15	7 75	11 37	—	—	—	—	D.	—
79	95	100	91	16 11	9 38	7 33	11 34	—	—	—	Np.	—	—
69	90	...	86	16 05	9 77	12 31	—	N.	—	—	—	—
83	95	100	93	22 48	11 05	8 43	14 06	—	C.	—	Np.	—	Np.
93	94	100	95	13 37	10 13	9 18	12 85	—	—	—	—	N. Ni.	—
91	100	100	97	12 96	9 15	7 31	10 62	—	C.	—	D.	—	N.
89	90	100	93	17 43	9 74	7 49	11 55	—	—	—	D.	—	Ni.
90	12 32	SO.	E.	—	N.	—	Np.
85	93	100	93	16 37	10 69	8 36	11 45	—	—	—	Np.	Np.	Np.
94	94	94	94	21 45	9 82	7 78	13 05	—	E.	—	D.	D.	D.
74	95	100	99	14 37	10 24	8 37	10 58	—	C.	—	—	—	—
92	98	100	97	18 06	11 47	8 15	12 38	—	—	—	—	—	—
93	98	100	97	17 81	10 37	11 85	—	—	E.	—	—	Np.
84	100	100	97	15 84	9 23	8 39	10 81	—	—	C.	Np.	—	D.
82	97	97	94	17 33	8 23	12 78	—	—	—	—	—	—
90	97	100	16	14 64	8 89	8 23	10 49	—	C.	E.	—	—	Ni.
98	100	100	99	10 66	9 26	9 3	9 75	—	C.	—	N.	N.	N. Ni.
96	100	100	99	12 3	9 73	8 57	10 52	—	SE.	—	Np.	—	D.
85	97	100	94	13 78	9 17	7 29	10 02	—	—	C.	D.	D.	—
73	93	95	87	13 66	9 07	7 19	9 39	—	C.	—	—	—	Np.
75	97	100	94	14 81	9 67	7 84	10 74	—	Np.	—	—	—	Np.
97	97	100	98	15 27	8 86	6 99	10 33	—	—	—	N.	—	Np.
97	97	100	98	15 79	9 47	8 57	11 55	—	—	—	—	N. Ni.	—
3	100	...	100	9 93	7 69	8 88	—	C.	—	—	N.	N.
92	94	100	98	12 65	9 18	8 41	9 82	—	O.	—	—	—	—
100	100	100	98	15 35	8 46	6 55	10 41	—	—	—	Np.	D.	Np.
92	11 81	9 54	7 36	9 2	—	SO.	—	N.	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	Dif. de los termómetros.		
	mm.	mm.	mm.	mm.							2 h.	10 h.	19 h.
1	700+	700+	700+	700+	0	0	0	0	0	0	0	0	0
2	19.73	19.11	17.41	18.76	16.6	8.4	4.0	17.3	9.67	3.2	2.1	0.4	0.6
3	16 06	17 08	17 98	17 04	18 1	7 3	4 0	19 1	9 80	2 9
4	18 10	18 61	17 90	18 20	17 5	7 1	4 4	18 4	9 67	1 9	2 3	0 2	0 0
5	17 39	18 82	20 53	18 91	18 7	10 7	8 0	19 5	12 47	5 0	0 9	1 4	0 1
6	18 52	18 75	17 13	18 13	19 4	10 6	8 4	20 2	12 80	7 5	0 7	0 2	0 2
7	16 48	17 19	18 44	17 37	22 6	10 8	7 8	22 2	13 53	7 2	0 5	0 2	0 0
8	19 36	20 16	18 74	19 42	14 8	9 1	4 4	15 8	9 93	4 6	0 0	0 1	0 0
9	16 67	17 97	17 32	20 5	5 4	21 0	12 93	4 9	0 7
10	16 95	18 40	17 68	18 2	10 0	18 7	14 10	6 0	0 3	0 2
11	19 35	19 82	20 93	20 03	13 6	4 9	3 6	16 6	7 17	1 5	0 4	0 0	0 6
12	18 44	17 63	15 41	17 16	14 2	7 2	0 6	16 1	7 33	0 0	0 4	0 6	0 2
13	12 56	14 97	16 48	15 64	19 5	6 5	1 7	20 1	9 23	1 2	4 7	0 1	0 7
14	17 66	17 27	17 57	17 50	13 6	7 4	5 0	14 3	8 67	2 3	2 9	0 5	0 2
15	16 89	18 04	18 55	17 83	15 4	7 8	3 3	16 4	8 86	3 1	3 4	0 4	0 6
16	17 60	19 01	19 64	18 75	14 3	6 2	3 2	14 7	7 90	1 5	2 3	0 2	0 2
17	18 40	19 08	18 81	18 76	13 8	7 2	2 2	15 3	7 73	1 9	2 2	0 2	0 2
18	18 98	19 52	18 48	18 99	15 7	4 8	1 8	16 3	7 43	0 6	3 6	0 4	0 4
19	16 82	16 70	15 32	16 28	14 0	7 7	7 8	14 2	9 83	6 9	3 6	0 8	0 6
20	14 10	12 67	13 39	9 6	8 0	10 2	8 80	6 5	1 4	1 0
21	13 12	14 66	18 64	15 47	11 1	9 0	7 6	11 6	9 23	7 2	0 6	9 8
22	20 93	21 01	19 49	20 48	11 4	6 8	6 2	12 4	8 13	5 0	0 4	0 0	0 0
23	19 10	20 23	21 11	20 15	10 5	8 4	7 0	8 63	6 2	0 9	0 2	0 2
24	21 72	22 42	19 96	21 37	9 1	4 1	1 2	10 0	4 80	0 3	1 0	0 0	0 0
25	18 86	18 98	20 38	19 41	10 3	4 8	4 0	10 7	6 37	3 3	1 4	0 0	0 6
26	19 00	19 51	19 06	19 49	14 6	6 2	3 2	15 3	8 00	3 2	2 7	0 0	0 0
27	16 98	17 10	17 56	17 21	15 2	9 0	7 2	15 6	10 47	6 7	3 0	0 4	0 4
28	19 01	20 96	22 55	20 17	11 0	6 6	2 3	14 1	7 63	1 8	2 0	0 2	0 0
29	20 40	19 60	16 19	18 73	11 7	5 6	2 4	12 7	6 57	1 7	2 1	0 3	0 1
30	14 56	14 48	17 50	15 51	16 5	6 4	5 8	18 1	9 57	4 6	5 4	0 2	0 2
31	18 15	18 27	18 21	11 1	7 4	11 7	9 25	5 3	1 6	0 2
31	18 90	17 47	16 09	17 49	11 4	8 2	6 0	12 1	8 53	5 2	0 6	0 2	0 0

JUNIO

1	14.21	14.42	15.29	14.64	11.8	7.8	7.6	12.2	9.07	6.9	0.0	0.2	0.0
2	16 23	18 02	20 79	18 35	11 8	8 7	8 4	13 3	9 63	7 9	0 0	0 1	0 0
3	22 48	21 04	21 76	12 0	13 1	7 60	3 0	0 6	0 0
4	18 16	17 79	18 03	17 99	15 4	7 1	3 3	16 3	8 60	2 6	2 2	0 3	0 0
5	17 11	18 27	18 83	18 07	16 7	6 8	3 2	17 4	8 90	3 0	2 0	0 1	0 0
6	17 59	18 27	17 81	17 89	8 2	7 8	7 0	9 0	7 67	6 8	6 0	0 3	0 0
7	17 24	17 93	17 90	17 69	7 8	8 1	5 8	9 1	7 23	5 2	0 5	0 6	0 4
8	16 75	15 67	16 21	9 8	7 3	10 5	8 55	5 9	1 0	0 2
9	13 67	18 18	17 83	16 56	9 4	6 2	5 5	12 1	7 03	5 1	0 3	0 0	0 0
10	19 38	22 72	21 26	21 12	6 6	5 2	1 2	7 9	4 33	0 9	0 5	0 4	0 0
11	21 18	21 46	22 53	21 72	8 8	4 0	-0 1	9 7	4 23	-0 6	1 4	0 2	0 0
12	20 85	21 06	20 10	20 64	8 9	2 4	-0 6	9 7	3 27	-0 8	1 3	0 2	0 6
13	18 80	19 58	20 02	19 47	10 9	4 4	0 4	12 1	5 23	0 2	2 7	0 6	0 2
14	18 55	18 73	18 21	18 50	12 8	5 0	2 4	14 0	6 73	0 2	3 9	0 6	0 8
15	16 81	16 79	16 55	16 72	13 6	5 3	1 6	14 8	6 83	1 3	3 6	0 7	0 6
16	16 05	15 6	1 8	5 4
17	14 08	15 57	16 89	15 51	16 3	4 0	4 1	17 0	8 15	2 9	4 9	0 0	0 0
18	18 77	18 13	19 02	18 64	6 8	2 2	1 5	7 9	3 50	0 5	0 6	0 0	0 0
19	18 68	18 77	16 75	18 07	10 0	4 2	4 2	10 4	6 13	3 0	1 6	0 2	0 2
20	15 07	13 30	14 01	13 1	4 8	8 95	3 9	3 0
21	13 90	14 58	14 24	10 7	7 7	11 1	9 20	6 0	1 5	0 0
22	13 93	18 33	18 01	16 76	12 3	8 5	5 2	13 6	8 60	1 5	0 4	0 0
23	15 31	13 76	15 21	11 76	13 5	7 0	4 0	14 2	8 17	1 9	3 2	0 4	0 5
24	14 52	17 08	15 80	12 4	6 8	14 1	9 60
25	19 11	22 30	22 37	21 26	12 6	8 2	4 0	13 3	8 27	2 9	4 1	0 4	0 6
26	18 75	18 30	18 86	18 64	13 6	6 6	3 1	14 9	7 77	2 3	2 6	0 6	0 0
27	17 41	17 32	16 17	17 00	14 6	5 9	2 2	15 2	7 57	1 6	3 5	0 4	0 0
28	16 27	17 98	16 97	17 07	11 4	8 2	2 8	12 0	7 47	2 7	1 4	0 3	0 0
29	15 49	8 7	13 0	0 4
30	17 21	18 61	20 17	18 66	9 8	7 1	6 0	10 6	7 63	5 5	1 0	0 5	0 0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.									
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
78	94	100	91	11.03	7.78	6.16	8.32	SO.	C.	C.	D.	D.	D.
77	97	100	91	11.47	7.32	6.27	8.55	—	—	E.	Np.	N.	Np.
91	82	98	90	14.62	7.91	7.91	10.15	—	E.	E.	D.	D.	D.
93	97	97	96	15.62	9.29	8.01	10.97	—	—	C.	Np.	Np.	Np.
95	97	100	97	18.77	9.42	7.91	12.03	—	—	C.	—	—	—
100	99	100	100	12.54	8.51	6.27	9.11	—	—	C.	—	—	—
93	...	100	97	16.75	...	6.72	11.74	—	—	E.	D.	D.	D.
97	97	...	97	15.08	8.92	...	12.00	—	—	—	—	—	—
95	100	100	98	11.07	6.49	5.69	7.75	C.	SO.	C.	Np.	—	—
95	91	96	94	11.51	6.93	4.62	7.59	SO.	E.	E.	D.	—	—
57	99	87	81	9.68	7.14	4.52	7.11	—	—	C.	Np.	—	—
68	93	97	86	7.85	7.14	5.32	7.10	—	—	E.	—	Np.	N.
64	94	100	86	8.40	7.46	5.81	7.22	—	—	—	—	D.	D.
75	62	97	78	9.06	6.88	5.57	7.17	—	—	C.	D.	—	—
76	97	96	90	8.86	7.37	5.18	7.14	—	—	—	Np.	Np.	—
62	93	93	83	8.35	6.03	4.84	6.41	—	—	E.	Np.	D.	Np.
60	89	91	80	7.24	6.96	7.21	7.15	C.	C.	C.	N.	N.	N.
81	86	...	84	7.28	6.89	...	7.09	—	—	E.	—	—	—
93	89	100	94	9.12	7.65	7.81	8.19	NO.	E.	NO.	Ll.	Ll.	Ll.
95	100	100	98	9.55	7.39	7.10	8.01	SE.	NO.	C.	N.	D.	N.
88	97	97	94	8.38	8.01	7.27	7.89	SO.	—	—	—	N.	N.
86	100	100	95	7.48	6.14	5.01	6.21	—	—	SE.	—	Np.	N.
82	100	100	94	7.67	6.44	6.10	6.74	C.	C.	E.	—	Np.	Np.
71	100	100	90	8.75	7.19	5.77	7.21	SO.	C.	C.	D.	Np.	N.
68	95	94	86	8.78	8.11	7.15	8.01	C.	C.	N.	N.	N.	N.
78	97	100	92	9.25	7.08	5.42	7.25	SO.	C.	C.	NO.	D.	Np.
75	96	98	90	7.66	6.49	5.36	6.59	—	—	E.	NE.	Np.	Np.
47	97	97	80	6.53	6.98	6.69	6.73	C.	C.	E.	Np.	Np.	Ni.
80	97	...	89	7.91	7.48	...	7.70	SO.	N.	N.	N.	Ll.	Ll.
93	97	100	97	9.30	7.90	7.00	8.07	N.	NO.	C.	—	—	N.

DE 1874.

100	97	100	99	10.33	7.69	7.81	8.61	C.	NO.	NO.	N.	N.	N.
100	99	100	100	10.33	8.29	8.21	8.95	—	E.	E.	—	Np.	Ll.
93	...	100	97	9.69	...	5.77	7.73	—	—	C.	D.	D.	D.
76	96	100	91	9.98	7.21	5.81	7.67	—	C.	E.	—	—	Ni.
80	98	100	93	11.24	7.98	5.77	8.10	SO.	E.	E.	Np.	—	Ni.
100	96	100	99	8.13	7.58	7.49	7.73	C.	SO.	C.	Ni.	N.	Ni.
93	91	94	93	7.35	7.40	6.48	7.93	SO.	SE.	—	N.	N.	N.
86	97	...	92	7.86	7.42	...	7.64	C.	C.	—	N.	—	—
96	100	100	99	8.45	7.10	6.77	7.44	NO.	—	N.	Ll.	Ll.	Ll.
93	94	100	96	6.75	6.20	5.01	5.99	NE.	NE.	C.	—	Np.	Np.
81	97	100	93	6.86	5.90	4.57	5.78	C.	E.	—	D.	D.	—
82	96	100	93	7.02	5.26	4.40	5.89	—	—	E.	—	—	D.
67	90	91	83	6.50	6.66	4.55	5.57	—	—	—	Np.	—	—
56	90	86	77	6.17	5.91	4.68	5.59	—	C.	—	D.	—	—
60	89	89	79	6.99	5.94	4.58	5.81	—	—	—	—	—	—
45	6.03	—	—	—	—	—	Np.
51	100	100	84	7.09	6.17	6.14	6.44	—	C.	C.	—	Ni.	Ni.
91	100	100	97	6.74	5.93	5.12	5.75	—	E.	—	N.	—	Ni.
79	97	97	91	7.27	5.98	5.98	6.41	C.	—	—	N.	D.	N.
66	...	97	82	7.41	...	6.24	6.83	—	—	—	Np.	—	—
81	100	...	91	7.79	7.86	...	7.83	—	O.	—	—	N.	Ll.
82	94	100	92	8.75	7.73	6.62	7.70	C.	C.	—	—	Np.	Np.
64	94	92	83	7.42	7.05	5.60	6.60	—	—	E.	Np.	Np.	Ll.
68	...	94	81	7.21	...	6.96	7.19	SO.	...	NE.	N.	N.	Ll.
53	94	90	79	5.83	7.67	5.49	6.33	NO.	NO.	C.	Np.	Np.	Np.
71	91	100	87	8.23	6.64	5.73	6.86	C.	C.	—	Np.	N.	N.
62	94	100	85	7.75	6.53	5.38	6.55	—	—	—	—	Np.	Np.
83	96	100	93	8.32	7.79	5.61	7.24	SO.	—	—	—	—	Ll.
...	94	7.95	SE.	SE.	—	—	—	Ll.
86	93	100	93	7.86	6.99	7.90	7.23	C.	N.	C.	—	—	N.

Días	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.			
											Dif. de los termómetros.			
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.	
mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o	o	
1	700.1	700.1	800.1	700.1	0	9.2	6.6	6.8	9.8	7.53	5.0	1.0	0.2	0.4
2	20.54	20.35	19.54	20.14	10.4	9.7	7.8	11.7	9.30	7.3	0.9	1.1	0.6	0.6
3	19 05	19 76	19 25	19 35	10 2	9 6	7 9	11 0	9 33	7 5	1 0	0 4	0 1	0 1
4	19 06	19 91	21 33	20 10	8 8	5 9	3 3	9 5	6 00	2 6	0 3	0 2	0 2	0 2
5	21 69	21 96	20 20	21 28	9 1	2 2	-0 7	9 2	3 53	-1 0	1 4	0 1	0 1	0 4
6	19 39	19 77	19 88	19 68	6 9	2 3	-1 2	8 0	2 67	-1 6	2 0	0 7	0 0	0 0
7	17 95	19 29	18 62	6 7	1 4	7 8	4 10	-2 2	1 9	1 0
8	18 29	18 84	19 03	18 72	7 8	2 6	1 8	8 8	4 07	0 9	2 2	0 4	0 2	0 2
9	18 15	20 03	19 58	19 25	6 3	4 8	6 4	6 8	5 85	4 2	1 0	0 7	0 3	0 3
10	20 61	23 31	22 54	22 15	8 2	6 4	2 4	8 7	5 67	1 7	0 5	0 0	0 0	0 0
11	20 26	19 47	17 88	19 20	13 8	7 1	2 8	14 9	7 90	2 6	2 3	0 4	0 0	0 0
12	16 99	17 26	17 59	17 25	16 5	7 5	2 9	17 3	8 97	2 4	3 4	0 7	0 0	0 0
13	16 51	18 17	17 09	17 26	16 0	7 0	2 6	16 7	8 53	2 0	2 9	0 2	0 1	0 1
14	16 00	18 72	17 41	14 4	3 8	14 6	9 19	2 4	1 8	0 1	0 1
15	20 19	23 50	21 85	8 9	6 8	10 8	7 85	3 7	0 3	0 1
16	21 54	21 70	21 62	8 7	3 2	9 3	5 95	0 7	0 8	0 1
17	17 55	16 13	14 97	15 88	9 3	4 5	2 0	10 3	5 45	1 6	1 4	0 3	0 1	0 1
18	14 36	15 86	19 21	16 48	12 8	7 2	6 0	13 6	8 67	5 3	3 0	0 2	0 0	0 0
19	19 02	18 66	16 69	17 92	11 4	5 6	2 8	13 1	6 00	2 0	1 4	0 3	0 0	0 0
20	17 16	20 47	19 58	19 67	10 4	8 2	4 6	11 3	7 71	4 3	0 9	0 5	0 0	0 0
21	17 87	18 23	18 13	18 08	11 8	5 5	4 6	12 7	7 70	3 4	1 3	0 2	0 2	0 2
22	18 46	20 91	22 16	20 54	8 8	7 4	5 8	9 8	7 36	5 1	0 7	0 4	0 4	0 4
23	22 08	23 20	21 71	22 33	14 1	9 1	4 6	15 3	9 27	3 5	1 4	0 2	0 0	0 0
24	19 51	18 31	16 11	17 34	14 6	7 6	3 7	16 6	8 63	2 0	1 7	0 4	0 0	0 0
25	14 55	15 91	16 23	15 56	17 6	8 0	4 8	19 4	10 43	4 0	3 2	0 4	0 2	0 2
26	16 35	18 29	17 27	17 39	16 4	8 4	5 6	17 5	10 15	5 2	2 0	0 0	0 0	0 0
27	16 35	16 20	16 82	16 46	9 2	6 0	3 8	10 9	6 33	3 9	0 4	0 0	0 0	0 0
28	14 64	16 49	16 88	16 68	15 3	6 3	7 2	18 6	9 86	4 8	2 3	0 0	0 0	0 0
29	18 71	19 29	20 37	19 46	12 1	9 0	7 0	13 2	9 37	6 4	0 4	0 1	0 1
30	18 47	17 31	19 68	18 49	13 8	9 5	7 2	14 8	10 17	6 9	1 3	0 4	0 2	0 2
31	19 17	20 18	19 30	19 53	15 0	10 3	9 9	15 8	11 73	8 7	2 2	0 4	0 6	0 7

AGOSTO

1	20.77	22.27	22.99	22.91	11.8	8.2	5.1	11.9	7.70	2.7	1.1	0.3	0.0	0.0
2	19 62	20 12	17 72	19 15	18 0	10 2	5 5	18 9	11 23	4 4	4 4	0 6	0 4	0 4
3	15 79	16 25	18 53	16 88	21 4	11 0	7 5	22 0	13 30	4 4	4 6	1 2	1 1	1 1
4	18 91	19 02	18 75	18 89	16 4	9 4	7 4	18 7	11 07	6 7	2 1	0 0	0 0	0 0
5	19 15	18 66	19 17	18 33	10 6	9 6	8 6	11 5	9 27	7 0	0 3	0 0	0 0	0 0
6	18 78	19 98	20 90	19 92	9 5	8 7	4 9	9 5	7 63	4 9	0 4	0 3	0 0	0 0
7	20 43	22 27	21 78	21 49	12 6	8 8	8 6	13 7	10 10	8 0	2 2	0 2	0 2	0 2
8	21 16	22 88	22 35	22 15	12 0	8 5	5 0	14 0	8 70	4 0	2 0	0 3	0 1	0 1
9	20 41	19 65	19 53	19 86	15 6	10 4	9 7	16 2	11 70	8 0	2 4	0 6	0 8	0 8
10	19 52	21 84	20 68	8 7	5 7	12 2	7 20	4 6	0 5	0 3
11	19 57	19 17	19 57	19 44	9 2	6 0	4 4	16 0	6 53	3 8	0 1	0 2	0 2
12	20 78	21 64	18 77	20 46	10 1	6 6	4 0	19 7	6 79	2 5	1 8	0 8	0 2	0 2
13	17 61	17 65	18 13	17 89	9 6	5 8	3 2	9 9	6 20	2 8	1 6	0 9	0 2	0 2
14	17 39	18 03	21 89	19 07	9 4	6 5	5 8	9 7	7 23	4 7	1 5	0 2
15	22 84	25 37	24 46	24 15	9 4	4 5	2 8	16 5	5 57	6 9	1 4	0 4	0 1	0 1
16	22 62	22 58	25 98	23 79	9 8	6 7	2 3	16 2	6 27	1 4	1 2	0 3	0 1	0 1
17	24 85	25 51	22 05	24 11	11 3	2 2	3 0	12 6	5 50	-1 8	2 5	0 2	0 0	0 0
18	18 31	16 89	17 60	11 7	1 0	13 9	6 35	-0 7	2 7	0 5	0 5
19	16 16	17 67	19 04	17 62	16 2	3 0	17 9	8 27	1 9	3 1	0 2	0 4	0 4
20	18 80	20 18	19 33	13 5	7 4	14 0	12 35	1 8	0 1
21	17 84	20 89	21 95	20 25	11 0	8 8	8 47	3 1	0 9	0 2	0 3	0 3
22	20 44	20 87	20 27	20 53	14 2	6 7	5 1	15 5	8 67	2 5	2 2	0 1	0 3	0 3
23	17 10	16 25	13 97	15 77	18 1	9 2	5 7	19 2	11 00	4 2	3 0	0 6	0 3	0 3
24	14 72	15 93	16 89	14 85	17 2	8 5	7 3	19 8	11 06	5 1	1 5	0 6	0 3	0 3
25	16 64	18 91	19 19	18 45	12 8	7 0	6 7	13 4	8 83	6 0	2 7	0 2	0 0	0 0
26	21 07	21 87	21 60	21 53	19 9	7 8	4 7	14 4	7 80	4 2	0 9	0 1	0 0	0 0
27	21 20	24 85	24 85	22 03	11 5	8 2	5 0	12 0	8 25	3 8	1 3	0 0	0 0	0 0
28	21 22	22 32	22 46	22 00	10 9	6 6	3 3	12 9	6 75	2 1	1 0	0 0	0 0	0 0
29	21 10	20 85	18 07	20 00	15 8	8 7	5 4	17 0	9 97	4 9	2 7	0 5	0 3	0 3
30	16 47	16 43	17 26	16 72	18 4	9 7	19 0	11 23	3 9	2 6	0 4	0 0	0 0
31	17 62	17 61	18 09	17 56	11 5	8 7	14 0	10 20	5 9	0 5	0 2

DE 1874.

PSICRÓMETRO.													
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				VIENTOS.			ESTADO ATMOSFÉR.		
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 O.	2 h.	10 h.	19 h.
86	97	94	92	7.55	7.68	6.96	7.19	C.	NO.	N.	N.	N.	LI.
88	85	91	88	8.53	7.69	7.24	7.75	—	C.	SE.	—	—	N.
86	95	99	93	8.09	8.45	7.85	8.13	SE.	SO.	—	—	—	Np.
96	97	97	97	8.12	6.74	5.61	6.82	NO.	E.	—	—	D.	D.
81	98	92	90	7.91	5.28	4.27	5.52	NO.	C.	—	—	—	—
71	87	100	86	5.30	4.74	4.21	4.75	NO.	C.	—	—	—	—
72	81	74	5.31	4.15	4.73	C.	E.	—	—	—	—
70	93	96	86	5.50	5.14	5.04	5.23	SO.	C.	—	—	N.	N.
85	89	96	90	6.08	5.72	6.87	6.22	C.	SE.	—	—	—	LI.
93	100	100	98	7.56	7.20	5.46	6.97	C.	E.	—	—	—	Np.
74	94	100	89	8.79	7.10	5.61	7.15	C.	—	—	—	D.	D.
66	90	100	85	9.17	6.97	5.65	7.26	C.	—	—	—	Np.	Np.
70	97	98	88	9.48	7.27	5.41	7.40	NO.	—	E.	—	—	D.
80	...	99	90	9.79	5.92	7.86	—	—	C.	—	—	Np.
96	99	...	98	8.17	7.28	7.73	—	N.	—	—	LI.	N.
89	99	...	94	7.49	5.67	6.98	SE.	—	—	Np.	D.	Np.
81	95	98	91	7.39	6.61	5.20	6.20	E.	—	—	—	Np.	N.
66	97	100	88	7.23	7.37	7.00	7.20	—	C.	—	—	N.	—
83	96	100	93	8.32	6.49	5.61	6.81	SO.	—	—	—	Np.	Np.
88	93	100	94	8.53	7.56	6.36	7.42	—	—	—	Np.	N.	—
84	97	97	93	8.70	6.55	6.15	7.13	—	—	SO.	—	D.	—
91	94	94	93	7.63	7.25	6.48	7.13	C.	—	—	—	N.	—
84	97	100	94	10.16	8.40	5.36	8.29	NO.	E.	E.	Np.	D.	Ni.
81	94	100	92	10.06	7.57	5.98	7.89	C.	C.	C.	D.	—	D.
63	94	97	85	10.28	7.57	6.24	8.03	—	—	E.	—	—	—
79	100	100	93	11.01	8.24	6.81	8.69	E.	—	—	—	Ni.	Ni.
95	100	100	98	8.22	7.87	6.02	7.68	C.	—	C.	—	—	—
76	100	100	92	9.77	7.44	7.60	8.27	—	C.	—	D.	D.	N.
...	95	99	97	8.11	7.38	7.75	NO.	—	—	N.	N.	—
85	95	97	92	10.02	8.33	7.37	8.59	—	N.	—	Np.	—	—
76	95	94	87	9.63	8.36	8.37	9.33	—	C.	—	—	—	—

DE 1874.

86	96	100	94	8.51	7.76	5.75	7.73	—	C.	—	—	—	Np.
78	92	94	81	8.59	8.57	6.34	7.55	—	—	—	—	D.	Np.
60	84	85	76	11.43	8.33	6.54	8.77	NO.	E.	C.	—	—	D.
78	100	100	93	10.82	8.81	7.09	9.12	—	—	—	—	Ni.	Ni.
96	100	100	99	9.17	8.57	8.02	8.39	C.	C.	—	—	—	—
95	96	100	97	8.28	8.04	6.46	7.59	—	N.	—	—	N.	—
75	97	97	90	8.27	8.20	8.10	8.19	NO.	—	Np.	—	—	—
76	96	99	90	8.32	7.94	6.59	7.55	—	—	—	Np.	—	—
74	92	89	85	7.32	7.09	7.53	8.76	—	C.	—	—	N.	—
...	96	...	95	7.82	6.55	7.19	—	—	—	Np.	G.	—
...	99	97	98	6.92	6.06	6.49	—	C.	—	—	N.	—
79	98	97	87	7.11	6.45	5.89	6.48	C.	C.	—	—	—	—
89	97	89	89	7.05	5.92	5.57	6.18	N.	C.	—	—	—	G.
81	93	98	84	7.71	7.03	7.61	NO.	E.	—	Np.	D.	N.
81	93	98	84	7.71	7.03	7.61	—	—	—	—	—	N.
89	93	98	92	7.05	6.90	5.32	6.92	C.	C.	—	Np.	D.	D.
68	96	100	83	6.99	5.18	5.63	6.95	NO.	—	—	—	—	—
68	96	100	83	6.99	5.18	5.63	6.95	—	—	—	Np.	—	—
...	96	100	83	6.99	5.18	5.63	6.95	—	—	—	—	—	—
68	96	100	83	6.99	5.18	5.63	6.95	—	—	—	Np.	—	—
79	99	97	89	9.05	6.61	5.99	8.09	C.	C.	—	Np.	D.	N.
78	97	93	91	8.06	7.29	6.59	7.79	SE.	E.	—	N.	N.	D.
76	95	95	90	9.12	7.04	6.24	8.33	—	—	—	Np.	D.	N.
71	92	96	94	10.05	7.04	6.35	8.49	C.	—	—	—	—	N.
81	91	96	90	12.33	7.58	7.31	9.08	NO.	—	—	N.	N.	Np.
69	97	100	89	7.59	7.18	7.35	7.41	—	SE.	NO.	—	LI.	N.
88	99	100	96	8.02	7.88	6.39	8.59	C.	—	—	—	N.	Np.
84	100	100	95	8.50	6.33	6.33	7.72	—	—	—	—	—	Np.
84	100	100	95	8.50	6.33	6.33	7.72	—	—	—	Np.	—	Np.
72	93	96	87	9.59	8.12	6.40	7.91	—	E.	—	D.	D.	—
74	95	100	90	11.76	8.52	6.40	8.33	—	—	—	Np.	—	Ni.
71	97	...	96	9.19	8.31	8.31	9.71	—	—	—	—	N.	G.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.			
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	Dif. de los termómetros			
	mm.	mm.	mm.	mm.							2 h.	10 h.	19 h.	
1	700.4	700.4	700.4	700.4	0	0	0	0	0	0	0	0	0	0
2	21.89	21.27	18.83	20.66	7.3	6.2	5.1	9.0	6.20	4.0	1.0	0.4	0.1	
1	18.01	20.15	19.08	9.2	6.2	11.0	7.70	0.7	0.3	0.2	
3	21.18	23.60	23.44	22.74	12.2	5.4	2.0	13.0	6.53	0.7	2.4	0.2	0.0	
4	20.97	21.22	21.10	21.10	13.8	6.0	5.0	15.0	8.27	2.1	2.0	0.2	0.4	
5	19.96	20.59	19.11	19.89	15.4	8.0	5.3	16.0	9.57	2.5	2.3	0.8	
6	15.54	14.86	15.20	10.0	6.7	20.5	8.35	5.0	
7	15.14	16.30	16.82	16.09	19.8	9.4	9.6	20.1	12.93	7.9	1.6	0.0	0.0	
8	17.06	17.29	19.75	18.03	15.8	10.6	8.6	16.1	11.67	8.2	1.1	0.0	0.0	
9	19.29	19.96	18.94	19.40	12.8	9.4	8.8	14.2	10.33	7.9	0.6	0.1	0.0	
10	18.00	17.37	17.78	17.72	12.1	8.7	8.6	13.2	9.80	6.9	0.5	0.0	0.0	
11	18.27	20.78	20.56	19.87	12.3	7.9	5.2	13.9	8.47	3.3	0.9	0.3	0.0	
12	19.12	19.75	17.47	18.78	16.2	9.6	6.4	17.3	10.73	4.3	1.7	0.5	0.2	
13	15.55	15.22	16.33	15.70	19.0	9.2	8.6	19.3	12.27	5.2	2.4	0.6	0.0	
14	15.53	17.13	18.20	16.95	10.8	9.0	7.6	12.0	9.13	7.1	0.6	0.2	0.0	
15	21.22	23.89	23.19	22.77	10.6	6.0	6.3	11.8	7.63	5.0	0.6	0.0	
16	23.79	23.12	21.63	22.85	11.8	7.2	5.7	12.1	8.23	3.1	0.3	0.1	
17	20.01	19.56	15.98	18.52	18.5	10.9	7.9	20.0	12.43	5.7	2.6	0.4	0.2	
18	15.31	18.74	18.97	17.67	19.5	9.7	6.7	20.7	11.97	3.4	1.3	0.1	0.0	
19	17.25	18.12	17.93	17.77	17.6	10.8	8.5	18.1	12.30	7.9	1.6	0.6	0.3	
20	17.66	17.88	18.08	17.87	14.1	10.4	7.5	15.5	10.67	7.0	0.7	0.1	0.0	
21	18.58	22.25	24.53	21.79	8.0	5.9	4.4	11.9	6.10	3.5	0.2	0.1	0.0	
22	24.15	24.94	23.97	24.33	11.4	7.1	5.0	12.6	7.83	2.9	1.5	0.4	0.2	
23	20.35	18.72	17.15	18.74	14.3	9.8	6.4	15.8	10.17	5.0	1.5	0.8	0.1	
24	16.58	18.49	20.33	18.47	16.4	9.0	9.0	17.3	11.47	7.7	1.4	0.0	0.2	
25	22.03	23.60	23.15	22.93	11.8	6.4	6.0	12.3	8.07	2.9	0.6	0.0	0.0	
26	21.59	20.98	18.82	20.46	14.5	6.7	6.2	15.7	9.13	3.1	0.2	0.0	
27	16.51	17.10	16.81	19.4	8.6	20.6	14.00	5.7	3.6	0.8	
28	16.86	19.26	21.84	19.32	19.7	12.3	10.1	20.0	14.03	9.2	3.1	0.2	0.0	
29	21.84	23.90	22.74	22.83	15.6	10.1	8.1	17.0	11.27	6.1	1.8	0.4	
30	19.83	19.67	18.88	19.46	17.9	11.4	9.9	19.0	13.07	7.5	1.9	0.6	0.5	

OCTUBRE

1	16.87	17.51	17.13	17.17	20.2	12.9	9.7	21.0	14.27	2.7	1.0	0.7
2	16.53	16.91	17.48	16.97	21.1	13.6	9.2	21.8	14.63	7.9	2.8	0.6	0.4
3	18.82	20.63	20.93	20.13	12.8	11.0	10.4	16.8	11.40	9.4	0.3	0.0	0.2
4	20.09	19.85	19.84	19.93	16.1	10.6	10.0	16.6	12.23	9.8	1.5	0.4	0.4
5	18.24	17.49	17.57	17.6	11.6	18.9	14.69	7.2	2.6	0.4
6	16.80	19.24	20.91	18.98	18.3	11.8	8.0	19.0	12.70	5.7	2.4	1.0	0.3
7	18.49	19.08	19.29	18.95	19.3	11.4	7.4	20.3	12.70	5.0	3.3	1.0	0.4
8	18.17	18.33	16.02	17.51	17.7	11.2	7.7	18.2	12.20	6.0	4.2	0.3	0.3
9	14.39	16.98	17.70	16.36	19.0	9.2	8.4	19.7	12.20	2.7	0.7	0.3
10	16.32	15.51	14.67	15.51	16.6	10.6	9.8	17.6	12.33	7.4	2.5	1.5	0.6
11	18.93	20.98	22.41	20.77	9.6	7.4	6.5	11.0	7.83	0.9	0.0	0.0
12	20.98	22.11	21.55	11.5	7.6	12.3	9.55	5.9	0.5	0.2
13	19.57	19.91	20.48	19.99	11.9	8.2	8.5	12.8	9.53	6.1	0.9	0.1	0.2
14	20.08	19.42	19.22	19.57	17.8	10.8	9.2	19.0	12.60	6.0	1.8	0.0
15	18.71	20.35	21.17	20.08	20.1	13.0	10.6	21.1	14.57	7.9	2.9	0.7	0.6
16	20.67	22.07	22.08	21.61	19.7	12.2	10.0	20.7	13.97	7.1	2.5	0.8	0.6
17	20.01	19.39	17.07	18.82	19.0	10.8	10.2	20.0	13.33	6.5	2.6	1.0	1.0
18	14.92	15.40	16.65	15.66	23.2	14.6	11.4	21.2	16.40	8.9	5.4	1.6
19	16.61	18.32	19.67	18.20	20.9	10.4	8.7	21.4	13.33	7.6	3.9	0.7	0.0
20	19.17	19.09	19.07	19.08	15.8	11.0	10.2	16.4	12.33	10.0	1.4	0.4	0.1
21	18.02	17.71	16.65	17.47	16.3	10.8	10.4	17.1	12.40	9.0	2.8	0.7	0.5
22	16.24	16.56	17.08	16.63	15.4	10.2	9.8	11.80	9.1	1.8
23	15.91	16.05	17.33	16.43	16.6	10.6	10.2	18.3	12.47	6.9
24	17.45	19.21	18.81	18.33	18.3	11.2	10.0	19.0	13.17	5.8
25	17.67	18.88	18.28	18.1	10.8	18.8	14.45	6.6	5.1	0.8
26	16.65	16.62	16.75	16.67	19.8	13.2	11.4	21.0	14.80	7.4	1.8	1.1	0.7
27	16.54	17.30	17.48	17.11	21.0	13.0	10.5	22.0	14.83	6.7	2.0	1.0	0.4
28	17.15	19.53	21.52	19.40	19.1	11.5	11.2	19.6	13.93	10.5	1.6	0.5	0.4
29	19.58	20.02	20.35	19.98	18.7	10.2	9.6	19.1	12.83	6.2	2.4	0.9	0.6
30	19.78	20.53	21.22	20.51	16.7	9.3	9.6	18.0	11.87	5.0	2.7	0.5	0.4
31	19.77	20.63	20.27	20.03	18.3	11.4	10.7	19.6	13.47	5.7	3.6	1.6	0.7

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio						
86	94	99	93	7.04	6.86	6.51	6.80	SO.	C.	C.	N.	N.	N.
96	97	...	97	8.49	6.98	7.74	—	—	—	Np.	Np.	Np.
74	97	100	90	9.14	6.61	5.30	7.02	—	—	—	—	—	D.
79	97	94	90	10.59	6.88	6.29	7.92	—	E.	—	D.	D.	—
78	89	...	80	11.62	7.54	9.58	—	C.	—	—	—	—
...	—	—	—	—	—	—
86	100	100	95	16.17	8.71	8.87	11.25	—	SE.	—	—	Ni.	G.
89	100	100	96	12.67	9.53	8.32	10.17	—	C.	SE.	N.	N.	N.
92	99	100	97	10.65	9.35	8.42	9.47	—	—	—	—	—	—
94	100	100	98	10.22	8.37	8.32	8.97	—	—	SE.	—	—	G.
90	96	100	95	10.12	7.76	6.63	8.17	C.	E.	—	Np.	Np.	Np.
83	94	97	91	12.68	8.63	7.08	9.46	SO.	E.	—	Np.	Np.	N.
78	92	100	90	14.87	8.35	8.32	10.51	—	C.	—	—	—	N.
93	97	100	97	9.28	8.45	7.79	8.51	—	C.	—	N.	Ll.	Ll.
93	100	...	97	9.16	7.06	8.08	NE.	—	—	N.	N.	N.
...	97	99	98	7.41	7.29	7.35	C.	—	—	Np.	Np.	Np.
76	95	97	89	14.27	9.46	7.82	10.52	—	—	—	Np.	—	D.
88	99	99	95	15.06	8.36	7.78	10.57	SO.	—	—	—	—	N.
81	93	96	91	13.98	9.28	8.49	10.58	—	—	—	Np.	N.	N.
92	99	100	97	11.55	9.35	7.74	9.55	—	SE.	NE.	Ll.	Ll.	Ll.
97	99	100	99	7.90	6.92	6.26	7.03	—	O.	C.	N.	N.	N.
82	94	97	91	9.17	7.30	6.41	7.63	C.	O.	—	Np.	D.	D.
84	89	99	91	11.24	8.57	7.14	8.98	—	O.	—	—	Np.	N.
86	100	97	94	13.04	8.57	8.45	10.02	SO.	SO.	SE.	D.	N.	—
93	100	100	99	9.99	7.20	7.00	8.06	—	—	C.	N.	Np.	Np.
...	97	100	98	6.25	7.10	6.45	—	E.	—	D.	D.	D.
69	89	...	79	14.58	7.84	11.21	—	—	—	—	—	Np.
73	98	100	90	15.15	10.55	9.86	11.85	SO.	NO.	SO.	N.	N.	N.
81	95	...	88	12.08	8.98	10.53	—	C.	C.	—	Np.	Np.
82	93	94	90	14.07	9.71	9.09	10.96	C.	—	E.	D.	—	—

DE 1874.

75	87	91	84	13.22	9.82	8.15	10.40	SO.	C.	C.	Np.	D.	D.
73	93	94	87	13.94	10.80	8.18	10.97	—	—	—	N.	N.	N.
97	100	97	98	10.63	9.79	9.16	9.86	—	SO.	—	N.	G.	N.
84	95	95	91	11.48	9.04	9.28	9.93	E.	—	—	D.	N.	—
74	95	...	85	11.12	9.69	10.41	SO.	—	—	D.	N.	—
76	83	96	86	11.96	9.04	7.66	9.53	—	O.	SO.	N.	D.	—
69	86	94	83	11.52	8.80	7.25	9.19	—	C.	—	D.	Np.	D.
59	96	96	84	8.96	9.52	7.51	8.66	—	—	SO.	N.	N.	—
74	91	96	87	12.16	7.85	7.89	9.30	—	E.	C.	Np.	Np.	Np.
74	81	92	82	10.47	7.75	8.33	8.84	—	—	SE.	N.	N.	Np.
88	100	100	96	7.83	7.69	7.25	7.59	NE.	NE.	—	N.	Ll.	N.
94	97	...	96	9.19	7.57	8.53	SO.	—	—	N.	N.	N.
89	99	97	95	9.25	8.01	8.05	8.44	—	C.	—	—	—	D.
82	...	100	91	12.44	8.69	10.57	—	—	—	D.	D.	Np.
73	92	93	86	12.83	10.24	8.80	10.62	—	—	SE.	N.	N.	N.
77	92	92	86	13.07	9.59	8.45	10.37	—	SE.	SO.	Np.	Np.	D.
75	86	86	82	12.31	8.45	8.09	9.62	—	C.	C.	D.	D.	Np.
55	82	...	69	11.84	10.19	11.02	—	—	—	D.	N.	N.
66	91	100	86	12.04	8.57	8.37	9.66	—	SO.	SO.	Np.	N.	Ni.
85	95	99	93	11.38	9.28	9.17	9.94	—	O.	SE.	N.	N.	G.
71	92	94	86	9.84	8.80	8.63	9.08	—	C.	C.	Np.	N.	N.
80	10.55	SO.	SO.	SO.	Np.	N.	Np.
...	—	O.	—	—	—	Np.
53	80	...	72	8.07	8.68	8.38	—	E.	—	—	Np.	D.
83	97	92	87	14.26	9.86	9.16	11.09	—	—	—	D.	D.	D.
82	88	95	83	15.12	9.85	8.98	11.32	—	—	—	—	—	Np.
84	94	95	91	13.89	9.49	9.40	10.93	—	SE.	—	Np.	N.	—
77	88	92	86	12.34	8.21	8.21	9.59	—	C.	SO.	Np.	Np.	D.
73	93	95	87	10.27	8.12	8.45	8.95	—	NO.	C.	—	—	—
65	80	92	79	10.28	8.69	8.72	9.03	—	C.	—	—	—	—

DÍAS.	BAROMETRO REDUCIDO A 0"				TERMOMETRO CENTIGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Max.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	20.22	20.22	20.33	20.28	11.7	12.8	21.3	7.3					
2	17.85	17.95	18.10	17.97	13.4	13.4	23.3	17.90	9.4	4.1	0.8		
3	17.16	17.74	17.63	17.31	22.7	12.6	10.2	23.5	14.97	9.1	4.1	0.5	0.0
4	16.28	17.40	18.09	17.26	18.6	11.8	14.6	19.5	14.09	11.1	0.0	0.2	0.2
5	18.09	17.62	18.62	18.11	17.9	11.2	11.0	19.3	13.37	8.9	1.9	0.2	0.3
6	19.46	20.38	19.63	19.82	16.5	10.2	12.4		13.60	16.6	1.6	0.3	0.4
7	19.34	18.02		18.68	21.0	13.7		21.4	17.35	10.3	3.7	1.1	
8	15.56	16.65	14.74	15.65	22.7	13.8	15.2	23.4	17.23	10.0	3.7	0.5	1.2
9	13.54	13.96	14.63	14.04	25.1	18.6	15.6	25.8	19.57	11.2	4.8	2.0	1.4
10	14.68	15.84	17.51	16.01	25.2	13.8	14.3	25.5	17.77	9.1	4.9	1.0	1.1
11	16.15	15.89	14.97	15.67	24.3	15.6	16.2	24.6	18.70	10.2	3.9	0.8	1.8
12	14.94	15.19		15.07	22.8	12.6		23.7	17.70	10.2	3.6	0.8	
13	17.84	16.61	15.16	16.37	18.3	12.3	14.8		15.15	8.4	2.1	0.3	1.2
14	13.61	14.04	16.06	14.57	26.1	17.3	14.8	26.7	19.49	10.0	5.8	2.7	1.8
15	17.08	16.90	18.76	17.58	22.2	11.9	12.6	22.8	15.57	10.5	3.1	0.3	0.4
16	19.65	19.15	18.52	19.12	18.5	13.1	12.7		14.77	9.7	1.6	0.5	
17	17.57		19.95	18.76	24.9		12.9	25.0	18.50	8.2	4.3		0.9
18	19.36	20.82	20.38	20.13	22.2	13.8	13.6	23.2	16.33	10.2	3.0	0.8	0.3
19	19.43	18.85	17.91	18.73	20.7	14.0	15.6	22.8	16.57	12.0	2.5	0.3	0.5
20	17.05		17.58	17.31	24.5		16.3	25.2	20.50	13.0	2.0		1.6
21	17.90	18.58	18.32	18.27	24.0	15.2	14.6	24.7	17.93	11.6	3.6	0.8	0.4
22								22.9		10.0			
23	21.26	22.47		21.84	14.4	9.1			11.73	7.0	1.4	0.0	
24	18.56	19.37	18.56	18.81	17.6	11.9	12.1	18.2	13.77	10.9	2.2	1.0	0.5
25	18.20	17.52	17.79	17.81	19.6	15.4	15.4	21.8	19.89	11.0	3.1	0.5	1.1
26	15.96	14.72	16.86	15.85	24.6	16.6	17.2	26.0	16.47	12.0	3.4	0.4	0.8
27	16.84	17.60	18.67	17.50	24.9	16.7	15.6	25.2	19.07	13.0	3.2	0.5	0.2
28	18.25	18.61	17.54	18.12	23.1	15.5	14.8	24.6	17.89	12.0	2.1	0.3	0.6
29		16.49	17.81	17.16		18.2	16.2	25.2		12.5		1.2	0.7
30	16.66	17.53	18.26	17.49	25.1	17.8	17.0	25.7	19.97	13.6	3.5	1.4	1.5

DICIEMBRE

1	17.82	17.59	16.31	17.22	25.7	15.8	17.4	25.9	19.63	11.2	3.7	0.8	1.9
2	15.10	16.18	17.47	16.28	27.0	15.3	12.8	27.6	18.37	10.2	4.9	1.8	0.4
3	16.68		16.71	16.71	20.7		14.4			9.7	2.9		0.8
4	15.71	16.37	17.25	16.44	23.8	12.8	11.5	24.2	13.63	16.1	3.9	0.5	0.4
5	18.43	18.63	19.33	18.81	16.8	13.2	14.1	19.5	14.66	8.3	1.3	0.8	0.7
6	17.25	16.27	16.65	16.51	24.1	17.8	18.6	25.8	19.57	11.9	5.1		
7	15.31	16.31	16.90	16.17	26.4	18.8	18.6	27.1	21.27	13.2		1.6	1.3
8	16.55	17.99	17.44	17.35	26.7	19.3	18.8	27.1	21.60	12.3	5.5	2.0	1.8
9	16.97	16.91	15.50	16.46	27.4	18.4	19.2	27.9	21.67	13.0	5.2	1.4	1.9
10	14.27	15.12	15.36	14.92	26.7	18.0	17.4	27.5	20.70	11.4	5.6	2.4	1.4
11	14.65	16.11	16.66	15.81	25.3	16.6	17.0	25.9	19.43	13.9	4.9	1.8	1.2
12	17.28	18.18	18.47	17.98	23.8	14.6	15.7	24.1	18.37	11.6	3.7	0.6	1.1
13	17.79	18.05	17.46	17.75	25.9	16.9	18.5	26.1	20.43	12.1	4.7		
14	15.66	17.38	17.27	16.77	26.6	17.4	15.5	26.9	19.77	12.0	3.0	0.9	0.3
15	16.31	15.73	16.31	16.21	24.5	17.0	15.6	25.2	19.60	12.2	3.2	0.9	0.4
16	16.00	16.84	17.12	16.63	21.5	15.5	14.5	23.6	17.17	13.4	1.9		
17	16.08	17.50	16.45	16.61	23.5	14.2	13.8	24.6	17.17	12.5	1.4	0.4	0.6
18	15.97	17.66		16.82	24.7	17.2				13.9	1.2	0.7	
19	14.98	14.90	13.94	14.61	27.9	19.2	19.5	28.7	22.29	15.6	3.4	1.2	1.1
20	12.90	14.45	16.38	14.38	26.8	15.8	14.4	27.7	19.99	12.6	9.0	2.2	1.4
21	16.95	18.34		17.65	21.3	15.3		22.3		10.3	3.5	1.4	
22	14.67	14.45	13.26	14.11	24.3	16.2	13.2	25.1	19.90	11.2	6.5	2.1	3.6
23	13.28	14.42	15.36	14.35	29.2	17.6	16.5	29.7	21.62	11.6	8.0	2.4	1.8
24	14.73	15.05	14.59	14.78	23.6	17.0	17.0	24.7	19.29	12.1	5.3	1.8	2.2
25	13.91	15.76	14.57	15.09	26.4	17.8	19.6	27.3	21.67	12.3	8.3	2.6	3.2
26	10.11	12.08	14.44	12.24	29.8	18.6	15.8	29.6	21.26	12.2	9.4	3.6	2.6
27	11.33	15.65	15.79	15.69	23.3	15.9	14.3	23.9	17.53	11.9	5.0	1.9	
28	14.92		14.39	14.71	25.4		18.1	26.3		12.2	3.1		1.3
29	13.59	16.66	17.61	15.76	28.5	16.0	17.5	29.0	20.79	11.6	2.5	1.3	0.6
30	17.42	16.91	15.18	16.77	24.4	17.0	19.6	26.0	20.53	13.0	5.6		
31	15.53	13.31	13.88	13.56	28.3	19.1	19.8	28.4	22.46	13.5	8.8	3.2	3.6

DE 1874.

PSICROMETRO.								VIENTOS.			ESTADO ATMOSFER		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio						
65	79	85	82	8 14	9 36	8 75	SO.	C.	C.	D.	D.	Np.
66	90	...	78	13 15	10 39	11 77	D.
67	94	100	97	13 45	9 83	9 29	10 87	Ni.
68	97	97	97	10 09	9 81	9 45	N.
69	97	97	92	12 38	9 67	9 52	10 52	Np.	D.	N.
70	96	95	91	11 66	9 31	10 21	10 49	SO.	SO.	N.
71	87	...	78	12 43	10 21	11 32	E.	Np.	N.	D.
72	87	...	83	14 08	11 07	11 18	12 11	C.	D.	Np.
73	94	87	83	14 08	11 07	11 18	12 11	C.	D.	Np.
74	80	85	76	14 77	12 32	11 22	12 77	C.
75	88	88	79	14 71	10 41	10 64	11 92	Np.
76	91	81	80	15 41	12 06	11 13	12 88	Np.
77	90	80	80	14 36	9 87	12 13	Np.	D.	N.
78	97	86	87	12 44	10 28	10 91	11 21	Np.	D.
79	76	86	72	14 16	10 75	10 43	11 78	Np.
80	96	95	88	14 55	10 65	10 35	11 64	N.
81	84	89	89	13 31	10 57	11 33	Np.
82	91	...	78	15 41	9 99	12 66	Np.	D.	N.
83	91	84	86	14 71	10 68	10 50	11 96	N.	N.	N.
84	97	89	89	14 63	11 47	12 06	12 59	Np.	Np.
85	...	85	85	16 71	12 35	14 52	Np.	Np.
86	91	85	85	15 62	11 73	11 82	13 06	N.	N.	N.
87
88	100	...	82	10 31	8 63	9 47	E.	Np.	Ll.	N.
89	86	84	86	11 21	9 16	10 12	10 11	N.	N.	N.
90	94	88	81	12 10	12 32	11 48	11 97	SO.	Ll.	D.	Ll.
91	96	92	87	16 64	13 47	13 41	14 51	D.	D.
92	95	98	89	17 37	13 41	12 90	14 56
93	82	83	91	17 21	12 68	11 79	13 86	N.	D.
94	88	82	86	13 69	12 67	13 18	D.
95	86	81	81	17 66	13 09	12 19	14 10

DE 1874.

1	91	81	81	17 38	12 21	11 91	13 81	SO.	D.
2	...	86	86	16 75	10 47	10 49	12 57	Np.
3	94	91	82	13 27	11 16	12 16	D.
4	90	85	85	14 95	10 36	9 62	11 61	N.
5	...	89	89	10 53	10 25	11 02	10 60	D.
6	84	87	86	13 82
7	81	83	81	13 62	13 62	13 90	13 76
8	86	83	83	16 51	13 47	13 32	14 43
9	86	82	82	16 20	13 57	13 55	14 43
10	86	85	85	16 29	11 62	12 68	13 52
11	81	87	87	14 82	10 97	12 61	12 76
12	83	88	84	15 33	11 54	12 51	13 69
13	91	15 87
14	91	87	87	19 82	13 44	12 52	15 29
15	91	86	87	16 77	13 67	12 62	14 16	Np.	Np.	Np.
16	88	83	82	15 81
17	95	83	82	18 92	11 48	10 94	13 78	Np.	Np.	Np.
18	93	88	84	26 89	13 56	17 18	17 18
19	94	89	84	26 78	14 62	15 09	16 83	D.	D.	D.
20	93	86	86	9 67	10 31	10 31	10 67
21	84	86	84	13 06	11 65	12 62
22	87	86	84	11 17	10 71	10 99	10 99	Np.
23	86	88	88	13 82	11 40	11 21	12 14	D.
24	81	81	81	12 41	11 76	11 21	11 75
25	84	80	82	10 38	11 36	9 39	10 36
26	95	88	81	13 19	10 64	10 59	11 27
27	89	89	89	12 66	10 69	11 35
28	86	87	88	18 11	12 56	15 34
29	86	87	87	23 44	11 68	14 65	16 39
30	86	87	87	12 58
31	86	87	87	11 47	11 47	11 52	11 57

OBSERVACIONES METEOROLÓGICAS
OBSERVACIONES HORARIAS.
ENERO DE 1874.

HORAS.	Dia 4.							Dia 14						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termóm.	Humedad relat	Fuerza elástica					Diferencia de los termóm.	Humedad relat	Fuerza elástica		
0	15.34	25.9	3.7	71	17.62	SO.	D.	12.79	27.2	6.3	54	14.51	SO.	D.
1	15.08	27.2	4.0	67	18.66	—	—	12.61	27.6	6.5	54	14.62	—	—
2	15.03	27.6	3.4	73	19.96	—	—	12.55	27.7	6.9	50	14.04	—	Np.
3	14.82	28.0	3.8	71	20.00	—	—	12.52	27.5	6.3	55	14.86	—	—
4	14.68	27.6	3.0	77	21.17	—	—	12.91	26.3	6.1	55	13.87	—	—
5	14.58	26.7	2.8	78	20.33	—	—	12.86	24.7	5.5	57	13.20	—	—
6	15.20	24.9	2.6	79	18.42	—	—	13.44	22.8	4.4	63	13.06	—	—
7	15.72	22.0	2.0	82	16.16	—	—	14.44	19.6	3.0	72	12.25	—	—
8	16.08	20.4	1.8	83	14.86	SE.	—	14.96	18.2	2.2	78	12.19	—	—
9	16.33	18.9	1.8	83	13.41	E.	—	15.20	17.4	2.0	80	11.89	—	—
10	16.27	18.6	1.9	81	13.19	—	—	15.40	16.8	1.6	83	11.89	E.	—
11	16.42	17.8	1.7	83	12.59	—	—	15.44	15.5	1.3	87	11.28	SO.	—
12	16.10	16.2	1.2	87	11.97	C.	—	15.46	14.2	0.9	91	10.83	—	D.
13	16.03	15.0	1.0	89	11.30	—	—	15.49	13.7	0.8	90	10.60	—	—
14	15.64	14.0	1.0	89	10.59	E.	—	15.51	13.0	0.8	90	10.11	—	—
15	15.83	13.6	0.8	90	10.53	—	—	15.53	13.0	0.4	95	10.63	—	Ni
16	15.86	12.8	0.6	93	10.23	C.	—	15.54	12.6	0.2	98	11.62	—	C.
17	16.17	12.8	0.6	93	10.23	—	—	15.55	12.5	0.2	98	10.55	—	—
18	16.56	15.2	0.9	90	11.60	—	—	16.20	12.2	0.2	98	10.34	SO.	—
19	16.82	18.8	3.2	69	11.23	—	—	16.65	13.1	0.3	97	10.84	—	—
20	16.94	20.3	2.9	73	13.01	—	—	16.97	13.9	0.5	94	11.14	—	N Ni.
21	17.01	21.9	2.6	77	15.05	—	—	17.04	14.9	0.9	90	11.36	—	N.
22	17.08	23.5	2.3	80	17.32	SO.	—	16.94	17.2	1.8	81	11.92	—	Np.
23	17.11	25.2	2.5	80	18.96	—	—	16.52	19.4	2.7	74	12.52	—	D.
Medios.	15.95	20.62	81	14.93	14.96	18.38	79	12.68

ENERO DE 1874.

FEBRERO DE 1874.

	Dia 24.							Dia 3.						
	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termóm.	Humedad relat	Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termóm.	Humedad relat	Fuerza elástica	Vientos.	Estado atmosférico.
0	16.41	22.6	2.7	76	15.59	SO.	D.	18.41	23.9	5.8	54	11.90	—	D.
1	16.46	23.9	3.4	72	15.79	—	—	18.08	25.2	5.2	60	14.20	SO.	—
2	16.34	24.6	4.0	67	15.50	—	—	17.75	26.0	5.5	58	14.62	—	—
3	15.91	24.7	3.9	68	15.88	—	—	17.46	26.5	5.8	56	14.60	—	—
4	15.73	24.6	4.4	65	14.91	—	—	17.25	26.0	5.1	61	14.25	—	—
5	15.68	23.0	3.3	72	15.02	—	—	17.06	25.7	4.5	65	15.95	—	—
6	15.63	22.6	3.6	69	14.14	—	Np.	17.06	24.3	4.4	64	14.61	—	—
7	15.76	19.9	2.7	74	12.80	—	—	17.47	21.3	2.0	82	15.45	—	C.
8	16.28	18.7	2.3	78	12.49	—	D.	17.77	19.6	2.8	73	12.43	E.	—
9	16.46	17.7	1.8	81	12.32	—	—	18.00	18.4	2.3	78	12.22	—	—
10	16.65	16.8	1.4	85	12.17	—	—	17.88	18.5	2.2	78	12.46	SO.	—
11	16.72	15.6	1.0	89	11.78	C.	—	17.93	16.6	1.2	87	12.29	—	C.
12	16.69	14.7	0.7	93	11.48	—	—	17.21	15.8	1.2	87	11.40	E.	—
13	16.77	14.8	0.8	91	11.42	—	—	16.74	14.8	0.9	90	11.25	C.	—
14	16.68	13.6	0.6	93	10.80	—	—	16.38	13.8	0.9	91	10.52	—	—
15	16.84	13.0	0.3	97	10.77	—	—	16.40	13.7	0.9	91	10.47	E.	—
16	17.06	12.5	0.0	100	10.81	—	Ni	16.45	13.2	0.6	93	10.51	—	C.
17	17.37	12.0	0.0	100	10.46	—	—	16.87	12.8	0.4	95	10.49	—	—
18	17.77	12.0	0.2	97	10.23	E.	—	17.04	14.2	0.8	91	10.96	—	—
19	18.15	14.2	0.4	95	11.48	SO.	—	17.26	18.0	2.2	78	12.00	SO.	—
20	18.17	15.6	0.6	93	12.33	—	—	17.39	19.7	2.8	73	12.61	—	C.
21	18.12	18.0	1.7	83	12.77	—	D.	17.51	21.0	3.2	71	13.11	—	—
22	17.83	18.9	1.1	89	14.47	—	—	17.23	22.9	3.9	68	13.96	—	—
23	17.59	19.9	0.9	92	15.80	—	—	17.10	24.2	4.0	67	15.26	—	—
Medios.	16.79	18.08	84	17.13	17.32	19.85	75	12.81

FEBRERO DE 1871.

HORAS.	Día 13.							Día 23.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat	Fuerza elástica					Diferencia de los termómet	Humedad relat	Fuerza elástica		
0	15.97	21.6	2.8	77	17.73	SO.	D.	14.37	23.8	2.4	80	17.50	SO.	D.
1	15.42	25.8	3.4	73	18.04	—	—	14.26	25.6	3.0	76	18.53	—	—
2	15.05	26.6	3.5	73	18.86	—	—	13.95	27.0	3.5	73	19.83	—	—
3	14.79	26.6	3.6	72	18.67	—	—	13.69	27.6	3.6	73	19.96	—	—
4	14.68	26.3	3.7	71	18.10	—	—	13.50	27.6	3.5	74	20.15	—	—
5	14.61	25.5	3.4	73	17.50	—	—	13.49	27.0	3.4	73	19.51	—	—
6	14.83	23.3	2.2	81	17.26	—	—	13.48	25.2	3.2	74	17.69	—	—
7	15.08	20.2	1.4	86	15.14	—	—	13.81	22.5	2.1	80	16.42	C.	E.
8	15.64	18.6	1.4	86	13.75	E.	—	14.20	21.7	2.0	82	15.99	C.	E.
9	15.78	17.6	1.0	90	13.47	—	—	14.25	20.6	1.8	83	16.04	—	—
10	15.37	16.7	0.5	95	13.41	C.	—	14.35	17.6	0.8	92	13.77	C.	—
11	15.34	16.2	0.5	95	12.96	—	—	14.28	16.2	0.6	93	12.81	—	—
12	15.00	11.7	0.2	98	11.95	—	—	14.11	14.9	0.4	96	12.78	E.	—
13	14.92	13.5	0.2	98	11.25	—	—	14.08	13.6	0.2	98	11.52	—	—
14	14.67	13.0	0.2	97	10.77	—	—	14.30	13.4	0.4	95	10.92	—	—
15	14.44	12.5	0.4	95	10.28	—	—	14.47	14.0	0.5	94	10.21	—	—
16	14.40	12.4	0.4	95	10.21	—	—	14.97	12.9	0.1	99	10.96	C.	—
17	14.53	12.1	0.3	97	10.17	—	—	15.12	12.4	0.0	100	10.74	—	—
18	15.05	13.1	0.2	98	10.97	—	—	15.42	13.9	0.4	95	10.61	—	—
19	15.37	16.5	0.5	96	13.23	—	—	15.76	15.5	0.0	100	12.78	—	—
20	15.39	18.0	1.2	88	13.52	—	—	15.95	17.8	0.8	92	13.93	—	—
21	15.08	21.3	2.0	82	15.45	—	—	16.29	19.4	—	—
22	15.11	22.8	2.6	77	15.99	SO.	—	16.24	21.0	SO.	—
23	15.21	23.7	2.7	78	16.96	—	—	16.17	22.0	2.3	80	15.71	—	—
Medios.	15.07	19.23	86	14.40	14.60	19.68	86	14.91

MARZO DE 1871.

HORAS.	Día 5.							Día 15.						
	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humedad relat	Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet	Humedad relat	Fuerza elástica	Vientos.	Estado atmosférico.
0	15.38	16.0	1.4	85	11.54	SO.	D.	15.83	22.0	1.1	90	17.71	SO.	D.
1	15.38	16.3	1.3	86	11.97	—	—	15.83	23.8	2.0	83	18.23	SE.	—
2	15.36	16.7	1.3	86	12.23	—	—	15.73	24.9	1.4	88	20.62	SO.	Np.
3	15.10	17.7	1.6	84	12.54	—	—	15.71	24.6	1.0	91	21.05	—	—
4	14.90	18.2	2.0	80	12.50	—	—	15.78	23.5	0.3	97	21.02	—	—
5	15.65	16.6	1.7	81	11.50	—	Np.	15.86	22.6	1.0	91	18.60	—	—
6	15.19	15.0	1.4	84	10.73	—	—	15.89	20.4	0.8	92	16.46	—	D.
7	15.45	13.8	1.1	87	10.28	E.	D.	16.15	18.1	0.7	92	14.41	—	—
8	15.97	12.5	0.8	90	9.80	SO.	—	16.77	17.0	0.6	94	13.71	—	—
9	15.88	12.1	0.8	90	9.73	E.	Np.	17.26	16.7	0.5	94	12.26	E.	—
10	16.08	12.2	0.6	91	10.38	—	—	17.40	16.5	0.6	93	13.05	—	—
11	16.24	12.2	0.5	94	9.98	SO.	N.	17.30	15.6	0.2	98	12.90	—	—
12	16.27	12.0	0.1	99	10.36	—	—	17.13	13.2	0.0	100	11.30	C.	—
13	16.37	11.9	0.1	99	10.29	C.	—	16.97	12.2	0.0	100	10.60	—	—
14	16.53	11.8	0.1	99	10.22	—	—	16.97	11.9	0.0	100	10.40	—	—
15	16.59	11.8	0.2	97	10.09	—	—	16.65	10.8	0.0	100	9.65	—	—
16	16.40	12.1	0.2	97	13.30	—	—	16.73	10.4	0.0	100	9.41	—	—
17	16.30	12.0	0.2	97	10.22	—	—	16.92	9.8	0.0	100	9.05	—	—
18	16.63	12.0	0.2	97	10.22	—	—	17.18	9.6	0.0	100	8.93	—	Np.
19	16.98	12.8	0.4	95	10.49	—	—	17.48	12.2	0.0	100	10.60	SO.	—
20	17.09	13.6	0.6	93	10.80	E.	—	17.38	15.2	0.2	98	12.58	—	—
21	17.37	15.6	1.2	87	11.50	SO.	—	17.37	16.7	0.4	96	13.56	—	—
22	17.41	16.4	1.2	87	12.29	—	—	17.49	18.7	0.5	95	15.25	—	—
23	17.48	17.8	1.8	82	12.41	—	—	17.24	20.4	0.6	93	16.78	—	—
Medios	16.12	11.18	90	12.23	16.69	16.36	90	14.00

HORAS.	Dia 25.							Dia 4.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico
			Diferencia de los termómet.	Humedad relat	Fuerza elástica					Diferencia de los termómet.	Humedad relat	Fuerza elástica		
0	18.16	21.1	3.3	63	9.15	SO.	D.	16.55	20.4	2.0	81	14.53	SO.	Np.
1	17.87	21.1	3.3	63	13.15	—	—	16.09	21.9	2.1	82	16.00	—	—
2	17.54	23.0	3.3	63	16.06	—	—	15.99	22.6	2.4	79	16.12	SO.	—
3	17.17	23.4	3.3	69	14.86	—	—	15.91	23.3	2.4	79	16.80	—	—
4	16.70	23.9	3.3	65	14.54	—	—	15.91	23.3	2.4	79	16.25	—	—
5	16.57	22.9	3.3	69	14.39	—	—	16.05	21.5	2.3	79	15.16	—	—
6	16.67	20.2	3.3	72	12.62	—	—	16.39	18.1	1.5	85	13.13	C.	D.
7	16.67	18.2	2.4	76	11.90	E.	—	16.71	16.9	1.6	83	11.97	C.	E.
8	16.69	17.0	2.0	80	11.48	—	—	17.01	15.8	1.4	85	11.88	—	—
9	16.60	15.7	1.7	82	10.87	C.	—	17.20	12.8	0.7	91	10.19	C.	—
10	16.56	15.1	1.4	84	10.87	E.	—	17.11	11.9	0.4	95	9.90	—	—
11	16.66	14.2	1.2	86	10.43	E.	—	16.98	10.8	0.2	97	9.40	E.	—
12	16.60	13.2	1.0	88	9.99	E.	—	16.90	11.0	0.4	95	9.28	—	—
13	16.32	11.4	0.3	94	9.40	E.	—	16.88	9.8	0.2	97	8.81	C.	—
14	16.04	11.0	0.6	93	9.04	—	—	16.85	9.3	0.3	97	8.39	—	—
15	15.74	10.4	0.6	92	8.61	C.	—	16.86	8.9	0.3	96	8.44	—	—
16	15.54	9.5	0.5	91	8.27	—	—	16.98	8.4	0.4	94	7.25	—	—
17	15.08	9.0	0.3	96	8.19	—	—	17.00	7.4	0.0	100	7.69	—	—
18	15.30	8.2	0.2	97	7.99	—	—	16.98	6.6	0.0	100	7.30	—	—
19	15.35	10.3	0.3	96	8.28	—	—	17.04	7.8	0.0	100	7.89	—	—
20	15.54	12.8	0.6	93	10.23	—	—	17.27	12.3	0.7	91	9.55	—	—
21	15.88	13.8	0.8	91	10.68	SO.	Np.	17.25	15.2	1.2	87	11.18	—	—
22	15.86	15.6	1.4	85	11.22	—	—	17.11	17.2	1.4	85	12.49	—	—
23	15.77	17.6	1.6	84	12.56	—	—	16.90	20.0	2.0	81	14.13	—	—
Medios.	16.36	15.82	83	11.25	16.74	14.69	89	11.37

ABRIL DE 1874.

HORAS.	Dia 14.							Dia 24.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico
			Diferencia de los termómet.	Humedad relat	Fuerza elástica					Diferencia de los termómet.	Humedad relat	Fuerza elástica		
0	18.03	18.4	3.9	63	9.89	C.	D.	16.64	20.2	3.5	67	12.09	C.	D.
1	17.59	20.3	4.3	60	10.69	—	—	16.18	21.7	3.7	68	13.09	SO.	—
2	17.22	21.7	2.9	74	11.38	SO.	—	15.80	23.6	3.8	68	14.24	—	—
3	17.23	21.8	2.1	80	15.60	—	—	15.67	23.4	1.2	90	19.14	—	—
4	17.36	21.3	3.1	73	11.65	—	—	15.81	22.6	1.0	91	18.60	—	—
5	17.34	19.5	1.9	82	13.80	C.	—	16.20	20.9	1.1	90	16.47	—	—
6	17.65	16.8	1.2	87	12.43	C.	—	16.61	18.1	0.9	91	14.05	—	—
7	18.14	15.6	1.1	88	11.66	E.	—	16.92	17.3	0.8	92	13.30	E.	—
8	18.54	15.2	1.2	87	11.47	—	—	16.93	15.8	0.6	93	12.49	C.	E.
9	18.99	14.1	1.0	89	10.63	C.	—	17.18	12.0	0.6	100	10.46	—	—
10	19.35	12.4	0.4	95	10.21	—	—	17.23	11.2	0.2	97	9.67	C.	—
11	19.36	11.6	0.9	97	9.35	—	—	17.10	11.5	0.1	99	10.01	—	—
12	19.24	10.6	0.9	97	9.22	O.	—	17.06	10.3	0.1	99	9.23	—	—
13	19.17	9.8	0.6	100	9.05	—	—	16.91	9.5	0.0	100	8.87	—	—
14	18.99	9.9	0.1	99	8.39	C.	—	16.71	8.7	0.0	100	8.37	—	—
15	18.88	9.6	0.2	97	8.65	E.	—	16.70	7.9	0.1	99	8.56	—	—
16	18.45	8.8	0.1	99	8.31	—	—	16.62	8.0	0.0	100	8.02	—	—
17	18.76	8.5	0.1	99	8.16	C.	—	16.70	7.8	0.0	100	7.89	SO.	—
18	18.76	8.4	0.0	100	8.22	—	—	16.74	7.3	0.0	100	7.63	C.	—
19	18.68	8.6	0.0	100	8.32	—	—	17.29	7.6	0.0	100	7.79	Np.	—
20	18.93	12.6	0.8	90	9.81	—	—	17.45	10.2	0.2	97	9.64	—	—
21	19.02	13.5	0.5	94	10.26	SO.	—	17.61	12.8	0.3	97	10.63	—	—
22	18.74	15.6	1.2	89	11.78	C.	—	17.65	14.8	0.4	95	11.98	—	—
23	18.46	17.5	0.9	93	13.53	—	—	17.62	15.7	0.2	98	12.98	—	—
Medios.	18.41	14.25	88	10.85	15.81	14.10	95	11.44

MAYO DE 1874.

HORAS.	Día 4.							Día 14.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat	Fuerza elástica					Diferencia de los termómet.	Humedad relat	Fuerza elástica		
	mm. 700+	o	o				mm. 700+	o	o					
0	17.90	16.6	0.2	98	13.77	C.	D.	17.43	13.4	2.4	73	8.34	C.	Np.
1	17.47	18.2	1.1	89	13.84	—	—	17.13	14.5	2.6	72	8.85	—	—
2	17.39	18.7	0.9	91	14.99	SO.	—	16.89	15.4	3.4	64	8.40	SO.	—
3	17.44	19.6	1.4	87	14.70	—	—	16.52	16.0	3.1	67	9.21	—	—
4	17.02	18.8	1.2	88	14.17	—	—	16.66	15.2	2.5	73	9.43	C.	—
5	17.84	16.5	0.9	90	12.63	C.	Np.	16.84	14.8	2.8	70	8.76	—	—
6	18.39	14.2	2.5	72	8.77	E.	—	17.17	12.0	1.6	80	8.44	—	—
7	18.61	13.8	2.5	72	8.49	—	—	17.57	12.4	2.4	72	7.72	E.	D.
8	18.59	10.9	1.0	86	8.51	C.	—	17.72	10.8	1.2	84	8.21	Np.	D.
9	18.63	10.8	1.2	84	8.21	—	N.	17.96	10.2	1.1	85	7.97	D.	—
10	18.82	10.7	1.4	82	7.91	E.	—	18.04	7.8	0.4	94	7.45	—	—
14	19.07	10.3	1.2	84	7.91	SO.	—	17.94	6.6	0.2	97	7.08	—	—
12	19.70	10.9	0.7	91	8.86	E.	—	18.11	5.8	0.2	97	6.71	C.	—
13	19.28	8.2	0.0	100	8.12	—	Np.	18.17	5.6	0.1	99	6.72	—	—
14	19.59	7.4	0.0	100	7.69	NO.	—	18.27	5.6	0.2	97	6.61	C.	—
15	19.84	7.4	0.0	100	7.69	—	—	18.28	5.6	0.2	97	6.61	E.	—
16	20.14	6.8	0.0	100	7.40	—	—	18.30	3.9	0.0	100	6.05	—	—
17	20.25	6.1	0.0	100	7.05	—	—	18.43	3.8	0.0	100	6.01	—	—
18	20.55	6.0	0.0	100	7.00	E.	—	18.58	3.7	0.0	100	5.97	—	—
19	20.53	8.0	0.1	99	7.89	C.	—	18.55	3.3	0.0	100	5.81	C.	—
20	20.70	9.8	0.3	96	8.69	—	—	18.45	6.0	0.2	97	6.81	SO.	Np.
21	20.45	11.1	0.5	94	9.22	—	—	19.02	5.6	0.0	100	6.83	SE.	D.
22	20.03	12.9	0.6	93	10.30	—	—	18.95	9.1	0.6	92	7.91	—	—
23	19.54	14.6	0.4	95	11.82	—	—	18.81	11.0	0.2	97	8.93	—	—
Medios.	14.07	12.01	90	9.81	17.99	9.09	88	7.50

MAYO DE 1874.

JUNIO DE 1874.

	Día 24.						Día 3.							
	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humedad relat	Fuerza elástica	Vientos.	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómet.	Humedad relat	Fuerza elástica	Vientos.		
0	19.54	8.4	0.9	88	7.20	C.	N.	22.58	10.4	0.2	97	9.56	C.	N.
1	19.17	9.4	1.0	86	7.62	—	—	22.45	11.3	0.4	95	9.46	—	—
2	18.86	10.3	0.4	95	8.17	—	—	22.48	12.0	0.6	93	9.85	—	—
3	18.76	10.2	1.5	80	7.53	—	—	22.70	12.3	0.8	99	9.66	—	—
4	18.74	9.9	1.3	83	7.59	—	—	22.88	12.4	0.9	89	9.69	—	Np.
5	18.51	9.0	0.8	89	7.74	—	—	22.94	11.5	0.6	93	9.35	—	—
6	18.56	7.6	0.3	96	7.99	—	—	22.97	10.6	0.4	95	9.01	—	—
7	19.00	7.2	0.3	96	7.27	—	—	23.01	9.6	0.1	99	8.76	—	—
8	18.90	7.1	0.2	97	7.33	—	—	22.98	8.7	0.1	99	8.26	—	D.
9	19.02	6.2	0.0	100	7.59	E.	—	22.98	8.0	0.1	99	7.88	—	—
10	18.98	4.8	0.0	100	6.42	—	—	22.96	7.1	0.1	99	7.43	—	Np.
11	18.94	5.1	0.0	100	6.58	C.	Np.	22.96	6.8	0.0	100	7.89	E.	D.
12	19.06	4.8	0.0	100	6.42	—	—	22.77	6.1	0.0	100	6.81	—	—
13	19.03	5.0	0.0	100	6.53	—	—	22.32	5.9	0.0	100	6.53	—	Np.
14	19.02	4.9	0.0	100	6.46	—	—	22.33	5.0	0.0	100	6.53	C.	E.
15	19.20	4.8	0.0	100	6.42	E.	—	21.80	5.4	0.0	100	6.73	C.	D.
16	19.33	4.8	0.0	100	6.42	—	—	21.44	5.0	0.0	100	6.53	—	—
17	19.46	4.6	0.0	100	6.34	—	—	21.26	4.5	0.0	100	6.53	—	—
18	19.94	4.1	0.0	100	6.26	—	—	20.92	4.2	0.0	100	6.18	E.	—
19	20.38	4.0	0.0	100	6.10	C.	Np.	21.01	3.2	0.0	100	5.77	—	—
20	20.60	5.0	0.0	100	6.53	—	—	21.16	5.4	0.1	95	6.68	C.	—
21	20.68	6.8	0.2	97	7.18	SO.	—	20.93	7.4	0.2	97	7.37	—	—
22	20.73	9.0	0.8	89	7.67	C.	—	20.81	9.4	0.6	92	8.66	—	—
23	20.51	19.6	1.4	82	7.89	—	D.	20.20	19.9	0.7	92	8.86	—	—
Medios.	19.37	6.73	95	7.05	22.12	8.00	98	7.81

HORAS.	Día 13.							Día 23.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
	mm.						mm.							
0	700 +	0	0				700 +	0	0					
1	19 25	8.5	2.2	70	5.83	C.	16.89	11.8	1.7	79	8.20	C.	Np.	
2	18 87	9.7	2.0	74	6.91	Np.	16.03	12.6	2.3	73	7.96			
3	18 80	10.9	2.7	67	6.51		15.31	13.5	3.2	64	7.35			
4	19 14	11.3	2.9	64	6.51		14.89	14.1	3.3	63	7.65			
5	19 02	11.8	3.4	59	6.21		14.59	13.2	2.5	71	8.08		N.	
6	18 67	10.3	1.9	75	7.15		14.55	12.0	2.0	76	7.96		Np.	
7	19 14	8.3	1.5	79	6.50	E.	14.31	10.6	1.2	84	8.39			
8	19 47	6.9	0.1	99	7.24		13.91	9.0	0.8	89	7.64			
9	19 31	5.0	0.4	93	6.10	C.	13.76	8.3	0.7	90	7.37			
10	19 54	4.6	0.7	89	5.59	D.	13.72	7.4	0.5	93	7.15			
11	19 58	4.4	0.6	90	5.65	E.	13.77	7.0	0.4	94	7.06			
12	19 67	2.2	0.2	96	5.18	C.	13.86	5.6	0.2	97	6.61	E. O.		
13	19 58	2.6	0.3	92	5.24	E.	13.88	4.8	0.2	97	6.30	SE.		
14	19 48	2.1	0.1	98	5.24	E.	13.87	4.3	0.4	93	5.81			
15	19 40	2.5	0.2	96	5.30	C.	13.90	4.0	0.3	95	5.79			
16	19 74	1.7	0.2	96	5.02		14.47	3.7	0.2	97	5.77			
17	19 52	1.5	0.3	95	4.84		14.74	3.4	0.3	95	5.55			
18	19 62	1.3	0.3	95	4.76		14.93	3.0	0.2	96	5.50		D.	
19	19 87	0.8	0.2	96	4.66		15.69	2.0	0.1	98	5.24			
20	20 02	0.4	0.2	96	4.54		15.21	3.0	0.5	92	5.59		Np.	
21	20 32	3.0	0.1	98	5.60		15.38	4.2	0.4	93	5.77		E. C.	
22	20 32	4.4	0.3	95	5.96		15.31	7.7	1.2	83	6.53			
23	20 27	6.6	1.1	84	6.13		15.01	8.8	1.2	83	7.07			
23	20 15	7.8	1.8	75	5.92		14.47	10.7	2.1	73	7.11			
Medios.	19.52	5.36	90	5.77	14.69	7.78	82	6.30	

JULIO DE 1874.

	Día 3.							Día 13.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
	mm.						mm.							
0	19.15	10.2	1.1	86	7.97	C.	17.36	13.5	2.2	75	8.66	C.	N.	
1	19 09	10.6	1.1	86	8.21	N.	16.73	14.9	2.7	71	8.96			
2	18 50	10.2	1.0	86	8.09	SE.	16.51	16.0	2.9	70	9.47	SO.		
3	18 16	11.2	1.4	82	8.21	NO.	16.97	16.5	2.9	71	9.79			
4	18 16	10.9	1.2	84	8.27	C.	17.23	15.7	2.1	78	10.33			
5	18 55	10.7	1.1	86	8.27		17.52	13.6	1.5	83	9.62	C.	D.	
6	18 72	10.7	1.3	83	8.03		17.78	12.0	1.0	87	9.19	E. C.		
7	19 03	9.8	0.6	92	8.33		18.02	10.3	0.5	94	8.74	E. C.		
8	19 33	9.7	0.7	91	8.15	ESE.	17.88	8.4	0.2	97	8.01			
9	19 18	10.8	1.2	84	8.21	C.	18.27	7.6	0.2	97	7.58			
10	19 43	9.6	0.4	95	8.45	SO.	18.17	7.0	0.2	97	7.27			
11	19 20	9.5	0.4	95	8.39	E.	18.11	6.5	0.0	100	7.25			
12	19 11	9.6	0.6	92	8.21	C.	17.84	5.6	0.1	98	6.71	E.		
13	19 06	9.6	0.6	92	8.21	E.	17.87	5.4	0.2	97	6.50			
14	18 97	8.8	0.4	94	7.98	O.	17.72	5.0	0.2	97	6.32			
15	18 78	8.4	0.2	97	8.00	E.	17.17	3.8	0.2	97	5.82	O.		
16	18 79	8.3	0.1	99	8.06	C.	17.05	3.0	0.1	98	5.59			
17	18 89	8.2	0.0	100	8.12	SE.	16.97	2.6	0.0	100	5.53		Ni.	
18	19 08	7.8	1.0	100	7.89		16.81	2.7	0.1	98	5.47	E.		
19	19 42	7.9	0.1	99	7.83	C.	17.03	2.6	0.1	98	5.44		D.	
20	19 74	8.1	0.1	99	7.96	N.	16.93	5.0	0.4	94	6.12			
21	19 84	9.2	0.2	97	8.45	SE.	16.79	7.5	0.5	93	7.19	SO.	Np.	
22	20 01	9.1	0.2	97	8.35		17.26	9.6	1.1	85	7.61	C.		
23	20 17	8.8	0.2	97	8.20	SO.	17.01	12.0	1.5	82	8.58	SO.		
Medios.	19.10	8.49	92	8.16	17.38	8.75	90	7.37	

JULIO DE 1874.

AGOSTO DE 1874.

HORAS.	Día 23.							Día 2.						
	Barómetro reducido a 0°	Termómetro centígrad.	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrad.	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
0	22.11	12.5	0	80	9.40	C.	21.99	15.0	0	61	8.89	C.	D.	
1	21.84	14.0	1.6	82	9.77	SO.	20.75	16.1	3.9	60	8.53	Np.		
2	22.08	14.1	1.4	81	10.00		19.62	18.0	4.1	58	8.91			
3	22.29	14.8	1.3	86	10.75		19.44	18.3				SO.		
4	22.27	14.6	1.4	84	10.46	C.	19.61	17.6	3.1	69	10.12			
5	22.18	13.7	1.0	89	10.35		19.85	16.4	2.2	77	10.76			
6	22.97	12.2	0.8	90	9.57	E.	20.54	13.1	1.4	84	10.10	C.	D.	
7	23.11	11.0	0.4	95	9.30	C.	21.13	13.2	1.4	83	9.51			
8	22.97	9.7	0.0	99	8.87		21.06	12.1	1.2	85	9.88	E.		
9	23.02	9.6	0.0	100	8.93		20.51	11.2	1.2	85	9.41	C.		
10	23.19	9.1	0.2	100	8.40	E.	20.11	10.2	0.6	92	9.57			
11	22.91	7.7	0.0	100	7.86	O.	19.77	9.2	0.6	92	9.99	E.	Np.	
12	22.73	7.3	0.0	100	7.65		19.61	7.8	0.4	94	7.45			
13	22.46	7.0	0.0	100	7.49	E.	19.98	7.9	0.4	94	7.16			
14	22.24	6.3	0.0	100	7.15		18.61	6.9	0.3	97	7.12		D.	
15	22.02	5.6	0.0	100	6.81		18.32	6.4	0.4	94	6.76		Np.	
16	21.97	4.8	0.0	100	6.44		17.88	6.5	0.4	94	6.81			
17	21.90	4.8	0.0	100	6.44		17.79	6.6	0.4	94	6.96			
18	21.97	4.7	0.0	100	6.40		17.79	5.8	0.3	95	6.60			
19	21.71	4.6	0.0	100	6.36		17.72	5.5	0.4	94	6.34	NE.		
20	21.89	5.6	0.0	100	6.81		17.69	6.4	0.2	97	6.51	C.		
21	22.13	6.9	0.0	100	7.44	C.	17.42	10.8	1.6	80	7.73			
22	22.63	8.6	0.0	100	8.35	E.	17.01	12.9	2.1	75	8.58			
23	21.58	10.0	0.0	100	9.17	SO.	16.78	16.2	3.1	68	9.95			
Medios.	22.39	9.14	95	8.31	...	19.11	11.97	84	8.13	

AGOSTO DE 1874.

HORAS.	Día 12.							Día 22.						
	Barómetro reducido a 0°	Termómetro centígrad.	PSICRÓMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrad.	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica					Diferencia de los termómet.	Humedad relat.	Fuerza elástica		
0	21.16	8.8	1.4	80	6.85	C.	21.99	11.7	NE.			
1	20.92	9.3	1.5	81	6.99		21.13	13.3	O.	Np.		
2	20.78	10.1	1.8	76	7.11		20.44	14.2	2.2	76	9.12	SO.		
3	20.73	9.9	2.0	73	6.74		19.97	14.8	2.6	72	9.02			
4	21.19	9.1	1.1	86	7.36		20.60	15.2	3.2	66	8.52			
5	21.43	8.6	0.5	94	7.77		20.65	13.1	1.1	88	9.79			
6	21.63	8.0	0.6	91	7.33	SO.	20.33	11.0	0.4	95	9.28			
7	21.83	7.4	0.6	91	7.04		21.19	10.0	0.1	95	8.96	SE.		
8	21.72	7.3	1.0	85	6.58		20.99	8.6	0.2	97	8.10		D.	
9	21.85	6.8	0.8	88	6.52		20.67	8.3	0.3	96	7.84			
10	21.64	6.6	0.8	88	6.45	O.	20.87	6.7	0.1	99	7.24			
11	21.56	6.2	0.4	94	6.69		20.84	6.2	0.6	100	7.10	C.		
12	21.42	6.1	0.8	88	6.20	SO.	20.81	6.7	0.1	99	7.39	C.		
13	20.50	5.4	0.4	94	6.29		20.90	5.8	0.1	99	6.82			
14	19.86	5.0	0.5	92	6.00	C.	20.70	5.1	0.1	99	6.47			
15	19.63	4.4	0.5	92	5.75		20.08	4.8	0.0	100	6.12			
16	19.21	3.5	0.3	97	5.59		19.67	4.2	0.0	100	6.18			
17	18.67	2.6	0.0	100	5.54		19.85	3.1	0.0	100	5.73			
18	18.68	3.1	0.0	100	5.87		20.10	3.3	0.0	100	5.81			
19	18.77	4.0	0.2	97	5.89		20.27	5.1	0.3	96	6.32			
20	18.67	4.8	0.4	93	6.02	SE.	20.29	6.0	0.2	97	6.21	SO.	Np.	
21	18.71	5.2	0.4	93	6.18	C.	20.21	9.0	0.6	92	7.86			
22	18.74	6.0	0.6	91	6.37		19.89	10.8	1.0	86	8.15		D.	
23	18.54	6.4	0.6	91	6.57		19.30	12.5	1.2	86	9.28			
Medios.	20.33	6.45	89	6.56	...	20.45	8.79	93	7.70	

HORAS.	Día 1.							Día 11.						
	Barómetro reducido a 0°	Termómetro centígrado	PSICROMETRO.			Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	PSICROMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómetros.	Humedad relativa.	Fuerza elástica					Diferencia de los termómetros.	Humedad relativa.	Fuerza elástica		
0	22.41	17.4	0.6	91	7.03	SE.	N.	19.58	11.4	0.4	95	9.55	C.	N.
1	22.06	17.0	0.6	91	6.84	—	—	19.12	12.6	0.5	94	10.22	—	—
2	21.89	17.3	1.0	85	6.55	SO.	—	18.27	12.3	0.9	89	9.61	—	Np.
3	21.69	17.5	1.1	84	6.54	—	—	18.25	12.9	1.1	87	9.66	—	—
4	21.64	8.0	1.2	83	6.67	C.	—	18.71	13.5	0.9	89	10.34	SE.	—
5	22.62	8.0	1.0	86	6.89	—	—	19.49	12.7	0.7	92	10.03	—	—
6	22.64	7.6	0.6	91	7.13	—	—	19.93	11.8	0.9	88	9.19	—	D.
7	22.67	7.0	0.4	94	7.05	SE.	—	19.70	10.8	0.9	87	8.56	—	—
8	22.72	6.5	0.4	94	6.81	—	—	20.37	8.0	0.3	96	7.68	—	—
9	21.43	6.3	0.3	96	6.82	SO.	—	20.67	8.4	0.4	94	7.78	O.	—
10	21.27	6.2	0.4	94	6.67	C.	—	20.78	7.9	0.3	95	7.63	E.	—
11	20.86	5.9	0.5	93	6.42	SE.	—	20.81	7.0	0.2	97	7.27	—	—
12	20.67	5.4	0.3	96	6.40	C.	—	20.82	6.3	0.0	100	7.15	—	—
13	20.43	4.8	0.1	98	6.34	—	—	20.59	5.4	0.0	100	6.72	C.	—
14	19.85	4.9	0.1	99	6.38	SO.	—	20.33	3.9	0.0	100	6.06	E.	—
15	19.38	4.8	0.2	97	6.24	—	—	20.24	3.8	0.0	100	6.02	—	Np.
16	19.04	4.7	0.1	98	6.30	C.	—	20.38	3.7	0.0	100	5.98	—	—
17	18.85	4.4	0.1	99	6.17	—	—	20.77	4.4	0.0	100	6.27	C.	—
18	18.81	4.5	0.0	100	6.32	—	—	20.47	4.6	0.0	100	6.36	—	—
19	18.83	5.1	0.1	98	6.47	—	—	20.56	5.2	0.0	100	6.62	—	Np.
20	18.94	6.7	0.3	96	7.02	—	Np.	20.91	7.3	0.2	97	7.42	—	—
21	18.94	7.2	0.3	95	7.26	—	—	20.93	9.7	0.5	93	8.39	—	—
22	18.92	8.5	0.5	93	7.72	—	N.	20.90	11.2	0.7	92	9.06	SO.	—
23	18.62	9.1	0.7	91	7.82	—	—	20.56	12.6	1.0	88	9.59	SE.	—
Medios.	20.63	6.45	93	6.71	20.13	8.64	95	8.04

SETIEMBRE DE 1874.

OCTUBRE DE 1874.

	Día 21.							Día 1.						
	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómetros.	Humedad relativa.	Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centígrado	Diferencia de los termómetros.	Humedad relativa.	Fuerza elástica	Vientos.	Estado atmosférico.
0	18.59	9.9	0.4	95	8.63	C.	N.	17.43	17.8	1.9	81	12.30	C.	Np.
1	18.28	10.8	0.6	95	8.92	SO.	—	17.38	19.0	2.2	79	12.90	SO.	—
2	18.58	8.0	0.2	97	7.79	—	—	16.87	20.2	2.7	75	13.24	—	D.
3	19.30	7.0	0.2	97	7.27	—	Li.	16.65	20.7	2.8	75	13.55	—	—
4	19.92	5.0	0.0	100	6.53	—	—	16.59	20.7	2.8	75	13.55	—	—
5	20.95	3.8	0.0	100	6.02	E.	—	16.75	19.7	2.2	79	13.55	—	—
6	21.56	5.2	0.1	99	6.52	—	—	16.97	17.8	1.6	84	12.74	—	—
7	22.19	5.7	0.2	97	6.63	—	—	17.11	15.8	1.4	85	11.38	—	—
8	22.24	5.2	0.0	100	6.62	C.	—	17.44	15.4	1.2	87	11.34	—	C.
9	22.13	5.7	0.1	98	6.75	SE.	—	17.60	13.0	0.8	90	10.11	—	—
10	22.25	5.9	0.1	99	6.85	O.	N.	17.52	12.9	1.0	88	9.78	—	—
11	22.13	5.0	0.0	100	6.53	C.	—	17.41	11.0	0.4	95	9.50	—	—
12	21.67	4.3	0.0	100	6.23	—	—	17.43	9.9	0.2	97	8.86	SO.	—
13	21.79	4.3	0.1	98	6.13	E.	—	17.33	9.1	0.2	97	8.40	C.	—
14	21.97	4.2	0.0	100	6.19	C.	—	17.18	8.4	0.1	99	8.13	—	—
15	22.25	4.2	0.1	99	6.08	—	—	16.86	8.4	0.1	99	8.13	—	—
16	22.88	4.0	0.0	100	6.10	—	—	16.58	8.0	0.1	99	7.91	—	—
17	23.38	3.9	0.0	100	6.06	E.	—	16.69	8.1	0.2	97	7.85	—	—
18	23.94	3.8	0.0	100	6.02	—	—	16.94	7.8	0.2	97	7.69	E.	—
19	24.53	1.4	0.0	100	6.27	C.	Np.	17.13	9.7	0.7	91	8.15	—	—
20	25.12	6.1	0.0	100	7.05	—	—	17.27	11.3	0.7	92	9.12	—	—
21	25.11	7.8	0.4	94	7.46	—	—	17.12	15.1	1.2	77	9.89	—	—
22	25.16	8.6	0.6	92	7.66	SE.	—	17.05	17.1	1.9	81	11.71	—	—
23	24.91	9.4	0.8	89	7.87	SO.	—	16.99	19.3	2.5	78	13.02	—	—
Medios.	22.18	5.92	98	6.92	17.18	11.01	86	10.41

OCTUBRE DE 1874.

HORAS.	Día 11.							Día 21						
	Barómetro reducido a 0 ^o	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.	Barómetro reducido a 0 ^o	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.
			Diferencia de los termómet.	Humedad relat	Fuerza elástica					Diferencia de los termómet.	Humedad relat	Fuerza elástica		
0	18.56	9.0	0.4	95	8.11	NE.	L.	18.59	15.7	2.8	71	9.39	C.	N.
1	19.61	8.0	0.3	96	7.77	—	—	18.27	16.1	2.8	71	9.69	SO.	—
2	18.93	9.6	0.9	88	7.71	—	N.	18.02	16.3	2.8	71	9.84	—	Np.
3	19.01	10.2	0.7	91	8.45	—	Ll.	17.71	16.4	3.0	69	9.64	—	D.
4	18.66	10.3	0.7	91	8.85	—	N.	17.55	16.6	2.6	73	10.33	—	—
5	19.29	10.0	0.5	93	8.85	C.	—	17.52	15.9	2.1	78	10.48	—	Np.
6	19.56	8.9	0.4	94	8.06	NE.	—	17.62	13.0	1.2	85	9.61	—	—
7	19.82	8.4	0.1	98	8.13	NO.	Ll.	17.82	11.6	0.9	89	9.06	—	—
8	20.43	7.8	0.0	100	7.91	C.	—	18.39	10.0	0.7	92	9.93	—	N.
9	20.63	8.0	0.1	98	7.91	NE.	—	18.41	10.6	0.6	93	8.80	—	—
10	20.98	7.4	0.0	100	7.79	—	—	17.74	10.8	0.7	92	8.80	O.	—
11	21.33	7.2	0.0	100	7.60	SO.	—	17.82	10.5	0.5	91	8.86	—	—
12	21.78	7.2	0.0	100	7.60	SE.	—	17.61	10.2	0.4	95	8.80	—	—
13	22.02	7.3	0.2	97	7.42	O.	N.	17.33	9.9	0.5	93	8.51	SO.	—
14	21.87	7.0	0.0	100	7.49	C.	—	16.94	9.6	0.4	95	8.45	—	—
15	21.73	7.0	0.0	100	7.49	—	—	16.59	9.5	0.4	95	8.39	C.	—
16	21.65	7.0	0.0	100	7.49	SE.	—	16.70	9.4	0.2	97	8.57	—	—
17	21.79	7.0	0.0	100	7.49	SO.	—	16.75	9.2	0.2	97	8.45	—	—
18	21.96	6.8	0.0	100	7.39	C.	—	16.76	9.4	0.2	97	8.57	—	—
19	22.41	6.5	0.0	100	7.25	SE.	—	16.65	10.1	0.5	94	8.62	—	—
20	22.08	7.7	0.0	100	7.36	—	—	16.57	10.5	0.4	95	8.98	—	—
21	22.03	9.0	0.4	94	8.11	C.	—	16.19	12.5	0.7	92	9.90	—	—
22	21.93	9.8	0.7	91	8.21	—	—	16.23	13.4	1.0	88	10.13	SE.	—
23	21.62	10.2	0.4	95	8.26	SO.	—	16.21	15.1	1.4	85	10.84	O.	—
Medios.	20.83	8.22	97	7.88	19.33	12.22	88	9.23

OCTUBRE DE 1874.

NOVIEMBRE DE 1874.

HORAS.	Día 31.							Día 10.						
	Barómetro reducido a 0 ^o	Termómetro centígrado	Diferencia de los termómet.	Humedad relat	Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0 ^o	Termómetro centígrado	Diferencia de los termómet.	Humedad relat	Fuerza elástica	Vientos.	Estado atmosférico.
0	20.60	16.5	2.5	74	10.39	SO.	Np.	14.97	24.0	4.5	63	14.11	SO.	D.
1	20.25	17.4	2.8	72	10.68	—	—	14.88	24.8	4.6	63	14.79	—	—
2	19.77	18.3	3.6	66	10.27	—	—	14.68	25.2	4.9	62	14.71	—	—
3	19.21	18.9	4.0	63	10.18	—	D.	14.64	25.1	4.3	66	15.63	—	—
4	19.16	19.2	4.0	63	10.43	—	—	14.62	24.3	4.7	61	14.09	—	—
5	19.29	18.2	3.2	69	10.75	—	Np.	14.67	23.6	4.3	65	14.02	—	—
6	19.62	17.1	2.8	72	10.44	SE.	—	15.03	21.0	3.6	68	12.59	—	—
7	19.78	14.6	2.3	75	9.27	SO.	D.	15.46	18.2	3.2	69	10.75	—	—
8	20.10	13.4	2.2	75	8.59	SE.	—	15.48	17.0	2.8	72	10.57	SE.	Np.
9	20.14	11.9	1.6	80	8.39	C.	—	15.76	15.7	1.9	79	10.60	—	—
10	20.05	11.4	1.6	80	8.08	—	—	15.84	13.8	1.0	89	10.42	SO.	—
11	20.00	9.6	0.8	89	7.98	—	—	16.48	12.7	0.7	92	10.03	—	—
12	19.77	8.6	0.5	95	6.82	—	—	16.72	12.6	1.0	88	9.59	E.	—
13	19.53	7.4	0.2	97	7.48	E.	—	16.41	12.0	0.6	93	9.69	C.	—
14	19.28	7.1	0.2	97	7.32	—	—	16.56	11.0	0.4	95	9.30	—	D.
15	19.19	6.8	0.3	96	7.07	—	—	16.63	10.8	0.6	93	8.95	—	—
16	19.15	6.3	0.3	95	6.82	—	—	16.28	9.8	0.2	97	8.80	—	—
17	19.63	5.8	0.1	99	6.80	—	—	17.04	9.8	0.2	97	8.80	Np.	—
18	19.89	7.1	0.3	96	7.21	—	—	17.46	10.0	1.2	97	8.92	D.	—
19	20.27	10.7	0.7	92	8.74	—	—	17.51	14.3	1.1	88	10.65	SO.	Np.
20	20.24	12.0	1.2	86	8.94	—	—	17.38	15.8	1.9	80	10.68	SO.	—
21	20.06	14.8	1.9	79	9.94	—	—	17.19	17.4	2.4	76	11.24	—	—
22	20.01	15.6	2.2	76	10.13	—	—	17.04	18.8	2.8	73	11.23	—	—
23	19.88	16.9	2.8	72	10.29	S.	—	16.75	20.2	3.8	74	13.08	—	—
Medios.	19.79	12.72	81	8.92	16.66	17.60	79	11.40

HORAS.	Día 20.							Día 30.						
	Barómetro reducido a 0°	Termómetro centigrado	PSICRÓMETRO.		Fuerza elástica	Vientos.	Estado atmosférico.	Barómetro reducido a 0°	Termómetro centigrado	PSICRÓMETRO.		Fuerza elástica	Vientos.	Estado atmosférico.
			Diferencia de los termómetros	Humedad relat.						Diferencia de los termómetros.	Humedad relat.			
0	17.52	23.0	2.6	66	16.23	SO.	Np.	17.06	23.2	2.5	79	16.63	SO.	D.
1	17.31	24.4	3.9	68	15.55	—	—	16.80	25.5	4.3	66	16.08	—	—
2	17.05	24.5	4.0	67	15.49	—	—	16.66	25.1	3.5	72	17.04	—	—
3	16.83	24.5	4.3	66	14.97	—	—	16.59	25.4	3.7	70	17.03	—	—
4	16.42	24.9	4.7	63	14.72	—	—	16.35	25.3	3.6	71	17.09	—	—
5	16.38	24.4	4.3	65	14.86	—	—	16.42	24.5	3.7	70	16.00	—	—
6	16.59	22.9	3.6	69	14.45	—	—	16.44	23.6	3.2	73	15.87	—	—
7	16.81	21.3	2.8	75	14.14	—	—	16.96	21.0	2.4	78	14.48	—	—
8	17.03	19.8	2.1	80	13.79	—	—	16.91	18.8	1.8	83	13.32	—	—
9	17.25	18.2	1.3	87	13.54	C.	N.	17.34	17.8	1.4	86	13.04	C.	—
10	17.47	16.7	0.6	94	13.26	—	—	17.55	17.8	1.4	86	13.04	—	—
11	17.48	16.7	0.7	93	13.11	—	—	17.41	16.5	0.9	90	12.63	—	—
12	17.48	15.9	1.0	88	12.01	—	—	17.65	15.3	0.3	97	12.52	—	—
13	17.26	15.9	1.0	88	12.01	—	Np.	17.52	14.5	0.2	98	12.03	—	—
14	16.98	15.8	1.0	88	11.93	—	—	17.57	14.0	0.5	94	11.23	—	—
15	16.58	14.6	0.5	94	11.68	—	N.	17.53	13.5	0.6	93	10.73	—	—
16	16.40	14.2	0.4	95	11.51	—	—	17.54	13.8	0.7	92	10.81	—	—
17	16.36	13.4	0.4	95	10.92	—	Np.	17.66	14.2	0.6	93	11.24	—	—
18	15.86	13.0	0.3	97	10.77	—	—	17.95	14.7	0.6	93	11.62	E.	—
19	17.58	16.3	1.0	89	12.34	E.	—	18.26	17.0	1.5	84	12.21	—	—
20	18.02	18.8	1.6	84	13.63	C.	—	18.17	19.3	3.2	70	11.67	C.	—
21	18.24	20.0	2.0	81	14.13	SO.	—	18.10	20.5	3.7	67	11.98	SO.	—
22	20.58	24.6	2.6	77	14.75	—	Np.	18.02	21.8	2.8	75	14.63	—	—
23	20.48	23.0	2.6	77	16.23	—	—	18.16	22.6	3.0	74	15.13	—	—
Medios.	17.33	19.33	...	81	13.58	17.36	19.42	...	82	13.67

DICIEMBRE DE 1874.

	Día 10.						Día 20.							
	Barómetro reducido a 0°	Termómetro centigrado	Diferencia de los termómetros	Humedad relat.	Fuerza elástica	Vientos.	Barómetro reducido a 0°	Termómetro centigrado	Diferencia de los termómetros.	Humedad relat.	Fuerza elástica	Vientos.	Estado atmosférico.	
0	14.73	25.5	4.1	68	16.44	SO.	D.	13.10	26.7	5.5	59	15.34	SO.	D.
1	14.36	25.8	4.6	64	15.90	—	—	13.03	27.2	7.5	46	12.48	—	—
2	14.28	26.7	5.0	63	16.23	—	—	12.90	26.8	9.0	37	9.66	—	—
3	14.05	27.2	5.1	62	16.64	—	—	12.81	26.7	9.3	35	9.11	—	—
4	13.93	27.0	5.3	60	16.05	—	—	12.80	25.6	8.6	38	9.17	—	—
5	14.08	25.8	4.8	63	15.54	—	—	12.86	24.2	7.5	43	9.58	—	—
6	14.22	24.2	3.9	68	15.33	—	—	13.21	22.0	6.0	50	9.88	—	—
7	14.56	21.4	2.8	75	13.84	SE.	—	13.53	20.2	5.4	53	9.25	SE.	Np.
8	14.82	19.4	3.0	72	12.06	SO.	—	13.72	17.8	2.8	72	10.99	—	—
9	15.06	18.0	2.4	77	11.74	E.	—	14.13	17.0	2.9	71	10.23	—	D.
10	15.12	18.0	2.4	77	11.74	—	—	14.45	15.8	2.2	77	10.27	—	—
11	15.02	17.8	2.3	77	11.72	—	—	14.59	14.2	1.2	86	10.43	C.	—
12	15.12	16.0	1.5	84	11.40	—	—	14.35	12.9	0.6	93	10.30	NO.	Np.
13	14.94	14.3	0.6	93	11.32	—	—	14.32	13.0	0.4	95	10.64	SE.	N.
14	14.72	13.2	0.4	95	10.78	—	—	14.75	13.0	0.5	94	10.51	—	—
15	14.70	13.0	0.3	97	10.77	—	—	14.97	13.4	0.8	91	10.40	E.	—
16	14.86	12.0	0.3	96	10.08	—	—	15.27	13.1	0.7	92	10.31	NO.	—
17	15.01	12.0	0.2	98	10.21	—	—	15.64	13.5	1.0	88	10.21	E.	—
18	15.31	14.8	1.1	88	11.02	—	—	15.98	13.8	1.1	87	10.29	C.	—
19	15.36	17.4	1.4	84	12.68	—	—	16.38	14.4	1.4	84	10.31	NO.	—
20	15.36	19.4	2.0	81	13.57	SO.	—	16.80	15.0	1.7	81	10.36	—	—
21	15.32	20.6	2.6	76	13.77	C.	—	16.90	15.6	1.5	84	11.08	C.	—
22	15.44	21.2	2.8	75	14.04	SO.	—	16.86	17.0	2.0	86	11.48	NO.	Np.
23	15.21	23.2	3.5	71	14.93	—	—	17.12	18.4	2.4	77	12.07	—	—
Medios.	16.88	19.73	...	78	13.24	15.02	18.22	...	71	10.64

DICIEMBRE DE 1871.

HORAS.	Día 31							HORAS.	Día 31.										
	Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMET.			Vientos.	Estado atmosférico.		Barómetro reducido a 0°	Termómetro centígrado	PSICRÓMETRO.			Vientos.	Estado atmosférico.				
			Diferencia de los termómet.	Humedad relat.	Fuerza elástica						Diferencia de los termómet.	Humedad relat.	Fuerza elástica						
0	mm. 700+	o	o					13	mm. 700+	o	o								
1	15 87	26.4	...			SO.	D.	14	15 40	14.7	0.9	90	11.21	D.	
2	15 35	27.2	8.6	45	12.31	15	
3	15 33	28.4	9.0	39	11.25	16	
4	15 05	28.0	8.5	41	11.66	17	
5	15 17	26.3	7.5	45	11.55	18	C.	
6	15 30	21.3	6.6	48	11.04	19	15 88	19.8	3.6	67	11.52	
7	15 85	22.2	5.4	55	10.94	20	15 76	21.6	4.0	66	12.54	SO.	
8	16 20	19.8	3.9	64	11.08	SE.	...	21	15 53	23.6	4.9	60	12.46	
9	16 47	19.7	4.2	62	10.56	22	15 55	24.0	5.2	59	12.96	
10	16 31	19.1	3.2	70	11.50	C.	...	23	15 51	24.8	5.2	60	13.78	
11
12
	15.63	23.42	...	57	11.74	

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Min.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o						
1	59.96	51.58	51.58	51.58	21.6	21.0	21.0	21.0	12.0	SO.	SO.	N.	D.	...	N.
2	53.13	53.36	53.36	53.36	24.2	14.2	14.2	14.2	9.2	—	—	N.	N.	...	Np.
3	52.28	51.93	51.93	51.93	24.6	14.3	14.3	14.3	8.9	S.	—	—	D.	...	D.
4	52.63	25.4	—	—	...	—
5
6	...	52.31	20.8	...	11.9	SSE.	D.
7	49.27	50.89	51.61	50.59	30.2	24.4	22.6	25.73	15.0	S.	—	S.	—	...	—
8	49.19	50.57	51.59	50.45	31.2	25.0	23.6	26.60	16.2	S.	—	—	—	...	—
9	50.57	51.55	52.54	51.55	31.2	23.0	22.8	25.67	15.9	—	—	—	—	...	—
10	51.50	52.90	54.24	52.88	32.4	24.7	22.6	26.57	16.2	C.	SE.	S.	—	...	—
11	53.83	52.93	52.19	52.98	32.2	25.5	23.2	26.97	20.8	—	S.	—	—	...	—
12	50.09	50.33	52.22	50.88	29.2	24.8	24.1	26.03	20.0	S.	—	—	—	...	—
13	50.58	51.30	51.19	50.02	30.6	24.2	24.0	26.27	23.5	SE.	N.	S.	—	...	—
14	46.35	48.14	45.52	48.89	29.8	23.4	24.0	25.73	22.2	—	—	—	—	...	—
15	51.33	52.15	52.66	52.05	28.8	23.2	25.0	25.67	22.5	S.SO.	S.SO.	S.	—	...	—
16	51.33	51.32	52.26	51.72	26.7	25.0	23.2	24.97	20.8	—	S.	—	—	...	—
17	51.58	51.54	43.52	52.95	27.3	24.0	20.6	23.97	18.8	—	—	—	—	...	—
18	52.33	53.76	53.53	53.34	26.0	24.0	21.5	23.83	20.0	—	—	—	—	...	—
19	51.98	53.22	54.09	53.10	26.0	24.2	23.0	24.40	21.0	C.	—	—	—	...	—
20	53.55	55.65	55.95	54.95	27.5	24.5	22.4	24.80	20.0	S.SO.	SO.	S.SO.	—	...	—
21	53.35	53.40	52.79	53.18	28.0	25.0	23.1	25.37	21.0	S.	S.	S.	—	...	—
22	51.73	52.91	51.28	54.97	26.8	23.5	23.6	24.63	21.4	SSE.	SE.	—	—	...	—
23	53.13	53.92	53.31	53.45	27.2	24.2	23.8	25.07	19.5	S.	—	—	—	...	—
24	52.55	53.78	54.51	53.75	28.0	21.7	22.5	24.07	19.2	—	S.SO.	—	—	...	—
25	54.48	54.44	52.31	53.74	27.5	24.0	20.2	23.90	15.6	—	—	—	—	...	—
26	49.00	49.47	51.66	50.21	30.2	25.5	23.0	26.23	15.8	—	—	—	—	...	—
27	49.07	49.72	51.02	49.94	30.5	26.5	26.5	27.73	17.2	SSE.	S.SO.	S.	—	...	—
28	49.83	50.10	50.99	50.31	31.5	25.4	24.5	27.13	15.6	C.	C.	—	—	...	—
29	49.98	50.63	51.29	50.63	29.5	21.2	24.4	25.03	14.6	—	S.	—	—	...	—
30	49.60	50.82	52.06	50.83	29.8	23.0	22.2	25.00	15.2	S.	—	NO.	—	...	—
31	49.71	50.78	25.2	18.5	SO.	SO.	...	Np.	Np.	N.

FEBRERO DE 1873.

1	50.59	51.43	54.28	52.10	22.4	18.1	16.3	18.93	14.8	NO.	SO.	NNO.	N.	Np.	Ll.
2	54.11	54.46	55.16	54.58	18.8	15.6	18.8	17.73	11.1	—	ONO.	SSE.	—	—	D.
3	54.29	56.27	55.33	55.30	24.5	17.5	19.8	20.60	11.9	S.	S.	S.	D.	—	—
4	54.90	55.06	53.28	54.41	28.8	19.7	20.5	23.00	14.1	—	—	—	—	...	—
5	50.02	51.07	51.69	50.93	31.5	23.3	23.8	26.20	16.0	—	—	—	—	...	—
6	49.83	51.59	52.64	51.35	30.6	22.4	23.2	25.40	15.8	S.SO.	—	—	—	...	—
7	51.73	52.72	52.94	52.46	31.0	22.6	23.8	25.80	15.8	—	SSE.	SSE.	—	...	—
8	51.08	51.45	54.26	52.26	32.0	24.5	22.0	26.17	16.4	—	—	—	—	...	—
9	53.53	53.59	55.30	53.98	28.1	22.5	19.0	23.20	15.5	SSE.	SO.	ONO.	—	...	N.
10	53.20	52.52	53.71	53.14	27.0	22.7	21.5	23.73	15.1	SO.	SE.	S.	—	...	D.
11	52.20	53.12	54.78	53.37	28.5	22.4	18.5	23.13	13.4	S.SO.	S.	—	—	...	—
12	53.15	53.02	52.68	52.98	29.0	21.7	20.5	23.73	12.6	S.	—	—	—	...	—
13	51.33	53.17	53.04	52.51	31.6	23.3	23.4	26.10	16.7	—	S.SO.	—	—	Np.	—
14	50.05	50.00	49.96	50.00	30.5	26.2	23.2	26.63	18.5	—	—	—	Np.	D.	—
15	49.03	50.82	52.86	50.90	25.4	20.2	20.2	21.93	17.8	—	—	NNO.	—	...	N.
16	51.35	52.66	52.76	52.22	28.2	20.2	19.6	20.53	16.3	N.	L.	SO.	—	...	Np.
17	52.51	53.38	55.34	53.74	24.2	19.5	18.4	20.70	15.1	S.	N.	SE.	—	...	D.
18	53.74	55.30	55.22	54.75	25.8	18.5	20.5	21.60	12.9	—	S.	—	—	...	—
19	54.49	55.25	54.16	54.63	27.0	20.1	22.2	23.10	12.9	—	—	D.	—	...	—
20	52.77	53.07	51.94	52.59	28.2	22.8	23.6	24.87	14.3	SSE.	S.SO.	—	—	...	—
21	50.15	50.62	53.13	51.30	25.5	23.0	19.5	22.67	15.2	S.	SSE.	—	—	...	—
22	51.54	52.91	53.66	52.70	24.5	19.5	18.6	20.87	13.3	—	S.	—	—	...	—
23	51.62	52.14	52.28	52.01	23.6	21.1	19.4	21.37	14.0	—	—	—	—	...	—
24	51.22	52.94	52.33	52.16	23.4	17.0	18.2	19.53	15.6	—	—	SE.	—	...	—
25	51.92	52.36	52.43	52.24	24.0	21.6	19.2	21.60	16.3	—	—	SSE.	—	...	—
26	50.34	51.26	51.28	50.96	24.0	21.4	19.5	21.63	16.0	—	—	S.	—	...	—
27	49.97	50.74	51.18	50.63	22.6	21.4	19.2	21.07	15.1	SO.	SSE.	S.SO.	—	...	—
28	52.04	53.06	53.88	52.93	23.2	20.2	17.1	20.17	15.0	—	OSO.	SSE.	—	...	—

MARZO DE 1874.

DIAS.	BARÓMETRO REDU- DO A 0°				TERMÓMETRO CENTÍ- GRADO.					VIENTOS.			ESTADO ATMOSFER			
	2½ h.	9 h.	21 h.	Med.	2½	5	9 h.	21 h	Med.	Min.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o						
1	50.74	51.52	51.06	51.12	23.2	20.0	17.2	20.13	15.0	SSO.	SO.	OSO.	D.	D.	Np.	
2	50.29	50.41	51.56	50.75	23.0	20.7	18.7	20.80	17.1	SE.	—	—	—	Np.	—	
3	50.27	51.84	52.23	51.45	23.8	21.3	18.5	21.20	17.0	NO.	ONO.	—	—	D.	—	
4	50.92	53.01	51.16	52.70	24.0	20.1	18.5	20.87	15.6	S.	SSE.	S.	—	—	—	
5	52.22	52.52	53.16	52.63	23.5	22.0	18.5	21.33	16.3	—	N. S.	—	—	—	—	
6	51.75	54.17	55.01	53.64	24.0	19.5	16.2	19.90	15.4	—	N. N.	N.	—	—	N.	
7	54.36	54.16	20.2	16.5	15.2	—	S.	S.	—	—	D.	
8	53.82	55.67	54.71	54.73	23.2	20.4	18.2	20.60	16.0	S.	SSE.	—	D.	—	—	
9	53.61	54.48	53.80	53.96	21.6	18.4	15.6	18.53	14.0	—	S.	—	—	—	—	
10	51.81	52.28	52.03	52.04	22.4	19.3	16.5	19.40	14.6	—	SSE.	—	—	—	—	
11	50.36	52.16	54.10	52.21	23.4	21.0	15.2	19.87	13.8	—	SSE.	—	—	—	—	
12	52.66	53.96	54.68	53.77	23.2	21.0	16.2	20.13	SSE.	—	SSE.	—	—	—	
13	52.98	55.20	23.5	21.0	—	—	—	—	—	—	
14	50.87	48.08	54.53	51.16	24.2	21.1	17.0	20.77	15.1	SE.	S.	S.	—	—	D.	
15	52.64	55.12	55.37	54.38	23.6	21.5	19.7	21.60	17.1	S.	SSE.	S.	—	—	—	
16	53.02	53.84	25.2	22.0	—	—	—	—	—	—	
17	53.19	54.31	53.96	53.82	21.4	20.0	16.8	19.40	16.5	SSE.	SSE.	SSE.	N.	Np.	N.	
18	53.86	54.78	56.04	54.73	22.2	18.5	16.4	19.05	15.0	SSE.	SSE.	—	Np.	—	Np.	
19	54.38	54.58	54.48	54.47	20.0	17.8	15.5	17.77	15.1	—	SSE.	—	—	D.	—	
20	52.68	54.03	55.10	53.94	20.5	18.4	14.8	17.90	13.2	S.	S.	S.	—	—	D.	
21	52.73	53.81	57.19	54.58	19.7	18.1	14.8	17.53	13.6	SSE.	—	N. NO.	—	—	D.	
22	54.73	58.18	58.14	57.02	19.4	17.7	16.0	17.70	14.4	NO.	NO.	—	—	N.	N.	
23	55.45	56.09	55.30	55.61	18.5	16.5	14.5	16.50	12.5	SO.	SO.	SSE.	—	Np.	—	
24	52.81	52.43	52.55	52.60	18.9	17.2	15.0	17.03	12.1	S.	S.	S.	D.	—	—	
25	51.28	51.66	52.60	51.85	21.0	17.5	14.8	17.77	12.6	—	—	SSE.	—	—	—	
26	54.36	54.58	51.56	17.19	19.4	16.3	14.5	16.73	12.2	NO.	NO.	N.	Np.	D.	—	
27	55.90	55.91	55.31	55.71	19.5	17.5	13.5	16.83	12.6	N.	ONO.	—	D.	D.	Np.	
28	53.21	55.34	53.65	54.07	20.6	17.5	14.5	17.53	12.1	SO.	S.	SSE.	—	—	D.	
29	51.47	54.26	55.66	53.88	22.8	16.9	14.5	17.90	14.0	SSE.	—	—	—	—	N.	
30	54.76	54.41	17.7	14.8	S.	—	—	—	—	—	
31	51.58	53.36	54.19	53.19	21.4	17.7	15.2	18.10	14.4	—	—	S.	—	Np.	Np.	

ABRIL DE 1874.

1	56.06	54.74	59.63	56.81	16.5	15.0	12.2	14.57	10.5	NO.	N.	N.	Ll.	N.	D.
2	58.39	58.31	14.2	12.4	10.7	SSE.	S.	Np.	—
3	54.81	56.36	56.79	55.99	19.5	16.6	14.5	16.87	12.6	SSE.	S.	—	D.	—	Np.
4	53.38	53.53	52.08	53.00	24.0	19.8	14.3	19.37	—	—	—	—	—	—
5	50.28	50.81	51.48	50.86	21.4	17.5	16.1	18.33	13.1	—	—	—	—	—	—
6	51.93	52.28	52.63	52.28	18.6	16.0	15.5	16.70	14.5	—	N.	N.	Np.	N.	N.
7	57.04	58.88	58.13	58.02	13.7	12.0	11.5	12.40	7.9	N.	S.	S.	Ll.	D.	D.
8	55.47	55.96	57.03	56.15	16.5	13.2	12.5	14.07	8.8	S.	—	—	D.	—	—
9	55.30	56.26	58.01	56.52	16.7	13.0	12.5	14.07	10.0	—	—	—	—	—	N.
10	57.44	59.26	56.83	57.84	16.4	13.4	12.1	13.87	8.4	—	—	—	—	—	D.
11	52.87	52.42	50.38	51.89	18.0	14.2	12.5	14.99	9.8	—	SSE.	SSE.	—	—	—
12	50.24	52.05	53.62	51.97	17.3	15.2	13.6	15.33	9.9	SSE.	SSE.	SE.	—	—	—
13	54.30	54.75	55.02	54.69	15.6	13.0	14.2	14.27	10.3	SE.	SSE.	—	—	—	—
14	53.25	53.67	54.20	53.71	17.0	14.0	14.0	15.00	10.5	—	SE.	ESE.	—	Np.	—
15	54.20	55.57	55.59	55.12	17.2	13.3	13.0	14.50	12.4	NE.	N.	NNE.	—	—	—
16	53.65	53.95	56.41	54.67	17.6	14.7	10.1	14.13	10.1	SSE.	SO.	—	—	Np.	N.
17	56.86	57.43	58.43	57.57	14.0	10.2	11.6	11.93	6.4	S.	SE.	SE.	—	D.	—
18	57.21	59.81	59.26	58.76	15.6	11.0	9.7	11.30	6.0	SE.	—	S.	—	—	D.
19	55.91	56.28	54.29	55.49	16.7	12.0	9.7	12.80	8.6	S.	S.	SO.	—	—	N.
20	53.27	54.19	57.21	54.89	14.9	11.0	8.9	11.69	8.3	SSE.	—	—	Np.	—	D.
21	56.56	57.63	58.46	57.55	16.5	12.3	7.5	12.10	7.1	S.	—	OSO.	D.	—	Np.
22	54.27	53.62	51.44	53.11	16.4	10.5	6.0	10.97	5.5	SSE.	—	—	—	—	D.
23	47.28	49.42	51.43	49.38	17.0	13.6	13.3	14.63	12.4	SSE.	—	NNO.	—	—	D.
24	52.15	54.95	57.86	54.99	14.0	12.7	11.2	12.63	10.3	NO.	NNO.	S.	Ll.	N.	—
25	57.29	58.61	59.26	58.49	15.5	13.2	9.9	12.87	9.7	NO.	SSE.	—	Np.	D.	—
26	58.06	58.79	58.36	58.40	18.0	14.5	12.6	15.03	12.0	S.	S.	N.	D.	—	N.
27	55.61	57.21	58.41	57.41	18.2	14.5	11.4	14.70	10.0	—	—	SSE.	—	—	D.
28	53.06	56.19	54.60	55.62	19.2	15.2	13.5	15.97	12.4	—	—	—	—	—	—
29	52.58	54.37	55.64	54.19	20.6	14.0	11.8	15.47	11.0	—	—	—	—	—	N.
30	54.71	56.37	56.59	55.90	18.0	14.0	12.3	14.77	11.1	—	—	—	—	—	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSFER.		
	2 ½ h.	9 h.	21 h.	Med.	2 ½ h.	9 h.	21 h.	Med.	Mín.	2 ½ h.	9 h.	21 h.	2 ½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o						
1	53.81	52.53	50.18	52.17	21.7	17.0	14.4	17.70	13.7				D.	D.	Np.
2	53.58	52.58	50.11	52.17	15.7	14.1	13.4	17.70	13.4				N.	N.	Np.
3	54.73	53.89	51.89	53.89	16.6	13.6	13.0	17.70	13.0				D.	D.	Np.
4	55.11	55.55	54.85	55.17	18.6	16.0	13.2	15.93	12.9				D.	D.	Np.
5	55.63	55.30	55.61	55.19	17.6	14.6	12.2	14.80	11.5						Np.
6	54.20	56.04	56.91	55.91	16.2	12.5	9.8	12.83	8.2						Np.
7	54.95	56.04	57.69	56.25	18.1	16.5	13.3	15.97	12.4						Np.
8	54.23	55.76	56.54	55.51	17.7	15.4	12.4	15.17	11.0						Np.
9	57.01	58.19	58.19	58.19	16.3	12.2	12.2	17.70	11.4						Np.
10	55.10	56.79	57.01	56.30	16.4	14.0	10.2	13.53	8.9						Np.
11	55.91	57.23	58.26	57.13	17.2	10.5	10.6	12.77	8.3						Np.
12	56.86	57.38	57.16	57.13	16.2	12.7	12.0	13.63	9.7						Np.
13	56.36	56.96	57.06	56.79	14.1	11.9	10.0	12.10	10.0						Np.
14	57.08	56.68	56.78	56.85	12.8	11.8	9.7	11.43	9.6						Np.
15	55.91	56.48	56.46	56.28	15.8	11.8	9.8	12.47	6.2						Np.
16	55.39	56.96	56.76	56.37	14.0	9.6	5.3	9.63	4.7						Np.
17	56.08	57.58	57.50	57.05	14.1	7.7	7.2	9.67	5.8						Np.
18	57.46	56.91	56.91	57.09	11.2	9.5	7.4	9.37	6.4						Np.
19	56.61	57.76	58.58	57.65	11.8	11.8	11.0	11.53	10.9						Np.
20	56.73	57.93	57.08	57.25	13.2	10.9	11.9	12.00	10.9						Np.
21	54.57	54.62	54.94	54.71	17.7	12.1	13.7	14.50	8.1						Np.
22	52.87	51.52	54.52	53.97	15.7	14.5	12.7	14.30	12.7						Np.
23	53.47	54.12	57.06	54.88	13.6	12.7	10.2	12.17	9.0						Np.
24	57.53	59.08	57.78	58.13	14.0	10.4	7.8	10.73	6.0						Np.
25	56.56	57.46	55.79	56.60	10.5	9.6	9.9	10.00	9.0						Np.
26	53.32	54.41	52.42	53.39	14.5	12.5	13.1	13.37	12.1						Np.
27	58.58	58.36	58.36	58.36	10.8	7.2	7.2	10.87	6.0						Np.
28	56.73	57.53	57.31	57.19	14.5	10.3	7.8	10.87	6.8						Np.
29	56.31	57.21	58.58	57.33	14.0	10.2	7.1	10.43	6.3						Np.
30	57.36	57.61	56.71	57.23	13.3	9.4	5.4	9.37	4.9						Np.
31	54.79	54.54	55.06	54.80	13.0	9.8	6.5	9.77	5.0						Np.

JUNIO DE 1873.

1	53.99	54.29	54.79	54.36	12.6	9.2	5.6	9.13	5.2				Np.	Np.	N.
2	52.59	53.64	53.29	53.17	12.4	9.8	7.8	10.00	6.9						Np.
3	51.77	52.92	54.52	53.07	14.5	10.4	9.5	11.47	8.0						Np.
4	55.37	57.06	58.08	56.81	12.8	12.2	12.1	12.37	11.8						Np.
5	57.86	59.06	59.06	59.06	13.4	10.2	10.2	13.47	5.3						Np.
6	57.05	58.78	58.78	58.78	7.9	4.8	4.8	10.87	4.5						Np.
7	57.52	58.62	60.07	59.00	7.0	5.6	4.8	5.80	4.4						Np.
8	61.02	61.67	61.27	61.39	7.2	3.9	0.3	3.80	0.0						Np.
9	58.92	59.10	57.47	58.50	5.5	4.2	2.6	4.10	2.1						Np.
10	56.92	58.02	59.82	58.25	8.8	6.9	4.4	6.70	4.0						Np.
11	60.87	63.92	61.02	61.94	6.2	4.1	3.0	4.43	1.3						Np.
12	57.42	56.77	57.25	57.15	9.4	4.9	5.1	6.47	2.5						Np.
13	54.56	55.16	57.05	55.59	14.5	8.3	6.4	9.73	6.3						Np.
14	56.16	56.28	56.28	56.28	5.8	4.1	4.1	10.87	3.9						Np.
15	55.63	57.75	56.13	56.54	4.7	4.4	5.1	4.73	4.8						Np.
16	53.00	56.32	56.28	55.20	6.0	5.5	6.0	5.83	4.4						Np.
17	56.52	56.90	55.76	56.39	10.4	8.0	6.2	8.20	5.5						Np.
18	53.41	51.96	52.16	52.51	11.2	8.2	5.6	8.83	5.0						Np.
19	52.91	55.56	53.04	53.84	12.0	10.5	11.0	11.17	9.2						Np.
20	50.75	53.32	53.53	53.46	11.8	12.0	12.0	11.93	10.8						Np.
21	55.12	55.17	53.39	54.56	14.2	12.3	12.2	12.90	11.1						Np.
22	51.42	51.47	51.67	51.52	13.7	13.4	10.9	12.67	10.9						Np.
23	51.57	52.22	52.22	52.22	12.7	10.8	10.8	12.67	10.5						Np.
24	53.87	50.84	50.84	50.84	12.4	11.3	11.3	12.67	10.9						Np.
25	52.47	53.17	58.11	54.58	12.6	11.0	10.6	11.40	10.2						Np.
26	57.66	57.98	58.21	57.95	14.5	10.9	7.8	11.07	6.9						Np.
27	54.74	54.59	52.92	54.08	11.1	8.5	6.9	8.83	6.0						Np.
28	49.70	49.75	51.09	50.38	11.5	6.3	11.9	9.90	6.0						Np.
29	52.64	56.53	54.21	55.79	10.9	6.0	9.7	9.20	9.3						Np.
30	56.18	54.12	54.56	54.93	14.0	10.0	7.4	10.47	7.2						Np.

JULIO DE 1873.

DIA	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO					VIENTOS.			ESTADO ATMOSP.		
	2 ½ h.	9 h.	21 h.	Med.	2 ½ h.	9 h.	21 h.	Med.	Mín.	2 ½ h.	9 h.	21 h.	2 ½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o						
1	52.44	52.86	56.08	53.79	9.1	8.0	9.0	8.70	7.4	ONO.	SO.	N.	N.	Np.	N.
2	51.99	56.13	59.03	56.72	11.7	9.3	8.2	9.73	7.5	N.	N.	—	—	Np.	Np.
3	59.53	60.98	60.53	60.35	11.8	10.2	7.5	9.83	7.0	S.	—	—	Np.	Np.	Np.
4	59.78	60.15	58.65	59.53	10.5	7.0	5.5	7.67	3.2	—	—	E.	D.	Np.	Np.
5	55.79	10.9	4.5	SSE.	—	—	Np.
6	56.85	57.07	56.67	56.86	6.4	5.5	8.9	6.93	...	SE.	SE.	NO.	N.	—	Np.
7	58.50	58.67	59.32	58.83	6.2	5.9	5.2	5.77	4.4	E.	NNE.	SO.	—	—	—
8	59.12	58.85	60.27	59.41	9.3	7.2	4.3	6.93	3.5	NE.	—	N.	Np.	—	—
9	59.72	60.58	58.13	57.81	11.0	8.6	3.9	7.83	2.2	NO.	OSO.	N.	D.	D.	N.
10	54.68	54.13	52.06	53.82	10.2	6.0	10.5	8.90	...	N.	N.	—	Np.	—	Np.
11	53.53	53.63	61.62	56.26	10.8	9.5	7.6	9.30	6.5	S.	N.	—	Np.	—	Np.
12	53.81	54.79	59.15	55.92	9.1	7.0	5.0	7.03	4.7	S.	S.	NNE.	Ll.	Np.	N.
13	60.15	60.55	61.03	60.58	9.4	6.1	2.5	6.00	1.8	—	—	NNE.	D.	D.	N.
14	58.12	58.30	59.33	58.58	8.8	7.0	5.4	7.07	5.4	E.	SE.	D.	D.	N.	—
15	59.68	59.33	55.24	58.08	11.3	9.0	8.9	9.73	8.6	S.	S.	NE.	N.	—	Np.
16	57.43	56.13	60.33	57.96	9.6	10.3	6.2	8.70	5.4	SE.	NE.	N.	—	—	Np.
17	55.57	59.16	54.54	56.42	11.0	9.0	5.6	8.53	5.3	NO.	NO.	NO.	Ll.	Ll.	Np.
18	57.08	55.24	55.54	55.95	10.8	7.8	6.4	8.33	5.9	N.	NO.	N.	D.	N.	—
19	54.01	54.36	57.66	55.34	6.9	6.3	9.2	7.57	...	S.	NO.	O.	D.	N.	—
20	55.32	58.91	60.71	58.31	11.9	10.3	6.6	9.60	6.3	NE.	NE.	SO.	—	—	N.
21	56.31	57.31	59.68	57.77	12.6	10.1	6.4	9.70	5.7	OSO.	N.	NO.	D.	N.	N.
22	60.51	61.29	57.03	59.61	12.9	10.7	8.9	10.83	8.4	NO.	E.	SSE.	—	—	N.
23	55.62	54.49	62.44	57.52	14.1	12.7	4.2	10.33	3.0	NE.	N.	S.	Np.	D.	D.
24	59.06	60.63	61.10	60.21	9.8	11.9	4.1	8.60	3.3	S.	OSO.	—	D.	—	—
25	60.61	61.52	57.90	60.01	9.9	7.3	3.9	7.03	3.0	NO.	S.	SSE.	—	—	N.
26	57.78	57.48	65.61	56.96	11.4	6.8	7.4	8.53	6.7	SO.	SO.	—	—	—	—
27	54.99	54.81	52.81	54.20	11.2	8.1	7.3	8.87	6.2	SSE.	SE.	—	Np.	N.	—
28	...	53.49	52.26	10.6	7.2	...	7.2	N.	N.	NNO.	—	—	Ll.
29	50.75	48.93	49.10	49.59	8.3	11.0	8.8	10.03	8.8	NO.	—	N.	Ll.	—	—
30	49.03	49.80	53.24	50.69	8.9	8.5	8.6	8.67	8.4	N.	—	—	Ll.	—	—
31	51.77	50.58	47.33	49.89	10.7	11.3	10.5	10.83	9.9	—	—	NO.	N.	—	—

AGOSTO DE 1873.

1	46.58	46.73	50.08	47.80	10.0	9.8	8.5	9.43	8.2	N.	N.	N.	Ll.	G.	Ll.
2	51.02	51.92	53.24	52.00	8.9	7.0	7.0	7.87	6.2	—	NNO.	—	—	Np.	N.
3	54.44	60.06	61.42	58.64	9.3	7.1	6.6	7.67	5.9	NO.	—	—	N.	Np.	D.
4	61.21	61.59	59.88	60.89	11.4	7.7	4.5	7.87	4.1	—	O.	—	D.	D.	D.
5	59.38	59.03	60.13	60.49	11.8	9.6	5.3	8.90	4.9	—	N.	—	Np.	D.	D.
6	60.33	61.00	60.13	60.49	11.8	9.3	5.8	9.17	4.1	OSO.	OSO.	NO.	D.	D.	D.
7	58.11	59.01	61.03	59.38	12.4	8.6	4.8	9.17	4.1	—	S.	—	Np.	—	—
8	59.83	60.51	59.85	60.06	12.4	8.6	4.8	8.60	3.8	N.	S.	—	—	—	—
9	56.38	56.58	58.79	57.22	13.3	9.0	7.0	9.77	5.1	NO.	NNO.	NNO.	—	—	—
10	56.48	56.71	54.79	55.99	12.2	10.2	6.6	9.67	6.2	OSO.	O.	N.	—	—	N.
11	52.59	53.09	53.49	53.22	10.1	7.9	5.2	7.73	4.5	N.	NNO.	NNO.	—	—	—
12	52.42	54.09	54.37	53.63	10.0	10.3	9.9	10.07	9.2	N.	N.	N.	—	—	N.
13	53.47	55.39	55.77	54.88	12.1	10.1	10.0	10.73	9.4	NO.	SNO.	—	N.	D.	Ll.
14	56.93	59.36	61.57	59.29	11.5	10.5	8.2	10.07	6.3	—	N.	NO.	—	—	Np.
15	60.16	61.03	59.93	60.37	11.2	9.3	7.8	9.43	7.1	N.	NNO.	NO.	Np.	—	Np.
16	58.41	57.51	57.35	57.76	11.6	9.6	7.2	9.47	5.5	—	NO.	—	Np.	—	—
17	55.99	57.43	57.28	56.90	10.7	9.1	7.3	9.03	6.9	SSE.	—	NO.	Np.	—	—
18	59.48	61.57	64.59	61.88	10.1	8.0	4.6	7.57	4.0	—	S.	N.	Np.	—	—
19	63.84	64.47	63.29	63.80	10.1	8.1	4.6	7.60	4.1	ONO.	SE.	—	D.	D.	D.
20	...	59.56	58.03	9.9	7.6	...	7.2	—	S.	—	—	—	N.
21	55.92	57.36	57.61	56.99	15.5	11.5	9.7	12.23	9.0	N.	S.	S.	D.	D.	—
22	55.88	56.18	54.62	55.56	15.5	12.5	8.9	12.39	8.1	OSO.	—	—	Np.	—	—
23	52.47	53.57	76.54	66.69	16.4	13.3	9.5	13.07	9.1	N.	N.	NNE.	—	—	—
24	56.81	57.98	57.86	57.55	11.3	10.5	8.9	10.23	8.3	SSE.	SSE.	N.	N.	N.	D.
25	55.27	56.23	56.21	55.99	15.2	11.5	8.7	11.80	7.1	—	—	NO.	D.	D.	Np.
26	53.72	54.69	55.82	54.74	14.1	11.7	10.7	12.17	8.5	S.	—	NO.	—	—	Np.
27	53.99	55.39	55.89	55.00	15.5	11.8	8.4	11.83	8.1	O.	—	NE.	—	—	N.
28	54.94	51.72	55.89	55.18	10.5	10.1	8.0	9.53	7.9	NNE.	NNO.	—	N.	N.	N.
29	54.14	53.27	55.54	54.32	11.8	9.9	7.4	9.79	7.0	NO.	N.	SE.	Np.	Np.	N.
30	55.49	58.11	60.99	58.29	11.4	11.6	1.8	11.46	9.8	N.	—	—	—	—	N.
31	59.73	60.91	60.36	60.33	14.0	11.6	9.2	11.59	8.1	N.	SE.	OSO.	—	—	N.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSFER.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Mín.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o						
1	57.71	58.31	54.37	56.80	14.3	11.5	8.5	11.48	7.9	S.	SO.	N.	D.	N.	Np.
2	52.59	53.89	57.36	54.61	14.9	11.2	7.9	11.33	6.4	—	NNO.	SO.	Np.	D.	—
3	55.76	57.08	57.61	56.85	15.3	12.5	8.9	12.28	7.8	S.	SE.	—	—	—	—
4	57.08	57.46	56.28	56.94	14.2	10.5	8.5	11.07	7.0	SO.	NO.	—	—	—	—
5	53.59	54.89	54.99	54.49	15.4	12.0	9.5	12.30	8.3	S.	OSO.	—	—	—	—
6	58.82	55.44	56.58	55.28	14.7	12.5	11.1	12.77	9.6	E.	N.	ONO.	Np.	Np.	—
7	55.42	58.18	57.08	56.89	14.4	10.7	8.4	11.17	6.9	SO.	O.	—	Np.	—	—
8	56.18	58.76	58.18	57.68	15.7	12.1	11.4	13.07	10.6	OSO.	NNO.	N.	D.	—	—
9	56.26	55.88	55.59	55.91	14.8	11.2	9.6	11.87	8.8	SE.	OSO.	—	Np.	—	—
10	54.09	55.24	56.96	55.43	12.3	12.2	11.2	11.90	10.3	NNO.	NO.	—	Np.	Np.	—
11	60.01	62.62	66.81	63.15	11.3	8.9	7.4	9.20	5.7	SO.	SO.	—	Np.	D.	—
12	64.82	64.59	61.17	63.55	11.5	8.3	8.0	9.27	5.9	S.	S.	—	Np.	—	—
13	57.88	59.16	58.81	58.62	15.2	11.9	10.1	12.40	9.1	—	—	—	D.	—	—
14	56.07	56.21	55.19	55.82	16.3	14.8	11.2	14.10	10.1	—	—	—	—	—	—
15	...	53.64	53.49	14.1	10.2	...	9.0	N.
16	...	53.99	54.89	12.9	12.5	...	11.9	...	N.	O.
17	54.19	54.29	55.52	54.33	14.3	11.4	10.6	12.10	9.4	SE.	C.	O.	N.	N.	—
18	53.49	54.79	54.09	54.13	14.8	12.3	12.0	13.03	11.0	NO.	NO.	—	Np.	D.	—
19	53.29	52.29	52.54	52.71	13.8	11.7	12.1	12.53	10.3	NNO.	—	N.	—	—	—
20	52.29	54.24	56.58	54.37	12.9	11.5	11.9	12.10	9.8	NO.	—	—	Li.	Np.	Np.
21	57.08	57.13	58.58	57.57	12.2	10.9	10.8	11.30	9.1	—	E.	OSO.	—	Np.	Np.
22	56.83	58.63	56.53	57.33	13.8	10.6	10.1	11.50	8.1	SE.	OSO.	—	Np.	D.	—
23	53.97	55.02	58.98	55.99	16.2	11.1	10.0	12.43	9.0	S.	S.	—	D.	—	—
24	58.28	57.73	57.33	57.78	13.3	11.2	8.8	11.10	7.1	OSO.	—	NNE.	—	—	—
25	54.67	54.12	54.79	54.53	16.0	13.2	9.4	12.87	9.0	S.	—	NE.	Np.	N.	—
26	53.64	54.89	58.48	55.67	14.0	12.8	11.1	12.63	9.2	O.	—	N.	N.	D.	—
27	60.16	62.99	61.79	61.63	13.7	10.6	10.2	11.50	7.2	OSO.	NO.	—	D.	—	—
28	59.71	59.63	58.98	59.42	14.5	11.6	10.5	12.20	8.2	S.	S.	ONO.	—	—	—
29	55.20	54.52	54.27	54.66	17.8	14.8	14.3	15.63	10.2	SE.	—	—	—	—	—
30	51.57	57.86	58.53	56.99	15.1	12.3	10.4	12.60	7.9	SO.	SO.	S.	N.	G.	D.

OCTUBRE DE 1873.

1	57.21	56.11	55.29	55.87	14.2	10.0	10.5	11.57	7.1	S.	S.	O.	D.	D.	Np.
2	53.87	54.57	55.04	54.49	13.1	11.5	12.2	12.27	10.1	ONO.	NNO.	NE.	N.	N.	—
3	55.17	58.41	60.66	58.08	13.9	9.5	9.3	10.90	6.0	O.	NO.	S.	Np.	D.	—
4	59.03	59.66	58.36	59.02	13.0	9.8	10.8	11.20	6.8	S.	OSO.	—	D.	—	D.
5	57.16	...	58.88	...	14.5	...	9.9	...	7.3	—	—	D.
6	57.21	57.23	57.66	57.87	14.5	12.0	10.9	12.47	8.3	—	E.	—	—	D.	Np.
7	56.36	58.16	58.23	57.58	16.4	12.1	11.0	13.17	9.0	—	—	—	Np.	—	Np.
8	56.84	56.36	55.54	56.25	16.6	12.3	13.2	14.05	10.5	—	NE.	—	Np.	—	—
9	53.77	54.95	55.34	54.69	18.0	15.6	12.6	15.40	11.2	—	O.	SE.	N.	N.	—
10	55.91	56.21	57.01	56.38	16.2	13.5	12.8	14.17	9.5	ENE.	S.	E.	Np.	D.	—
11	56.61	56.35	56.66	56.21	17.5	14.1	12.9	14.83	11.5	S.	—	S.	D.	D.	—
12	59.46	60.59	63.03	60.69	17.4	11.7	10.5	13.20	8.3	—	—	—	—	D.	—
13	60.97	61.21	57.43	59.87	14.5	10.8	11.1	12.13	7.5	—	—	—	D.	—	—
14	53.30	54.05	54.37	53.91	18.5	14.6	12.4	15.17	10.3	—	—	—	—	—	—
15	50.81	51.75	54.08	52.20	20.1	16.4	16.5	17.97	12.1	—	—	N.	—	—	—
16	52.51	53.32	54.88	53.57	22.0	16.7	16.6	18.43	12.2	M.	—	OSO.	—	—	—
17	53.46	55.31	55.33	54.70	22.8	17.4	15.4	18.53	10.9	S.	—	—	—	—	—
18	53.88	55.21	54.93	54.67	22.5	16.6	15.0	18.03	12.5	SEE.	C.	—	—	—	—
19	53.66	54.33	56.66	54.88	22.0	18.1	14.2	18.10	12.2	SO.	SO.	—	—	—	—
20	53.73	55.39	55.38	54.83	21.9	16.5	13.5	17.80	11.8	S.	—	—	—	—	—
21	52.68	54.11	53.15	53.81	21.0	15.9	14.1	17.00	12.4	—	—	O.	—	Np.	—
22	54.18	54.00	54.98	54.39	16.4	13.2	15.2	14.93	11.2	SO.	—	NE.	N.	N.	—
23	53.21	55.76	55.05	54.67	19.3	14.6	14.7	16.20	10.7	S.	—	NNO.	D.	D.	—
24	55.39	57.19	56.86	56.48	19.2	15.4	14.0	16.20	11.0	OSO.	SO.	S.	Np.	Np.	—
25	56.61	58.46	57.61	57.57	17.5	14.0	13.8	15.10	10.0	S.	S.	—	—	D.	—
26	...	56.41	55.59	16.0	13.8	...	10.8	SSE.
27	53.81	51.98	55.28	54.69	20.1	16.0	15.3	17.13	10.3	S.	O.	—	Np.	D.	—
28	53.53	55.16	56.26	54.98	22.1	16.4	15.4	17.97	12.2	—	—	—	—	—	—
29	53.86	54.78	54.65	54.43	20.1	16.0	13.1	16.40	10.9	—	SO.	—	—	—	—
30	53.91	56.01	56.19	55.37	18.5	15.9	15.0	16.47	11.2	—	—	—	—	—	D.
31	53.91	54.41	55.85	54.07	21.9	18.6	18.0	19.50	13.9	—	ENE.	SO.	Np.	—	—

NOVIEMBRE DE 1874.

DIA N.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSFÉR		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Mín.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o						
1	52.56	54.63	54.61	53.93	25.3	20.5	18.5	21.43	14.9						
2	52.89	55.56	56.22	54.89	25.3	21.6	17.9	21.60	14.6						
3	54.02	55.27	54.73	54.67	24.9	19.3	18.1	20.77	14.1						
4	51.94	52.31	53.38	52.54	25.0	20.5	17.6	21.03	15.2						
5	54.29	53.96	52.13	53.46	24.1	15.3	16.8	18.73	13.3						
6	49.21	49.98	52.78	50.66	23.5	20.5	17.5	20.50	15.0						
7	51.69	53.01	52.13	52.28	23.3	19.7	19.0	20.67	14.8						
8	50.62	52.52	54.28	52.47	25.5	21.5	18.0	21.67	14.7						
9	51.47	53.46	54.68	53.20	24.3	20.0	17.3	20.53	14.2						
10	52.41	53.83	53.81	53.35	21.6	16.7	16.4	18.23	13.0						
11	52.46	55.72	56.49	54.89	21.7	17.3	17.0	18.67	13.4						
12	53.54	54.76	56.44	54.91	23.5	19.9	18.3	20.57	14.9						
13	54.74	56.52	54.81	55.36	23.7	20.0	18.6	20.77	14.7						
14	53.59	56.12	54.94	54.70	23.9	19.6	19.0	20.83	14.3						
15	51.54	54.16	56.56	53.96	24.3	20.4	19.7	21.47	15.5						
16	55.32	58.04	58.32	57.23	22.5	17.6	17.3	19.13	13.4						
17	55.95	57.25	57.67	56.96	23.0	19.1	19.8	20.63	14.5						
18	55.58	56.42	58.09	56.70	25.0	19.5	19.2	21.23	14.8						
19	55.78	57.60	57.52	56.97	24.5	19.3	19.4	21.27	15.1						
20	54.35	56.55	54.06	55.19	24.2	19.6	19.8	21.20	15.4						
21	50.90	52.16	55.06	52.71	26.5	22.6	19.3	22.80	16.7						
22	55.10	57.50	55.70	56.10	24.9	19.3	20.1	21.43	15.0						
23	53.77	53.76	53.01	53.51	25.2	21.2	21.2	22.53	16.3						
24	51.10	51.69	51.94	51.58	27.2	23.0	22.0	24.07	17.7						
25	52.15	54.87	54.07	54.87	24.8	19.9	22.5	22.40	17.6						
26	57.12	55.30	54.68	55.70	19.3	17.5	17.0	17.93	12.1						
27	53.39	55.10	54.58	54.36	22.3	19.1	18.5	19.97	14.5						
28	54.11	54.41	55.03	54.52	23.3	20.5	19.6	21.33	15.1						
29	52.02	53.29	51.49	52.27	26.0	21.9	22.5	23.47	16.9						
30	49.57	51.59	53.51	51.56	27.6	23.1	22.9	23.90	18.0						

DICIEMBRE DE 1873.

1	52.10	53.71	54.29	53.38	26.8	21.2	21.3	23.10	16.7						
2	53.55	54.82	54.61	54.33	26.6	20.7	21.2	22.83	17.2						
3	52.45	55.50	54.39	54.11	27.0	21.8	21.2	23.33	16.3						
4	51.40	53.70	51.51	51.58	27.1	22.0	21.1	23.40	17.1						
5	48.07	49.31	51.11	49.50	26.2	22.0	17.6	21.90	17.6						
6	52.38	55.26	55.82	54.49	17.3	16.0	17.8	17.03	15.3						
7	53.71	53.96	56.42	54.70	21.1	17.9	18.3	19.10	14.1						
8	54.44	55.03	22.5	18.6						
9	54.41	54.63	19.0	20.5	15.4						
10	53.49	53.96	20.3	19.9	15.8						
11	53.12	53.96	54.06	53.71	24.3	21.3	20.7	22.10	17.9						
12	51.22	49.91	51.14	50.76	26.0	21.9	19.1	22.33	17.3						
13	51.22	51.78	18.2	19.0	16.0						
14	51.06	52.43	52.66	52.05	21.1	17.3	16.0	18.13	15.2						
15	52.83	55.76	54.68	54.42	15.3	13.5	15.1	14.63	12.0						
16	55.20	56.64	58.41	56.73	14.2	13.4	15.8	14.47	12.0						
17	53.29	60.26	56.51	58.69	17.7	15.4	15.3	16.13	11.8						
18	50.99	52.18	53.91	52.36	24.3	19.7	20.2	21.40	15.8						
19	51.82	53.19	52.91	52.64	26.8	22.2	21.1	23.37	17.3						
20	50.77	51.52	54.31	52.20	26.1	23.1	21.0	23.50	17.8						
21	52.82	54.74	54.56	58.04	26.5	22.6	21.0	23.37	17.6						
22	52.60	52.84	54.41	53.28	26.1	22.1	18.5	22.23	14.4						
23	51.92	53.01	25.0	20.9						
24	53.41	21.9	15.5						
25	52.27	51.91	26.2	22.3	17.7						
26	50.43	52.42	53.31	52.05	28.1	22.1	22.4	24.20	17.8						
27	52.25	53.81	54.16	53.41	27.2	21.5	21.6	23.23	16.9						
28	53.07	55.52	55.72	54.77	23.8	18.9	18.6	20.13	15.4						
29	54.74	56.42	54.43	55.20	23.4	17.6	20.3	20.43	15.0						
30	52.37	52.71	52.14	52.48	25.0	22.6	20.1	22.47	17.0						
31	50.75	51.69	53.79	52.08	26.5	21.1	22.9	23.70	17.4						

Instrumentos.	MARZO 10 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 754.63	mm. 751.76	mm. 752.71	mm. 754.48	mm. 753.01	mm. 751.46	mm. 751.83	mm. 752.05	mm. 752.74
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos	S.	S.	S.	O.	S.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.

Instrumentos.	MARZO 20 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	753.46	752.68	753.48	754.03	753.41	752.78	753.98	753.70	753.69
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos	S.	S.	SSE.	S.	S.	S.	S.	S.
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.

Instrumentos.	MARZO 30 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	755.63	754.41	754.29	754.41	753.21	752.13	752.68	753.73
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos	S.	S.	SSE.	S.	S.	S.	S.	S.
Estado atmosférico.....	Np.	D.	D.	D.	D.	D.	D.	D.

Instrumentos.	ABRIL 9 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	755.76	755.25	755.79	756.28	756.21	756.16	756.96	758.01	756.59
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos	S.	S.	S.	S.	S.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.

Instrumentos.	ABRIL 19 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	758.16	755.91	755.96	756.28	756.96	755.22	754.59	754.29	755.81
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	SSO.	SE.	SSE.	S.	S.	S.	SSO.	SO.
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	Np.	N.

Instrumentos.	ABRIL 29 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	753.70	752.53	753.98	754.35	753.90	753.00	754.20	755.64	753.76
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos	S.	S.	S.	S.	S.	SSE.	SO.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	Np.	N.

Instrumentos.	MAYO 9 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 755.59	mm. 754.53	mm. 755.86	mm. 757.01	mm. 756.46	mm. 755.91	mm. 756.89	mm. 758.49	mm. 756.31
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	15.7	18.2	17.4	16.3	15.5	12.9	11.7	12.2	15.00
Estado atmosférico.....	S.	S.	S.	S.	S.	SE.	S.	SSE.
	D.	Np.	Np.	D.	D.	D.	D.	D.
MAYO 19 DE 1873.									
Barómetro reducido a 0°.....	mm. 756.71	mm. 756.56	mm. 757.21	mm. 757.76	mm. 757.01	mm. 756.21	mm. 757.28	mm. 758.58	mm. 757.17
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	10.5	11.9	11.8	11.8	11.6	11.1	10.9	11.0	11.36
Estado atmosférico.....	S.	S.	S.	S.	S.	S.	S.	NO.
	Np.	N.	Np.	D.	D.	Np.	N.	N.
MAYO 29 DE 1873.									
Barómetro reducido a 0°.....	mm. 756.96	mm. 756.31	mm. 756.76	mm. 757.21	mm. 756.86	mm. 756.56	mm. 757.51	mm. 758.46	mm. 757.68
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	12.6	11.0	12.9	10.2	8.9	7.2	6.4	7.1	9.91
Estado atmosférico.....	NO.	SSO.	SO.	S.	S.	S.	SSO.	SO.
	Np.	D.	D.	D.	D.	D.	D.	D.
JUNIO 8 DE 1873.									
Barómetro reducido a 0°.....	mm. 760.87	mm. 761.07	mm. 761.52	mm. 761.87	mm. 761.17	mm. 760.05	mm. 760.97	mm. 761.27	mm. 761.10
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	6.2	7.2	5.1	3.9	2.9	1.6	0.1	0.3	3.41
Estado atmosférico.....	N.	NNE.	N.	NE.	NE.	N.	N.	SE.
	N.	Np.	Np.	D.	D.	D.	Ni.	Ni.
JUNIO 18 DE 1873.									
Barómetro reducido a 0°.....	mm. 754.91	mm. 753.41	mm. 752.71	mm. 751.91	mm. 751.46	mm. 750.82	mm. 751.56	mm. 752.16	mm. 752.37
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	8.9	11.2	9.9	8.2	6.8	5.1	5.5	5.6	7.69
Estado atmosférico.....	N.	OSO.	ONO.	NO.	NO.	NNO.	NO.	ESE.
	Np.	N.	N.	N.	N.	N.	N.	Np.
JUNIO 28 DE 1873.									
Barómetro reducido a 0°.....	mm. 750.90	mm. 749.65	mm. 749.70	mm. 749.75	mm. 749.65	mm. 749.60	mm. 750.75	mm. 751.69	mm. 750.21
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	10.2	11.5	8.7	6.5	6.2	6.6	6.0	11.9	8.59
Estado atmosférico.....	N.	NO.	N.	N.	SO.	SO.	NO.	N.
	Np.	Np.	Np.	Np.	N. Li.	N. Li.	Np.	Np.

Instrumentos.	JULIO 8 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 p.	Medio
Barómetro reducido a 0°.....	759.17	759.12	759.02	758.85	758.60	758.45	759.35	760.27	759.16
Termómetro centígrado.....	8.1	9.2	8.5	7.2	0.5	5.8	3.9	4.3	6.69
Vientos	NO.	NNE.	NNO.	NNE.	NE.	ENE.	E.	S.
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	N.	Np.
JULIO 18 DE 1873.									
Barómetro reducido a 0°.....	755.74	757.08	755.84	755.24	755.24	755.19	755.44	755.54	755.60
Termómetro centígrado.....	8.4	10.8	8.9	7.8	7.7	7.3	6.0	6.4	7.94
Vientos	O.	S.	S.	SO.	SSO.	OSO.	NNO	N.
Estado atmosférico.....	Np.	D.	D.	N.	N.	N.	N.	Np.
JULIO 28 DE 1873.									
Barómetro reducido a 0°.....	753.11	753.22	753.49	753.27	752.69	752.56	752.26	752.58
Termómetro centígrado.....	9.8	11.8	10.6	9.3	8.8	7.3	7.2
Vientos	NO.	N.	N.	N.	N.	N.	NNO.
Estado atmosférico.....	N.	Np.	N.	N.	Ll.	N.	Ll.
AGOSTO 7 DE 1873.									
Barómetro reducido a 0°.....	753.58	758.11	758.36	753.01	758.21	757.16	759.08	761.03	758.89
Termómetro centígrado.....	10.7	12.4	10.2	9.3	7.3	5.2	4.3	5.8	8.15
Vientos	ONO.	OSO.	SO.	OSO.	O.	O.	ONO.	NO.
Estado atmosférico.....	Np.	D.	D.	D.	D.	D.	D.	D.
AGOSTO 17 DE 1873.									
Barómetro reducido a 0°.....	756.98	755.98	756.53	757.43	756.93	756.63	756.85	757.28	756.81
Termómetro centígrado.....	9.1	10.7	9.9	9.1	8.8	7.2	7.2	7.3	8.66
Vientos.....	NE.	SSE.	NE.	NO.	NNO.	NO.	NO.	NO.
Estado atmosférico.....	N.	Np.	Np.	D.	D.	Np.	N.	Np.
AGOSTO 27 DE 1873.									
Barómetro reducido a 0°.....	755.12	755.89	754.84	755.39	754.94	754.57	755.41	755.89	755.01
Termómetro centígrado.....	14.2	15.3	15.4	11.8	9.9	8.7	8.5	8.1	11.28
Vientos	SSO.	O.	SO.	S.	S.	SSE.	LSE.	N.E.
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	Np.	N.

Instrumentos.	SETIEMBRE 6 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	754.34	753.82	753.37	753.44	755.29	755.37	755.96	756.58	755.02
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	10.2	14.7	11.0	12.5	11.3	10.1	19.7	11.1	11.86
Estado atmosférico.....	SE	E.	SSE.	O.	NO.	O.	O.	ONO.
	.	Np.	Np.	Np.	Np.	N.	N.	N.
	SETIEMBRE 16 DE 1873.								
Barómetro reducido a 0°.....	753.33	753.71	753.89	753.99	753.44	756.63	754.01	754.89	753.82
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	11.7	15.0	13.6	12.9	12.5	12.0	11.9	12.5	12.76
Estado atmosférico.....	N.	N.	NO.	N.	NNE.	N.	NO.	O.
	N.	N.	N.	N.	N.	N.	N.	N.
	SETIEMBRE 26 DE 1873.								
Barómetro reducido a 0°.....	754.14	753.61	754.14	754.89	755.44	756.63	757.62	758.48	755.63
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	11.2	14.0	13.6	12.8	11.3	10.0	10.3	11.1	11.75
Estado atmosférico.....	ONO.	O.	NO.	N.	N.	N.	N.	N.
	Np.	N.	N.	G.	Ll.	Np.	Np.	D.
	OCTUBRE 6 DE 1873.								
Barómetro reducido a 0°.....	758.51	757.33	757.28	757.23	756.68	755.43	757.11	757.66	757.13
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	11.4	14.5	13.2	12.6	11.1	9.6	8.6	10.9	11.41
Estado atmosférico.....	S.	S.	S.	S.	SSE.	SE.	S.	S.
	Np.	D.	D.	D.	D.	D.	D.	D.
	OCTUBRE 16 DE 1873.								
Barómetro reducido a 0°.....	753.23	752.51	752.73	753.08	753.08	752.83	753.28	754.88	753.29
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	17.8	22.0	19.4	16.7	14.8	12.3	12.5	16.6	16.5
Estado atmosférico.....	NNO.	N.	ONO.	S.	S.	S.	SO.	SSO.
	D.	D.	D.	D.	D.	D.	D.	D.
	OCTUBRE 26 DE 1873.								
Barómetro reducido a 0°.....	756.70	754.44	755.71	756.41	755.24	751.65	755.22	755.59	755.53
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	17.2	15.8	18.0	16.0	11.1	11.6	11.3	13.8	15.2
Estado atmosférico.....	SO.	SSO.	SSO.	O.	SSE.	SE.	SSE.	SSSE.
	D.	D.	D.	Np.	Np.	Np.	D.	D.

Instrumentos.	NOVIEMBRE 5 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	753.01	752.29	753.14	753.96	753.36	751.63	751.88	752.12	752.67
Termómetro centígrado.....	20.0	24.4	20.2	15.3	14.8	13.7	15.2	16.8	17.55
Vientos.....	S.	S.	S.	NO.	SO.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
NOVIEMBRE 15 DE 1873.									
Barómetro reducido a 0°.....	753.11	751.51	752.49	751.16	753.91	753.73	751.78	756.17	759.74
Termómetro centígrado.....	22.6	24.5	22.5	20.4	18.3	15.9	17.9	19.7	20.23
Vientos.....	NNO.	NNO.	SO.	S.	S.	S.	S.	NO
Estado atmosférico.....	D.	Np.	Np.	D.	D.	D.	D.	Np.
NOVIEMBRE 25 DE 1873.									
Barómetro reducido a 0°.....	751.97	752.15	752.65	751.19	753.49	753.20	751.54	755.87	753.51
Termómetro centígrado.....	23.1	25.0	22.7	19.9	18.6	17.9	18.9	22.5	21.08
Vientos.....	NO.	NNO.	NNO.	NNO.	NO.	NO.	NO.	NO
Estado atmosférico.....	Np.	D.	D.	Np.	Np.	Np.	Np.	Np.
DICIEMBRE 5 DE 1873.									
Barómetro reducido a 0°.....	748.59	748.97	748.71	749.31	749.26	749.16	750.31	751.11	749.32
Termómetro centígrado.....	22.3	26.2	23.5	22.0	19.9	17.2	17.6	17.6	20.79
Vientos.....	OSO.	SO.	SSO.	ONO.	OSO.	ONO.	O.	ONO.
Estado atmosférico.....	Np.	N.	N.	Np.	Np.	N.	N.	Ll.
DICIEMBRE 15 DE 1873.									
Barómetro reducido a 0°.....	752.86	752.83	753.98	755.78	754.48	753.63	754.93	754.68	754.05
Termómetro centígrado.....	15.2	15.3	14.0	13.5	13.5	13.3	14.3	15.1	14.28
Vientos.....	NO.	ONO.	NNO.	NO.	NNO.	NO.	NO.	NO.
Estado atmosférico.....	Ll.	Ll.	Ll.	N.	Ll.	Ll.	N.	N.
DICIEMBRE 25 DE 1873.									
Barómetro reducido a 0°.....	752.79	752.27	751.91	751.41	751.89	751.88
Termómetro centígrado.....	23.8	24.3	15.6	17.9	22.3	21.00
Vientos.....	S.	S.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSF.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Mín.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o						
	700+	700+	700+	700+											
1	54.55	55.06	51.73	54.78	25.7	20.0	19.9	21.87	15.4	OSO.	OSO.	SSE.	D.	D.	D.
2	53.47	56.02	53.71	54.40	24.0	19.8	21.7	21.83	16.1	SSE.	SO.	S.	—	—	—
3	52.30	52.84	52.61	52.58	26.0	22.2	20.7	22.97	16.0	—	—	—	—	—	—
4	51.38	53.27	54.61	53.09	27.8	22.5	20.5	23.60	15.3	—	—	—	—	—	—
5	52.45	53.95	54.14	53.51	28.9	23.8	22.2	24.97	18.0	—	—	SSE.	—	—	—
6	53.10	54.47	28.0	22.5	—	SO.	Np.	—	—
7	51.82	22.7
8
9	52.16	19.9	14.3
10	48.82	49.80	49.59	49.40	27.9	24.6	23.1	25.20	19.3	S.	C.	SSE.	D.	D.	—
11	49.55	50.76	51.51	50.61	29.1	22.6	21.8	24.50	16.5	O.	OSO.	O.	—	—	—
12	49.85	51.87	51.22	50.98	27.9	23.1	23.9	24.97	18.9	ONO.	NO.	S.	—	—	—
13	47.92	48.89	48.30	48.37	31.2	27.3	28.9	29.19	21.8	S.	ONO.	SSE.	Np.	—	—
14	47.65	51.83	54.04	51.18	32.5	22.3	20.6	25.13	19.9	ONO.	NE.	E.	D.	—	—
15	53.08	53.20	53.09	53.12	30.8	24.1	19.7	24.87	14.6	S.	NE.	SSE.	—	—	—
16	50.85	51.20	50.70	50.92	30.0	24.0	22.2	25.40	14.4	SO.	N.	S.	—	—	—
17	50.90	53.22	55.20	53.11	30.3	21.4	18.4	23.37	17.0	NO.	S.	—	Np.	—	—
18	51.73	54.04	54.88	53.55	27.5	18.9	14.4	20.27	17.3	S.	SE.	SE.	D.	—	—
19	54.93	54.34	53.44	54.24	23.9	19.5	20.4	21.27	18.6	—	SO.	S.	Np.	—	—
20	51.78	49.91	28.5	21.7	16.5	—	—	ESE	D.	—	—
21	47.87	19.17	32.94	49.99	29.4	24.4	20.2	24.67	15.4	OSO.	NO.	ONO.	—	D.	—
22	51.00	50.69	54.07	51.92	28.9	20.2	22.2	23.77	16.6	NO.	N.	S.	—	—	—
23	52.08	54.81	27.8	21.7	18.7	NO.	SE.	—	—	—
24	53.23	53.84	28.9	19.5	16.4	SO.	NO.	NO.	—	—	—
25	52.80	18.88	54.59	52.42	25.4	20.6	21.0	22.33	16.0	NO.	—	S.	—	D.	—
26	52.45	54.26	54.47	53.73	28.3	21.2	22.4	23.97	16.5	—	—	—	Np.	—	—
27	53.45	53.64	28.8	21.5	15.6	SE.	ESE.	D.	—	—
28	53.05	55.12	27.3	21.4	15.3	NO.	S.	—	—	—
29	54.35	55.97	26.4	20.7	14.3	O.	N.	—	—	—
30	52.90	52.81	29.0	22.0	SE.	S.	—	D.	—

FEBRERO DE 1874.

1	55.10	53.45	50.00	52.85	27.3	27.5	21.3	25.37	15.4	SO.	S.	S.	Np.	D.	D.
2	53.55	51.21	54.64	55.06	29.4	27.8	19.5	25.37	13.7	S.	SO.	SSE.	D.	—	—
3	53.13	53.74	29.1	19.9	13.8	SSE.	S.	—	—	—
4	51.98	53.12	54.64	53.25	29.3	26.6	15.0	23.63	13.7	NO.	Np.	—	—
5	51.40	53.98	53.69	53.02	28.0	18.2	21.5	22.57	15.5	SO.	—	O.	—	—	—
6	51.50	54.08	54.28	53.29	27.5	18.5	21.2	22.40	15.2	NO.	S.	O.	Np.	D.	Np.
7	53.69	50.71	52.71	52.37	24.0	18.9	18.0	20.30	10.5	NO.	—	S.	—	D.	Np.
8	50.32	51.19	52.11	51.21	24.0	20.0	20.5	21.50	12.5	—	S.	—	—	—	—
9	49.84	50.82	51.36	50.21	24.5	23.0	21.2	22.90	13.0	—	—	—	Np.	—	—
10	50.20	52.32	51.09	51.20	25.0	21.0	20.5	22.17	13.0	SO.	—	—	—	D.	D.
11	50.80	50.57	51.57	50.98	26.0	22.0	23.0	23.67	12.2	—	E.	—	—	Np.	—
12	51.20	50.54	50.42	50.73	26.0	21.0	24.5	23.83	15.2	—	C.	—	—	D.	—
13	50.33	51.44	50.57	50.78	27.0	21.2	24.0	24.07	15.0	—	—	SO.	—	D.	—
14	50.08	48.47	50.02	49.52	28.5	24.0	24.5	25.67	15.5	—	S.	S.	—	—	—
15	49.89	50.26	50.44	49.93	27.0	18.0	24.0	23.00	14.5	—	NO.	NO.	—	—	—
16	49.83	50.66	50.94	50.28	26.5	19.0	23.0	22.83	13.5	NO.	—	—	—	—	Np.
17	50.20	50.68	50.44	50.44	25.0	19.5	23.5	22.33	14.0	—	—	S.	—	—	—
18	49.72	51.03	51.83	50.86	26.0	17.2	21.5	21.57	13.0	S.	—	—	—	D.	D.
19	50.47	51.81	51.03	51.10	25.4	18.3	17.5	20.40	13.4	NO.	—	—	—	—	—
20	50.87	25.2	O.	—	—	—
21
22	50.95	51.88	28.5	20.3	11.3	S.	S.	D.	—	D.
23	51.32	53.48	28.9	17.4	10.1	SO.	—	—	—
24	52.07	52.69	52.91	52.50	26.7	20.5	20.2	22.47	10.7	S.	S.	—	—	D.	—
25	51.34	53.38	25.6	17.4	10.3	SO.	SE.	—	—	—
26	52.89	55.33	26.5	18.1	11.2	SE.	—	—	—	—
27	53.32	54.50	28.8	18.6	11.8	SO.	—	—	—	—
28	52.05	28.3	S.	—	—	—

MARZO DE 1874.

DIAS.	BARÓMETRO REDU- DO A 0°				TERMÓMETRO CENTÍ- GRADO.					VIENTOS.			ESTADO ATMOSFER.		
	2½ h.	4 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Med.	Mín.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o						
1	51.57	53.91	53.91	53.91	24.6	17.7	17.7	15.0	15.0	S.	S.	S.	Np.	...	N.
2	52.47	56.14	56.14	56.14	25.4	17.1	17.1	12.6	12.6	S.	Np.	...	N.
3	51.58	53.08	53.08	53.08	26.6	16.8	16.8	11.3	11.3	SE.	SE.	SE.	Np.	...	N.
4	49.10	47.93	47.93	47.93	26.0	16.8	16.8	13.4	13.4	SE.	SE.	SE.	Np.	...	N.
5	51.58	53.08	53.08	53.08	26.6	16.4	16.4	15.4	15.4	NO.	NO.	NO.	Np.	...	N.
6	54.48	57.57	57.81	57.81	27.8	15.3	15.3	10.3	10.3	S.	S.	S.	Np.	...	N.
7	53.91	55.12	55.59	55.59	27.5	16.5	16.5	11.6	11.6	SE.	SE.	SE.	Np.	...	N.
8	52.81	49.95	53.21	51.99	24.3	18.6	18.2	11.1	11.1	S.	SO.	S.	Np.	...	N.
9	51.70	51.64	52.36	51.90	28.2	21.1	19.5	14.4	14.4	SO.	SO.	SO.	Np.	...	N.
10	49.95	50.92	52.43	51.10	29.2	21.6	18.3	14.4	14.4	SO.	SO.	SO.	Np.	...	N.
11	50.38	51.76	49.26	50.47	26.9	20.2	16.1	13.3	13.3	S.	S.	S.	Np.	...	N.
12	53.03	53.60	53.60	53.60	20.1	15.7	15.7	12.0	12.0	SE.	SE.	SE.	Np.	...	N.
13	52.20	52.06	54.85	52.87	25.6	19.3	18.6	13.7	13.7	S.	SE.	SE.	Np.	...	N.
14	53.89	52.04	53.80	53.24	23.8	20.2	17.8	12.6	12.6	SE.	SE.	SE.	Np.	...	N.
15	52.47	52.59	55.13	55.13	21.3	18.5	18.5	14.6	14.6	SE.	SE.	SE.	Np.	...	N.
16	54.41	55.45	54.67	54.84	23.9	16.4	16.0	14.9	14.9	S.	S.	S.	Np.	...	N.
17	50.66	52.16	54.77	52.53	23.4	16.3	15.8	11.6	11.6	S.	S.	S.	Np.	...	N.
18	54.66	55.13	55.62	55.14	19.2	18.5	19.5	19.0	19.0	E.	E.	E.	Np.	...	N.
19	52.96	55.08	56.11	54.70	18.5	17.3	15.2	10.1	10.1	S.	S.	S.	Np.	...	N.
20	53.46	53.20	54.62	53.76	24.6	17.4	16.4	12.1	12.1	SO.	SO.	SE.	Np.	...	N.
21	53.46	55.03	58.97	54.15	23.5	17.3	15.4	11.3	11.3	S.	S.	S.	Np.	...	N.
22	52.26	52.51	55.69	53.49	23.7	17.3	16.4	11.5	11.5	S.	S.	SE.	Np.	...	N.
23	54.89	55.86	56.84	55.70	24.5	16.6	16.9	10.1	10.1	S.	SO.	O.	Np.	...	N.
24	55.09	57.34	56.76	56.46	23.8	16.8	16.9	11.5	11.5	SO.	S.	SO.	Np.	...	N.
25	54.14	54.21	57.11	55.15	22.3	19.0	16.7	10.4	10.4	S.	S.	SO.	Np.	...	N.
26	55.41	53.85	55.93	54.90	22.0	16.8	14.5	10.1	10.1	NO.	NO.	NO.	Np.	...	N.
27	55.25	55.07	57.53	55.49	17.7	15.3	16.9	10.7	10.7	NO.	NO.	NO.	Np.	...	N.
28	51.28	54.37	56.06	55.90	21.5	17.1	17.9	12.6	12.6	NE.	NO.	NO.	Np.	...	N.
29	54.56	55.71	58.97	54.75	22.9	16.3	15.5	12.3	12.3	SE.	SO.	SO.	Np.	...	N.
30	52.38	52.56	54.52	53.15	21.9	17.3	15.8	12.5	12.5	S.	S.	S.	Np.	...	N.
31	51.96	54.53	52.54	53.01	24.5	17.2	14.4	11.6	11.6	S.	S.	S.	Np.	...	N.

ABRIL DE 1874.

1	50.73	52.43	54.99	52.72	22.4	16.4	14.4	17.73	11.3	S.	S.	S.	D.	D.	Np.
2	52.18	53.85	56.66	54.21	20.7	15.2	12.2	16.00	10.3	S.	S.	S.	D.	D.	Np.
3	52.56	55.30	56.73	54.87	20.2	15.4	13.0	16.20	10.9	S.	S.	SE.	D.	D.	Np.
4	51.48	54.53	54.47	53.49	19.6	15.7	14.2	16.50	9.2	SE.	S.	S.	D.	D.	Np.
5	51.11	53.00	53.59	52.57	19.5	14.3	14.1	15.97	8.7	S.	S.	S.	D.	D.	Np.
6	51.56	52.47	52.87	52.36	21.8	15.3	13.8	16.80	9.5	NO.	N.	S.	D.	D.	Np.
7	51.62	52.87	55.32	53.27	23.4	15.8	15.0	18.07	12.9	NO.	N.	S.	D.	D.	Np.
8	53.93	53.67	52.61	53.40	17.8	14.1	11.7	14.53	9.5	NE.	SE.	ESE.	Np.	D.	Np.
9	50.53	51.97	52.84	51.78	20.1	15.0	13.7	16.27	11.2	S.	SO.	S.	Np.	D.	Np.
10	50.98	53.25	56.29	53.51	20.6	16.4	16.0	17.67	15.6	S.	S.	S.	Np.	D.	Np.
11	55.13	57.41	55.12	55.89	20.9	15.8	15.6	17.18	12.1	SO.	SE.	SE.	Np.	D.	Np.
12	52.73	55.40	54.87	54.83	21.2	16.3	15.1	17.53	12.3	SO.	SE.	SE.	Np.	D.	Np.
13	53.18	53.93	55.44	54.18	21.1	16.7	14.1	17.30	11.4	S.	SO.	SO.	Np.	D.	Np.
14	52.93	56.44	57.01	55.46	23.0	17.2	15.6	18.60	12.3	S.	S.	S.	Np.	D.	Np.
15	53.88	54.28	53.67	53.94	23.1	17.7	14.8	18.53	11.7	S.	S.	S.	Np.	D.	Np.
16	52.21	52.92	55.42	53.52	18.2	16.3	13.1	15.87	12.4	SO.	S.	S.	Np.	D.	Np.
17	53.16	55.34	55.82	54.77	18.1	16.0	14.4	16.17	10.5	S.	S.	S.	Np.	D.	Np.
18	53.16	56.53	56.21	55.36	19.1	15.3	13.6	16.06	11.2	S.	S.	S.	Np.	D.	Np.
19	54.46	57.56	55.07	55.70	19.8	14.1	14.1	15.83	11.4	SE.	E.	S.	Np.	D.	Np.
20	54.77	56.58	55.64	55.66	15.7	13.8	13.9	14.47	11.6	SE.	E.	S.	Np.	D.	Np.
21	54.65	56.24	58.53	56.47	17.6	13.8	13.9	14.47	11.6	S.	S.	S.	Np.	D.	Np.
22	56.34	57.81	58.36	57.50	S.	S.	S.	Np.	D.	Np.
23	55.74	56.14	55.27	55.73	SE.	SE.	S.	Np.	D.	Np.
24	54.32	54.12	55.54	54.69	S.	S.	S.	Np.	D.	Np.
25	54.55	55.93	56.31	55.69	SE.	SO.	S.	Np.	D.	Np.
26	54.17	54.02	56.11	54.77	S.	SO.	SO.	Np.	D.	Np.
27	55.12	54.99	55.49	55.20	SE.	SO.	E.	Np.	D.	Np.
28	54.63	54.79	56.13	55.20	NE.	NO.	E.NE.	Np.	D.	Np.
29	54.48	56.44	57.39	56.19	S.	NO.	C.	Np.	D.	Np.
30	57.64	58.62	59.76	58.56	NO.	S.	S.	Np.	D.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				VIENTOS.			ESTADO ATMOSFER.		
	1/2 h.	9 h.	21 h.	Media.	1/2 h.	9 h.	21 h.	1/2 h.	9 h.	21 h.
	mm.	mm.	mm.	mm.						
1	700.4	700.4	700.4	700.4	O.S.O.	O.S.O.	N.N.	D.	D.	D.
2	58.24	58.24	58.24	57.91	N.O.	N.	N.N.	D.	D.	N.N.
3	53.97	55.02	57.66	55.35	N.O.	N.	N.	D.	D.	N.N.
4	55.15	56.06	55.17	55.13	N.O.	N.	N.	D.	D.	N.N.
5	53.87	55.22	57.31	55.44	N.N.O.	N.	N.	N.	D.	N.N.
6	54.05	55.25	55.87	54.59	O.S.O.	N.	N.	N.	D.	N.N.
7	52.71	53.10	54.97	53.59	O.S.O.	N.	N.	N.	D.	N.N.
8	55.85	56.35	56.34	56.39	O.S.O.	N.	N.	N.	D.	N.N.
9	55.49	56.71	59.33	57.16	O.S.O.	N.	N.	N.	D.	N.N.
10	57.10	59.76	66.71	60.35	O.S.O.	N.	N.	N.	D.	N.N.
11	58.41	56.93	54.67	56.47	O.S.O.	N.	N.	N.	D.	N.N.
12	54.24	52.02	54.19	52.62	O.S.O.	N.	N.	N.	D.	N.N.
13	53.37	55.19	56.33	54.66	O.S.O.	N.	N.	N.	D.	N.N.
14	54.34	55.71	57.68	55.92	O.S.O.	N.	N.	N.	D.	N.N.
15	55.44	57.28	59.33	57.45	O.S.O.	N.	N.	N.	D.	N.N.
16	56.73	56.56	58.48	57.83	O.S.O.	N.	N.	N.	D.	N.N.
17	54.33	57.33	58.76	57.27	O.S.O.	N.	N.	N.	D.	N.N.
18	54.03	55.34	51.79	53.34	O.S.O.	N.	N.	N.	D.	N.N.
19	48.45	47.11	45.43	47.46	O.S.O.	N.	N.	N.	D.	N.N.
20	46.23	49.58	54.79	50.36	O.S.O.	N.	N.	N.	D.	N.N.
21	47.91	59.06	54.31	53.82	O.S.O.	N.	N.	N.	D.	N.N.
22	47.80	58.58	56.66	55.15	O.S.O.	N.	N.	N.	D.	N.N.
23	50.98	61.12	57.67	57.02	O.S.O.	N.	N.	N.	D.	N.N.
24	50.67	57.27	55.95	57.63	O.S.O.	N.	N.	N.	D.	N.N.
25	50.00	57.75	58.28	56.71	O.S.O.	N.	N.	N.	D.	N.N.
26	55.56	55.38	56.65	55.86	O.S.O.	N.	N.	N.	D.	N.N.
27	O.S.O.	N.	N.	N.	D.	N.N.
28	57.68	58.25	59.24	57.92	O.S.O.	N.	N.	N.	D.	N.N.
29	53.54	51.91	55.05	53.16	O.S.O.	N.	N.	N.	D.	N.N.
30	52.32	51.91	55.05	53.16	O.S.O.	N.	N.	N.	D.	N.N.
31	53.32	55.32	54.09	54.33	O.S.O.	N.	N.	N.	D.	N.N.

JUNIO DE 1874.

1	51.14	N.	N.	N.	N.	N.	N.
2	56.71	N.	N.	N.	N.	N.	N.
3	50.21	61.59	N.	N.	N.	N.	N.	N.
4	N.	N.	N.	N.	N.	N.
5	51.33	N.	N.	N.	N.	N.	N.
6	51.97	55.12	57.57	54.88	N.	N.	N.	N.	N.	N.
7	51.48	N.	N.	N.	N.	N.	N.
8	58.55	59.02	59.48	59.02	N.	N.	N.	N.	N.	N.
9	55.91	59.68	58.18	57.92	N.	N.	N.	N.	N.	N.
10	52.33	59.13	59.02	57.16	N.	N.	N.	N.	N.	N.
11	56.63	59.33	59.35	57.96	N.	N.	N.	N.	N.	N.
12	56.33	59.33	58.58	57.55	N.	N.	N.	N.	N.	N.
13	56.35	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
14	56.43	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
15	56.75	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
16	56.43	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
17	56.65	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
18	56.33	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
19	56.11	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
20	56.52	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
21	51.51	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
22	51.51	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
23	50.93	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
24	49.78	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
25	51.46	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
26	51.22	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
27	53.24	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
28	52.57	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
29	51.94	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.
30	53.19	59.33	58.33	57.55	N.	N.	N.	N.	N.	N.

JULIO DE 1871.

DIAS.	BAROMETRO REDUCIDO A 0'				VIENTOS.			ESTADO ATMOSF.		
	2 1/2 h.	9 h.	21 h.	Medio.	2 1/2 h.	9 h.	21 h.	2 1/2 h.	9 h.	21 h.
	mm.	mm.	mm.	mm.						
1	700.4	709.4	709.4	700.4						
2	54.79	56.01	55.43	55.71	NNO.					
3	51.19	55.57	51.97	53.91	NNE.					
4	52.87	55.07	57.31	55.08	O.					
5	57.53	59.83	60.53	59.43						
6	60.50	61.57	59.92	60.36						
7	57.83	58.77	57.27	57.96						
8	55.80	55.88	56.37	56.02						
9	55.48	58.62	56.50	56.87						
10	56.03	59.15	59.25	58.11						
11	57.26	56.68	56.85	56.93						
12	51.21	56.25	56.25	55.68						
13	55.61	56.95	56.25	55.17						
14	52.96	51.59	56.23	51.59						
15	57.98	60.33	63.22	66.71						
16	59.36	62.98	59.60	60.43						
17	51.98	51.91	52.48	53.92						
18	51.95	57.90	59.97	56.91						
19	55.76	55.51	55.23	55.32						
20	55.11	55.36	57.39	55.92						
21	51.59	53.89	55.56	51.61						
22	52.51	55.51	60.33	56.13						
23	58.71	62.09	69.96	66.49						
24	57.93	53.29	51.50						
25	52.42	51.92	51.50	52.97						
26	52.74	47.77	55.21	51.42						
27	53.22	49.19	51.61	52.69						
28	56.92	56.91	56.26	55.29						
29	56.31	54.59	56.68	55.76						
30	57.69	57.18	56.56	56.63						

AGOSTO DE 1871.

1	55.11	59.56	59.88	55.88						
2	51.53	57.63	55.27	51.27						
3	51.61	55.32	55.13	53.13						
4	51.87	55.71	55.74	55.74						
5	51.21	55.35	55.35	55.35						
6	51.32	55.78	55.63	55.63						
7	52.33	59.95	59.95	59.95						
8	52.33	60.95	59.95	59.95						
9	52.21	59.47	59.47	59.47						
10	52.58	59.88	59.88	59.88						
11	52.72	59.88	59.88	59.88						
12	52.72	59.88	59.88	59.88						
13	51.55	59.88	59.88	59.88						
14	51.78	59.88	59.88	59.88						
15	51.69	59.88	59.88	59.88						
16	51.69	59.88	59.88	59.88						
17	51.69	59.88	59.88	59.88						
18	51.69	59.88	59.88	59.88						
19	51.69	59.88	59.88	59.88						
20	51.69	59.88	59.88	59.88						
21	51.69	59.88	59.88	59.88						
22	51.69	59.88	59.88	59.88						
23	51.69	59.88	59.88	59.88						
24	51.69	59.88	59.88	59.88						
25	51.69	59.88	59.88	59.88						
26	51.69	59.88	59.88	59.88						
27	51.69	59.88	59.88	59.88						
28	51.69	59.88	59.88	59.88						
29	51.69	59.88	59.88	59.88						
30	51.69	59.88	59.88	59.88						
31	51.69	59.88	59.88	59.88						

SETIEMBRE DE 1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				VIENTOS.			ESTADO ATMOSFER.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+						
1	60.03	60.63	56.62	59.09	S.	S.	SSO.	Np.	Np.	D.
2	55.36	67.93	59.33	57.54	—	—	S.	N.	—	—
3	58.76	63.14	61.42	61.11	OSO.	SO.	SSO.	Np.	D.	Ni.
4	57.81	61.09	58.81	59.24	S.	S.	S.	D.	—	D.
5	58.76	60.63	57.18	58.86	—	—	SO.	—	—	—
6	53.82	54.84	52.84	53.67	SSO.	SO.	—	—	—	—
7	52.89	53.29	55.62	53.93	ONO.	—	S.	—	—	—
8	53.27	55.72	56.83	55.27	S.	SSO.	—	N.	N.	N.
9	58.56	57.63	55.07	57.09	O.	SO.	—	—	—	—
10	54.59	55.14	56.73	55.49	SSE.	S.	—	—	—	—
11	55.14	58.78	59.58	57.83	SO.	OSO.	—	—	—	D.
12	54.32	58.86	52.19	55.12	S.	S.	—	D.	D.	—
13	53.62	51.55	52.89	52.69	—	—	—	—	—	N.
14	51.32	52.09	54.04	52.48	N.	N.	—	Ll.	Ll.	N.
15	57.66	60.33	57.93	58.54	O.	SO.	N.	D.	D.	Ll.
16	60.48	61.48	58.36	60.11	NE.	SSO.	SO.	Ll.	Np.	Np.
17	56.11	55.69	51.62	54.47	S.	SO.	—	D.	—	N.
18	52.67	55.81	65.27	54.53	SO.	—	OSO.	Np.	—	D.
19	58.40	53.92	54.89	55.74	S.	S.	SO.	N.	N.	Np.
20	53.02	56.11	55.62	54.92	—	—	N.	Np.	D.	Ll.
21	56.13	60.36	61.44	59.31	N.	NE.	ENE.	N.	Np.	Np.
22	59.81	63.97	61.49	61.56	SE.	S.	SO.	Np.	—	—
23	57.31	56.88	52.19	55.46	SO.	SO.	S.	—	—	—
24	53.42	57.31	57.93	56.22	SSO.	—	—	—	—	N.
25	62.52	62.97	62.57	62.69	S.	S.	—	—	—	D.
26	58.33	62.89	53.34	58.19	—	—	—	D.	D.	—
27	54.93	58.47	54.07	54.15	—	—	—	—	—	Np.
28	54.62	57.26	61.57	57.82	SO.	SSO.	—	Np.	—	—
29	60.61	62.10	61.22	61.31	S.	S.	—	D.	—	—
30	55.71	58.84	59.54	58.03	—	—	—	—	—	D.

OCTUBRE DE 1874.

1	54.03	56.74	53.80	54.86	S.	S.	S.	D.	D.	D.
2	53.71	53.53	56.79	54.68	—	—	SO.	—	—	—
3	55.43	57.69	57.46	56.86	OSO.	NO.	S.	—	Np.	Np.
4	56.19	57.16	58.69	57.35	S.	S.	—	N.	—	—
5	54.81	55.81	54.50	55.04	—	—	SSO.	D.	—	—
6	54.28	55.89	57.36	55.84	—	SSE.	S.	Np.	—	D.
7	54.03	56.14	55.94	55.37	—	SSO.	—	—	—	D.
8	54.55	58.26	51.42	54.74	—	S.	—	—	D.	N.
9	54.55	52.79	55.17	54.17	—	—	SSE.	D.	—	—
10	51.88	55.00	50.66	52.51	SE.	SSE.	S.	—	—	Ll.
11	64.02	54.74	59.83	56.08	NE.	ENE.	SO.	N.	N.	Np.
12	58.16	61.27	57.53	59.00	—	S.	S.	—	D.	D.
13	57.98	58.18	57.81	57.99	S.	—	—	Np.	—	—
14	55.22	56.76	58.41	56.80	—	—	—	D.	—	—
15	56.31	59.84	58.79	58.28	—	—	—	—	—	Np.
16	60.29	61.25	61.02	60.85	—	—	—	Np.	—	—
17	57.79	57.59	56.65	56.34	—	—	—	D.	—	—
18	49.92	53.13	53.25	52.10	—	—	—	—	Np.	N.
19	54.61	55.56	57.79	55.99	O.	OSO	SSE.	—	—	—
20	54.71	56.41	56.29	55.80	SE.	SSE.	S.	Np.	—	—
21	55.05	55.67	53.72	54.81	ESE.	SO.	SSE.	N.	—	—
22	53.40	53.05	54.52	53.66	SSE.	SSE.	SE.	Np.	—	—
23	52.41	53.05	52.15	52.54	—	SE.	NNE.	—	—	Np.
24	55.03	56.06	55.64	55.58	NO.	ENE.	S.	G.	D.	—
25	54.76	57.24	55.30	55.77	SSO.	SE.	—	Np.	Np.	D.
26	51.06	53.88	53.55	52.83	S.	S.	SE.	—	D.	D.
27	52.03	54.33	55.56	53.97	OSO.	OSO.	O.	D.	Np.	N.
28	55.76	55.28	58.24	56.43	O.	SO.	—	N.	—	Np.
29	57.34	58.81	59.34	58.50	—	—	SO.	Np.	D.	—
30	56.29	58.76	60.04	58.36	SO.	—	S.	—	—	D.
31	57.24	59.11	57.66	58.00	SSO.	S.	—	D.	—	Np.

NOVIEMBRE DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				VIENTOS.			ESTADO ATMOSFÉR		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+						
1	57.45	57.74	59.49	58.23	S.	S.	S.	D.	D.	N.
2	53.83	55.16	55.64	54.88	S.	—	—	—	—	D.
3	52.89	53.68	53.11	53.23	S.	—	C.	—	—	N.
4	51.76	53.93	56.06	53.92	S.	—	O.	—	—	N.
5	54.96	56.41	55.56	55.61	S.	—	S.	Np.	—	—
6	56.62	58.41	58.69	57.91	O.	O.	S.	—	—	—
7	56.54	57.16	54.11	55.94	S.	S.	S.	N.	Np.	D.
8	52.51	55.11	51.76	53.13	S.	—	—	D.	D.	—
9	49.71	51.63	51.78	51.04	S.	—	O.	—	—	—
10	50.94	53.71	51.46	53.04	S.	—	S.	—	—	Np.
11	52.64	53.13	53.98	53.25	S.	—	—	—	—	D.
12	50.74	52.58	55.16	52.83	S.	S.	O.	Np.	—	—
13	53.31	55.16	51.83	53.43	S.	—	S.	D.	—	—
14	49.69	50.07	51.76	50.51	—	—	S.	—	—	—
15	51.54	53.71	56.51	53.92	—	—	O.	—	—	N.
16	57.21	56.79	—	—	S.	—	—	N.
17	53.69	55.34	58.14	55.06	S.	O.	F.	Np.	—	N.
18	56.45	57.92	57.29	57.22	O.	S.	S.	N.	N.	—
19	56.67	55.47	53.73	55.29	S.	—	S.	—	—	—
20	54.06	54.98	54.28	54.41	S.	S.	S.	—	—	—
21	53.27	55.97	53.83	54.36	O.	—	—	Np.	—	—
22	54.13	51.81	58.51	55.82	S.	S.	C.	N.	N.	N.
23	56.46	59.09	54.98	56.84	S.	S.	—	—	—	N.
24	53.75	55.20	56.96	55.30	S.	—	S.	—	—	Np.
25	53.81	56.04	54.63	54.83	—	S.	O.	D.	D.	D.
26	50.86	52.56	53.73	52.38	—	—	S.	—	—	—
27	51.59	54.21	54.68	53.49	—	—	S.	—	—	—
28	54.21	57.27	55.06	55.51	—	—	S.	Np.	—	—
29	52.89	55.40	55.54	54.54	S.	S.	S.	D.	Np.	—
30	53.39	56.35	57.47	55.74	S.	S.	S.	—	—	Np.

DICIEMBRE DE 1874.

1	55.20	56.89	52.76	54.95	S.	S.	S.	D.	D.	D.
2	50.05	52.81	52.73	51.86	—	—	S.	—	—	—
3	51.77	53.63	52.83	52.74	—	—	S.	—	—	—
4	51.02	53.18	55.01	53.07	—	—	—	—	—	—
5	53.34	54.83	57.12	55.10	—	N.	N.	—	—	—
6	52.22	54.19	53.28	53.23	S.	—	S.	—	—	—
7	51.45	54.06	56.47	53.99	S.	—	S.	—	—	—
8	64.47	54.09	55.50	54.69	S.	S.	S.	—	—	—
9	52.85	55.01	52.31	53.39	S.	S.	S.	—	—	—
10	49.32	52.19	50.91	50.81	—	S.	S.	—	—	—
11	48.47	52.31	53.61	51.46	S.	—	S.	—	—	—
12	53.20	53.77	56.32	54.43	—	S.	S.	—	—	—
13	53.45	53.55	52.42	53.14	—	—	S.	—	—	—
14	50.20	54.19	52.54	52.31	O.	O.	O.	—	—	—
15	52.03	52.44	O.	—	—	—	—	—
16	51.04	53.34	52.34	52.24	O.	S.	—	—	—	—
17	51.95	54.24	53.07	53.09	O.	—	S.	Np.	—	—
18	53.47	56.00	52.52	54.00	S.	S.	S.	—	—	—
19	50.00	50.97	49.34	50.10	S.	—	O.	D.	—	—
20	47.22	49.36	51.49	50.36	S.	S.	O.	—	—	—
21	49.29	56.67	54.58	53.51	S.	S.	S.	—	—	—
22	52.29	52.86	49.68	51.61	S.	S.	S.	Np.	—	—
23	49.95	53.07	—	—	—	—	—	—
24	49.90	52.24	52.51	51.52	S.	S.	—	—	—	—
25	50.15	52.41	47.53	50.63	S.	S.	—	—	—	—
26	46.81	50.76	—	N.	—	—	—	—
27	50.45	51.23	53.49	51.72	O.	O.	O.	—	—	—
28	50.95	51.37	50.81	51.04	S.	—	S.	—	—	Np.
29	48.29	52.49	54.62	51.80	—	—	—	—	—	—
30	53.08	54.62	51.42	53.04	S.	—	—	—	—	—
31	51.13	50.50	51.65	51.69	O.	—	S.	—	—	—

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 4 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 752.02	mm. 751.38	mm. 752.10	mm. 753.27	mm. 752.89	mm. 752.86	mm. 754.26	mm. 754.61	mm. 752.92
Termómetro centígrado.....	25.1	28.0	26.4	22.5	19.4	15.6	17.3	20.5	21.85
Vientos.....	S.	S.	SSO.	SO ₃	SO ₃	0	SSO.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	1	0	1	0	0	1	1	0.50
ENERO 14 DE 1874.									
Barómetro reducido a 0°.....	mm. 747.90	mm. 747.60	mm. 749.61	mm. 751.85	mm. 751.92	mm. 752.11	mm. 753.36	mm. 754.04	mm. 751.05
Termómetro centígrado.....	29.9	32.7	26.5	22.3	21.7	20.0	20.2	20.6	24.24
Vientos.....	S.	ONO.	NO.	NE.	NNE.	NE.	ENE.	E.
Estado atmosférico.....	D.	D.	D.	D.	Np.	Np.	N.	N.
Ozonómetro.....	0	0	1	1	0	1	2	2	0.88
ENERO 24 DE 1874.									
Barómetro reducido a 0°.....	mm. 752.40	mm. 752.03	mm. 752.38	mm. 753.81	mm. 754.46	mm. 754.81	mm. 753.32
Termómetro centígrado.....	25.3	28.1	26.9	18.8	20.8	21.7	23.77
Vientos.....	NO.	NO.	SO.	S.	SSe.	SE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	1	1	0	1	1	0.67
FEBRERO 3 DE 1874.									
Barómetro reducido a 0°.....	mm. 753.87	mm. 753.08	mm. 754.70	mm. 755.60	mm. 751.37	mm. 752.59	mm. 753.74	mm. 753.28
Termómetro centígrado.....	26.2	30.1	28.7	18.8	14.0	16.9	19.9	22.06
Vientos.....	SE.	SE.	SSE.	C.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	0	0	0	0	1	1	0.39
FEBRERO 13 DE 1874.									
Barómetro reducido a 0°.....	mm. 750.35	mm. 750.43	mm. 750.85	mm. 751.44	mm. 751.14	mm. 749.86	mm. 750.22	mm. 750.57	mm. 750.65
Termómetro centígrado.....	26.5	27.2	24.9	21.2	18.4	15.5	18.4	24.0	22.01
Vientos.....	S.	SO.	SE ₃	C.	SSO.	NO.	SSO.	SO.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	0	1	1	0	0	0	1	0.58
FEBRERO 23 DE 1874.									
Barómetro reducido a 0°.....	mm. 751.54	mm. 751.32	mm. 751.87	mm. 752.37	mm. 751.36	mm. 752.43	mm. 753.48	mm. 752.06
Termómetro centígrado.....	25.4	29.1	24.8	14.9	11.6	14.3	17.4	19.64
Vientos.....	S.	SO.	SSO.	S.	SSO.	SSE.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	1	0	1	0	0	1	0.45

Instrumentos.	MARZO 5 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	751.63	751.58	752.23	753.08	752.35	751.85	752.91	754.56	752.53
Termómetro centígrado.....	18.4	20.7	18.3	16.4	15.4	13.9	15.6	17.7	17.05
Vientos.....	SO.	SE.	S.	SO.	SSE.	S.	SO.	O.
Estado atmosférico.....	D.	D.	D.	Np.	Np.	Np.	N.	N.
Ozonómetro.....	0	1	1	0	0	1	1	1	0.63
MARZO 15 DE 1874.									
Barómetro reducido a 0°.....	752.85	752.02	752.29	752.59	751.98	751.98	753.88	755.13	752.83
Termómetro centígrado.....	18.8	25.1	23.6	21.3	13.8	12.7	14.6	18.5	18.93
Vientos.....	S.	S.	SO.	S.	SSE.	E.	SE.	E.
Estado atmosférico.....	Np.	D.	Np.	D.	D.	D.	Np.	N.
Ozonómetro.....	0	1	1	0	1	1	0	1	0.63
MARZO 25 DE 1874.									
Barómetro reducido a 0°.....	754.85	751.09	754.06	754.21	753.90	753.97	756.19	757.22	754.81
Termómetro centígrado.....	19.8	22.4	20.6	19.0	15.7	11.6	14.4	16.7	17.53
Vientos.....	SO.	S.	SO.	S.	SO.	SSO.	SSO.	O.
Estado atmosférico.....	D.	D.	D.	D.	Np.	Np.	D.	Np.
Ozonómetro.....	0	1	1	1	0	0	1	1	0.63
ABRIL 4 DE 1874.									
Barómetro reducido a 0°.....	754.13	751.48	752.85	751.53	753.48	752.85	753.82	754.47	753.45
Termómetro centígrado.....	17.3	19.7	18.9	15.7	13.2	10.9	12.7	14.2	15.33
Vientos.....	SE.	SE.	SSE.	S.	S.	S.	SSO.	S.
Estado atmosférico.....	Np.	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	1	1	1	0	0	1	1	0.63
ABRIL 14 DE 1874.									
Barómetro reducido a 0°.....	754.11	752.88	754.68	755.11	755.53	751.95	756.11	757.01	755.13
Termómetro centígrado.....	19.3	23.1	19.9	17.	14.9	12.1	14.0	15.6	17.03
Vientos.....	SSO.	S.	S.	S.	SSE.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	0	1	2	1	0	0	1	0.63
ABRIL 24 DE 1874.									
Barómetro reducido a 0°.....	754.69	754.32	754.22	751.12	752.97	753.37	751.93	755.54	754.36
Vientos.....	S.	S.	SSO.	S.	SSE.	S.	SSO.	SSO.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
Ozonómetro.....	0	1	1	1	0	0	0	1	0.63

Instrumentos.	MAYO 4 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 754.52	mm. 753.87	mm. 754.72	mm. 755.22	mm. 754.82	mm. 754.04	mm. 756.21	mm. 757.24	mm. 755.08
Vientos.....	NO.	ONO.	O.	NNO.	N.	NNO.	NO.	SSO.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	Np.	D.	D.
Ozonómetro.....	0	3	3	3	1	1	1	2	1.75
	MAYO 14 DE 1874.								
Barómetro reducido a 0°.....	mm. 755.57	mm. 754.34	mm. 754.99	mm. 755.74	mm. 754.89	mm. 754.37	mm. 756.51	mm. 757.68	mm. 755.51
Vientos.....	S.	S.	S.	S.	SE.	SSE.	S.	S.
Estado atmosférico.....	Np.	D.	D.	D.	Np.	Np.	Np.	N.
Ozonómetro.....	0	2	1	2	0	1	1	2	1.13
	MAYO 24 DE 1874.								
Barómetro reducido a 0°.....	mm. 757.40	mm. 756.67	mm. 756.82	mm. 757.27	mm. 756.08	mm. 755.85	mm. 757.65	mm. 758.95	mm. 757.09
Vientos.....	SSE.	SSE.	SE.	SE.	S.	S.	S.	SO.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
Ozonómetro.....	0	2	1	1	1	0	1	1	0.88
	JUNIO 3 DE 1874.								
Barómetro reducido a 0°.....	mm. 760.06	mm. 760.21	mm. 760.91	mm. 761.59	mm. 758.16	mm. 755.32	mm. 756.63	mm. 758.48	mm. 758.92
Vientos.....	S.	S.	SO.	S.	SSO.	SSE.	S.	S.
Estado atmosférico.....	G.	N.	Np.	D.	D.	Np.	N.	N.
	JUNIO 13 DE 1874.								
Barómetro reducido a 0°.....	mm. 757.82	mm. 757.25	mm. 759.33	mm.	mm.	mm. 757.92	mm. 758.97	mm. 758.26
Vientos.....	SSE.	SSO.	S.	S.	S.
Estado atmosférico.....	N.	Np.	Np.	D.	D.
	JUNIO 23 DE 1874.								
Barómetro reducido a 0°.....	mm. 752.27	mm. 750.93	mm. 750.48	mm. 749.93	mm. 749.13	mm. 748.58	mm. 749.75	mm. 751.24	mm. 750.29
Vientos.....	SE.	S.	SO.	S.	OSO.	ONO.	NNE.	N.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	N.	N.	N.
	JULIO 3 DE 1874.								
Barómetro reducido a 0°.....	mm. 752.37	mm. 752.87	mm. 753.57	mm. 755.07	mm. 754.62	mm. 754.22	mm. 755.47	mm. 757.31	mm. 754.44
Vientos.....	NO.	O.	SO.	OSO.	SO.	SSO.	OSO.	S.
Estado atmosférico.....	Ll.	Ll.	N.	N.	N.	N.	N.	Np.

Instrumentos.	JULIO 13 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	756.29	755.61	756.16	756.85	755.61	754.26	753.81	753.56	755.18
Vientos	S.	S.	S.	SSO.	S.	SE.	ESE.	E.
Estado atmosférico.....	D.	D.	D.	N.	N.	N.	N.	N.
	JULIO 23 DE 1874.								
Barómetro reducido a 0°.....	759.56	758.71	760.21	762.11	760.56	758.56	759.46	760.06	759.85
Vientos	ONO.	OSO.	OSO.	SO.	SO.	SO.	SO.	SO.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	Np.	Np.	Np.
	AGOSTO 2 DE 1874.								
Barómetro reducido a 0°.....	756.78	754.53	756.18	757.93	756.63	755.34	754.82	754.27	755.81
Vientos	D.	D.	D.	D.	Np.	N.	Np.	Np.
Estado atmosférico.....	D.	D.	D.	D.	Np.	N.	Np.	Np.
	AGOSTO 12 DE 1874.								
Barómetro reducido a 0°.....	759.55	758.82	760.40	761.05	759.00	756.90	758.50	760.03	759.28
Vientos	SO.	S.	SO.	S.	SO.	SSO.	SO.	S.
Estado atmosférico.....	Np.	D.	D.	D.	N.	N.	Ni.	Ni.
	AGOSTO 22 DE 1874.								
Barómetro reducido a 0°.....	758.96	757.81	758.13	758.33	756.58	754.69	756.33	757.53	757.39
Vientos.....	SSE.	S.	S.	S.	ESE.	S.	S.	S.
Estado atmosférico.....	Np.	Np.	N.	N.	N.	N.	N.	N.
	SEPTIEMBRE 2 DE 1874.								
Barómetro reducido a 0°.....	757.65	759.00	759.58	757.93	757.08	755.94	757.48	759.33	758.00
Vientos	SO.	S.	SSO.	S.	S.	SE.	S.	S.
Estado atmosférico.....	Np.	N.	Np.	Np.	Np.	N.	D.	D.
	SEPTIEMBRE 12 DE 1874.								
Barómetro reducido a 0°.....	756.88	754.32	756.81	758.86	756.91	754.34	753.39	752.19	755.46
Vientos	SSE.	S.	S.	S.	S.	SSE.	SSO.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	Np.	D.
	SEPTIEMBRE 22 DE 1874.								
Barómetro reducido a 0°.....	760.21	759.21	761.53	763.97	761.17	759.08	760.46	761.19	760.89
Vientos	ENE.	SE.	SSE.	SE.	SO.	SSO.	SSE.	SO.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	N.	Np.	Np.

Instrumentos.	OCTUBRE 11 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	752.47	751.02	754.11	754.73	756.33	757.58	758.68	759.48	755.97
Vientos.....	E.	NE.	S.	SSE.	SO.	SSO.	SO.	SO.
Estado atmosférico.....	N.	Np.	Np.	D.	D.	Np.	Np.	Np.
OCTUBRE 21 DE 1874.									
Barómetro reducido a 0°.....	755.55	755.45	755.22	755.67	755.22	755.02	754.27	753.72	755.93
Vientos.....	SSE.	ESE.	S.	SO.	SSO.	S.	SE.	SSE.
Estado atmosférico.....	N.	N.	Np.	Np.	Np.	N.	N.	N.
OCTUBRE 31 DE 1874.									
Barómetro reducido a 0°.....	759.71	757.23	758.44	759.41	758.61	758.43	758.16	757.63	758.43
Vientos.....	S.	SSO.	OSO.	S.	SSE.	S.	SO.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Np.
NOVIEMBRE 10 DE 1874.									
Barómetro reducido a 0°.....	751.51	750.94	751.89	753.71	753.11	751.86	753.28	754.46	752.60
Vientos.....	SO.	S.	S.	S.	SE.	SSE.	S.	SO.
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	Np.	Np.
NOVIEMBRE 20 DE 1874.									
Barómetro reducido a 0°.....	754.03	754.06	754.11	754.98	752.68	750.63	752.33	754.28	753.35
Vientos.....	S.	SSO.	SO.	SSO.	SO.	SO.	S.	SO.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
NOVIEMBRE 30 DE 1874.									
Barómetro reducido a 0°.....	754.48	753.33	754.54	756.33	756.95	757.86	757.17	757.47	756.02
Vientos.....	SSO.	S.	SSO.	S.	SSE.	S.	S.	SSO.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	Np.
DICIEMBRE 10 DE 1874.									
Barómetro reducido a 0°.....	751.12	749.32	751.37	752.13	750.39	749.26	750.23	750.91	750.63
Vientos.....	SSO.	S.	S.	S.	SO.	S.	SSO.	SSO.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
DICIEMBRE 20 DE 1874.									
Barómetro reducido a 0°.....	748.39	747.27	748.17	749.36	750.29	751.99	753.59	754.49	750.44
Vientos.....	SO.	SO.	SSO.	SSO.	SO.	SSO.	O.	O.
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	N.	N.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.				
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.	
	mm.	mm.	mm.	mm.	0	0	0	0	0	0	0	0	0	
1	700.4	701.4	700.4	700.4	0	15.6	13.9	14.1	15.6	14.53	10.6	1.7	0.0	2.5
2	54.56	52.86	57.87	55.10	16.8	8.8	12.6	16.8	12.73	5.8	5.0	1.4	2.8	
3	60.35	62.77	65.31	62.81	18.1	9.4	11.9	18.1	13.13	5.6	4.7	0.8	1.9	
4	64.31	65.75	61.23	64.76	14.8	12.3	15.0	18.4	14.03	10.1	1.8	0.7	2.0	
5	58.50	59.48	62.38	60.12	20.4	14.0	13.8	20.4	16.07	9.8	3.5	0.9	2.0	
6	64.05	65.33	65.45	64.91	19.1	11.3	15.0	20.6	15.15	8.9	4.3	1.9	2.2	
7	63.57	62.81	60.91	62.43	20.5	15.0	16.3	21.8	17.27	11.6	4.4	1.4	1.7	
8	60.70	60.78	60.11	60.51	21.3	15.6	17.3	21.3	18.07	11.9	3.5	1.0	3.2	
9	58.64	57.96	58.88	58.49	19.3	16.8	16.0	20.6	17.37	16.0	1.7	0.7	1.0	
10	61.81	62.57	63.24	62.51	20.8	13.8	14.5	21.3	16.30	11.0	3.9	0.9	1.0	
11	62.83	62.89	60.32	62.01	22.2	13.9	18.3	24.0	18.15	11.4	5.0	0.9	3.5	
12	58.65	58.84	58.12	58.54	25.1	16.3	16.3	25.1	19.23	12.6	7.2	1.2	0.8	
13	60.01	61.57	60.73	60.77	16.8	12.3	16.9	19.4	15.33	9.1	1.4	0.8	2.4	
14	57.73	57.80	59.34	58.29	22.9	14.6	13.9	22.9	17.13	11.1	5.3	1.3	1.1	
15	61.09	62.17	62.38	61.88	19.4	12.5	13.8	19.4	15.23	10.4	2.5	1.0	1.5	
16	61.57	61.93	60.43	61.31	20.9	14.6	12.9	20.9	16.13	10.0	6.4	4.1	1.6	
17	58.05	59.10	60.64	59.26	18.0	13.4	12.9	18.0	14.77	11.8	4.5	1.4	0.9	
18	61.09	61.93	61.97	61.65	17.3	14.4	17.3	20.4	16.33	12.1	1.9	0.8	2.4	
19	61.58	61.84	61.66	61.69	21.8	13.9	16.9	21.8	17.53	10.3	4.2	1.0	1.8	
20	61.90	62.83	62.87	62.53	21.6	16.9	18.9	22.2	19.13	12.6	3.8	1.0	2.9	
21	62.60	62.68	61.12	62.15	22.5	16.9	16.9	22.5	18.97	13.4	4.5	0.9	2.4	
22	60.97	61.07	59.73	60.59	16.8	13.6	16.8	21.3	15.73	9.4	1.0	0.7	3.4	
23	58.34	59.00	59.63	58.99	21.5	13.5	16.0	22.1	17.00	9.4	5.0	1.6	2.2	
24	61.06	62.22	63.87	62.38	17.8	13.1	17.9	21.1	16.27	11.5	2.4	0.5	2.7	
25	63.45	63.45	61.08	62.66	21.9	15.2	19.4	23.6	18.83	10.9	4.6	1.7	4.2	
26	58.59	58.53	60.52	59.21	26.3	20.8	20.6	26.3	22.57	14.4	6.4	4.8	3.7	
27	59.29	59.59	60.10	59.66	26.4	18.8	23.0	27.8	22.73	15.6	7.0	3.4	5.7	
28	58.15	58.73	59.75	58.88	29.6	21.4	22.2	29.6	24.40	15.6	10.2	8.5	5.3	
29	57.38	58.15	58.48	58.00	28.9	22.9	22.9	28.9	24.57	15.2	8.1	4.9	4.0	
30	57.07	57.33	59.86	58.15	25.9	18.1	14.9	25.9	22.67	11.9	5.3	1.7	1.5	
31	59.86	61.07	60.88	60.60	18.0	11.3	14.1	20.0	14.47	8.3	4.1	1.4	2.4	

FEBRERO

1	58.07	58.75	60.12	58.98	21.3	18.1	14.4	21.3	17.93	11.9	5.3	3.8	2.6
2	59.96	63.38	62.31	61.88	15.6	12.1	13.1	18.9	13.60	11.1	0.0	0.0	0.6
3	61.77	63.37	63.55	62.90	20.9	14.1	16.1	20.9	17.03	12.1	4.8	0.8	1.6
4	64.85	65.46	64.95	65.09	20.0	14.9	16.3	20.0	17.07	11.1	4.2	0.6	2.8
5	62.35	62.62	63.57	62.85	22.2	16.1	19.9	23.6	19.40	13.5	5.1	2.0	3.9
6	60.27	60.87	61.94	61.03	26.4	20.4	17.0	26.4	21.27	13.4	7.0	3.5	3.2
7	60.30	62.68	63.87	62.12	24.8	18.0	19.6	25.1	20.80	14.3	8.0	4.9	4.2
8	60.10	59.57	59.26	59.64	29.6	23.8	22.6	29.6	25.33	13.9	8.3	7.0	5.5
9	59.27	61.82	63.49	61.53	24.4	12.8	16.3	24.4	17.83	9.4	5.6	1.2	3.0
10	63.05	62.79	62.14	62.66	21.9	14.4	14.3	21.9	16.87	13.0	5.6	1.1	0.5
11	62.78	64.37	66.82	64.66	20.6	13.1	14.4	20.6	16.03	5.6	4.7	1.6	3.0
12	65.04	65.19	63.06	64.43	19.4	11.5	11.0	19.4	13.97	6.8	5.6	1.4	0.9
13	62.10	62.23	64.35	62.96	17.6	14.6	17.0	21.0	16.40	12.8	1.6	0.6	2.2
14	63.07	63.12	59.68	61.96	23.2	18.1	19.8	26.9	20.37	14.3	6.9	2.7	3.5
15	57.37	56.60	58.08	57.35	28.4	16.3	17.0	28.4	20.57	10.6	9.3	1.9	2.7
16	56.88	58.70	61.44	59.01	13.9	12.3	11.8	17.4	12.67	7.5	6.4	0.0	0.5
17	62.21	64.06	65.56	63.93	15.6	8.8	13.3	16.3	12.57	4.4	2.7	0.7	3.3
18	64.21	66.25	65.61	65.36	18.4	12.5	14.8	18.4	15.23	6.4	6.6	3.2	3.2
19	62.99	63.15	63.26	63.17	20.3	11.9	15.4	20.3	15.87	7.5	4.9	1.4	2.1
20	63.20	63.24	62.91	63.12	16.1	13.4	14.4	18.6	14.63	6.9	2.0	0.0	2.1
21	59.38	60.12	60.46	59.99	20.3	14.1	15.9	20.5	16.77	7.5	5.2	2.5	3.9
22	59.53	61.65	63.02	61.46	19.5	12.6	14.5	20.1	15.67	7.9	4.9	1.3	1.9
23	60.67	60.67	61.29	60.88	21.6	16.3	15.2	21.6	17.70	9.1	5.8	2.9	2.7
24	59.85	61.27	63.31	61.48	21.6	12.5	15.8	21.6	16.63	11.3	5.2	0.9	4.7
25	61.74	62.99	63.16	62.73	20.3	13.9	13.4	20.3	15.87	5.6	5.2	3.3	2.3
26	61.29	60.98	59.69	60.65	22.9	12.5	15.4	22.9	16.93	10.6	7.0	1.1	2.9
27	58.46	59.29	61.09	59.61	21.0	11.3	12.3	21.0	14.87	8.9	5.0	0.8	0.8
28	61.15	62.49	63.30	62.31	18.4	11.8	13.8	19.4	14.83	7.3	4.5	1.5	1.9

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 o.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 o.	2 h.	10 h.	19 h.
81	100	72	84	10.85	11.79	8.70	10.45	NO ₂	NO ₂	SSO ₁	Np.	Ll.	Np.
50	81	67	66	7.33	6.85	7.37	7.18	O ₁	C.	S ₁	D.	D.	Np.
56	89	77	74	8.72	7.84	8.02	8.19	SSO ₁	—	C.	Np.	—	Np.
80	92	74	82	10.07	9.79	6.81	8.89	SE ₁	—	SE ₁	N.	—	D.
68	90	77	78	12.21	10.69	9.14	10.68	SE ₁	OZO ₁	C.	D.	—	N.
60	76	76	71	9.93	7.67	9.68	9.09	S ₁	C.	SE ₁	Np.	—	Np.
61	84	82	76	10.94	10.79	11.36	11.03	O ₁	—	NNE ₁	D.	—	D.
69	89	68	75	13.00	11.78	10.04	11.61	N ₁	—	O ₁	—	—	—
84	93	89	89	13.92	13.20	12.09	13.00	NO ₁	ONO ₁	ONO ₁	N.	—	N.
65	89	89	81	11.97	10.54	10.77	11.09	ONO ₁	ONO ₁	OZO ₁	Np.	D.	D.
54	90	68	71	10.96	10.62	10.69	10.76	C.	—	C.	D.	—	—
45	87	91	74	10.83	12.05	12.61	11.83	SSO ₁	—	ONO ₁	—	—	N.
85	90	75	83	12.17	9.66	10.85	10.89	C.	—	ESE ₁	N.	—	Np.
56	85	87	76	11.72	10.61	10.35	10.82	—	—	C.	D.	—	D.
76	87	83	82	12.82	9.54	9.76	10.71	SSO ₁	—	ESE ₁	Np.	—	D.
45	56	81	61	8.42	6.99	9.03	8.15	SE ₁	—	SE ₁	N.	—	Np.
57	84	89	77	8.78	9.61	9.91	9.43	C.	—	NNE ₁	N.	—	Np.
81	91	75	82	11.86	11.10	11.17	11.38	ONO ₁	—	C.	Np.	—	Np.
66	88	81	77	12.39	10.48	11.68	11.52	O ₁	—	OZO ₁	D.	D.	D.
67	89	73	76	12.82	12.81	11.77	12.47	—	—	O ₁	Np.	Np.	Np.
63	91	75	76	12.60	12.99	10.85	12.15	—	—	S ₁	N.	N.	Np.
89	93	66	83	12.73	14.80	9.38	12.30	C.	—	C.	Np.	Np.	D.
57	81	76	71	10.94	9.45	10.47	10.29	SE ₁	—	O ₁	D.	D.	—
76	94	73	81	11.53	10.57	11.22	11.12	ONO ₁	—	S ₁	N.	—	Np.
61	81	61	68	11.88	10.53	10.30	10.90	—	—	SE ₁	D.	D.	D.
51	58	66	58	13.41	10.61	12.09	12.04	C.	—	ESE ₁	Np.	—	—
48	67	54	56	12.59	10.95	11.21	11.55	SE ₁	—	SE ₁	D.	—	—
33	52	55	47	10.53	10.07	11.11	10.57	—	SE ₁	—	—	—	—
44	60	65	56	13.30	12.56	12.79	12.82	ESE ₁	—	ESE ₁	—	—	—
59	83	85	75	14.80	12.86	9.90	12.52	SE ₁	C.	—	—	—	N.
60	82	71	71	9.30	8.27	8.57	8.71	SE ₁	—	SE ₁	Np.	—	Np.

DE 1873.

55	63	71	63	10.30	9.84	8.78	9.64	SE ₁	SE ₁	N ₁	Np.	Np.	N.
100	100	93	98	13.18	10.53	10.44	11.38	NO ₁	C.	ENE ₁	Ll.	D.	—
58	91	83	77	10.70	10.89	11.34	10.98	N ₁	—	SE ₁	D.	Np.	Np.
61	93	71	75	10.78	11.78	9.81	10.73	NO ₁	—	SE ₁	Np.	—	—
57	79	65	67	11.40	10.77	11.16	11.11	SE ₁	—	—	D.	D.	D.
48	68	67	61	12.50	12.21	9.78	11.56	—	S ₁	ESE ₂	—	—	—
39	54	61	51	9.38	8.26	10.46	9.37	ESE ₁	SE ₁	ESE ₁	—	—	—
45	44	55	48	13.75	9.99	11.15	11.65	SE ₁	—	NNE ₁	—	—	—
55	86	69	70	12.73	9.49	9.55	10.59	S ₁	N ₁	N ₁	—	—	Np.
53	89	94	79	10.39	10.77	11.42	10.86	SSO ₁	C.	C.	—	—	Ll.
58	81	67	69	10.56	9.17	8.26	9.35	O ₁	—	SE ₁	—	—	D.
49	83	88	73	8.32	8.38	8.68	8.46	—	—	ONO ₁	—	—	N.
84	93	77	85	12.56	11.54	11.21	11.77	ONO ₁	—	SSO ₁	N.	N.	Np.
45	73	68	62	9.66	11.38	11.67	10.88	ESE ₁	S ₁	ESE ₁	D.	D.	D.
38	80	73	64	10.76	11.07	10.51	10.78	SE ₁	C.	N ₁	—	—	N.
35	100	94	96	11.27	10.67	9.70	10.55	NO ₂	—	NO ₂	N.	N.	Np.
71	91	63	75	9.45	7.65	9.17	8.09	O ₁	—	S ₁	—	—	D.
39	63	65	56	6.36	7.82	8.28	7.15	SE ₁	—	ESE ₁	D.	—	—
56	83	77	72	10.04	8.62	10.13	9.86	OZO ₁	—	O ₁	Np.	—	Np.
79	100	77	85	10.77	11.44	9.40	10.54	O ₁	—	SE ₁	N.	N.	D.
54	72	60	62	9.61	8.70	8.09	8.80	—	—	NE ₁	D.	D.	—
50	85	79	73	9.72	9.22	9.73	9.56	ONO ₁	—	ONO ₁	—	—	—
55	70	71	64	9.81	9.68	9.17	9.55	SE ₂	S ₁	SE ₁	Np.	—	Np.
54	89	53	66	10.72	9.67	7.02	9.14	—	—	SE ₂	D.	—	—
43	63	75	64	9.61	7.53	8.47	8.54	C.	O ₂	C.	—	—	—
57	87	69	66	9.19	9.41	9.05	9.21	O ₁	—	SE ₁	—	—	N.
59	90	79	79	10.49	8.98	9.66	9.71	S ₁	—	O ₁	—	—	N.
52	82	78	73	9.49	8.44	9.27	9.07	NO ₁	—	SE ₂	Np.	Np.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICÓMETRO.		
											Dif. de los termómetros.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	69.84	69.94	61.34	61.04	21.5	14.6	14.9	21.5	17.33	8.8	5.7	2.5	2.9
2	59.81	61.15	63.31	61.42	20.1	15.6	20.0	24.6	18.57	11.9	5.1	3.2	5.8
3	61.87	62.82	61.80	62.16	25.6	13.8	19.1	25.6	19.50	11.0	9.6	0.9	5.1
4	58.71	59.65	61.97	69.11	23.8	19.8	17.9	26.8	21.50	11.6	9.8	6.0	3.8
5	60.61	62.26	62.19	61.69	24.1	15.2	15.9	24.1	18.63	10.6	6.1	2.0	2.8
6	59.95	61.79	61.64	61.13	23.8	13.1	13.6	23.8	16.83	9.8	7.8	1.6	1.1
7	61.11	61.27	58.36	60.25	29.6	12.5	13.8	20.6	15.63	8.9	4.8	0.9	0.4
8	61.31	61.55	66.96	64.27	13.2	10.6	9.4	15.1	11.07	7.0	0.2	0.1	0.3
9	63.30	66.84	66.01	66.38	17.0	9.4	12.6	17.3	13.00	5.0	3.9	1.4	2.7
10	63.88	65.23	61.68	62.93	18.1	13.0	13.1	18.1	14.73	7.1	6.0	2.9	2.3
11	58.66	59.23	60.47	59.45	29.4	9.1	9.8	20.4	13.15	7.5	5.4	0.5	0.9
12	61.46	61.54	62.43	61.81	13.0	12.6	15.3	18.1	13.63	12.3	0.6	0.0	0.2
13	62.93	63.15	63.39	63.16	19.8	14.4	13.0	19.8	15.73	11.3	2.7	0.8	0.7
14	62.47	61.49	61.70	61.89	18.6	13.6	12.9	18.6	15.03	11.9	4.2	0.7	0.1
15	61.13	60.58	58.09	59.93	18.3	16.6	17.8	18.3	17.57	16.1	0.7	0.0	1.2
16	57.38	61.10	62.52	60.33	14.3	10.4	10.1	14.6	11.60	9.6	0.0	0.0	0.1
17	62.36	63.28	63.38	63.01	15.9	10.0	8.6	22.1	11.50	7.9	3.0	0.2	0.0
18	60.81	61.38	62.39	61.53	17.1	11.9	11.9	17.1	13.63	10.0	2.6	0.3	0.8
19	62.43	63.14	62.44	62.67	17.5	13.6	12.0	17.5	14.37	10.3	2.7	0.6	0.6
20	61.48	61.11	60.08	60.89	16.8	12.4	11.1	16.8	13.43	9.4	4.2	1.0	0.6
21	58.45	57.36	59.57	58.46	14.1	12.5	9.5	14.1	12.03	9.0	0.7	0.0	0.0
22	61.57	66.14	70.92	66.21	10.6	6.4	6.4	14.4	7.80	4.4	0.7	0.0	0.0
23	69.55	69.64	66.32	68.59	13.1	6.8	10.6	15.4	10.17	6.0	4.3	1.7	2.8
24	64.99	64.86	65.41	64.42	17.5	11.1	12.5	18.0	13.63	7.5	4.8	3.3	3.6
25	62.17	62.13	61.31	61.87	19.5	11.9	10.6	20.0	14.00	5.0	6.9	3.0	1.1
26	60.18	62.52	64.06	62.23	23.1	13.8	12.8	23.1	16.57	11.9	8.2	1.9	1.1
27	63.99	64.10	63.87	63.93	17.9	12.0	10.3	17.9	13.46	8.0	3.0	1.1	0.3
28	61.99	62.34	61.34	61.89	17.3	9.8	11.9	17.3	13.00	9.4	1.0	0.4	0.6
29	59.30	60.19	62.30	61.60	16.8	12.1	12.3	16.8	13.73	9.4	2.3	0.5	0.6
30	62.19	62.39	61.24	61.94	14.5	9.9	11.6	15.6	12.00	9.4	0.1	0.0	0.1
31	57.54	57.40	55.44	56.79	14.4	14.4	12.4	14.4	13.73	11.0	1.4	1.8	0.6

1	61.46	66.06	66.12	61.53	12.4	7.3	6.4	12.0	8.70	4.7	1.5	0.5	0.2
2	66.18	65.61	62.81	64.67	12.5	10.3	12.4	15.2	11.73	9.9	2.1	0.2	0.6
3	62.28	62.27	64.88	63.14	14.5	14.3	15.4	17.5	14.73	13.8	0.4	0.0	0.2
4	65.82	65.84	62.27	64.64	17.9	14.8	14.6	18.1	15.57	12.9	0.8	0.2	0.2
5	58.95	59.14	57.41	58.59	19.5	11.3	12.4	19.5	14.40	10.0	2.2	0.4	0.9
6	54.39	53.85	56.56	54.93	13.4	10.8	8.8	14.0	11.00	8.1	0.0	0.0	0.0
7	60.57	62.56	65.38	62.84	15.0	10.1	10.9	12.00	8.4	2.4	0.3	0.6
8	64.44	64.44	64.42	61.43	16.1	10.0	11.5	16.9	12.80	9.0	2.4	0.2	0.4
9	63.49	63.83	68.59	65.27	15.8	12.9	10.5	15.8	13.97	7.0	1.9	0.3	0.4
10	68.86	71.96	71.91	70.90	14.4	8.1	10.0	10.83	3.1	4.4	0.2	0.9
11	69.55	68.58	66.25	68.13	14.1	8.8	11.4	15.1	11.43	8.0	3.1	1.2	1.8
12	63.44	63.44	64.71	63.86	16.0	11.3	14.4	16.9	13.90	10.6	3.5	0.9	2.1
13	63.72	64.79	65.79	64.77	18.5	11.5	12.8	18.5	14.27	8.8	4.1	0.5	0.7
14	64.67	64.82	63.45	64.11	19.9	12.6	14.3	19.9	15.60	9.8	2.9	0.2	2.3
15	61.33	61.59	62.45	61.80	20.6	12.0	12.9	20.6	15.17	10.6	5.7	1.4	0.3
16	60.65	62.10	66.86	63.20	13.1	6.8	7.6	13.1	9.17	3.2	0.3	0.2	1.1
17	67.17	68.67	69.23	68.36	12.9	8.3	9.4	12.9	10.20	4.4	3.8	2.3	1.7
18	67.67	68.67	70.03	68.79	12.9	5.6	4.7	12.9	7.73	1.7	3.5	0.4	0.6
19	68.14	69.56	67.42	68.37	14.6	8.8	10.0	14.0	10.93	6.6	2.0	1.2	2.4
20	65.68	64.31	65.06	65.02	14.5	9.4	5.6	14.5	9.83	2.0	4.5	1.6	0.2
21	65.17	67.54	65.76	65.13	13.5	6.6	6.1	13.5	8.73	3.1	3.1	1.0	0.5
22	61.89	60.82	55.75	59.49	8.0	7.5	8.5	9.1	8.00	6.6	0.0	0.0	0.0
23	53.12	53.84	56.85	54.60	9.8	8.3	8.8	9.8	8.97	7.5	0.0	0.8	0.0
24	57.18	57.66	61.81	58.88	10.4	9.1	10.0	11.4	9.83	7.9	9.9	0.2	0.9
25	62.56	63.76	62.46	62.93	12.4	11.3	13.1	13.4	12.27	10.6	0.6	0.0	0.1
26	61.94	63.70	64.59	64.05	13.9	13.0	12.0	14.4	12.97	10.8	0.1	0.0	0.5
27	66.29	66.34	64.98	65.87	15.6	9.8	12.0	15.6	12.47	9.1	1.8	0.5	0.9
28	63.71	64.81	65.24	64.59	15.4	14.1	12.8	15.4	14.10	10.6	1.6	0.6	0.4
29	64.11	63.63	62.18	63.31	16.3	9.8	10.4	16.3	12.17	8.4	1.9	0.3	0.1
30	61.31	61.19	61.21	62.33	13.0	11.0	13.6	15.0	13.53	12.8	0.0	0.0	0.9

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
51	73	69	64	9.37	9.04	8.70	9.19	C.	SSE ₁	ESE ₁	D.	D.	Np.
55	66	49	57	9.39	8.80	8.40	8.93	ESE ₁	SE ₁	ESE ₁	Np.	—	D.
31	89	54	58	7.68	10.51	8.81	9.01	SE ₂	SE ₂	SE ₁	D.	—	—
32	46	63	47	8.43	8.08	9.68	8.73	SSE ₁	SE ₁	S ₁	—	—	—
52	78	71	67	11.63	10.67	9.53	10.61	SSE ₁	C.	SE ₁	—	—	—
40	81	88	70	8.78	9.17	10.14	9.36	SE ₁	—	SSO ₁	—	—	Ni.
57	89	95	80	10.42	9.67	11.20	10.43	OSO ₁	—	NNE ₁	—	—	N.
98	99	96	98	11.46	9.65	8.45	9.65	—	—	ONO ₁	Np.	—	Np.
62	81	68	70	8.26	6.65	7.49	7.67	ONO ₁	—	SE ₁	—	—	D.
44	67	74	62	6.83	7.47	8.32	7.56	SE ₁	—	NNO ₁	D.	—	—
53	93	100	82	9.41	8.02	9.55	8.99	—	NO ₁	NO ₁	—	—	N.
93	100	98	97	10.37	10.88	12.66	11.30	N.	C.	O ₁	N.	N.	Np.
75	91	92	86	12.86	11.10	10.24	11.40	OSO ₁	—	C.	Np.	—	N.
60	92	99	84	9.67	10.66	10.96	10.43	—	—	N ₁	—	—	—
93	100	88	94	14.53	14.08	13.34	13.98	C.	N.	NNO ₁	N.	Ni.	N.
100	100	99	100	12.15	9.41	9.11	10.22	C.	C.	N ₁	Ll.	Ni.	N.Ni.
68	97	100	88	9.27	8.95	8.32	8.84	OSO ₁	—	ONO ₁	D.	D.	—
73	96	90	86	10.73	10.63	9.38	10.05	O ₁	—	ESE ₁	D.	Np.	Np.
73	93	93	86	10.91	10.80	9.71	10.47	C.	—	SSE ₁	Np.	—	N.
58	87	93	79	8.38	9.47	9.10	8.97	O ₁	—	NNO ₁	—	N.	Ll.
92	100	100	97	11.02	10.81	8.87	10.23	NNO ₁	XO ₃	—	N.	Ll.	Ll.
91	100	100	97	8.63	7.26	7.20	7.70	SSE ₁	C.	SE ₁	Np.	Ni.	Np.
51	76	64	64	5.91	5.37	6.24	5.90	SE ₂	SE ₂	—	D.	D.	D.
53	59	57	56	7.96	5.91	6.39	6.73	SE ₂	SSE ₁	—	—	—	—
39	63	86	63	6.76	6.75	8.21	7.24	—	C.	SSE ₁	—	—	—
35	78	83	65	7.64	9.27	9.23	8.71	NNE ₁	O ₁	ESE ₁	—	—	—
70	86	96	84	10.80	9.01	8.98	9.61	O ₁	—	SSO ₁	—	—	N.Ni.
90	95	93	93	13.20	8.57	9.64	10.47	S ₁	—	NNE ₁	Np.	—	N.
77	94	100	90	10.91	9.91	10.67	10.50	SSE ₁	—	NNO ₁	N.	N.	—
99	100	99	99	12.17	9.11	10.08	10.43	C.	—	C.	D.	D.	Ni.
84	80	100	88	10.31	9.79	10.74	10.28	XO ₃	NO ₂	ONO ₁	—	N.	Np.

DE 1873.

82	93	97	94	8.80	7.10	6.98	7.63	SSO ₁	C.	SSO ₁	Np.	D.	N.
73	97	100	91	8.14	9.10	10.74	9.33	NO ₁	—	NNO ₁	N.	N.	—
95	100	98	98	11.74	12.15	12.74	12.21	C.	—	OSO ₁	Ll.	Ll.	—
92	98	98	96	14.02	12.27	11.60	12.63	—	—	C.	N.	Ni.	—
79	95	95	90	13.25	9.46	10.21	10.95	S ₁	—	ONO ₁	D.	D.	—
100	100	100	100	11.14	9.65	8.42	9.81	N ₁	—	OSO ₁	Ll.	Ll.	—
74	96	100	90	9.42	8.87	9.71	9.33	OSO ₁	—	O ₁	Np.	N.	—
75	97	95	89	10.85	8.23	9.62	9.80	ONO ₁	—	N ₁	Np.	Np.	Np.
79	97	95	90	10.73	10.70	8.98	10.11	C.	—	C.	—	N.	—
53	97	88	79	6.51	7.82	8.09	7.47	S ₁	—	SE ₁	—	D.	D.
66	83	77	75	7.92	7.07	7.85	7.61	SE ₁	—	ESE ₁	D.	—	—
64	86	77	76	8.66	8.86	9.40	8.98	S ₁	—	S ₁	—	—	—
61	94	92	82	9.71	9.49	10.10	9.78	SSE ₁	—	ESE ₁	—	—	Np.
73	98	76	82	12.63	10.62	9.06	10.78	SE ₁	—	ESE ₁	—	—	D.
50	83	97	77	9.16	8.68	10.79	9.51	SSE ₁	—	N ₁	—	—	N.
97	97	85	93	10.84	7.18	6.59	8.20	NO ₁	—	S.	N.	—	Np.
57	70	77	68	6.31	5.62	6.92	6.29	SE ₁	SE ₁	SE ₁	D.	D.	D.
61	94	100	85	6.70	6.39	6.38	6.19	—	C.	ESE ₁	—	—	Ni.
78	83	69	77	9.25	7.07	6.35	7.56	C.	—	SE ₂	Np.	D.	D.
53	78	97	75	6.45	6.93	6.61	6.66	SE ₁	—	SE ₁	D.	—	—
65	85	93	81	7.53	6.24	6.50	6.76	O ₁	—	ONO ₁	—	—	N.
100	100	100	100	8.62	7.74	8.27	8.01	NNO ₁	—	N ₁	N.	N.	—
100	89	100	96	9.65	7.25	8.42	8.24	C.	—	NO ₁	—	N.Ni.	—
86	97	100	95	8.33	8.35	9.17	8.62	—	—	N ₁	—	—	—
93	100	99	97	9.99	10.00	11.10	10.36	OSO ₁	—	NO ₁	—	Ll.	Ll.
99	100	94	58	11.66	11.16	9.84	10.89	NO ₁	—	ONO ₁	Ll.	D.	D.
80	94	100	91	10.71	8.45	10.46	9.87	OSO ₁	—	—	Np.	Np.	N.
82	92	92	90	10.85	7.91	10.49	9.74	OSO ₁	—	C.	Np.	N.	—
80	96	96	91	11.07	8.69	9.64	9.60	O ₁	—	—	D.	D.	—
100	100	100	100	11.16	11.91	11.58	11.53	NO ₁	—	—	N.	Ll.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Max.	Medio	Mínim.	Dif. de los termómetros.		
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	2 h.	10 h.	19 h.
1	700+	700+	700+	700+	15.1	13.9	12.6	17.9	13.87	10.0	0.6	0.0	0.6
2	64.01	64.61	62.04	63.55	18.8	13.1	14.4	18.8	15.43	10.3	2.5	0.3	0.9
3	58.20	59.20	64.34	60.58	15.8	12.5	12.9	15.8	13.73	10.6	2.8	0.7	0.3
4	63.73	63.71	65.45	64.30	13.9	9.1	11.1	13.9	11.37	7.5	1.9	0.1	1.2
5	64.44	65.56	66.71	65.57	17.1	10.9	11.0	17.1	13.00	9.5	2.5	0.4	0.2
6	65.22	65.61	64.56	65.13	14.1	7.5	8.8	14.1	10.13	7.3	2.5	0.4	0.2
7	65.14	65.50	63.85	64.83	13.1	10.9	11.1	13.1	11.70	9.4	0.0	0.0	0.0
8	61.00	62.56	63.48	62.35	13.0	13.0	12.0	13.8	12.67	11.0	1.0	0.2	1.0
9	61.40	58.97	61.35	60.57	14.4	9.8	8.1	14.4	10.77	7.0	2.9	0.5	0.1
10	68.05	67.51	67.05	67.54	13.3	9.4	7.3	13.3	10.00	6.6	2.4	0.4	0.0
11	65.44	65.59	64.92	65.32	15.4	12.0	11.6	15.4	13.00	10.6	1.6	0.4	0.0
12	63.94	64.90	65.81	64.88	13.1	10.0	8.0	13.1	10.37	6.2	0.6	0.0	0.0
13	64.18	63.18	62.83	63.40	11.5	9.1	9.4	12.0	10.60	6.2	1.2	0.0	0.1
14	62.75	62.88	62.81	62.81	12.9	9.4	10.0	12.9	10.77	6.2	1.9	0.0	0.0
15	62.68	63.62	64.61	63.64	12.1	9.5	9.3	12.6	10.30	8.5	1.5	0.1	0.0
16	64.36	65.40	66.47	65.41	13.1	9.9	9.9	13.1	10.97	8.3	1.3	0.1	0.3
17	64.26	64.31	58.82	62.46	13.3	10.3	13.1	12.23	19.0	1.9	0.2	1.7
18	60.95	62.66	63.68	62.43	14.1	10.5	9.6	14.1	11.40	7.8	2.2	0.2	0.9
19	62.26	60.45	62.56	61.69	12.8	10.6	13.0	14.9	12.13	10.1	0.9	0.8	0.9
20	62.90	62.91	59.32	61.71	15.0	13.3	13.0	15.0	13.77	11.9	1.2	1.0	0.6
21	57.33	54.34	53.12	54.93	14.4	14.4	11.5	14.4	13.45	10.6	0.1	0.0	0.0
22	52.55	55.41	56.19	54.72	13.6	10.0	9.4	13.6	11.00	8.1	1.1	1.0	0.5
23	54.75	55.88	60.05	56.89	11.3	7.4	7.3	11.3	8.67	5.4	2.0	0.4	0.0
24	61.44	62.81	64.86	63.37	8.9	5.6	5.6	8.9	6.70	4.0	1.4	0.0	0.0
25	63.02	63.93	56.07	61.01	7.4	6.6	7.1	11.9	7.03	5.4	0.0	0.0	0.0
26	54.17	50.27	51.71	52.05	13.5	14.4	11.9	14.4	13.27	10.4	0.0	0.6	0.6
27	51.61	60.01	67.42	59.83	12.6	10.0	5.6	12.6	9.40	4.7	0.8	2.7	0.1
28	66.30	66.27	64.38	65.65	10.0	8.3	9.4	12.3	9.23	6.6	1.2	0.4	0.1
29	64.18	65.62	67.92	65.91	12.3	8.0	6.2	12.8	8.83	5.0	1.9	0.4	0.2
30	66.81	66.80	63.99	65.87	9.3	7.3	8.1	11.3	8.23	6.9	1.9	0.5	0.1
31	62.17	61.92	59.65	61.25	12.3	11.3	11.0	12.5	11.53	10.8	1.5	0.0	0.0

JUNIO

1	58.15	56.04	55.71	56.63	12.6	11.4	11.9	12.6	11.97	10.6	1.2	0.5	0.0
2	55.06	54.34	51.96	53.79	11.6	11.5	13.1	13.9	12.07	10.5	0.0	0.0	0.0
3	52.61	53.39	57.34	54.45	11.6	13.3	13.8	13.8	12.90	11.0	0.0	0.3	1.0
4	59.19	62.44	67.79	63.14	13.3	9.5	8.0	13.3	10.27	6.5	1.0	0.2	0.0
5	67.01	67.70	66.65	67.12	10.4	4.6	3.0	10.4	6.00	2.9	1.3	0.1	0.1
6	64.15	65.52	71.10	66.92	6.0	5.4	3.7	7.9	5.63	0.5	0.2	0.4	0.5
7	70.00	70.33	70.02	70.12	8.4	3.9	0.8	8.4	4.37	-0.6	1.6	1.0	0.0
8	68.39	69.11	66.89	68.13	8.9	3.0	1.7	8.9	4.53	1.5	1.6	0.2	0.2
9	64.63	63.49	67.20	65.11	4.1	3.6	3.1	6.2	3.60	2.9	0.1	0.0	0.0
10	67.05	68.85	70.97	68.95	7.3	6.9	5.0	8.1	6.40	4.0	0.3	0.7	0.2
11	70.36	70.92	67.76	69.68	8.8	6.0	6.2	8.8	7.00	5.2	1.2	0.2	0.0
12	66.72	64.94	65.96	65.87	8.9	8.1	8.0	10.0	8.33	5.6	0.0	0.0	0.0
13	67.77	68.01	67.91	67.90	10.3	8.0	6.0	10.3	8.10	5.0	1.3	1.5	0.8
14	66.54	66.92	67.22	66.93	8.4	4.2	6.1	8.4	6.23	3.0	2.0	0.3	1.0
15	65.86	65.79	65.27	65.64	8.3	6.5	4.5	8.3	6.43	2.9	1.8	1.3	0.6
16	62.04	60.96	62.27	61.76	10.0	2.4	1.8	10.0	4.73	0.6	1.9	0.0	0.0
17	62.39	62.28	60.62	61.76	4.9	6.1	7.6	9.4	6.20	4.5	0.3	0.2	0.1
18	58.74	59.02	57.92	58.56	10.3	8.9	8.8	10.3	9.33	8.1	0.5	0.0	0.0
19	57.62	57.70	53.89	56.40	10.6	10.1	10.6	10.9	10.43	10.0	0.1	0.1	0.1
20	51.77	53.38	59.60	54.92	11.1	12.3	12.5	12.5	11.97	9.8	0.1	0.2	0.1
21	58.57	58.77	58.30	58.55	12.5	11.3	11.9	13.1	11.90	10.9	0.1	0.0	0.0
22	57.17	57.15	54.08	56.13	13.1	11.8	11.0	13.1	11.97	10.4	0.3	0.0	0.0
23	53.56	53.78	50.83	52.72	12.4	11.4	10.4	12.4	11.49	8.8	0.4	0.0	0.0
24	46.72	47.58	49.20	47.83	9.8	12.0	9.4	12.0	10.40	7.5	0.0	0.5	0.4
25	52.75	54.43	61.93	56.37	8.8	9.5	10.5	6.9	0.7	0.9
26	62.73	63.31	63.63	63.23	11.4	10.4	8.8	11.4	10.20	6.6	1.4	0.4	0.2
27	61.68	61.13	57.83	60.21	11.6	10.5	8.6	11.6	10.23	8.4	0.7	0.4	0.1
28	54.58	53.71	52.91	53.73	12.4	7.3	8.8	12.4	9.50	6.2	1.1	0.0	0.0
29	52.80	58.82	66.26	59.29	8.8	6.1	8.5	10.3	7.80	5.5	0.4	0.1	0.2
30	67.80	69.12	67.67	68.20	9.4	5.8	5.8	9.4	7.00	5.0	2.4	0.9	1.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	2 h.	10 h.	19 h.
98	100	93	95	11.94	11.79	10.09	11.27	ENE ₁	C.	N ₁	N.	N.	D.
76	97	90	88	12.28	10.84	10.97	11.36	SE ₁	—	S ₁	D.	D.	Np.
71	92	97	87	9.46	9.95	10.70	10.03	SSO ₁	—	—	Np.	N.	N.
79	99	84	87	9.31	8.51	8.39	8.74	SE ₁	—	SSE ₁	—	Np.	—
74	95	97	89	10.87	9.22	9.52	9.87	O ₁	—	C.	—	—	N.
72	94	97	88	8.70	7.39	8.20	8.07	SE ₁	—	—	D.	D.	—
100	100	100	100	11.23	9.71	9.23	10.06	NO ₁	—	—	Ll.	Np.	—
88	98	87	91	9.85	10.90	9.19	9.98	N ₁	OSO ₂	O ₁	—	—	—
68	94	99	87	8.39	8.45	7.96	8.23	C.	C.	C.	Np.	Np.	Ni.
72	95	100	89	8.26	8.33	7.64	8.08	—	—	—	N.	—	—
82	95	100	92	10.83	9.97	10.21	10.34	—	—	NO ₁	—	—	N.
93	100	100	98	10.44	9.17	8.02	9.21	—	—	C.	—	D.	N. Ni.
85	100	99	95	8.62	8.63	8.69	8.65	OSO ₁	—	ONO ₁	Np.	N.	Np.
78	100	100	93	8.64	8.81	9.17	8.87	C.	OSO ₁	O ₁	—	—	N. Ni.
82	99	100	94	8.62	8.75	8.75	8.71	O ₁	C.	N ₁	—	—	N. Ni.
85	99	96	93	9.57	8.99	8.75	9.19	C.	—	C.	—	—	N.
78	97	80	85	8.92	9.10	9.04	9.02	—	—	NO ₁	—	G.	—
75	97	100	91	9.09	9.22	8.93	9.08	N ₁	—	N ₂	—	—	—
88	89	95	91	9.88	8.57	10.63	9.69	C.	N ₁	C.	N.	—	—
86	88	100	91	11.07	10.06	11.16	10.76	O ₁	NO ₁	NNE ₁	—	—	—
99	100	100	100	12.09	12.23	10.14	11.49	N ₂	NO ₂	ONO ₁	—	Ll.	—
88	86	93	89	10.14	7.97	8.17	8.76	N ₁	OSO ₂	NO ₁	—	Np.	—
75	94	100	90	7.59	7.25	7.64	7.48	NO ₁	OSO ₁	SSO ₁	—	—	Np.
81	100	100	94	6.55	6.83	6.83	6.83	SSO ₁	C.	C.	Np.	—	N.
100	100	100	100	7.69	7.36	7.54	7.51	C.	—	NO ₂	N.	N.	Ll.
100	93	93	95	11.54	11.36	9.64	10.85	NO ₁	ONO ₂	O ₂	Ll.	—	—
90	65	99	85	9.87	6.02	6.72	7.54	NO ₃	OSO ₁	OSO ₁	N.	Np.	Np.
84	94	99	92	7.77	7.70	8.69	8.05	O ₁	C.	NNO ₁	Np.	N.	—
77	94	97	89	8.26	7.55	6.88	7.56	C.	—	O ₁	—	D.	—
75	93	99	89	6.55	7.10	7.96	7.20	—	—	C.	N.	N.	—
82	100	100	94	9.45	10.00	9.79	9.75	N ₁	—	NO ₂	—	Ll.	—

DE 1873.

86	94	100	93	9.35	9.40	10.42	9.72	NO ₁	NO ₂	NO ₂	N.	N.	Ll.
100	100	100	100	10.21	10.14	11.23	10.53	N ₁	NNE ₁	N ₂	Ll.	Ll.	N.
100	97	88	95	10.21	10.98	10.41	10.53	NO ₁	NNO ₃	NO ₁	N.	N.	—
88	97	100	95	10.06	8.63	8.02	8.90	N ₁	C.	SSO ₁	Np.	D.	Np.
83	99	98	93	7.85	6.24	5.60	6.56	C.	—	ENE ₁	—	Ni.	N. Ni.
97	94	92	94	6.81	6.29	5.47	6.19	NE ₁	MNE ₁	SE ₁	N.	N.	D.
77	83	100	87	6.44	5.07	4.84	5.45	SE ₁	C.	S ₁	D.	D.	Ni.
78	95	96	90	6.68	5.46	5.02	5.72	S ₁	—	C.	Np.	Ni.	N.
99	100	100	100	6.04	5.93	5.73	5.90	ENE ₁	—	OSO ₁	N.	N.	Ni.
96	90	97	94	7.31	6.68	6.30	6.76	SSO ₁	—	SE ₁	—	Np.	Np.
88	97	100	94	7.07	6.81	7.10	6.99	N ₁	—	SSO ₁	Np.	N.	N.
100	100	100	100	8.47	8.07	8.02	8.19	O ₁	—	S ₁	N.	—	Np. Ni.
83	79	88	83	7.79	6.35	6.15	6.76	S ₁	—	SSE ₁	—	Np.	Np.
72	95	85	84	6.00	5.87	5.99	5.95	SE ₁	—	—	Np.	D.	—
75	81	90	82	6.17	5.86	5.69	5.91	—	SE ₂	SE ₁	D.	—	D.
75	100	100	92	6.93	5.46	5.26	5.88	C.	N ₁	N ₁	—	Ni.	N.
95	97	99	97	6.16	6.89	7.68	6.90	N ₁	—	—	N.	N.	—
94	100	100	98	8.75	8.47	8.42	8.55	—	—	C.	—	Ll.	—
99	99	99	99	9.41	9.11	9.41	9.31	C.	—	N ₁	—	—	—
99	98	99	99	9.79	10.41	10.68	10.27	NNO ₁	N ₁	—	Ll.	—	—
99	100	100	100	10.68	10.00	10.42	10.37	NO ₁	C.	—	N.	Np.	Np.
97	100	100	99	10.84	10.35	9.79	10.33	—	—	NNO ₁	Np.	N.	Ll.
95	100	100	98	10.21	10.67	9.41	9.90	—	NO ₂	N ₁	—	Ll.	Ll.
100	94	95	96	9.05	9.83	8.33	9.07	NE ₁	N ₂	OSO ₁	Ll.	—	Np.
...	91	88	7.65	7.78	...	OSO ₁	OSO ₁	—	Np.	—	Np. Ll.
83	95	97	92	8.32	8.92	8.26	8.48	N ₁	C.	N ₁	—	N.	—
92	95	99	95	9.28	8.98	8.21	8.82	—	—	NNO ₁	N.	—	N.
87	100	100	96	9.34	7.64	8.42	8.47	C.	—	C.	—	Ni.	—
94	99	97	97	7.98	6.94	8.05	7.66	ESE ₁	—	—	—	—	Np.
69	86	84	80	6.95	5.92	5.82	5.33	—	—	SE ₁	Np.	D.	—

DIAS.	BARÓMETRO REDUCIDO A 0 ^m				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim	2 h.	10 h.	19 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+									
1	65.33	64.23	64.26	64.59	9.1	6.8	5.9	9.1	7.27	4.9	0	0	0
2	64.81	64.91	69.30	66.34	8.8	5.0	3.1	8.8	5.63	1.3	0	0	0
3	69.06	69.55	67.60	68.74	8.5	2.9	3.5	8.5	4.97	2.6	0	0	0
4	66.96	68.05	69.03	68.01	6.8	6.0	6.5	8.6	6.43	5.3	0	0	0
5	66.82	66.76	66.97	66.85	9.0	7.5	5.6	9.0	7.37	0.6	0	0	0
6	65.06	65.88	65.57	65.50	8.8	7.4	7.1	8.8	7.77	5.9	1	1	0
7	65.56	65.89	66.15	65.85	7.5	6.3	5.0	7.5	6.27	4.6	0	0	0
8	63.65	63.50	66.28	64.48	4.5	3.9	3.6	5.3	4.00	3.1	0	0	0
9	68.41	70.05	69.52	69.33	7.5	3.6	1.9	7.5	4.33	1.5	0	0	0
10	65.19	64.02	58.75	62.65	6.3	4.7	5.3	6.3	5.43	4.4	0	0	0
11	57.96	58.09	61.15	59.37	6.9	6.4	6.3	8.1	6.53	5.3	0	0	0
12	62.04	65.03	68.86	65.31	8.5	3.8	0.8	8.5	4.37	-0.6	2	0	0
13	68.40	68.37	64.25	67.01	8.5	5.3	5.6	8.5	6.47	4.4	2	0	0
14	63.48	63.77	67.14	64.78	9.1	11.1	11.3	12.6	10.50	9.1	0	0	0
15	65.48	64.61	61.56	63.88	11.6	10.6	11.3	11.8	11.17	10.5	0	0	0
16	59.47	57.56	57.02	58.03	11.9	11.4	8.9	11.9	10.73	8.1	0	0	0
17	59.84	61.87	68.14	63.28	9.8	6.0	2.6	9.8	6.13	1.6	1	1	0
18	67.35	67.35	64.30	66.33	6.8	2.8	1.8	6.9	3.80	0.9	0	0	0
19	62.03	63.86	66.00	63.96	7.6	2.6	0.6	7.6	3.40	-1.1	1	6	0
20	66.04	67.18	67.41	66.89	7.3	2.0	1.2	7.3	3.50	1.2	0	8	0
21	65.04	65.02	66.35	65.47	2.8	3.4	7.1	1.9	0	0
22	64.08	62.43	59.20	61.90	7.4	9.6	12.5	12.0	9.83	7.4	0	0	0
23	57.63	60.76	66.44	61.68	9.3	5.5	3.0	5.60	2.6	0	0	0
24	66.85	68.82	69.22	68.30	7.1	5.6	3.0	8.8	5.99	4.4	0	7	0
25	68.92	70.77	71.17	70.29	10.1	5.9	3.6	10.1	7.29	4.4	1	5	0
26	68.97	68.96	66.20	68.04	8.8	5.2	4.2	8.8	6.07	3.4	0	9	0
27	64.06	62.59	57.11	61.25	7.3	6.6	5.8	7.3	6.57	5.2	0	7	0
28	51.85	52.14	52.89	52.29	7.8	9.5	11.3	7.4	0	0
29	53.97	52.71	47.37	51.35	11.9	9.5	10.0	11.9	10.47	8.4	0	9	0
30	50.30	51.23	53.95	51.83	9.9	8.8	9.1	10.8	9.27	7.5	0	5	0
31	54.15	48.63	39.42	47.19	11.6	9.4	9.6	11.6	10.26	8.8	1	8	0

AGOSTO

1	45.95	48.19	50.76	48.33	11.5	9.8	8.1	11.5	9.80	7.5	0.1	0.2	0.1
2	50.98	51.85	53.69	52.17	8.5	6.4	4.5	8.5	6.47	3.5	0.6	0.5	0.3
3	56.07	60.86	62.61	59.85	6.8	5.2	5.0	8.9	5.97	4.0	1.6	0.2	1.0
4	65.54	67.85	65.68	66.36	9.2	2.9	4.0	9.9	5.89	1.5	1.6	0.0	6.0
5	64.26	65.98	67.55	65.93	8.0	7.0	6.4	10.9	7.15	4.9	0.5	1.0	0.3
6	68.70	70.32	70.86	69.94	12.5	6.2	2.2	12.5	6.97	6.0	3.6	0.4	0.0
7	68.45	68.99	69.82	69.09	11.6	2.6	1.2	11.6	4.93	-0.1	1.6	0.4	0.1
8	67.93	68.40	69.57	68.63	8.3	6.8	7.6	8.5	7.45	6.0	1.7	0.2	0.0
9	66.91	65.81	66.56	66.43	9.8	7.6	8.5	9.8	8.63	6.2	0.4	0.5	1.4
10	65.79	65.83	63.56	65.05	10.6	7.5	5.0	10.6	7.70	5.6	2.9	0.4	0.2
11	61.32	60.47	60.51	60.78	10.8	8.8	9.0	11.3	9.53	6.6	0.9	0.3	0.7
12	59.69	59.72	58.94	59.45	12.1	8.6	8.7	12.5	9.87	7.9	2.0	0.1	0.0
13	56.79	54.68	60.25	57.24	10.0	10.0	9.3	10.0	10.60	7.1	1.1	0.6	0.5
14	61.65	62.86	67.49	63.97	10.5	6.6	4.0	10.5	7.63	2.6	2.6	0.2	0.0
15	67.25	68.33	67.20	67.61	10.5	2.9	3.8	10.5	5.73	1.9	3.5	0.0	0.3
16	65.76	66.06	66.89	66.07	9.0	1.9	1.1	9.0	4.00	0.0	1.9	0.4	0.0
17	65.18	66.56	69.28	67.01	9.5	1.9	0.1	9.5	3.83	-1.3	3.0	0.1	0.1
18	68.17	70.17	73.48	70.61	7.6	1.4	0.6	9.1	3.29	-0.6	2.2	0.2	0.0
19	71.15	71.74	69.13	70.88	10.5	6.8	8.0	10.5	8.87	6.0	3.2	0.6	0.0
20	66.91	65.59	61.28	64.36	10.6	10.1	11.1	11.1	10.60	10.0	0.0	0.0	0.0
21	62.46	63.59	65.81	63.95	11.8	9.6	9.0	12.4	10.13	8.1	0.2	0.0	0.2
22	64.10	63.86	62.58	62.55	12.6	11.3	12.1	13.8	12.60	10.0	0.8	0.0	0.2
23	60.82	61.30	62.75	61.64	14.9	10.6	11.1	14.9	12.29	9.4	2.8	0.7	0.3
24	63.38	65.29	69.42	66.03	12.3	10.1	8.4	12.3	10.27	7.6	0.9	0.0	1.6
25	66.23	67.05	67.17	66.82	11.4	6.4	6.6	11.4	8.13	1.9	4.1	1.9	2.2
26	64.31	64.39	65.30	64.67	11.1	5.9	5.6	11.1	7.53	1.3	3.2	1.8	1.5
27	63.91	64.96	65.15	64.67	10.4	5.4	4.9	10.4	6.90	1.3	3.5	1.4	0.8
28	63.83	65.88	68.07	65.91	13.1	3.8	2.8	13.1	6.57	1.3	3.8	0.7	0.2
29	65.81	65.23	62.20	64.41	12.8	7.1	5.3	14.4	8.40	1.3	4.3	3.0	1.0
30	59.74	63.82	65.56	63.04	15.4	5.0	9.5	15.4	9.97	1.3	4.4	0.9	1.2
31	65.70	67.80	62.05	67.52	11.6	7.9	8.0	12.1	9.17	5.0	1.2	0.1	0.9

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 h.	10 h	19 h.	2 h.	10 h.	19 h.
2 h.	10 h.	19 h.	Medio.	2 h.	10 h.	19 h.	Medio.	2 h.	10 h	19 h.	2 h.	10 h.	19 h.
71	93	85	83	6.12	6.85	5.99	6.29	SE ₁	SE ₁	SE ₁	D.	D.	N.
68	97	97	87	5.75	6.35	5.53	5.87	ONO ₁	—	—	Np.	N.	Np.
62	98	83	84	5.06	5.55	4.91	5.17	SE ₁	—	—	Ni.	Ni.	Np.
100	100	96	99	7.39	7.00	7.03	7.14	SE ₁	—	—	N.	N.	Np.
71	85	93	83	6.07	6.65	6.28	6.33	C.	—	—	Np.	D.	—
89	80	97	86	6.71	6.41	7.32	6.71	SE ₁	—	—	N.	N.	—
91	88	94	91	7.08	6.35	6.15	6.54	SE ₁	—	—	N.	N.	—
100	100	100	100	6.30	6.66	5.94	6.16	—	—	—	LL.	G.	—
94	98	100	97	7.30	5.85	5.25	6.13	—	—	—	Np.	Ni.	N.
90	98	100	96	6.38	6.34	6.68	6.46	—	—	—	—	N.	Ni.
100	100	100	100	7.14	7.29	7.15	7.26	—	—	—	LL.	—	—
72	92	100	88	6.06	5.51	4.88	5.48	SE ₁	—	—	Np.	Np.	—
72	96	100	89	6.05	6.35	6.80	6.46	SE ₁	—	—	—	N.	—
100	100	92	97	8.63	9.86	9.15	9.21	NO ₁	—	—	N.	—	—
93	100	97	97	9.43	9.55	9.74	9.57	NO ₁	—	—	—	—	—
96	100	94	97	10.05	10.67	8.65	9.58	NE ₁	NO ₁	NO ₁	—	LL.	—
84	99	100	94	7.65	6.92	5.54	6.70	SO ₁	SO ₁	—	Np.	—	—
96	96	100	97	7.07	5.12	5.26	5.92	C.	C.	—	—	Ni.	—
77	100	100	92	6.04	5.54	4.60	5.39	SE ₁	—	—	—	—	—
88	100	100	96	6.77	5.39	5.02	5.36	—	—	—	—	—	N.
...	100	95	5.62	5.55	...	SE ₁	—	—	—	—	N.
100	100	100	100	7.69	8.33	10.81	9.14	SE ₁	NO ₁	NO ₁	N.	LL.	LL.
100	96	100	99	8.75	6.45	5.69	6.96	SO ₁	C.	NO ₁	—	D.	Ni.
90	100	100	97	6.78	6.83	6.53	6.71	—	SO ₁	—	Np.	Np.	Np.
80	99	100	93	7.47	6.87	6.83	7.06	SO ₁	C.	—	—	D.	N.
88	97	100	95	7.46	6.41	6.18	6.66	—	—	—	N.	Ni.	N.
90	100	100	97	6.88	7.30	6.95	7.04	ONO ₁	—	—	—	N.	—
...	...	97	...	7.89	...	8.62	...	N ₂	ONO ₁	—	—	LL.	—
89	97	94	92	9.25	8.63	8.33	8.74	ONO ₁	C.	—	—	—	—
94	94	97	94	8.51	7.65	8.55	8.17	NNE ₁	—	—	—	—	—
77	100	100	99	7.97	8.81	8.95	8.57	N ₂	—	—	Np.	D.	—

DE 1873.

99	97	99	93	16.61	8.81	7.96	8.93	NO ₁	ONO ₁	ONO ₁	N.	N.	N.
93	93	95	93	7.58	6.68	6.60	6.75	N ₁	NO ₁	SO ₁	Np.	LL.	Np.
77	97	84	86	5.68	6.41	5.86	5.98	SO ₁	—	—	Np.	LL.	Np.
79	100	100	93	7.23	5.66	6.34	6.41	—	C.	—	Np.	D.	N.
93	85	96	91	6.44	6.40	6.87	6.90	ONO ₁	N ₂	NNE ₁	—	—	Np.
57	94	100	84	6.39	6.69	5.38	6.15	ENE ₁	—	SE ₁	Np.	Np.	Ni.
80	93	98	99	7.85	5.14	4.92	5.57	SE ₁	—	NE ₁	—	—	—
76	97	100	91	6.34	7.18	7.49	7.02	NNE ₁	—	—	—	N.	—
95	93	81	90	8.57	7.24	6.60	7.59	C.	—	—	—	—	Np.
63	94	97	85	5.86	7.36	6.61	6.57	C.	—	—	—	—	Np.
88	96	94	92	8.57	8.99	7.75	8.11	N ₁	—	—	—	—	Np.
76	99	100	92	8.14	8.21	8.37	8.24	ONO ₁	—	—	—	—	Np.
86	92	93	90	8.21	8.45	8.17	8.28	C.	N ₁	NNE ₁	—	—	Np.
66	97	100	88	6.38	7.08	6.10	6.52	—	SO ₁	SO ₁	Np.	Np.	N.
58	100	95	84	5.39	5.66	5.71	5.59	SE ₁	C.	NO ₁	—	D.	—
75	93	100	83	6.49	4.90	4.58	5.45	—	—	—	—	—	—
61	98	98	86	5.45	5.20	4.51	5.06	SO ₁	—	NO ₁	—	—	Ni.
69	96	100	88	5.42	4.90	4.78	5.03	ONO ₁	—	NO ₁	—	—	N.
60	94	100	84	5.72	6.64	8.02	6.79	SE ₁	—	NO ₁	—	—	LL.
100	100	100	100	9.53	9.23	9.86	9.54	SE ₁	—	—	—	—	LL.
97	100	97	98	10.09	8.95	8.36	9.14	SE ₁	—	—	—	—	N.
90	100	97	96	9.87	10.00	10.30	10.07	N ₁	—	C.	—	—	Np.
70	91	98	86	8.83	8.69	8.87	8.89	O ₁	—	—	Np.	Np.	Np.
89	100	77	89	9.53	9.23	6.44	8.49	NO ₁	—	—	—	N.	Np.
51	72	67	63	5.18	5.16	4.94	5.07	—	SE ₁	SE ₁	—	D.	D.
60	73	77	79	6.02	5.06	5.24	5.44	—	—	—	—	—	N.
56	78	87	74	4.35	5.26	5.66	5.42	—	C.	ONO ₁	—	—	Np.
57	89	96	84	6.46	5.31	5.42	5.73	—	—	NE ₁	—	—	Ni.
51	57	84	64	5.75	4.34	5.62	5.23	O ₁	—	ENE ₁	D.	D.	D.
35	86	84	75	7.13	5.60	7.47	6.75	ENL ₁	—	—	—	—	N.
85	93	88	91	8.68	7.85	7.96	8.14	N ₁	C.	SE ₁	—	—	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2 h.	10 h.	19 h.	Medio	2 h.	10 h.	19 h.	Máx.	Medio	Mínim.	Dif. de los termómetro		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	2 h.	10 h.	19 h.
1	67.64	68.62	65.57	67.28	13.0	3.9	2.5	13.0	6.47	0.8	3.6	0.0	0.0
2	61.93	60.92	62.63	61.83	12.2	7.4	9.5	12.5	9.70	2.3	2.7	0.9	0.2
3	63.57	63.98	63.82	63.73	13.5	9.8	9.6	13.5	10.97	9.0	2.6	0.4	0.0
4	63.68	63.69	63.81	63.73	11.6	11.3	10.9	11.6	11.23	10.3	0.1	0.2	0.0
5	62.56	62.55	61.89	62.33	12.5	7.0	8.8	13.8	9.43	6.6	0.7	0.0	0.2
6	60.47	60.46	62.53	61.15	13.8	9.8	10.0	14.3	11.20	9.0	3.0	0.4	0.1
7	62.21	62.65	59.82	61.56	13.8	10.6	11.0	13.8	11.60	9.1	2.9	1.5	1.2
8	57.79	58.83	63.83	60.15	10.6	6.4	9.8	10.6	8.93	6.0	0.6	0.0	0.9
9	62.88	63.31	62.02	62.74	10.8	7.5	6.9	11.4	8.33	4.1	2.2	0.5	0.5
10	58.84	59.38	62.40	60.21	11.9	9.8	7.1	11.9	9.60	4.0	2.9	1.5	1.1
11	66.37	70.61	74.29	70.42	10.6	3.1	2.2	10.6	5.30	1.3	1.6	0.2	0.0
12	73.10	72.51	71.41	72.34	7.9	6.5	7.0	9.5	7.13	5.6	0.3	0.0	0.0
13	69.57	69.41	69.72	69.57	13.0	10.5	12.0	13.6	11.67	8.8	1.2	0.2	1.7
14	69.55	69.43	67.24	68.74	15.6	11.4	10.6	15.6	12.53	6.9	3.0	1.4	1.1
15	64.01	63.66	61.73	63.13	16.5	11.3	11.4	16.5	13.07	8.8	3.6	1.5	2.1
16	59.54	61.50	63.21	61.42	17.9	9.0	8.1	17.9	11.67	5.6	5.6	0.5	0.5
17	61.01	60.77	60.72	60.83	14.3	7.4	8.6	14.3	10.10	4.9	3.0	0.5	0.8
18	59.71	59.70	59.72	59.71	11.9	9.3	10.1	11.9	10.43	8.6	2.5	0.2	0.0
19	58.72	58.65	58.22	58.53	10.6	9.9	10.3	11.6	10.47	9.0	0.2	0.0	0.3
20	57.60	60.67	64.48	60.92	11.3	10.1	10.6	12.4	10.47	8.9	0.3	0.0	0.1
21	64.36	66.16	66.40	65.64	14.3	10.9	9.3	14.3	11.57	7.9	2.4	0.8	0.6
22	65.46	66.25	65.73	65.81	15.6	7.5	9.3	15.6	10.80	5.4	2.6	0.1	0.5
23	64.65	64.41	64.86	64.64	12.2	5.9	7.1	12.3	8.40	4.4	2.9	0.4	0.6
24	64.41	63.68	58.26	62.12	11.3	10.3	11.5	11.3	10.97	8.8	0.9	0.5	0.3
25	58.60	57.83	56.34	57.59	11.9	10.4	9.9	11.9	10.73	6.6	0.8	1.6	1.8
26	55.85	57.82	62.02	58.56	10.3	8.1	9.6	11.6	9.33	5.6	0.9	1.5	2.1
27	64.35	68.26	67.95	66.85	9.5	4.4	6.4	9.5	6.77	3.1	2.2	0.7	0.0
28	65.93	62.17	59.68	62.59	7.6	9.9	12.4	12.5	10.30	7.9	0.0	0.0	0.0
29	57.07	55.38	57.34	56.60	12.6	9.8	8.8	12.6	10.40	6.2	0.0	0.0	0.3
30	58.82	61.91	66.64	62.46	12.3	6.0	5.9	12.3	8.07	2.9	2.3	0.5	0.7

1	63.29	62.91	57.06	61.09	11.0	7.3	9.9	11.5	9.10	5.0	2.6	0.5	0.9
2	56.42	58.12	57.89	57.48	12.6	6.5	8.5	12.6	9.20	3.1	2.0	0.7	1.7
3	60.84	62.46	67.77	63.69	11.1	4.4	5.6	11.1	7.03	1.8	3.1	0.1	0.3
4	67.84	70.20	70.57	69.54	10.8	2.9	3.9	11.9	5.87	1.6	2.8	0.5	0.1
5	68.57	68.56	68.50	68.54	12.8	5.8	7.1	13.4	8.57	1.9	3.9	0.5	1.2
6	66.02	66.74	65.98	66.25	14.4	6.6	7.3	14.4	9.43	3.9	3.0	0.6	0.5
7	64.91	64.51	66.17	65.20	15.4	9.3	9.8	15.4	11.50	8.9	3.8	0.9	0.2
8	65.47	66.01	64.71	65.40	17.0	7.8	11.4	17.0	12.07	5.1	3.5	0.2	1.6
9	61.69	61.33	62.68	61.90	18.9	11.0	9.6	19.4	13.17	7.8	5.4	0.5	0.0
10	62.91	64.56	63.68	63.72	15.6	8.5	12.0	15.6	12.63	7.9	1.7	0.0	0.4
11	63.54	63.47	64.70	63.90	12.4	11.4	10.8	12.4	11.53	6.3	0.6	0.4	2.3
12	64.68	67.74	71.86	68.13	12.0	6.1	7.8	13.6	8.80	1.0	4.0	0.5	1.9
13	71.17	70.74	69.24	70.38	14.0	6.6	9.8	14.0	9.97	1.9	5.5	0.6	2.5
14	66.39	66.47	64.86	65.91	15.6	9.1	11.3	16.8	12.00	6.3	3.7	1.6	2.3
15	61.26	61.23	62.02	61.50	19.4	12.8	13.1	19.4	15.10	7.3	6.3	2.8	2.5
16	61.29	61.71	62.07	61.69	20.5	10.3	13.1	20.5	14.63	4.4	5.9	1.4	1.3
17	63.07	64.42	65.62	64.37	16.0	9.4	12.6	18.0	12.67	5.0	3.4	1.6	1.7
18	64.20	65.35	65.81	65.12	18.1	11.1	15.6	18.1	14.93	6.9	3.6	0.6	4.3
19	64.20	64.74	66.61	65.18	22.6	10.4	11.8	14.98	5.0	8.8	1.6	1.0
20	65.34	65.45	64.18	64.99	17.6	9.6	12.6	17.6	13.07	6.6	5.1	0.6	3.1
21	63.90	63.55	61.22	62.69	16.4	9.1	10.6	16.4	12.63	4.3	4.5	1.5	1.6
22	58.56	58.47	55.72	57.58	13.9	10.6	10.8	13.9	11.77	8.8	2.6	0.2	0.3
23	55.67	56.28	59.93	57.29	11.9	10.8	11.4	13.3	11.37	8.1	1.5	0.3	2.1
24	63.29	66.68	65.91	64.63	13.6	7.4	10.6	15.6	10.53	4.8	2.7	0.6	1.3
25	65.78	68.07	68.35	67.40	14.1	5.9	8.9	14.1	9.63	3.1	3.5	0.9	1.9
26	66.95	68.00	66.87	67.27	16.5	7.4	11.4	16.5	11.77	3.9	4.6	1.0	2.9
27	64.25	65.12	65.37	64.91	17.6	10.6	12.3	17.6	13.50	4.0	6.5	2.6	2.7
28	63.22	63.41	64.81	63.81	19.3	9.1	10.4	19.3	12.93	5.0	5.0	1.0	0.8
29	63.44	64.84	64.88	64.39	17.1	10.3	12.6	17.1	13.33	5.9	3.8	0.8	3.1
30	63.24	64.69	66.49	64.81	18.5	10.6	10.6	18.5	13.23	6.6	4.7	1.3	1.6
31	63.90	64.05	64.99	64.31	21.0	10.6	15.3	21.0	15.63	6.6	5.1	0.8	2.3

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
59	100	100	86	6.64	6.05	5.50	6.06	SSO ₁	C.	SSO ₁	Np.	D.	Ni.
68	87	97	84	7.25	6.71	8.63	7.53	C.	—	O ₁	Np.	Np.	Np.
70	95	100	88	8.13	8.57	8.93	8.54	O ₁	—	N ₁	D.	N.	N.
99	97	100	99	10.08	9.74	9.71	9.84	N ₁	—	—	N.	Ni	—
92	100	97	96	9.93	7.49	8.26	8.56	S ₁	—	—	Np.	Ni	—
66	95	99	87	7.83	8.67	9.05	8.52	NNO ₂	—	—	N.	Ll.	—
67	86	84	77	7.95	7.41	8.33	7.90	N ₁	—	NNO ₂	Np.	N.	—
93	100	88	94	8.80	7.20	8.57	8.19	—	N ₂	—	Ll.	Ll.	—
72	93	93	86	7.05	7.10	6.90	7.02	O ₁	C.	N ₁	Np.	N.	Np.
66	80	85	77	6.83	7.29	9.94	7.82	NNO ₁	SO ₂	SO ₁	Np.	Np.	—
80	96	100	92	7.61	5.54	5.38	6.18	SSO ₁	C.	SE ₁	D.	D.	N.
96	100	100	99	7.61	7.25	7.49	7.45	N ₁	—	N ₁	N.	N.	—
86	97	79	87	9.63	8.93	8.32	8.96	S ₁	—	S ₁	Np.	N.	—
68	83	86	79	9.06	8.32	8.21	8.53	—	—	SSE ₁	Np.	Np.	Np.
62	81	74	72	8.91	8.15	7.49	8.18	SE ₁	S ₂	SE ₁	D.	D.	D.
47	93	95	78	7.27	7.97	7.49	7.58	—	C.	C.	—	—	N.
67	93	89	83	8.19	7.15	7.41	7.58	S ₁	—	O ₁	—	Ll.	Ll.
70	97	100	89	7.31	8.51	9.23	8.35	O ₁	—	C.	N.	Ll.	Ll.
97	100	96	98	9.28	9.11	9.84	9.24	C.	—	N ₁	Ll.	N.	N.
96	100	86	94	9.61	9.23	8.45	8.10	—	—	—	—	Np.	—
73	90	92	85	8.97	8.74	8.20	8.64	—	—	SSO ₁	Np.	—	—
73	99	93	88	9.58	7.63	8.12	8.44	N ₁	—	N ₁	—	D.	—
66	94	91	84	7.01	6.54	6.89	6.81	C.	—	SSO ₁	—	—	—
88	94	96	93	8.86	8.75	9.61	9.07	N ₁	—	NO ₂	N.	N.	—
90	79	76	82	9.38	7.53	6.99	7.97	NO ₁	OSO ₂	SO ₁	Np.	Np.	—
88	79	72	80	8.27	6.40	6.48	6.48	O ₂	C.	C.	Np.	D.	Np.
71	89	100	87	6.32	5.55	7.20	6.36	SO ₁	—	N ₁	N.	Ll.	N.
100	100	100	100	8.32	9.11	10.74	9.39	N ₁	NO ₂	NO ₁	Ll.	Ll.	—
100	100	96	99	10.88	9.05	8.14	9.36	NO ₁	N ₁	SSO ₁	N.	N.	Np.
74	93	90	86	7.78	6.48	6.21	6.82	SO ₁	C.	NE ₁	Np.	Np.	N.

DE 1873.

68	93	88	83	6.69	7.10	7.53	7.11	O ₁	C.	O ₂	N.	N.	Np.
76	90	76	81	8.32	6.31	6.38	7.07	OSO ₁	—	O ₁	Np.	Np.	—
62	99	96	86	6.15	6.16	6.50	6.27	SE ₁	SSO ₁	OXO ₁	—	—	—
65	92	99	85	6.33	5.55	5.99	5.96	SSO ₁	C.	C.	—	D.	Ni.
55	93	82	77	6.21	6.38	6.27	6.39	S ₁	—	—	Np.	Np.	—
67	91	93	84	8.26	6.64	7.10	7.33	—	—	NNO ₁	D.	D.	—
60	88	97	82	7.94	7.68	8.81	8.13	O ₁	—	N ₁	Np.	Ll.	N.
65	97	86	83	9.39	7.67	8.80	8.62	C.	—	S ₁	—	D.	Np.
50	94	100	81	8.23	9.16	8.93	8.77	—	—	N ₁	—	D.	N.
81	100	95	92	10.84	8.27	9.97	9.69	N ₁	—	C.	—	Ni.	Np.
93	95	72	87	9.99	9.55	6.93	8.82	C.	—	—	N.	Np.	Np.
54	93	73	73	5.61	6.75	5.85	6.07	SSO ₁	—	N ₁	Np.	D.	D.
41	90	68	66	5.01	6.42	6.14	5.86	S ₁	—	O ₁	—	—	Np.
61	78	73	71	8.18	6.78	7.19	7.38	O ₁	—	S ₁	D.	—	D.
44	68	71	61	7.41	7.47	8.02	7.63	SE ₁	—	SE ₁	—	—	—
49	81	85	72	8.80	7.71	9.57	8.69	C.	O ₁	C.	—	—	—
64	78	79	74	8.82	6.93	8.68	8.14	OXO ₁	—	—	—	—	—
65	93	56	71	10.12	9.10	7.40	8.85	O ₁	—	S ₁	—	—	—
30	79	86	65	6.38	7.53	9.04	7.65	—	—	NNO ₁	—	—	—
51	92	64	69	7.72	7.86	7.01	7.53	—	—	SE ₁	—	—	—
54	80	80	71	7.70	6.89	7.61	7.40	—	—	C.	—	—	—
71	97	96	88	8.43	9.28	9.28	9.00	N ₁	N ₁	SO ₂	N.	N.	Np.
82	96	74	84	8.50	9.28	7.49	8.42	ONO ₁	—	O ₁	—	N.	Np.
69	91	83	81	8.07	7.04	7.97	7.69	—	C.	—	Np.	D.	—
61	87	75	74	7.29	5.98	6.35	6.54	—	—	C.	—	—	—
53	85	64	67	7.64	6.60	6.57	6.94	—	—	SE ₁	—	—	D.
40	68	68	59	5.93	6.45	7.31	6.56	SE ₁	S ₁	—	D.	—	—
54	86	89	76	9.11	7.47	8.45	8.34	—	C.	OXO ₁	—	Np.	Np.
63	89	64	72	9.06	8.39	7.01	8.15	N ₁	—	S ₁	Np.	N.	Np.
56	83	80	73	8.87	7.97	7.61	8.15	SE ₁	—	SE ₁	D.	D.	N.
55	89	76	73	10.31	8.57	9.77	9.53	—	—	—	—	—	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	700.4	700.4	700.4	700.4	20.5	11.0	16.0	20.5	15.83	7.3	5.0	1.1	2.7
2	62.99	61.70	63.46	63.72	20.1	10.8	14.1	20.1	15.00	7.3	4.1	0.8	3.6
3	63.80	64.19	66.98	64.97	19.9	10.5	13.5	19.9	14.63	8.1	5.0	0.7	2.6
4	64.97	66.28	65.62	65.62	20.9	11.0	13.8	20.9	15.23	7.3	4.6	1.0	2.7
5	62.83	62.99	63.46	63.09	19.1	12.1	14.9	19.1	15.37	8.5	4.7	1.1	2.8
6	64.07	64.57	65.24	64.63	20.9	15.6	13.6	20.9	16.70	10.0	7.3	1.6	2.8
7	60.17	59.63	60.57	60.12	21.0	13.3	18.0	21.9	17.43	8.1	4.4	1.9	4.1
8	58.23	61.07	61.34	60.21	20.8	11.1	12.1	24.5	14.67	10.4	4.4	0.6	1.1
9	58.79	60.97	61.44	60.26	18.3	10.9	13.1	18.3	14.10	9.4	3.7	0.8	1.8
10	60.84	61.27	60.89	61.64	18.0	11.5	13.3	18.0	14.27	9.4	3.5	0.4	2.9
11	60.78	62.57	63.80	62.38	17.6	9.8	14.4	17.6	13.93	7.1	4.8	1.0	2.6
12	62.72	63.89	65.36	63.99	18.6	9.8	14.1	18.6	14.17	8.1	4.2	1.0	3.0
13	61.95	65.34	65.29	65.18	18.1	11.5	14.3	18.1	14.63	7.1	4.5	0.6	3.4
14	65.07	65.23	65.96	65.18	19.6	11.0	15.6	20.1	15.40	6.9	4.8	0.7	4.0
15	62.83	63.49	63.74	63.35	19.9	11.4	15.9	21.3	15.73	6.9	5.1	1.4	3.6
16	61.73	62.69	62.94	62.45	20.4	12.3	12.9	20.4	15.20	7.1	4.8	1.2	1.5
17	62.98	64.25	66.53	64.59	16.8	13.6	16.4	18.1	15.60	9.4	3.4	0.3	3.6
18	66.19	66.24	66.70	66.38	19.1	12.4	14.4	20.1	15.30	11.3	5.1	1.3	1.6
19	66.02	66.01	65.38	65.80	17.0	12.8	13.6	18.8	14.80	12.9	4.0	1.2	0.5
20	65.04	65.25	62.28	64.19	17.0	13.8	13.6	18.8	13.33	5.0	5.3	0.5	2.8
21	62.91	65.45	64.75	64.37	13.8	8.8	12.4	18.8	13.33	5.0	5.3	0.5	2.8
22	62.21	62.35	61.31	61.96	18.8	8.8	12.4	21.0	16.70	11.9	3.6	0.5	3.4
23	61.73	64.19	64.33	65.42	18.1	13.6	18.4	21.0	16.70	11.9	3.6	0.5	3.4
24	63.78	63.79	62.19	63.25	20.4	15.0	17.0	21.9	17.47	13.4	4.0	1.0	1.9
25	60.40	60.67	59.45	60.17	22.9	12.1	16.4	23.9	17.13	6.8	5.3	0.8	3.5
26	59.77	60.33	64.43	61.51	14.8	11.6	13.4	17.3	13.27	10.0	2.8	0.5	3.4
27	66.18	67.80	66.06	66.68	18.4	9.5	14.3	18.4	13.97	3.9	5.2	1.2	3.8
28	63.79	64.97	66.28	65.01	19.9	12.4	14.5	21.0	15.60	5.6	6.4	2.3	4.0
29	63.84	63.93	64.24	64.60	20.6	12.5	14.6	20.6	15.90	7.6	4.8	0.7	3.1
30	63.49	64.59	62.73	63.60	15.0	12.0	14.1	18.1	14.37	11.3	3.2	0.6	1.8
31	60.54	61.20	61.60	61.11	20.1	11.8	11.5	20.1	14.47	7.5	5.6	2.4	1.5

DICIEMBRE

1	61.07	61.89	60.40	61.12	18.8	13.6	13.8	18.8	15.40	11.3	2.8	0.8	0.8
2	61.72	61.14	65.06	63.64	14.9	10.4	14.4	15.6	13.23	7.0	1.1	0.5	3.6
3	64.51	64.40	62.57	63.84	18.8	9.4	14.5	18.8	14.23	7.9	5.3	0.9	2.7
4	61.31	59.63	58.30	59.70	12.5	13.4	15.6	18.8	13.83	12.5	0.5	0.0	0.5
5	56.42	56.53	56.33	56.43	20.8	11.9	12.5	20.8	16.07	10.5	3.4	0.6	1.2
6	56.08	58.83	60.87	58.59	19.3	12.4	13.3	19.3	15.09	10.0	5.2	2.1	3.0
7	60.16	59.35	60.50	60.00	14.1	11.9	12.5	14.6	12.83	11.5	2.2	0.0	0.0
8	60.73	59.61	53.26	57.87	15.3	13.0	11.0	15.3	14.10	12.5	1.9	0.4	0.2
9	55.24	56.11	60.70	57.35	14.4	12.4	11.9	14.4	12.90	8.5	1.1	1.3	0.8
10	62.59	62.74	62.60	62.64	14.3	11.1	13.6	16.6	13.20	10.4	3.4	0.7	1.2
11	63.25	65.18	65.31	64.58	18.3	10.4	13.8	18.9	14.17	5.6	3.4	1.0	3.3
12	62.07	61.09	58.52	60.56	20.6	13.1	14.1	20.6	15.93	6.9	4.5	3.1	3.2
13	56.09	55.46	52.58	54.91	16.5	13.0	11.3	16.5	13.60	10.0	3.7	1.4	0.0
14	52.29	52.16	53.73	52.73	11.9	10.6	11.6	13.3	11.37	9.1	0.0	0.0	0.3
15	51.28	57.50	58.46	56.75	11.9	8.4	10.3	14.9	11.20	7.5	3.1	0.5	0.7
16	59.81	63.06	67.29	63.35	11.8	8.3	12.8	15.6	10.97	6.9	0.2	0.3	1.9
17	68.13	70.43	68.45	69.06	17.3	11.1	15.6	19.4	14.79	6.5	4.4	1.1	3.5
18	64.96	64.57	64.70	64.71	21.4	14.9	18.3	21.9	18.30	10.0	6.0	1.6	1.4
19	62.97	64.62	64.20	63.93	24.5	15.6	17.3	25.1	19.13	10.6	7.1	2.3	5.4
20	61.65	62.72	64.60	62.93	23.3	16.0	17.5	18.93	9.4	6.8	3.7	3.6
21	63.66	65.09	63.19	63.98	21.5	14.8	18.1	21.5	18.13	13.8	4.1	1.4	3.1
22	62.72	64.32	65.38	64.11	21.5	13.6	14.3	21.5	16.50	8.1	5.6	2.5	3.3
23	63.92	64.12	61.74	63.20	20.6	11.1	15.0	21.4	15.57	8.0	5.7	1.3	2.9
24	61.07	60.79	60.29	60.72	21.3	13.3	15.1	21.3	16.77	8.1	6.5	1.3	0.7
25	60.46	60.59	58.24	59.76	20.4	12.9	17.4	20.4	16.90	10.3	4.8	1.1	3.8
26	57.09	58.36	59.80	58.42	15.3	15.0	14.5	16.4	14.33	11.9	1.4	1.0	1.1
27	60.89	60.36	60.14	60.67	17.3	13.1	14.1	17.3	14.85	11.9	3.4	0.8	1.6
28	61.19	63.21	59.78	61.39	17.6	10.4	10.5	17.6	12.83	9.1	3.3	1.0	0.0
29	56.10	57.47	59.57	57.71	11.8	11.5	14.5	14.5	12.43	11.3	0.0	0.0	2.5
30	58.64	59.33	62.08	60.02	14.8	14.1	15.0	18.1	14.63	9.4	0.8	0.7	2.5
31	61.15	62.31	62.66	61.84	18.8	19.8	14.9	19.4	11.83	6.9	4.4	1.3	3.6

DE 1873.

PSICRÓMETRO.				VIENTOS.			ESTADO ATMOSFÉR.						
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
55	85	72	71	10.05	8.45	9.73	9.41	O	C	S	D	D	Np.
63	90	60	71	11.01	8.68	7.29	9.09	O	C	SE	Np.	Np.	Np.
54	91	70	72	9.59	8.63	8.13	8.78	O	C	SE	D	D	Np.
59	86	70	72	11.00	8.56	8.23	9.26	O	C	SE	D	D	Np.
57	87	70	71	9.37	9.13	8.83	9.11	O	C	SE	Np.	Np.	Np.
38	83	68	63	7.15	10.91	7.95	8.65	O	C	SE	D	D	Np.
61	78	60	66	11.39	8.92	9.39	9.87	O	C	SE	Np.	Np.	Np.
61	93	87	80	11.21	9.10	9.13	9.81	O	C	SE	Np.	Np.	Np.
64	99	79	78	10.14	8.74	8.91	9.26	O	C	SE	Np.	Np.	Np.
66	95	67	76	10.18	9.62	7.65	9.15	O	C	SE	Np.	Np.	Np.
53	86	71	70	8.11	7.82	8.78	8.21	O	C	SE	Np.	Np.	Np.
60	86	67	71	9.67	7.82	8.05	8.54	O	C	SE	Np.	Np.	Np.
57	93	62	71	8.85	9.31	7.65	8.61	O	C	SE	Np.	Np.	Np.
56	92	58	69	9.63	8.92	7.79	8.79	O	C	SE	Np.	Np.	Np.
54	83	62	66	9.45	8.32	8.49	8.73	O	C	SE	Np.	Np.	Np.
55	85	82	74	10.13	8.59	9.17	9.27	O	C	SE	Np.	Np.	Np.
66	97	62	75	9.38	11.19	8.81	9.89	O	C	SE	Np.	Np.	Np.
54	85	82	74	8.81	9.08	10.05	9.31	O	C	SE	Np.	Np.	Np.
61	86	94	80	8.73	10.15	10.93	9.91	O	C	SE	Np.	Np.	Np.
94	93	76	88	11.07	8.12	7.96	9.65	O	C	SE	Np.	Np.	Np.
51	93	67	70	8.39	7.87	7.25	7.81	O	C	SE	Np.	Np.	Np.
65	94	67	75	10.12	10.93	10.63	10.56	O	C	SE	Np.	Np.	Np.
64	83	81	78	11.46	11.39	11.62	11.49	O	C	SE	Np.	Np.	Np.
56	90	67	71	11.78	9.52	9.23	10.18	O	C	SE	Np.	Np.	Np.
70	91	62	75	8.76	9.56	7.11	8.48	O	C	SE	Np.	Np.	Np.
50	84	58	61	7.91	7.47	7.17	7.53	O	C	SE	Np.	Np.	Np.
43	74	57	58	7.63	7.81	7.05	7.91	O	C	SE	Np.	Np.	Np.
57	92	66	72	10.42	9.93	8.27	9.71	O	C	SE	Np.	Np.	Np.
65	93	80	79	8.42	9.71	9.58	9.25	O	C	SE	Np.	Np.	Np.
50	71	82	68	8.90	7.37	8.26	8.17	O	C	SE	Np.	Np.	Np.

DE 1873.

73	90	91	85	11.83	10.53	10.68	11.01	O	C	N	Np.	Np.	Np.
88	94	60	81	11.06	8.81	7.47	9.11	O	C	N	Np.	Np.	Np.
51	88	70	70	8.30	7.73	8.78	8.27	O	C	N	Np.	Np.	Np.
94	100	95	106	10.15	11.41	12.48	11.33	O	C	N	Np.	Np.	Np.
69	93	86	83	12.70	11.78	9.28	11.33	O	C	N	Np.	Np.	Np.
53	75	66	65	8.83	8.08	7.53	8.15	O	C	N	Np.	Np.	Np.
75	100	100	92	9.09	10.42	10.81	10.14	O	C	N	Np.	Np.	Np.
79	95	98	91	10.33	10.63	11.69	10.85	O	C	N	Np.	Np.	Np.
88	86	90	88	10.71	9.08	9.38	9.73	O	C	N	Np.	Np.	Np.
63	92	86	89	8.69	8.98	10.61	9.63	O	C	N	Np.	Np.	Np.
67	86	63	72	10.56	8.21	7.47	8.75	O	C	N	Np.	Np.	Np.
60	65	64	63	10.88	7.29	7.77	8.65	O	C	N	Np.	Np.	Np.
62	83	100	82	8.75	9.37	10.66	9.38	O	C	N	Np.	Np.	Np.
66	96	96	89	12.42	9.49	9.82	9.91	O	C	N	Np.	Np.	Np.
97	91	91	99	8.45	7.61	8.51	8.51	O	C	N	Np.	Np.	Np.
57	86	64	69	10.09	7.84	8.56	9.83	O	C	N	Np.	Np.	Np.
49	82	66	63	9.37	10.43	9.57	9.27	O	C	N	Np.	Np.	Np.
46	76	47	56	10.44	10.01	7.16	9.26	O	C	N	Np.	Np.	Np.
45	62	61	57	9.81	8.43	9.61	9.33	O	C	N	Np.	Np.	Np.
64	81	70	70	12.28	10.63	13.81	11.14	O	C	N	Np.	Np.	Np.
51	72	61	62	10.01	8.35	7.87	8.77	O	C	N	Np.	Np.	Np.
39	83	69	69	8.16	8.27	8.77	8.33	O	C	N	Np.	Np.	Np.
46	85	62	74	9.12	9.67	11.88	10.39	O	C	N	Np.	Np.	Np.
81	87	89	89	10.26	9.69	9.27	9.71	O	C	N	Np.	Np.	Np.
89	88	88	88	11.03	11.39	12.17	11.51	O	C	N	Np.	Np.	Np.
68	85	100	81	9.73	10.99	12.66	12.12	O	C	N	Np.	Np.	Np.
100	73	73	71	10.11	8.21	8.37	9.27	O	C	N	Np.	Np.	Np.
91	73	91	91	10.06	10.14	8.34	9.57	O	C	N	Np.	Np.	Np.
92	73	73	73	11.42	11.02	9.23	10.23	O	C	N	Np.	Np.	Np.
9	71	71	71	9.57	8.93	8.51	9.17	O	C	N	Np.	Np.	Np.

Instrumentos.	FEBRERO 23 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 761.36	mm. 761.13	mm. 761.63	mm. 762.49	mm. 762.53	mm. 763.16	mm. 763.57	mm. 763.30	mm. 762.40	
Termómetro centígrado.....	0 15.8	0 18.9	0 15.1	0 11.8	0 10.4	0 8.6	0 7.3	0 13.8	0 12.69	
Psicrómet. {	Dif. de los term.	2.5	4.5	3.6	1.5	0.5	0.5	1.9	
	Humedad relat...	74	58	61	82	94	93	78	79	
	Fuerza elástica...	9.96	9.49	7.96	8.44	8.81	7.77	7.10	9.27	8.59
Vientos.....	O ₁	NO ₁	S ₁	C.	C.	C.	SE ₁	SE ₂	
Estado atmosférico.....	N.	Np.	Np.	Np.	D.	D.	D.	D.	
MARZO 10 DE 1873.										
Barómetro reducido a 0°.....	mm. 764.94	mm. 763.88	mm. 763.11	mm. 763.23	mm. 763.16	mm. 763.07	mm. 762.32	mm. 761.68	mm. 763.17	
Termómetro centígrado.....	0 16.5	0 18.1	0 16.5	0 13.0	0 10.8	0 9.5	0 7.1	0 13.1	0 13.08	
Psicrómet. {	Dif. de los term.	4.9	6.0	4.9	2.9	2.7	1.4	0.7	2.3	
	Humedad relat...	51	44	51	67	66	81	90	76	66
	Fuerza elástica...	7.25	6.89	7.25	7.47	6.45	7.23	6.78	9.85	7.40
Vientos.....	SE ₁	SE ₁	SE ₁	SE ₂	SSE ₁	SSE ₁	SE ₁	NNE ₁	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	D.	
MARZO 20 DE 1873.										
Barómetro reducido a 0°.....	mm. 762.56	mm. 761.48	mm. 760.81	mm. 761.11	mm. 761.13	mm. 760.47	mm. 760.08	mm. 760.08	mm. 760.93	
Termómetro centígrado.....	0 16.3	0 16.8	0 13.8	0 12.4	0 11.3	0 10.1	0 9.4	0 11.1	0 12.63	
Psicrómet. {	Dif. de los term.	3.3	4.2	2.0	1.0	0.7	0.6	0.6	0.6	
	Humedad relat...	67	58	77	87	92	92	92	93	82
	Fuerza elástica...	9.16	8.33	9.14	9.47	9.10	8.51	8.06	9.10	8.86
Vientos.....	O ₁	O ₁	C.	C.	C.	C.	NNO ₁	NNO ₁	
Estado atmosférico.....	Np.	Np.	Np.	N.	Np.	N.	N.	N.	
MARZO 30 DE 1873.										
Barómetro reducido a 0°.....	mm. 762.44	mm. 762.19	mm. 762.31	mm. 762.33	mm. 762.34	mm. 761.97	mm. 761.61	mm. 761.24	mm. 762.03	
Termómetro centígrado.....	0 14.3	0 14.5	0 12.5	0 9.9	0 11.1	0 11.0	0 11.0	0 11.6	0 11.97	
Psicrómet. {	Dif. de los term.	0.0	0.1	0.1	0.0	0.0	0.1	0.1	
	Humedad relat...	100	99	99	100	100	99	99	100	
	Fuerza elástica...	11.99	12.17	10.68	9.11	9.86	9.79	9.65	10.08	10.42
Vientos.....	C.	NNO ₁	C.	C.	C.	C.	C.	C.	
Estado atmosférico.....	N.	N.	Np.	Np.	Ni.	Ni.	Ni.	Ni.	
ABRIL 3 DE 1873.										
Barómetro reducido a 0°.....	mm. 763.48	mm. 763.40	mm. 763.33	mm. 763.83	mm. 764.35	mm. 765.43	mm. 766.44	mm. 768.59	mm. 764.85	
Termómetro centígrado.....	0 15.0	0 15.8	0 13.8	0 12.9	0 11.3	0 9.6	0 7.9	0 10.5	0 12.08	
Psicrómet. {	Dif. de los term.	2.7	1.9	0.9	0.3	0.7	0.3	0.1	0.4	
	Humedad relat...	71	79	89	97	92	96	99	95	90
	Fuerza elástica...	9.03	10.73	10.54	10.70	9.10	8.57	7.83	8.98	9.14
Vientos.....	C.	C.	C.	C.	O ₁	C.	C.	C.	
Estado atmosférico.....	Np.	Np.	N.	N.	Np.	Np.	Np.	Np.	

Instrumentos.	ABRIL 19 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	768.80	768.14	768.42	769.55	769.69	769.24	768.32	767.42	168.70
Termómetro centígrado.....	12.6	14.0	10.6	8.8	7.1	7.1	6.6	10.0	9.61
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	1.1 87 9.48	2.0 78 9.25	0.8 89 8.57	1.2 83 7.07	0.9 87 6.56	0.9 87 6.56	1.1 85 6.13	2.4 69 6.35 83 7.57
Vientos.....	ESE ₁	C.	C.	C.	C.	SE ₁	SSE ₁	SE ₂
Estado atmosférico.....	D.	Np.	Np.	D.	D.	D.	D.	D.
	ABRIL 29 DE 1873.								
Barómetro reducido a 0°.....	764.88	764.11	763.51	763.63	763.25	762.80	762.52	762.18	763.37.
Termómetro centígrado.....	15.4	16.3	12.8	9.8	8.8	8.8	9.3	10.4	11.41
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	1.6 82 10.83	1.9 80 11.07	0.7 92 10.10	0.3 96 8.69	0.3 96 8.09	0.0 100 8.42	0.0 100 8.75	0.3 96 9.04 93 9.37
Vientos.....	SSO ₁	S ₁	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	Np.	D	Np.	D.	Ni.	Ni.	Ni.	N.
	MAYO 9 DE 1873.								
Barómetro reducido a 0°.....	763.04	763.47	764.44	765.26	766.02	767.37	768.80	769.00	765.91
Termómetro centígrado.....	14.0	14.4	11.5	9.8	8.1	7.4	7.3	8.1	10.06
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	2.7 70 8.37	2.9 68 8.39	1.4 83 8.38	0.5 94 8.45	0.2 97 7.82	0.1 99 7.64	0.0 100 7.64	0.1 99 8.02 89 8.09
Vientos.....	O ₁	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	Np.	Np.	Np.	Np.	D.	D.	Ni.	Ni.
	MAYO 19 DE 1873.								
Barómetro reducido a 0°.....	762.25	762.26	761.86	760.45	760.45	759.55	760.54	762.36	761.22
Termómetro centígrado.....	12.6	12.8	11.3	10.6	10.1	11.9	13.5	13.0	11.97
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica....	1.1 87 9.48	0.9 89 9.88	0.9 88 8.86	0.8 89 8.57	0.6 100 9.23	0.1 99 10.29	0.2 98 11.25	0.4 95 10.63 93 9.77
Vientos.....	N ₁	C.	N ₁	N ₁	C.	ONO ₁	O ₁	C.
Estado atmosférico.....	N.	N.	N.	N.	Ll.	N.	N.	N.
	MAYO 29 DE 1873.								
Barómetro reducido a 0°.....	761.22	761.18	761.58	765.62	766.71	767.26	767.65	767.92	766.02
Termómetro centígrado.....	12.5	12.3	9.5	8.0	6.8	5.9	5.4	6.2	8.66
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica....	2.0 76 8.26	1.9 77 8.26	1.0 85 7.67	4.0 91 7.55	0.2 97 7.18	0.0 100 6.98	0.0 100 6.73	0.2 97 6.88 91 7.44
Vientos.....	O ₁	C.	C.	C.	C.	S ₁	OSO ₁	O ₁
Estado atmosférico.....	Np.	Np.	D.	D.	Np.	Np.	Ni.	Np.

Instrumentos.	JULIO 28 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	755.17	751.85	751.89	752.14	752.35	752.56	752.78	752.89	752.70
Termómetro centígrado.....	7.4	7.8	10.0	11.0	11.3	11.3	11.3	9.5	9.92
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	0.3 96 7.36	0.2 97 7.67	0.9 88 8.09	0.6 93 9.04	1.0 86 8.74	0.4 95 9.46	0.2 97 9.74	0.2 97 8.63	0.2 94 8.59
Vientos	N ₁	N ₂	N ₂	ONO ₂	ONO ₂	ONO ₂	N ₁	N ₁
Estado atmosférico.....	Ll.	N.	Np.	N.	N.	N.	N.	N.
AGOSTO 7 DE 1873.									
Barómetro reducido a 0°.....	768.92	768.45	768.40	768.99	769.03	769.17	769.23	769.82	769.00
Termómetro centígrado.....	9.5	11.0	5.6	2.6	1.4	0.0	-0.1	1.3	4.02
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	1.1 86 7.56	3.9 53 5.20	1.1 85 6.13	0.3 95 5.24	0.1 98 5.00	0.0 100 4.60	0.0 100 4.57	0.2 96 4.86	0.2 89 5.40
Vientos	S ₁	S ₁	C.	C.	C.	C.	C.	NE ₁
Estado atmosférico.....	Np.	Np.	D.	D.	Nl.	Ni.	Ni.	Ni.
AGOSTO 17 DE 1873.									
Barómetro reducido a 0°.....	766.24	765.18	766.06	766.52	767.07	767.78	768.62	769.28	767.09
Termómetro centígrado.....	4.3	9.5	5.3	1.9	1.3	-0.3	-1.0	0.1	2.63
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	0.4 93 5.81	3.0 61 5.45	0.8 87 5.82	0.1 98 5.20	0.2 96 4.86	0.1 98 4.48	0.1 98 4.24	0.1 98 4.56	0.1 91 5.05
Vientos	NNO ₁	SSO ₁	C.	C.	C.	C.	C.	NO ₁
Estado atmosférico.....	Np.	Np.	D.	D.	Ni.	Ni.	Ni.	Ni.
AGOSTO 27 DE 1873.									
Barómetro reducido a 0°.....	764.43	763.91	763.91	764.96	764.03	764.17	765.30	764.15	764.72
Termómetro centígrado.....	8.6	10.4	7.5	5.4	2.6	1.6	1.9	4.9	5.36
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	2.5 66 5.55	3.5 56 5.35	1.7 76 5.92	1.4 78 5.26	0.3 95 5.24	0.3 95 4.88	0.0 100 5.30	0.8 87 5.66	0.8 82 5.40
Vientos	SE ₁	O ₁	C.	C.	C.	C.	C.	ONO ₁
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	N.	Np.
SEPTIEMBRE 6 DE 1873.									
Barómetro reducido a 0°.....	760.70	760.47	759.63	760.46	760.50	760.89	761.26	762.53	760.81
Termómetro centígrado.....	14.3	13.8	12.0	9.8	9.1	9.9	9.3	10.0	11.00
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica....	3.3 64 7.80	3.0 66 7.83	2.6 69 7.25	0.4 95 8.57	0.2 97 8.35	0.0 100 9.11	0.0 100 8.75	0.1 99 9.05	0.1 86 8.34
Vientos	ONO ₁	NNO ₂	N ₂	C.	ONO ₂	N ₁	N ₁	N ₁
Estado atmosférico.....	Np.	N.	N.	Ll.	Ll.	Ll.	N.	N.

Instrumentos.	SEPTIEMBRE 16 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	760.12	759.54	759.35	761.50	761.96	762.32	762.68	763.21	761.34
Termómetro centígrado.....	16.3	17.9	15.6	9.0	6.8	6.1	6.9	8.1	10.83
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	4.4 55 7.76	5.6 47 7.27	3.6 62 8.28	0.5 93 7.97	0.3 96 7.07	0.0 100 7.05	0.0 100 7.45	0.5 95 7.49 81 7.54
Vientos.....	SE ₁	SE ₁	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	Ni.	N.	N.
SEPTIEMBRE 26 DE 1873.									
Barómetro reducido a 0°.....	755.91	755.85	756.72	757.82	758.98	759.60	760.36	762.02	758.41
Termómetro centígrado.....	12.6	10.3	9.1	8.1	6.6	6.5	6.9	9.6	8.59
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	2.5 70 7.13	0.9 88 8.27	1.8 76 6.56	1.5 79 6.40	0.8 88 6.45	0.5 93 6.70	0.9 87 6.46	2.1 72 6.48 82 6.81
Vientos.....	N ₂	O ₂	O ₁	C.	C.	OSO ₂	O ₁	SO ₂
Estado atmosférico.....	N.	Np.	Np.	D.	Np.	Np.	Np.	Np.
OCTUBRE 6 DE 1873.									
Barómetro reducido a 0°.....	766.79	766.02	766.61	766.74	766.31	766.29	766.06	765.98	766.22
Termómetro centígrado.....	13.5	14.4	11.3	6.6	4.9	4.3	3.9	7.3	9.16
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	3.5 62 7.05	3.0 67 8.26	2.2 73 7.31	0.6 91 6.64	0.1 99 6.36	0.0 100 6.22	0.0 100 6.05	0.5 93 7.10 86 6.87
Vientos.....	C.	S ₁	C.	C.	C.	C.	C.	NNO ₁
Estado atmosférico.....	Np.	D.	D.	D.	D.	Ni.	Ni.	Ni.
OCTUBRE 16 DE 1873.									
Barómetro reducido a 0°.....	762.29	761.29	761.59	761.71	761.84	762.02	762.17	762.07	761.87
Termómetro centígrado.....	17.5	20.5	14.8	10.3	7.6	5.1	6.8	13.1	11.95
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	4.6 55 8.30	5.9 49 8.80	3.9 58 7.35	1.4 81 7.71	0.2 97 7.57	0.0 100 6.58	0.2 97 7.18	1.3 85 9.57 78 7.88
Vientos.....	SE ₁	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni.	D.
OCTUBRE 26 DE 1873.									
Barómetro reducido a 0°.....	767.77	766.95	767.11	768.09	768.01	767.59	766.75	766.87	767.38
Termómetro centígrado.....	10.6	16.5	10.9	7.4	6.9	4.5	7.1	11.4	9.63
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	1.6 80 7.61	4.6 53 7.64	2.0 74 7.35	1.0 85 6.60	1.3 81 6.06	0.4 93 5.81	0.9 87 6.56	2.9 64 6.57 77 6.78
Vientos.....	C.	C.	C.	C.	C.	C.	SE ₁	SE ₁
Estado atmosférico.....	Np.	Np.	D.	D.	D.	Ni.	Ni.	D.

Instrumentos.		NOVIEMBRE 5 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	763.75	764.07	763.37	764.57	764.77	764.88	765.56	765.24	764.53
Termómetro centígrado.....	mm.	17.6	19.1	14.4	12.1	9.1	11.0	11.4	14.9	18.70
Psicrómet. {	Dif. de los term.	3.3	4.7	1.9	1.1	0.6	1.6	2.4	2.8
	Humedad relat...	68	57	79	87	92	80	71	70	76
	Fuerza elástica...	10.14	9.37	9.66	9.13	7.91	7.85	7.13	8.83	8.63
Vientos.....	S ₁	S ₁	C.	C.	C.	S ₁	ESE ₁	ESE ₁
Estado atmosférico.....	Np.	D.	Np.	Np.	D.	N.	Np.	D.
		NOVIEMBRE 15 DE 1873.								
Barómetro reducido a 0°.....	mm.	761.07	761.73	762.03	762.69	762.31	762.63	763.06	762.96	762.43
Termómetro centígrado.....	mm.	21.3	19.9	15.6	11.4	8.1	6.9	7.5	15.9	13.31
Psicrómet. {	Dif. de los term.	5.3	5.1	5.3	1.4	0.3	0.3	0.0	5.6
	Humedad relat...	55	54	65	83	96	96	100	62	76
	Fuerza elástica...	10.30	9.45	8.67	8.32	7.71	7.12	7.74	8.49	8.48
Vientos.....	O ₁	O ₁	O ₁	C.	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni.	D.
		NOVIEMBRE 25 DE 1873.								
Barómetro reducido a 0°.....	mm.	759.28	759.77	760.13	760.33	760.33	761.90	763.96	764.44	761.27
Termómetro centígrado.....	mm.	17.3	14.8	14.0	11.6	11.9	10.0	12.3	13.4	13.14
Psicrómet. {	Dif. de los term.	4.5	2.8	2.1	0.5	0.8	0.6	1.8	3.4
	Humedad relat...	56	70	76	94	90	92	78	62	77
	Fuerza elástica...	8.29	8.76	9.15	9.56	9.38	8.45	8.88	7.11	8.64
Vientos.....	NO ₁	O ₁	O ₂	C.	C.	C.	SSO ₁	SSO ₁
Estado atmosférico.....	Np.	N.	Ll.	N.	Ll.	N.	Np.	Np.
		DICIEMBRE 5 DE 1873.								
Barómetro reducido a 0°.....	mm.	757.12	756.42	756.30	756.53	756.38	756.21	756.14	756.33	756.45
Termómetro centígrado.....	mm.	18.8	20.8	17.5	14.9	11.9	10.6	11.4	12.5	14.78
Psicrómet. {	Dif. de los term.	2.9	3.4	1.5	0.6	0.1	0.0	0.1	1.2
	Humedad relat...	77	69	85	93	99	100	99	86	89
	Fuerza elástica...	12.43	12.70	12.62	11.78	10.29	9.53	9.94	9.28	11.07
Vientos.....	ONO ₁	O ₁	ONO ₁	C.	C.	NNO ₁	NNO ₁	NNO ₁
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	N.	Ll.	N.
		DICIEMBRE 15 DE 1873.								
Barómetro reducido a 0°.....	mm.	754.80	754.28	756.40	757.50	757.66	758.26	758.62	758.46	757.00
Termómetro centígrado.....	mm.	13.4	14.9	11.1	8.4	7.9	7.6	7.9	10.3	10.17
Psicrómet. {	Dif. de los term.	2.9	3.1	1.6	0.5	0.3	0.0	0.1	0.7
	Humedad relat...	67	66	80	93	96	100	99	91	87
	Fuerza elástica...	7.71	8.48	7.91	7.61	7.61	7.79	7.83	8.51	7.94
Vientos.....	O ₂	OSO ₁	OSO ₁	C.	C.	C.	C.	N ₁
Estado atmosférico.....	N.	Np.	Np.	Np.	Np.	Ll.	Ll.	N.

DICIEMBRE 25 DE 1873.

Instrumentos.	DICIEMBRE 25 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 760.68	mm. 760.46	mm. 760.63	mm. 760.59	mm. 760.09	mm. 759.13	mm. 758.45	mm. 758.24	mm. 759.77	
Termómetro centígrado.....	o 18.8	o 20.4	o 16.9	o 12.9	o 10.3	o 10.5	o 10.4	o 17.4	o 14.67	
Psicrómet {	Dif. de los term...	2.7	4.8	2.8	1.1	0.5	0.4	0.3	3.8
	Humedad relativa	74	57	72	87	94	95	96	63	80
	Fuerza elástica...	11.98	10.26	10.29	9.75	8.75	8.98	9.04	9.27	9.79
Vientos	OSO ₁	OSO ₁	S ₁	C.	C.	ONO ₁	N ₁	ONO ₁	
Estado atmosférico.....	Np.	Np.	D.	D.	D.	Np.	Np.	Np.	

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	A 0°										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°	°	°	°	°	°
1	700.4	700.4	700.4	700.4	20.4	11.5	14.4	20.4	15.37	7.0	5.8	1.9	2.4
2	60.78	61.80	61.28	61.29	20.4	11.5	14.4	20.4	15.37	7.0	5.8	1.9	2.4
3	61.81	61.80	62.82	62.14	16.1	13.1	16.5	19.4	15.17	12.3	1.5	0.2	2.4
4	62.60	62.67	62.48	62.58	21.3	14.6	17.1	22.4	17.67	10.4	4.4	1.1	2.2
5	62.03	62.95	62.79	62.59	20.8	16.3	16.6	20.8	17.90	10.5	3.5	1.3	1.8
6	63.54	65.18	65.45	64.72	19.6	12.9	15.6	19.6	16.03	7.3	5.5	1.9	2.5
7	63.73	62.78	62.71	63.07	19.9	14.3	15.6	19.9	16.60	11.6	4.6	0.8	3.1
8	63.18	65.76	67.26	65.40	19.5	12.6	13.1	20.0	15.07	7.1	6.9	2.3	2.6
9	64.65	65.22	64.07	64.65	21.4	15.4	16.3	21.6	17.70	9.5	5.5	4.1	4.4
10	60.49	60.46	60.16	60.57	24.4	17.6	15.3	24.4	19.10	10.9	8.5	5.6	3.4
11	56.95	57.99	60.38	58.44	25.1	18.8	16.8	25.1	20.23	13.1	8.2	4.4	2.9
12	58.44	61.51	63.37	61.11	25.0	18.1	18.1	25.0	20.40	14.1	7.9	3.7	3.2
13	60.31	61.21	61.73	61.08	26.6	22.4	22.5	28.8	23.83	14.3	7.7	7.5	6.6
14	57.53	57.03	59.24	57.93	31.8	20.6	22.0	31.8	24.89	13.8	13.3	2.8	5.1
15	59.75	62.18	63.78	61.90	23.8	13.5	16.4	23.8	17.96	11.8	5.2	1.0	1.3
16	63.43	64.45	63.53	63.80	21.3	12.4	17.8	21.4	17.17	9.4	6.2	1.4	4.2
17	59.63	59.36	57.05	58.68	22.9	13.1	12.4	22.9	16.13	10.6	6.1	2.3	0.9
18	56.81	58.61	61.04	58.82	15.0	13.3	14.4	17.5	14.23	10.6	0.0	0.2	1.1
19	62.78	63.93	65.05	63.92	18.8	11.6	15.0	19.4	15.13	7.9	4.5	1.3	3.4
20	63.85	64.58	64.02	64.15	20.6	13.8	17.5	23.4	17.30	8.5	5.3	1.3	4.5
21	61.27	61.53	61.78	61.53	24.6	15.8	19.1	24.6	19.83	8.5	6.8	1.8	3.7
22	61.47	61.48	62.10	61.68	23.1	15.6	15.5	23.1	18.07	11.4	6.7	5.2	3.6
23	60.37	62.24	61.39	61.33	24.3	17.5	17.5	24.9	19.97	11.6	9.1	5.2	3.7
24	58.72	59.95	60.53	59.73	27.6	21.6	21.9	27.6	23.70	15.3	8.8	5.1	4.3
25	59.84	60.01	59.36	59.74	24.1	13.6	16.5	24.1	18.07	13.1	5.3	0.8	2.0
26	59.65	60.60	61.58	60.61	20.4	15.0	18.8	23.1	18.07	12.8	3.5	1.1	4.0
27	61.06	63.52	64.05	62.81	25.0	18.1	17.3	25.0	20.13	12.8	5.9	2.7	2.8
28	62.25	62.28	62.39	62.31	26.5	21.9	22.9	26.5	23.77	11.9	7.6	6.9	7.0
29	60.12	60.07	61.28	60.49	28.9	18.8	21.6	28.9	23.10	11.9	10.9	4.4	6.0
30	60.49	63.47	63.90	62.62	24.5	12.6	14.5	24.6	17.20	11.0	7.1	1.1	2.5
31	62.73	63.64	64.02	63.46	20.9	11.0	16.9	20.5	16.27	8.8	4.8	0.6	2.8

FEBRERO

1	63.03	63.67	65.30	64.00	20.9	14.1	13.0	20.9	17.67	9.4	4.9	1.5	4.0
2	64.92	66.49	67.00	66.14	21.9	13.1	15.1	21.9	16.70	8.4	6.5	1.5	2.7
3	64.59	65.69	62.10	64.13	22.9	12.5	18.3	24.4	18.00	9.3	6.3	1.4	3.9
4	60.32	61.43	62.64	61.46	25.1	14.4	18.8	25.1	19.43	10.4	6.1	1.9	3.2
5	61.06	60.53	59.38	60.32	22.8	14.9	16.8	22.8	18.17	10.5	5.5	1.1	2.3
6	57.63	59.79	65.09	60.84	18.0	12.5	14.5	18.0	15.00	7.8	3.5	0.0	3.1
7	65.59	65.63	64.16	65.13	19.0	10.0	15.6	19.0	14.87	5.6	6.0	1.0	4.1
8	63.14	62.80	62.00	62.65	20.6	15.6	15.4	20.6	17.20	10.5	6.6	4.5	3.8
9	58.21	60.29	61.63	60.04	21.8	16.9	18.6	24.8	20.10	11.8	7.9	3.4	4.1
10	58.00	60.32	61.70	60.21	25.5	14.6	18.8	25.5	19.63	10.4	7.4	1.2	4.0
11	59.50	61.41	61.74	60.88	25.6	15.6	22.8	27.5	21.33	11.3	7.2	1.3	6.2
12	59.48	59.92	60.56	59.92	29.4	23.1	22.6	29.4	25.05	18.1	8.9	3.1	4.5
13	57.02	59.18	60.22	58.81	29.5	22.5	21.6	29.5	24.53	14.3	9.5	5.0	6.1
14	58.07	61.15	62.57	60.60	26.5	20.6	18.8	26.5	21.97	14.0	7.6	5.6	3.7
15	59.31	60.22	59.59	59.71	25.4	18.9	21.3	30.0	21.87	12.9	7.8	6.6	5.0
16	56.96	57.02	57.39	57.12	31.5	23.6	23.6	31.5	26.23	15.6	10.6	4.6	6.0
17	56.32	58.00	58.73	57.68	27.6	15.6	17.9	27.6	20.37	10.6	8.1	3.1	3.6
18	57.40	58.60	59.91	58.64	21.6	11.4	16.9	21.6	16.63	9.8	6.7	0.6	3.3
19	58.39	59.67	59.38	59.15	21.5	14.4	16.6	21.5	17.50	12.1	5.0	1.8	3.0
20	59.17	59.37	60.80	59.85	19.3	14.1	15.4	19.3	16.27	11.9	5.2	1.3	1.9
21	60.55	60.80	61.10	60.82	20.5	12.4	15.3	20.5	16.07	8.1	5.7	1.3	2.4
22	61.39	61.35	63.04	62.13	16.3	13.8	14.4	19.8	14.83	8.5	1.8	0.7	3.0
23	61.74	60.41	60.02	60.72	21.0	10.6	15.5	21.0	15.70	5.5	6.2	1.5	4.4
24	59.77	59.43	63.67	60.96	19.9	12.9	14.4	19.9	15.73	11.5	6.1	0.4	1.0
25	63.78	65.40	65.23	64.80	19.8	10.8	15.8	19.8	15.37	5.8	6.0	1.0	4.6
26	62.93	62.84	62.66	62.81	20.6	13.1	16.8	20.6	16.83	8.1	5.8	1.5	3.8
27	62.12	62.40	60.16	61.56	21.1	12.9	13.1	21.1	15.70	7.8	6.3	2.0	1.5
28	60.04	60.16	62.18	61.06	15.9	12.1	13.5	16.3	13.83	9.8	1.8	0.8	1.2

DE 1874.

PSICRÓMETRO.												ESTADO ATMOSFÉR		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				VIENTOS.			ESTADO ATMOSFÉR			
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.	
50	86	74	70	8.85	8.74	9.00	8.86	SE ₁	C.	C.	D.	D.	D.	
84	98	74	85	11.47	10.97	10.34	10.93	C.	—	—	N.	N.	Np.	
65	86	66	74	11.25	9.76	9.46	10.16	O ₁	—	S ₁	Np.	D.	—	
62	88	77	76	11.64	10.85	11.29	11.26	—	—	—	—	—	Ni.	
69	86	80	78	12.55	11.91	11.45	11.97	NO ₁	—	O ₁	D.	—	Np.	
51	78	74	68	8.64	8.64	9.72	9.00	—	—	—	D.	D.	D.	
58	91	67	72	10.14	10.97	8.93	10.01	O ₁	—	—	Np.	N.	Np.	
40	73	77	63	6.79	7.96	8.65	7.80	OSO ₂	SSE ₁	S ₁	—	D.	D.	
54	58	56	56	10.10	7.56	7.72	8.46	SE ₁	SE ₁	SE ₁	D.	—	D.	
57	47	64	49	8.27	7.06	8.37	7.87	ESE ₁	—	ESE ₂	—	—	—	
39	59	71	56	9.32	9.55	10.03	9.63	SE ₁	C.	—	—	—	—	
41	65	69	58	9.69	9.98	10.78	10.15	—	—	ESE ₂	—	—	—	
44	40	50	45	11.43	8.07	10.33	9.94	—	SE ₁	SE ₁	—	—	—	
22	75	57	51	7.72	13.43	11.24	10.80	ESE ₁	—	OSO ₁	—	—	—	
59	88	86	78	12.76	10.20	11.99	11.65	SE ₁	OSO ₁	C.	—	—	N.	
48	83	59	63	9.00	8.95	9.03	8.99	O ₁	C.	SE ₁	—	—	D.	
51	73	89	71	10.52	8.26	9.60	9.46	ONO ₁	—	N ₁	—	—	N.	
100	98	88	95	12.70	11.11	10.81	11.54	N ₁	—	O ₁	Ll.	Ll.	Np.	
58	84	63	58	9.41	8.56	8.16	8.71	O ₁	—	S ₁	Np.	D.	D.	
54	85	57	65	9.71	10.02	8.43	9.39	SE ₁	—	C.	D.	—	D.	
48	81	65	65	11.02	10.81	10.77	10.87	—	—	SE ₁	—	—	—	
46	47	62	52	9.81	6.26	8.23	8.10	—	—	SE ₂	—	—	—	
34	50	64	49	7.83	7.52	9.48	8.28	ESE ₁	SE ₁	SE ₁	—	—	—	
39	57	69	53	10.75	10.88	12.33	11.32	ESE ₂	—	—	—	—	—	
58	90	79	76	12.90	10.53	11.09	11.51	SSE ₁	OSO ₁	SSE ₁	—	N.	—	
68	88	61	72	12.19	10.83	10.14	11.05	SSE ₁	ONO ₁	SE ₁	—	—	—	
55	73	72	67	12.84	11.38	10.61	11.61	OSO ₁	C.	SE ₁	—	D.	N.	
45	44	43	44	11.59	8.50	9.16	9.75	SE ₁	SE ₁	ESE ₁	—	—	D.	
29	59	49	46	8.69	9.51	9.53	9.24	—	C.	C.	—	—	—	
46	86	73	68	10.14	9.48	8.94	9.62	SSE ₁	OSO ₁	C.	—	Np.	Np.	
58	93	73	74	10.70	9.04	10.28	10.01	—	C.	—	—	D.	D.	

DE 1874.

58	83	62	68	10.55	9.97	9.48	10.00	OSO ₁	C.	SSE ₁	D.	Np.	Np.
46	83	71	67	9.07	9.29	9.10	9.15	SSE ₁	—	SE ₁	Np.	D.	—
49	83	63	65	10.22	9.28	9.86	9.79	S ₁	—	S ₁	D.	—	D.
54	79	70	68	12.61	9.66	11.23	11.17	O ₁	—	C.	—	—	Np.
55	88	76	73	11.34	11.09	10.91	11.11	—	—	NNO ₁	—	—	N.
66	100	66	77	10.18	10.81	8.20	9.73	N ₂	—	S ₁	—	—	Np.
46	86	58	63	7.52	7.97	7.66	7.72	O ₁	—	—	Np.	D.	D.
44	54	61	53	7.90	7.14	7.91	7.65	ESE ₁	SE ₁	SE ₁	D.	—	—
41	66	62	56	9.51	9.10	9.82	9.48	ESE ₁	C.	ESE ₁	—	—	—
45	86	63	65	10.93	10.75	10.10	10.59	C.	—	SSE ₁	—	—	—
46	86	49	60	11.34	11.36	10.23	10.98	—	—	ESE ₁	—	—	—
41	59	63	54	12.48	12.24	12.70	12.47	SE ₁	C.	SE ₁	—	—	—
38	58	49	48	11.56	11.82	9.39	10.92	ESE ₁	—	SSE ₂	—	—	—
45	51	65	54	11.59	9.29	10.53	10.47	ESE ₁	SE ₁	SE ₁	—	—	Np.
43	41	57	47	10.21	6.67	10.76	9.21	—	—	SSE ₂	—	—	D.
35	62	53	50	11.87	13.53	11.30	12.23	—	C.	SE ₁	—	—	—
43	68	65	59	11.90	8.93	9.96	10.26	S ₁	—	C.	—	—	—
45	93	67	68	8.54	9.28	9.58	9.13	ONO ₁	—	SE ₁	—	—	Np.
57	80	70	69	10.93	9.79	9.76	10.16	SSE ₁	—	—	—	—	—
53	85	80	73	8.83	10.23	10.41	9.82	SO ₁	—	N ₁	Np.	—	—
50	85	75	70	9.07	9.08	9.64	9.26	O ₁	—	C.	D.	—	—
81	92	67	80	11.21	10.81	8.26	10.39	N ₁	—	O ₁	N.	N.	D.
48	81	55	61	8.76	7.73	7.20	7.90	O ₁	—	C.	Np.	D.	Np.
46	95	89	77	8.05	14.56	10.84	9.82	—	N ₁	O ₁	N.	N.	—
47	86	59	64	8.11	8.45	7.89	8.15	S ₁	C.	S ₁	—	D.	D.
50	83	63	65	9.01	9.27	8.85	9.01	ESE ₁	—	ESE ₁	D.	—	—
47	77	63	69	8.70	8.52	9.31	8.81	O ₁	O ₁	N ₁	—	—	N.
81	90	86	88	10.89	9.52	9.34	10.12	N ₁	C.	O ₁	N.	—	—

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°	°	°	°	°	°
1	61.49	62.19	66.05	63.24	17.0	11.6	14.0	17.0	14.20	8.0	2.0	0.0	4.1
2	65.65	67.31	67.90	66.95	19.1	12.1	13.6	19.1	14.93	4.3	5.5	3.7	3.5
3	64.02	64.52	61.57	63.37	19.4	13.0	13.6	19.4	15.33	8.5	6.3	3.0	2.6
4	56.67	56.94	56.97	56.86	21.3	14.4	13.6	21.3	16.43	7.8	5.3	2.3	1.8
5	56.24	58.16	58.53	57.64	15.6	9.4	8.9	16.8	11.30	6.5	2.2	1.5	0.0
6	59.96	63.61	69.56	64.38	11.9	8.3	8.6	14.4	9.60	3.9	0.5	0.7	0.6
7	68.66	69.14	64.96	67.59	16.0	12.1	16.3	18.9	14.80	8.1	5.2	2.6	3.7
8	61.40	63.04	62.04	62.16	23.1	17.4	16.1	23.1	18.87	11.6	7.1	3.9	3.6
9	60.68	61.65	62.58	61.64	23.9	15.8	16.8	23.9	18.83	13.1	7.8	1.4	3.9
10	60.92	62.28	63.65	62.28	23.4	13.8	14.3	23.4	17.17	6.9	7.4	3.5	3.8
11	62.40	63.99	61.08	62.49	18.5	12.4	13.8	20.9	14.90	9.4	6.2	2.6	3.4
12	58.46	59.60	61.89	59.98	23.2	11.9	10.9	28.6	15.33	6.6	7.6	1.9	2.0
13	60.15	59.22	56.61	58.66	13.1	13.3	14.9	17.1	13.77	13.1	0.2	0.0	0.0
14	58.29	60.54	60.02	59.62	17.6	12.5	12.3	17.6	14.13	10.9	2.1	0.6	0.0
15	57.94	56.74	56.98	57.22	15.4	13.5	12.6	15.4	13.83	10.6	0.9	0.0	0.2
16	58.77	62.02	62.85	61.21	15.1	12.3	13.1	15.1	13.50	11.0	1.6	0.3	0.2
17	61.05	61.09	62.07	61.40	15.3	11.9	11.3	15.3	12.88	9.4	1.5	0.6	1.3
18	63.05	64.76	56.41	61.41	14.4	11.4	11.5	14.4	12.43	5.6	2.0	0.8	1.5
19	65.89	65.59	65.69	65.72	15.4	8.9	8.1	16.4	10.80	5.0	2.4	0.9	0.0
20	63.60	63.76	64.45	63.94	18.3	10.4	12.6	18.3	13.77	8.0	3.5	0.3	2.1
21	63.60	65.55	64.27	64.47	17.3	12.0	14.4	17.3	14.57	4.4	3.3	2.2	2.4
22	62.34	62.31	63.82	62.82	20.0	10.0	11.9	20.0	13.97	4.4	3.4	0.7	1.5
23	63.69	64.82	65.15	64.53	18.8	14.1	11.8	18.8	14.90	10.9	3.9	0.3	1.7
24	64.95	67.01	66.82	66.26	15.9	9.1	9.6	15.9	11.53	3.5	3.0	1.0	1.0
25	63.10	62.84	60.29	62.08	15.3	10.5	8.3	16.3	11.37	6.3	2.5	0.6	0.0
26	58.76	59.28	59.33	59.12	15.4	8.8	10.3	15.4	11.50	7.4	2.5	0.7	0.0
27	58.60	58.62	58.77	58.66	13.3	13.1	14.8	17.1	13.73	10.4	0.0	0.0	0.7
28	58.78	61.02	64.14	61.31	18.8	11.8	13.1	18.8	14.57	9.4	2.8	0.2	0.5
29	62.89	64.64	64.83	64.12	18.6	11.3	10.3	18.6	13.40	8.5	3.2	0.7	1.4
30	63.18	62.94	63.18	63.10	15.5	10.8	13.5	13.27	8.4	3.0	0.5	1.7
31	62.92	62.95	62.49	62.79	15.5	9.5	8.6	15.5	11.20	4.8	3.7	1.4	0.6

ABRIL

1	61.15	62.15	65.43	62.24	15.8	10.6	10.6	15.8	12.33	7.3	2.8	0.6	0.6
2	65.15	66.07	67.03	66.08	16.5	9.0	9.3	16.5	11.60	2.3	4.0	0.9	1.4
3	66.24	66.66	67.38	66.76	13.6	7.9	11.3	14.8	10.93	4.1	3.8	0.8	2.7
4	64.72	65.17	64.81	64.90	15.6	10.0	6.3	15.6	10.63	2.8	5.2	2.0	0.7
5	62.27	62.66	62.64	62.52	15.8	6.6	5.0	15.8	9.13	4.0	4.3	0.3	0.0
6	60.77	61.11	61.24	61.04	17.0	6.5	8.1	17.0	10.55	1.6	3.7	1.1	0.5
7	58.31	58.41	58.83	58.52	19.4	9.3	9.3	19.4	12.67	4.4	5.1	0.5	0.3
8	59.36	59.34	58.18	58.96	15.6	13.5	13.8	18.1	14.30	9.0	2.7	1.5	1.5
9	57.26	57.69	57.89	57.61	20.3	16.3	14.5	20.3	17.03	13.8	3.8	1.5	0.7
10	57.62	58.18	62.29	59.36	15.0	14.3	14.8	17.5	14.70	12.3	0.0	0.0	0.4
11	63.60	65.81	66.07	65.16	18.3	12.0	12.8	18.3	14.37	9.4	2.7	0.9	0.7
12	64.16	64.16	64.27	64.20	20.4	12.3	12.5	20.4	15.07	8.1	4.1	0.5	0.4
13	62.02	62.30	62.46	62.26	19.1	12.5	14.6	19.1	15.40	10.9	3.0	0.2	0.5
14	61.02	65.57	68.56	65.05	14.9	9.4	7.5	15.3	10.60	5.4	0.4	0.0	0.0
15	67.14	66.70	64.44	66.09	14.9	7.5	11.4	14.9	11.27	5.3	3.9	0.2	1.9
16	62.21	63.15	65.29	63.55	16.5	11.9	10.8	16.5	13.07	7.5	4.0	1.6	2.0
17	64.10	65.22	66.48	65.27	15.8	9.0	8.8	15.8	11.20	5.6	4.5	0.9	0.5
18	65.15	65.71	63.20	64.69	15.3	12.8	14.4	15.6	14.17	8.4	2.9	0.7	1.5
19	61.60	60.96	60.97	61.18	18.8	11.1	11.4	18.8	18.77	8.3	3.5	0.6	0.0
20	59.25	59.10	66.01	61.45	12.8	11.4	6.3	12.8	10.17	5.3	0.2	0.0	0.0
21	65.63	67.13	67.66	66.81	13.8	6.9	9.0	13.8	9.90	1.5	3.5	0.3	0.7
22	67.88	68.31	67.23	67.81	14.4	6.0	6.6	14.4	9.00	2.9	4.0	0.7	0.5
23	65.47	65.45	63.97	64.96	13.1	7.4	8.1	13.1	9.53	4.4	2.5	0.6	0.3
24	61.45	62.17	61.83	61.82	14.4	9.9	8.8	14.5	11.03	6.8	2.6	0.1	0.2
25	62.27	62.92	63.26	62.82	14.1	10.4	11.3	14.1	11.93	6.9	0.6	0.0	0.0
26	62.20	61.15	61.52	61.62	13.9	8.5	9.0	13.9	10.47	8.1	1.3	0.1	0.0
27	61.08	61.15	61.27	61.17	13.0	11.5	11.9	13.5	12.13	9.8	1.1	0.0	0.1
28	59.56	61.02	60.28	60.29	13.9	12.6	13.1	13.9	13.20	11.8	0.0	0.1	0.3
29	58.07	60.79	62.85	60.57	13.5	13.1	13.5	15.0	13.37	12.5	0.0	0.0	0.2
30	63.62	65.55	67.93	65.70	16.6	8.5	7.5	16.6	10.87	6.3	2.7	0.5	0.9

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
80	100	55	78	11.48	10.21	9.74	10.48	OSO ₁	C.	SE ₁	N.	N.	D.
50	57	63	57	8.22	5.99	7.11	7.11	SE ₁	—	SSE ₁	N.	D.	—
46	66	71	61	8.15	7.35	8.22	7.91	—	S ₁	SE ₁	—	—	Np.
55	77	78	70	10.30	9.13	9.26	9.56	—	—	O ₁	—	—	N.
76	80	100	85	10.11	7.04	8.47	8.54	N ₁	C.	N ₁	N.	Np.	Ll.
94	90	92	92	9.37	7.42	7.66	8.15	—	—	C.	—	D.	Np.
47	69	62	59	6.90	7.31	8.64	7.62	S ₁	—	SE ₁	D.	—	D.
44	62	62	56	9.21	9.14	8.63	8.99	SE ₁	S ₂	—	—	—	—
40	85	69	62	8.81	11.38	8.72	9.64	—	C.	ESE ₁	—	—	—
42	63	58	54	9.02	7.25	7.10	7.79	OSO ₁	O ₁	SSE ₁	—	—	Np.
43	70	62	58	6.91	7.49	7.35	7.25	SE ₁	SE ₁	ESE ₁	Np.	—	D.
39	77	75	64	8.43	8.02	7.93	8.13	—	C.	NNO ₁	D.	—	N.
98	100	100	99	10.97	11.37	12.54	11.63	C.	N ₁	ONO ₁	N.	Ll.	—
79	93	100	91	11.82	10.06	10.67	10.85	O ₁	C.	N ₁	Np.	N.	—
90	100	98	96	11.76	11.51	10.62	11.30	NO ₂	OSO ₂	OSO ₂	N.	Ll.	Np.
82	98	93	93	10.54	10.28	10.97	10.60	ONO ₁	NO ₁	N ₁	Np.	—	—
83	93	85	87	10.89	9.64	8.38	9.64	NO ₁	OSO ₁	SSE ₁	N.	N.	N.
78	90	83	84	9.53	9.04	8.26	8.94	S ₁	C.	S ₁	—	Np.	D.
75	88	100	88	9.71	7.48	8.07	8.42	—	—	C.	D.	D.	Ni.
66	94	75	78	10.42	8.86	8.20	9.16	ONO ₁	—	SE ₁	Np.	—	Np.
68	73	74	72	9.90	7.73	9.00	8.88	SE ₁	SSE ₁	—	D.	—	D.
68	91	82	80	12.00	8.33	8.50	9.61	C.	S ₁	C.	—	—	—
63	97	81	80	10.26	11.54	8.26	10.00	S ₁	C.	SE ₁	Np.	N.	N.
68	86	86	80	9.27	7.47	7.72	8.15	SE ₁	—	SSE ₁	D.	D.	Ni.
74	92	100	89	9.50	8.75	8.17	8.81	C.	C.	C.	N.	Np.	N.
74	91	100	88	9.57	7.65	9.35	8.86	—	—	—	—	—	Np.
100	100	92	97	11.37	11.23	11.55	11.38	N ₁	—	N ₁	—	Ll.	—
78	97	92	87	11.83	10.09	10.45	10.79	SSO ₁	—	ONO ₁	Np.	Ni.	—
69	92	82	81	11.07	9.10	8.27	9.48	ONO ₁	—	ESE ₁	—	D.	—
68	94	80	81	8.99	9.04	9.32	9.12	SE ₁	—	SE ₁	D.	—	—
62	81	92	78	8.78	7.22	7.66	7.89	SSO ₁	—	S ₁	Np.	—	N.

DE 1874.

71	93	93	86	9.46	8.80	8.80	9.02	SE ₁	C	—	D.	N.	Np.
59	59	81	76	8.38	7.53	7.10	7.67	—	—	S ₁	Np.	D.	—
58	89	67	71	6.76	7.06	6.75	6.86	S ₁	—	SE ₁	—	—	—
47	74	90	70	6.26	6.81	6.41	6.49	SE ₁	SE ₁	—	D.	—	Ni.
56	96	100	84	7.54	6.96	6.53	7.01	—	C.	S ₁	—	—	—
64	84	93	80	9.12	6.08	7.49	7.56	—	—	N ₁	—	—	—
54	93	96	81	9.05	8.12	8.57	8.58	S ₁	—	C.	—	—	—
72	83	83	79	9.45	9.55	9.76	9.59	N ₁	—	NNO ₁	N.	Np.	—
66	84	92	81	11.67	11.64	11.30	11.54	NNO ₁	NO ₁	N ₁	N.	—	—
100	100	94	98	12.70	12.12	11.98	12.27	NNE ₁	C.	N ₁	Ll.	—	Np.
78	89	92	85	11.54	9.31	10.10	10.32	—	—	NNE ₁	D.	D.	Ni.
65	94	95	84	11.31	10.05	10.28	10.55	NNE ₁	—	—	—	—	D.
72	98	94	88	11.77	10.55	11.67	11.33	S ₁	—	N ₁	N.	N.	N.
35	100	100	98	12.06	8.81	7.74	9.54	NO ₁	—	C.	Np.	Ni.	Ni.
59	97	76	77	7.42	7.52	7.73	7.56	C.	—	SSE ₁	Np.	D.	D.
59	80	74	71	8.38	8.38	7.21	7.99	SE ₁	—	SE ₁	—	—	Np.
54	88	93	78	7.28	7.53	7.87	7.56	—	—	C.	—	—	N.
69	92	83	81	8.98	10.10	10.17	9.75	—	—	SE ₁	N.	N.	Np.
66	93	100	86	10.81	9.10	10.07	9.99	—	—	N ₁	D.	D.	N.
98	100	100	99	10.76	10.07	7.15	9.33	NO ₁	—	S ₁	N.	Np.	Ni.
62	96	91	83	7.23	7.11	7.75	7.36	SE ₁	—	—	Np.	D.	Np.
57	90	93	80	6.99	6.26	6.73	6.67	—	—	SE ₁	D.	—	—
71	90	96	86	8.02	7.04	7.71	7.39	—	—	N ₁	Np.	—	N.
70	93	97	88	8.78	8.99	8.20	8.66	—	—	NNE ₁	—	Np.	—
35	100	100	98	11.15	9.51	9.35	9.94	—	—	C.	N.	N.	Np.
95	98	100	94	10.15	8.16	8.57	8.96	—	—	—	Np.	Np.	N.
87	100	99	95	9.76	10.14	10.21	10.04	—	—	N ₁	N.	N.	—
100	99	97	99	11.79	10.75	10.84	11.13	—	—	C.	N.	N.	Np.
100	100	98	99	11.51	11.23	11.25	11.33	N ₁	—	NO ₁	Ll.	N.	Ni.
72	93	100	88	10.11	7.72	7.71	8.53	OSO ₁	C.	—	Np.	Np.	Ni.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICÓMETRO.		
											Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Max.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	66.47	66.56	63.33	65.45	14.5	9.4	10.3	14.5	11.40	9.4	2.5	0.5	0.2
2	61.15	59.06	58.90	59.70	13.8	11.8	11.6	14.1	12.40	10.4	1.4	0.7	0.0
3	61.86	62.06	60.01	61.31	14.8	10.5	10.3	14.8	11.87	9.4	1.9	0.4	0.0
4	55.21	52.25	57.79	55.08	13.0	13.5	13.6	13.8	13.37	12.9	0.0	0.0	0.0
5	62.15	61.95	59.71	61.27	13.9	11.4	10.8	14.5	12.03	9.0	0.8	0.0	0.2
6	57.54	56.14	58.14	57.27	16.1	14.9	13.1	16.1	14.70	10.6	1.6	1.3	0.0
7	59.34	62.15	61.27	60.92	14.9	9.9	12.4	14.9	12.40	9.4	0.9	0.0	0.5
8	58.16	57.98	60.13	58.76	14.3	11.1	12.6	14.3	12.67	10.6	1.2	0.0	1.6
9	61.27	62.76	65.64	63.22	12.6	8.9	8.0	12.8	9.83	6.5	2.7	0.1	9.0
10	65.82	68.26	71.79	68.62	11.1	5.3	3.9	11.1	6.77	2.5	1.1	0.5	9.0
11	70.31	70.43	65.77	68.84	10.6	4.5	6.9	10.6	7.33	3.1	3.2	0.1	1.4
12	62.36	61.30	59.52	61.06	11.4	5.6	4.8	11.4	7.10	3.0	2.6	0.2	0.2
13	59.25	60.23	62.26	60.58	8.9	9.8	10.6	12.9	9.77	8.9	1.0	0.3	0.0
14	61.55	62.75	65.26	63.19	12.9	10.0	8.8	13.0	10.57	7.9	0.9	0.0	0.2
15	64.47	66.81	68.74	66.67	13.4	7.3	4.9	13.4	8.53	4.4	1.5	0.0	0.0
16	58.36	69.00	67.31	68.22	10.5	6.9	8.3	10.5	8.57	5.4	1.2	0.3	1.5
17	65.10	64.63	61.96	63.90	11.1	7.1	6.0	11.1	8.07	5.0	2.0	0.5	0.2
18	57.77	54.38	50.21	54.12	8.3	8.5	8.5	10.0	8.43	7.8	0.0	0.0	0.2
19	49.24	50.23	50.99	50.15	10.6	9.8	9.9	11.3	10.10	8.5	1.2	0.8	0.3
20	52.30	53.29	56.53	54.04	12.4	9.4	6.0	12.4	9.27	4.0	1.0	0.0	1.0
21	60.09	65.67	68.14	64.63	7.4	2.3	2.1	7.4	3.93	0.6	0.5	0.3	0.0
22	67.13	66.76	70.01	67.97	7.5	2.5	3.6	7.5	4.53	1.0	1.7	0.2	0.3
23	69.36	68.82	68.61	68.93	7.8	5.3	3.4	7.8	5.50	2.8	1.0	0.2	0.0
24	65.22	65.64	65.90	65.59	10.5	3.9	1.5	10.5	5.80	1.3	1.6	0.1	0.0
25	64.10	64.74	62.89	63.91	6.8	3.3	3.9	6.8	4.67	2.5	0.3	0.0	0.1
26	62.50	62.14	64.14	62.93	6.5	6.5	8.1	8.8	7.03	6.0	0.0	0.0	0.0
27	64.52	66.58	67.74	66.28	9.6	8.3	5.6	9.6	7.83	5.4	0.1	0.0	0.0
28	66.45	66.37	61.73	64.83	9.5	5.5	4.5	9.5	6.50	4.1	0.7	0.0	0.0
29	58.43	57.53	57.90	57.95	8.0	4.5	4.0	8.0	5.50	3.8	0.7	0.0	0.1
30	56.76	56.98	64.89	59.54	6.4	6.5	2.5	6.5	5.13	2.0	0.0	0.0	0.0
31	64.53	64.54	63.00	64.02	8.3	2.6	3.5	8.3	4.80	0.4	0.4	0.1	0.1

JUNIO

1	60.40	60.18	60.18	60.25	6.8	4.4	4.6	6.8	5.27	1.9	0.8	0.3	0.0
2	59.82	63.04	66.45	63.10	5.6	4.3	5.6	6.6	5.17	2.9	0.2	0.2	0.0
3	68.90	70.37	68.27	69.18	7.6	4.4	5.5	7.6	5.83	4.4	1.0	0.0	0.0
4	64.19	62.82	60.45	62.49	7.6	6.3	9.8	11.0	7.90	5.6	0.3	0.3	0.0
5	60.29	60.25	58.43	59.66	11.8	9.5	10.4	12.3	10.57	9.1	0.5	0.0	0.0
6	58.42	59.06	58.59	58.69	12.4	10.3	9.4	12.4	10.70	8.4	1.5	0.0	0.0
7	57.37	56.21	53.59	55.72	12.5	10.0	9.0	12.5	10.50	8.5	0.0	0.0	0.0
8	55.38	56.58	50.91	54.29	10.4	8.0	9.0	10.9	9.13	6.6	0.0	0.0	0.0
9	50.31	50.27	56.36	52.31	11.3	9.0	8.5	11.3	9.60	7.1	1.3	0.0	0.0
10	58.25	60.50	62.84	60.53	9.4	8.0	7.9	9.4	8.43	6.5	0.0	0.0	0.0
11	63.86	66.27	68.76	66.30	8.8	7.4	7.4	8.8	7.87	7.4	0.0	0.0	0.0
12	68.45	68.70	67.03	68.06	9.0	8.1	5.0	9.0	7.37	4.8	0.0	0.1	0.0
13	64.20	63.34	64.62	64.05	6.8	5.5	7.3	8.0	6.53	5.4	0.7	0.0	0.0
14	66.02	66.71	67.62	66.78	8.0	8.0	6.1	8.5	7.37	5.0	0.1	0.0	0.5
15	66.98	67.10	63.86	65.98	8.5	4.5	3.3	9.1	5.45	1.5	1.5	0.0	0.2
16	60.54	61.77	60.76	61.02	10.6	2.5	0.6	10.6	4.57	-0.5	1.3	0.1	0.0
17	58.23	60.24	62.06	60.18	6.4	3.8	3.1	6.4	4.45	1.9	0.4	0.0	0.0
18	61.32	62.77	63.49	62.53	6.0	3.9	5.9	7.5	5.27	3.5	0.0	0.0	0.1
19	63.75	63.77	63.41	63.64	9.0	5.6	5.8	11.9	6.80	4.8	1.1	0.0	0.2
20	59.62	59.52	58.65	59.26	13.5	6.9	7.5	13.5	9.30	6.3	2.7	0.0	2.0
21	56.69	57.35	56.89	56.97	9.4	3.5	-0.3	9.4	4.20	-0.4	2.9	0.4	0.0
22	56.54	58.57	61.81	58.97	2.6	1.1	2.5	4.9	2.07	0.0	0.2	0.0	0.0
23	59.52	57.36	53.78	56.89	6.1	5.8	6.9	10.0	6.27	4.1	0.0	0.0	0.0
24	51.55	51.26	52.07	51.63	10.5	9.5	8.8	10.5	9.60	7.8	0.0	0.0	0.0
25	53.54	54.90	54.92	54.45	9.9	9.9	11.9	12.4	10.57	8.1	0.8	0.3	0.3
26	51.12	52.99	57.14	53.85	12.6	11.5	9.3	12.6	11.15	7.9	0.2	0.0	0.3
27	60.12	61.39	61.67	61.06	8.0	6.3	6.3	8.0	6.87	4.4	0.0	0.0	0.0
28	59.96	60.47	59.96	60.13	7.5	10.6	7.9	8.9	8.67	6.3	0.2	0.1	0.0
29	59.89	60.28	59.53	59.91	10.6	9.1	8.4	10.0	9.27	7.5	0.0	0.0	0.1
30	58.62	58.78	58.03	58.31	9.1	8.8	7.1	9.1	8.33	6.8	0.0	0.0	0.0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
73	93	97	88	8.73	8.17	9.10	8.67	OSO ₁	C.	C.	Np.	N.	N.
84	93	100	92	9.89	9.44	10.11	9.81	NO ₁	—	—	—	Ni.	—
80	95	100	92	9.94	8.98	9.85	9.42	O ₁	—	—	—	Ni.	—
100	100	100	100	11.16	11.51	11.58	11.42	NO ₁	NE ₁	NO ₁	N.	N.	—
90	100	98	96	10.75	10.07	11.44	10.75	C.	C.	ONO ₁	—	Np.	—
83	85	100	89	11.34	10.79	11.23	11.12	N ₁	—	NNE ₁	—	Ll.	—
90	100	94	95	11.36	9.11	10.12	10.20	C.	—	NNO ₁	Np.	D.	—
86	100	81	89	10.51	9.86	8.82	9.73	NNE ₁	—	O ₁	N.	Ll.	Np.
68	98	100	89	7.49	8.42	8.02	7.98	OSO ₁	—	C.	Np.	Np.	N.
86	92	100	93	8.50	6.20	6.05	6.89	—	—	—	—	D.	Ni.
60	98	79	79	5.77	6.12	5.95	5.97	SE ₁	—	SE ₁	D.	—	Np.
68	97	97	87	6.93	6.67	6.02	6.51	C.	—	E ₁	—	—	N. Ni.
86	96	100	94	7.34	8.69	9.40	8.48	NO ₁	NO ₁	C.	N.	N.	N.
89	100	97	95	9.91	9.17	8.20	9.09	C.	C.	—	—	N. Ni.	—
82	100	100	94	9.50	8.17	6.46	8.04	SZO ₁	—	—	Np.	Ni.	Ni.
84	96	79	86	8.03	7.12	6.50	7.22	SE ₁	—	SE ₁	N.	D.	N.
75	93	97	88	7.43	7.00	6.81	7.08	—	—	E.	Np.	Ni.	—
100	100	97	99	8.17	8.27	8.05	8.16	C.	NE ₂	NNE ₂	N.	Ll.	—
84	89	96	90	8.09	8.09	8.75	8.31	NE ₁	ONO ₁	C.	—	N.	—
87	100	85	91	9.47	8.81	5.91	8.07	SZO ₁	C.	SSO ₁	Np.	—	Np.
93	96	100	96	7.15	5.12	5.34	5.87	—	—	S ₁	—	Ni.	Ni.
77	96	95	89	5.92	5.30	5.63	5.62	S ₁	—	SE ₁	—	Np.	Np.
85	97	100	94	6.89	6.46	5.85	6.37	O ₁	—	C.	D.	N.	N.
79	98	100	92	7.53	5.95	5.14	6.21	SZO ₁	—	O ₁	—	Ni.	Ni.
96	100	99	98	6.60	5.81	5.95	6.12	C.	—	—	—	—	—
100	100	100	100	7.25	7.25	8.07	7.52	—	—	OSO ₁	N.	N.	N.
98	100	100	99	8.81	8.17	6.83	7.94	—	—	O ₁	Np.	Ni.	—
91	100	100	97	8.00	6.78	6.30	7.63	—	—	C.	Np.	Ni.	Ni.
90	100	99	96	7.22	6.29	5.99	6.50	—	—	NO ₁	—	—	N.
100	100	100	100	7.20	7.25	5.50	6.65	—	—	C.	N.	Ll.	Ni.
94	98	99	97	7.70	5.44	5.79	6.31	—	—	S ₁	Np.	Ni.	Np.

DE 1874.

88	95	100	94	6.52	5.96	6.54	6.27	ENE ₁	C.	C.	Np.	N.	N.
97	97	100	98	6.61	6.02	6.83	6.49	C.	—	—	N.	Np.	—
85	100	100	95	6.70	6.26	6.78	6.58	—	—	—	—	—	N. Ni.
96	96	100	97	7.46	6.82	9.05	7.78	—	—	NNE	—	—	N.
94	100	100	98	9.74	8.87	9.41	9.33	NO ₁	—	NNO ₁	—	N.	—
82	100	100	94	8.80	9.35	8.81	8.99	O ₁	—	C.	—	Ll.	—
100	100	100	100	10.81	9.17	8.57	9.52	C.	—	NO ₁	—	Ll.	N.
100	100	100	100	10.40	8.02	8.57	9.00	NO ₁	—	NE ₁	—	Np.	N.
84	100	100	95	8.36	8.57	8.27	8.40	—	NNE ₂	NNE ₁	—	N.	Ll.
100	100	100	100	8.77	8.02	7.94	8.24	NNO ₁	C.	NO ₁	—	—	N.
100	100	100	100	8.42	7.69	7.69	7.93	N ₁	—	C.	—	—	—
100	99	100	100	8.57	8.01	6.55	7.79	C.	—	—	—	N. Ni.	N. Ni.
90	100	100	97	6.63	6.78	7.64	7.02	—	—	—	Np.	N.	N.
99	100	93	97	7.94	8.02	6.53	7.59	—	—	SSE ₁	N.	—	Np.
80	100	97	92	6.59	6.30	5.61	6.17	SE ₁	—	SE ₁	D.	Ni.	Ni.
83	98	100	94	7.97	5.49	4.78	6.08	—	—	SE ₁	—	—	—
94	100	100	98	7.76	6.02	5.75	6.50	C.	—	E ₁	Np.	—	—
100	100	99	100	7.00	6.05	6.57	6.54	—	—	—	Np.	Ni.	Np.
87	100	97	95	7.28	6.77	6.71	6.92	—	—	C.	N.	—	Ni.
69	100	71	80	8.01	7.45	5.59	7.02	O ₁	—	SE ₁	D.	—	Np.
62	93	100	85	5.51	5.45	4.50	5.15	SE ₁	—	—	—	—	Np.
96	100	100	99	5.34	4.98	5.50	5.27	C.	—	C.	N.	N.	Ni.
100	100	100	100	7.05	6.73	7.45	7.08	—	—	—	—	—	Np.
100	100	100	100	9.47	8.87	8.42	8.92	N ₂	—	N ₁	—	Ll.	N.
89	96	96	94	8.09	8.75	10.03	8.96	—	—	NO ₃	—	—	N.
98	100	96	98	10.62	10.11	8.57	9.78	NNE ₁	NO ₃	C.	Ll.	—	N. Ni.
100	100	100	100	8.02	7.15	7.15	7.41	N ₁	C.	C.	N.	N.	N.
92	99	100	97	7.52	9.41	7.94	8.29	C.	SE ₁	—	—	—	—
100	100	99	100	9.17	8.77	8.11	8.68	—	C.	—	—	—	—
100	100	100	100	8.62	8.42	7.54	8.19	—	—	—	—	Ll.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	56.78	57.28	56.68	56.91	10.0	8.0	8.8	10.0	8.93	6.8	0.2	0.0	0.0
2	54.67	54.15	49.27	52.70	9.1	10.4	7.3	8.95	6.6	0.0	0.0	0.0
3	50.73	56.83	62.69	56.75	9.1	7.3	4.8	10.0	7.07	4.4	0.7	0.7	0.3
4	63.05	63.84	67.78	64.89	9.0	3.9	3.0	9.0	5.30	1.9	1.5	0.0	0.2
5	66.86	67.59	68.97	67.79	6.0	3.0	3.4	6.0	4.13	2.3	1.4	0.2	0.5
6	69.81	71.75	73.12	71.56	6.4	3.1	2.9	6.4	4.13	0.0	2.8	1.8	1.6
7	70.63	70.58	70.93	70.71	8.0	4.4	4.8	9.1	5.73	1.6	3.5	1.8	2.7
8	68.06	67.33	65.31	66.90	10.0	6.3	1.5	10.0	5.93	0.6	4.4	2.9	0.7
9	62.27	62.27	60.84	61.79	10.5	2.3	1.0	4.60	0.5	4.7	0.4	0.2
10	62.63	64.23	67.35	64.74	4.0	2.4	2.6	4.4	3.00	1.9	0.2	0.1	0.2
11	65.65	64.99	62.93	64.52	5.0	4.4	6.5	8.3	5.30	3.1	0.5	0.1	0.2
12	60.45	60.08	60.70	60.41	9.3	9.6	10.5	10.5	9.80	7.1	0.3	0.0	0.0
13	59.76	60.16	59.31	59.74	12.0	11.6	11.1	12.5	11.57	10.8	0.0	0.0	0.0
14	57.16	55.62	53.34	55.37	12.5	11.3	9.1	12.5	10.97	8.0	0.0	0.0	0.8
15	56.90	64.54	67.78	63.07	7.3	7.8	5.5	8.8	6.87	4.4	0.3	0.0	0.1
16	69.26	69.88	69.44	69.53	9.8	3.8	2.6	9.8	5.40	2.6	1.7	0.3	0.1
17	69.11	67.76	62.01	66.29	7.8	3.5	4.0	7.8	5.10	2.5	2.3	0.2	1.2
18	59.32	60.51	62.95	60.93	6.5	3.4	2.9	7.9	4.27	1.3	1.2	0.3	0.3
19	64.57	65.22	62.31	64.03	8.9	2.8	1.5	8.9	4.40	1.0	1.4	0.0	0.1
20	61.99	61.94	60.90	61.61	4.5	4.0	6.8	9.0	5.10	3.8	0.0	0.1	0.4
21	58.65	56.85	53.56	56.35	10.5	10.5	9.3	10.9	10.03	5.6	1.3	1.2	0.0
22	52.94	55.39	60.10	56.14	11.6	11.8	8.1	10.50	7.0	0.5	1.3	0.2
23	60.59	63.88	68.56	64.34	10.6	10.5	8.5	11.3	9.87	7.0	1.1	1.5	0.0
24	67.88	69.82	68.08	68.59	12.5	5.8	4.4	12.5	7.57	4.0	2.5	0.5	0.4
25	64.98	63.72	62.94	63.88	11.4	5.6	3.1	11.4	6.70	1.6	1.9	0.6	0.1
26	62.16	62.14	62.31	62.20	11.6	6.0	4.8	11.6	7.47	3.8	2.2	0.2	0.0
27	60.50	60.73	60.17	60.47	11.4	7.0	5.3	11.4	7.90	3.4	1.3	0.2	0.0
28	59.93	59.83	59.71	59.82	9.0	6.8	7.8	9.4	7.87	5.0	1.5	0.2	0.5
29	59.55	60.41	60.74	60.23	13.0	10.1	11.1	11.6	10.50	9.8	0.0	0.0	0.1
30	61.33	61.64	59.03	60.67	10.0	9.9	10.8	13.0	11.23	9.4	0.2	0.0	0.0
31	57.28	58.01	57.37	57.53	13.0	11.5	10.0	13.0	11.50	9.5	0.0	0.0	0.1

AGOSTO

1	57.32	59.84	65.82	60.99	12.0	10.5	11.4	12.5	11.30	9.1	0.2	1.0	0.8
2	65.37	64.46	61.27	63.70	12.9	10.1	8.5	13.0	10.50	7.3	2.5	0.7	0.0
3	59.06	59.35	60.49	59.63	15.1	8.5	10.0	15.1	11.20	6.6	2.8	0.2	0.2
4	61.28	63.53	64.23	63.01	13.1	11.0	11.1	13.1	11.73	10.6	0.7	0.0	0.0
5	63.19	62.68	60.77	62.20	13.5	11.1	11.4	13.5	12.00	10.9	0.7	0.0	0.3
6	59.59	60.06	60.24	59.90	11.9	9.9	9.0	11.9	10.27	8.1	0.0	0.0	0.0
7	59.03	62.02	63.32	61.46	10.1	8.3	8.8	10.1	9.07	7.5	0.6	0.3	0.4
8	61.08	59.31	53.42	57.94	10.0	8.5	11.5	11.9	10.06	8.1	1.4	0.0	0.0
9	51.91	55.22	59.02	55.38	9.3	7.1	5.6	9.3	7.33	2.9	0.0	2.1	0.7
10	60.05	61.69	67.60	63.11	8.0	5.6	5.0	8.0	6.20	3.0	2.2	0.0	0.2
11	67.16	68.39	67.84	67.80	9.4	5.4	6.3	9.4	7.03	2.0	1.5	0.4	1.2
12	67.51	70.41	70.30	69.41	11.3	4.0	6.1	11.3	7.13	1.3	4.0	1.4	2.3
13	67.89	67.97	66.90	67.59	11.8	6.0	4.5	11.9	7.43	-0.6	6.3	3.0	1.7
14	65.42	64.47	65.97	65.29	12.8	4.4	0.8	12.8	6.00	-1.3	6.5	0.9	0.8
15	64.97	64.97	65.25	65.06	10.3	7.3	8.1	10.3	8.57	5.4	2.8	0.5	3.0
16	65.31	65.98	70.76	67.35	6.5	4.4	7.9	10.6	6.20	3.8	1.0	0.4	1.1
17	72.40	72.39	72.87	72.55	11.9	5.0	4.0	11.9	6.97	2.9	3.4	0.7	0.2
18	71.66	75.78	66.35	71.26	11.1	5.5	5.0	11.1	7.20	4.4	2.8	0.9	0.4
19	64.12	63.21	63.54	63.62	9.1	8.0	8.6	12.6	8.57	7.5	0.8	0.1	0.0
20	64.83	66.30	66.89	66.01	14.3	5.3	2.9	14.3	7.50	1.5	2.8	0.3	0.1
21	65.52	65.39	65.26	65.39	11.1	4.5	4.3	11.1	6.63	3.1	2.6	0.5	0.5
22	61.77	61.37	62.94	62.03	8.9	9.4	7.4	9.6	8.57	6.9	0.6	0.9	0.0
23	62.33	61.36	55.84	59.84	8.5	7.9	7.5	9.4	7.97	6.6	0.0	0.6	0.2
24	50.60	49.33	56.03	52.19	10.8	10.0	9.5	11.3	10.10	7.9	0.8	0.2	1.7
25	59.35	61.35	62.82	61.17	13.0	7.5	7.5	13.0	9.33	5.8	3.0	0.4	0.2
26	63.53	64.72	64.64	64.30	10.3	6.3	7.0	10.3	7.87	6.6	2.0	0.4	0.5
27	64.59	66.02	65.75	65.45	9.5	8.0	7.5	10.6	8.33	4.1	1.2	0.2	0.7
28	62.49	63.02	65.03	63.51	11.3	9.5	10.1	11.3	10.30	8.8	1.8	0.0	0.1
29	62.48	62.27	59.71	61.49	11.5	9.8	11.8	12.5	11.03	9.1	2.0	0.2	0.7
30	56.46	55.26	53.62	55.11	12.9	12.0	6.5	12.9	10.47	5.8	1.0	0.9	0.0
31	57.38	64.62	71.33	64.44	10.3	3.6	1.6	10.3	5.17	0.4	2.3	0.5	0.1

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
97	100	100	99	8.85	8.02	8.42	8.43	C.	C.	C.	N.	N.	N.
100	100	100	100	8.62	9.41	7.64	8.56	N.	N.	OSO ₂	—	Ll.	Ll.
92	90	98	93	7.80	6.88	6.12	6.93	SO ₁	C.	C.	Np.	D.	Np.
80	100	97	92	7.36	6.05	5.89	6.43	S ₁	—	SSE ₁	—	Ni.	—
78	96	91	88	5.46	5.49	5.36	5.41	—	—	SE ₁	—	—	D.
58	69	72	66	4.26	3.99	4.11	4.12	SE ₁	SE ₁	—	D.	D.	—
52	70	73	65	4.22	4.47	4.39	4.36	—	—	—	—	—	—
44	57	88	63	4.20	4.12	4.28	4.20	—	SSE ₁	—	—	—	—
42	93	90	75	4.19	5.06	4.54	4.60	—	C.	N ₁	—	Np.	N.
97	98	69	88	5.89	5.26	4.31	5.16	N ₁	—	—	N.	—	Np.
93	98	97	96	6.43	6.12	7.03	6.53	C.	—	—	—	N.	Np.
96	100	100	99	8.39	8.93	9.47	8.93	N ₁	—	—	—	Ll.	N.
100	100	100	100	10.46	10.21	9.86	10.18	C.	—	C.	—	N.	N.
100	100	88	96	10.81	10.09	7.67	9.49	N ₁	—	N ₂	—	—	—
96	100	98	98	7.31	8.42	7.69	7.81	N ₂	—	ONO ₁	—	Np.	Np.
78	95	98	90	6.99	5.71	5.40	6.03	OSO ₁	—	SSE ₁	Np.	Ni.	Ni.
68	97	80	82	5.41	5.69	4.91	5.31	SSE ₁	—	C.	—	D.	D.
82	95	96	91	5.97	5.55	5.36	5.63	NE ₁	—	NNO ₁	N.	Ni.	D.
81	100	98	93	6.90	5.62	5.01	5.85	C.	—	C.	Np.	—	—
100	98	94	97	6.39	5.99	6.96	6.42	—	—	—	N.	Np.	N.
83	84	100	89	7.79	8.03	8.73	8.18	—	N ₁	N ₁	—	N.	—
94	84	97	92	9.49	8.68	7.82	8.66	NE ₁	C.	O ₁	—	Np.	—
85	82	100	89	8.21	7.67	8.27	8.05	O ₁	OSO ₂	C.	Np.	—	Np.
71	93	93	86	7.66	6.38	5.86	6.63	C.	C.	SE ₁	—	D.	D.
76	91	99	89	7.73	6.17	5.63	6.51	—	—	C.	—	—	Ni.
73	97	100	90	7.43	6.81	6.42	6.91	—	—	—	—	Ni.	—
81	97	100	91	8.32	7.28	6.56	7.39	—	—	—	—	—	—
80	97	94	90	6.84	7.18	7.31	7.12	—	—	—	N.	N.	N.
100	100	99	100	9.35	9.23	9.73	9.44	—	—	—	—	—	—
98	100	100	99	10.90	9.11	9.65	9.89	—	—	—	—	—	Ll.
100	100	99	100	11.16	10.14	9.05	10.12	—	N ₁	ONO ₁	—	—	N.

DE 1874.

98	86	90	91	10.20	8.27	9.07	9.18	ONO ₂	O ₂	ONO ₁	Ll.	N.	Np.
71	99	100	90	7.90	8.75	8.27	8.31	ONO ₁	C.	C.	N.	—	Ni.
70	97	97	88	8.97	8.05	8.92	8.65	O ₁	—	—	Np.	D.	N.
92	100	100	97	10.31	9.79	9.86	9.99	N ₁	—	—	N.	—	—
92	100	96	96	10.60	9.86	9.70	10.05	C.	—	N ₁	—	Np.	—
100	100	100	100	10.39	9.11	8.57	9.36	NO ₁	—	—	—	Ll.	Np.
92	96	94	94	8.15	7.81	7.98	8.11	N ₁	OSO ₁	O ₁	—	N.	—
82	100	100	94	7.49	8.27	10.14	8.63	NO ₁	NO ₂	NO ₂	—	Ll.	Ll.
100	70	90	87	8.75	5.28	6.07	6.70	ONO ₂	ONO ₂	OSO ₁	—	Np.	Np.
70	100	97	89	5.58	6.89	6.33	6.24	OSO ₁	C.	SSE ₁	Np.	N.	N.
80	94	82	85	7.06	6.29	5.87	6.41	S ₁	—	SE ₁	—	Np.	Np.
52	77	66	65	5.24	4.69	4.64	4.86	SE ₁	—	C.	D.	D.	D.
29	56	73	53	3.01	3.90	4.59	3.83	ESE ₂	—	SE ₁	—	—	—
30	85	85	67	3.25	5.55	4.12	4.24	SE ₁	—	—	—	—	Ni.
64	93	59	72	6.06	7.09	4.79	5.98	O ₁	ONO ₁	SSE ₁	N.	Ll.	Np.
85	93	85	83	6.09	5.86	6.73	6.23	OSO ₁	C.	SO ₁	Np.	Np.	—
60	89	97	82	6.27	5.89	5.90	5.99	SE ₁	—	OSO ₁	—	D.	Ni.
65	86	91	82	6.51	5.89	6.13	6.18	C.	—	O ₁	—	Np.	N.
89	98	100	96	7.69	7.91	8.37	7.99	—	—	ONO ₁	—	N.	—
69	96	98	88	8.45	6.35	5.55	6.78	—	—	C.	—	D.	Ni.
68	92	92	84	6.75	5.89	5.72	6.09	S ₁	—	O ₁	D.	—	N.
92	87	100	93	7.81	7.73	7.69	7.74	N ₁	N ₁	C.	N.	—	N.
100	91	97	96	8.27	7.28	7.52	7.69	C.	C.	ONO ₁	—	—	—
90	97	78	86	8.68	8.92	6.89	8.16	—	—	O ₁	—	—	Np.
66	94	97	86	7.33	7.39	7.52	7.39	—	C.	—	Np.	—	—
94	91	93	87	6.99	6.71	6.95	6.88	—	—	—	—	Np.	N.
84	97	90	90	7.47	7.80	6.97	7.41	ONO ₁	—	ONO ₁	—	N.	—
77	100	98	92	7.79	8.87	9.11	8.59	N ₁	—	ONO ₁	—	N.	—
75	97	92	88	7.67	8.80	9.41	8.64	—	—	N ₁	—	—	—
88	89	100	92	9.78	9.32	7.25	8.78	O ₁	N ₂	O ₁	—	—	—
71	92	98	87	6.63	5.43	5.08	5.71	SO ₁	C.	C.	Np.	D.	Ni.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.			
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros			
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o	o
1	71.74	72.59	68.98	71.10	9.5	3.8	3.1	10.9	5.47	-0.6	2.5	0.5	0.6	
2	62.47	63.17	66.97	64.20	13.0	8.3	6.3	13.0	9.29	-3.8	4.5	2.0	0.8	
3	66.53	67.76	65.07	66.45	11.0	8.5	8.3	11.0	9.27	7.3	2.2	2.4	0.4	
4	62.83	64.13	67.62	64.86	11.0	8.5	5.6	11.0	8.37	2.3	0.4	0.7	0.3	
5	70.51	72.07	72.50	71.69	12.0	4.8	3.1	12.0	6.63	1.0	3.0	0.5	0.2	
6	68.30	69.08	67.56	68.31	13.0	7.0	9.5	13.6	9.57	0.8	4.5	1.1	2.0	
7	64.91	65.36	63.60	64.62	14.5	10.5	10.3	14.5	11.77	6.0	3.5	2.9	2.2	
8	59.96	60.54	62.97	60.86	17.8	10.3	9.8	17.8	12.63	6.9	5.2	1.2	0.4	
9	62.29	62.67	62.39	62.45	12.3	10.3	11.1	12.3	11.23	9.4	1.8	3.3	0.3	
10	60.68	60.70	60.43	60.60	13.5	9.8	10.3	13.5	11.29	9.1	2.2	0.5	0.5	
11	60.99	62.45	63.69	62.38	10.9	10.3	11.8	11.9	11.00	9.1	0.0	0.0	0.8	
12	63.39	65.32	63.64	63.92	12.0	10.0	9.9	12.0	10.63	8.5	1.5	0.7	0.0	
13	60.97	59.10	55.44	58.50	12.5	9.4	9.1	12.5	10.33	7.9	0.7	0.0	0.1	
14	53.29	52.90	57.62	54.60	10.8	9.3	9.3	10.8	9.80	6.9	0.7	0.2	1.2	
15	58.53	58.09	59.93	58.85	10.9	8.9	9.9	11.3	9.90	6.8	2.0	0.4	0.4	
16	63.44	65.26	65.02	64.57	12.5	10.4	10.6	12.5	11.17	6.6	2.9	1.4	0.0	
17	64.15	63.95	59.77	62.62	14.0	11.0	11.0	14.0	12.00	9.1	1.0	0.2	0.4	
18	57.76	58.56	57.37	57.90	11.4	10.5	11.3	11.4	12.07	9.1	2.8	0.0	0.2	
19	54.91	53.25	55.54	54.37	12.6	8.9	9.3	12.6	10.27	6.9	0.3	0.0	0.3	
20	56.31	57.02	62.96	58.76	11.9	8.1	8.1	11.9	9.37	5.0	0.4	0.0	0.3	
21	61.39	68.38	72.61	68.46	12.8	6.3	5.6	12.8	8.63	3.3	2.2	0.5	0.4	
22	71.11	71.25	68.53	70.30	12.5	8.9	8.8	13.5	10.67	6.9	3.6	0.5	0.4	
23	65.98	63.27	59.53	62.58	14.9	9.5	9.5	14.9	11.30	6.6	4.9	0.7	0.5	
24	56.53	56.41	63.94	58.96	10.8	9.5	8.3	10.8	9.53	4.6	0.3	0.4	1.0	
25	64.57	67.27	68.56	66.80	10.6	6.0	7.8	10.6	8.13	3.5	2.1	0.5	0.5	
26	66.97	66.78	65.82	66.36	10.0	8.8	8.8	11.5	12.1	10.16	8.1	1.2	0.0	0.6
27	63.23	63.15	61.69	62.69	13.1	10.6	11.0	13.1	11.57	9.8	1.1	0.0	0.5	
28	62.11	64.05	69.72	65.29	12.9	10.3	7.4	14.5	10.20	3.5	1.9	0.0	0.4	
29	70.03	71.25	70.63	70.64	15.3	8.5	7.3	15.3	10.37	6.3	3.7	0.5	0.4	
30	69.26	68.44	66.21	67.97	14.8	10.6	10.9	14.8	12.10	5.0	3.0	0.2	0.5	

OCTUBRE

1	64.48	63.80	62.72	63.70	17.1	10.8	11.4	17.1	13.10	9.0	3.8	0.7	1.3
2	62.06	61.78	59.62	61.15	14.8	12.3	13.0	14.8	13.37	9.6	1.8	0.5	1.4
3	58.22	58.06	61.74	59.34	13.1	12.3	13.0	13.5	12.80	9.1	1.6	1.9	2.9
4	60.16	58.16	58.27	58.86	15.5	13.0	12.0	15.5	13.50	9.0	3.9	3.0	1.9
5	60.61	60.37	61.43	60.80	11.8	10.3	13.0	13.8	10.79	9.1	0.9	0.5	0.6
6	60.80	61.17	59.03	60.33	14.5	11.4	11.0	14.5	12.39	9.1	2.6	1.4	1.0
7	57.49	55.37	56.65	56.30	11.5	10.3	12.1	12.1	11.30	7.9	0.9	0.0	2.3
8	56.55	61.13	62.77	60.15	10.4	7.6	8.1	12.5	8.70	6.0	1.4	0.8	0.5
9	62.31	63.20	63.42	62.98	14.8	7.3	9.4	14.8	10.50	4.4	3.8	0.5	2.5
10	62.82	62.57	59.81	61.73	14.9	10.4	8.8	14.9	11.37	5.8	4.3	2.9	1.7
11	59.41	61.57	62.99	61.32	11.4	8.8	8.9	11.4	9.70	7.6	2.1	0.0	0.8
12	64.58	65.87	68.18	65.21	11.3	6.2	8.1	11.9	8.53	4.4	3.2	0.7	1.3
13	66.98	67.32	67.75	67.35	13.8	6.9	8.5	16.9	9.73	2.3	4.4	0.8	0.6
14	65.94	65.85	61.58	65.46	17.1	10.1	9.5	17.1	12.23	6.3	5.3	1.6	0.5
15	63.27	65.00	66.52	64.26	13.9	10.4	11.9	13.9	12.07	7.9	1.9	1.3	1.6
16	66.34	72.02	73.24	70.33	16.1	7.5	11.0	16.1	11.53	2.5	4.1	1.9	2.5
17	69.07	69.14	66.28	68.16	18.3	8.3	13.5	18.3	13.37	3.8	5.3	0.5	3.0
18	62.56	62.72	63.17	62.86	17.9	11.8	12.0	17.9	13.90	8.5	3.9	1.2	2.7
19	61.88	64.62	65.86	63.92	17.4	9.4	12.4	18.8	13.67	4.8	4.5	0.8	2.1
20	63.64	64.62	64.06	63.91	13.0	9.8	10.6	22.0	13.57	6.5	5.3	0.9	1.3
21	62.39	62.87	61.57	62.18	13.0	8.9	11.9	15.8	11.27	7.9	3.9	1.3	3.0
22	61.19	61.42	60.69	61.07	19.4	9.9	12.4	19.4	13.90	7.5	5.0	1.1	1.5
23	59.79	59.80	58.22	59.20	21.0	11.5	10.5	21.0	14.33	8.5	6.4	0.9	0.4
24	58.23	59.90	60.27	59.46	11.0	9.6	12.5	15.1	11.03	7.9	0.8	0.2	0.6
25	61.10	63.32	64.13	62.85	14.4	10.6	11.8	17.5	12.27	7.3	3.1	1.3	0.5
26	62.35	62.09	60.87	61.77	19.0	8.8	12.5	19.0	13.33	6.5	3.5	0.7	1.7
27	60.29	61.62	60.15	60.49	21.0	10.6	13.3	14.97	6.9	6.6	0.6	2.0
28	66.12	66.30	62.33	64.12	12.5	11.5	12.5	12.5	12.17	8.5	0.5	0.5	1.9
29	62.39	62.93	65.17	63.30	11.9	9.4	12.3	14.4	11.20	8.1	0.6	0.0	1.3
30	66.07	67.74	68.94	67.28	16.6	11.0	12.8	16.6	13.77	8.5	3.1	2.1	1.8
31	66.57	67.77	67.36	67.42	19.0	12.4	15.5	19.0	15.63	9.8	4.2	1.0	2.3

DE 1874.

PSICRÓMETRO.													VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.														
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.					
68	92	89	83	5.99	5.51	5.14	5.55	C.	C.	SE ₁	Np.	D.	D.					
49	72	88	79	5.61	5.95	6.39	5.95	SE ₁	SE ₁	C.	Np.	—	Np.					
71	67	94	77	7.17	5.55	7.65	6.89	C.	C.	C.	N.	N.	N.					
95	90	96	94	9.28	7.47	6.50	7.75	NO ₁	—	S ₁	Np.	—	Np.					
65	92	96	84	6.77	5.92	5.51	6.08	SSE ₁	—	SSE ₁	—	D.	Ni.					
49	84	72	68	5.61	6.33	7.71	6.56	SE ₁	—	SE ₁	D.	—	Np.					
62	63	72	66	7.68	6.05	6.75	6.83	—	—	—	—	—	Np.					
50	84	95	76	7.73	7.91	8.57	8.07	—	C.	C.	—	N.	N.					
78	96	96	90	8.58	8.98	9.46	8.91	C.	—	O ₁	—	Np.	—					
75	94	94	88	8.67	8.45	8.75	8.62	—	—	C.	—	Np.	—					
100	100	90	97	9.71	9.35	9.31	9.46	—	—	O ₁	—	N.	Np.					
82	91	100	91	8.26	8.33	9.11	8.57	O ₁	—	—	—	Np.	N.					
92	100	98	97	9.93	8.81	8.51	9.08	—	—	—	—	—	Np.					
92	97	84	91	8.89	8.51	7.35	8.22	C.	N ₁	—	—	—	Np.					
73	94	95	87	7.35	8.03	8.63	8.00	O ₁	—	—	—	—	Np.					
69	82	100	84	7.55	7.73	9.53	8.27	—	OSO ₁	OSO ₁	Np.	Np.	Ll.					
89	97	95	94	10.56	9.52	9.28	9.79	—	C.	O ₁	—	N.	N.					
68	100	97	88	8.52	9.47	9.71	9.21	—	—	NO ₂	—	N.	N.					
97	100	96	98	10.49	8.47	8.39	9.12	NO ₁	NO ₁	NO ₁	—	Ll.	Np.					
94	100	96	97	9.84	8.07	7.71	8.51	—	NO ₁	SSO ₁	—	—	Np.					
75	93	93	87	8.20	6.63	6.10	6.98	SO ₁	C.	C.	Np.	D.	Ni.					
57	93	94	81	6.39	7.92	7.98	7.43	C.	—	—	—	N.	N.					
49	91	94	78	6.21	8.06	8.27	7.51	O ₁	—	N ₁	—	—	N.					
96	95	86	92	9.28	8.39	7.04	8.24	N ₂	NO ₁	OSO ₁	N.	Np.	Np.					
73	93	93	86	7.05	6.48	7.34	6.96	OSO ₁	C.	—	Np.	—	N.					
84	100	100	95	7.77	8.42	10.14	8.78	O ₁	—	C.	N.	N.	N.					
87	100	94	94	9.79	9.53	9.16	9.49	—	—	—	—	—	Np.					
78	100	94	91	8.64	9.35	7.25	8.41	—	—	—	—	—	Np.					
61	93	94	83	7.97	7.72	7.21	7.63	SSE ₁	—	—	Np.	D.	Ni.					
66	97	94	86	8.51	9.28	9.19	8.97	OSO ₁	—	—	—	Np.	Np.					

DE 1874.

63	93	84	80	9.06	8.80	8.44	8.77	O ₁	C.	C.	Np.	N.	N.
80	94	83	76	10.07	10.05	9.57	9.83	C.	—	—	N.	—	Np.
81	87	67	88	9.17	9.41	7.47	8.68	—	NE ₂	O ₁	—	—	Np.
59	66	78	68	7.85	7.35	8.08	7.76	O ₁	O ₂	NO ₂	Np.	—	N.
88	94	92	91	9.16	9.36	8.45	8.59	NO ₁	NO ₁	NO ₁	Ll.	—	N.
71	33	86	80	8.79	8.32	8.56	8.56	O ₁	C.	C.	Np.	Np.	—
88	100	73	87	8.98	9.35	7.67	8.67	—	NO ₂	O ₂	Ll.	Ll.	Np.
82	88	93	88	7.73	6.92	7.49	7.38	N ₁	C.	OSO ₁	Np.	Np.	—
60	93	68	74	7.49	7.10	6.44	7.01	OSO ₁	—	SE ₁	Np.	Ni.	—
53	63	77	64	6.93	6.00	6.52	6.48	SE ₁	—	—	—	—	N.
74	100	89	88	7.49	8.42	7.59	7.83	C.	—	SO ₁	—	Ll.	—
61	90	82	78	6.15	6.38	6.62	6.38	—	—	C.	Np.	Np.	Np.
42	88	91	74	6.14	6.51	7.58	6.74	O ₁	—	OSO ₁	—	D.	D.
49	79	95	74	7.15	7.35	8.27	7.59	OSO ₁	—	OSO ₁	—	N.	D.
79	83	80	81	9.31	7.85	8.58	8.51	—	—	O ₁	—	—	Np.
59	73	69	67	7.97	5.79	6.81	6.83	SSO ₁	—	SE ₁	—	D.	D.
51	93	66	70	7.95	7.59	7.65	7.73	SE ₁	—	C.	D.	—	Np.
63	85	68	72	9.54	8.89	7.13	8.49	SSO ₁	—	SSO ₁	Np.	Np.	—
56	89	75	73	8.33	7.84	8.18	8.12	C.	—	S ₁	—	D.	D.
54	88	83	75	9.47	7.98	7.57	8.47	SSO ₁	—	O ₁	D.	N.	Np.
67	82	63	71	7.98	7.01	6.69	7.23	O ₁	—	C.	N.	N.	Np.
54	86	82	74	9.19	7.76	8.80	8.58	OSO ₁	—	OSO ₁	Np.	Np.	Ni.
45	90	95	77	8.50	8.98	8.98	8.82	SO ₁	—	SO ₁	—	D.	Np.
90	97	79	89	8.80	8.69	8.74	8.74	C.	—	OSO ₁	N.	Np.	Np.
66	83	94	81	8.12	7.97	9.80	8.63	O ₁	—	O ₁	—	—	—
58	92	79	76	9.57	7.65	8.62	8.61	N ₁	—	NO ₁	Np.	D.	—
44	93	76	71	8.22	8.80	8.79	8.60	OSO ₁	—	N ₁	D.	Np.	—
94	95	77	89	10.15	9.49	8.58	9.31	NO ₁	—	NE ₁	N.	Ll.	—
93	100	85	93	9.64	8.81	9.01	9.15	NE ₁	—	N ₁	Np.	N.	—
68	70	79	72	9.70	7.79	8.79	8.79	N ₁	—	S ₁	—	N.	—
60	87	76	74	9.83	9.47	9.56	9.75	C.	—	SE ₁	—	D.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	66.47	67.67	67.89	67.34	18.0	12.0	15.0	18.0	15.00	9.5	3.0	1.0	2.4
2	66.36	67.10	66.79	66.75	21.0	14.3	13.3	21.0	16.20	9.4	4.7	3.5	3.0
3	62.58	62.95	61.31	62.28	21.6	16.0	18.3	21.6	18.53	11.6	6.8	4.5	5.5
4	58.07	59.39	62.27	59.91	23.0	13.3	12.9	23.0	16.07	10.6	6.0	1.8	1.9
5	62.28	63.02	62.05	62.45	14.9	11.4	14.5	15.4	13.60	8.1	3.4	0.6	2.5
6	61.15	60.34	61.42	60.97	16.9	11.3	12.4	16.9	13.53	9.4	3.0	1.0	2.1
7	61.95	62.67	65.07	63.23	16.3	9.8	12.5	16.3	12.87	7.9	3.8	0.8	2.0
8	63.86	64.95	63.48	64.10	16.3	8.0	12.0	19.1	12.10	3.8	6.0	0.5	2.5
9	59.97	59.52	60.08	59.86	20.8	9.8	11.9	20.8	14.17	5.4	6.0	1.5	1.3
10	59.65	58.75	62.36	60.25	17.3	13.9	14.3	17.3	15.17	11.3	3.9	1.2	2.0
11	62.86	63.89	62.12	62.96	18.0	9.1	14.4	18.8	13.85	5.8	4.7	0.3	3.4
12	60.22	61.15	64.15	61.84	20.9	12.2	13.3	20.9	15.47	7.9	6.4	0.7	4.2
13	64.06	65.55	64.22	64.61	16.9	8.1	13.8	18.8	12.93	5.6	5.3	1.0	3.2
14	59.57	59.29	58.09	58.98	22.2	13.3	19.4	24.4	18.30	9.5	8.6	2.0	6.8
15	57.37	59.20	62.34	59.64	25.3	14.1	15.4	25.3	18.27	8.8	7.9	1.6	2.5
16	63.67	64.08	63.60	63.78	18.0	13.4	16.3	20.4	15.90	9.1	4.9	1.1	3.7
17	62.83	62.40	61.90	62.38	21.3	14.8	15.6	21.3	17.23	11.3	5.7	2.0	2.1
18	61.68	61.71	61.83	61.74	15.8	14.5	14.1	15.8	14.80	13.1	1.0	0.0	0.0
19	62.08	62.70	61.94	62.24	15.0	13.3	13.9	15.8	14.07	12.5	0.9	0.2	0.3
20	60.30	61.40	61.10	60.93	18.1	13.5	15.0	18.1	15.53	11.9	1.8	0.7	0.6
21	60.80	60.78	60.99	60.86	17.3	15.0	14.8	17.3	15.70	11.9	1.7	0.5	1.9
22	60.88	61.40	61.75	61.34	16.1	13.5	14.4	16.3	14.67	9.4	3.0	1.2	1.3
23	61.08	60.00	56.18	59.09	17.0	14.4	12.3	17.0	14.57	11.6	4.0	2.3	0.7
24	55.57	56.80	60.28	57.55	15.5	10.5	12.0	15.5	12.67	10.0	1.7	0.2	0.2
25	61.99	63.82	62.15	62.49	16.0	12.5	14.5	16.0	14.33	8.3	3.2	1.2	1.6
26	61.56	59.95	57.39	59.60	15.1	14.5	14.5	15.1	14.70	13.1	3.6	1.4	0.1
27	58.44	59.84	57.68	58.65	15.6	12.5	14.3	16.3	14.13	11.9	0.3	0.6	2.5
28	60.39	62.11	63.77	62.09	16.8	12.8	15.0	16.8	14.87	10.4	3.0	1.9	1.5
29	63.90	64.18	64.23	64.10	16.4	11.3	13.8	18.1	13.83	6.6	3.4	1.0	1.0
30	64.53	66.70	70.28	67.17	18.4	10.0	12.0	18.4	13.47	4.8	3.6	1.2	2.9

1	69.70	70.24	67.97	69.30	15.5	13.1	14.8	17.5	14.47	7.8	3.7	2.0	3.5
2	63.72	63.84	62.10	63.22	20.3	13.8	15.3	21.6	16.47	10.6	6.7	3.8	2.8
3	59.63	62.32	61.20	61.05	24.3	14.8	16.8	24.3	18.63	9.4	7.5	3.0	3.5
4	58.36	58.42	58.23	58.34	25.8	20.0	19.5	25.8	21.43	12.9	7.7	5.2	4.1
5	60.31	61.17	61.78	61.09	22.2	15.5	17.4	22.2	18.37	10.6	6.1	2.2	3.8
6	62.48	62.48	62.51	62.50	17.1	12.8	15.8	18.8	15.23	11.6	2.1	0.8	2.7
7	62.58	63.45	64.07	63.37	19.6	11.8	15.0	19.6	15.47	7.0	5.1	1.5	3.4
8	64.04	64.84	65.37	64.75	20.0	11.6	16.5	20.0	16.03	7.5	5.2	1.6	3.7
9	63.66	64.08	62.93	63.56	20.8	12.3	17.5	20.8	16.87	8.1	5.8	1.3	4.9
10	60.91	61.68	61.96	61.52	21.9	15.0	16.3	21.9	17.73	8.5	4.4	4.4	4.3
11	60.98	62.45	63.11	62.18	22.2	13.6	18.1	23.1	17.97	8.5	6.4	1.1	4.7
12	62.34	63.93	65.54	63.94	24.0	18.3	20.0	24.8	20.77	10.6	5.9	5.4	5.2
13	61.09	65.18	64.86	64.71	25.5	19.4	20.6	27.5	21.83	15.0	7.0	3.6	4.7
14	61.07	61.18	60.50	60.92	28.5	21.9	21.9	28.5	24.10	14.6	9.4	4.6	4.6
15	60.24	60.49	60.71	60.48	29.0	22.4	19.5	29.5	23.63	14.4	9.6	4.9	3.0
16	58.19	60.35	61.34	59.96	24.6	15.0	16.3	24.6	18.63	11.9	5.3	2.0	3.8
17	61.49	61.84	63.02	62.12	20.0	12.5	14.8	20.0	15.77	10.0	6.0	1.2	2.5
18	64.05	65.39	64.69	64.71	19.1	12.3	16.8	21.3	16.07	8.1	4.1	1.5	3.5
19	62.04	62.56	60.07	61.56	25.8	15.8	17.8	23.8	19.80	7.3	8.3	1.9	3.5
20	56.95	58.57	62.96	59.49	20.6	15.3	15.0	20.6	16.97	8.1	4.3	2.5	3.7
21	62.84	65.16	65.99	64.66	17.5	12.4	13.8	17.5	14.57	9.4	5.4	2.9	2.8
22	66.07	66.69	64.79	65.85	18.1	12.3	17.8	22.5	16.07	10.3	4.0	1.0	3.5
23	61.31	60.53	60.78	60.87	25.8	14.8	17.5	23.8	19.37	10.0	8.3	2.5	5.0
24	60.02	62.20	63.92	62.05	17.8	12.3	16.3	20.6	15.47	5.4	5.3	2.8	4.8
25	66.65	63.58	60.31	62.18	21.8	15.0	19.3	25.0	18.70	9.8	7.0	4.4	6.3
26	56.90	55.36	54.36	55.34	26.9	21.3	21.9	26.9	23.70	14.0	10.3	6.8	6.0
27	56.15	57.35	59.56	57.69	22.8	15.0	16.0	22.8	17.93	13.8	6.0	1.5	2.5
28	59.65	59.22	59.17	59.15	20.3	14.8	17.8	20.6	17.63	13.5	4.3	1.4	2.5
29	59.15	59.37	61.54	60.02	20.4	16.0	15.0	20.4	17.13	13.5	3.9	1.2	0.2
30	63.51	66.64	65.85	65.33	19.0	15.6	17.5	23.8	17.37	11.3	1.7	2.2	3.6
31	62.16	62.68	61.06	61.97	26.9	22.0	22.8	26.9	23.90	12.9	10.0	7.4	6.8

DE 1874.

PSICRÓMETRO.												ESTADO ATMOSFÉRICO		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				VIENTOS.			ESTADO ATMOSFÉRICO			
2½ h	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.	
71	87	74	77	11.87	9.19	9.42	10.16	SSE ₁	C.	C.	Np.	N.	Np.	
60	62	66	63	10.94	7.59	7.51	8.68	C.	—	ESE ₁	D.	D.	D.	
44	54	48	49	8.41	7.48	7.68	7.86	SE ₁	SE ₁	SE ₁	—	—	—	
52	79	78	70	10.76	9.05	8.64	9.48	C.	C.	O ₁	—	—	N.	
63	93	73	76	8.09	9.28	9.94	9.10	—	—	C.	N.	N.	Np.	
69	86	75	77	9.97	8.71	8.08	8.93	O ₁	NO ₁	O ₁	Np.	—	—	
61	89	76	75	8.50	8.09	8.26	8.28	—	O ₁	—	—	Np.	—	
42	93	70	68	5.72	7.44	7.37	6.81	OSO ₁	C.	OSO ₁	D.	—	—	
48	80	84	71	8.90	7.29	8.74	8.31	C.	—	O ₁	D.	—	N.	
62	84	78	75	9.07	9.96	9.46	9.50	O ₁	ONO ₁	C.	N.	N.	Np.	
56	97	63	72	8.52	8.26	7.74	8.17	—	C.	SE ₁	D.	Np.	—	
45	92	53	63	8.43	9.72	6.10	8.08	SE ₁	—	—	Np.	—	—	
47	85	64	65	7.01	6.88	7.59	7.16	—	—	—	—	D.	D.	
32	77	39	49	6.36	8.79	6.76	7.30	C.	—	C.	D.	—	—	
42	82	75	66	9.96	9.84	10.27	10.02	SE ₁	SE ₁	OSO ₁	—	—	Np.	
54	87	62	68	8.26	9.00	8.54	8.60	O ₁	C.	O ₁	N.	N.	—	
51	78	77	69	9.71	9.81	10.31	9.94	—	—	—	Np.	—	N.	
89	100	100	96	11.94	12.31	11.99	12.08	ONO ₁	NO ₂	NO ₁	—	—	N.	
90	98	94	94	11.44	11.11	11.49	11.32	N ₁	C.	O ₁	Np.	—	N.	
82	92	93	89	12.71	10.59	11.86	11.72	O ₁	—	OSO ₁	—	—	—	
82	94	79	85	12.15	12.00	9.91	11.36	ONO ₁	—	—	—	N.	—	
69	86	85	80	9.41	9.94	10.45	9.93	OSO ₁	—	O ₁	Np.	—	Np.	
62	76	92	77	9.48	9.13	9.79	9.47	ONO ₂	NO ₁	NO ₁	—	—	N.	
81	97	96	91	10.77	9.22	10.22	10.07	SO ₂	—	O ₁	—	—	Np.	
67	86	81	78	9.08	9.28	10.12	9.49	O ₁	C.	N ₁	—	—	—	
61	84	99	81	7.96	10.39	12.17	10.17	NO ₁	NO ₁	ONO ₁	N.	—	N.	
97	93	73	88	12.76	10.06	9.50	10.77	SSO ₁	C.	ONO ₂	Np.	Np.	—	
69	78	83	77	9.90	8.56	10.65	9.70	O ₁	—	O ₁	D.	—	Np.	
66	85	88	80	9.10	8.74	10.41	9.42	—	—	—	—	—	—	
66	84	66	72	10.28	7.77	6.89	8.31	OSO ₁	—	SSE ₁	—	—	—	

DE 1874.

61	70	62	64	8.11	8.65	7.89	8.22	SSE ₁	OSO ₁	SE ₁	D.	N.	D.
42	58	71	57	7.52	6.87	9.81	8.07	SE ₁	SE ₁	—	—	D.	—
45	67	66	59	9.96	8.54	9.16	9.22	—	C.	—	—	—	—
44	53	62	53	10.75	9.59	10.52	10.22	—	SE ₁	C.	—	—	—
50	76	63	63	9.91	10.07	9.29	9.76	SSO ₁	C.	O ₁	—	—	Np.
79	90	72	80	11.42	9.97	9.59	10.33	OSO ₁	—	ONO ₁	N.	—	—
54	82	63	66	9.45	8.44	8.16	8.68	—	—	OSO ₁	D.	D.	—
53	80	62	65	9.39	8.20	8.78	8.79	—	—	S ₁	—	—	—
50	86	53	63	9.17	9.68	7.91	8.72	S ₁	—	SE ₁	—	—	D.
62	54	57	58	12.12	6.87	7.85	8.95	SE ₁	SE ₁	—	—	—	—
47	88	56	64	9.44	10.14	8.59	9.59	C.	C.	ESE ₁	—	—	—
54	49	52	52	11.85	7.81	9.39	9.68	ESE ₁	SSO ₁	SE ₁	—	—	—
43	66	59	56	9.10	11.15	10.66	10.30	C.	C.	—	—	—	—
37	61	61	53	10.69	11.82	11.82	11.43	SE ₁	SE ₁	—	—	—	—
36	59	71	55	10.90	11.88	12.16	11.65	C.	C.	—	—	—	Np.
60	78	60	66	13.55	9.95	8.41	10.45	S ₁	—	SSO ₁	—	—	—
47	86	74	69	8.26	9.28	9.86	9.13	SSO ₁	—	C.	—	—	—
62	83	67	71	10.28	8.74	9.51	9.51	—	—	—	Np.	—	D.
39	79	67	62	9.80	10.75	9.99	10.17	C.	—	SE ₁	D.	—	—
62	73	61	65	11.18	9.50	7.76	9.48	SE ₁	—	C.	Np.	—	Np.
49	67	69	62	7.25	7.15	8.19	7.49	S ₁	—	SSO ₁	—	N.	N.
62	87	67	72	9.56	9.49	10.02	9.66	C.	—	ESE ₁	D.	D.	D.
39	74	52	55	9.80	9.15	7.78	8.91	—	—	SE ₁	D.	—	—
50	67	52	56	7.60	7.19	7.23	7.34	ONO ₂	—	—	Np.	—	—
41	54	45	47	8.29	6.87	7.34	7.59	O ₁	SE ₁	—	D.	—	—
25	43	49	39	7.18	8.17	9.77	8.57	SE ₁	—	N.	—	—	—
50	83	74	69	10.15	10.65	10.00	10.27	NO ₂	C.	NO ₁	—	—	N.
62	84	75	79	10.91	10.63	11.42	10.99	O ₁	—	C.	Np.	Np.	Np.
65	87	97	83	11.61	11.84	12.43	11.96	C.	—	—	—	N.	Ll.
81	76	64	74	13.65	10.15	9.61	11.14	—	—	ESE ₁	D.	—	D.
30	39	35	38	8.25	7.89	9.39	8.51	SE ₁	SE ₁	—	D.	—	—

Instrumentos.		FERRERO 23 DE 1874.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	762.25	761.74	760.78	760.41	760.34	760.17	760.31	760.02	760.75
Termómetro centígrado.....	o	20.6	21.0	14.4	10.6	8.3	5.8	6.3	15.5	12.80
Psicrómet. {	Dif. de los term.	5.8	6.2	2.8	1.5	0.5	0.2	0.3	4.4
	Humedad relat...	50	47	69	81	93	97	97	55	74
	Fuerza elástica...	9.02	8.78	8.52	7.73	7.59	6.71	6.82	7.20	7.80
Vientos.....	ONO	O ₁	C.	C.	C.	N ₁	N ₁	O ₁
Estado atmosférico.....	Np.	Np.	D.	D.	D.	Ni.	Ni.	Np.
		MARZO 5 DE 1874.								
Barómetro reducido a 0°.....	mm.	756.23	756.24	756.16	758.16	757.96	757.96	757.98	758.53	757.40
Termómetro centígrado.....	o	16.8	15.6	13.1	9.4	7.5	6.9	7.3	8.9	10.67
Psicrómet. {	Dif. de los term.	3.0	2.2	1.3	1.5	0.5	0.1	0.2	0.0
	Humedad relat...	69	76	85	80	94	99	97	100	88
	Fuerza elástica...	9.90	10.15	9.57	7.04	7.19	7.34	7.42	8.47	9.74
Vientos.....	O ₁	N ₁	ONO ₁	C.	C.	N ₁	N ₁	N ₁
Estado atmosférico.....	Np.	N.	N.	Np.	Np.	N.	N.	Ll.
		MARZO 15 DE 1874.								
Barómetro reducido a 0°.....	mm.	758.99	757.94	756.81	756.74	756.90	757.06	757.28	756.98	757.34
Termómetro centígrado.....	o	14.6	15.4	11.1	13.5	11.6	11.1	11.6	12.6	13.08
Psicrómet. {	Dif. de los term.	0.3	0.9	0.0	0.0	0.0	0.0	0.1	0.2
	Humedad relat...	97	99	100	100	100	100	99	98	98
	Fuerza elástica...	11.97	11.76	11.98	11.51	10.21	9.96	10.08	10.62	11.01
Vientos.....	N ₁	NO ₂	NO ₃	OSO ₂	NO ₁	NO ₁	NO ₁	OSO ₂
Estado atmosférico.....	N.	N.	Ll.	Ll.	Np.	Np.	N.	Np.
		MARZO 25 DE 1874.								
Barómetro reducido a 0°.....	mm.	764.52	763.10	762.73	762.82	762.05	761.07	760.11	760.29	762.09
Termómetro centígrado.....	o	16.3	15.3	12.9	10.5	9.1	8.0	7.0	8.3	10.91
Psicrómet. {	Dif. de los term.	4.3	2.5	1.6	0.6	0.8	0.2	0.0	0.0
	Humedad relat...	57	74	81	93	89	97	100	100	86
	Fuerza elástica...	7.85	9.56	9.03	8.75	7.69	7.77	7.49	8.17	8.29
Vientos.....	SE ₁	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	Np.	N.	Np.	Np.	Np.	N. Ni.	Ni.	N.
		ABRIL 4 DE 1874.								
Barómetro reducido a 0°.....	mm.	766.32	764.72	764.70	715.17	765.06	764.92	764.87	764.81	765.07
Termómetro centígrado.....	o	14.8	15.6	11.9	10.0	7.9	3.9	3.0	6.3	9.16
Psicrómet. {	Dif. de los term.	4.9	5.2	3.3	2.0	1.6	0.4	0.2	0.7
	Humedad relat...	49	47	60	74	77	93	96	99	73
	Fuerza elástica...	6.16	6.26	6.39	6.81	6.13	5.65	5.56	6.41	6.16
Vientos.....	SE ₁	SE ₁	N.	SE ₁	SE ₁	SSE ₁	C.	N ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	Ni.	N.	N.
		22								

Instrumentos.	JUNIO 3 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 767.17	mm. 768.78	mm. 769.67	mm. 770.37	mm. 769.72	mm. 769.08	mm. 768.63	mm. 768.27	mm. 768.96
Termómetro centígrado.....	o 6.6	o 7.6	o 5.9	o 4.4	o 4.5	o 4.6	o 4.9	o 5.5	o 5.50
Psicrómet. {	Dif. de los term...	0.7	1.0	0.9	0.0	0.0	0.0	0.0
	Humedad relativa	99	85	87	100	100	100	100	95
	Fuerza elástica....	6.66	6.70	5.99	6.26	6.30	6.34	6.46	6.78
Vientos	C.	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	N.	N.	Np.	Np.	Ni.	Ni.	N. Ni.	N. Ni.

Instrumentos.	JUNIO 13 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	765.59	764.19	763.42	763.34	763.47	764.98	764.39	764.61	764.25
Termómetro centígrado.....	o 6.0	o 6.8	o 5.6	o 5.5	o 5.9	o 6.3	o 6.6	o 7.3	o 6.25
Psicrómet. {	Dif. de los term...	0.0	0.7	0.0	0.0	0.0	0.0	0.0
	Humedad relativa	100	90	100	100	100	100	100	99
	Fuerza elástica....	7.00	6.63	6.83	6.78	6.98	7.15	7.30	7.64
Vientos	O.	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	N.	N.

Instrumentos.	JUNIO 23 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	760.14	759.52	759.02	757.36	756.28	755.20	754.22	753.78	756.94
Termómetro centígrado.....	o 4.9	o 6.1	o 4.6	o 5.8	o 5.6	o 5.8	o 6.0	o 0.9	o 5.71
Psicrómet. {	Dif. de los term...	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Humedad relativa	100	100	100	100	100	100	100	100
	Fuerza elástica....	6.46	7.05	6.34	6.93	6.83	6.93	7.00	7.45
Vientos	C.	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	N.	N.	Ni.	N.	N.	N.	N.	Np

Instrumentos.	JULIO 3 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	748.47	750.73	754.38	756.83	758.49	759.99	761.57	762.69	756.64
Termómetro centígrado.....	o 10.0	o 9.1	o 8.9	o 7.3	o 6.3	o 5.8	o 4.9	o 4.8	o 7.11
Psicrómet. {	Dif. de los term...	0.9	0.7	1.3	0.7	0.0	0.0	0.0	0.3
	Humedad relativa	89	91	82	90	100	100	100	95
	Fuerza elástica....	8.09	7.80	7.01	6.88	7.15	6.73	6.56	6.12
Vientos	OSO ₂	SO ₁	OSO ₁	C.	OSO ₁	C.	C.	S ₁
Estado atmosférico.....	N.	Np.	Np.	D.	N.	N.	Np Ni	Np.

Instrumentos.	JULIO 13 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	760.11	759.76	760.00	760.16	760.03	759.76	759.48	759.31	759.83
Termómetro centígrado.....	o 11.3	o 12.0	o 11.5	o 11.6	o 11.4	o 11.3	o 11.0	o 11.1	o 11.39
Psicrómet. {	Dif. de los term...	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Humedad relat....	100	100	100	100	100	100	100	100
	Fuerza elástica....	10.00	10.46	10.14	10.21	10.07	10.09	9.79	9.86
Vientos.....	N ₁	C.	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	N. Ni.	N.	l.l	l.l	N.	N.	N.	N.	N.

Instrumentos.	JULIO 23 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	760.15	760.59	762.82	763.88	765.30	766.81	768.32	768.36	764.54
Termómetro centígrado.....	9.5	10.6	19.8	10.5	10.3	10.0	9.8	8.5
Psicrómet. {	Dif. de los term...	0.5	1.1	1.4	1.5	0.3	0.2	0.2	0.0
	Humedad relativa	94	85	82	81	96	96	97	100
	Fuerza elástica....	8.27	8.21	7.97	7.67	8.98	8.93	8.81	8.27
Vientos	O ₁	O ₁	ONO ₁	OSO ₁	OSO ₁	OSO ₁	C.	C.
Estado atmosférico.....	Np.	Np.	N.	Np.	Np.	Np.	Np.	Np.
AGOSTO 2 DE 1874.									
Barómetro reducido a 0°.....	765.69	765.37	765.20	764.45	763.83	763.30	762.87	761.27	764.00
Termómetro centígrado.....	13.0	12.9	10.9	10.1	9.5	8.9	8.1	8.5	10.24
Psicrómet. {	Dif. de los term...	3.4	2.5	0.9	0.7	0.4	0.0	0.0	0.0
	Humedad relativa	62	72	88	91	95	100	100	100
	Fuerza elástica....	7.35	7.90	8.62	8.35	8.39	8.47	8.07	8.27
Vientos	C.	ONO ₁	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	Nl.	Nl.
AGOSTO 12 DE 1874.									
Barómetro reducido a 0°.....	767.63	767.51	768.63	770.41	770.43	770.34	770.23	770.50	769.44
Termómetro centígrado.....	9.4	11.3	6.9	4.0	2.3	1.5	2.6	6.1	5.51
Psicrómet. {	Dif. de los term...	3.1	4.0	1.5	1.4	1.0	1.0	1.3	2.3
	Humedad relativa	60	52	78	76	82	81	77	65
	Fuerza elástica....	5.29	5.14	5.84	4.71	4.47	4.16	4.29	4.63
Vientos	SE ₁	SE ₁	C.	C.	C.	C.	ESE ₁	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
AGOSTO 22 DE 1874.									
Barómetro reducido a 0°.....	763.44	761.77	761.50	761.37	761.78	762.10	762.62	762.94	762.19
Termómetro centígrado.....	7.1	8.9	9.0	9.4	9.1	8.8	7.5	7.4	8.40
Psicrómet. {	Dif. de los term...	0.0	0.6	0.5	0.9	0.2	0.0	0.0	0.0
	Humedad relativa	100	91	93	88	97	100	100	100
	Fuerza elástica....	7.54	7.81	7.97	7.73	8.35	8.42	7.74	7.69
Vientos	N ₁	N ₁	N ₁	N ₂	NNO ₂	NNO ₂	NNO ₁	C.
Estado atmosférico.....	N.	N.	N.	N.	Ll.	Ll.	N.	N.
SETIEMBRE 2 DE 1874.									
Barómetro reducido a 0°.....	763.58	762.47	762.39	763.17	764.49	765.76	766.73	766.96	764.44
Termómetro centígrado.....	10.9	13.0	10.9	8.3	5.5	4.4	4.5	6.2	7.95
Psicrómet. {	Dif. de los term...	4.3	4.5	3.0	2.1	0.7	0.6	0.2	0.7
	Humedad relativa	47	50	63	72	89	99	97	90
	Fuerza elástica....	4.72	5.61	6.11	5.84	6.00	5.65	6.10	6.36
Vientos	SE ₁	SE ₁	SE ₁	SE ₁	O ₁	C.	C.	C.
Estado atmosférico.....	Ll.	D.	D.	D.	D.	Nl.	N.	Np.

Instrumentos.	SETIEMBRE 12 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	760.81	760.99	761.89	762.45	762.80	763.07	763.53	763.69	762.40	
Termómetro centígrado.....	10.5	10.9	10.6	10.3	9.5	9.1	9.9	11.8	10.16	
Psicrómet. {	Dif. de los term.	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	
	Humedad relat...	99	100	100	100	100	100	90	99	
	Fuerza elástica...	9.35	9.73	9.53	9.33	8.87	8.63	9.11	9.51	9.24
Vientos.....	N.	C.	C.	C.	C.	C.	C.	O.	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	Np.	
SETIEMBRE 22 DE 1874.										
Barómetro reducido a 0°.....	763.87	764.39	766.51	768.38	769.87	771.25	772.36	771.61	768.53	
Termómetro centígrado.....	11.6	12.8	9.0	6.2	5.3	4.4	3.3	5.0	7.19	
Psicrómet. {	Dif. de los term.	2.0	2.3	1.2	0.4	0.2	0.1	0.0	0.4	
	Humedad relat...	75	74	83	94	97	99	100	93	89
	Fuerza elástica...	7.73	8.08	7.17	6.69	6.46	6.16	5.81	6.10	6.78
Vientos.....	S.	SO.	C.	C.	C.	C.	C.	C.	
Estado atmosférico.....	Np.	Np.	Np.	D.	Ni.	Ni.	Ni.	Ni.	
OCTUBRE 1 DE 1874.										
Barómetro reducido a 0°.....	765.15	764.48	764.17	763.89	763.60	763.31	763.13	763.08	762.85	
Termómetro centígrado.....	15.0	17.1	11.5	10.8	10.3	10.0	9.1	11.4	11.89	
Psicrómet. {	Dif. de los term.	3.1	3.8	0.9	0.7	0.5	0.4	0.6	1.3	
	Humedad relativa	66	61	88	92	94	95	92	85	84
	Fuerza elástica...	8.55	9.06	8.98	8.80	8.73	8.69	7.91	8.44	8.65
Vientos.....	C.	O.	C.	C.	C.	C.	C.	C.	
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	N.	N.	N.	
OCTUBRE 11 DE 1874.										
Barómetro reducido a 0°.....	759.34	759.41	761.69	761.57	761.73	762.09	762.42	762.99	761.41	
Termómetro centígrado.....	10.9	11.4	9.9	8.8	8.3	7.9	7.8	8.9	9.20	
Psicrómet. {	Dif. de los term.	3.4	2.1	1.1	0.0	0.0	0.0	0.0	0.8	
	Humedad relativa	58	75	85	100	100	100	100	89	88
	Fuerza elástica...	5.79	7.49	7.76	8.42	8.17	7.94	7.89	7.53	7.61
Vientos.....	S.	C.	C.	C.	C.	C.	C.	SO.	
Estado atmosférico.....	N.	N.	N.	Ll.	Ll.	Ll.	N.	N.	
OCTUBRE 21 DE 1874.										
Barómetro reducido a 0°.....	762.89	762.33	762.92	762.87	762.65	762.23	761.82	761.27	762.38	
Termómetro centígrado.....	11.8	13.0	10.6	8.9	8.8	8.6	8.5	11.9	10.25	
Psicrómet. {	Dif. de los term.	2.0	2.0	1.2	1.3	0.8	0.7	0.7	3.0	
	Humedad relativa	78	77	81	83	89	91	91	63	82
	Fuerza elástica...	7.85	8.58	8.95	7.91	7.51	7.52	7.47	6.87	7.62
Vientos.....	O.	O.	C.	C.	C.	C.	C.	C.	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	Np.	

Instrumentos.	DICIEMBRE 20 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	758.55	756.95	757.75	758.57	760.06	761.84	762.92	762.96	759.95	
Termómetro centígrado.....	19.9	20.6	17.5	15.3	12.0	9.3	10.4	15.0	14.99	
Psicrómet. {	Dif. de los term...	3.6	4.3	3.1	2.5	2.2	2.4	2.4	3.7
	Humedad relativa	67	62	70	74	73	67	70	61	68
	Fuerza elástica...	11.61	11.18	10.31	9.50	7.73	5.95	6.57	7.76	8.85
Vientos.....	SE ₁	C.	C.	C.	C.	C.	C.	C.	
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	Np.	Np.	Np.	
DICIEMBRE 30 DE 1874.										
Barómetro reducido a 0°.....	762.59	763.51	764.89	766.64	766.77	766.57	766.23	765.87	765.38	
Termómetro centígrado.....	18.1	19.0	17.3	15.6	13.6	11.6	14.8	17.5	15.94	
Psicrómet. {	Dif. de los term...	0.7	1.7	2.0	2.2	1.7	1.1	1.3	3.6
	Humedad relativa	93	81	80	76	80	86	85	64	81
	Fuerza elástica...	11.41	13.65	11.72	10.15	9.39	8.80	10.77	9.61	11.06
Vientos.....	OSO ₁	C.	C.	C.	C.	SE ₁	ESE ₁	ESE ₁	
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.	

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros		
										2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700.4	700.4	700.4	700.4	21.0	17.5	19.0	19.17	13.5	3.5	2.0	2.0
2	51.77	55.43	55.70	55.32	23.5	17.0	19.5	20.00	13.0	3.8	1.7	2.5
3	55.61	55.55	56.01	55.73	18.5	16.0	18.4	17.63	12.9	0.5	2.0	2.7
4	55.66	55.49	56.55	55.88	21.0	16.0	18.5	18.50	13.0	3.1	1.5	2.1
5	56.06	56.79	57.69	56.85	23.8	18.2	17.5	19.83	13.5	4.0	2.0	0.5
6	57.49	56.91	56.15	56.84	20.0	17.0	17.9	18.30	13.0	3.0	2.0	2.0
7	55.37	55.18	55.55	55.33	24.9	18.5	18.6	20.67	14.0	3.5	1.5	2.4
8	54.87	55.77	56.06	55.57	25.0	18.0	23.0	22.00	13.0	4.5	1.5	3.5
9	55.68	55.62	56.67	55.99	23.5	17.9	19.0	20.13	12.5	0.5	1.0	2.0
10	56.31	56.67	59.17	57.38	20.5	18.3	18.0	18.93	12.8	3.0	2.0	3.5
11	57.92	57.79	57.12	57.61	20.0	18.0	22.0	20.00	15.0	1.8	1.5	3.5
12	56.69	56.73	55.44	56.29	27.0	18.0	19.5	21.50	15.0	2.0	1.5	2.0
13	55.12	55.61	55.30	55.34	22.5	18.9	21.0	20.80	15.0	3.1	1.2	2.5
14	54.64	54.62	55.30	54.85	23.0	19.0	20.5	20.83	14.0	3.5	2.0	2.6
15	54.70	54.68	55.76	55.05	22.5	18.5	19.9	20.30	14.9	3.5	2.0	1.5
16	55.31	55.56	56.80	55.89	25.0	19.0	20.2	21.40	14.0	3.0	1.4	2.2
17	54.82	56.67	57.30	56.26	21.0	18.2	21.0	20.07	15.0	2.0	2.0	2.5
18	57.42	56.79	57.25	57.15	20.5	17.5	20.9	19.63	14.0	1.0	1.0	3.0
19	56.92	56.85	58.61	57.49	20.9	17.0	19.5	19.13	14.0	2.5	1.5	1.9
20	58.42	58.35	58.79	58.52	20.5	17.0	17.5	18.33	13.5	2.5	1.5	2.0
21	57.55	57.41	57.56	57.51	20.0	16.5	18.5	18.33	12.9	0.5	2.0	1.0
22	56.37	55.88	55.79	56.01	20.5	16.9	17.5	18.30	12.8	2.5	1.5	1.5
23	55.99	56.41	57.86	56.75	19.0	16.5	18.5	18.00	12.5	2.5	0.5	2.0
24	57.55	57.04	58.55	57.71	18.5	16.0	19.8	18.10	12.5	2.0	0.5	4.0
25	57.61	57.54	57.11	57.42	20.0	15.8	19.0	18.27	11.0	2.5	1.0	2.5
26	56.92	56.85	56.44	56.74	20.5	17.0	19.5	19.00	12.0	2.5	1.7	2.0
27	55.99	56.38	56.92	56.43	20.0	16.1	18.5	18.27	12.5	3.0	1.5	2.5
28	56.83	56.79	56.99	56.88	22.0	17.5	19.0	19.50	13.0	3.0	2.0	2.5
29	55.86	55.69	56.68	56.08	21.5	18.0	21.5	20.33	13.9	1.5	1.5	3.0
30	56.21	56.11	56.30	56.22	22.5	18.9	20.5	20.63	14.0	3.0	1.9	3.5
31	55.30	55.49	56.86	55.88	21.5	19.5	20.0	20.33	14.0	1.0	3.0

1	56.12	56.55	56.74	56.47	23.0	19.5	20.5	21.00	13.0	2.5	1.0	3.5
2	56.24	57.61	57.67	57.17	22.0	18.5	17.5	19.33	12.0	2.5	1.0	1.5
3	57.24	57.85	59.39	58.16	21.5	17.0	18.5	19.00	12.0	3.0	1.3	2.0
4	59.05	57.91	57.61	58.19	18.5	17.0	18.0	17.83	13.5	2.0	0.0	1.9
5	56.62	56.49	57.29	56.86	21.0	17.2	17.0	18.40	13.5	3.5	1.5	1.0
6	57.55	57.41	57.82	57.59	18.0	17.0	19.5	18.17	13.5	2.5	0.5	3.3
7	57.36	57.83	58.55	57.91	18.5	16.5	18.5	17.83	11.0	2.1	2.0	0.5
8	57.86	57.91	58.69	58.15	20.0	16.5	17.0	17.83	13.0	0.5	0.5	1.9
9	57.92	58.11	58.67	58.23	18.5	17.5	18.0	18.00	12.5	2.0	1.5	2.0
10	57.92	57.91	57.61	57.81	19.0	17.0	18.0	18.00	13.0	2.5	0.5	2.0
11	58.11	57.35	57.67	57.71	18.5	17.1	18.0	17.87	13.0	1.5	1.4	1.5
12	57.30	56.91	56.87	57.03	19.0	17.0	18.0	18.00	13.5	2.5	1.0	1.5
13	56.69	56.35	57.67	56.90	18.5	17.5	18.5	18.17	12.5	2.0	1.0	1.5
14	56.30	56.29	56.75	56.45	19.0	17.5	20.9	19.13	12.0	2.0	0.5	3.0
15	56.34	56.23	56.99	56.51	21.0	18.0	21.5	20.17	15.0	3.2	1.0	3.5
16	55.99	56.23	56.74	56.32	21.0	18.0	19.0	19.33	15.0	2.5	1.5	2.0
17	56.86	57.18	57.55	57.19	20.0	18.0	18.5	18.53	11.5	2.3	1.2	2.0
18	57.18	57.98	58.38	57.85	20.0	16.5	19.5	17.67	12.5	2.0	1.5	1.6
19	58.30	58.48	58.41	58.40	17.8	16.5	16.5	16.93	12.0	2.5	1.0	1.5
20	57.74	57.48	57.80	57.67	22.0	16.5	17.0	18.50	13.0	3.5	1.0	1.5
21	56.37	56.78	56.67	56.61	22.0	16.0	17.0	18.33	12.7	0.5	1.0
22	56.24	57.71	56.67	56.88	18.5	16.5	17.5	17.50	12.0	2.5	1.5	1.0
23	56.92	56.60	57.81	57.12	17.5	15.5	16.5	16.50	12.0	1.0	1.0	1.0
24	57.55	58.04	57.67	57.75	17.0	15.5	16.6	16.37	12.0	1.5	0.5	2.1
25	56.49	56.91	56.79	56.74	18.0	15.5	16.5	16.67	12.0	1.8	1.0	2.0
26	55.61	56.04	56.29	55.98	17.0	15.5	17.0	16.50	12.4	1.5	0.5	2.0
27	55.90	56.10	57.41	56.48	18.2	15.2	17.0	16.80	2.5	1.5	2.0
28	56.12	57.16	56.74	56.77	18.0	15.0	16.0	16.33	11.5	2.0	1.0	1.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
69	80	81	77	12.28	11.88	13.56	12.57	O ₁	O ₂	O ₃	D.	N _p .	N.
67	82	76	75	13.23	11.67	12.46	12.45	N ₁	N ₂	N ₃	D.	N _p .	N.
95	79	73	82	15.11	10.69	10.91	12.24	SO ₂	O ₂	O ₃	N _p .	N _p .	N.
71	84	79	85	12.01	11.79	12.41	12.07	O ₁	O ₂	O ₃	D.	N _p .	N.
65	80	95	80	12.52	12.32	14.12	12.99	O ₁	SO ₁	SO ₂	D.	N _p .	N.
72	80	80	77	12.16	11.48	12.32	11.99	SO ₂	N ₁	N ₂	D.	N _p .	N.
70	85	77	77	14.20	13.51	12.25	13.32	O ₁	N ₁	N ₂	N _p .	N.	N.
63	85	70	73	13.59	13.07	14.20	13.62	O ₁	SO ₁	NO ₁	D.	N _p .	N.
96	90	81	89	19.35	14.26	13.65	15.73	SO ₁	O ₁	C.	D.	N _p .	N.
72	80	70	74	13.01	12.77	13.72	13.18	O ₁	O ₂	O ₃	D.	N _p .	N.
83	85	70	79	14.04	13.07	14.70	13.94	SO ₂	O ₁	O ₂	D.	N _p .	N.
82	85	81	83	15.67	13.07	13.65	14.13	C.	C.	C.	D.	N _p .	N.
73	88	77	79	14.26	14.62	14.33	14.40	O ₁	O ₂	O ₃	D.	N _p .	N.
70	81	76	76	14.20	13.20	13.77	13.72	SO ₁	O ₁	O ₂	D.	N _p .	N.
70	81	86	79	13.22	13.20	14.94	13.79	SO ₂	O ₁	O ₂	D.	N _p .	N.
74	87	80	80	15.77	14.50	14.01	14.76	O ₁	O ₁	C.	D.	N _p .	N.
81	80	78	80	14.63	12.77	14.81	14.07	O ₁	SO ₁	O ₂	D.	N _p .	N.
90	90	73	81	14.75	13.81	13.52	14.03	SO ₂	O ₁	O ₂	D.	N _p .	N.
77	85	81	81	13.34	12.62	12.92	12.96	O ₁	O ₁	SO ₁	D.	N _p .	N.
77	84	80	80	12.89	12.19	11.88	12.53	O ₁	O ₁	O ₂	D.	N _p .	N.
95	80	90	88	15.55	11.48	14.26	13.76	SO ₁	O ₁	O ₂	D.	N _p .	N.
77	84	85	82	12.89	12.19	12.62	12.57	O ₁	O ₁	O ₂	D.	N _p .	N.
76	95	80	84	12.46	12.40	12.68	12.51	SO ₁	O ₁	O ₂	D.	N _p .	N.
80	95	63	79	12.77	13.23	10.26	12.09	O ₁	O ₁	O ₂	D.	N _p .	N.
76	89	76	80	12.01	12.09	12.01	12.04	O ₁	O ₁	O ₂	D.	N _p .	N.
77	82	81	80	12.89	12.07	13.65	12.87	O ₁	O ₁	O ₂	D.	N _p .	N.
72	84	76	77	12.16	11.79	12.46	12.14	O ₁	O ₁	O ₂	D.	N _p .	N.
72	80	77	76	12.59	11.88	12.89	12.45	SO ₁	O ₁	NE	D.	N _p .	N.
86	85	73	81	14.94	12.62	13.52	13.69	SO ₁	O ₁	O ₂	D.	N _p .	N.
73	82	68	74	13.52	13.71	12.28	13.17	O ₁	O ₁	O ₂	D.	N _p .	N.
91	..	72	..	16.23	..	13.04	..	O ₁	O ₁	O ₂	D.	N _p .	N.

DE 1873.

78	90	69	79	15.31	15.25	12.73	14.43	O ₁	O ₁	O ₂	D.	N _p .	N.
77	90	85	84	14.33	14.26	13.07	13.30	O ₁	O ₁	O ₂	D.	N _p .	N.
72	87	81	80	13.04	12.74	13.20	12.93	O ₁	O ₁	O ₂	D.	N _p .	N.
80	100	81	81	12.32	14.42	12.83	13.15	O ₁	O ₁	O ₂	D.	N _p .	N.
68	85	90	87	12.28	12.62	13.33	12.73	O ₁	O ₁	O ₂	D.	N _p .	N.
76	95	69	80	12.01	13.68	11.70	12.15	SO ₁	O ₁	O ₂	D.	N _p .	N.
79	80	95	85	12.62	11.48	15.55	13.12	SO ₂	O ₁	O ₂	D.	N _p .	N.
95	85	81	90	16.04	13.68	11.96	13.23	SO ₂	O ₁	O ₂	D.	N _p .	N.
80	85	80	82	12.77	12.62	12.32	12.37	O ₁	O ₁	O ₂	D.	N _p .	N.
76	95	89	84	12.46	14.12	12.68	13.03	O ₁	O ₁	O ₂	D.	N _p .	N.
85	80	85	85	13.51	12.68	13.51	13.23	O ₁	O ₁	O ₂	D.	N _p .	N.
76	90	85	84	12.46	12.33	13.07	12.83	O ₁	O ₁	O ₂	D.	N _p .	N.
80	90	83	83	12.77	13.32	13.51	13.25	O ₁	O ₁	O ₂	D.	N _p .	N.
81	95	72	83	13.20	14.57	13.04	13.60	O ₁	O ₁	O ₂	D.	N _p .	N.
71	90	90	77	13.01	13.81	13.22	13.33	O ₁	O ₁	O ₂	D.	N _p .	N.
77	85	85	81	13.83	13.07	13.20	13.37	O ₁	O ₁	O ₂	D.	N _p .	N.
78	88	80	82	13.47	13.87	12.77	13.35	O ₁	O ₁	O ₂	D.	N _p .	N.
80	84	83	82	13.59	11.79	11.38	12.32	O ₁	O ₁	O ₂	D.	N _p .	N.
75	89	84	83	11.58	12.09	11.79	11.82	NO ₁	O ₁	O ₂	D.	N _p .	N.
68	80	84	77	12.73	12.49	12.12	12.47	O ₁	O ₁	O ₂	D.	N _p .	N.
..	95	90	12.10	12.81	..	O ₁	O ₁	O ₂	D.	N _p .	N.
76	84	90	83	12.01	11.79	13.38	12.33	O ₁	O ₁	O ₂	D.	N _p .	N.
90	85	90	80	13.38	11.70	12.33	12.67	O ₁	O ₁	O ₂	D.	N _p .	N.
84	95	70	86	11.79	12.40	11.82	12.44	O ₁	O ₁	O ₂	D.	N _p .	N.
81	89	80	83	11.76	11.70	11.38	11.67	O ₁	O ₁	O ₂	D.	N _p .	N.
85	85	79	88	12.62	12.46	11.82	12.30	O ₁	O ₁	O ₂	D.	N _p .	N.
75	81	78	79	11.38	11.60	11.60	11.60	O ₁	O ₁	O ₂	D.	N _p .	N.
89	89	84	84	11.38	11.30	11.30	11.30	O ₁	O ₁	O ₂	D.	N _p .	N.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Nínim.	Dif. de los termómetros.		
										2½ h.	9 h.	21 h
	mm. 700+	mm. 700+	mm. 000+	mm. 700+	°	°	°	°	°	°	°	°
1	55.55	55.75	56.55	55.88	17.0	14.5	17.0	16.17	11.5	1.0	1.0	1.0
2	55.67	56.16	57.65	56.49	16.5	14.5	16.0	15.67	11.5	2.0	1.5	1.5
3	57.05	57.14	57.91	57.37	18.0	15.0	16.5	16.50	10.5	2.0	1.5	2.0
4	57.85	58.04	58.11	58.00	16.5	16.0	16.5	16.33	11.5	2.0	1.5	2.0
5	57.47	57.56	58.91	57.98	17.5	15.5	16.5	16.50	10.0	2.3	1.5	1.5
6	58.29	58.54	58.81	58.55	17.0	16.0	18.0	17.00	11.0	1.5	1.0	2.7
7	58.21	58.43	58.73	58.46	17.0	16.4	17.5	16.97	12.5	2.0	1.4	2.0
8	57.67	57.91	58.29	57.96	18.0	16.5	17.5	17.33	13.0	2.5	1.0	1.5
9	57.18	56.41	56.64	56.74	21.0	17.0	15.5	17.83	12.5	3.0	1.5	1.5
10	56.67	56.48	57.48	56.88	18.0	16.0	16.0	16.67	12.0	2.0	1.5	1.0
11	57.95	56.94	57.91	57.30	18.5	16.5	16.5	17.17	13.0	1.8	1.0	1.0
12	57.79	57.04	57.80	57.54	17.0	15.5	16.5	16.33	10.5	1.5	1.0	1.1
13	57.67	57.04	57.05	57.25	18.0	15.5	18.5	17.33	12.5	2.0	1.0	2.0
14	56.80	57.79	57.94	57.51	21.0	17.0	17.9	18.63	13.5	2.5	1.0	1.5
15	58.05	58.41	58.69	58.38	18.9	16.6	17.0	17.50	12.0	1.5	1.3	1.5
16	57.67	57.54	57.85	57.69	18.0	15.5	16.5	16.67	11.8	1.5	0.5	1.5
17	57.24	57.91	58.41	57.85	21.5	16.9	16.5	18.30	13.0	2.0	1.0	0.5
18	58.23	58.51	58.81	58.52	18.0	16.0	16.0	16.67	11.4	1.5	1.2	0.9
19	58.29	58.10	58.38	58.26	17.0	15.0	16.0	16.00	12.0	2.0	1.0	0.9
20	58.05	58.04	58.54	58.21	18.5	16.0	15.5	16.67	11.4	2.2	1.5	1.2
21	58.53	58.54	59.48	58.85	22.0	15.8	16.0	17.93	11.5	3.0	1.3	1.0
22	59.11	59.66	59.57	59.45	18.5	15.0	17.0	16.83	10.8	2.5	1.5	2.3
23	59.53	59.04	58.79	59.12	17.4	15.9	17.0	16.77	12.0	2.5	1.8	2.5
24	57.69	57.50	58.55	57.91	16.4	15.3	15.0	15.57	11.2	2.5	1.0	1.5
25	56.82	57.07	59.33	57.74	17.9	14.5	16.2	16.20	11.0	2.3	1.1	1.6
26	58.99	59.45	59.71	59.38	18.9	15.5	15.2	16.37	10.0	3.0	2.0	2.0
27	59.23	59.10	59.35	59.23	17.5	15.0	16.6	16.53	11.0	3.0	1.0	2.5
28	58.73	58.30	58.49	58.51	17.5	14.9	16.5	16.30	11.5	2.0	1.0	1.5
29	57.79	58.06	58.94	58.26	17.4	15.4	16.0	16.27	11.0	2.0	1.5	1.7
30	58.44	58.07	57.93	58.15	16.6	15.5	16.2	16.16	11.0	2.0	1.5	1.6
31	57.91	58.16	59.19	58.42	16.5	15.0	15.8	15.77	11.5	2.0	1.5	1.2

1	59.45	59.67	58.99	59.37	16.5	14.8	16.2	15.83	10.8	1.3	1.2	2.4
2	57.80	58.44	57.83	58.02	17.6	14.9	16.2	16.03	10.8	1.8	1.0	1.6
3	56.94	57.66	57.96	57.52	19.5	11.5	16.0	16.67	11.5	2.5	0.8	1.5
4	57.30	58.16	57.91	57.79	20.8	15.0	16.5	17.43	11.6	3.3	1.5	0.1
5	56.91	57.04	57.85	57.28	19.6	15.5	16.5	17.20	13.5	3.2	1.5	2.5
6	57.44	58.00	58.23	57.89	21.5	16.0	17.5	18.33	12.0	2.1	1.0	3.0
7	58.67	59.00	58.74	58.80	18.0	15.0	17.5	16.83	10.5	2.5	2.5	2.0
8	56.61	58.04	57.91	57.52	18.4	16.0	16.5	16.97	12.0	2.7	2.6	1.5
9	57.98	58.10	59.14	58.41	16.0	15.0	15.5	15.50	11.8	1.5	1.0	1.3
10	58.56	58.04	57.64	58.68	18.9	15.5	15.3	16.57	12.0	2.1	0.5	1.5
11	56.55	56.48	56.98	56.67	19.3	16.0	16.2	17.17	12.8	2.5	1.0	1.4
12	56.85	56.78	57.93	57.19	16.5	16.0	16.5	16.27	12.5	1.9	0.9	1.7
13	57.79	56.96	58.44	57.73	16.5	14.8	15.8	15.70	9.4	1.9	0.8	1.0
14	56.87	57.98	59.39	58.08	16.8	14.5	16.5	15.93	10.4	2.0	1.0	2.1
15	58.85	59.12	58.88	58.95	16.6	14.0	15.7	15.43	10.4	2.0	0.9	1.7
16	57.71	57.60	59.10	58.14	16.3	15.2	15.0	15.50	10.4	1.7	1.0	1.0
17	58.94	58.61	59.48	59.01	16.0	15.0	16.0	15.67	11.5	2.0	1.5	1.5
18	58.95	59.53	58.97	59.14	15.9	12.5	13.8	14.07	11.5	1.7	1.0	1.9
19	57.16	58.27	59.66	58.36	14.4	12.5	15.0	13.97	7.0	2.0	0.5	1.5
20	59.05	59.84	59.81	59.57	19.0	15.5	15.5	16.67	11.5	3.0	2.0	2.5
21	59.05	59.43	59.10	59.19	15.0	12.5	14.5	14.00	11.8	2.0	1.0	1.5
22	57.57	57.96	57.16	57.56	18.4	14.5	14.6	15.83	11.0	2.5	1.0	1.4
23	57.42	58.21	59.84	58.49	14.5	14.5	15.8	14.93	11.0	0.0	0.3	1.5
24	59.80	59.96	58.44	59.40	17.0	15.0	15.9	15.97	8.4	1.2	1.5	2.2
25	58.11	58.66	59.98	58.92	16.5	14.9	15.9	15.77	11.0	2.0	1.0	1.5
26	58.98	59.30	59.29	59.19	15.5	15.8	15.2	15.33	11.5	1.7	1.0	1.3
27	58.17	59.66	58.89	58.89	18.0	15.0	15.0	16.00	11.4	2.5	1.0	1.0
28	58.23	58.01	57.88	58.05	17.5	15.5	15.7	16.23	11.9	2.5	1.6	1.7
29	57.61	57.84	58.29	57.91	18.6	15.6	15.2	16.47	11.8	2.0	2.0	1.2
30	58.04	58.10	58.10	58.10	15.5	15.0	15.0	15.17	11.5	1.5	1.5	1.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 1/2 h.	9 h.	21 h.	2 1/2 h.	9 h.	21 h.
2 1/2 h.	9 h.	21 h.	Medio	2 1/2 h.	9 h.	21 h.	Medio						
89	89	90	89	12.49	10.91	12.93	12.44	SO ₂	SO ₂	C.	D.	D.	N.
89	83	81	82	11.09	10.65	11.40	11.05	SO ₁	SO ₂	—	—	—	—
80	83	79	81	11.48	10.65	11.09	11.07	—	—	—	—	—	—
79	84	79	81	11.09	11.40	11.09	11.19	—	—	—	—	Np.	—
77	84	84	82	11.40	14.00	11.79	11.40	O ₂	SO ₂	—	—	D.	—
84	89	73	82	12.19	12.09	11.30	11.26	SO ₁	SO ₂	—	—	Np.	Np.
80	85	80	82	12.32	11.85	11.88	12.02	—	—	—	—	Np.	Np.
75	89	85	83	11.58	12.49	13.07	12.38	SO ₂	SO ₂	—	—	N.	—
72	84	84	80	13.04	12.19	11.00	12.93	—	—	—	—	N.	—
80	84	89	84	11.88	11.79	12.09	11.92	—	—	—	—	—	—
82	89	89	87	12.80	12.09	12.49	12.46	—	—	—	—	—	—
84	89	88	87	12.19	11.70	12.35	12.08	SO ₁	SO ₂	—	Np.	D.	Np.
80	89	80	83	11.88	12.09	12.32	12.10	SO ₂	SO ₂	—	D.	N.	Np.
77	90	85	84	13.40	13.38	12.62	13.14	SO ₂	SO ₂	—	—	N.	Np.
85	86	84	85	13.51	12.31	12.19	12.67	SO ₁	SO ₂	—	—	D.	Np.
85	95	84	88	13.07	12.81	12.19	12.69	SO ₂	SO ₂	—	—	N.	N.
81	90	95	89	14.61	12.93	13.23	13.60	O ₂	SO ₂	—	—	N.	N.
85	87	90	87	13.07	11.58	12.55	12.40	O ₁	SO ₂	—	—	—	—
80	89	90	86	11.48	11.70	12.55	11.91	SO ₂	SO ₂	—	—	—	—
78	84	87	83	12.46	11.40	11.42	11.70	SO ₂	SO ₂	—	—	—	—
93	86	89	83	13.52	11.52	12.09	12.38	NO ₁	SO ₂	—	—	—	—
76	85	76	79	12.01	10.77	10.91	11.23	NE ₁	SO ₂	—	Np.	D.	Np.
74	81	75	77	10.79	10.81	11.18	10.93	NO ₁	SO ₂	—	—	N.	Np.
74	89	83	82	10.79	11.79	10.71	11.07	SO ₂	SO ₂	—	—	—	—
76	88	83	82	10.83	10.78	10.94	10.85	—	—	—	D.	Np.	Np.
71	78	78	76	11.27	9.95	10.35	10.52	O ₁	SO ₂	—	Np.	D.	D.
71	89	75	78	10.63	11.30	11.58	11.17	O ₂	SO ₂	—	—	—	—
80	89	84	84	11.48	11.39	11.79	11.52	SO ₂	SO ₂	—	—	—	—
77	84	82	81	11.30	11.00	11.12	11.14	—	—	—	—	N.	—
79	84	85	85	11.17	11.00	11.58	11.25	—	SO ₂	—	—	—	—
79	85	87	84	11.09	10.65	11.50	11.08	SO ₁	SO ₂	—	Np.	—	—

DE 1873.

80	86	75	80	11.23	10.83	10.45	10.86	O ₁	C.	C.	Np.	Np.	Np.
81	89	83	84	11.76	11.30	11.26	11.44	SO ₂	N.	N.	—	—	—
76	91	84	84	12.04	11.42	11.40	11.61	SO ₂	—	—	—	—	—
69	83	99	84	11.97	10.65	12.31	11.64	N ₁	—	—	—	Np.	Np.
69	84	74	76	11.39	11.40	10.39	11.00	O ₁	N ₂	N ₂	—	—	—
80	89	70	80	14.47	12.49	10.48	12.45	C.	C.	D.	D.	N.	N.
75	74	80	76	11.58	10.39	11.88	11.28	O ₁	—	Np.	Np.	Np.	Np.
73	79	84	79	11.45	11.09	11.79	11.45	SO ₂	—	D.	—	—	—
84	80	86	85	11.10	11.39	11.28	11.35	SO ₁	N.	N.	—	—	—
79	95	86	85	12.62	12.40	11.12	12.05	—	—	—	—	—	—
76	89	85	83	12.46	12.49	11.51	12.16	NE ₁	—	—	—	—	—
80	90	82	84	11.15	12.55	11.26	11.65	O ₂	—	Np.	—	—	—
80	91	89	87	11.15	11.42	11.70	11.42	SO ₂	—	D.	—	—	—
79	89	78	82	11.33	10.98	10.97	11.09	SO ₁	C.	—	—	—	—
79	90	82	84	11.09	10.97	11.04	11.03	SO ₂	—	—	—	—	—
84	89	89	87	11.28	11.79	11.39	11.43	—	—	—	—	—	—
78	83	84	82	10.51	10.65	11.40	10.85	—	C.	—	—	—	—
82	87	79	83	10.88	9.51	9.66	10.03	—	—	—	Np.	—	—
78	84	83	85	9.60	10.15	10.65	10.13	—	—	—	—	—	—
71	78	73	74	11.27	10.35	9.29	10.30	—	C.	—	Np.	—	—
78	88	85	83	9.35	9.85	10.65	10.15	SO ₂	—	Np.	Np.	Np.	Np.
77	89	84	83	11.76	10.91	10.63	11.10	O ₁	N.	N.	—	—	—
100	97	84	94	12.31	11.89	11.09	11.73	N ₂	—	Np.	—	—	—
87	83	77	82	12.61	10.65	10.97	11.41	O ₂	—	Np.	—	—	—
79	89	84	84	11.09	11.30	11.40	11.26	SO ₂	—	—	—	—	—
82	89	86	86	10.8	11.70	11.12	11.23	—	—	—	—	—	—
75	89	89	84	11.18	11.30	11.30	11.26	—	C.	—	Np.	—	—
74	83	82	80	10.79	11.26	10.88	11.31	—	—	—	—	—	—
80	79	83	82	11.64	10.69	11.07	11.13	—	C.	—	—	—	—
84	89	83	83	11.00	10.55	10.65	10.77	SO ₂	—	N.	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros.		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	57.70	58.10	58.09	57.96	17.0	15.0	15.2	15.73	11.4	2.1	0.5	1.1
2	58.39	58.06	58.30	58.25	16.6	15.5	14.9	15.67	11.5	2.0	1.5	1.8
3	57.99	58.11	58.57	58.22	15.5	15.0	11.5	15.00	11.0	2.0	1.9	1.0
4	58.01	58.10	58.07	58.06	15.3	15.2	15.3	15.30	11.5	1.8	1.4	1.7
5	57.14	57.16	58.48	57.59	15.9	15.0	16.0	15.63	12.0	2.1	1.5	1.0
6	58.27	58.66	59.06	58.66	17.0	15.5	15.2	15.90	11.8	2.5	1.8	2.0
7	57.48	57.67	58.06	57.74	15.5	11.5	15.2	15.07	11.4	1.5	1.3	2.0
8	57.56	58.04	58.99	58.20	18.9	15.8	15.8	16.83	12.0	2.9	1.5	1.5
9	58.44	58.39	59.00	58.61	15.9	12.9	14.9	14.57	8.0	2.6	1.0	2.0
10	58.14	58.20	60.09	58.80	18.2	15.2	11.9	16.10	11.0	2.0	1.7	1.0
11	59.81	60.22	61.07	60.28	18.0	14.0	11.5	15.50	9.0	2.5	1.5	1.6
12	59.94	60.20	60.64	60.26	16.0	14.5	14.6	15.03	10.8	2.5	1.1	1.7
13	60.44	60.16	60.67	60.42	16.0	14.8	14.5	15.10	10.5	1.5	1.0	1.0
14	60.10	59.91	58.89	59.60	16.3	13.5	14.8	14.87	8.5	2.4	1.6	1.2
15	58.54	58.16	59.00	58.57	15.5	14.5	14.9	14.97	8.5	2.0	1.0	1.5
16	59.00	59.21	59.67	59.29	17.0	15.0	14.5	15.50	11.0	1.6	1.6	0.9
17	59.54	59.50	59.43	59.49	15.5	14.5	13.4	14.47	9.8	1.7	1.0	1.4
18	58.54	59.28	59.66	59.16	15.5	11.6	14.5	14.67	9.9	1.0	1.5	2.0
19	59.24	60.07	60.23	59.85	17.5	14.5	13.5	15.17	10.4	2.0	1.0	1.2
20	59.91	59.67	59.48	59.69	16.0	14.9	14.4	15.10	10.3	2.0	0.4	1.5
21	58.17	58.17	59.09	58.48	18.0	14.5	15.0	15.83	11.0	3.0	1.7	2.5
22	58.49	58.54	58.79	58.61	15.5	13.4	13.4	14.10	9.5	2.0	0.9	1.1
23	58.48	58.52	58.39	58.46	15.9	14.0	11.5	13.80	7.0	2.0	1.3	0.6
24	56.98	58.22	58.15	57.78	16.0	14.2	13.5	14.57	8.5	1.5	1.0	1.0
25	57.73	58.22	58.34	58.10	17.5	14.0	13.0	14.83	8.0	2.1	0.5	1.6
26	57.91	57.69	58.83	58.14	17.0	14.5	13.0	14.83	9.5	1.5	0.5	1.6
27	59.30	59.78	59.51	59.53	17.0	13.5	13.0	14.50	8.5	0.7	1.0	0.9
28	58.94	59.22	58.72	58.96	15.9	14.0	14.0	14.63	9.5	2.3	1.0	1.0
29	58.48	58.29	58.86	58.54	15.9	13.5	12.9	14.10	9.0	1.1	0.6	...
30	58.28	57.94	58.45	58.02	13.8	12.5	12.2	12.83	8.0	1.3	0.6	1.7
31	58.41	58.04	58.67	58.37	13.0	11.8	12.9	12.57	8.5	1.0	0.5	1.0

JUNIO

1	58.64	58.41	59.44	58.83	14.6	13.0	11.5	13.03	8.5	1.9	1.2	1.0
2	58.69	58.66	58.29	58.55	13.0	10.9	10.9	11.60	6.5	1.7	0.5	0.7
3	57.99	58.82	59.82	58.71	13.0	12.5	12.6	12.70	8.0	1.5	1.5	1.4
4	59.72	60.29	59.84	59.95	13.5	11.4	12.9	12.60	5.0	2.0	1.3	1.2
5	59.70	59.43	59.78	59.64	14.2	12.5	11.5	12.73	7.0	1.1	0.4	1.0
6	59.78	59.94	60.14	59.95	13.5	13.0	13.0	13.17	8.4	1.5	0.5	1.2
7	60.17	60.44	61.44	60.68	14.0	12.5	12.0	12.85	5.5	1.0	0.4	2.8
8	61.78	62.12	61.77	61.89	13.5	10.9	9.8	11.40	4.5	2.1	1.0	1.2
9	59.79	58.99	59.03	59.27	13.5	14.5	11.6	13.20	5.0	2.0	0.6	1.4
10	59.16	59.92	61.39	60.16	14.5	12.5	13.0	13.33	5.0	2.0	1.9	3.1
11	61.80	61.70	61.48	61.66	13.2	10.5	11.0	11.57	5.8	1.8	1.0	0.5
12	60.28	59.43	59.91	59.87	13.5	12.8	12.8	13.03	7.5	1.0	1.3	1.4
13	59.25	59.36	59.72	59.44	15.3	13.2	13.3	13.93	8.6	1.4	1.7	2.4
14	59.24	59.41	60.00	59.56	12.9	10.2	10.2	11.10	6.0	2.0	0.5	0.9
15	59.81	60.39	58.50	59.58	12.6	9.5	11.8	11.30	5.0	1.6	0.5	2.4
16	58.73	59.59	60.97	59.76	13.5	11.5	12.2	12.40	7.0	1.0	1.0	1.5
17	60.84	60.65	58.59	60.03	12.8	10.9	10.3	11.23	4.0	1.5	1.0	1.2
18	56.66	56.25	60.69	57.87	13.4	12.4	13.5	13.10	7.5	1.0	0.6	0.3
19	59.89	60.23	60.31	60.14	15.5	13.8	12.8	14.03	7.3	1.1	0.8	1.1
20	60.66	61.04	60.47	60.72	14.0	11.8	11.6	12.47	6.0	1.0	0.6	0.9
21	59.23	59.35	58.68	59.09	13.5	12.5	11.9	12.63	8.0	0.6	0.5	0.7
22	57.99	57.98	58.42	58.13	14.9	12.0	12.5	13.13	8.0	1.1	0.5	0.9
23	58.19	58.81	61.10	59.57	15.6	13.3	13.8	14.23	8.5	1.5	0.6	1.7
24	60.51	59.74	59.79	60.01	15.5	11.9	12.8	13.40	6.6	2.3	1.2	0.6
25	60.17	60.62	61.01	60.60	14.0	12.6	13.5	13.37	8.5	1.1	0.5	0.7
26	60.04	60.28	60.44	60.25	14.5	12.9	11.5	12.97	8.5	1.5	0.9	0.6
27	59.32	59.42	59.47	59.40	12.8	12.6	12.4	12.60	8.6	0.6	1.0	3.1
28	59.28	59.84	59.91	59.68	13.0	12.9	13.3	13.07	8.2	0.6	1.4	1.5
29	60.93	61.54	60.87	61.11	14.2	12.0	11.8	12.67	5.5	1.8	1.0	1.0
30	59.13	59.29	59.22	59.21	14.5	13.4	13.8	13.90	9.2	1.6	1.1	1.0

DE 1873.

PSICRÓMETRO.				VIENTOS.				ESTADO ATMOSFÉR.					
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
78	94	88	87	10.97	12.00	11.48	11.48	O	C.	N.	N.	N.	N.
79	81	81	81	11.01	11.00	11.60	11.20	—	S.	O.	—	—	—
78	79	89	82	10.35	10.41	10.91	10.56	SO ₂	S.	C.	Np.	—	—
80	84	81	82	10.47	10.79	10.77	10.68	—	C.	C.	—	—	—
77	83	89	85	10.35	10.65	12.09	11.03	—	—	—	—	—	—
74	81	78	78	10.79	10.81	10.11	10.57	O	S	O	—	—	—
84	85	78	82	11.00	10.77	10.35	10.71	SO ₂	C.	N.	—	—	—
72	84	84	80	11.33	11.40	11.10	11.38	N	C	C	—	—	—
79	88	78	85	10.69	10.20	9.95	10.28	SO ₂	C.	N.	D.	D.	—
80	81	89	83	11.88	10.53	11.30	11.24	N	C	C	N.	N.	—
75	83	82	80	11.18	10.18	10.12	10.19	NO	S	—	—	D.	—
74	88	81	81	10.00	10.85	10.29	10.38	SO ₂	C.	—	—	N.	—
84	81	89	87	11.16	11.39	10.91	11.12	O	O	—	Np.	N.	—
75	81	86	81	10.85	9.38	10.99	10.41	—	S	—	N.	Np.	—
78	89	83	83	10.35	10.91	10.65	10.61	—	S	NE	N.	N.	—
83	82	89	85	11.66	10.51	10.47	10.85	C.	C.	E	Np.	N.	—
81	89	81	83	10.53	10.91	9.61	10.35	O.	C.	SO	N.	D.	—
89	83	78	83	11.30	9.90	9.69	10.27	SO	C.	N.	D.	—	—
80	89	86	85	11.48	10.91	10.01	10.80	C.	C.	C.	Np.	N.	—
79	85	83	86	10.69	12.05	10.25	11.00	O.	C.	—	N.	—	—
70	81	73	75	10.48	9.99	9.29	9.92	N	N	N	—	—	—
78	89	87	85	10.35	10.26	10.21	10.27	SO ₂	C.	N.	Np.	Np.	—
78	85	93	85	10.35	10.37	9.43	10.05	O	C.	SO	Np.	Np.	Np.
84	89	89	87	11.40	10.91	10.56	10.96	—	S	N	D.	D.	N.
74	84	82	85	11.33	11.60	9.49	10.81	—	C.	NE	N.	N.	—
84	89	81	85	11.79	10.91	9.45	10.72	N	NE	C.	N.	N.	—
92	89	89	90	12.67	10.56	10.26	11.10	—	C.	—	Np.	N.	—
75	89	89	84	9.90	10.70	10.56	10.39	NO	C.	N.	—	—	—
88	93	11.64	10.80	S	—	E	N.	D.	—
85	93	79	86	10.02	10.69	8.44	9.49	SO	C.	—	—	—	—
88	94	88	90	9.85	9.84	9.85	9.85	O	C.	—	—	—	—

DE 1873.

79	86	86	81	9.73	9.73	8.91	9.46	O	C.	—	—	Np.	N.
80	91	92	89	9.11	9.16	9.72	9.33	SO	S	—	—	D.	—
82	82	83	82	9.24	9.17	9.30	9.24	SO	—	—	—	N.	—
77	84	86	82	9.00	8.62	9.07	8.90	SO	—	—	—	Np.	Np.
88	95	86	90	10.71	10.49	8.91	10.61	SO	—	—	—	N.	—
83	94	86	88	9.55	10.86	9.73	10.65	SO	C.	E	N.	D.	N.
89	95	67	74	10.56	10.56	7.25	9.46	SO	—	—	—	Np.	D.
76	86	84	82	8.80	8.80	7.85	8.48	SO	—	—	—	D.	—
77	92	83	74	8.87	8.45	8.68	8.67	—	—	—	—	D.	N.
78	78	65	74	9.25	8.64	7.71	8.53	SO	—	—	—	N.	N.
79	86	94	86	8.98	8.56	8.84	9.13	SO	NE	—	Np.	N.	N.
88	85	83	85	9.85	9.36	9.23	9.48	SO	—	—	Np.	D.	N.
84	80	73	79	10.71	9.18	8.34	9.41	—	—	—	—	D.	N.
77	94	88	86	8.58	8.86	8.35	8.59	SO	—	—	—	D.	N.
81	94	71	82	8.82	8.57	7.43	8.27	SO	—	—	—	Np.	N.
88	86	82	85	10.20	8.86	8.68	9.25	SO	—	—	—	Np.	N.
82	86	84	84	8.89	8.68	8.15	8.57	SO	—	—	—	D.	N.
88	93	97	93	10.20	10.09	11.12	10.17	—	—	—	—	N.	—
88	91	87	89	11.48	11.63	9.79	10.77	O	C.	—	Np.	N.	—
89	93	88	93	11.30	9.71	9.16	10.06	SO	—	—	—	N.	—
93	94	92	93	10.89	10.29	9.72	10.27	SO	C.	—	—	D.	—
88	94	89	90	10.78	10.15	8.71	10.32	O	—	—	—	N.	—
83	93	81	85	10.89	10.72	9.85	10.49	—	—	—	—	N.	—
75	86	93	85	9.93	9.07	10.51	9.81	SO	—	—	—	N.	—
87	94	92	91	10.42	10.43	10.74	10.53	—	—	—	—	N.	—
83	89	93	88	10.25	10.26	9.71	10.07	—	—	—	—	N.	—
93	88	66	82	10.37	9.85	8.29	9.17	SO	C.	—	—	N.	—
81	84	83	83	9.17	9.61	9.55	9.11	NE	—	—	—	N.	—
80	87	87	85	9.72	9.54	9.47	9.54	SO	—	—	—	N.	—
82	87	82	83	10.12	10.11	10.30	10.27	SO	—	—	—	N.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	58.27	58.86	59.58	58.90	14.4	13.2	13.0	13.53	9.0	2.4	1.5	1.6
2	59.21	60.79	61.80	60.60	14.0	13.5	13.0	13.50	7.5	2.0	2.0	2.4
3	61.80	62.23	61.21	61.75	13.9	11.7	10.2	11.93	4.6	2.0	1.0	1.5
4	59.57	59.85	59.65	59.68	14.2	10.6	12.0	12.27	4.4	1.9	0.4	1.8
5	59.09	59.97	60.91	60.49	14.9	12.7	12.6	13.40	8.4	2.1	1.4	1.5
6	60.61	60.95	61.68	61.07	14.5	12.6	13.0	13.37	9.4	2.4	0.5	1.7
7	61.62	61.50	62.00	61.71	13.4	12.5	12.6	12.83	9.0	2.0	1.2	1.8
8	60.98	61.07	60.08	60.71	13.4	10.5	11.0	11.63	4.5	2.5	1.0	1.8
9	58.98	58.97	59.55	59.15	12.6	11.4	12.5	12.17	9.5	1.5	1.2	0.6
10	58.11	58.11	59.69	58.61	13.0	12.5	13.8	13.40	9.4	1.6	0.8	0.6
11	59.48	59.61	60.16	59.76	15.0	12.9	12.8	13.57	9.0	1.4	0.6	0.4
12	60.59	60.92	62.28	61.24	14.7	12.7	12.8	13.40	7.5	1.2	1.0	2.2
13	60.80	61.09	61.34	61.08	13.5	11.4	13.2	12.70	7.0	2.5	1.1	1.9
14	61.34	62.04	62.59	61.99	16.4	12.4	11.5	13.48	7.0	3.1	1.1	0.9
15	62.27	63.09	58.53	61.50	13.5	10.5	14.5	12.83	4.5	2.1	1.2	4.6
16	57.01	57.14	58.42	57.52	14.5	11.5	13.5	13.71	8.6	2.2	1.7	1.0
17	59.44	59.36	58.80	59.29	14.2	11.2	10.0	11.80	7.4	2.0	0.7	0.5
18	59.54	57.22	59.33	58.70	12.0	12.4	12.6	12.33	7.0	1.0	1.0	2.0
19	59.67	59.61	60.63	59.97	11.4	13.1	13.6	13.70	9.5	2.0	1.8	2.3
20	60.76	61.15	61.26	61.04	15.2	11.2	12.4	12.93	4.5	3.0	1.5	1.4
21	59.95	60.16	62.62	60.91	13.5	11.9	13.2	12.87	7.4	1.5	1.3	2.2
22	62.36	62.11	59.41	61.29	13.5	11.5	10.5	11.83	5.4	1.9	0.5	0.5
23	59.01	58.14	59.42	58.86	15.6	11.8	13.5	13.43	5.3	2.0	0.5	1.4
24	58.90	59.60	59.63	59.38	15.6	12.5	12.4	13.33	8.0	2.1	0.9	0.9
25	59.49	59.61	59.41	59.50	12.3	12.0	9.5	11.47	5.0	1.4	1.0	0.1
26	59.52	59.22	59.32	59.35	14.5	11.0	10.1	12.03	5.0	1.5	0.7	0.5
27	59.04	58.63	58.32	58.70	14.8	11.8	16.5	14.37	5.0	2.0	0.5	1.1
28	59.28	59.28	59.34	59.50	13.2	12.4	12.6	12.73	5.0	1.4	1.0	1.5
29	58.05	57.76	59.42	58.41	14.4	11.9	13.2	13.17	8.0	2.3	1.3	2.0
30	59.55	60.16	61.19	60.50	15.5	12.0	12.5	13.47	7.5	2.5	1.0	1.2
31	60.71	60.12	59.84	60.22	15.0	11.4	11.5	11.97	6.5	0.5	0.3	0.4

1	58.55	58.72	59.07	58.77	12.9	12.0	12.9	12.60	7.0	0.6	0.4	0.7
2	58.05	58.66	62.22	59.6	14.9	12.5	13.3	13.57	8.5	1.4	1.0	2.3
3	61.50	61.94	61.95	61.8	16.4	12.5	11.2	13.37	6.0	3.7	1.6	1.0
4	61.71	61.50	63.27	62.1	13.8	11.5	13.4	12.90	6.0	2.8	0.9	2.0
5	61.89	63.16	63.11	62.7	13.4	12.5	12.9	12.93	8.5	0.8	1.3	1.5
6	62.71	62.49	61.43	62.1	13.9	11.4	11.5	12.27	5.5	1.6	0.6	1.3
7	60.13	60.56	61.09	60.6	13.3	10.9	11.8	12.60	5.5	1.7	0.8	0.9
8	60.45	60.21	59.29	59.3	13.6	11.5	10.0	11.50	4.5	0.8	0.5	0.5
9	58.98	59.11	60.31	59.47	14.0	12.2	11.5	12.57	6.8	1.5	1.0	1.6
10	59.84	59.21	58.37	59.11	13.5	11.5	10.5	11.83	5.5	2.4	0.7	1.6
11	58.28	58.31	59.11	58.67	13.1	12.0	12.0	12.37	7.5	1.5	0.9	0.8
12	58.04	58.86	58.94	58.61	13.0	10.0	9.9	10.97	4.5	1.9	0.9	1.0
13	59.59	60.72	62.39	60.9	12.0	11.9	12.5	12.13	5.5	1.3	1.2	1.5
14	62.46	62.55	62.59	62.55	13.3	12.5	12.6	12.80	5.3	2.3	1.4	1.5
15	61.26	61.06	60.43	60.92	14.0	12.4	13.2	13.20	6.0	1.0	1.1	1.1
16	60.14	60.26	60.09	60.16	13.7	12.5	13.5	13.23	7.0	1.2	1.0	1.2
17	60.13	60.31	61.48	60.97	12.9	12.2	12.8	12.63	8.8	2.1	1.3	1.6
18	61.94	63.88	64.01	63.11	13.2	10.2	12.8	12.07	7.4	2.5	0.9	1.7
19	63.52	63.81	61.32	63.68	13.2	10.8	13.0	12.33	4.5	1.9	1.2	2.0
20	59.34	58.34	57.68	58.46	14.9	10.2	10.4	11.83	5.0	2.1	0.3	0.4
21	59.54	58.19	59.34	59.02	15.2	12.3	13.0	13.50	7.5	2.0	0.2	1.4
22	58.91	59.00	58.15	58.68	16.0	12.5	12.2	13.57	7.5	1.5	1.7	0.3
23	58.14	59.22	60.43	59.25	14.9	12.5	12.8	13.40	9.0	1.8	1.0	1.3
24	59.87	60.21	60.35	60.14	11.0	11.8	13.0	12.93	7.0	2.6	1.0	1.4
25	59.05	59.22	59.22	59.16	13.5	12.5	13.0	13.00	9.0	2.0	1.4	1.2
26	58.54	58.78	59.29	58.87	12.9	12.5	12.8	12.73	10.0	1.4	0.8	1.1
27	58.56	58.32	58.66	58.51	13.8	12.5	14.4	13.57	8.4	1.5	1.4	2.5
28	58.08	58.10	59.18	58.15	16.5	12.9	13.2	14.20	9.2	2.6	1.0	1.5
29	58.43	58.69	60.37	59.23	16.9	13.5	14.4	14.93	8.5	2.8	1.0	1.9
30	60.54	62.75	63.68	62.5	15.5	13.0	14.0	14.17	6.8	2.9	0.5	2.0
31	61.03	60.95	61.19	62.17	14.9	12.2	12.5	13.20	6.4	2.0	1.0	1.6

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
74	85	84	86	9.00	9.74	9.10	9.28	SO ₂	C	E	D.	N.	Np.
78	77	75	76	9.25	9.00	8.69	8.98	SO ₂	N	N	N.	N.	Np.
78	87	81	82	9.25	9.19	7.67	8.70	SO ₂	N	N	Np.	D.	Np.
79	93	78	84	9.59	9.28	8.41	9.10	SO ₂	C	C	Np.	Np.	Np.
77	83	82	81	9.54	9.30	9.21	9.56	SO ₂	N	N	N.	N.	N.
74	94	80	83	9.66	10.50	9.36	9.69	SO ₂	N	E	N.	N.	N.
77	86	79	81	8.83	9.42	8.70	8.98	SO ₂	N	S	Np.	Np.	Np.
72	86	77	78	8.28	8.45	7.91	8.21	SO ₂	N	N	Np.	Np.	Np.
82	86	93	87	9.24	9.35	10.09	9.56	SO ₂	N	C	N.	N.	N.
82	99	93	89	9.77	9.59	11.08	10.15	SO ₂	N	N	N.	N.	Np.
84	93	95	91	10.71	10.44	10.63	10.59	SO ₂	N	C	Np.	N.	N.
86	84	74	83	10.75	10.20	8.32	9.76	SO ₂	N	C	N.	N.	N.
72	82	78	78	8.63	8.86	8.99	8.81	SO ₂	N	N	D.	D.	D.
67	86	89	81	8.83	9.41	8.92	9.69	SO ₂	N	E	Np.	Np.	Np.
76	85	52	71	8.87	8.44	6.63	7.77	SO ₂	N	C	D.	D.	D.
76	79	88	81	9.47	8.92	10.06	9.28	SO ₂	N	C	D.	D.	D.
78	92	94	88	9.39	9.04	8.57	9.06	SO ₂	N	N	Np.	Np.	Np.
87	87	77	84	9.33	9.54	8.58	9.15	SO ₂	N	N	Np.	Np.	Np.
78	79	74	77	9.39	9.12	8.54	9.02	SO ₂	N	N	Np.	Np.	Np.
68	82	80	80	8.61	8.26	8.56	8.47	SO ₂	N	N	Np.	Np.	Np.
83	85	75	81	9.56	9.01	8.88	9.15	SO ₂	N	C	N.	N.	N.
79	94	91	89	9.31	9.81	9.16	9.44	SO ₂	N	C	N.	N.	Np.
78	94	84	85	9.45	9.84	9.61	9.80	SO ₂	N	E	N.	N.	Np.
77	89	89	85	9.54	9.91	9.74	9.73	SO ₂	N	N	N.	N.	N.
83	87	59	84	9.37	9.47	9.95	9.30	SO ₂	N	C	N.	N.	N.
83	92	94	90	9.99	9.51	8.86	9.42	SO ₂	N	C	N.	N.	N.
78	84	85	86	9.60	9.84	8.80	9.41	SO ₂	N	N	Np.	Np.	Np.
81	87	82	83	9.24	9.54	9.24	9.34	SO ₂	N	N	Np.	Np.	Np.
74	85	77	79	9.02	9.01	8.93	8.99	SO ₂	N	N	Np.	Np.	Np.
74	87	86	82	9.65	9.47	9.42	9.51	SO ₂	N	N	Np.	Np.	Np.
94	95	95	95	10.86	9.89	9.62	10.12	SO ₂	N	C	N.	N.	N.

DE 1873.

93	95	92	93	10.37	10.21	10.38	10.32	N	N	N	D.	N.	Np.
84	88	74	82	10.71	10.41	8.51	9.89	SO ₂	N	N	N.	N.	Np.
62	81	86	78	8.57	8.82	8.86	8.73	SO ₂	N	N	N.	N.	Np.
69	89	77	88	8.52	9.25	8.93	8.90	SO ₂	N	N	N.	N.	Np.
96	89	82	86	10.53	9.59	9.24	9.73	SO ₂	N	N	Np.	Np.	Np.
82	93	84	86	9.77	9.43	8.80	9.33	SO ₂	N	N	N.	N.	Np.
80	90	89	86	9.32	8.92	9.25	9.16	SO ₂	N	N	Np.	Np.	Np.
90	84	94	93	10.25	9.84	8.57	9.55	SO ₂	N	N	Np.	Np.	Np.
73	87	80	83	9.90	9.47	8.20	9.19	SO ₂	N	N	Np.	Np.	Np.
79	92	80	82	8.34	9.22	8.20	8.59	SO ₂	N	N	Np.	Np.	Np.
82	89	90	87	9.24	9.60	9.59	9.48	SO ₂	N	N	Np.	Np.	Np.
78	88	86	84	8.99	8.33	7.97	8.43	SO ₂	N	N	Np.	Np.	Np.
75	86	82	84	9.15	9.07	9.24	9.15	SO ₂	N	C	Np.	Np.	Np.
74	85	82	80	8.40	9.30	9.24	8.98	SO ₂	N	C	Np.	Np.	Np.
89	86	86	87	10.56	9.48	9.76	9.33	SO ₂	N	C	Np.	Np.	Np.
86	87	86	86	10.08	9.61	10.08	9.92	SO ₂	N	C	Np.	Np.	Np.
76	85	81	81	8.80	9.15	9.10	9.02	SO ₂	N	N	Np.	Np.	Np.
72	89	80	86	8.28	8.92	9.11	8.77	SO ₂	N	N	Np.	Np.	Np.
77	77	77	86	9.06	8.44	9.00	8.83	SO ₂	N	N	Np.	Np.	Np.
78	96	95	89	9.75	9.28	9.16	9.40	SO ₂	N	N	Np.	Np.	Np.
78	98	84	87	10.30	10.62	9.61	10.18	SO ₂	N	N	Np.	Np.	Np.
84	80	96	87	11.40	8.76	9.96	10.04	SO ₂	N	N	Np.	Np.	Np.
80	88	85	84	9.79	9.85	9.50	9.71	SO ₂	N	N	Np.	Np.	Np.
71	87	84	81	8.64	9.51	9.61	9.26	SO ₂	N	N	Np.	Np.	Np.
77	83	86	82	9.06	9.37	9.73	9.37	SO ₂	N	N	Np.	Np.	Np.
83	90	86	86	9.37	9.94	9.69	9.67	SO ₂	N	C	Np.	Np.	Np.
83	83	79	80	9.90	9.30	8.91	9.38	SO ₂	N	C	Np.	Np.	Np.
73	84	83	87	9.86	9.99	9.55	9.86	SO ₂	N	N	Np.	Np.	Np.
70	89	79	89	9.81	10.56	9.66	10.61	SO ₂	N	N	Np.	Np.	Np.
71	94	78	81	9.73	11.21	9.67	10.21	SO ₂	N	N	Np.	Np.	Np.
78	87	81	85	9.95	9.54	9.38	9.62	SO ₂	N	N	Np.	Np.	Np.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	A 0°									Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Mrdio.	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	57.91	58.16	57.73	57.93	14.5	12.5	13.0	13.33	8.5	1.5	1.0	1.2
2	57.64	58.10	60.12	58.62	14.0	13.1	13.4	13.60	9.5	2.5	1.1	1.3
3	59.71	59.90	59.76	59.79	16.0	13.2	12.5	13.90	9.0	2.5	1.0	0.4
4	59.48	58.80	58.12	58.80	13.5	12.5	11.5	12.50	7.5	1.4	1.2	0.5
5	57.74	57.63	59.33	58.23	14.5	12.5	12.8	13.27	8.5	1.8	1.1	1.1
6	59.01	58.70	60.10	59.27	17.0	13.0	15.5	15.17	9.5	2.4	1.0	2.5
7	60.07	60.05	60.80	60.31	16.5	13.4	14.3	14.73	9.0	2.0	0.8	1.0
8	60.96	61.19	61.05	61.04	11.5	13.2	13.0	13.57	9.5	1.5	1.0	0.9
9	60.07	59.65	59.16	59.63	14.5	12.9	13.0	13.47	9.0	1.6	1.2	1.1
10	59.16	59.60	60.56	59.75	14.5	13.0	13.0	13.59	9.5	1.9	1.4	1.4
11	60.82	62.00	62.80	61.87	14.1	12.5	13.0	13.30	5.4	1.2	1.0	0.9
12	61.30	61.22	61.51	61.34	14.5	12.5	13.2	13.40	8.9	1.6	0.7	1.4
13	61.16	60.98	60.86	61.00	16.6	12.8	11.0	14.47	8.6	2.1	1.4	1.5
14	59.42	59.54	59.86	59.61	14.0	12.9	13.5	13.47	8.9	0.8	0.7	0.7
15	59.32	58.95	59.56	59.28	15.5	13.3	13.5	14.10	9.4	0.5	0.5	0.5
16	58.41	58.81	59.60	58.94	15.0	12.8	14.5	14.10	7.5	2.0	2.0	2.4
17	58.79	59.16	59.66	59.20	14.0	13.0	12.5	13.17	9.0	1.0	2.0	0.5
18	59.38	59.44	59.52	59.45	14.0	13.0	12.5	13.17	9.5	1.5	1.5	1.2
19	59.31	59.54	60.06	59.63	14.5	12.5	14.0	13.67	8.5	1.0	1.0	0.7
20	59.97	61.98	61.81	61.25	16.5	13.0	12.8	14.10	6.4	2.4	0.5	1.5
21	61.34	61.42	60.90	61.22	15.5	13.0	14.2	14.23	6.0	2.5	1.0	2.4
22	59.12	58.95	57.41	58.49	16.0	12.5	13.5	14.00	5.5	2.0	1.2	0.2
23	57.30	58.07	60.56	58.64	15.2	13.2	13.8	14.07	10.0	0.2	0.5	1.5
24	59.47	59.49	59.39	59.45	15.0	13.0	14.0	14.00	9.9	0.6	0.5	1.3
25	57.91	57.90	60.10	58.64	15.0	13.2	14.4	14.20	9.9	1.9	1.0	1.0
26	59.00	58.91	61.31	59.74	19.5	13.5	13.3	15.43	9.5	2.2	0.9	1.0
27	61.24	61.19	60.37	60.93	15.2	12.6	13.2	13.67	6.5	0.5	0.5	0.5
28	59.26	58.88	57.60	58.58	15.7	12.3	12.0	13.33	6.5	1.5	0.8	0.5
29	57.17	56.86	59.20	57.74	18.0	13.6	15.3	15.63	9.0	1.5	1.3	1.0
30	59.26	59.26	59.38	59.30	16.0	13.5	14.5	14.67	9.0	2.0	1.5	0.5

OCTUBRE

1	58.22	57.94	58.35	58.17	15.5	13.0	13.0	13.83	8.9	2.0	0.9	0.2
2	58.82	58.20	58.11	58.38	14.8	12.5	13.4	13.57	8.5	1.0	0.5	0.4
3	57.84	58.04	59.36	58.41	15.2	13.0	14.5	14.23	8.2	2.1	1.0	2.0
4	59.06	59.01	60.16	59.39	15.0	19.0	13.5	15.83	8.6	2.1	1.0	0.1
5	59.92	60.06	60.62	60.20	18.0	12.5	11.0	14.83	8.0	0.7	0.3	0.5
6	59.57	58.55	60.66	59.59	14.5	12.3	14.2	13.67	8.5	0.5	0.5	1.3
7	60.88	60.14	60.60	60.54	15.0	13.0	13.0	13.67	8.5	0.5	0.6	0.5
8	59.17	59.04	59.36	59.19	14.0	12.5	13.9	13.47	8.4	1.5	1.7	1.1
9	58.87	58.84	61.05	59.59	19.0	12.9	13.5	15.13	8.6	3.0	1.2	1.0
10	59.32	59.36	59.96	59.53	13.8	12.5	13.5	13.27	9.0	1.0	0.3	0.7
11	59.57	59.10	60.22	59.63	13.9	12.2	12.0	12.70	8.5	1.5	0.5	1.0
12	58.97	60.10	60.34	59.80	16.5	13.1	15.5	15.63	8.6	1.3	1.4	1.0
13	59.41	58.95	57.73	58.70	15.0	12.0	13.2	13.40	7.0	1.4	1.4	1.0
14	56.89	56.95	57.32	57.03	18.5	13.0	13.0	14.83	9.0	1.5	1.0	1.0
15	58.06	58.04	59.10	58.40	15.0	13.2	16.0	14.73	9.2	2.4	0.4	2.5
16	58.11	58.06	59.24	58.47	15.5	13.8	16.3	15.20	9.9	1.9	1.5	2.0
17	58.66	58.41	59.05	58.71	14.0	13.4	15.5	14.50	9.5	1.7	0.6	2.0
18	57.78	57.91	58.90	58.20	15.3	13.5	16.0	15.00	9.5	0.5	0.5	0.0
19	57.73	57.91	58.87	58.17	16.8	13.9	15.8	15.50	9.4	1.0	0.7	0.9
20	58.43	57.91	57.95	58.10	20.9	13.7	17.2	17.27	10.4	0.8	0.7	0.5
21	57.81	58.08	58.81	58.23	17.7	14.7	19.4	17.27	11.0	0.5	0.9	3.0
22	58.42	58.69	58.79	58.43	18.5	15.2	19.5	17.73	12.6	2.0	0.5	4.0
23	58.45	59.09	59.09	58.73	17.2	14.9	15.0	15.70	9.8	2.3	1.5	2.0
24	57.73	57.71	59.65	58.36	15.5	14.9	17.5	15.67	10.4	2.1	0.3	1.2
25	58.57	57.65	58.85	58.36	17.5	13.5	16.5	15.83	9.5	1.0	0.4	1.7
26	57.77	56.72	57.96	57.48	15.0	12.9	16.2	14.70	9.5	1.5	0.9	1.8
27	57.17	56.78	57.30	57.08	16.2	13.9	14.8	14.97	9.5	2.0	1.2	1.3
28	57.03	56.78	56.87	56.89	16.9	14.0	15.3	15.40	11.5	3.1	1.0	1.0
29	56.52	56.82	58.21	57.18	14.9	12.5	14.5	13.97	9.4	1.3	0.5	1.0
30	57.29	57.88	58.31	57.99	15.5	15.5	16.3	15.77	9.3	2.0	0.1	1.6
31	57.73	57.99	59.55	58.41	16.0	12.5	14.0	14.17	9.3	2.0	1.5	1.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
83	88	86	86	10.65	9.85	9.73	10.08	SO ₁	S ₁	N ₂	Np.	N.	N.
73	87	85	82	8.94	10.07	9.81	9.61	SO ₂	N ₂	N ₁	—	—	—
74	88	95	86	9.65	10.20	10.35	10.07	SO ₂	SO ₂	S ₁	—	—	—
84	86	94	88	9.61	9.63	9.84	9.69	—	S ₂	NE ₁	—	—	—
80	86	87	84	9.79	9.57	9.79	9.72	SO ₁	SO ₁	N ₂	—	—	—
75	88	74	79	10.13	10.20	10.00	10.11	—	S ₂	C.	—	—	—
79	91	89	86	10.69	10.68	10.91	10.76	SO ₁	—	—	—	—	—
83	88	89	87	10.25	10.20	10.26	10.24	SO ₂	SO ₁	NE ₁	N.	—	—
82	86	87	85	10.19	9.73	9.93	9.95	—	—	SO ₁	Np.	—	—
79	84	84	82	9.66	9.61	9.61	9.63	—	—	—	Np.	—	—
86	88	89	88	10.43	9.85	10.26	10.18	SO ₃	—	SO ₂	D.	—	—
82	92	84	86	10.19	10.03	9.61	9.94	—	SO ₁	N ₂	—	—	Np.
77	85	83	81	10.17	9.37	9.90	9.81	SO ₂	C.	C.	—	—	—
91	92	92	92	11.74	10.32	10.59	10.90	SO ₂	C.	SO ₁	—	—	—
94	94	94	94	12.00	10.86	11.21	11.36	—	C.	C.	Np.	—	—
78	77	74	76	9.95	8.58	9.00	9.18	SO ₁	S ₁	D.	—	—	—
89	89	86	84	10.56	8.58	10.50	9.88	SO ₁	S ₁	E.	Np.	—	—
83	88	92	90	11.30	9.85	11.09	10.75	—	SO ₁	C.	—	—	—
75	94	82	84	10.45	10.86	9.24	10.18	SO ₁	N ₂	SO ₁	—	D.	Np.
74	88	74	79	9.65	10.20	9.00	9.62	SO ₂	S ₁	SO ₂	D.	—	—
79	86	98	88	11.09	9.63	11.32	10.68	SO ₃	S ₁	—	Np.	—	Np.
98	94	83	92	12.58	10.86	9.90	11.11	SO ₂	—	—	—	Np.	Np.
93	94	83	90	11.86	10.86	9.90	10.87	—	—	—	D.	—	—
79	88	89	85	10.01	10.20	10.91	10.37	—	S ₁	N ₁	Np.	—	—
78	90	88	85	12.55	10.62	10.20	11.12	SO ₁	—	N ₂	—	—	—
94	94	94	94	12.60	10.50	10.86	11.12	SO ₂	—	SO ₂	—	—	—
84	90	94	89	11.00	9.80	10.15	10.32	—	N ₂	N ₂	D.	—	—
84	85	89	86	12.19	10.02	11.46	11.22	N ₂	C.	N ₁	Np.	—	—
79	83	94	85	10.69	9.55	11.60	10.61	N ₁	C.	SO ₁	—	—	—

DE 1873.

78	89	93	88	10.35	10.26	11.04	10.55	—	SO ₁	SO ₁	—	Np.	—	—
89	89	98	83	11.12	10.50	10.42	10.68	SO ₂	—	SO ₁	—	—	N.	—
77	87	78	84	9.75	10.56	9.46	9.92	SO ₃	S ₁	C.	—	D.	—	—
92	97	99	88	9.61	9.54	11.38	10.18	SO ₂	S ₁	N ₁	—	—	—	—
97	94	94	91	12.67	10.63	11.21	11.56	—	S ₁	SO ₂	—	N.	—	—
94	94	85	91	11.60	10.15	10.02	10.59	—	SO ₂	N ₁	D.	—	—	—
94	93	94	94	11.60	10.37	10.50	10.82	SO ₁	SO ₁	SO ₁	Np.	—	—	—
83	89	87	83	9.90	8.90	10.14	9.65	SO ₂	SO ₁	N ₁	—	—	—	—
71	86	88	82	10.87	9.63	10.20	10.23	SO ₁	—	—	Np.	—	—	—
88	97	92	82	10.20	10.63	10.38	10.40	SO ₂	—	NO ₁	—	—	—	—
83	94	87	88	9.90	10.15	9.54	9.86	SO ₁	S ₁	SO ₁	—	—	—	—
86	84	89	86	12.07	9.68	11.30	11.02	SO ₁	SO ₁	N ₂	Np.	—	—	—
81	83	88	85	10.47	8.95	10.20	9.87	SO ₃	SO ₃	N ₂	D.	—	—	—
84	88	88	87	11.79	9.85	10.20	10.61	SO ₁	N ₁	—	Np.	—	—	—
73	95	74	81	8.97	11.27	10.00	10.08	SO ₂	—	C.	—	—	—	—
79	83	77	89	9.75	9.50	10.57	10.07	SO ₂	S ₁	—	—	—	—	—
81	93	76	85	9.78	10.72	10.23	10.24	SO ₂	—	C.	—	—	—	—
94	94	96	96	12.00	10.86	13.19	11.99	—	—	—	—	—	—	—
90	92	90	90	12.09	10.74	11.92	11.58	—	—	—	—	—	—	—
92	92	95	93	14.56	11.09	13.68	13.11	SO ₁	—	—	D.	—	—	—
95	90	72	86	13.23	11.36	12.34	12.31	SO ₂	—	NE ₁	Np.	—	—	—
80	94	64	79	12.32	12.00	11.10	11.81	—	SO ₁	C.	—	—	—	—
76	83	76	78	10.21	10.25	9.83	10.33	—	SO ₂	SO ₁	—	D.	—	—
77	97	88	87	10.37	11.89	12.98	11.75	—	—	N ₂	—	Np.	—	—
83	95	82	89	12.81	11.27	11.20	11.76	—	—	—	—	D.	—	—
83	89	81	84	10.25	10.26	10.97	10.49	—	—	N ₂	—	—	—	—
70	86	85	83	10.35	10.08	10.77	10.40	—	SO ₂	N ₁	Np.	—	—	—
78	89	89	83	11.13	10.91	11.39	11.11	NO ₁	—	—	—	Np.	—	—
85	94	89	89	10.77	10.86	10.91	10.85	SO ₂	—	—	—	—	—	—
78	99	83	87	9.95	11.54	11.10	10.76	SO ₂	—	E.	Np.	—	—	—
8	82	86	83	16.19	9.24	10.56	10.60	SO ₂	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
	700+	700+	700+	700+	o	o	o	o	o	o	o	o
1	59.52	58.00	58.29	58.60	20.6	14.3	13.8	16.23	10.0	3.3	0.2	0.5
2	57.99	57.91	57.82	57.91	15.5	13.5	14.9	14.63	10.0	1.9	0.8	0.2
3	56.98	56.10	55.87	56.12	15.5	13.5	17.0	15.33	10.0	1.0	0.8	1.6
4	56.07	56.28	57.42	56.59	16.2	14.7	16.3	15.78	10.4	1.9	1.2	1.5
5	57.04	56.79	57.01	56.95	16.8	13.8	12.3	14.30	10.7	2.1	0.5	0.4
6	56.75	55.77	56.73	56.42	16.5	13.8	14.7	15.00	9.8	2.5	0.7	1.3
7	56.07	56.42	57.99	56.83	15.5	12.9	15.5	14.63	9.8	1.7	1.4	1.8
8	57.49	56.73	57.28	57.17	14.7	14.5	14.0	14.40	10.2	1.6	1.9	0.8
9	55.75	55.28	56.37	55.80	15.9	14.5	16.5	15.63	10.0	1.5	1.0	1.0
10	55.91	55.70	57.79	56.43	16.3	14.5	15.3	15.37	10.4	2.0	1.8	1.0
11	57.67	57.73	58.99	58.10	16.0	14.9	16.9	15.93	11.2	1.7	0.3	0.4
12	58.81	58.81	60.25	59.29	16.4	15.0	18.7	16.70	11.6	1.5	1.5	0.0
13	60.36	60.17	60.13	60.22	17.6	14.9	17.6	16.70	10.9	2.8	1.2	2.5
14	59.13	59.00	59.46	59.20	16.6	14.7	15.5	15.60	10.2	2.4	1.3	0.5
15	59.07	59.34	60.73	59.71	18.9	14.5	15.7	16.37	10.3	2.9	1.6	1.5
16	60.44	60.56	61.84	60.95	15.7	14.7	15.4	15.27	10.4	1.7	0.5	0.7
17	61.61	61.28	61.21	61.37	16.2	14.5	16.5	15.73	10.3	2.0	1.5	0.2
18	60.79	60.75	61.71	61.08	17.7	14.8	17.8	16.77	10.2	0.7	0.5	2.1
19	61.49	60.69	60.88	61.02	17.4	14.9	16.0	16.10	10.3	1.3	0.5	1.5
20	60.37	59.72	59.02	59.70	16.3	14.5	16.5	15.77	10.2	1.8	0.2	0.6
21	59.47	58.93	60.24	59.55	22.0	15.1	16.0	17.70	10.0	0.1	0.5	0.8
22	59.59	59.67	59.57	59.61	17.9	15.0	16.7	16.53	9.4	2.0	1.0	1.1
23	57.54	56.68	57.83	57.35	17.5	15.6	16.8	16.63	11.5	0.8	1.5	1.0
24	57.55	56.86	59.35	57.92	18.0	15.4	17.0	16.80	12.0	2.7	0.9	1.5
25	58.49	58.47	58.61	58.52	19.8	16.2	16.9	17.63	12.5	3.4	0.8	1.5
26	57.59	57.46	57.67	57.57	18.2	15.5	18.0	17.23	11.7	2.2	1.2	1.0
27	57.38	56.60	56.30	56.76	18.5	15.3	16.1	16.63	10.0	2.3	0.7	0.7
28	57.41	56.93	57.68	57.34	16.8	14.6	17.3	16.23	10.9	1.9	0.7	1.5
29	56.55	56.33	57.09	56.72	21.0	15.8	15.9	17.57	11.5	1.2	0.6	0.8
30	56.05	56.31	57.72	56.69	17.3	15.9	15.0	16.07	10.6	1.9	0.7	0.5

1	56.72	56.95	57.88	57.18	17.8	15.5	17.8	17.03	11.6	2.5	0.9	1.2
2	57.72	57.45	58.07	57.75	17.6	15.9	19.0	17.50	11.5	2.4	0.3	2.0
3	57.92	58.02	58.31	58.08	21.5	16.6	18.0	18.70	12.2	1.4	0.8	0.9
4	58.25	57.39	56.64	57.43	24.0	16.3	17.6	19.30	12.2	0.4	1.7	2.0
5	56.59	55.47	57.49	56.52	18.5	17.0	20.9	18.80	13.5	3.4	1.0
6	57.65	58.27	58.42	58.11	19.9	16.6	17.0	17.83	10.9	2.7	0.5	2.0
7	56.47	56.97	58.49	57.31	19.0	16.4	18.2	17.87	12.2	2.6	1.5	1.0
8	58.32	56.51	57.71	57.51	18.9	16.2	19.8	18.90	11.0	1.1	0.7	1.4
9	57.35	57.12	57.61	57.36	18.5	16.2	20.5	18.40	11.0	2.2	1.0	3.6
10	57.35	57.05	57.81	57.40	18.2	16.5	19.8	18.17	12.5	2.0	2.5	2.0
11	57.37	57.25	58.11	57.58	19.0	15.9	16.5	17.13	12.3	1.5	1.5	2.0
12	57.44	57.32	56.78	57.18	18.0	16.0	17.2	17.07	12.8	2.1	1.2	1.7
13	55.69	55.55	57.67	56.30	18.0	16.0	18.6	17.53	12.9	2.0	0.5	0.6
14	58.29	59.47	59.40	59.05	21.4	16.3	17.5	18.40	11.8	3.5	0.5	2.0
15	59.47	59.22	58.62	59.10	20.5	17.0	16.5	18.00	11.0	1.5	2.7	1.9
16	58.22	58.51	59.05	58.60	20.0	16.5	17.5	18.00	10.0	3.7	2.9	2.5
17	58.35	57.47	56.84	57.55	19.5	15.0	18.5	17.67	11.0	3.0	1.5	0.7
18	56.67	56.79	58.41	57.29	23.2	17.0	19.5	19.90	8.5	4.8	1.8	0.5
19	58.39	57.45	58.18	58.01	19.5	16.0	18.0	17.83	11.7	1.5	2.0	0.3
20	56.43	56.39	56.99	56.60	20.0	16.3	19.5	18.60	12.0	0.6	1.0	1.0
21	56.99	56.55	57.08	56.87	18.5	16.0	17.7	17.16	12.0	2.0	0.5	0.6
22	56.55	57.37	57.16	57.03	22.6	16.6	18.0	19.07	13.0	1.0	0.6	1.0
23	56.90	56.99	57.05	56.98	20.9	16.8	17.5	18.40	12.9	2.4	0.2	1.3
24	56.37	56.34	57.11	56.67	18.8	16.5	17.2	17.50	12.2	1.5	0.9	0.7
25	56.29	55.55	56.67	56.17	18.5	16.0	17.5	17.33	11.8	2.3	0.3	0.6
26	56.06	55.96	56.55	56.32	20.2	17.0	18.0	18.10	12.5	0.2	1.5	1.0
27	56.92	56.55	57.53	57.00	18.0	15.5	18.6	17.37	12.0	1.7	0.5	2.3
28	57.22	56.55	57.92	57.23	19.5	16.5	20.0	18.67	12.2	2.5	1.0	2.5
29	57.41	57.17	57.36	57.38	20.9	16.0	20.0	18.97	11.9	1.3	0.5	2.5
30	57.47	56.75	57.03	57.09	19.6	17.0	17.4	18.00	12.8	2.8	1.0	2.0
31	56.62	56.69	58.61	57.31	19.0	17.0	17.0	17.97	12.8	1.0	2.5	1.5

DE 1873.

PSICRÓMETRO.												VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.													
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.				
68	98	94	87	11.09	12.01	11.24	11.44	N ₂	S ₂	N ₂	Np.	Np.	N ₂				
79	91	98	89	10.49	11.03	12.03	11.18	SO ₂	SO ₁	SO ₂	—	N ₂	N ₂				
89	91	83	88	11.30	10.82	11.64	11.25	SO ₂	—	N ₁	—	—	N ₂				
79	86	84	83	10.65	10.67	11.40	10.91	SO ₂	—	NO ₂	—	—	N ₂				
74	94	85	89	10.87	11.21	10.21	10.76	—	SO ₂	N ₁	—	—	N ₂				
92	83	85	81	10.28	11.09	10.77	10.71	SO ₂	—	—	—	—	—				
81	83	80	81	10.53	9.51	10.23	10.09	SO ₂	S ₂	NO ₁	—	—	—				
82	79	91	84	10.35	9.94	10.68	10.32	—	—	SO ₂	—	—	—				
83	89	89	87	10.97	10.94	12.49	11.46	—	—	SO ₁	—	—	—				
79	80	89	89	10.69	9.72	11.30	10.57	—	SO ₁	—	—	—	—				
82	97	96	82	11.28	12.29	13.74	12.38	—	—	—	—	—	—				
81	83	100	89	11.40	10.65	11.58	11.21	—	—	NE	D.	—	—				
87	87	75	78	10.37	11.18	11.18	10.91	—	SO ₂	C.	Np.	N ₂	—				
72	83	85	85	10.77	10.85	12.40	11.34	—	—	N.	—	—	—				
72	82	95	79	11.17	10.19	10.65	10.67	SE ₁	S ₂	SO ₂	—	—	—				
81	94	92	89	10.69	12.00	11.88	11.52	SO ₂	S ₂	SO ₁	Np.	—	—				
79	83	98	87	10.69	10.41	13.14	11.41	—	SO ₂	—	Np.	—	—				
93	84	78	88	10.38	12.00	11.03	12.14	—	—	N.	Np.	—	—				
46	94	81	88	12.31	12.00	11.08	11.80	SO ₁	—	NO ₂	D.	—	—				
81	98	93	91	10.97	12.01	12.02	11.67	SO ₂	—	—	Np.	—	—				
99	84	91	95	17.19	11.60	12.21	13.67	—	C.	SE ₂	—	—	—				
84	89	88	88	11.48	11.70	12.43	11.87	SO ₁	S ₂	N ₁	D.	—	—				
92	83	89	88	13.50	10.65	12.09	12.08	SO ₂	—	—	—	—	—				
79	90	81	82	11.05	11.68	12.19	11.64	—	—	—	N.	—	—				
67	81	81	81	11.03	11.98	12.19	11.73	O ₁	—	SO ₁	Np.	—	—				
78	87	90	85	11.81	11.50	13.38	12.24	S ₂	S ₂	C.	D.	—	—				
77	92	92	87	11.46	11.88	12.27	11.87	O ₂	—	—	Np.	Np.	—				
80	92	81	95	11.15	11.48	11.79	11.47	SO ₂	—	—	D.	—	—				
88	93	91	91	13.96	12.10	12.61	12.89	C.	—	O ₁	Np.	—	—				
81	92	94	89	11.54	12.51	11.24	11.75	S ₂	—	C.	D.	—	—				

DE 1873.

78	96	88	85	11.46	11.81	13.07	12.12	SO ₁	—	S ₂	D.	—	Np.
76	97	80	81	11.48	12.32	12.77	12.39	SO ₂	—	—	—	—	Np.
87	91	90	90	15.19	12.77	14.14	14.00	SO ₂	—	N ₁	—	—	Np.
96	82	80	86	18.25	11.44	11.72	13.80	SE ₁	—	N ₂	Np.	—	Np.
89	89	14.18	12.09	O ₁	—	O ₂	D.	—	—
74	85	80	83	12.34	13.23	11.80	12.46	O ₁	—	—	—	—	D.
71	84	86	83	11.68	11.56	13.38	12.24	SO ₂	—	C.	—	—	Np.
96	80	89	89	14.02	12.51	14.02	13.52	SO ₂	—	C.	—	—	Np.
78	89	67	78	12.37	11.30	11.34	11.67	SO ₁	—	N ₁	—	—	N ₂
80	75	80	78	11.18	11.18	12.32	11.66	SO ₂	—	NO ₁	D.	—	N ₂
81	81	79	82	12.35	11.40	11.09	11.61	SO ₂	SO ₃	SE ₁	Np.	—	N ₂
79	87	82	83	11.82	12.21	12.07	12.03	SO ₂	C.	—	—	—	N ₂
80	95	90	90	11.88	12.80	14.68	13.12	SO ₂	S ₂	SO ₁	—	—	N ₂
69	95	89	81	13.46	13.23	11.88	12.86	SO ₁	C.	—	D.	D.	—
86	73	82	80	14.91	11.06	11.67	12.56	S ₂	S ₂	—	Np.	—	Np.
66	70	74	70	11.28	9.96	10.79	10.68	SO ₂	—	S ₂	—	—	Np.
71	83	82	82	11.27	10.65	13.99	11.97	—	—	C.	D.	D.	—
81	81	95	93	11.42	12.32	15.15	13.10	—	—	N ₂	—	—	N ₂
79	89	90	91	13.51	10.85	15.05	13.14	—	—	—	—	—	N ₂
91	89	90	91	14.59	12.49	15.25	14.11	—	—	—	—	—	N ₂
95	94	90	90	12.77	13.33	14.41	13.47	O ₂	—	O ₁	Np.	—	—
91	93	90	91	17.33	13.05	13.81	14.76	O ₁	—	NO ₂	—	—	—
98	87	87	87	12.95	13.86	12.92	13.24	O ₁	—	C.	—	—	—
91	93	90	90	13.51	12.99	13.56	13.33	SO ₂	—	—	Np.	—	—
98	84	94	94	11.86	13.08	13.89	12.94	—	—	—	—	—	—
83	89	94	94	17.27	11.79	13.81	14.29	—	—	C.	—	—	—
85	85	85	85	12.77	12.40	12.13	12.43	—	—	SO ₂	—	—	—
88	76	80	80	12.46	12.49	12.01	12.82	SO ₁	—	NO ₂	—	D.	—
95	76	86	86	15.06	12.80	12.01	13.26	O ₂	—	—	—	—	—
72	80	81	81	11.15	13.38	11.48	12.00	NE ₂	—	—	—	—	—
90	80	83	83	14.75	11.18	12.19	12.74	SO ₂	—	—	—	—	D.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 5 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio.
Barómetro reducido a 0°.....	755.98	756.06	756.36	756.79	756.79	756.98	757.41	757.69	756.76
Termómetro centígrado.....	23.2	23.2	20.0	18.2	17.5	16.0	16.5	19.5	19.01
Psicrómet. { Dif. de los term.	4.5	3.5	3.0	2.0	2.5	0.5	0.5	0.5
{ Humedad relat...	63	69	65	80	75	95	95	95	80
{ Fuerza elástica...	13.10	13.22	11.70	12.32	11.18	13.68	14.12	14.12	12.93
Vientos.....	O ₁	O ₁	O ₁	SO ₁	SO ₁	C.	SO ₁	O ₂
Estado atmosférico.....	D.	D.	D.	Np.	Np.	Np.	Np.	D.
ENERO 19 DE 1873.									
Barómetro reducido a 0°.....	757.31	756.19	756.30	756.85	756.85	756.85	757.82	758.61	757.14
Termómetro centígrado.....	20.5	20.5	19.9	17.0	17.0	17.0	17.4	19.5	18.60
Psicromet. { Dif. de los term.	2.5	2.7	3.0	1.5	1.2	1.5	2.1	1.9
{ Humedad relat...	77	75	72	85	88	84	79	81	80
{ Fuerza elástica...	13.71	13.22	13.04	12.62	12.98	12.19	11.58	12.92	12.78
Vientos.....	SO ₂	SO ₂	SO ₂	S ₂	S ₁	S ₁	N ₁	SO ₁
Estado atmosférico.....	D.	D.	D.	D.	Np.	N.	N.	N.
ENERO 29 DE 1873.									
Barómetro reducido a 0°.....	756.92	755.92	755.30	755.69	755.79	755.98	755.91	756.68	756.02
Termómetro centígrado.....	20.0	21.0	20.8	18.0	17.5	16.5	16.5	21.5	18.97
Psicrómet. { Dif. de los term.	0.5	1.0	4.0	1.5	2.0	1.1	1.0	3.0
{ Humedad relat...	95	91	66	85	80	88	89	73	83
{ Fuerza elástica...	17.09	16.23	12.91	12.62	11.88	12.55	12.41	13.52	13.63
Vientos.....	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Np.
FEBRERO 8 DE 1873.									
Barómetro reducido a 0°.....	758.61	757.49	757.55	757.84	758.48	758.41	758.29	758.69	758.17
Termómetro centígrado.....	18.5	20.0	18.5	16.5	16.5	16.0	17.5	17.0	17.81
Psicrómet. { Dif. de los term.	2.5	1.0	0.5	0.5	0.5	0.5	1.5	1.9
{ Humedad relat...	76	90	95	95	95	95	85	81	89
{ Fuerza elástica...	12.01	15.25	15.95	15.58	15.23	12.89	12.62	11.94	13.31
Vientos.....	SO ₁	SO ₁	SO ₁	S ₁	S ₁	C.	C.	O ₂
Estado atmosférico.....	Np.	Np.	Np.	D.	N.	N.	Np.	D.
FEBRERO 18 DE 1873.									
Barómetro reducido a 0°.....	757.92	757.18	757.55	757.98	757.86	757.66	757.74	758.38	757.78
Termómetro centígrado.....	19.0	20.0	18.5	16.5	15.5	11.5	15.5	16.5	17.0
Psicrómet. { Dif. de los term.	2.5	2.5	0.5	1.5	0.5	1.0	0.5	1.6
{ Humedad relat...	77	97	95	84	95	89	95	83	89
{ Fuerza elástica...	12.89	12.89	15.05	11.79	12.40	11.80	12.40	11.58	12.54
Vientos.....	SO ₁	SO ₁	SO ₁	S ₁	S ₁	E ₁	NO ₁	N ₁
Estado atmosférico.....	N.	D.	D.	D.	D.	Np.	N.	N.

Instrumentos.	FEBRERO 28 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 757.61	mm. 756.55	mm. 756.41	mm. 757.26	mm. 757.16	mm. 756.69	mm. 756.66	mm. 756.74	mm. 756.87
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term.	8.0	2.5	0.5	1.0	1.0	0.5	0.5	1.5
	Humedad relat...	72	75	95	89	89	94	94	84
{	Fuerza elástica...	11.71	11.18	12.80	11.30	11.30	11.60	11.60	11.40
Vientos.....	SO ₁	SO ₁	SO ₁	S ₁	S ₁	C.	C.	N ₁
Estado atmosférico.....	Np.	Np.	D.	N.	Np.	N.	N.	N.
MARZO 10 DE 1873.									
Barómetro reducido a 0°.....	mm. 756.71	mm. 756.42	mm. 756.73	mm. 756.48	mm. 756.48	mm. 756.54	mm. 756.74	mm. 757.48	mm. 756.70
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term.	1.5	2.5	2.0	1.5	1.5	1.0	0.5	1.0
{	Humedad relat...	84	77	80	84	84	89	95	89
{	Fuerza elástica...	11.79	13.51	11.88	11.79	11.79	11.70	12.40	12.09
Vientos.....	O ₂	O ₁	SO ₁	C.	C.	C.	C.	C.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
MARZO 20 DE 1873.									
Barómetro reducido a 0°.....	mm. 758.67	mm. 757.86	mm. 758.04	mm. 758.04	mm. 758.10	mm. 758.17	mm. 758.16	mm. 758.16	mm. 758.20
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term.	2.0	2.5	1.0	1.5	1.0	0.9	1.3
{	Humedad relat...	80	77	89	84	89	90	86	85
{	Fuerza elástica...	11.88	13.83	12.09	11.40	11.30	10.91	11.30	11.28
Vientos.....	SO ₁	O ₁	SO ₂	S ₂	S ₁	S ₁	C.	NO ₁
Estado atmosférico.....	N.	Np.	Np.	N.	N.	Np.	N.	N.
MARZO 30 DE 1873.									
Barómetro reducido a 0°.....	mm. 758.61	mm. 757.67	mm. 757.54	mm. 758.07	mm. 758.12	mm. 758.16	mm. 758.08	mm. 757.93	mm. 758.02
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term.	2.8	1.6	1.5	1.5	1.2	1.4	1.0	1.6
{	Humedad relat...	72	81	81	84	86	84	89	83
{	Fuerza elástica...	11.15	12.92	11.16	11.00	11.07	10.71	11.30	11.58
Vientos.....	C.	SO ₂	SO ₂	SO ₂	SO ₂	S ₁	C.	C.
Estado atmosférico.....	Np.	D.	Np.	N.	N.	N.	N.	N.
ABRIL 9 DE 1873.									
Barómetro reducido a 0°.....	mm. 757.92	mm. 758.01	mm. 757.60	mm. 758.10	mm. 758.09	mm. 758.14	mm. 758.10	mm. 759.04	mm. 758.12
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term.	3.0	1.5	1.0	1.0	1.2	1.0	1.3
{	Humedad relat...	72	81	89	89	87	89	86	86
{	Fuerza elástica...	12.10	11.40	11.30	11.50	11.18	11.30	11.30	11.28
Vientos.....	O ₁	SO ₂	SO ₂	S ₁	C.	C.	C.	N ₁
Estado atmosférico.....	N.	N.	Np.	N.	N.	N.	N.	N.

Instrumentos.	ABRIL 19 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	758.67	757.00	757.23	758.27	758.59	758.34	758.79	759.66	758.32
Termómetro centígrado.....	14.0	14.5	13.9	12.5	11.5	11.8	13.8	15.0	13.25
Psicrómet. { Dif. de los term... Humedad relativa... Fuerza elástica...	1.5 83 9.90	2.0 78 9.60	1.5 83 9.90	0.5 94 10.15	0.5 94 9.49	0.9 89 9.25	1.5 83 9.90	1.5 83 10.65 86 9.85
Vientos.....	SO ₂	SO ₂	SO ₁	C.	C.	C.	N ₁	N ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	D.
ABRIL 29 DE 1873.									
Barómetro reducido a 0°.....	757.36	757.42	757.95	757.84	757.95	757.60	757.62	758.29	757.75
Termómetro centígrado.....	20.0	19.2	15.5	15.6	15.5	15.2	14.9	15.2	16.39
Psicrómet. { Dif. de los term... Humedad relativa... Fuerza elástica...	3.0 72 12.16	3.2 69 11.15	1.2 87 11.58	2.0 79 10.69	2.0 78 10.35	1.7 81 10.53	0.6 93 11.86	1.2 86 11.07 81 11.17
Vientos.....	C.	O ₁	O ₁	C.	N ₁	N ₁	C.	C.
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	N.	N.	N.
MAYO 9 DE 1873.									
Barómetro reducido a 0°.....	759.18	758.48	758.16	758.38	758.43	758.43	758.45	759.00	758.6
Termómetro centígrado.....	17.5	15.8	14.8	12.9	12.8	12.8	12.5	14.8	14.21
Psicrómet. { Dif. de los term... Humedad relativa... Fuerza elástica...	3.0 70 10.08	2.2 76 10.47	2.0 98 9.95	1.0 88 10.29	0.8 99 10.25	0.3 97 10.63	1.8 89 9.37	2.0 78 9.95 82 10.14
Vientos.....	O ₁	SO ₂	SO ₂	S ₂	S ₁	S ₁	E ₁	N ₁
Estado atmosférico.....	Np.	D.	D.	D.	D.	Np.	N.	N.
MAYO 19 DE 1873.									
Barómetro reducido a 0°.....	759.72	759.24	759.60	760.07	760.07	760.28	766.28	760.23	759.93
Termómetro centígrado.....	17.0	17.5	15.0	14.5	14.5	14.0	14.0	13.5	15.00
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	2.5 74 10.79	2.4 75 10.93	0.5 94 12.00	1.0 89 10.91	1.5 83 10.25	1.5 83 9.90	1.0 89 10.56	1.2 86 10.01 84 10.67
Vientos.....	O ₁	O ₁	S ₁	S ₁	S ₁	S ₁	C.	C.
Estado atmosférico.....	Np.	Np.	N.	N.	N.	N.	N.	N.
MAYO 29 DE 1873.									
Barómetro reducido a 0°.....	759.14	758.25	758.33	758.29	758.29	758.34	758.47	758.86	758.51
Termómetro centígrado.....	14.8	16.5	13.5	13.5	13.5	13.2	12.5	12.9	13.80
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	0.7 92 11.30	1.8 81 11.21	0.5 94 10.86	0.6 93 10.80	1.4 84 9.96	1.0 88 10.20	1.0 87 9.54	1.6 81 9.10 87 10.37
Vientos.....	N ₁	C.	C.	S ₁	S ₂	C.	E ₁	E ₁
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	N.	N.

Instrumentos.	SETIEMBRE 16 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	759.41	758.41	758.32	758.81	758.69	758.71	759.16	759.60	758.90	
Termómetro centígrado.....	15.0	15.0	12.5	12.8	12.5	12.5	12.2	14.5	13.37	
Psicrómet. {	Dif. de los term.	1.0	2.0	1.5	2.0	1.5	1.4	1.6	2.4
	Humedad relat.	89	78	82	77	82	83	81	74	81
	Fuerza elástica....	11.50	9.95	9.24	8.58	8.96	9.03	8.82	9.00	9.37
Vientos.....	SE ₁	SO ₁	SO ₁	S ₁	S ₁	C.	N ₁	C.	
Estado atmosférico.....	D.	D.	Np.	N.	N.	N.	N.	N.	

Instrumentos.	SETIEMBRE 26 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	759.92	758.89	758.86	758.91	758.95	758.98	760.14	761.43	759.51	
Termómetro centígrado.....	18.5	18.9	14.3	13.5	13.5	12.6	13.0	13.5	14.70	
Psicrómet. {	Dif. de los term.	2.5	2.7	1.4	0.9	1.1	0.4	1.0	1.0
	Humedad relat.	75	73	84	90	87	95	88	88	85
	Fuerza elástica....	11.58	11.06	10.31	10.62	10.07	10.63	10.20	10.20	10.57
Vientos.....	N ₁	NE ₁	SO ₁	S ₁	S ₂	C.	N ₁	N ₂	
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	N.	N.	N.	

Instrumentos.	OCTUBRE 6 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	760.50	759.47	759.44	758.55	759.60	759.66	759.96	760.65	759.63	
Termómetro centígrado.....	13.2	13.9	12.5	12.3	11.6	12.0	12.0	14.2	12.71	
Psicrómet. {	Dif. de los term....	1.2	0.5	1.5	0.5	1.0	1.0	1.0	1.5
	Humedad relativa	86	91	83	97	87	87	88	85	88
	Fuerza elástica....	9.73	11.21	9.55	10.28	9.19	9.19	9.85	10.02	9.88
Vientos.....	SO ₂	SO ₂	SO ₂	SO ₂	S ₁	N ₁	N ₁	N ₁	
Estado atmosférico.....	D.	D.	Np.	N.	N.	N.	N.	N.	

Instrumentos.	OCTUBRE 16 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	758.89	758.04	757.99	758.06	758.57	758.99	759.29	759.21	758.63	
Termómetro centígrado.....	16.2	15.5	14.2	13.8	13.5	13.5	13.0	16.5	14.53	
Psicrómet. {	Dif. de los term....	2.7	2.0	1.9	1.5	1.4	1.3	1.0	2.0
	Humedad relativa	72	78	79	83	84	85	88	79	81
	Fuerza elástica....	9.87	9.60	9.66	9.90	9.96	10.02	10.20	10.69	9.99
Vientos.....	S ₂	SO ₂	SO ₁	S ₁	NE ₁	NE ₂	N ₁	C.	
Estado atmosférico.....	Np.	D.	Np.	N.	N.	N.	N.	Np.	

Instrumentos.	OCTUBRE 26 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	758.79	757.69	756.59	756.72	756.11	756.27	756.61	757.96	757.13	
Termómetro centígrado.....	17.5	14.2	13.5	12.9	12.9	12.8	13.0	16.2	14.13	
Psicrómet. {	Dif. de los term....	1.0	1.3	0.3	0.9	0.7	1.0	0.5	1.8
	Humedad relativa	89	85	57	89	92	87	95	81	89
	Fuerza elástica....	11.70	10.39	11.33	10.26	10.58	9.61	10.32	10.57	10.68
Vientos.....	SO ₂	SO ₂	SO ₁	S ₁	S ₁	S ₁	NO ₁	N ₁	
Estado atmosférico.....	Np.	D.	Np.	D.	Np.	N.	N.	Np.	

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetro ^s		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	59.42	57.55	58.11	58.36	19.9	16.3	16.5	17.6	0.6	0.9	1.5
2	57.20	56.61	57.22	57.01	20.0	16.5	19.0	18.5	2.5	1.5	1.7
3	56.82	57.23	57.61	57.09	23.5	17.0	16.0	18.8	2.5	1.5	0.5
4	57.29	57.05	58.05	57.46	19.3	17.0	22.5	19.6	2.6	2.0	2.3
5	58.07	57.69	57.95	57.96	23.0	17.0	17.5	19.2	4.6	1.5	4.3
6	57.00	56.55	56.17	56.57	18.4	16.0	19.2	17.9	2.2	1.0	1.5
7	54.80	54.50	56.55	55.28	25.3	17.0	19.5	20.6	4.6	1.7	3.1
8	56.43	56.22	56.39	56.35	22.0	18.0	19.5	19.8	3.0	2.0	3.0
9	56.80	55.89	56.42	56.37	20.8	17.0	20.0	19.3	3.0	2.3	2.5
10	55.98	54.88	55.92	55.59	19.4	16.6	20.0	18.7	3.6	1.5	3.0
11	56.36	53.89	56.54	55.40	19.2	16.6	17.7	17.8	1.5	1.4	3.2
12	55.86	55.06	56.09	55.67	18.5	16.5	16.5	17.2	2.5	1.4	1.5
13	55.95	55.12	56.67	55.91	18.6	16.5	19.0	18.1	2.2	1.7	2.5
14	56.39	56.36	58.02	56.89	20.0	18.0	20.3	19.4	3.2	2.5	3.8
15	57.70	57.22	56.71	57.21	21.0	17.5	19.4	19.3	2.9	1.9	2.5
16	57.01	56.89	57.59	57.10	19.9	17.0	18.8	18.6	2.5	2.0	2.0
17	57.25	56.60	57.75	57.26	20.0	17.0	18.6	19.2	2.2	2.1	1.7
18	57.20	57.05	57.51	57.26	20.5	17.4	21.6	19.8	2.2	1.7	3.5
19	57.36	57.22	58.35	57.64	20.5	17.0	19.2	18.9	3.0	1.8	2.3
20	57.56	57.02	57.52	57.37	20.9	16.5	18.0	18.5	2.5	1.9	1.7
21	56.82	55.21	55.61	55.88	19.0	16.5	18.5	18.0	1.8	1.3	1.8
22	55.42	54.96	55.56	55.31	18.0	17.0	19.3	18.1	2.0	1.3	2.1
23	56.30	56.50	57.36	56.72	20.3	17.5	20.5	19.3	2.5	1.1	3.4
24	57.60	57.31	58.05	57.65	23.2	18.5	19.0	20.2	2.5	2.0	2.5
25	58.00	57.33	57.55	57.63	22.2	18.2	21.5	20.0	2.5	1.5	2.8
26	57.31	56.62	58.39	57.45	22.0	17.5	22.0	20.5	4.1	1.3	3.9
27	58.40	57.66	59.22	58.42	23.0	18.2	21.5	20.9	2.0	1.5	3.5
28	58.85	58.55	58.59	58.98	23.2	19.8	20.0	21.0	2.5	2.5	2.0
29	58.68	58.15	59.46	58.76	21.6	19.5	20.3	20.5	2.7	0.8	2.1
30	59.45	59.43	59.44	59.77	24.0	19.5	22.6	22.0	4.0	1.4	2.0
31	58.88	58.23	59.36	58.82	23.0	19.0	26.5	20.8	9.7	2.8	2.1

FEBRERO

1	58.38	58.80	59.49	58.86	21.2	18.1	21.2	20.3	2.5	2.3	2.4
2	59.68	59.57	59.60	59.62	21.8	17.8	17.5	19.0	2.5	1.5	1.0
3	59.24	58.36	58.36	58.65	19.8	17.5	17.5	18.3	1.9	1.4	1.5
4	59.10	58.05	58.58	58.51	20.0	17.0	17.9	18.3	2.6	1.8	1.5
5	57.70	57.35	58.27	57.77	19.5	15.8	17.4	17.9	3.3	1.7	2.5
6	58.29	57.81	56.85	57.68	19.3	16.7	19.8	18.6	3.1	2.0	1.7
7	56.40	55.55	57.10	56.35	18.1	16.7	17.0	17.7	1.9	1.6	1.2
8	57.37	57.11	57.61	57.03	21.6	16.6	16.5	18.2	2.5	1.5	1.5
9	57.25	56.65	57.66	57.19	18.0	15.9	17.0	16.9	2.3	1.0	3.1
10	57.69	57.41	57.50	57.53	18.0	16.4	19.2	17.9	2.5	1.2	2.0
11	57.39	57.45	58.36	57.72	17.9	16.0	18.5	17.5	3.0	1.2	2.5
12	57.57	56.57	57.06	57.07	17.8	16.2	18.0	17.3	2.1	1.4	1.8
13	56.19	55.27	57.66	56.47	18.3	16.3	18.0	17.5	2.4	1.4	1.7
14	56.80	56.62	56.76	56.73	18.5	16.6	19.0	18.0	2.3	1.6	2.0
15	56.45	54.17	56.97	56.53	22.5	17.7	19.5	19.9	2.7	1.6	2.0
16	56.68	55.52	55.93	55.70	20.0	17.4	18.2	18.5	0.8	1.8	2.2
17	56.13	54.97	55.49	55.60	18.8	16.6	19.5	18.3	1.6	1.5	1.7
18	55.16	54.97	56.93	55.69	18.9	17.0	18.5	18.1	1.7	1.6	2.0
19	55.85	55.25	55.85	55.64	19.9	17.2	18.0	18.4	1.6	1.6	1.9
20	55.46	55.06	57.15	55.89	19.3	17.4	18.0	18.2	4.5	1.7	1.6
21	56.25	56.75	56.59	56.50	18.0	17.2	17.5	17.6	2.2	1.2	1.6
22	56.42	56.17	56.50	56.36	18.5	16.8	16.8	17.4	2.4	1.4	1.0
23	55.75	55.37	57.21	56.32	19.4	16.7	20.2	18.8	2.7	2.0	3.0
24	56.95	57.73	57.70	58.43	21.0	16.5	18.6	18.7	3.0	1.0	1.4
25	57.45	57.17	57.63	57.42	19.3	17.6	19.5	18.8	1.5	1.8	2.2
26	57.98	57.76	58.68	57.81	21.4	17.6	19.5	19.5	2.2	1.1	2.7
27	58.31	57.65	58.06	58.00	19.6	17.2	17.6	18.1	2.3	1.9	1.0
28	57.13	57.02	58.57	57.57	18.5	16.7	18.0	17.7	1.9	1.8	1.5

DE 1874.

PSICRÓMETRO.												VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.													
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.				
86	91	84	87	13.93	12.63	11.40	12.65	SO.	SO.	SO.	D.	N.	N.				
75	84	83	81	11.58	11.00	12.77	11.78	—	S.	N.	Np.	—	—				
77	81	95	85	14.55	11.79	12.80	13.04	O.	—	SO.	—	—	—				
73	80	79	77	11.52	11.98	15.71	12.97	SO.	SO.	SO.	—	Np.	Np.				
61	81	61	69	11.61	12.19	16.08	11.28	—	SO.	SO.	—	Np.	Np.				
78	89	85	84	12.19	12.09	13.07	12.45	—	—	NO.	—	Np.	—				
62	82	71	72	12.91	11.91	11.83	12.23	NE.	—	NO.	—	Np.	—				
73	80	72	75	13.52	12.32	12.16	12.67	SO.	—	SO.	—	D.	Np.				
72	77	76	75	12.59	11.46	12.46	12.13	—	—	S.	D.	—	—				
66	84	72	74	10.91	12.19	11.71	11.60	—	S.	S.	—	—	—				
84	85	70	80	11.79	12.25	11.79	11.71	—	—	—	—	—	—				
75	85	84	81	11.58	11.54	11.40	11.50	—	—	NE.	Np.	N.	—				
78	82	76	79	12.00	11.12	12.46	12.19	—	—	N.	Np.	N.	—				
71	75	67	71	12.65	11.18	13.03	12.29	—	—	—	Np.	D.	Np.				
73	81	76	77	12.92	11.94	12.46	12.41	—	—	S.	—	D.	—				
76	80	80	79	12.82	11.98	12.77	12.52	—	—	N.	D.	N.	—				
65	79	83	76	12.43	11.58	13.38	12.46	—	—	—	Np.	N.	—				
79	82	69	77	13.55	12.07	13.22	12.88	—	—	—	D.	Np.	Np.				
79	81	77	79	13.08	12.00	12.85	12.61	—	—	NO.	Np.	Np.	Np.				
72	81	83	79	12.16	11.62	12.95	12.24	—	—	SO.	D.	Np.	—				
75	86	82	81	11.42	12.07	12.80	12.10	—	SO.	N.	—	N.	—				
82	86	80	83	12.44	12.55	13.14	12.71	—	S.	—	N.	N.	—				
81	89	63	79	13.29	13.23	11.91	12.78	—	—	—	Np.	Np.	D.				
76	80	76	77	13.34	12.77	12.01	12.71	—	—	—	D.	D.	Np.				
77	85	75	79	14.33	12.62	14.63	13.19	—	—	O.	—	—	—				
63	87	66	72	11.31	12.71	12.97	12.31	—	—	NE.	Np.	D.	—				
81	85	69	78	13.20	13.07	13.22	13.16	—	—	O.	D.	—	—				
77	67	81	75	14.33	11.40	14.13	13.29	—	—	—	—	Np.	—				
75	84	80	79	13.04	13.19	13.95	13.39	—	—	—	—	D.	—				
66	87	82	78	13.89	15.00	16.71	15.20	—	—	—	—	—	D.				
76	73	80	76	14.01	11.83	14.57	13.60	—	—	SO.	—	Np.	N.				

DE 1874.

77	77	78	77	13.83	12.31	14.87	13.67	S.	SO.	SO.	D.	N.	D.
72	85	90	84	14.13	13.07	13.81	13.67	SO.	—	SO.	—	—	N.
87	86	85	84	13.41	12.68	12.62	12.91	—	—	NO.	N.	—	—
76	81	86	81	12.83	11.76	13.13	12.64	—	—	NO.	N.	—	—
69	82	85	79	11.52	11.91	13.07	12.17	—	—	SO.	Np.	—	—
70	80	76	75	11.21	11.48	12.01	11.57	—	—	—	—	—	—
81	83	81	82	12.65	11.78	12.07	12.15	—	—	N.	D.	—	—
77	84	86	82	13.83	11.95	12.21	12.66	NO.	NO.	N.	—	—	—
77	89	84	83	11.70	12.09	12.19	11.99	SO.	SO.	N.	—	—	—
75	87	70	77	11.18	12.29	11.29	11.56	—	—	O.	D.	D.	Np.
69	87	80	79	10.48	11.97	12.77	11.74	—	—	S.	—	—	—
79	85	75	79	11.82	11.85	11.58	11.73	—	—	O.	—	—	Np.
76	85	82	79	11.72	11.85	12.44	12.00	—	—	SO.	—	—	—
77	83	84	81	11.86	11.73	13.83	12.47	NO.	S.	O.	N.	—	—
76	84	81	80	13.71	12.56	13.65	13.31	NE.	O.	S.	Np.	—	—
92	81	80	84	13.78	12.24	12.72	12.88	SO.	—	SO.	D.	—	—
84	84	78	81	13.41	11.19	12.46	12.36	—	S.	—	Np.	—	—
84	83	83	83	13.38	12.21	13.22	12.94	—	SO.	NO.	—	Np.	—
85	84	80	82	11.38	12.56	12.32	13.09	—	O.	SO.	D.	D.	—
62	88	81	77	11.67	12.51	12.47	12.22	SO.	SO.	—	—	N.	D.
78	87	83	83	11.06	12.29	12.05	11.98	—	S.	—	—	Np.	D.
77	85	90	84	12.07	11.85	12.93	12.28	—	—	C.	—	Np.	N.
73	80	72	75	11.76	11.72	12.59	12.00	—	—	NO.	D.	D.	D.
72	90	84	82	12.59	12.93	13.28	12.93	SO.	—	—	Np.	—	D.
85	82	78	82	13.07	12.44	12.46	12.66	—	—	NO.	—	N.	N.
80	89	74	81	14.01	13.32	12.43	13.25	S.	SO.	SO.	D.	—	N.
78	80	90	83	13.20	11.94	13.88	12.84	SO.	S.	S.	—	D.	N.
81	81	85	82	13.38	11.60	13.07	12.35	—	SO.	NO.	N.	—	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	20.5	17.0	19.2	18.9	11.7	1.8	1.5	1.6
2	58.10	57.49	58.10	57.85	20.0	16.0	16.0	17.3	14.6	1.9	1.0	1.2
3	57.10	55.99	56.68	56.59	18.5	16.5	17.8	17.6	14.5	2.0	1.4	1.1
4	55.71	55.06	56.77	55.83	19.0	16.2	17.0	17.4	13.4	3.4	1.5	1.5
5	56.92	56.55	57.49	56.99	22.0	17.0	19.5	19.5	14.0	3.6	2.0	2.6
6	57.29	57.55	57.82	57.39	18.8	16.8	18.8	18.1	14.5	2.1	1.6	2.1
7	56.98	56.99	57.15	57.04	18.0	16.5	17.2	17.2	14.8	2.0	1.4	1.0
8	57.15	56.05	57.19	56.80	18.4	16.5	17.5	17.5	14.6	1.5	1.5	1.7
9	56.62	56.11	55.99	56.24	17.5	16.0	16.3	16.6	14.5	1.9	1.0	0.3
10	54.94	54.62	55.94	55.17	17.5	16.5	17.2	17.1	14.4	1.7	1.0	1.6
11	55.62	54.96	55.55	55.38	17.5	16.7	19.3	17.8	13.6	1.3	1.0	2.0
12	55.24	55.32	57.33	55.96	20.0	16.8	20.2	19.0	13.0	1.5	1.7	2.0
13	57.28	56.42	57.55	57.08	20.5	17.5	18.0	18.7	14.8	2.3	1.8	2.6
14	57.80	57.42	57.60	57.61	19.4	17.3	17.3	18.0	14.0	3.2	1.4	1.8
15	57.22	57.12	57.41	57.25	18.0	17.5	18.2	17.9	14.8	1.6	2.1	2.8
16	56.80	57.05	56.37	56.74	18.5	16.0	17.0	17.2	14.4	2.4	1.0	1.4
17	55.92	55.95	57.43	56.43	19.5	16.5	16.6	17.5	14.5	3.0	1.4	1.7
18	55.92	57.19	57.47	56.85	17.2	15.6	17.3	16.7	12.9	2.0	1.0	2.0
19	57.52	57.67	57.39	57.53	16.5	15.0	15.3	15.6	12.5	1.4	0.9	0.8
20	57.39	57.15	57.37	57.30	21.0	15.0	16.3	17.4	13.5	2.5	1.0	1.7
21	57.69	57.17	58.75	57.87	17.5	15.0	16.6	16.4	13.4	1.4	0.5	1.5
22	57.89	57.51	60.12	58.51	17.5	16.3	17.6	17.1	14.3	1.8	1.7	1.0
23	60.39	59.57	60.09	60.02	20.5	15.3	15.7	17.2	13.8	1.7	0.5	0.6
24	59.47	56.67	59.80	58.65	17.0	16.0	16.0	16.3	13.8	2.0	1.5	0.5
25	58.05	58.14	57.71	57.97	16.8	14.9	15.2	15.7	12.8	1.8	1.0	1.5
26	57.50	58.07	59.45	58.34	17.2	14.5	16.3	16.0	12.9	1.6	1.2	1.1
27	58.55	57.73	57.49	57.92	17.0	14.6	15.3	15.6	11.6	3.3	1.0	1.5
28	57.39	57.59	58.29	57.76	19.0	16.5	16.0	17.2	13.9	2.5	1.4	1.0
29	58.05	57.73	57.47	57.75	17.8	15.5	14.5	15.9	12.7	2.5	1.6	0.5
30	56.79	56.99	57.41	57.06	15.5	14.5	15.4	15.1	11.4	1.5	0.6	0.8
31	55.18	55.29	55.53	55.33	16.0	14.0	15.2	15.1	11.5	2.0	0.8	1.0

ABRIL

1	55.21	55.64	56.38	55.71	16.5	15.0	15.2	15.6	11.0	1.7	1.8	1.1
2	56.31	57.16	57.71	57.06	17.5	15.4	15.4	16.1	13.3	0.5	0.8	1.6
3	57.58	57.67	57.33	57.53	15.5	13.8	16.0	15.1	13.2	2.0	1.0	1.5
4	56.68	56.49	56.24	56.47	16.7	13.3	14.0	14.7	10.6	1.5	0.5	1.0
5	57.32	57.57	57.54	57.48	18.5	13.8	15.0	15.8	11.0	1.7	0.7	1.2
6	57.53	57.06	58.91	57.83	19.0	15.4	16.2	15.9	11.0	2.9	0.9	1.9
7	58.15	57.49	58.91	58.18	18.0	15.0	16.0	16.3	11.0	2.8	1.4	1.9
8	56.80	56.32	56.93	56.68	17.2	15.7	15.0	16.0	11.9	1.5	1.8	0.7
9	56.62	56.39	57.65	56.89	16.5	16.0	16.9	16.5	14.3	1.5	0.9	0.5
10	57.15	57.62	58.96	57.91	17.4	15.9	16.0	16.4	14.4	2.5	1.8	0.5
11	58.40	57.71	59.62	58.58	17.3	15.5	17.3	16.7	11.5	1.5	0.9	1.9
12	57.97	57.93	59.19	58.36	16.5	15.3	15.2	15.7	13.5	1.5	0.9	0.5
13	58.91	58.54	59.05	58.83	16.7	15.6	15.0	15.8	13.2	1.8	1.3	0.5
14	59.13	59.02	59.13	59.09	15.7	15.0	15.5	15.4	13.2	1.5	1.2	1.2
15	58.52	58.14	57.94	58.20	18.3	15.5	15.0	16.3	13.2	2.4	1.1	1.0
16	56.76	57.08	58.63	57.49	16.4	15.3	15.7	15.8	13.5	2.5	2.6	1.4
17	58.17	58.17	58.81	58.38	16.5	15.3	16.5	16.1	13.5	2.2	1.8	1.8
18	58.57	58.39	59.41	58.76	16.5	15.4	17.0	16.3	13.9	2.2	1.3	1.2
19	58.55	58.96	58.58	58.70	16.4	14.3	16.7	15.8	12.0	1.7	1.1	1.0
20	57.67	58.04	58.54	58.08	16.5	14.5	17.0	16.0	11.2	1.5	1.8	2.0
21	58.30	58.37	59.22	58.63	19.6	15.2	16.5	17.1	12.0	1.2	1.4	1.5
22	58.49	58.73	58.99	58.76	17.3	15.5	13.5	15.4	10.4	1.5	1.8	0.3
23	57.99	57.89	58.11	58.00	16.0	15.0	14.5	15.2	12.0	1.3	1.4	0.5
24	57.90	57.97	58.93	58.27	18.4	15.6	14.9	16.3	12.4	2.5	1.9	1.0
25	58.35	58.79	58.82	58.59	16.6	15.5	16.0	16.0	13.8	1.2	1.5	1.0
26	58.31	58.29	58.91	58.50	15.8	15.0	15.9	15.6	13.5	1.7	1.3	2.4
27	58.55	58.62	58.99	58.72	16.2	14.3	16.5	15.7	13.4	0.8	1.1	1.0
28	58.11	58.38	59.89	58.79	15.5	13.5	15.4	14.8	10.4	1.5	1.8	1.8
29	59.13	59.38	60.35	59.62	15.8	13.4	15.0	14.7	12.3	2.4	0.8	1.5
30	59.43	59.14	59.39	59.32	16.2	14.4	15.0	15.2	13.9	1.7	1.3	0.9

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	57.77	57.69	57.84	57.77	18.0	15.0	15.2	16.1	13.4	2.5	0.9	0.7
2	57.88	56.79	58.77	57.65	19.0	15.0	15.4	16.5	13.3	2.8	0.7	0.4
3	58.57	58.41	57.85	58.25	15.5	14.1	14.5	14.7	11.9	1.4	0.3	1.0
4	58.29	58.41	58.24	58.31	16.2	15.0	13.5	14.9	11.2	2.5	1.0	0.6
5	58.48	58.14	57.31	57.98	17.0	13.0	13.0	14.0	9.4	1.7	1.1	0.5
6	56.87	57.98	59.16	58.00	15.5	13.6	13.3	14.1	10.6	2.0	1.4	1.0
7	58.73	58.58	58.11	58.47	15.6	14.5	12.6	14.2	9.4	2.0	1.4	0.5
8	57.91	58.07	58.15	58.04	15.5	14.0	13.9	14.5	12.0	1.0	1.2	1.0
9	58.41	58.08	58.30	58.26	16.0	14.5	14.5	15.0	12.4	1.7	1.2	1.1
10	57.54	56.98	57.72	57.41	17.5	13.0	13.5	14.7	10.6	1.0	0.7	0.8
11	58.75	56.75	57.55	57.60	16.0	14.0	15.0	15.0	12.5	1.5	1.0	1.0
12	57.17	56.61	58.98	57.59	18.0	15.0	15.8	16.3	12.5	2.5	0.9	1.5
13	57.55	57.82	58.20	57.72	16.5	14.0	14.3	14.9	10.0	1.5	0.8	0.5
14	58.02	58.11	58.86	58.33	14.9	14.5	13.9	14.4	12.5	1.0	1.3	1.5
15	58.59	58.21	59.20	58.97	14.5	14.0	14.5	14.3	12.5	1.5	0.9	0.2
16	59.00	59.01	59.91	59.31	16.6	14.5	13.7	14.9	12.4	2.4	1.2	1.0
17	59.82	59.99	59.10	59.64	16.6	13.8	13.3	14.4	11.4	2.5	1.0	1.8
18	58.41	58.80	59.37	58.86	14.0	13.5	13.6	13.7	11.0	0.9	0.9	1.7
19	58.41	58.37	58.74	58.51	15.0	14.0	14.0	14.3	12.4	2.3	1.2	1.7
20	57.67	58.41	60.49	58.86	16.5	14.2	15.0	15.6	11.7	2.4	0.9	1.5
21	59.17	59.31	59.89	59.46	15.5	14.5	14.5	14.8	12.0	2.1	1.4	1.6
22	59.39	59.54	60.29	59.74	15.0	14.0	14.4	14.5	12.0	1.4	0.9	1.0
23	59.51	59.84	59.57	59.64	14.5	14.0	12.5	13.7	9.9	1.5	1.0	1.0
24	59.31	60.04	60.89	60.08	13.5	13.5	14.0	13.8	11.3	1.5	1.5	0.7
25	59.89	60.16	59.73	59.93	14.0	11.5	11.5	12.7	9.5	1.5	0.6	1.1
26	59.36	59.16	59.78	59.43	13.0	13.0	13.7	13.2	10.5	1.0	1.0	1.4
27	60.65	60.26	61.22	60.71	14.0	13.5	12.0	13.2	8.2	1.5	1.4	1.4
28	58.05	57.66	57.77	57.83	15.2	11.5	10.4	12.4	7.3	2.0	0.5	0.0
29	57.62	59.11	60.26	59.06	14.5	12.2	14.5	13.7	8.9	1.5	1.2	3.0
30	58.94	59.54	60.15	59.54	15.0	13.6	15.8	14.8	11.6	2.0	1.5	1.0
31	58.73	59.21	55.40	58.79	14.5	13.3	13.5	13.4	8.5	1.5	1.3	0.5

JUNIO

1	57.67	58.21	58.95	58.29	16.3	13.4	11.9	14.9	11.4	2.8	0.9	1.9
2	58.94	59.10	60.61	59.55	15.5	15.4	14.3	15.1	12.4	1.4	2.6	0.5
3	60.61	60.78	59.22	60.20	17.3	14.4	14.0	15.2	10.4	2.4	1.5	2.0
4	57.72	57.84	59.51	58.37	15.0	13.6	14.5	14.4	10.4	1.3	0.9	1.0
5	59.78	59.61	59.91	59.79	15.6	14.0	14.5	14.7	12.5	2.1	1.8	1.7
6	59.49	59.51	59.50	59.51	17.0	14.2	15.0	15.7	12.5	2.8	1.6	1.0
7	59.11	59.24	59.49	59.28	15.5	13.2	15.8	14.8	11.3	2.5	0.8	2.2
8	58.68	58.91	59.76	59.12	15.6	13.5	15.0	14.7	11.5	1.1	1.2	0.2
9	59.12	59.24	60.56	59.61	14.0	13.8	14.5	15.4	10.0	3.4	1.8	4.3
10	60.29	60.60	60.46	60.45	14.0	13.9	13.4	13.8	10.0	1.0	1.6	1.5
11	60.86	60.66	59.57	60.36	14.7	11.5	12.0	12.7	7.4	2.3	0.9	1.8
12	58.34	57.39	58.09	57.93	14.6	11.7	11.7	12.7	7.3	2.5	0.8	1.3
13	57.51	57.66	58.69	57.95	14.2	11.5	12.5	12.7	8.5	1.1	0.7	1.4
14	57.84	57.71	58.42	57.99	15.4	13.2	13.3	14.0	9.4	2.0	1.4	1.6
15	57.39	57.56	58.22	57.72	15.3	13.0	12.0	13.4	10.3	2.2	0.8	0.5
16	57.74	57.73	58.32	57.93	13.5	10.2	10.5	11.4	8.0	2.7	0.9	1.4
17	57.82	57.91	60.08	58.60	13.3	12.7	14.0	13.3	9.7	1.8	1.5	1.2
18	59.26	58.48	60.12	59.29	14.5	13.4	12.5	13.5	8.9	1.4	1.5	1.3
19	58.58	58.31	58.28	58.39	14.0	12.5	12.0	12.8	9.0	1.0	0.9	1.5
20	67.90	57.64	58.12	57.89	14.0	13.2	13.2	13.5	11.1	1.7	1.5	0.8
21	56.56	56.91	56.86	56.78	15.0	12.4	13.3	14.2	9.5	1.5	0.9	1.5
22	57.86	58.64	58.21	58.23	14.6	13.2	13.5	13.8	9.1	1.3	1.7	1.5
23	56.44	56.81	59.26	57.50	15.4	12.5	12.8	13.6	8.5	1.8	1.2	1.4
24	59.23	59.37	61.30	59.97	16.0	12.6	11.9	11.5	11.5	1.5	1.1	0.9
25	61.89	62.21	61.64	61.70	16.3	13.2	12.5	13.9	8.5	1.6	1.4	0.9
26	57.89	58.51	59.26	58.56	16.6	12.5	11.4	13.6	7.8	1.7	0.8	0.5
27	58.71	59.04	60.11	59.62	15.0	13.3	13.6	14.0	11.9	1.1	0.4	1.0
28	59.39	60.46	60.16	60.18	15.1	14.7	14.6	14.9	13.4	1.1	1.1	1.5
29	59.37	58.86	60.61	59.69	16.3	14.5	14.5	15.1	12.0	0.9	0.9	0.6
30	60.33	61.80	62.24	61.53	17.6	13.6	13.5	14.6	9.4	0.8	0.6	1.0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
74	90	92	85	10.87	11.44	11.64	11.32	NO.	S.	N.	Np.	N.	N.
72	92	96	87	11.39	11.72	12.46	11.86	—	N.	—	—	—	—
85	97	89	90	11.06	11.47	10.91	11.50	SO.	S.	—	—	—	—
79	89	93	87	10.69	11.30	10.80	10.93	S.	—	—	—	—	—
74	87	95	85	10.89	9.79	10.86	10.51	S.	N.	E.	D.	D.	—
81	84	88	81	10.34	9.61	10.25	10.07	SO.	SO.	N.	Np.	N.	—
78	84	91	85	9.60	10.45	10.50	10.18	—	S.	E.	Np.	—	—
89	86	89	88	11.30	10.43	10.56	10.76	N.	SE.	N.	N.	—	—
82	86	88	85	10.88	10.61	10.78	10.77	SO.	S.	—	—	—	—
90	92	91	91	12.93	10.24	10.68	11.28	—	S.	—	—	D.	—
84	89	89	87	11.00	10.56	11.30	10.75	N.	NO.	—	Np.	N.	—
75	90	81	83	11.18	11.41	11.40	11.34	NO.	—	—	—	—	—
84	91	91	90	11.79	10.82	11.69	11.10	—	S.	—	D.	D.	D.
77	85	83	82	10.57	10.37	9.90	10.28	—	SO.	SO.	—	Np.	N.
83	90	98	90	10.25	10.69	11.11	10.68	O.	S.	N.	N.	N.	—
75	86	89	83	10.45	10.57	10.56	10.53	—	—	—	—	—	—
74	89	79	81	10.00	10.56	9.05	9.87	—	—	E.	Np.	—	—
90	89	81	87	10.69	10.26	9.43	10.13	O.	—	N.	D.	—	—
75	86	81	81	9.41	10.29	9.78	9.83	—	—	SO.	—	—	Np.
67	90	84	80	9.81	10.76	11.09	10.53	—	—	E.	Np.	—	—
77	84	82	81	10.17	10.31	10.19	10.22	N.	—	—	—	—	—
81	90	81	85	10.66	10.69	10.91	10.75	—	—	SO.	—	—	—
83	89	87	86	10.25	10.56	9.61	10.14	S.	—	—	D.	—	—
83	83	92	86	9.55	9.55	11.23	10.09	O.	NO.	E.	D.	—	—
83	93	85	87	9.90	9.43	8.80	9.38	SO.	—	N.	D.	D.	—
88	88	84	87	9.85	9.85	10.63	9.91	NO.	O.	NO.	D.	D.	—
83	84	83	83	9.99	9.61	8.95	9.49	SO.	S.	SO.	D.	D.	D.
77	94	100	90	9.96	9.49	9.47	9.64	N.	—	E.	Np.	N.	N.
82	86	67	79	9.90	9.07	8.33	9.10	N.	N.	—	—	—	N.
78	83	89	83	9.95	9.55	11.30	10.27	SO.	SO.	—	—	—	Np.
83	85	94	87	10.25	9.01	11.21	10.16	—	S.	—	—	Np.	D.

DE 1874.

71	89	79	80	9.74	10.33	10.01	10.03	—	NO.	N.	D.	D.	Np.
85	73	94	84	11.22	9.58	11.60	10.77	N.	N.	—	D.	D.	Ll.
76	83	78	79	11.24	10.25	9.25	10.25	—	—	O.	D.	D.	D.
85	89	89	88	10.72	10.33	10.91	10.65	SO.	O.	N.	N.	N.	N.
77	80	81	79	10.24	9.65	9.99	9.96	O.	N.	—	—	—	—
72	82	89	81	10.24	10.05	11.30	10.52	NE.	S.	E.	—	—	—
74	90	77	80	9.65	10.32	10.57	10.18	—	—	—	Np.	—	Np.
88	86	98	91	11.64	10.01	12.58	11.41	O.	SO.	—	—	D.	Np.
67	80	54	67	10.16	9.37	6.69	8.74	N.	S.	NE.	N.	N.	Np.
82	83	85	85	10.56	9.77	9.55	9.96	SO.	—	—	—	D.	D.
75	89	78	81	9.41	9.01	8.38	8.61	S.	—	S.	D.	D.	D.
73	90	85	83	8.94	9.45	9.01	9.13	—	—	E.	—	—	—
88	92	83	88	10.64	9.37	9.30	9.77	—	—	—	—	—	—
88	84	82	81	9.95	9.61	9.49	9.68	NO.	NO.	—	Np.	N.	—
76	90	94	87	9.68	10.25	9.84	9.92	—	S.	E.	—	—	—
69	88	82	80	7.85	8.33	8.03	8.06	—	—	—	D.	—	—
79	82	86	82	8.98	9.24	10.29	9.50	—	N.	N.	—	—	Np.
84	83	85	84	10.31	9.55	9.15	9.67	—	—	SO.	N.	—	N.
89	89	94	91	10.56	9.81	10.15	10.17	S.	—	E.	Np.	D.	N.
81	83	90	85	9.78	9.55	10.32	9.88	SO.	SO.	N.	N.	N.	—
83	89	84	85	10.60	9.67	11.09	10.42	NO.	NE.	—	Np.	D.	D.
85	80	83	83	10.51	8.97	9.55	9.68	N.	N.	SE.	Ll.	—	Np.
86	84	83	83	10.35	9.42	10.31	10.03	SO.	—	NE.	N.	—	—
74	86	90	83	10.39	9.48	11.36	10.41	NO.	N.	NE.	D.	N.	—
83	84	89	85	10.26	9.61	9.91	9.93	—	S.	O.	Np.	D.	D.
82	90	94	89	11.67	9.94	9.49	10.37	S.	—	—	Np.	N.	N.
88	95	89	91	10.39	10.63	10.56	10.73	SO.	NO.	E.	Np.	N.	N.
88	84	83	85	11.40	10.31	10.25	10.65	E.	—	N.	N.	—	—
92	96	93	91	12.39	11.18	11.86	11.81	N.	—	—	D.	—	G.
92	95	88	92	14.11	11.06	10.29	11.79	O.	—	—	Np.	D.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	61.70	61.12	61.29	61.37	13.5	13.5	13.2	14.1	8.6	2.0	1.5	1.0
2	60.96	61.15	60.92	61.01	14.6	12.5	12.7	13.3	10.5	1.8	2.3	1.5
3	59.88	59.72	59.15	59.58	15.0	12.9	12.7	13.5	10.9	1.0	0.7	1.5
4	58.58	58.54	59.37	58.83	14.5	11.0	13.5	14.0	7.5	1.3	0.7	2.4
5	59.84	59.54	60.63	60.00	15.5	14.2	9.8	13.2	5.4	1.5	1.0	3.0
6	59.84	60.12	60.32	60.09	13.4	11.0	10.0	11.5	6.0	2.4	1.0	2.6
7	59.38	59.51	60.70	58.86	13.2	10.0	11.0	11.7	9.0	1.2	1.0	2.1
8	59.38	59.10	59.60	59.36	12.0	11.0	11.0	11.3	8.5	1.8	1.0	1.7
9	60.16	60.18	61.14	60.49	15.1	12.3	10.5	12.6	6.0	1.1	1.3	2.0
10	61.35	62.00	59.68	61.01	13.0	10.2	10.5	11.2	5.0	1.0	1.2	0.9
11	57.61	57.33	59.61	58.18	15.0	11.2	12.5	12.9	9.8	1.0	1.2	1.2
12	57.95	58.06	58.92	58.31	15.6	13.5	12.0	13.5	8.0	1.0	1.5	1.0
13	59.18	59.28	59.31	59.26	15.4	12.2	12.8	13.5	9.5	2.2	0.9	1.3
14	59.66	59.76	60.86	60.10	15.6	12.8	12.2	13.5	10.2	1.4	1.8	0.7
15	60.62	60.75	60.49	60.62	13.5	12.1	11.5	12.4	7.6	1.7	0.9	0.5
16	60.60	59.02	58.78	59.27	14.5	12.5	12.5	13.2	9.3	2.0	1.5	1.4
17	58.29	58.01	58.71	58.34	15.8	13.0	12.0	13.9	10.0	2.5	1.2	0.9
18	57.92	58.28	60.71	58.97	14.0	12.8	13.3	13.4	10.1	1.0	1.3	1.2
19	58.54	58.68	59.75	58.98	13.2	11.0	12.2	12.1	8.0	1.2	1.4	2.1
20	60.14	60.93	60.34	60.47	13.5	11.5	11.9	12.3	6.5	1.5	1.5	1.0
21	58.36	58.78	59.97	59.04	14.0	11.0	11.5	12.2	6.8	1.0	1.0	0.5
22	59.52	59.78	59.72	59.67	13.6	13.0	11.5	12.7	7.0	1.4	1.0	1.5
23	58.74	68.38	57.84	58.32	15.5	13.0	9.9	12.8	7.5	1.5	1.0	0.0
24	57.38	57.29	58.21	57.63	13.0	12.3	12.5	12.6	8.4	1.0	1.1	0.8
25	57.46	57.78	59.56	58.27	14.5	12.5	12.3	13.1	10.4	1.5	1.5	1.5
26	59.46	59.16	59.11	59.24	14.5	13.0	11.5	13.0	9.4	1.7	1.0	0.5
27	58.06	59.48	58.25	57.93	12.5	10.4	11.2	11.4	8.4	1.7	0.9	0.7
28	57.44	58.85	60.82	59.04	14.5	13.0	12.5	13.3	10.0	0.8	1.2	1.5
29	60.54	60.78	61.13	60.82	14.0	11.5	12.5	12.7	8.0	2.5	1.4	1.5
30	59.51	59.86	62.15	60.51	15.3	12.5	13.4	13.6	10.6	1.0	1.4	1.5
31	61.86	61.35	60.52	61.24	14.0	13.0	12.5	13.2	9.0	1.0	1.0	0.7

AGOSTO

1	59.45	60.50	59.17	59.71	13.8	12.7	10.8	12.4	8.4	1.0	0.6	0.1
2	57.91	57.14	58.18	57.74	16.0	13.0	12.5	13.8	8.4	1.5	1.2	0.9
3	56.26	57.66	59.97	57.94	15.0	13.8	14.0	14.3	11.4	1.5	1.0	1.1
4	59.04	59.66	60.12	59.41	17.0	14.0	13.5	14.8	12.0	2.3	1.0	0.7
5	59.58	60.04	60.66	60.09	14.2	13.5	13.7	13.8	12.0	2.0	1.5	1.0
6	60.21	60.34	60.66	60.40	14.4	13.5	13.4	13.8	11.5	1.2	1.3	1.5
7	60.38	60.36	60.78	60.51	13.9	12.0	12.0	12.6	9.5	0.5	0.6	0.5
8	61.04	60.96	60.97	60.98	14.5	13.6	11.5	13.2	8.4	1.4	1.2	1.1
9	59.94	59.48	59.14	59.52	14.0	13.2	12.5	13.2	9.0	1.2	1.1	0.5
10	59.10	59.16	59.25	59.16	14.8	13.5	12.5	13.9	10.8	0.8	1.1	1.5
11	58.72	59.38	61.21	59.77	14.4	12.2	14.0	13.5	10.6	1.1	1.4	1.0
12	60.57	60.28	59.68	60.18	14.0	11.4	11.9	12.4	7.5	2.5	1.3	2.8
13	59.12	59.28	59.84	59.41	13.6	10.4	12.9	12.1	10.9	2.0	0.6	2.0
14	59.62	60.28	62.87	60.92	12.8	10.5	11.4	11.6	6.4	1.4	1.2	2.0
15	62.97	63.27	62.67	62.77	12.7	10.6	12.5	11.9	6.4	2.5	0.8	0.5
16	59.77	59.63	60.67	60.02	14.2	11.0	12.4	12.5	7.8	1.0	1.0	0.9
17	59.51	59.63	58.76	59.30	14.4	10.6	12.6	12.5	6.8	1.2	0.8	0.6
18	57.55	57.56	59.23	58.11	16.0	12.5	13.4	14.0	11.0	1.0	1.1	0.9
19	58.74	58.86	60.75	59.45	15.2	12.8	15.0	14.3	6.9	1.3	2.0	1.9
20	60.46	60.56	60.49	60.50	11.5	12.2	12.8	13.2	6.9	1.3	1.0	1.1
21	60.24	60.38	61.40	60.74	13.4	12.3	12.5	12.7	6.4	0.5	1.2	1.0
22	60.34	59.26	58.56	59.39	14.0	12.5	11.8	12.8	7.0	1.0	1.5	1.4
23	57.60	57.76	58.24	57.89	13.0	12.5	12.0	12.5	9.5	0.8	1.2	0.5
24	58.42	59.28	61.03	59.58	13.5	13.0	13.5	13.3	11.0	1.1	0.9	1.5
25	61.05	60.98	61.08	61.04	16.0	12.0	14.0	14.0	8.9	0.8	0.8	0.9
26	61.16	61.55	62.91	61.97	14.5	13.0	12.8	13.4	10.5	1.9	1.1	0.5
27	64.00	64.02	64.82	63.28	14.5	11.5	12.5	12.8	6.9	0.4	0.6	0.7
28	60.35	60.32	61.11	60.59	14.0	12.0	13.9	13.3	10.4	1.1	1.1	1.0
29	60.31	60.56	59.22	59.34	13.6	13.0	12.9	13.2	10.4	1.2	0.6	0.8
30	58.90	58.32	59.92	58.92	13.5	13.0	13.0	13.2	11.0	1.2	1.1	0.8
31	59.92	60.16	60.79	60.29	13.2	13.0	14.0	13.4	11.5	0.6	0.8	1.0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.						
78	83	88	83	9.55	9.55	10.29	9.90	SO.	S.	NE.	D.	D.	D.
80	73	83	79	9.86	7.78	9.55	9.06	S.	S.	S.	Np.	Np.	N.
89	92	82	88	11.39	10.58	9.24	10.31	SO.	—	—	—	D.	N.
85	92	83	87	10.51	10.95	9.09	10.18	—	—	N.	—	N.	N.
84	89	67	80	11.90	10.70	8.33	10.04	NO.	—	—	D.	—	D.
73	86	70	76	8.34	8.56	7.59	8.16	SO.	—	S.	—	D.	D.
86	86	75	82	9.75	7.97	8.11	8.61	S.	—	E.	—	—	—
79	85	79	81	8.81	8.56	7.73	8.41	—	—	NE.	—	—	Np.
88	85	75	83	11.24	9.91	7.37	9.24	NO.	—	SE.	Np.	N.	N.
88	84	89	87	9.85	7.85	8.62	8.77	SO.	—	S.	—	D.	D.
89	85	86	87	11.39	8.41	9.42	9.72	—	—	NE.	N.	N.	N.
89	83	87	86	11.39	9.55	9.19	10.61	N.	—	N.	D.	N.	N.
86	89	85	83	9.83	9.46	9.50	9.69	—	—	E.	Np.	N.	N.
75	79	92	85	11.14	8.70	9.72	9.85	NO.	N.	—	—	Np.	N.
79	89	94	87	9.31	9.39	9.49	9.49	S.	—	—	Np.	D.	N.
78	82	83	81	9.53	8.89	9.23	9.22	SO.	—	N.	D.	Np.	N.
74	86	89	83	9.65	9.63	9.46	9.58	NO.	—	—	Np.	N.	N.
89	85	86	87	10.56	9.36	9.73	9.72	—	N.	—	—	—	—
86	82	75	84	9.73	8.99	8.92	8.61	SO.	—	NE.	D.	D.	D.
83	82	87	84	9.55	8.26	9.19	9.00	—	S.	E.	Np.	D.	D.
89	86	94	90	10.56	8.56	9.49	9.54	—	—	E.	—	N.	N.
84	83	82	85	9.75	9.85	8.26	9.23	—	—	S.	D.	N.	D.
84	88	100	91	11.90	9.85	9.17	10.91	N.	—	SE.	N.	N.	N.
83	86	90	88	9.85	9.27	9.87	9.65	NO.	—	N.	—	—	N.
83	82	82	82	10.25	8.8	8.29	9.35	—	NO.	—	Np.	—	—
81	88	94	88	9.39	9.85	8.3	9.57	—	—	E.	—	—	—
79	88	94	87	8.62	8.29	9.49	8.83	SO.	NO.	—	—	D.	D.
91	86	92	90	10.82	9.73	9.72	10.09	—	S.	—	D.	D.	D.
72	83	82	79	8.64	8.44	8.89	8.65	—	—	SO.	—	D.	D.
89	83	83	85	11.39	9.9	9.55	9.98	—	S.	E.	—	Np.	N.
89	88	92	90	10.56	9.8	9.93	10.11	—	—	S.	Np.	—	D.

DE 1874.

89	83	83	84	10.56	10.30	9.41	10.69	N.	N.	SO.	D.	N.	N.
83	86	86	85	10.60	9.73	9.75	10.05	NO.	N.	N.	Ni.	Np.	N.
83	89	88	87	10.39	10.56	10.85	10.66	N.	—	—	D.	N.	—
76	89	92	86	10.67	10.56	10.74	10.65	—	S.	—	Np.	—	—
76	83	89	83	9.12	9.69	10.56	9.79	SO.	—	E.	D.	—	—
86	86	82	84	10.59	9.21	9.24	9.87	—	SO.	—	Np.	—	—
94	83	94	94	11.21	9.99	9.21	10.35	S.	—	—	D.	—	—
84	86	94	88	10.31	9.94	9.43	9.94	SO.	—	—	N.	—	—
86	87	86	86	10.29	9.70	9.48	9.85	—	—	—	Np.	—	—
91	87	84	91	11.19	10.00	10.59	10.69	—	—	—	—	—	—
88	83	83	85	10.78	8.95	9.96	9.88	SO.	—	SE.	—	—	—
72	84	87	81	8.63	8.38	9.19	8.73	—	—	NE.	N.	D.	D.
73	83	68	79	8.46	8.29	7.59	8.62	—	—	—	N.	—	Np.
83	84	75	84	9.69	7.85	7.67	8.29	—	SO.	E.	—	—	—
71	90	76	79	7.84	8.68	8.26	8.26	—	—	—	D.	—	—
89	86	94	90	10.53	8.53	10.15	9.76	—	—	SO.	—	—	—
86	89	89	88	10.45	8.68	9.81	9.64	SO.	—	E.	—	—	—
89	86	95	90	11.70	9.27	10.92	10.63	—	—	N.	—	—	—
85	87	84	84	10.72	8.38	11.33	10.22	—	—	NE.	—	—	—
91	86	75	84	10.83	9.21	8.29	9.62	—	—	E.	D.	D.	D.
82	82	84	84	10.36	8.5	9.19	9.51	NE.	—	SE.	—	—	—
90	86	83	86	9.25	9.44	8.59	9.24	SO.	—	N.	Np.	—	—
87	89	94	86	9.33	10.05	11.09	10.33	—	SO.	—	—	—	—
91	89	83	88	12.21	9.63	10.25	10.71	—	—	E.	N.	D.	D.
79	87	89	85	9.86	9.79	9.09	9.73	—	—	—	Np.	Np.	D.
75	86	82	88	9.42	9.25	10.15	10.36	—	—	—	—	D.	D.
88	86	82	88	10.10	9.15	10.74	10.19	—	—	—	—	—	Np.
88	87	90	88	10.34	9.79	10.11	9.95	—	—	—	N.	N.	N.
86	86	84	84	10.37	10.18	10.37	10.37	—	SO.	—	—	—	N.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	60.04	60.16	60.28	60.16	13.8	12.8	13.5	13.4	10.0	1.4	1.4	1.0
2	59.86	61.97	62.28	61.37	15.5	11.5	12.0	13.0	11.5	1.0	0.6	0.2
3	61.71	61.83	61.71	61.75	13.5	11.4	12.8	12.6	5.9	1.2	1.2	1.0
4	60.58	59.62	60.58	60.26	13.0	11.0	13.0	12.3	9.5	2.0	0.8	0.8
5	59.64	59.56	59.42	59.54	16.5	12.3	11.8	13.5	9.6	2.8	0.9	0.5
6	58.06	58.22	59.34	58.54	16.6	12.0	12.5	13.5	9.6	0.9	0.8	2.0
7	58.67	58.71	58.93	58.77	16.5	12.6	12.0	13.7	9.9	1.5	2.3	0.5
8	59.76	59.18	61.41	60.12	15.0	12.4	12.9	13.4	10.4	2.3	2.0	1.9
9	60.34	60.26	59.84	60.15	13.8	12.0	12.5	12.8	7.8	1.2	0.9	1.0
10	58.32	58.06	59.43	58.60	13.8	12.6	12.8	13.1	10.8	1.5	0.8	0.5
11	59.30	59.19	60.41	59.60	13.5	13.0	13.0	13.2	11.2	2.1	1.9	1.5
12	59.59	59.44	58.63	59.22	15.0	12.3	12.5	13.3	10.4	2.0	1.2	1.1
13	58.94	58.76	59.73	59.14	16.0	13.0	13.4	14.1	10.1	2.3	0.8	1.5
14	59.61	59.64	62.64	60.63	18.5	13.2	15.4	15.7	10.2	4.3	0.8	0.5
15	62.90	63.09	61.15	62.38	15.0	13.0	14.2	14.1	8.3	1.8	0.8	0.7
16	59.98	58.90	57.51	58.79	15.8	12.6	15.0	14.8	9.0	1.0	1.2	1.5
17	56.39	56.69	57.79	56.62	16.5	13.2	16.0	15.2	10.0	1.1	0.1	1.5
18	58.78	59.09	60.11	59.33	18.0	13.0	14.3	15.1	9.0	0.5	0.8	0.6
19	57.88	58.34	59.66	58.63	15.0	12.7	14.5	14.1	9.0	0.6	0.5	1.0
20	58.51	58.54	61.64	59.56	15.0	14.0	14.4	14.5	11.3	2.0	0.7	0.8
21	61.36	62.10	63.66	62.37	15.2	13.0	14.0	14.1	8.5	1.5	1.3	2.2
22	63.96	64.01	61.62	63.20	14.5	11.6	14.5	13.5	7.4	1.1	1.0	3.0
23	58.22	57.71	58.83	58.92	15.4	12.4	13.6	13.8	10.8	2.5	0.6	1.3
24	58.99	59.04	61.45	59.82	17.5	14.0	13.9	15.1	11.0	1.2	1.1	1.5
25	60.68	60.62	60.68	60.13	15.0	12.3	14.0	13.8	8.3	2.5	0.7	0.8
26	59.04	58.34	58.75	58.71	15.0	12.0	13.2	13.4	8.4	0.8	1.3	1.4
27	57.99	59.90	59.41	59.43	13.6	13.4	14.0	13.7	10.0	0.9	1.2	0.8
28	59.08	60.04	62.65	60.59	16.8	14.0	15.5	15.4	10.8	1.8	0.8	1.9
29	62.63	62.86	61.84	62.44	15.0	12.8	13.6	13.8	8.3	1.7	1.2	1.4
30	59.04	58.86	58.56	58.82	15.2	13.5	14.6	14.4	8.2	0.7	1.2	1.0

OCTUBRE

1	57.93	58.71	59.12	58.62	18.5	13.8	15.3	15.9	11.8	1.2	0.6	1.2
2	57.36	58.48	60.66	58.83	20.0	14.0	15.0	16.3	11.6	2.0	1.7	1.1
3	59.93	60.85	61.21	60.66	17.0	14.2	14.5	15.2	11.0	2.0	1.2	2.0
4	60.51	60.38	60.29	60.39	15.4	13.2	15.4	14.7	10.2	1.3	1.1	1.2
5	58.39	58.31	58.81	58.51	15.6	13.8	16.0	15.1	12.3	2.3	1.5	1.2
6	58.60	60.18	60.16	59.65	19.6	14.0	14.2	15.9	11.2	1.0	0.7	1.2
7	59.36	59.47	59.02	59.28	15.0	13.3	14.5	14.3	10.9	1.5	0.6	1.6
8	58.71	58.53	58.96	58.73	14.6	13.6	15.0	14.4	11.9	1.3	1.5	1.0
9	58.32	59.18	59.01	58.84	19.4	14.8	17.0	17.1	13.5	3.0	1.8	2.6
10	58.49	59.72	60.66	59.60	20.5	14.5	15.5	16.8	12.6	2.3	1.6	1.7
11	60.57	61.85	61.63	61.36	19.7	14.2	15.0	16.3	9.8	2.2	1.3	1.6
12	60.62	61.06	61.19	60.96	16.0	12.5	17.2	15.2	10.0	1.2	1.6	2.0
13	61.41	62.07	60.75	61.41	15.3	12.4	15.0	14.2	10.0	2.5	1.5	2.5
14	60.21	59.91	59.62	59.91	14.6	13.0	17.8	15.1	9.9	1.3	1.1	1.8
15	59.66	59.66	59.88	59.73	15.0	11.2	17.3	15.5	11.6	1.4	1.7	2.5
16	60.10	60.34	58.88	59.77	15.5	13.5	14.0	14.3	10.2	1.5	1.0	1.2
17	57.51	57.51	57.77	57.61	17.0	13.5	13.3	14.6	11.4	2.5	1.7	1.0
18	56.84	56.78	58.96	57.53	17.6	14.0	15.8	15.8	12.1	2.0	0.8	1.0
19	58.67	59.21	60.88	59.59	17.4	14.6	14.7	15.6	12.4	1.0	1.5	1.0
20	59.99	59.84	60.00	59.94	15.6	13.5	15.5	14.9	11.2	2.1	1.3	1.2
21	59.72	59.36	59.21	59.43	14.5	13.4	14.5	14.1	11.0	2.2	1.5	2.4
22	58.89	59.21	59.21	59.11	17.2	13.5	14.5	15.1	11.1	1.8	1.3	1.5
23	58.51	58.17	59.71	58.83	15.4	13.3	14.5	14.4	9.0	3.0	0.8	1.0
24	59.04	58.91	58.75	58.91	16.0	13.5	16.6	15.4	10.4	1.7	0.9	0.7
25	58.54	58.69	58.65	58.63	16.0	15.9	15.0	14.9	12.0	2.1	1.6	0.9
26	57.69	57.91	59.07	58.23	15.5	13.5	14.9	14.6	11.0	1.2	1.2	0.5
27	58.48	58.61	58.96	58.68	14.8	13.0	16.5	14.8	9.6	0.5	1.3	1.0
28	59.04	59.22	59.07	59.11	15.2	14.5	15.7	15.1	10.9	0.5	1.0	0.5
29	57.46	57.76	58.81	58.00	16.3	13.1	16.0	15.2	11.0	1.0	1.3	1.0
30	58.48	59.01	59.08	58.83	16.5	13.0	14.0	14.5	11.0	1.0	1.2	0.5
31	58.52	58.74	59.78	59.01	15.3	13.5	14.6	14.3	11.5	1.8	1.2	0.9

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
84	83	88	85	9.82	9.16	10.20	9.73	NO.	S.	NO.	D.	D.	N.
85	80	97	88	11.70	8.20	9.04	9.65	S.	—	S.	Np.	N.	D.
85	85	88	86	9.94	8.50	9.85	9.09	SO.	—	NE.	D.	D.	D.
77	90	90	86	8.58	8.92	9.97	9.16	—	—	N.	—	—	N.
72	89	94	85	10.21	9.60	9.84	9.88	NO.	—	N.	Np.	—	—
90	90	77	86	11.81	9.59	8.93	10.12	—	NO.	N.	D.	—	—
84	74	94	84	11.40	8.02	9.81	9.75	—	—	E.	Np.	—	—
75	76	78	76	9.20	8.26	8.64	8.70	SO.	—	S.	D.	—	—
86	83	86	87	10.01	9.53	9.54	9.69	—	—	S.	—	D.	—
83	90	94	88	9.90	9.97	10.59	10.12	S.	—	SO.	—	D.	—
76	78	83	79	8.80	8.78	9.30	9.16	SO.	—	N.	Np.	—	—
78	86	86	83	9.60	9.28	9.48	9.45	S.	—	—	D.	D.	—
75	90	83	83	9.77	10.18	9.55	9.83	S.	—	—	Np.	D.	—
60	90	94	81	9.69	10.39	12.00	10.69	O.	NO.	N.	Np.	N.	D.
80	90	92	87	9.93	10.25	11.30	10.49	SO.	—	S.	Np.	D.	—
89	86	83	86	12.09	9.19	10.53	10.67	S.	E.	SE.	Np.	D.	—
88	99	84	90	12.19	10.40	11.40	11.33	NO.	NO.	N.	Np.	N.	—
95	90	93	92	13.77	10.25	11.36	11.79	—	—	—	—	N.	—
93	95	89	92	11.78	10.50	10.91	11.06	SO.	S.	—	D.	D.	—
78	82	92	84	10.30	9.84	10.30	10.15	—	SO.	S.	—	N.	—
83	81	75	80	10.81	9.11	8.88	9.60	—	—	S.	—	—	Np.
88	84	77	83	10.78	8.50	8.33	9.20	—	—	SE.	Np.	D.	D.
73	87	85	82	9.43	9.54	9.95	9.64	S.	—	NO.	—	Np.	N.
88	93	83	88	12.80	10.94	9.90	11.21	NO.	—	SO.	D.	N.	—
73	86	91	83	9.29	9.41	10.68	9.79	—	—	S.	—	D.	—
91	92	94	89	11.58	9.58	9.61	10.26	SO.	—	S.	—	N.	—
89	85	90	88	9.67	9.88	10.96	10.17	O.	N.	NO.	—	—	—
81	86	79	82	11.45	10.43	10.50	10.79	NE.	—	NO.	—	—	—
81	89	84	85	10.34	10.11	9.89	10.11	—	—	SO.	—	D.	D.
92	86	89	89	11.72	9.87	10.56	10.72	—	—	NO.	—	N.	N.

DE 1874.

88	93	87	89	13.16	10.94	11.18	11.76	NO.	NO.	N.	N.	—	N.
80	81	88	83	12.32	10.00	10.97	11.09	N.	S.	—	Np.	—	N.
80	86	78	81	11.48	10.67	9.95	10.70	—	—	SO.	D.	—	Np.
87	87	86	87	11.24	9.91	10.97	10.37	—	—	N.	—	—	N.
75	83	87	82	10.05	10.12	11.39	10.52	—	—	NO.	—	—	N.
90	92	86	89	12.93	11.07	10.29	11.43	NO.	—	SO.	—	—	N.
83	93	82	86	10.16	10.64	10.95	10.52	NO.	—	S.	—	—	N.
85	94	89	89	10.65	9.67	10.91	10.41	—	—	S.	—	—	N.
71	80	73	75	10.87	9.93	10.41	10.40	N.	NO.	NO.	—	—	N.
78	82	81	80	12.88	10.19	10.60	11.22	NO.	N.	N.	Np.	—	N.
78	86	82	82	12.55	10.49	10.19	11.08	—	—	S.	D.	D.	D.
87	81	80	83	11.42	9.10	11.48	10.67	NO.	S.	SO.	—	—	N.
73	83	73	76	9.41	9.91	9.41	9.28	—	—	E.	—	—	D.
85	88	81	85	10.65	9.91	11.30	10.62	—	—	SE.	—	—	Np.
83	82	75	80	10.47	10.46	10.51	10.48	—	—	S.	—	—	Np.
83	88	86	86	10.72	10.13	10.45	10.45	—	—	—	—	—	N.
74	82	88	81	10.51	9.55	10.30	10.12	—	S.	N.	—	—	D.
79	91	89	86	10.69	10.82	11.70	11.07	—	—	—	Np.	—	N.
90	84	89	88	12.93	10.37	10.91	11.40	N.	N.	SO.	—	—	N.
77	86	87	83	10.41	9.79	11.42	10.54	NO.	—	—	Np.	—	N.
76	84	73	78	9.26	9.67	8.97	9.30	—	S.	S.	—	—	Np.
81	85	83	83	11.60	10.67	10.72	10.80	O.	—	SO.	—	—	Np.
68	90	83	82	8.64	10.39	10.91	9.98	NO.	—	S.	D.	D.	N.
81	89	92	87	10.81	10.48	12.79	11.33	—	—	S.	—	—	N.
77	82	90	83	10.49	9.77	11.37	10.54	S.	—	N.	—	—	N.
87	86	95	89	11.72	10.85	11.72	11.33	NO.	—	NO.	—	—	N.
95	84	89	89	11.42	9.62	12.19	11.28	—	—	E.	—	—	D.
95	89	91	93	11.72	10.70	12.12	11.51	—	—	NO.	Np.	Np.	N.
89	85	79	84	12.93	10.60	10.69	10.93	—	—	—	D.	D.	D.
89	86	95	90	12.93	9.73	11.72	11.18	—	—	—	Np.	—	D.
90	86	90	83	10.23	9.79	11.90	10.57	—	SO.	—	D.	—	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700.4	700.4	700.4	700.4	20.5	14.5	15.2	16.7	12.0	1.3	1.3	1.8
2	59.41	59.41	59.71	59.51	20.5	14.3	17.5	17.4	12.5	2.0	1.5	2.5
3	59.42	59.39	59.91	59.57	16.5	11.2	14.7	15.1	12.0	0.7	0.7	2.2
4	58.67	58.65	59.52	58.95	16.2	14.2	15.3	15.2	12.4	2.0	1.8	1.0
5	59.29	59.44	60.29	59.67	16.7	13.6	16.0	15.1	10.6	1.0	1.1	2.6
6	59.77	59.69	58.36	59.25	16.4	13.6	15.5	15.2	10.5	3.5	2.0	1.2
7	57.29	56.51	55.91	56.59	15.5	13.5	16.5	15.5	10.5	1.8	1.0	2.2
8	55.71	55.76	56.09	55.85	20.8	15.3	16.5	17.5	12.6	3.7	2.2	1.9
9	55.79	55.41	57.38	56.19	21.5	15.0	16.6	17.7	12.5	1.5	1.0	3.2
10	56.65	56.65	57.81	57.04	16.6	14.4	15.5	15.5	11.3	2.0	1.7	1.6
11	56.99	56.42	56.67	56.69	16.5	14.0	15.4	15.3	11.4	1.8	1.1	1.8
12	56.23	56.71	57.85	56.99	16.0	14.6	16.5	15.7	12.8	2.9	1.5	0.5
13	57.17	56.79	56.88	56.95	16.5	14.3	15.5	15.4	12.3	0.9	0.9	1.3
14	56.33	56.91	58.79	57.38	16.5	15.0	19.0	16.5	13.2	2.7	3.0	1.4
15	58.17	57.99	60.30	58.85	22.0	15.0	17.6	18.2	11.4	1.0	1.1	3.1
16	59.95	59.04	59.73	59.57	18.4	15.0	16.0	16.5	11.0	3.2	1.9	1.0
17	59.73	59.79	61.68	57.07	17.0	15.0	17.0	16.3	13.0	1.3	0.7	1.8
18	61.22	60.41	60.54	60.72	17.0	14.2	17.0	16.1	11.3	2.5	1.5	1.2
19	59.23	58.49	58.91	58.88	17.5	15.0	16.3	16.3	13.5	1.5	0.9	1.7
20	58.25	57.54	59.29	58.55	23.5	15.2	17.5	18.7	13.2	3.9	1.5	1.5
21	58.35	58.69	60.35	59.13	17.5	15.0	17.4	16.6	13.0	2.5	1.3	0.3
22	61.26	60.10	60.39	60.58	17.0	15.7	17.5	16.7	13.8	1.8	2.2	2.4
23	60.06	60.09	58.49	59.55	19.0	15.0	18.4	17.5	10.4	1.0	0.8	2.5
24	58.39	57.35	58.25	58.03	17.5	14.6	15.5	15.9	13.2	3.0	1.8	1.0
25	57.67	57.09	57.54	57.33	23.6	15.5	17.8	18.9	14.3	3.5	1.1	1.1
26	56.65	55.69	58.36	56.88	24.5	16.5	21.0	20.7	13.2	3.8	1.7	1.5
27	57.26	56.57	58.79	57.54	17.6	16.5	16.0	16.7	14.8	1.0	1.7	1.0
28	57.67	57.31	57.67	57.35	25.0	16.0	17.5	19.5	15.5	4.1	1.5	1.0
29	57.42	56.91	58.03	57.45	21.0	16.5	19.0	18.8	15.2	1.3	1.2	2.5
30	58.03	57.65	59.12	58.36	21.0	16.0	20.0	19.0	15.0	3.4	1.0	2.0

1	59.25	59.48	59.58	59.44	20.8	16.5	16.5	17.9	13.6	2.8	1.0	0.6
2	59.07	58.51	58.98	58.82	17.4	15.5	16.5	16.7	13.5	2.5	1.0	1.2
3	57.24	57.00	58.16	57.47	18.4	15.5	16.6	16.8	13.0	2.0	1.1	1.0
4	57.34	57.32	58.98	57.95	16.7	15.5	16.5	15.9	13.2	0.5	1.3	1.1
5	58.69	58.56	57.97	58.05	18.8	15.0	19.0	17.6	11.5	1.1	1.0	1.2
6	57.18	57.04	57.78	57.33	17.3	16.0	17.3	16.9	12.0	1.8	1.2	1.5
7	57.35	57.56	58.18	57.69	20.0	16.6	16.5	17.7	14.4	2.5	1.1	1.4
8	58.07	58.07	58.73	58.29	18.2	15.7	18.5	17.5	13.5	2.5	1.5	0.7
9	58.55	57.84	57.45	57.71	20.0	16.6	19.3	18.4	13.5	1.0	0.9	2.5
10	56.85	57.04	57.55	57.07	21.8	16.0	17.5	18.4	13.8	3.3	1.1	1.0
11	57.39	57.29	58.87	57.85	17.7	16.0	17.4	17.2	14.0	1.7	1.2	1.8
12	58.62	58.50	59.65	58.26	17.8	16.4	20.0	17.8	15.0	2.5	1.6	2.1
13	59.37	59.04	59.23	59.21	19.0	15.5	18.5	17.8	13.4	1.8	0.5	2.8
14	59.29	59.04	59.31	59.22	18.0	16.6	16.8	16.9	14.4	1.6	1.6	1.5
15	58.15	58.10	57.82	58.26	17.5	15.0	19.4	17.5	14.3	1.0	1.9	1.2
16	57.70	57.48	58.09	57.76	20.4	17.5	20.5	19.4	13.3	3.9	2.9	1.0
17	57.91	57.81	57.79	57.50	19.5	17.9	18.0	18.2	13.5	1.5	0.9	1.7
18	57.67	57.75	57.59	57.67	19.0	16.7	18.0	17.9	14.4	2.1	1.8	1.5
19	56.67	57.51	57.14	57.12	19.0	16.6	16.8	17.3	14.0	2.0	1.2	1.3
20	56.73	56.13	57.33	56.77	18.0	16.4	18.5	17.6	14.5	2.0	1.7	2.2
21	57.17	56.54	56.24	56.65	19.0	16.6	17.6	17.5	14.4	3.0	0.7	1.7
22	55.67	55.38	56.11	55.72	19.0	17.4	18.5	18.3	14.5	2.5	1.9	1.8
23	55.91	55.98	55.12	56.06	19.5	16.5	17.8	17.9	14.4	1.3	1.6	2.1
24	55.71	54.95	55.39	55.31	18.7	17.0	18.0	17.9	16.5	2.8	2.2	1.0
25	54.62	54.49	54.33	54.61	19.5	16.5	17.8	17.9	14.6	2.0	1.1	1.5
26	54.18	54.33	55.23	54.58	19.0	17.0	17.8	17.9	15.4	2.6	1.8	0.5
27	55.18	54.99	56.07	55.45	19.0	16.5	18.2	17.9	13.0	2.0	1.3	2.5
28	55.14	55.45	55.67	55.42	19.1	16.8	19.0	18.4	15.5	2.7	2.0	2.5
29	55.91	56.35	57.17	56.38	19.5	17.5	20.6	19.2	15.8	2.8	0.9	2.6
30	56.59	56.87	57.38	56.73	20.5	17.1	23.0	20.3	16.0	3.5	1.9	3.0
31	56.8	57.19	57.36	57.41	20.9	18.0	21.0	20.7	15.0	2.2	0.7	3.5

DE 1874.

PSICRÓMETRO.													VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.														
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.					
87	85	80	84	12.92	10.41	10.07	11.11	NO.	N.	NO.	D.	N.	N.					
81	83	75	80	13.20	10.23	11.48	11.31	NO.	N.	NO.	D.	N.	N.					
92	92	76	87	12.16	10.25	9.47	10.84	NO.	N.	NO.	D.	N.	N.					
78	79	89	89	10.30	9.79	10.56	10.23	N.	N.	N.	D.	N.	N.					
83	87	73	81	11.73	10.07	9.72	10.51	N.	N.	N.	D.	N.	N.					
68	77	87	76	8.69	9.14	11.34	9.73	NO.	N.	NO.	D.	N.	N.					
80	88	77	82	10.63	9.85	10.57	10.33	N.	N.	N.	D.	N.	N.					
63	76	80	71	10.85	9.68	10.29	10.25	N.	N.	N.	D.	N.	N.					
85	89	67	80	13.51	11.30	9.9	11.41	N.	N.	N.	D.	N.	N.					
79	81	82	81	11.09	10.05	10.75	10.63	N.	N.	N.	D.	N.	N.					
81	88	80	83	10.21	10.50	10.21	10.17	NO.	N.	NO.	D.	N.	N.					
80	83	85	83	9.89	10.39	13.29	11.17	N.	N.	N.	D.	N.	N.					
80	90	86	86	12.29	10.83	11.23	11.77	N.	N.	N.	D.	N.	N.					
92	98	86	86	9.9	8.61	13.57	10.63	N.	N.	N.	D.	N.	N.					
70	88	69	73	11.75	11.24	10.34	12.11	NO.	N.	NO.	D.	N.	N.					
68	79	89	79	10.60	10.43	12.08	10.87	NO.	N.	NO.	D.	N.	N.					
86	92	81	81	12.17	11.72	11.60	11.83	N.	N.	N.	D.	N.	N.					
74	83	87	87	10.30	10.25	12.21	10.55	N.	N.	N.	D.	N.	N.					
85	90	85	85	12.62	11.60	11.11	11.83	N.	N.	N.	D.	N.	N.					
66	84	85	85	10.58	11.00	12.62	12.67	N.	N.	N.	D.	N.	N.					
74	86	87	87	11.11	11.12	11.42	12.21	NO.	N.	NO.	D.	N.	N.					
81	76	85	85	11.60	10.25	11.85	11.33	N.	N.	N.	D.	N.	N.					
90	91	76	86	12.93	11.58	12.01	12.17	NO.	N.	NO.	D.	N.	N.					
70	80	80	80	10.48	10.07	11.70	10.73	N.	N.	N.	D.	N.	N.					
76	88	88	88	13.34	11.48	13.32	13.21	NO.	N.	NO.	D.	N.	N.					
67	82	88	88	13.03	11.67	15.43	13.37	NO.	N.	NO.	D.	N.	N.					
90	83	83	87	13.38	11.58	12.09	12.35	NO.	N.	NO.	D.	N.	N.					
65	84	80	80	13.25	11.40	12.33	12.53	NO.	N.	NO.	D.	N.	N.					
87	87	75	83	14.86	12.13	12.01	13.00	NO.	N.	NO.	D.	N.	N.					
71	89	81	80	11.92	12.09	13.20	13.40	NO.	N.	NO.	D.	N.	N.					

DE 1874.

75	89	89	89	15.43	12.09	12.13	12.13	N.	N.	N.	D.	N.	N.
76	88	88	88	13.22	12.09	12.43	12.74	N.	N.	N.	D.	N.	N.
81	88	86	86	14.13	11.60	12.43	12.74	N.	N.	N.	D.	N.	N.
95	86	86	86	13.35	11.40	12.43	12.67	N.	N.	N.	D.	N.	N.
89	86	86	86	13.53	11.30	13.44	12.76	N.	N.	N.	D.	N.	N.
83	87	85	85	13.50	11.97	13.35	13.91	N.	N.	N.	D.	N.	N.
75	83	83	83	12.38	12.39	14.38	12.47	N.	N.	N.	D.	N.	N.
76	84	84	84	11.70	11.36	14.38	12.47	N.	N.	N.	D.	N.	N.
90	80	80	80	11.71	12.51	12.33	12.71	N.	N.	N.	D.	N.	N.
70	86	86	86	12.89	12.31	12.33	12.95	N.	N.	N.	D.	N.	N.
82	83	83	83	12.03	11.97	11.76	12.95	N.	N.	N.	D.	N.	N.
76	85	85	85	11.30	10.94	13.62	11.95	N.	N.	N.	D.	N.	N.
82	84	83	83	13.07	12.02	11.39	12.43	N.	N.	N.	D.	N.	N.
84	83	83	83	13.01	11.34	12.31	12.82	N.	N.	N.	D.	N.	N.
90	80	80	80	13.37	10.93	13.69	12.93	N.	N.	N.	D.	N.	N.
65	80	80	80	11.55	10.75	15.43	12.63	N.	N.	N.	D.	N.	N.
96	80	80	80	14.56	12.99	13.62	13.33	N.	N.	N.	D.	N.	N.
80	87	86	86	12.71	12.21	13.13	13.71	N.	N.	N.	D.	N.	N.
80	87	86	86	12.71	11.97	13.39	13.41	N.	N.	N.	D.	N.	N.
71	82	82	82	11.27	12.63	12.43	12.11	N.	N.	N.	D.	N.	N.
75	81	81	81	12.13	11.90	12.44	12.16	N.	N.	N.	D.	N.	N.
88	83	83	83	14.68	11.58	12.10	12.73	N.	N.	N.	D.	N.	N.
73	83	83	83	11.83	11.56	13.81	13.00	N.	N.	N.	D.	N.	N.
80	89	88	88	12.77	12.32	13.63	13.06	N.	N.	N.	D.	N.	N.
84	88	85	85	11.95	11.92	13.63	13.00	N.	N.	N.	D.	N.	N.
74	80	80	80	13.20	12.19	12.13	12.17	N.	N.	N.	D.	N.	N.
74	80	80	80	12.46	11.48	12.58	12.17	N.	N.	N.	D.	N.	N.
73	80	80	80	12.28	13.35	13.19	12.94	N.	N.	N.	D.	N.	N.
68	81	81	81	11.97	12.14	14.51	12.87	N.	N.	N.	D.	N.	N.
88	83	83	83	14.11	14.11	14.11	14.11	N.	N.	N.	D.	N.	N.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 5 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	757.87	757.65	757.68	757.69	757.79	757.95	757.80	757.95	757.72
Termómetro centígrado.....	24.3	24.4	19.3	17.0	17.0	16.8	16.7	17.5	19.1
Psicrómet. { Dif. de los term.	4.6	3.2	3.4	1.5	2.5	2.2	1.6	2.3
{ Humedad relat...	69	71	68	84	75	77	83	77	76
{ Fuerza elástica...	14.05	12.47	11.61	12.19	11.18	11.21	11.73	11.30	11.97
Vientos.....	NO.	SO.	SO.	S.	SO.	SO.	SO.	SO.
Estado atmosférico.....	Np.	D.	D.	N.	N.	N.	N.	N.
ENERO 14 DE 1874.									
Barómetro reducido a 0°.....	756.55	756.10	755.92	756.35	756.35	757.12	757.68	758.02	756.76
Termómetro centígrado.....	23.0	20.0	20.0	18.0	15.5	14.8	16.2	23.0	19.1
Psicrómet. { Dif. de los term.	4.5	2.5	5.0	2.5	1.2	0.7	1.8	3.8
{ Humedad relat...	63	77	58	75	87	92	81	75	76
{ Fuerza elástica...	12.60	12.89	11.37	11.18	11.18	11.80	12.00	13.64	12.11
Vientos.....	N.	SO.	SO.	S.	S.	NE.	NO.	N.
Estado atmosférico.....	N.	N.	Np.	D.	D.	N.	N.	Np.
ENERO 24 DE 1874.									
Barómetro reducido a 0°.....	758.72	757.20	756.78	757.31	757.52	757.62	757.17	758.08	757.55
Termómetro centígrado.....	23.0	23.0	21.7	18.5	17.5	17.0	17.0	19.0	19.6
Psicrómet. { Dif. de los term.	4.5	2.5	4.5	2.0	1.9	1.3	2.2	2.5
{ Humedad relat...	63	77	63	80	81	87	78	76	76
{ Fuerza elástica...	12.60	14.33	13.59	12.77	11.94	12.07	11.36	12.01	12.58
Vientos.....	NO.	SO.	SO.	S.	S.	S.	SO.	O.
Estado atmosférico.....	D.	D.	Np.	D.	D.	D.	N.	Np.
FEBRERO 3 DE 1874.									
Barómetro reducido a 0°.....	759.35	758.84	758.20	758.36	758.30	757.99	758.10	758.36	758.41
Termómetro centígrado.....	18.8	19.2	19.8	17.5	16.8	17.0	17.5	17.5	18.0
Psicrómet. { Dif. de los term.	2.9	2.0	2.0	1.4	1.5	1.5	1.5	1.5
{ Humedad relat...	71	81	80	86	85	85	85	85	82
{ Fuerza elástica...	11.41	13.20	12.77	12.68	12.62	12.62	12.62	15.51	12.69
Vientos.....	SO.	SO.	SO.	SO.	SO.	SO.	SO.	SO.
Estado atmosférico.....	N.	Np.	N.	N.	N.	N.	N.	N.
FEBRERO 13 DE 1873.									
Barómetro reducido a 0°.....	757.20	756.15	754.97	755.37	755.82	756.03	756.67	757.67	756.23
Termómetro centígrado.....	17.0	18.3	17.5	16.3	16.2	16.5	16.5	18.0	17.0
Psicrómet. { Dif. de los term.	2.2	2.0	2.1	1.4	1.3	1.7	2.0	1.8
{ Humedad relat...	78	80	79	85	87	82	79	82	82
{ Fuerza elástica...	12.36	12.32	11.71	11.85	11.91	11.67	11.17	12.44	12.06
Vientos.....	SO.	SO.	SO.	SO.	SO.	S.	SO.	SO.
Estado atmosférico.....	D.	D.	D.	D.	N.	N.	N.	N.

Instrumentos.	FEBRERO 23 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	756.40	756.85	756.33	756.97	756.91	756.32	756.55	757.20	756.27
Termómetro centígrado.....	18.6	18.5	18.2	16.4	16.6	17.3	17.0	20.2	17.8
Psicrómet. { Dif. de los term.	2.4	2.2	2.2	1.2	1.0	1.8	1.8	2.4
{ Humedad relat...	77	78	78	87	89	81	81	77	81
{ Fuerza elástica...	12.07	12.19	12.00	12.21	12.73	11.76	11.91	13.19	12.30
Vientos.....	O.	O.	SO.	S.	SO.	SO.	NO.	NO.
Estado atmosférico.....	N.	D.	D.	D.	N.	N.	Np.	D.
MARZO 5 DE 1874.									
Barómetro reducido a 0°.....	757.00	756.76	756.36	756.55	756.56	756.59	756.87	757.37	756.76
Termómetro centígrado.....	22.3	23.0	17.5	17.0	16.5	16.2	15.4	19.5	18.4
Psicrómet. { Dif. de los term.	2.2	4.4	2.0	2.0	1.5	1.2	0.7	2.5
{ Humedad relat...	80	62	80	80	84	87	92	76	80
{ Fuerza elástica...	15.55	11.27	11.88	11.18	11.79	11.82	12.12	12.89	12.35
Vientos.....	SO.	NE.	SO.	SO.	SO.	O.	SO.	O.
Estado atmosférico.....	N.	Np.	Np.	Np.	Np.	N.	N.	Np.
MARZO 15 DE 1874.									
Barómetro reducido a 0°.....	757.70	757.12	756.90	757.12	757.22	756.95	756.87	757.21	757.14
Termómetro centígrado.....	18.0	18.2	19.0	17.5	16.5	16.0	16.6	18.2	17.5
Psicrómet. { Dif. de los term.	1.9	2.7	0.9	2.1	1.6	1.2	1.1	1.8
{ Humedad relat...	80	74	91	79	83	87	88	82	83
{ Fuerza elástica...	12.46	12.16	13.80	11.58	11.73	11.97	12.35	12.44	12.31
Vientos.....	O.	SO.	SO.	SO.	S.	SO.	S.	N.
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.
MARZO 25 DE 1874.									
Barómetro reducido a 0°.....	757.35	757.94	757.91	758.14	757.79	756.87	757.08	757.71	757.87
Termómetro centígrado.....	20.8	17.0	15.7	14.9	14.5	13.8	13.8	15.2	15.7
Psicrómet. { Dif. de los term.	2.7	1.8	1.5	1.0	0.5	1.0	0.5	1.5
{ Humedad relat...	75	81	84	89	94	89	94	84	86
{ Fuerza elástica...	12.95	11.76	11.46	11.30	11.60	10.56	10.71	11.00	11.41
Vientos.....	N.	SO.	O.	S.	S.	S.	SE.	NO.
Estado atmosférico.....	N.	D.	N.	N.	N.	N.	N.	N.
ABRIL 4 DE 1874.									
Barómetro reducido a 0°.....	757.35	756.71	756.26	756.49	756.49	756.54	756.64	756.24	756.59
Termómetro centígrado.....	14.5	17.5	14.0	13.3	12.4	13.5	17.0	14.0	14.5
Psicrómet. { Dif. de los term.	1.2	3.1	0.7	0.5	0.6	1.4	2.5	1.0
{ Humedad relat...	86	69	92	91	93	84	74	89	85
{ Fuerza elástica...	10.57	10.42	10.95	10.86	10.6	9.61	10.79	10.56	10.48
Vientos.....	SO.	SO.	S.	S.	S.	S.	E.	N.
Estado atmosférico.....	D.	D.	Np.	D.	Np.	N.	N.	N.

Instrumentos.	JULIO 23 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.54	758.54	758.32	758.38	758.42	757.98	757.82	757.84	758.35
Termómetro centígrado.....	14.0	15.0	13.6	13.0	13.0	11.7	10.5	9.9	12.6
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	1.5 83 9.90	1.2 86 10.99	1.1 87 10.14	1.0 88 9.85	1.0 88 8.85	0.6 93 9.71	0.4 95 8.92	0.0 100 9.17 90 9.82
Vientos	S.	S.	S.	S.	N.	N.	S.	SE.
Estado atmosférico.....	D.	D.	D.	N.	N.	Ni.	Ni.	Ni.
AGOSTO 2 DE 1874.									
Barómetro reducido a 0°.....	758.71	757.81	757.14	757.14	757.18	757.10	757.56	756.18	757.55
Termómetro centígrado.....	13.0	15.7	13.0	13.0	10.5	10.2	11.4	12.5	12.4
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	0.6 93 10.09	1.1 88 11.24	1.0 88 9.85	1.2 86 9.73	1.3 83 7.91	0.7 91 8.51	0.6 93 9.43	0.9 86 9.76 88 9.50
Vientos	SO.	NO.	N.	N.	N.	N.	N.	N.
Estado atmosférico.....	D.	Ni.	Ni.	Np.	Ni.	Ni.	Ni.	N.
AGOSTO 12 DE 1874.									
Barómetro reducido a 0°.....	761.29	760.55	760.22	760.28	760.12	759.01	759.01	759.68	760.02
Termómetro centígrado.....	14.0	14.0	12.5	11.4	10.0	9.2	9.0	11.9	11.5
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	2.1 76 8.94	2.1 76 9.01	0.8 90 9.97	1.3 84 8.38	0.7 91 8.39	0.4 94 8.14	0.2 97 8.20	1.9 87 9.19 87 8.78
Vientos	SO.	SO.	S.	S.	S.	S.	E.	NE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Np.
AGOSTO 22 DE 1874.									
Barómetro reducido a 0°.....	760.81	760.64	759.04	759.26	759.38	758.32	758.07	758.56	759.18
Termómetro centígrado.....	13.6	14.3	13.0	12.5	10.5	9.5	7.8	11.8	11.6
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	1.3 86 9.95	1.7 81 9.64	1.1 87 9.79	1.5 82 8.89	1.4 82 7.85	0.4 95 8.33	0.4 94 7.55	1.0 87 9.19 87 8.89
Vientos	S.	S.	S.	S.	S.	S.	S.	S.
Estado atmosférico.....	D.	D.	D.	N.	D.	D.	Np.	D.
SEPTIEMBRE 1 DE 1874.									
Barómetro reducido a 0°.....	760.41	759.96	759.90	760.16	760.23	760.22	760.24	760.27	760.17
Termómetro centígrado.....	14.0	13.9	13.2	12.8	12.0	11.8	11.4	13.5	12.8
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	1.0 89 10.56	1.6 82 9.63	0.8 90 9.18	1.1 83 9.18	1.0 87 9.19	0.6 93 9.43	0.5 94 9.40	1.0 88 10.20 88 9.53
Vientos	SO.	SO.	SO.	S.	S.	S.	S.	NO.
Estado atmosférico.....	D.	D.	D.	D.	N.	N.	N.	N.

Instrumentos.	SETEMBRE 11 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 759.66	mm. 759.30	mm. 759.17	mm. 759.19	mm. 759.62	mm. 759.73	mm. 759.75	mm. 760.41	mm. 759.60	
Termómetro centígrado.....	14.0	14.0	12.2	13.0	13.5	12.4	12.4	13.0	13.1	
Psicrómet. {	Dif. de los term...	1.5	2.1	0.9	1.9	1.1	0.8	0.7	1.5	
	Humedad relat...	83	77	89	78	87	90	92	83	
	Fuerza elástica...	9.83	9.19	9.46	8.78	10.07	9.87	9.93	9.90	
Vientos.....	SO.	SO.	SO.	S.	S.	S.	N.	N.		
Estado atmosférico.....	N.	Np.	N.	N.	N.	N.	N.	N.		
SETEMBRE 21 DE 1874.										
Barómetro reducido a 0°.....	mm. 761.58	mm. 761.34	mm. 761.62	mm. 762.16	mm. 762.47	mm. 762.50	mm. 763.19	mm. 763.66	mm. 762.41	
Termómetro centígrado.....	14.6	15.2	13.7	13.0	11.6	10.3	10.0	14.0	12.8	
Psicrómet. {	Dif. de los term...	1.1	2.2	2.0	1.7	1.7	0.9	0.7	2.2	
	Humedad relativa	88	76	78	80	79	88	90	75	
	Fuerza elástica...	10.78	9.68	9.25	9.11	8.14	8.21	8.39	8.88	
Vientos.....	SO.	SO.	S.	S.	SE.	E.	E.	SE.		
Estado atmosférico.....	N.	D.	Np.	N.	Np.	Ll.	Np.	Np.		
OCTUBRE 1 DE 1874.										
Barómetro reducido a 0°.....	mm. 758.83	mm. 758.05	mm. 758.48	mm. 758.76	mm. 758.76	mm. 758.91	mm. 759.21	mm. 759.12	mm. 758.76	
Termómetro centígrado.....	12.8	17.5	14.0	13.8	13.4	13.0	13.0	15.3	14.1	
Psicrómet. {	Dif. de los term...	1.5	2.9	0.8	0.6	0.7	0.7	1.0	1.2	
	Humedad relativa	81	72	91	93	92	93	88	87	
	Fuerza elástica...	8.68	9.91	10.82	10.94	10.71	10.15	9.85	11.18	
Vientos.....	NO.	NO.	NO.	NO.	NO.	N.	N.	N.		
Estado atmosférico.....	Np.	N	N.	N.	N.	N.	N.	N.		
OCTUBRE 11 DE 1874.										
Barómetro reducido a 0°.....	mm. 760.63	mm. 760.85	mm. 761.26	mm. 761.85	mm. 762.19	mm. 762.02	mm. 762.12	mm. 761.65	mm. 761.57	
Termómetro centígrado.....	19.2	19.0	17.3	14.2	13.0	12.0	12.0	15.0	15.2	
Psicrómet. {	Dif. de los term...	1.3	2.9	2.0	1.3	1.2	0.8	1.5	1.6	
	Humedad relativa	87	72	79	86	86	90	82	82	
	Fuerza elástica...	13.49	11.29	11.99	10.49	9.73	9.52	8.68	10.19	
Vientos.....	N.	N.	N.	N.	S.	S.	SE.	S.		
Estado atmosférico.....	D.	N.	Np.	D.	D.	D.	D.	D.		
OCTUBRE 21 DE 1874.										
Barómetro reducido a 0°.....	mm. 759.96	mm. 759.52	mm. 759.31	mm. 759.36	mm. 759.41	mm. 759.21	mm. 759.24	mm. 759.21	mm. 759.40	
Termómetro centígrado.....	15.0	14.5	13.8	13.4	13.9	13.0	12.6	14.5	13.7	
Psicrómet. {	Dif. de los term...	1.8	2.1	2.6	1.5	1.0	0.8	1.8	2.4	
	Humedad relativa	80	77	72	81	88	90	79	73	
	Fuerza elástica...	10.07	9.66	9.02	9.67	9.85	10.11	8.79	8.97	
Vientos.....	SO.	SO.	S.	S.	S.	S.	SO.	S.		
Estado atmosférico.....	N.	Np.	N.	N.	N.	N.	N.	N.		

Instrumentos.	DICIEMBRE 30 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 757.41	mm. 756.95	mm. 756.41	mm. 756.87	mm. 757.25	mm. 757.05	mm. 757.29	mm. 757.38	mm. 757.08
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	19.5	20.0	19.5	17.4	17.5	17.5	18.0	23.0	19.1
Psicrómet (Dif. de los term... Humedad relativa... Fuerza elástica...	2.9	3.0	3.0	1.9	1.7	1.6	2.2	3.0
	73	72	65	81	81	83	78	74	76
	12.16	12.95	11.98	12.14	12.62	12.57	12.19	14.51	12.57
Vientos	SO.	SO.	SO.	S.	S.	S.	N.	NO.
Estado atmosférico.....	D.	D.	D.	D.	N.	N.	N.	D.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	A 0°									Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	57.63	57.54	57.77	57.65	22.0	16.2	25.0	21.07	16.0	4.0	2.0	1.0
2	57.65	57.96	57.03	57.55	20.5	16.5	22.3	19.77	15.5	3.5	2.0	3.0
3	58.02	56.72	58.35	57.70	18.0	16.0	24.0	19.33	13.5	3.0	2.5	5.5
4	57.22	57.39	57.17	57.26	23.4	16.0	22.1	20.50	15.5	5.0	1.5	3.5
5	57.10	58.37	57.14	57.54	25.0	16.3	22.8	21.37	13.9	4.5	2.5	3.5
6	57.31	57.67	56.58	57.19	20.0	16.0	23.5	19.83	13.7	3.0	1.5	4.5
7	55.92	55.91	57.26	56.36	23.0	18.0	25.1	22.03	14.3	2.5	2.0	3.5
8	57.91	58.39	58.52	58.27	21.2	15.8	23.1	22.03	17.9	3.5	2.5	2.0
9	57.40	57.31	58.21	57.63	22.8	16.0	23.8	20.87	14.7	7.0	1.0	3.0
10	58.00	58.46	58.67	58.38	21.8	16.5	16.0	18.10	13.5	4.0	2.0	2.5
11	58.84	59.55	59.34	59.24	21.2	18.9	24.0	21.37	17.0	0.0	2.0	4.0
12	59.37	58.67	58.29	58.78	21.5	16.0	26.0	21.17	15.0	4.0	2.5	3.0
13	58.86	57.89	58.97	58.57	21.5	18.5	23.4	21.13	15.0	4.0	2.5	3.5
14	57.30	57.67	57.55	57.51	23.2	17.5	23.0	21.07	16.0	1.5	1.5	3.0
15	58.46	55.35	56.05	56.69	22.5	17.5	25.5	21.83	17.0	3.0	2.0	4.5
16	57.30	57.59	57.35	57.41	23.5	16.2	21.0	19.90	15.5	4.5	2.9	4.0
17	57.41	58.28	58.57	58.09	21.0	16.5	22.0	19.83	15.5	3.5	1.5	3.0
18	58.15	58.29	58.29	58.24	21.5	16.5	21.0	19.67	15.0	4.0	1.5	3.0
19	58.45	57.79	59.43	58.56	23.5	16.0	21.0	20.17	15.0	4.0	2.0	4.0
20	58.45	58.90	59.65	59.00	21.8	15.5	20.8	19.37	15.0	3.0	2.5	2.5
21	60.07	59.25	59.35	59.56	21.0	17.0	20.0	19.33	14.2	3.0	2.5	2.5
22	59.73	58.12	58.09	58.65	22.0	16.0	25.0	21.00	14.5	4.0	2.0	3.5
23	57.52	58.36	59.09	58.32	21.1	15.9	19.0	18.67	14.2	3.5	2.5	2.5
24	58.72	60.17	57.65	58.85	21.5	17.0	24.0	20.83	15.0	2.5	2.0	3.0
25	59.28	58.38	59.23	58.96	23.5	16.3	21.8	20.53	14.0	3.5	2.5	3.5
26	59.30	59.05	58.58	58.98	25.0	17.8	20.5	21.10	16.0	3.5	2.0	3.0
27	58.25	57.83	59.17	58.42	20.7	16.5	22.5	19.90	14.8	3.0	2.5	2.5
28	58.89	58.84	58.71	58.81	23.0	16.5	23.1	20.87	16.0	3.0	2.0	3.0
29	59.22	58.96	57.63	58.60	23.0	17.4	27.8	22.73	16.0	3.5	1.0	3.0
30	58.65	58.46	58.87	58.66	22.8	18.5	22.8	21.37	15.0	3.0	1.5	3.5
31	58.79	58.68	59.48	58.98	22.8	18.2	18.6	19.87	15.5	2.5	3.0	2.0

FEBRERO

1	58.29	57.86	58.13	58.09	23.1	17.8	24.0	21.63	16.2	4.5	1.5	2.5
2	59.51	58.85	59.41	59.26	22.5	17.0	24.8	21.43	14.5	4.5	2.0	3.5
3	59.36	59.02	59.62	59.33	23.2	16.8	24.0	20.67	5.0	2.0	4.0
4	59.18	60.08	59.24	59.50	22.9	17.6	23.0	21.17	13.4	2.5	1.5	3.0
5	57.82	56.37	57.37	57.19	21.8	17.0	22.0	20.27	13.9	2.5	1.0	2.5
6	59.60	59.19	58.84	59.21	24.0	16.6	25.5	22.03	13.9	3.0	2.5	3.5
7	59.46	58.13	60.05	59.21	21.0	15.3	21.1	19.13	14.9	2.5	1.0	3.5
8	62.01	58.09	61.48	60.53	22.5	22.0	19.5	21.33	15.0	3.0	1.5	2.5
9	61.94	62.58	61.38	61.97	21.0	17.7	19.5	19.40	14.8	2.5	2.5	2.0
10	60.04	64.06	59.01	61.05	25.5	16.5	20.5	20.83	14.9	3.0	1.0	4.0
11	58.77	61.03	61.98	60.59	19.9	17.0	22.0	19.63	15.8	1.5	1.5	2.5
12	59.74	58.97	58.98	59.23	20.5	16.6	20.6	19.63	15.3	3.0	2.0	3.0
13	59.01	58.83	60.23	59.36	21.5	16.4	19.5	19.13	15.3	4.0	2.0	2.5
14	58.81	58.31	59.06	58.74	25.0	17.9	19.0	20.33	15.0	2.5	1.5	2.5
15	59.33	58.73	58.67	58.71	23.3	16.2	20.0	19.83	15.3	3.5	1.5	3.5
16	58.18	58.62	58.16	58.32	21.9	16.6	25.0	21.17	14.6	3.9	2.0	4.0
17	58.70	59.07	58.65	58.81	21.5	17.5	22.0	20.33	14.8	2.5	1.5	3.5
18	58.87	58.73	59.17	58.92	19.0	16.0	21.5	18.83	12.5	3.5	2.5	4.5
19	58.27	58.53	58.32	58.37	19.0	15.0	19.9	17.97	15.0	2.0	1.0	2.5
20	57.77	58.16	58.35	58.35	19.0	15.6	20.5	18.37	11.2	2.5	1.0	2.5
21	57.86	58.73	57.95	58.18	23.3	15.5	17.5	18.77	14.0	2.5	2.5	2.5
22	58.45	61.80	57.99	59.41	21.0	14.5	15.3	17.60	13.4	3.5	1.0	1.0
23	60.85	58.49	58.67	59.34	19.6	16.0	20.0	18.53	12.5	2.5	1.5	3.0
24	58.67	58.49	58.33	58.36	21.3	15.5	21.0	19.27	12.8	3.0	1.0	3.0
25	58.60	58.86	57.72	58.39	21.2	15.0	17.1	17.77	12.8	2.0	1.5	2.0
26	58.68	58.45	58.31	58.29	20.8	14.5	16.8	17.37	13.6	2.5	1.5	1.0
27	58.37	58.15	57.83	58.12	21.0	15.0	16.9	17.63	12.8	5.0	2.0	1.0
28	57.25	58.43	57.96	57.88	20.0	14.2	19.0	17.73	12.7	1.0	1.5	1.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
65	80	66	70	11.98	11.48	13.89	12.45	O ₂	O ₁	N ₁	D.	D.	D.
68	80	72	73	11.85	12.32	13.04	12.40	O ₂	SO ₁	NO ₁	—	—	—
70	74	55	66	10.48	10.39	11.06	10.61	—	O ₂	NO ₁	—	—	—
58	84	69	70	11.37	11.40	12.73	11.83	O ₂	O ₁	N ₁	Np.	—	N.
63	75	70	69	13.10	11.18	13.22	12.50	O ₁	—	SO ₁	D.	—	D.
72	84	63	73	12.16	11.40	12.60	12.05	O ₁	—	NO ₁	—	—	D.
78	80	71	76	15.37	11.88	14.70	13.98	O ₁	NO ₁	—	—	N.	N.
69	76	82	76	12.73	12.01	16.16	13.63	O ₂	O ₁	N ₁	—	—	Np.
47	89	71	69	11.07	12.09	14.26	12.47	O ₁	—	—	—	Np.	Np.
64	79	75	73	11.10	11.09	14.48	11.42	O ₂	—	NO ₂	—	N.	N.
100	80	82	82	17.39	12.32	13.89	14.53	O ₁	—	NO ₁	—	D.	N.
65	75	75	72	12.43	11.18	16.65	13.42	—	—	O ₂	—	—	Np.
61	76	70	70	11.10	12.01	13.72	12.28	—	—	N ₁	—	N.	N.
86	85	74	82	14.94	13.07	14.51	14.17	—	—	O ₁	—	—	N.
73	80	63	72	14.02	12.32	13.39	13.31	O ₂	—	NO ₁	Np.	D.	Np.
63	81	64	66	12.60	10.55	14.10	11.42	O ₁	NO ₁	—	D.	—	N.
69	85	73	76	12.28	12.62	13.52	12.81	—	O ₁	N ₁	—	—	N.
64	84	72	73	14.55	11.79	12.54	11.98	O ₂	—	NO ₁	—	—	—
86	80	64	70	13.41	11.48	14.40	12.00	O ₁	—	—	—	—	—
72	74	77	74	13.04	10.79	12.89	12.24	—	O ₁	—	—	—	—
69	80	77	73	12.34	10.79	12.89	12.01	—	—	—	—	—	—
65	80	67	71	11.98	11.48	10.57	11.34	O ₂	NO ₁	—	—	N.	Np.
69	75	76	73	12.28	11.18	12.04	11.82	O ₁	O ₁	O ₁	—	D.	N.
78	80	71	76	12.81	11.48	14.26	12.85	—	SE ₁	N ₁	—	—	D.
70	74	70	71	13.22	10.79	13.22	12.41	—	O ₂	O ₁	—	—	—
72	80	68	73	15.24	12.77	11.91	13.31	—	—	O ₁	—	—	—
72	74	77	74	12.59	10.39	14.33	12.44	—	—	—	—	—	—
73	80	73	75	14.02	11.48	14.02	13.17	—	NO ₁	O ₁	—	—	D.
70	80	75	73	13.22	13.81	17.25	14.76	—	O ₁	N ₁	—	—	Np.
74	85	70	76	14.51	13.07	13.22	13.60	—	—	O ₁	—	—	D.
78	71	80	76	15.32	10.87	12.77	12.99	O ₂	—	SO ₁	—	—	N.

DE 1873.

63	85	78	75	13.59	13.51	15.86	14.32	O ₁	O ₁	O ₁	N.	Np.	D.
62	80	70	71	11.67	11.48	13.22	12.12	O ₂	N ₁	N ₁	D.	D.	—
57	80	66	68	10.49	11.48	13.89	11.95	—	NO ₁	N ₁	—	—	—
77	85	73	78	14.33	13.51	14.02	13.62	O ₁	O ₁	O ₁	—	—	—
77	90	77	81	13.36	12.93	12.89	13.06	O ₂	—	NO ₁	—	—	N.
74	75	68	72	14.51	11.18	11.40	12.36	O ₁	—	O ₁	—	Np.	D.
77	80	69	78	13.36	12.09	12.73	12.75	—	—	N ₁	—	D.	N.
73	83	76	77	14.02	10.65	12.46	12.58	NO ₁	—	O ₁	Np.	Np.	N.
77	75	80	77	13.83	11.18	12.77	12.59	O ₁	—	N ₁	—	Np.	N.
72	80	64	75	12.59	12.49	14.10	12.06	O ₂	—	—	—	Np.	D.
86	84	77	82	14.44	11.79	13.83	13.36	—	—	NO ₁	—	—	—
72	80	72	75	12.59	11.48	12.59	12.22	—	—	N ₂	—	—	—
64	70	76	73	11.55	11.09	12.91	11.56	—	NO ₁	NO ₂	—	—	—
79	84	76	80	16.96	12.19	12.01	13.72	O ₁	O ₁	O ₁	Np.	D.	—
70	81	68	74	13.22	11.79	11.40	12.14	—	—	—	D.	—	—
67	80	66	71	12.97	11.88	13.41	12.75	—	—	—	N.	—	Np.
77	85	69	77	13.83	12.62	12.28	12.91	O ₂	—	O ₁	D.	D.	D.
67	84	59	67	10.57	10.39	10.36	10.41	O ₂	—	—	—	—	N.
80	79	76	82	12.77	12.09	12.46	12.44	O ₁	—	NO ₁	—	—	—
75	80	77	80	11.58	11.70	13.34	12.21	O ₁	—	—	—	—	—
78	74	75	76	14.81	9.65	11.18	11.88	—	—	O ₁	—	—	—
68	89	80	82	11.85	11.30	11.30	11.48	O ₂	—	—	—	—	—
76	81	72	77	12.46	11.40	11.71	11.86	O ₁	—	—	—	—	D.
72	80	72	78	12.59	12.09	11.71	12.13	—	—	—	—	—	Np.
81	84	80	82	14.13	11.40	11.48	12.31	—	—	NO ₁	—	—	N.
76	83	89	83	12.46	10.25	12.49	11.79	NO ₁	N ₁	—	N.	—	—
35	78	84	81	9.65	9.95	11.70	10.46	O ₁	O ₁	O ₁	—	—	—
36	83	81	86	12.93	10.65	12.19	11.92	—	—	—	D.	—	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	A 0°									Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
	700+	700+	700+	700+								
1	58.22	57.88	58.13	58.08	19.8	14.3	18.7	17.60	11.4	3.0	1.0	2.5
2	57.61	57.75	57.81	57.72	18.2	14.0	18.6	16.93	12.6	2.5	1.5	2.5
3	57.68	58.90	58.41	58.33	18.5	14.2	20.2	17.63	11.2	3.0	1.0	2.5
4	58.17	60.00	58.61	58.93	20.9	15.5	17.0	17.80	13.5	3.0	1.5	3.0
5	58.93	58.91	57.80	58.55	19.0	15.0	17.8	17.27	13.3	2.5	1.5	2.0
6	58.02	59.79	58.29	58.70	20.0	14.5	19.0	17.83	13.0	3.0	1.0	2.0
7	59.86	59.85	60.57	60.09	20.0	15.0	18.0	17.67	14.6	2.0	1.5	1.5
8	57.50	59.00	58.80	58.43	20.3	14.9	14.0	16.40	12.9	3.0	1.0	2.0
9	59.09	59.11	57.22	58.47	18.0	14.8	18.9	17.23	13.1	2.5	0.5	2.0
10	57.89	58.21	57.64	57.91	18.8	13.2	17.8	16.60	12.9	2.5	0.5	1.0
11	57.81	58.51	58.56	58.29	22.9	14.1	16.0	17.67	12.9	1.5	1.5	1.0
12	58.14	59.51	58.03	58.56	22.9	14.0	16.1	17.67	11.1	2.0	1.0	1.0
13	58.03	59.67	59.31	59.00	19.5	13.5	17.9	16.97	12.0	1.5	1.0	1.5
14	59.75	58.81	59.09	59.22	21.6	15.5	16.0	17.70	13.0	3.0	1.5	1.0
15	57.57	59.54	58.43	58.51	19.2	14.0	17.0	16.73	11.8	2.5	1.5	1.5
16	59.07	61.23	58.77	59.69	19.0	14.3	16.9	16.73	11.7	2.0	0.5	1.0
17	59.13	58.85	60.03	59.34	17.1	14.5	17.5	16.37	11.6	2.5	1.0	2.0
18	59.24	60.10	59.22	59.52	19.1	14.2	19.5	17.60	11.9	2.5	1.0	2.0
19	59.47	60.60	58.21	59.43	17.8	14.5	19.0	17.10	12.0	2.0	1.5	1.0
20	59.86	59.21	58.67	59.25	19.0	15.0	21.0	18.33	11.9	2.0	1.0	3.0
21	59.68	60.36	59.93	59.99	17.8	14.0	19.0	16.93	11.6	2.0	1.5	2.0
22	61.25	61.65	61.16	61.35	20.0	14.5	17.3	17.27	11.8	2.0	1.5	1.0
23	60.81	61.71	61.06	61.19	18.7	15.0	18.0	17.23	11.7	2.5	1.5	1.5
24	59.75	58.91	60.28	59.65	18.5	14.8	18.8	17.37	12.0	2.0	1.5	2.5
25	59.85	60.14	61.24	60.41	19.0	14.5	17.0	16.83	12.0	2.5	1.5	2.0
26	60.87	60.13	60.29	60.43	19.0	15.5	18.4	17.63	11.9	3.5	1.5	3.0
27	61.15	60.28	61.42	60.92	19.0	14.5	17.0	16.77	11.8	2.5	0.5	2.0
28	60.77	61.77	62.74	61.76	17.5	16.0	16.0	16.50	11.7	2.5	1.5	1.5
29	60.01	60.09	61.04	60.38	22.2	15.5	15.0	17.57	14.0	3.0	1.5	1.5
30	61.23	61.30	60.82	61.12	18.6	13.3	16.9	16.27	11.9	2.5	1.0	1.5
31	61.60	62.32	63.36	62.43	18.0	14.0	16.0	16.00	11.9	2.5	1.5	1.0

ABRIL

1	61.26	61.48	61.17	61.30	19.0	14.0	18.8	17.27	11.9	2.5	1.0	2.0
2	60.66	61.21	59.81	60.56	17.1	15.6	15.9	16.29	11.9	2.5	1.0	1.5
3	58.89	58.17	60.51	59.20	19.0	13.5	16.0	16.17	10.5	1.5	0.5	2.0
4	58.99	58.96	58.45	58.80	17.5	13.8	15.8	15.70	11.5	3.0	1.0	1.5
5	59.10	58.87	58.86	58.94	19.5	15.0	17.0	17.17	13.5	5.0	1.0	2.0
6	59.36	59.82	59.48	59.53	19.1	14.0	17.1	16.83	12.8	2.5	0.5	1.0
7	59.60	59.74	59.59	59.64	17.5	14.0	17.2	16.23	11.2	2.5	1.5	2.5
8	59.29	59.21	58.91	59.14	17.1	13.5	15.8	15.47	12.4	2.0	1.0	1.0
9	60.16	61.49	60.37	60.67	19.0	14.0	15.8	16.27	11.8	2.0	1.5	1.5
10	59.70	60.77	59.95	60.14	18.0	13.2	14.8	15.33	10.8	1.0	0.5	1.0
11	60.07	58.32	59.31	59.23	16.9	12.9	14.0	14.60	12.5	2.0	1.0	1.5
12	59.08	58.63	60.97	59.56	18.0	14.8	18.5	17.10	13.5	2.0	2.0	1.0
13	60.67	60.63	60.73	60.68	18.5	14.5	16.2	16.40	10.2	3.5	2.0	2.0
14	60.93	60.03	60.88	60.61	16.6	13.0	16.0	15.29	10.3	2.5	1.5	2.0
15	60.81	61.59	61.34	61.25	18.0	13.0	15.7	17.57	9.4	3.0	6.0	1.0
16	60.13	59.59	59.49	59.40	16.4	13.6	19.2	16.40	12.0	1.0	2.0	1.5
17	61.13	60.42	61.64	61.06	17.4	12.5	14.5	14.80	11.0	3.0	2.0	3.0
18	61.14	62.26	60.48	61.29	14.7	11.2	13.0	12.97	7.5	3.5	2.0	2.5
19	59.62	60.70	61.74	60.69	16.3	12.2	16.0	14.83	9.1	2.0	1.5	2.0
20	63.09	61.97	62.83	62.63	16.9	13.8	15.5	15.40	12.5	1.5	1.0	2.0
21	62.15	61.54	61.84	61.83	16.0	11.8	14.3	14.03	8.7	2.5	3.5
22	60.74	59.38	58.64	59.58	15.2	12.9	14.0	14.03	12.4	1.5	1.5	1.5
23	60.44	59.62	61.02	60.35	17.6	14.5	15.6	15.70	12.5	2.0	1.5	1.5
24	61.74	61.62	61.33	61.57	17.9	13.6	15.0	15.59	12.0	2.0	1.0	1.0
25	61.5	61.32	62.81	61.90	17.0	13.5	14.3	14.93	11.0	2.9	1.0	1.0
26	61.22	61.34	61.64	61.49	17.0	12.6	14.0	14.53	11.4	2.5	1.0	2.0
27	60.83	61.33	61.93	61.37	16.0	13.6	14.0	14.53	11.3	1.0	1.0	1.5
28	61.27	61.02	60.85	61.05	17.3	14.0	13.8	15.03	12.2	2.5	1.5	1.0
29	59.84	60.08	60.84	60.25	17.8	11.5	14.2	15.50	12.9	2.0	1.0	1.5
30	59.99	60.92	60.31	60.58	17.5	13.9	15.9	15.47	12.0	2.5	1.0	1.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h	9 h.	21 h	2½ h.	9 h.	21 h.
72	89	75	79	11.71	11.30	11.18	11.40	O			D.		N.
73	83	75	78	11.18	9.90	11.18	10.75	O					
74	89	76	79	10.87	11.30	12.46	11.54	O					
75	84	76	75	12.59	11.00	10.08	11.22	O					
76	83	80	80	12.01	10.65	12.32	11.66	O					
77	89	80	80	12.16	10.65	12.77	12.08	O					
78	83	85	83	13.65	10.65	12.62	12.31	O					
79	89	80	80	12.16	11.30	12.32	11.93	O					
80	94	80	83	11.58	12.00	12.32	11.97	O					
81	94	90	86	11.58	11.90	12.93	12.14	O					
82	83	89	85	11.79	9.90	11.70	11.13	O					
83	89	89	87	15.12	10.91	12.09	12.71	O					
84	88	84	86	13.51	10.20	11.79	11.83	O					
85	83	89	81	12.16	10.65	11.30	11.37	O					
86	83	81	80	12.01	10.25	11.79	11.35	O					
87	84	89	83	12.32	11.21	12.49	12.01	O					
88	89	80	82	12.01	11.30	12.77	12.03	O					
89	89	80	82	12.46	11.30	12.32	12.06	O					
90	83	90	84	11.48	10.65	13.38	11.81	O					
91	89	72	80	12.32	11.30	12.59	12.07	O					
92	83	80	81	11.88	10.25	12.32	11.48	O					
93	83	89	84	13.65	10.65	12.49	12.26	O					
94	83	85	81	11.58	10.65	12.62	11.62	O					
95	84	75	80	12.32	11.00	11.58	11.60	O					
96	83	79	79	12.01	10.25	11.09	11.12	O					
97	84	70	74	19.57	11.00	10.48	10.68	O					
98	94	79	83	12.89	12.00	11.09	11.99	O					
99	84	81	81	10.79	11.79	11.00	11.19	O					
00	84	80	80	13.04	11.00	10.65	11.56	O					
01	90	84	83	11.18	11.75	11.40	11.44	O					
02	83	89	82	10.79	10.25	11.70	10.91	O					

DE 1873.

76	89	80	82	12.01	11.30	11.88	11.73	O			D.		D.
75	89	84	83	11.18	10.56	11.00	10.91	O					
85	94	78	86	13.07	10.85	10.35	11.43	O					
70	89	83	81	10.08	10.56	10.65	10.43	O					
84	89	79	74	8.87	11.30	11.09	10.42	O					
76	94	90	87	12.01	11.60	12.35	12.18	O					
74	83	74	77	10.79	10.25	10.39	10.48	O					
89	89	89	86	11.48	10.56	11.30	11.11	O					
80	83	84	82	12.32	10.25	11.00	11.19	O					
88	89	89	91	12.49	10.86	10.91	11.42	O					
79	83	83	83	11.09	10.20	9.55	10.28	O					
78	90	90	83	11.48	9.95	13.38	11.60	O					
67	78	79	79	10.18	9.95	10.69	10.27	O					
74	83	83	83	10.39	9.55	10.35	10.10	O					
70	84	84	83	10.48	6.82	10.91	9.40	O					
89	89	88	83	10.49	9.25	10.65	10.13	O					
69	80	67	72	9.69	11.88	8.33	9.97	O					
63	76	70	70	7.68	8.26	7.37	7.77	O					
79	82	78	80	10.69	8.89	9.95	9.84	O					
84	82	78	84	11.79	10.56	9.95	10.77	O					
74	81	64	81	9.65	8.89	8.31	9.72	O					
82	81	81	81	10.65	10.65	11.00	10.91	O					
79	83	82	82	11.88	10.91	11.00	11.36	O					
89	82	82	82	11.48	9.85	10.56	10.63	O					
80	82	82	82	10.39	9.85	9.66	9.35	O					
71	83	78	80	10.39	10.56	10.25	10.70	O					
82	83	83	83	10.79	9.99	10.56	10.42	O					
82	83	83	83	11.48	10.91	10.25	10.77	O					

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros,		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700-	o	o	o	o	o	o	o	o
1	60.62	60.54	59.92	60.36	18.2	14.5	14.0	15.57	11.0	2.5	1.0	1.5
2	60.46	60.22	60.34	60.34	17.0	13.6	15.6	15.40	12.0	1.5	1.5	1.0
3	61.14	60.94	61.12	61.07	17.0	14.0	16.0	15.67	12.5	2.5	1.5	1.0
4	61.16	60.04	60.72	60.64	16.0	14.0	15.0	15.00	11.0	1.5	1.5	1.5
5	60.36	59.65	60.44	60.15	17.9	15.0	14.5	15.50	12.0	2.0	1.5	1.5
6	60.79	61.37	61.47	61.21	17.0	13.8	15.0	15.27	12.9	1.5	1.5	1.5
7	61.36	60.74	60.93	61.01	15.3	13.5	13.6	14.13	11.5	1.5	1.5	1.0
8	61.02	59.83	60.47	60.44	16.8	14.7	15.5	15.67	12.5	1.5	1.0	1.0
9	61.59	61.64	60.60	61.28	19.4	15.0	13.0	15.13	10.2	2.5	0.5	1.5
10	61.13	61.08	66.43	60.88	16.3	14.0	13.0	14.43	11.8	2.0	2.5	1.0
11	59.62	60.28	62.50	60.80	18.5	13.0	13.6	15.03	10.6	4.0	2.5	1.5
12	62.70	61.76	63.49	62.55	16.0	13.4	13.6	14.33	12.0	1.5	1.5	1.5
13	62.53	62.60	63.12	62.75	16.9	12.2	12.8	13.97	9.6	2.0	1.5	1.5
14	62.87	61.84	62.18	62.30	17.2	13.5	18.0	16.23	2.0	1.0	2.0
15	62.02	61.50	61.58	61.63	17.5	13.0	15.5	15.33	9.8	1.5	1.5
16	61.21	62.34	62.18	61.91	17.6	14.2	14.0	15.27	10.9	2.0	1.5	1.0
17	62.92	62.96	62.42	62.77	16.0	12.0	12.5	13.50	10.1	1.5	0.5	1.5
18	60.67	61.80	62.27	61.58	16.5	12.3	14.9	14.57	11.0	1.5	1.5	1.5
19	61.37	62.48	62.48	62.11	16.0	12.5	13.4	13.97	9.0	1.0	0.5	1.5
20	62.68	62.24	61.78	62.23	16.0	13.9	12.8	14.23	10.8	1.5	1.5	1.0
21	60.35	61.08	62.06	61.16	16.8	14.8	13.2	14.93	11.5	2.5	1.0	1.0
22	61.84	59.75	61.83	61.14	14.2	12.9	13.0	13.37	10.9	1.5	1.0	1.0
23	61.63	62.99	61.76	62.13	15.5	13.0	13.8	14.10	10.5	2.0	1.0	1.5
24	60.33	60.54	62.02	60.96	16.9	15.0	14.0	15.30	11.0	1.5	1.5	1.0
25	60.76	61.06	61.22	61.01	16.4	12.6	13.0	14.00	9.3	4.2	1.0	0.5
26	61.06	60.98	61.11	61.05	16.1	12.1	13.5	13.90	9.0	2.0	0.5	1.0
27	62.03	63.64	63.28	62.98	15.4	11.9	12.0	13.03	9.0	1.5	0.5	0.5
28	61.69	60.68	61.77	61.38	15.4	12.2	12.2	13.27	9.9	1.5	1.0	1.0
29	62.35	60.64	61.21	61.73	15.0	12.7	12.4	13.37	9.6	2.5	0.5	1.5
30	60.82	60.68	62.01	61.17	14.7	11.5	11.6	12.93	8.9	1.5	1.0	1.0
31	61.48	60.33	60.91	60.92	13.9	11.0	11.5	11.90	8.5	1.5	0.5	1.5

JUNIO

1	61.54	61.50	61.82	61.62	15.0	12.2	11.1	12.77	9.6	2.0	1.0	1.0
2	62.34	60.99	61.28	61.54	14.0	10.5	10.5	11.67	8.6	1.5	2.5	1.0
3	60.66	61.76	61.66	61.36	13.0	11.5	12.8	12.43	10.2	1.5	0.5	2.5
4	62.43	60.49	62.89	61.91	13.5	11.0	12.0	12.17	8.3	1.5	0.5	1.0
5	62.49	62.84	62.19	62.51	15.0	11.5	12.9	13.13	9.3	1.5	1.0	1.0
6	62.11	62.42	61.26	61.93	15.0	11.5	14.1	13.53	9.0	1.5	1.0	1.5
7	63.34	62.51	61.66	63.50	15.0	12.8	14.0	13.93	10.8	2.0	1.0	2.0
8	63.24	62.85	64.73	63.61	13.3	9.8	10.5	11.20	6.0	1.5	1.0	0.5
9	63.62	62.76	62.97	63.12	14.0	12.0	12.3	12.77	10.0	1.5	1.5	1.5
10	61.74	62.96	65.05	63.25	15.0	10.0	11.0	12.00	7.2	1.0	1.0	1.5
11	62.24	64.60	64.31	63.73	14.5	10.3	10.8	11.87	6.6	1.0	1.5	1.0
12	60.45	61.95	62.17	61.52	13.4	9.3	12.5	11.73	8.0	1.5	1.0	2.0
13	62.34	63.44	62.19	62.65	13.5	10.5	11.6	11.87	8.8	2.5	0.5	1.5
14	62.34	62.86	61.89	62.20	13.0	12.5	11.0	12.17	8.2	1.0	0.5
15	62.91	63.38	61.64	62.61	13.5	9.0	10.4	10.97	6.5	1.5	2.0	1.0
16	61.41	60.58	62.16	61.38	12.5	11.0	13.0	12.37	8.0	1.5	1.0	2.0
17	62.13	63.06	60.77	61.99	14.5	9.9	11.6	12.00	6.2	2.0	2.0	0.5
18	60.42	58.57	60.96	59.78	13.3	10.8	12.8	12.30	6.2	1.0	1.0	1.0
19	61.33	61.46	62.75	61.85	15.0	13.5	12.0	13.50	8.5	2.5	1.0	2.0
20	61.33	61.36	62.76	61.82	14.5	13.5	12.5	13.59	8.5	1.5	1.0	2.0
21	61.30	62.34	61.76	61.97	15.2	12.2	13.5	13.63	8.5	1.0	1.5	1.5
22	59.45	59.05	59.39	59.30	15.5	12.9	11.5	13.30	8.7	1.5	0.5	1.0
23	61.31	60.83	63.20	61.78	15.2	13.9	13.6	14.23	9.6	2.0	1.0	1.0
24	63.18	63.51	64.26	63.65	15.0	12.5	13.2	13.57	10.4	1.5	1.0	1.0
25	63.13	63.07	63.73	63.31	14.0	11.5	12.0	12.60	8.4	2.0	0.5	1.5
26	62.10	62.71	63.31	62.71	15.5	11.5	10.8	12.60	8.6	2.0	1.0	1.5
27	62.32	62.18	61.94	62.15	15.3	12.2	11.9	13.13	9.1	1.5	1.5	1.0
28	61.47	61.61	62.25	61.78	15.5	12.3	13.0	13.60	10.4	1.0	0.5	1.5
29	62.50	62.61	61.91	62.34	15.0	11.9	12.0	12.97	8.4	2.0	1.0	1.0
30	61.76	60.43	61.85	61.35	15.0	11.8	12.9	13.23	10.2	1.5	1.0	1.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
75			82	11.18	10.56	10.25	10.66	NO ₁	NO ₁	NO ₁	N.	N.	N.
84	89	89	85	11.00	10.65	10.91	10.85						
74	83	89	82	10.39	9.55	10.56	10.17	N ₁	N ₁	N ₁			
84	83	83	83	11.00	10.25	10.25	10.50						
79	83	83	82	10.69	10.25	9.99	10.28						
84	83	83	85	11.79	10.25	10.25	10.76						
83	83	88	85	10.25	9.55	10.20	10.00		NO ₁		D.		
84	89	89	87	11.79	10.91	11.30	11.33	N ₁	N ₁		N.		
76	74	74	74	12.01	10.15	9.55	10.57						
79	73	88	80	10.69	8.94	9.85	9.85		NO ₁				
62	72	83	72	9.48	8.28	9.55	9.10	NO ₁	N ₁			Np.	
84	84	84	84	11.00	9.99	9.55	10.15					Np.	
79	83	82	81	11.09	9.55	8.89	9.84					Np.	
84	89	80	83	11.09	10.56	12.77	11.47						
81	81	81	81	11.79	10.65						
80	80	80	84	11.48	9.99	10.56	10.65			NE ₁	Np.		
84	83	83	85	11.00	9.84	8.89	9.91				D.		
84	83	83	83	11.00	10.25	9.55	10.27	N ₁	N ₁	N ₁	N.		
89	83	89	89	11.79	10.15	9.55	10.47				D.		
84	83	85	85	11.00	9.55	9.54	10.05				D.		
74	89	88	84	9.65	10.56	10.20	10.11	N ₁	N ₁		N.		
83	83	83	83	10.25	9.85	9.85	9.98						
78	83	83	83	9.95	9.85	9.55	9.78				Np.		
84	83	83	85	12.19	9.55	10.20	10.65	SO ₂			D.		
59	88	80	80	8.89	9.85	10.15	9.63						
79	84	84	84	10.69	10.15	9.85	10.29	S ₁	SO ₁	SO ₁			
83	83	86	86	10.65	10.15	9.49	10.06						
84	87	87	86	11.00	9.54	9.54	10.03	SO ₁	SO ₁	SO ₁	D.		
73	84	88	88	9.29	10.50	8.56	9.45	N ₁	N ₁				
83	87	87	86	10.25	9.54	9.54	9.54				D.		
82	84	88	86	9.24	9.82	8.26	8.91	NE ₁					

DE 1873.

78			81	9.95	9.54	9.54	9.68						
83	87	87	81	9.55	9.29	7.97	8.84	N ₁					
82	84	88	83	9.24	9.84	8.28	9.42						
83	84	88	86	9.55	9.16	9.19	9.30						
83	88	88	86	10.65	9.85	9.54	10.01						
78	88	88	84	10.65	8.86	9.96	9.80						
83	88	86	84	9.69	9.86	8.93	9.39						
83	86	82	82	9.55	7.97	8.86	9.79						
89	86	81	86	9.55	8.89	8.89	9.11						
89	86	86	86	11.30	8.21	7.97	9.16						
83	86	86	82	11.30	7.67	11.30	10.05						
83	86	86	82	9.55	7.67	8.26	8.49						
72	84	82	83	8.63	8.57	8.56	8.59						
87	84	84	87	9.54	9.16						
83	83	89	82	9.55	6.81	11.30	9.22						
72	87	86	80	8.89	9.19	8.26	8.88						
88	88	88	88	8.63	7.11	9.16	8.78						
74	88	88	88	10.20	8.56	9.85	9.54						
86	88	88	88	9.65	10.20	8.26	9.37						
86	88	88	88	10.26	9.85	8.26	9.46						
88	88	88	88	11.70	8.82	9.56	10.00						
83	88	88	88	10.26	9.84	8.86	9.65						
78	88	88	88	9.95	9.85	10.20	10.00						
83	88	88	88	10.65	9.85	9.85	10.12						
78	84	82	85	9.25	9.49	8.26	9.06						
83	86	81	82	9.95	8.86	7.67	8.83						
89	86	83	83	9.99	8.56	8.86	9.11						
78	89	83	83	10.56	10.15	9.56	10.05						
87	87	87	87	10.35	9.54	9.19	9.69						

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	61.09	60.05	61.95	61.03	15.0	13.0	13.0	13.67	11.2	1.5	1.0	1.0
2	60.57	62.42	62.50	61.83	15.6	12.9	14.3	14.27	9.7	2.0	1.5	2.0
3	65.82	61.21	61.21	64.75	14.9	12.4	12.5	13.27	7.6	0.5	1.0	1.5
4	61.21	61.28	61.88	61.46	16.0	12.6	13.0	13.87	6.9	1.5	0.5	1.5
5	62.09	62.96	61.60	62.22	11.0	10.9	12.0	12.30	9.2	1.5	1.0	2.0
6	61.94	61.96	63.32	62.41	14.0	10.9	11.8	12.23	10.2	2.5	1.5	1.0
7	62.61	62.75	63.37	62.59	13.9	12.2	13.2	13.10	10.1	1.5	1.5	2.8
8	63.21	63.93	62.95	63.37	13.4	10.4	11.4	11.73	6.0	2.0	0.5	0.5
9	63.52	62.93	61.35	62.60	15.0	10.5	12.8	12.77	7.6	1.5	1.0	0.5
10	60.04	59.97	59.83	59.95	15.0	13.0	13.0	13.67	7.6	2.0	1.0	2.5
11	61.17	61.20	60.38	60.92	14.5	13.3	12.9	13.57	11.0	1.5	1.0	1.0
12	60.20	61.12	62.77	61.36	14.0	10.2	11.9	12.03	9.0	1.5	1.0	1.5
13	62.40	63.89	62.11	62.80	13.0	10.0	11.5	11.50	7.0	2.5	1.0	2.0
14	64.17	63.92	64.19	64.09	14.5	10.9	12.0	12.47	7.5	2.0	1.5	1.5
15	64.69	61.99	63.16	63.28	13.3	11.1	12.0	12.13	7.2	1.0	1.5	1.0
16	62.57	60.23	60.88	61.23	14.9	11.5	11.9	12.77	7.2	2.0	1.5	1.5
17	59.89	62.03	61.63	61.18	14.8	12.9	11.5	13.07	7.2	2.0	1.0	1.0
18	59.88	58.62	60.03	59.51	14.3	11.8	12.4	12.83	10.1	1.5	2.0	1.5
19	59.06	61.81	60.84	60.57	14.5	12.0	13.5	13.33	11.0	2.0	1.5	2.0
20	62.22	63.18	62.50	62.63	11.0	11.2	11.5	12.23	7.7	1.0	1.5	1.5
21	63.98	61.75	63.56	63.10	13.8	11.8	12.9	12.83	8.9	2.0	1.5	1.5
22	63.05	63.81	63.68	63.51	14.2	12.0	12.3	12.83	8.2	1.0	1.0	1.0
23	61.98	62.27	61.98	62.08	16.5	11.8	12.0	13.43	9.8	1.5	1.0	1.0
24	64.25	62.83	64.23	63.77	14.9	12.2	13.0	13.37	8.7	1.0	1.5	1.0
25	62.06	63.56	62.54	62.72	15.0	11.3	12.4	12.90	8.0	2.0	0.5	1.5
26	61.18	63.43	61.31	61.97	16.5	11.0	11.6	13.03	8.6	1.5	1.5	0.5
27	62.30	60.98	61.66	61.63	15.0	11.0	10.5	12.17	8.8	1.0	0.5	0.5
28	59.98	61.73	60.94	60.88	12.0	11.0	12.0	11.67	8.9	1.0	0.5	1.0
29	61.41	60.83	60.74	60.99	13.2	12.2	12.5	12.63	11.1	2.0	1.5	1.0
30	59.81	60.29	62.73	60.94	13.9	12.0	13.0	12.96	9.9	0.5	1.5	0.5
31	61.53	61.11	61.07	61.24	16.0	12.0	12.2	13.40	10.1	1.5	1.5	1.0

1	60.81	61.34	60.86	61.00	15.3	13.4	17.3	15.33	11.2	2.0	1.5	2.0
2	59.31	59.49	62.74	60.51	13.0	13.5	14.0	13.50	7.5	1.0	1.5	2.0
3	61.66	64.03	63.49	63.06	14.2	11.0	11.2	12.13	7.5	2.5	1.0	1.5
4	65.41	63.89	65.66	64.97	14.8	11.0	12.0	12.60	7.4	1.5	1.5	1.0
5	64.71	64.77	63.72	64.40	14.5	11.6	12.4	12.83	10.4	1.0	1.5	2.0
6	64.11	65.70	65.30	65.01	14.5	11.3	12.0	12.60	7.5	1.5	1.0	1.5
7	63.27	64.61	64.73	64.20	14.5	12.2	12.5	13.07	8.4	1.5	1.0	1.0
8	66.17	63.46	63.38	64.34	14.9	12.2	10.7	12.60	8.1	1.5	1.5	1.0
9	61.45	62.28	61.81	61.85	15.5	12.0	12.4	13.30	9.6	1.0	1.0	0.5
10	61.43	61.52	61.08	61.34	14.0	11.7	11.0	12.23	9.5	1.0	1.0	1.0
11	59.69	60.69	60.94	60.44	13.2	11.2	11.2	11.87	9.7	1.0	1.0	1.0
12	62.17	61.49	61.72	61.79	12.0	11.5	11.0	11.50	7.8	1.0	1.0	1.0
13	61.63	64.43	64.03	63.36	12.5	11.5	12.0	12.00	9.9	1.0	1.0	1.0
14	65.10	66.28	66.82	66.07	14.0	11.5	12.3	12.60	9.4	1.0	1.5	0.5
15	65.69	65.79	65.33	65.59	14.5	11.8	12.0	12.77	8.8	1.5	1.0	1.5
16	65.05	65.56	62.87	64.49	14.6	11.7	14.2	13.50	8.1	1.0	0.5	1.0
17	62.00	62.76	63.41	62.72	14.0	11.4	13.0	12.80	8.8	2.0	1.0	1.5
18	63.78	65.87	66.57	65.41	13.0	12.8	13.5	13.10	9.1	1.5	1.5	1.5
19	66.24	66.80	66.82	66.62	14.0	11.5	12.2	12.67	8.0	1.5	1.0	0.5
20	59.71	63.91	61.89	61.84	12.0	12.0	11.4	11.80	7.9	1.0	1.0	1.0
21	59.71	59.12	60.17	59.67	12.3	12.0	12.8	12.37	8.0	2.0	2.0	1.0
22	60.44	60.92	60.30	60.55	16.0	11.9	11.3	13.07	9.5	1.5	1.0	1.0
23	59.25	59.68	61.91	60.28	14.2	12.5	13.0	13.23	10.5	1.5	1.5	1.0
24	61.42	61.82	61.71	61.65	13.3	13.0	13.6	13.30	11.5	1.5	1.0	1.5
25	62.22	61.85	61.77	61.95	14.0	12.6	11.5	12.70	10.5	1.0	1.0	0.5
26	61.51	61.31	61.22	61.35	13.4	12.5	11.5	12.47	10.0	1.0	1.0	1.0
27	61.36	61.41	61.42	61.40	14.0	12.5	11.6	12.70	10.0	1.5	0.5	1.0
28	59.90	59.72	62.86	60.83	13.1	12.8	12.5	12.80	10.0	0.5	1.0	0.5
29	60.01	60.58	61.20	60.60	14.0	12.8	14.0	13.60	11.5	0.5	0.5	1.0
30	61.01	62.20	64.95	62.72	13.8	12.5	15.0	13.77	10.4	1.0	1.0	1.5
31	61.51	66.20	63.97	64.89	14.5	13.0	12.8	13.43	8.3	1.5	1.0	0.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
94	88	88	90	12.00	10.20	9.85	10.68	NE	NE	N	Np.	N.	N.
98	83	78	80	10.35	9.55	9.25	9.72	NE	NE	NE	D.	D.	D.
94	87	82	87	12.00	9.19	8.89	10.03	O.	SO	SO	D.	D.	D.
94	82	87	87	11.79	10.15	8.89	10.28	SO	O.	—	—	—	—
83	86	76	82	10.25	8.56	7.90	8.92	—	O.	—	—	—	—
82	86	86	86	8.63	8.26	8.86	8.58	—	SO	—	—	—	—
82	68	68	78	9.90	8.89	7.59	8.79	—	—	—	—	—	—
76	94	94	88	7.96	8.86	8.86	8.56	SO	O.	—	—	D.	Np.
83	86	94	88	10.65	8.56	10.15	9.79	NO	SO	—	—	D.	D.
78	88	72	79	10.35	9.95	8.28	9.53	NO	NO	NE	—	—	N.
83	89	88	87	10.65	10.56	9.85	10.35	NO	NO	NE	N.	N.	—
83	86	82	82	9.90	8.56	8.26	8.91	NO	NO	SE	N.	Ll.	D.
71	86	75	77	7.96	8.56	7.67	8.96	O.	O.	SE	D.	D.	—
78	83	82	81	9.60	8.26	8.56	8.77	O.	O.	N.	—	—	—
78	82	86	85	10.20	8.56	8.86	9.21	O.	O.	N.	—	—	—
78	82	82	81	9.60	8.89	8.26	8.92	—	—	SO	—	—	N.
86	86	86	83	9.95	8.86	8.86	9.22	SO	—	N.	N.	—	—
86	76	82	80	10.25	7.96	8.89	9.63	O.	—	N.	N.	D.	—
89	82	78	79	9.60	8.89	9.25	9.25	O.	N.	O.	N.	D.	Np.
89	82	82	84	10.56	8.26	8.56	9.13	O.	N.	O.	N.	D.	Np.
88	82	82	84	9.85	8.89	8.89	9.21	SO	SO	—	Np.	D.	D.
89	87	87	88	10.91	9.54	9.19	9.88	SO	—	SO	D.	—	—
84	87	87	86	11.79	9.54	9.19	10.17	SO	—	—	—	—	N.
89	82	88	86	10.91	9.89	9.85	9.88	—	—	—	—	—	D.
78	82	86	85	10.35	8.49	8.89	9.58	SO	—	—	—	—	—
81	82	94	87	11.79	8.26	9.49	9.85	—	—	—	—	—	N.
89	94	94	92	11.70	9.24	8.86	10.13	—	—	—	—	—	—
87	86	89	89	9.19	9.16	9.19	9.18	—	—	NO	N.	—	—
87	83	88	86	9.19	9.55	9.85	9.53	—	—	—	—	—	—
94	82	94	86	10.15	8.89	10.50	9.85	NO	NO	N.	Np.	—	—
84	82	87	84	11.40	8.89	9.54	9.94	N	N	—	N.	—	Np.

DE 1873.

83	79	80	10.35	9.30	11.69	10.45	O.	NO	NE	N.	N.	D.	D.
83	82	82	8.85	9.55	9.25	9.55	—	NO	—	Ll.	Ll.	—	—
86	82	84	8.94	8.26	8.26	8.69	NE	—	—	Np.	D.	—	—
86	82	82	10.65	8.26	8.26	9.26	NE	SO	SE	N.	—	N.	—
89	82	76	10.56	8.56	8.26	9.13	O.	—	NE	N.	Np.	D.	—
89	86	82	10.25	8.86	8.56	9.22	O.	O.	SE	D.	—	D.	D.
83	87	87	10.25	9.54	9.54	9.78	—	—	SO	—	—	—	—
82	86	86	10.65	8.89	8.86	9.47	SO	SO	—	—	—	Ni.	—
89	87	94	11.30	9.19	10.15	10.21	—	—	SE	—	—	N.	—
89	86	86	10.56	9.19	8.56	9.41	—	—	—	N.	N.	—	—
88	86	86	9.85	8.86	8.86	9.19	—	—	—	N.	N.	—	—
87	86	86	9.19	8.86	8.56	8.87	—	—	—	N.	N.	—	—
88	86	86	9.19	8.56	9.19	8.98	—	—	—	N.	N.	—	—
88	82	84	10.20	8.56	10.15	9.61	—	—	—	D.	D.	D.	D.
83	87	87	10.25	9.19	8.56	9.33	—	—	—	—	—	—	—
83	89	89	10.56	10.15	10.56	10.42	—	—	—	—	—	—	—
84	87	82	9.60	9.19	9.21	9.31	—	—	—	—	—	—	—
83	83	83	9.65	9.21	9.55	9.45	—	—	NE	N.	N.	D.	D.
83	87	94	10.25	9.54	10.15	9.28	—	—	—	D.	D.	—	—
84	87	87	9.19	9.19	8.56	8.98	—	—	—	—	—	Ni.	—
79	86	86	8.94	8.26	9.54	8.69	—	—	—	Np.	—	—	—
84	86	86	11.90	9.54	8.86	9.89	—	—	—	N.	—	—	—
89	82	88	10.25	9.24	9.85	9.79	NO	NO	—	—	—	—	—
88	88	83	9.55	9.85	9.90	9.77	—	—	—	—	—	—	—
88	88	83	10.29	9.85	9.49	9.85	—	—	—	—	—	—	—
89	88	86	10.56	9.85	8.86	9.76	—	—	—	—	—	—	—
89	87	87	9.99	10.15	9.19	9.15	—	—	—	Np.	—	—	—
84	87	84	10.26	9.54	10.15	10.18	—	—	—	—	—	—	—
84	89	89	10.86	10.15	10.56	10.52	—	—	—	—	—	—	—
83	87	83	9.55	9.85	10.65	10.35	—	—	—	—	—	—	—
82	87	87	9.34	9.34	10.15	10.14	—	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.		9 h.		21 h.		Medio	Mínim.	Dif. de los termómetros	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o			o	o	o
1	61.31	60.32	61.35	60.99	16.9	12.5	11.3	13.57	8.3	2.0	1.5	0.5
2	60.35	59.02	60.74	60.94	14.0	12.6	12.0	12.87	8.4	1.5	1.0	1.0
3	59.48	62.42	62.77	61.56	12.8	12.3	12.3	13.47	8.3	1.0	0.5	1.5
4	62.67	60.87	61.24	61.59	17.0	12.2	11.9	13.70	8.3	2.0	0.5	0.5
5	61.52	59.96	60.52	60.67	15.0	12.3	12.2	13.17	9.4	1.0	0.5	1.5
6	60.29	61.82	62.81	61.64	14.0	12.9	12.9	13.27	10.9	1.0	0.5	1.0
7	59.65	61.56	61.99	61.07	13.5	12.5	13.0	13.00	9.5	0.5	1.0	0.5
8	61.70	63.47	62.84	62.66	16.5	13.0	12.8	14.10	11.0	2.0	0.5	1.5
9	63.20	61.96	61.86	62.34	15.5	12.0	12.0	13.17	9.8	1.0	0.5	1.0
10	63.92	63.32	62.82	63.32	13.5	12.5	16.5	15.17	11.0	0.5	1.0	1.0
11	62.41	63.98	64.68	63.69	14.5	12.5	13.0	13.38	9.1	1.0	1.0	1.5
12	64.30	64.52	61.87	64.56	16.0	11.9	12.9	13.60	8.3	2.5	1.0	1.0
13	63.75	63.38	63.81	63.65	18.0	12.5	12.9	14.47	9.3	1.0	1.0	1.0
14	62.25	63.06	62.13	62.48	14.0	12.4	12.6	13.09	10.5	1.5	0.5	1.0
15	62.58	62.67	62.16	62.67	16.0	12.0	12.5	13.50	10.5	1.5	1.0	1.0
16	61.21	61.17	61.82	61.40	15.0	12.0	12.5	13.17	10.4	1.5	1.0	1.0
17	62.21	61.21	62.42	61.95	15.0	11.3	12.9	13.07	10.5	1.5	1.0	1.0
18	60.56	62.36	61.23	62.38	12.5	12.9	12.3	13.57	9.9	1.0	1.5	1.5
19	62.20	61.91	63.30	62.47	14.0	13.5	15.4	14.30	9.9	1.0	1.5	1.5
20	61.11	61.33	61.93	61.46	14.0	13.0	12.5	13.17	8.5	1.5	1.5	1.0
21	61.81	62.34	63.21	62.44	13.5	12.3	13.9	13.23	8.8	1.0	1.0	0.5
22	62.71	62.16	60.94	61.94	14.5	13.0	15.0	14.17	8.2	1.0	0.5	1.0
23	60.41	59.75	62.09	60.75	16.8	12.3	14.0	15.37	11.0	2.0	1.0	1.5
24	63.15	63.93	63.77	63.62	15.5	12.3	13.0	13.60	10.8	1.5	1.0	0.5
25	60.67	61.28	61.28	61.08	16.3	12.4	13.6	14.10	11.0	1.5	1.0	0.5
26	60.82	62.48	62.65	61.98	17.8	14.0	14.5	15.43	11.6	1.5	1.0	2.0
27	63.04	64.39	63.88	63.77	16.6	12.1	16.4	14.37	9.9	1.0	1.0	0.5
28	62.93	63.01	61.13	62.36	17.0	12.5	16.3	15.27	8.8	2.0	1.0	2.0
29	58.95	58.27	60.00	59.07	17.5	13.0	15.0	15.17	10.5	2.0	1.5	1.0
30	59.99	60.13	59.75	59.36	16.5	11.9	14.0	14.13	11.4	1.5	0.5	0.5

OCTUBRE

1	61.86	61.71	62.18	61.92	15.8	13.5	14.0	14.43	10.5	0.5	1.0	1.5
2	59.75	61.37	61.85	60.99	16.3	12.3	14.9	14.50	8.9	1.5	1.0	1.0
3	61.98	62.88	62.00	62.49	15.8	12.8	14.9	14.50	8.5	1.0	1.0	0.5
4	62.36	61.07	61.58	61.67	15.8	12.3	14.0	14.03	9.9	1.0	1.5	1.5
5	61.27	62.33	62.56	62.15	16.0	12.0	13.0	13.67	8.5	1.0	1.0	1.0
6	61.26	62.05	62.66	61.99	17.0	12.5	14.0	14.50	10.2	2.0	1.0	1.0
7	62.44	63.06	61.87	62.36	17.5	12.0	12.0	13.83	10.4	1.5	1.0	1.0
8	62.01	62.91	61.97	62.30	15.0	13.0	12.0	13.33	11.0	1.5	1.5	0.5
9	62.02	61.97	61.53	61.84	14.5	13.0	13.5	13.67	11.5	1.0	1.0	1.0
10	62.16	60.91	62.55	61.87	17.9	12.3	13.8	14.67	10.9	1.5	0.5	1.0
11	61.50	61.62	61.71	61.61	16.5	12.4	14.2	14.43	11.0	1.5	1.0	1.5
12	62.29	61.27	64.95	62.84	16.4	13.3	15.4	15.03	9.5	1.5	1.0	1.5
13	63.64	62.98	60.61	62.41	18.0	12.3	16.5	15.60	9.5	2.5	1.5	2.0
14	59.54	59.86	60.02	59.31	20.0	12.5	13.5	15.33	9.5	2.0	1.5	1.5
15	59.87	63.06	61.81	60.58	18.5	12.3	13.6	14.80	11.5	1.5	0.5	1.0
16	60.85	60.32	61.31	60.66	14.0	12.8	14.3	13.70	11.5	1.0	1.0	1.5
17	60.34	61.76	60.22	60.77	14.0	12.4	13.4	13.30	11.0	1.0	1.0	1.5
18	61.88	61.48	61.36	61.57	14.5	12.3	16.0	14.27	11.2	1.0	1.0	1.5
19	61.12	59.73	60.56	60.47	14.8	12.0	13.7	13.50	11.1	1.0	1.0	1.5
20	60.07	61.38	60.56	60.67	15.0	13.5	15.2	14.37	12.0	1.0	1.0	1.0
21	60.74	61.28	60.37	60.80	16.0	12.8	13.2	14.00	11.5	1.0	1.0	1.5
22	61.80	59.17	60.61	60.53	15.9	12.5	18.0	15.47	11.8	1.0	1.0	3.0
23	60.97	60.17	61.55	60.96	17.2	13.5	18.0	16.23	10.0	2.0	1.0	1.5
24	62.01	61.91	60.98	61.63	14.5	13.0	15.5	14.33	16.5	1.0	1.5	1.0
25	61.38	61.81	61.78	61.66	15.0	14.0	14.5	14.50	10.5	1.5	1.5	1.0
26	60.33	60.66	59.69	60.23	21.0	14.0	20.0	18.33	10.0	1.5	1.0	2.5
27	60.29	61.58	59.38	60.42	21.0	13.3	18.5	17.60	10.2	2.0	1.0	1.5
28	60.06	61.85	60.41	60.77	21.5	14.0	16.6	17.37	11.0	2.5	1.5	1.5
29	59.94	60.01	62.10	60.68	17.0	14.0	13.9	14.37	10.9	1.5	1.0	1.0
30	60.17	61.55	60.24	60.65	18.5	12.9	16.5	15.97	9.6	1.5	1.0	2.5
31	62.26	60.46	60.51	61.08	13.9	12.5	13.3	13.23	10.3	1.5	1.0	1.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
80	83	94	86	11.48	9.55	9.49	10.17	SO ₁	SO ₁	O ₁	D.	D.	Ni.
83	83	87	86	10.23	9.85	9.54	9.88	O ₁	N ₁	N ₁	N.	N.	N.
88	94	82	88	9.85	10.15	8.89	9.63	SO ₁	SO ₁	N ₁	N.	N.	N.
78	94	94	90	11.36	10.15	9.49	10.33	N ₁	N ₁	—	D.	D.	Ni.
89	94	82	88	11.30	10.15	8.89	10.11	N ₁	N ₁	—	N.	N.	N.
89	94	88	99	10.55	10.85	9.85	10.12	N ₁	O ₁	O ₁	—	—	—
94	83	94	92	10.85	9.85	10.50	10.40	O ₁	N ₁	SO ₁	—	—	—
77	94	82	84	10.97	10.50	9.21	10.21	O ₁	N ₁	N ₁	Np.	—	—
89	94	87	99	11.70	10.50	9.51	10.55	SO ₁	SO ₁	SO ₁	D.	D.	D.
91	88	85	94	10.53	10.20	11.30	10.67	SO ₁	O ₁	N ₁	N.	N.	—
89	87	85	86	11.31	9.51	9.55	10.10	SO ₁	O ₁	SE ₁	D.	D.	—
74	83	88	88	10.39	9.19	10.20	9.93	—	—	N ₁	—	—	Np.
90	87	87	88	12.93	9.85	9.51	10.77	O ₁	—	O ₁	—	—	N.
83	94	83	83	10.25	10.50	9.85	10.20	—	—	—	N.	N.	—
84	87	87	86	12.19	9.51	9.51	10.45	NO ₁	—	NO ₁	—	—	—
83	87	88	86	9.55	9.54	9.85	9.65	—	NO ₁	—	—	—	Np.
84	87	87	86	11.00	9.54	9.54	10.05	—	—	—	—	—	N.
87	82	82	84	9.51	9.21	8.89	9.23	O ₁	O ₁	—	—	—	N.
89	83	84	85	10.55	9.55	11.00	10.37	—	—	NE ₁	—	—	—
83	83	88	85	10.25	9.55	9.85	9.88	NO ₁	N ₁	N ₁	D.	D.	D.
89	87	94	90	10.55	9.54	11.21	10.44	O ₁	N ₁	SO ₁	N.	N.	N.
79	94	89	91	10.56	10.15	11.30	10.67	O ₁	O ₁	E ₁	D.	D.	—
73	84	84	83	11.09	9.51	11.79	10.87	O ₁	—	N ₁	—	—	N.
84	87	94	88	11.00	9.51	10.59	10.33	O ₁	—	N ₁	—	—	—
84	88	94	89	11.49	9.85	10.86	10.70	S ₁	S ₁	—	Np.	—	Np.
85	89	78	84	13.07	10.55	9.95	11.19	—	O ₁	O ₁	—	—	N.
90	88	95	91	13.33	10.20	12.89	12.13	O ₁	—	SE ₁	D.	D.	—
80	83	79	82	11.88	9.85	10.69	10.81	O ₁	—	N ₁	—	—	—
80	83	89	84	12.32	9.55	11.30	11.06	—	—	—	—	—	Np.
84	94	94	91	11.40	9.49	11.21	10.67	—	N ₁	—	—	—	—

DE 1873.

95	89	88	89	12.80	10.56	10.25	11.29	O ₁	—	—	N.	N.	N.
84	89	88	89	11.40	11.30	11.30	11.33	—	—	—	D.	D.	D.
89	88	84	88	12.09	9.85	11.60	11.18	O ₁	—	—	—	—	—
89	88	82	88	12.09	8.89	10.25	10.41	SO ₁	SO ₁	SO ₁	—	—	—
79	88	88	88	11.09	9.54	9.85	10.43	O ₁	—	—	—	—	—
84	87	87	86	11.09	9.55	10.20	10.38	NE ₁	NE ₁	NE ₁	—	—	—
84	87	87	86	12.19	9.51	9.19	10.31	O ₁	O ₁	N ₁	—	—	—
89	88	84	88	11.09	9.55	9.84	10.13	O ₁	—	—	—	—	—
85	88	84	88	10.53	9.85	9.85	10.39	N ₁	—	—	—	—	—
84	88	84	88	12.62	14.15	10.20	10.39	—	—	—	N ₁	N.	N.
84	88	83	88	11.79	10.20	10.25	10.75	—	—	—	D.	D.	D.
84	88	83	88	12.19	10.91	10.65	11.25	—	—	—	—	—	—
75	89	89	88	11.18	9.21	11.09	10.50	O ₁	—	—	—	—	—
84	88	88	88	13.65	9.24	9.55	10.81	SO ₁	SO ₁	SO ₁	—	—	—
85	88	84	88	12.62	10.15	10.20	10.99	NO ₁	NO ₁	NO ₁	N ₁	N.	N.
89	88	88	88	10.55	9.85	10.25	10.22	NO ₁	NO ₁	NO ₁	D.	D.	D.
89	88	88	88	10.56	9.85	9.55	9.99	—	—	—	N.	N.	N.
89	88	88	88	10.91	9.85	11.40	10.72	O ₁	O ₁	O ₁	—	—	—
89	88	88	88	10.91	9.51	9.35	10.09	O ₁	—	—	N.	N.	N.
89	88	88	88	11.30	9.20	11.30	10.33	—	—	—	N.	N.	N.
89	88	88	88	12.09	9.85	9.55	10.50	—	—	—	—	—	—
89	88	88	88	12.09	9.85	10.48	10.81	—	—	—	—	—	—
89	88	88	88	11.48	10.20	12.62	11.43	NO ₁	—	—	—	—	—
89	88	88	88	11.30	9.55	11.30	10.72	—	—	—	—	—	—
84	88	88	88	11.00	10.25	11.30	10.85	—	—	—	—	—	—
86	89	89	89	14.94	10.94	12.89	12.94	—	—	—	—	—	—
86	89	89	89	13.65	10.56	13.07	12.43	—	—	—	—	—	—
86	89	89	89	14.81	10.25	11.40	12.15	NO ₁	—	—	—	—	—
86	89	89	89	12.19	10.55	11.40	11.10	O ₁	—	—	—	—	—
86	89	89	89	13.07	9.85	10.79	11.24	—	—	—	—	—	—
86	89	89	89	10.20	9.85	10.20	10.19	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros		
										2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	60.29	61.97	59.50	60.59	18.0	13.0	15.0	15.33	12.0	1.5	1.0	1.5
2	60.90	61.40	61.36	61.22	17.3	13.3	15.0	15.20	11.7	1.0	1.0	1.0
3	60.20	59.27	61.16	60.21	16.0	12.0	15.5	14.50	10.4	1.5	1.0	1.0
4	59.13	58.04	59.15	58.77	21.0	14.0	18.2	17.73	11.4	2.0	0.5	2.0
5	58.09	59.56	60.44	59.36	17.7	13.0	14.3	15.00	12.4	2.0	1.0	1.5
6	59.29	58.76	58.46	58.84	17.0	13.4	15.0	15.13	11.2	2.0	1.0	1.0
7	58.04	58.97	58.27	58.43	14.9	13.0	14.4	14.10	9.5	1.5	1.0	1.5
8	58.63	59.06	59.47	59.05	16.8	13.9	14.4	15.03	11.9	1.5	1.0	1.0
9	58.08	57.98	59.30	58.45	15.5	13.2	14.0	14.23	11.9	1.5	1.0	1.0
10	58.04	58.20	59.55	58.60	15.0	13.5	14.0	14.17	11.5	1.5	1.0	1.5
11	59.75	60.86	59.76	60.12	15.2	13.3	14.0	14.17	11.3	1.0	1.0	1.0
12	60.31	59.85	63.63	61.26	17.2	12.6	13.9	14.57	11.5	1.0	1.0	1.0
13	61.59	61.28	61.76	61.54	15.2	13.0	12.8	13.67	12.0	2.0	1.5	1.0
14	61.68	65.74	61.41	62.28	15.3	13.0	13.5	13.93	12.0	1.0	1.0	1.5
15	62.70	61.68	62.85	62.41	15.0	13.2	12.9	13.79	11.7	1.5	1.5	1.0
16	62.04	62.59	62.35	62.33	15.2	13.5	14.5	14.40	11.0	1.0	1.0	1.0
17	63.67	64.15	64.17	64.00	19.9	14.0	14.0	15.97	12.4	2.0	1.0	1.5
18	64.94	63.59	64.39	64.31	16.7	14.2	14.0	14.97	12.5	1.5	1.0	1.5
19	65.03	64.55	64.75	64.78	16.0	13.5	14.0	14.59	12.0	2.0	1.0	1.0
20	63.71	64.84	60.85	63.13	17.0	12.9	14.8	14.90	11.9	1.5	1.0	1.0
21	61.55	61.49	62.26	61.77	18.9	14.5	16.9	16.77	13.5	2.0	1.0	1.0
22	63.94	64.45	64.88	64.42	18.5	14.5	21.2	18.07	11.0	2.5	1.0	1.5
23	62.39	62.90	59.80	61.70	17.2	15.0	16.0	16.07	12.6	2.5	1.5	1.0
24	61.75	60.86	61.43	61.35	17.0	14.2	17.0	16.07	13.2	1.5	0.5	1.0
25	60.37	59.55	60.68	60.20	19.0	15.0	18.7	17.57	14.0	2.0	1.0	2.5
26	60.29	61.61	62.44	61.45	18.0	15.0	14.6	15.87	13.0	2.5	0.5	1.5
27	60.79	59.79	61.34	60.64	20.0	14.2	18.0	17.49	11.4	1.0	1.0	1.5
28	59.79	59.76	60.10	59.88	17.6	15.0	17.5	16.70	14.8	2.0	1.0	2.0
29	60.81	59.85	60.35	60.35	17.5	14.8	17.0	16.43	12.5	2.5	1.0	1.0
30	60.83	59.67	61.39	60.63	16.0	13.5	16.4	15.30	12.5	1.0	1.5	1.5

DICIEMBRE

1	60.91	60.59	58.91	60.14	16.6	13.6	16.0	15.40	12.5	0.5	0.5	0.5
2	59.33	59.81	59.77	59.64	16.5	14.0	16.0	15.50	12.0	1.0	1.0	1.5
3	62.37	60.33	51.45	61.38	18.0	14.2	16.0	16.07	12.8	2.0	1.0	1.5
4	62.49	60.74	58.80	60.68	17.0	14.0	15.3	15.43	12.0	1.0	1.0	1.0
5	59.46	59.35	60.61	59.81	17.0	14.2	21.0	17.40	13.6	1.5	1.0	2.5
6	61.18	61.52	61.23	61.31	20.2	16.0	16.9	17.70	12.3	3.0	1.0	1.0
7	60.67	69.74	62.40	61.27	16.5	15.0	18.0	16.50	12.9	2.0	2.0
8	60.18	60.54	60.69	60.47	19.5	16.0	21.0	18.83	13.2	1.5	1.5	2.5
9	60.91	59.88	61.41	60.74	19.0	16.2	19.9	18.37	12.5	2.5	2.0	0.5
10	61.67	61.09	60.12	60.96	19.0	16.5	19.5	18.33	14.3	1.0	1.0	2.0
11	60.12	61.20	62.01	61.11	18.8	16.3	18.9	18.09	13.9	2.0	1.5	2.0
12	61.21	60.21	59.65	60.36	22.0	16.5	18.0	18.83	13.5	3.0	1.0	1.5
13	58.81	58.85	61.91	59.86	18.5	14.8	15.0	16.10	13.6	2.0	1.0
14	59.52	58.96	61.07	59.52	18.5	14.5	20.2	17.73	14.3	2.0	0.5	2.8
15	61.04	61.25	60.41	60.90	23.5	16.8	17.9	19.40	13.2	4.5	2.0	2.0
16	60.53	61.19	60.60	60.78	18.8	16.0	18.8	17.87	12.8	2.5	1.5	3.0
17	60.99	62.63	60.88	61.33	18.0	15.3	19.3	17.73	14.8	2.0	2.0	2.0
18	59.29	58.85	60.80	59.65	18.5	15.5	18.3	17.43	12.5	2.0	1.5	1.0
19	59.58	59.93	59.73	59.77	18.9	15.8	19.2	17.57	14.0	1.5	1.0	1.5
20	59.62	59.70	59.69	59.60	18.9	15.4	16.8	17.03	14.6	1.5	1.0	1.5
21	60.35	61.35	59.15	60.41	17.5	15.6	18.0	17.03	13.8	1.5	1.5	1.0
22	59.25	59.11	59.67	59.14	20.0	16.0	18.4	18.13	14.5	2.0	1.5	1.5
23	58.28	59.69	59.75	59.24	20.4	15.0	16.0	17.13	12.0	2.5	1.5	1.0
24	59.06	59.01	59.95	59.33	19.0	15.0	17.3	17.10	12.5	2.0	1.0	1.0
25	59.03	59.15	59.93	59.37	20.3	16.0	17.8	18.03	13.0	1.5	1.0	1.0
26	59.02	59.51	59.36	59.29	21.0	16.0	16.0	17.07	13.5	1.5	1.0	1.0
27	60.61	60.79	59.63	59.48	17.3	15.5	17.0	16.60	11.4	2.0	1.0	1.5
28	60.35	58.80	62.31	60.31	19.0	14.9	21.0	18.97	13.0	1.5	1.0	1.0
29	61.22	60.71	61.37	61.10	18.0	14.9	21.0	18.59	13.9	1.6	1.0	1.5
30	59.58	57.87	59.05	58.83	19.0	14.5	18.9	17.97	13.8	1.5	1.0	2.0
31	60.17	60.11	59.03	60.11	19.0	15.0	18.2	17.26	11.9	2.5	1.5	1.0

Instrumentos.	FEBRERO 28 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	758.79	758.33	758.42	758.47	758.60	758.71	757.94	757.95	758.40
Termómetro centígrado.....	22.0	19.0	18.3	14.2	13.9	13.5	12.1	19.0	16.50
Psicrómet. {	Dif. de los term.	3.0	3.5	2.7	1.5	1.0	0.5	0.5	1.5
	Humedad relat...	72	66	73	83	89	94	94	81
	Fuerza elástica...	12.59	10.57	10.51	10.65	10.91	10.15	9.84	12.19
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	O ₁	O ₁	O ₁
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	D.	D.
MARZO 10 DE 1873.									
Barómetro reducido a 0°.....	757.59	757.05	758.36	758.21	758.33	758.69	759.03	757.67	758.24
Termómetro centígrado.....	18.8	17.9	14.8	13.2	13.0	11.0	13.0	17.8	15.31
Psicrómet. {	Dif. de los term.	2.5	2.0	1.5	0.5	0.5	1.5	1.0	1.0
	Humedad relat...	75	80	84	91	94	81	89	90
	Fuerza elástica...	11.58	11.98	11.00	11.60	12.00	11.00	11.70	12.93
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.
MARZO 20 DE 1873.									
Barómetro reducido a 0°.....	759.94	760.01	759.77	759.21	758.83	758.08	759.04	758.67	759.19
Termómetro centígrado.....	17.8	18.9	16.3	15.0	14.0	13.3	13.6	21.0	16.21
Psicrómet. {	Dif. de los term.	2.0	2.0	2.0	1.0	1.5	1.0	1.0	3.0
	Humedad relat...	78	78	77	89	83	88	88	72
	Fuerza elástica...	11.36	12.19	10.97	11.30	9.90	9.85	9.85	12.59
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	SO ₁	SO ₁	SO ₁
Estado atmosférico.....	D.	D.	N.	D.	N.	N.	N.	N.
MARZO 30 DE 1873.									
Barómetro reducido a 0°.....	761.49	761.23	760.41	761.30	761.40	761.40	760.32	760.82	761.09
Termómetro centígrado.....	19.0	18.9	15.0	13.3	13.2	13.0	13.8	16.9	15.39
Psicrómet. {	Dif. de los term.	2.5	3.0	0.5	1.0	1.0	1.0	1.5	1.5
	Humedad relat...	75	71	94	90	90	90	85	84
	Fuerza elástica...	11.58	10.87	12.00	14.75	14.75	14.75	13.51	11.46
Vientos.....	O ₁	O ₁	SO ₁	O ₁	O ₁	O ₁	N ₁	N ₁
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
ABRIL 9 DE 1873.									
Barómetro reducido a 0°.....	759.86	760.35	760.54	761.49	760.62	760.43	760.26	760.37	760.41
Termómetro centígrado.....	18.8	19.0	15.5	14.0	13.5	12.5	13.5	15.8	15.32
Psicrómet. {	Dif. de los term.	2.0	2.5	1.5	1.5	1.0	0.5	1.0	1.5
	Humedad relat...	89	75	84	83	89	91	88	81
	Fuerza elástica...	12.32	11.58	11.00	10.25	10.56	10.50	10.20	11.00
Vientos.....	O ₁	O ₁	N ₁	NO ₁	NO ₁	NO ₁	NO ₁	N ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	L.	N.	N.

Instrumentos.		JUNIO 5 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	761.41	763.33	762.80	762.85	763.36	761.99	761.93	761.75	763.93
Termómetro centígrado.....	mm.	15.8	15.5	11.3	9.8	8.6	8.5	8.0	10.5	10.50
Psicrómet. {	Dif. de los term...	2.5	2.5	0.5	1.0	0.5	2.0	1.0	0.5
	Humedad relativa	72	72	91	76	93	73	85	94	82
	Fuerza elástica...	8.28	8.28	9.84	7.43	7.97	6.29	6.65	8.86	7.95
Vientos	SO ₂	O ₃	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	D.
		JUNIO 15 DE 1873.								
Barómetro reducido a 0°.....	mm.	760.56	758.88	760.25	758.57	758.33	758.45	760.15	760.56	759.46
Termómetro centígrado.....	mm.	12.2	13.0	12.0	10.8	11.5	12.0	12.0	12.8	12.04
Psicrómet. {	Dif. de los term...	1.0	0.5	1.5	1.5	1.0	1.0	1.5	1.0
	Humedad relativa	87	91	82	82	91	87	82	88	87
	Fuerza elástica...	9.54	10.50	8.89	8.26	9.22	9.54	8.89	9.85	9.31
Vientos	O ₁	SO ₁	SO ₁	SO ₁	O ₁	O ₁	NE ₁	O ₁	
Estado atmosférico.....	D.	D.	D.	D.	N.	N.	Ll.	N.	
		JUNIO 25 DE 1873.								
Barómetro reducido a 0°.....	mm.	761.73	762.06	761.03	761.81	762.21	761.62	762.28	762.25	761.87
Termómetro centígrado.....	mm.	13.8	13.5	12.0	12.3	11.8	11.0	12.5	13.0	12.51
Psicrómet. {	Dif. de los term...	2.0	1.5	0.5	0.5	0.5	1.0	2.5	1.5
	Humedad relativa	77	83	94	91	91	94	72	83	86
	Fuerza elástica...	8.93	9.55	9.81	10.15	9.84	9.22	8.63	9.55	9.46
Vientos	SO ₁	NO ₁	NO ₁	NO ₂	NO ₁	NE ₁	NE ₁	NE ₁	
Estado atmosférico.....	N.	N.	N.	N.	N.	G.	Np.	Np.	
		JULIO 8 DE 1873.								
Barómetro reducido a 0°.....	mm.	762.91	763.33	763.68	763.88	762.97	763.49	763.08	762.97	763.29
Termómetro centígrado.....	mm.	13.3	13.3	12.0	10.4	8.8	8.0	7.0	11.4	10.53
Psicrómet. {	Dif. de los term...	1.0	3.0	0.5	0.5	1.0	1.5	1.0	0.5
	Humedad relativa	88	66	94	94	86	80	85	94	86
	Fuerza elástica...	9.85	7.35	10.15	8.86	7.67	6.59	6.65	8.86	8.25
Vientos	SO ₁	O ₂	O ₁	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	
		JULIO 18 DE 1873.								
Barómetro reducido a 0°.....	mm.	761.65	760.27	758.37	758.62	758.47	758.52	759.83	760.03	759.47
Termómetro centígrado.....	mm.	12.4	15.0	12.0	11.8	10.8	11.0	12.0	12.4	12.18
Psicrómet. {	Dif. de los term...	1.0	2.0	2.0	2.0	1.0	1.5	2.0	1.5
	Humedad relat...	88	78	76	76	82	82	76	82	81
	Fuerza elástica...	10.20	10.35	8.26	7.96	8.56	8.26	8.26	8.89	8.81
Vientos	S ₁	S ₁	S ₁	S ₁	SO ₁	NO ₁	NO ₂	N ₁	
Estado atmosférico.....	Np.	D.	D.	D.	D.	Np.	N.	N.	

Instrumentos.	SETIEMBRE 16 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	762.18	761.81	761.17	761.17	761.16	762.58	762.35	761.82	761.78
Termómetro centígrado.....	15.0	11.0	13.0	12.0	11.0	11.5	12.0	12.5	12.6
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	1.0 89 10.91	1.5 83 10.25	1.0 88 10.20	1.0 87 9.51	1.5 82 8.26	1.0 86 8.80	2.5 71 7.96	1.0 88 9.85 81 9.17
Vientos.....	NO	NO	NO	NO	NO	NO	NO	NO
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	Np.
SETIEMBRE 26 DE 1873.									
Barómetro reducido a 0°.....	761.21	760.77	761.75	762.48	761.56	761.18	761.57	762.65	761.76
Termómetro centígrado.....	14.9	15.0	13.6	14.0	13.0	13.5	13.9	14.5	14.05
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	1.0 89 11.30	1.0 89 11.30	1.0 89 10.56	1.0 89 10.56	1.5 83 9.56	1.0 88 9.85	1.0 88 9.85	2.0 78 9.95 87 10.37
Vientos.....	S	S	O	O	O	S	S	O
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	D.
OCTUBRE 6 DE 1873.									
Barómetro reducido a 0°.....	762.66	761.90	762.08	762.05	762.08	762.11	762.02	762.66	762.20
Termómetro centígrado.....	17.0	17.0	14.0	12.5	11.5	11.5	11.5	11.0	13.63
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	1.5 85 12.62	2.0 79 11.09	1.0 89 10.56	1.0 88 9.85	1.0 87 9.19	1.5 82 8.56	1.0 86 8.86	1.0 88 10.20 86 10.12
Vientos.....	O	O	O	NE	NE	NE	NE	NE
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	N.	N.
OCTUBRE 16 DE 1873.									
Barómetro reducido a 0°.....	760.46	760.44	760.17	760.32	760.17	759.29	759.86	761.31	760.28
Termómetro centígrado.....	13.9	14.4	13.0	12.8	12.5	12.0	12.0	14.3	13.11
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	2.0 78 9.60	1.0 89 10.56	1.5 82 9.21	1.0 88 9.85	1.5 82 8.89	1.0 87 9.19	0.5 94 9.81	1.5 83 10.26 85 9.68
Vientos.....	O	O	O	O	O	O	O	N
Estado atmosférico.....	N.	Np.	D.	D.	D.	G.	G.	N.
OCTUBRE 26 DE 1873.									
Barómetro reducido a 0°.....	760.04	760.33	761.12	760.66	760.66	760.62	760.98	759.69	760.51
Termómetro centígrado.....	20.0	21.0	16.0	14.4	14.0	14.0	15.0	20.0	16.80
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	1.0 90 15.25	1.5 86 14.94	2.0 79 11.09	1.0 89 10.91	1.0 89 10.56	1.0 89 10.91	1.0 89 12.09	2.5 77 12.89 86 12.33
Vientos.....	O	O	O	O	O	O	O	N
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.

Instrumentos.	DICIEMBRE 25 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 759.43	mm. 759.11	mm. 759.12	mm. 759.15	mm. 759.55	mm. 759.62	mm. 759.80	mm. 759.93	mm. 759.16
Termómetro centígrado.....	0 18.0	0 20.5	0 18.0	0 16.0	0 15.0	0 11.5	0 15.5	0 17.8	0 16.91
Psicrómet {	Dif. de los term...	1.5	1.0	1.0	1.0	1.0	1.5	1.0
	Humedad relativa	85	90	90	89	89	89	84	90
	Fuerza elástica...	13.51	15.25	13.81	12.49	11.50	10.56	11.00	13.38
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	A 0°									Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	61.67	60.94	60.70	61.07	18.4	16.3	16.8	17.2	2.0	1.5	1.5
2	62.06	60.05	59.59	60.57	20.0	15.6	20.0	18.5	2.5	1.0	2.5
3	62.13	59.02	59.16	60.11	21.0	16.5	17.6	18.3	3.0	1.0	2.0
4	59.42	59.72	59.59	59.58	22.0	14.0	19.0	18.3	1.5	1.5	0.5
5	59.55	59.50	19.0	16.0	20.0	18.3	1.5	1.5	1.5
6	59.65	58.80	57.98	58.81	19.5	15.5	21.0	18.3	2.0	1.5	3.0
7	57.55	59.39	59.58	58.17	21.5	16.0	18.0	18.5	2.5	1.0	2.0
8	58.57	67.21	59.78	61.85	18.0	15.8	19.7	17.8	2.0	1.0	6.0
9	60.13	58.93	58.67	59.24	19.5	15.5	16.5	17.2	1.5	1.0	1.5
10	59.37	58.78	58.68	58.94	19.0	14.8	18.0	17.3	2.5	1.0	0.5
11	59.36	58.85	58.91	59.04	18.0	15.8	16.5	16.8	2.5	1.5	1.0
12	60.07	59.78	59.24	59.70	18.2	16.0	16.8	16.7	2.0	1.5	1.5
13	59.79	59.36	58.91	59.35	17.5	14.5	17.0	16.3	1.5	1.0	1.5
14	59.42	58.52	61.35	59.76	19.5	15.5	19.9	18.3	1.5	1.0	2.0
15	60.58	60.38	60.97	60.64	23.0	15.8	18.9	19.2	3.5	1.3	1.0
16	59.85	60.98	60.07	60.30	19.8	16.0	18.9	18.2	1.5	1.5	1.5
17	60.23	59.38	60.68	60.10	18.0	16.0	18.6	17.5	0.8	1.4	1.6
18	60.02	59.72	59.99	59.91	18.8	16.0	17.5	17.4	1.0	1.5	1.9
19	60.13	60.92	60.49	60.51	21.5	16.4	20.8	19.6	3.5	1.0	2.0
20	60.83	61.14	60.11	60.69	20.3	16.5	20.8	19.1	1.0	1.0	3.0
21	60.91	59.49	58.79	59.75	18.5	16.0	16.8	17.1	1.5	1.8	2.0
22	60.17	60.36	60.93	60.49	18.7	16.0	17.0	17.2	1.5	1.0	1.2
23	61.77	60.38	61.48	61.14	21.2	15.8	19.9	19.0	0.7	1.0	2.5
24	60.48	60.45	61.53	60.82	22.4	16.3	17.8	18.8	2.5	1.0	1.5
25	61.05	60.88	60.52	60.82	21.0	16.7	20.3	19.3	0.5	1.0	2.6
26	62.28	60.80	60.44	61.17	22.0	17.0	21.5	19.8	3.0	1.5	2.0
27	63.14	61.03	62.83	62.33	21.5	17.5	22.2	20.4	3.4	1.5	1.2
28	62.32	62.95	61.56	62.28	20.5	18.0	19.2	19.2	0.9	1.1	1.1
29	61.48	60.62	61.08	61.06	20.0	17.3	20.5	19.3	2.4	2.9	1.0
30	62.64	60.47	62.41	61.84	21.0	15.8	22.8	19.8	2.1	1.7	1.0
31	62.45	61.73	61.71	61.96	20.2	17.3	22.0	19.8	1.9	1.0	3.6

FEBRERO

1	61.68	58.17	63.09	60.98	21.0	17.2	18.0	18.7	1.9	2.8	1.0
2	61.52	61.92	62.70	62.05	21.2	18.5	17.0	18.9	1.9	1.7	0.6
3	62.31	63.28	62.38	62.66	19.5	16.6	16.3	17.5	0.5	1.0	0.3
4	62.13	61.92	61.98	62.01	18.2	18.0	16.8	17.7	1.3	1.2	1.0
5	62.26	61.34	62.29	61.96	19.0	16.0	16.3	17.1	1.5	1.5	2.0
6	62.31	61.29	62.36	61.99	19.0	16.2	17.3	17.5	1.7	1.4	1.0
7	61.18	61.88	58.79	60.62	21.0	16.0	19.8	18.9	4.9	4.7	1.0
8	59.77	60.13	22.9	16.5	16.0	18.5	2.7	1.2
9	61.03	60.58	60.90	60.84	18.3	15.5	20.3	18.0	3.4	1.0	2.2
10	61.01	60.89	60.72	60.87	19.0	15.0	18.0	17.3	3.0	1.8	1.2
11	60.46	60.51	62.35	61.12	19.3	16.0	21.5	18.9	1.5	1.3	2.0
12	62.27	61.73	60.89	61.66	22.6	19.3	16.3	19.4	2.0	1.0	1.0
13	60.11	60.53	59.31	59.98	20.5	15.5	16.7	17.6	2.5	1.5	1.0
14	59.75	61.75	59.44	60.31	21.7	16.9	17.0	18.2	2.0	0.4	1.1
15	61.03	60.45	60.49	60.63	19.3	17.5	17.2	18.0	2.5	1.0	0.8
16	59.73	59.95	58.99	59.55	19.0	17.0	17.5	17.8	1.7	1.3	0.5
17	60.01	61.16	60.01	60.39	19.9	18.0	19.9	19.3	1.5	1.0
18	61.24	59.97	59.49	60.23	20.2	17.9	19.0	18.7	2.0	2.0	1.2
19	59.99	59.52	59.74	59.75	20.6	17.0	18.0	18.3	2.8	0.5	1.5
20	58.87	59.02	60.29	59.39	18.9	16.5	17.0	17.5	2.5	0.9	1.5
21	60.53	60.77	60.41	60.57	19.4	16.0	16.2	17.2	2.0	1.5	1.4
22	59.96	59.71	59.94	59.85	21.5	17.5	18.8	19.3	1.3	0.4	1.5
23	60.31	61.90	61.53	61.25	19.1	16.3	17.8	17.7	3.5	1.0	1.0
24	60.41	60.63	61.98	61.01	18.5	18.8	19.2	18.8	2.0	-1.4	0.5
25	61.53	59.92	61.29	60.91	18.6	15.3	20.5	18.1	1.8	2.0	2.0
26	59.67	59.42	60.77	59.95	22.4	16.5	18.6	19.2	1.5	1.0	1.0
27	61.53	62.15	60.38	61.35	22.4	16.0	16.1	18.2	2.5	1.0	1.0
28	60.90	60.27	61.98	61.05	18.0	16.3	17.4	17.2	2.0	0.5	1.0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
80	84	84	83	12.37	12.19	11.79	12.25	NO.	O.	O.	D.	N.	N.
77	89	77	81	13.34	12.09	13.34	12.92	O.	NO.	NO.	—	—	—
73	89	80	81	13.52	12.49	11.98	12.66	—	O.	—	—	—	—
86	83	95	88	14.94	10.25	16.59	13.93	—	—	—	—	—	—
86	84	86	85	14.44	11.79	14.94	13.72	—	—	—	—	—	—
81	84	72	79	13.20	11.00	12.59	12.26	—	—	—	—	—	—
78	89	80	82	16.41	12.49	12.32	13.74	—	—	—	—	—	—
80	89	46	72	12.79	12.49	7.87	11.04	NO.	NO.	—	—	—	—
85	89	84	86	13.96	12.09	11.79	12.61	—	—	—	—	—	—
76	89	85	83	12.01	11.70	12.62	12.11	—	O.	—	—	—	—
75	85	89	83	11.58	11.40	12.49	11.82	—	O.	—	—	—	—
80	84	84	83	12.32	11.79	11.79	11.97	—	NO.	—	Np.	N.	N.
85	89	84	86	13.07	11.50	12.19	12.19	—	—	NO.	—	—	—
85	89	81	85	13.96	12.09	13.65	13.23	—	—	—	—	—	—
79	86	90	82	14.20	12.07	14.26	13.51	—	O.	—	D.	—	—
85	84	85	85	13.96	12.19	13.51	13.22	—	—	O.	—	—	—
92	85	84	87	13.50	12.51	13.28	13.03	—	—	—	D.	N.	D.
90	84	80	85	14.75	11.79	11.62	12.72	NO.	—	—	D.	D.	D.
99	90	79	79	13.72	12.93	13.53	13.06	NO.	—	O.	—	—	—
91	90	72	84	16.28	12.93	13.04	14.08	NO.	NO.	—	—	—	—
85	81	80	82	13.07	11.60	11.48	12.05	—	O.	—	—	—	—
77	89	87	84	12.52	12.49	12.61	12.54	—	O.	—	Np.	—	—
93	89	77	86	17.51	12.09	12.89	14.16	NO.	—	—	—	—	Np.
95	90	85	87	15.86	12.93	13.07	13.62	—	NO.	—	—	Np.	—
73	85	81	80	13.52	12.62	14.63	13.59	—	O.	O.	D.	—	—
70	85	89	81	13.28	13.07	17.76	14.70	—	—	—	—	D.	—
92	89	89	90	16.79	13.53	15.09	15.60	—	—	O.	—	—	—
78	72	91	80	14.09	11.17	15.73	14.00	—	—	O.	—	—	—
81	84	91	85	14.47	13.38	16.78	14.88	—	—	—	—	—	N.
82	90	67	80	14.80	13.81	11.52	13.38	—	N.	—	—	—	—

DE 1874.

82	72	90	81	14.80	11.55	13.81	13.29	O.	O.	O.	N.	N.	N.
82	84	96	87	14.90	13.38	14.36	14.21	—	—	—	—	—	—
95	90	97	94	15.55	13.38	14.24	14.39	—	—	—	—	—	—
85	88	90	88	13.63	13.69	12.93	13.42	—	—	NO.	D.	D.	D.
84	84	79	83	13.51	11.79	11.99	12.13	—	—	O.	D.	D.	D.
84	84	90	86	13.93	11.93	13.38	13.08	—	—	O.	D.	D.	D.
96	84	90	67	10.28	8.17	14.26	10.90	—	—	O.	Np.	N.	N.
76	87	14.51	11.97	—	—	—	—	—	—
67	89	79	78	11.11	11.79	13.53	12.11	—	O.	—	—	—	—
80	87	88	85	12.77	11.26	13.63	12.57	—	—	O.	—	—	—
85	86	82	84	13.51	11.91	15.12	13.51	—	—	O.	—	—	—
81	89	89	86	13.65	12.49	12.09	12.74	—	—	NO.	—	—	—
78	84	90	84	14.81	11.79	12.93	13.18	—	—	NO.	—	—	—
81	96	89	78	14.13	13.02	13.23	13.16	—	O.	—	—	—	—
77	90	92	86	14.33	12.93	13.93	13.73	—	—	O.	—	—	—
84	87	95	89	14.10	12.74	14.12	12.69	—	—	O.	—	—	—
85	90	13.51	13.81	—	—	O.	—	—	—
81	80	83	83	13.65	12.77	14.23	13.53	NO.	—	O.	—	—	—
74	95	85	85	12.71	13.30	13.02	13.08	—	O.	—	—	—	—
77	90	85	84	12.82	12.53	13.02	12.82	—	O.	—	—	—	—
80	84	85	83	12.77	11.79	11.85	12.19	—	—	O.	—	—	—
88	95	85	89	14.76	13.10	13.02	13.63	—	—	O.	—	—	—
69	90	90	83	13.72	12.93	14.75	13.80	—	—	O.	—	—	—
81	86	95	87	13.20	13.73	13.50	13.48	—	—	O.	—	—	—
83	79	81	81	13.32	10.85	13.65	12.61	NO.	—	O.	—	—	—
82	82	90	88	13.51	12.49	13.81	13.27	—	—	O.	—	—	—
78	82	82	85	15.31	12.49	12.09	13.59	—	—	O.	—	—	—
82	95	92	88	12.32	12.80	12.93	12.68	—	—	O.	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros.		
										2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+	700+	700+	700+	o	o	o	o	o	o	o	o
2	61.81	62.35	60.90	61.69	20.0	16.3	18.6	18.3	13.5	1.5	0.6	1.2
3	61.33	61.74	60.84	61.30	20.2	15.6	19.8	18.5	13.1	2.5	1.0	2.2
4	60.31	59.86	59.87	60.02	21.8	16.5	19.0	19.1	14.3	2.8	1.8	2.0
5	59.55	58.77	59.57	59.30	19.3	16.5	16.0	17.3	15.3	0.5	1.4	1.5
6	59.76	59.43	58.79	59.33	19.4	16.3	20.0	18.6	15.3	2.0	1.5	0.3
7	59.72	60.21	61.65	60.53	19.8	16.5	19.5	18.6	12.7	2.5	0.3	0.8
8	61.03	59.09	60.99	60.37	18.8	16.0	18.8	17.9	13.3	0.5	1.0	2.0
9	61.66	60.10	60.14	60.63	21.0	16.6	16.5	17.8	14.6	3.0	1.0	0.9
10	59.77	59.64	60.19	59.87	17.0	17.0	14.0	16.0	13.4	1.6	1.8	0.8
11	58.46	57.56	58.43	58.15	17.5	16.0	15.9	16.5	13.5	2.0	1.1	1.0
12	59.30	59.19	58.21	58.87	18.8	15.0	16.6	16.5	13.0	1.0	0.6	1.4
13	53.56	60.94	58.51	57.68	18.0	15.2	17.8	17.0	14.3	1.4	0.9	1.4
14	56.51	59.53	59.44	58.53	19.0	16.5	19.8	18.4	13.4	1.5	1.3	2.0
15	59.37	60.38	57.21	59.00	18.0	15.5	16.5	16.7	14.0	1.8	0.4	1.0
16	60.44	60.50	59.68	60.21	18.2	16.2	17.0	17.1	14.0	1.5	0.4	0.4
17	60.03	59.69	60.91	60.21	18.3	15.5	16.0	16.6	13.4	1.4	1.0	1.0
18	58.97	59.91	60.10	59.96	22.0	15.6	18.7	18.8	13.4	3.9	1.4	2.3
19	60.22	60.11	59.98	60.11	21.5	11.9	18.9	18.4	13.5	3.7	1.4	2.3
20	60.63	59.75	61.20	60.53	17.0	15.0	16.0	16.0	11.6	1.0	0.3	1.0
21	60.05	60.33	59.69	60.02	20.0	11.9	15.8	16.9	14.0	1.3	0.5	0.6
22	59.93	59.89	59.69	59.84	17.5	14.0	14.0	15.2	13.5	1.9	1.0	0.5
23	60.09	59.97	62.49	60.85	17.3	11.5	17.0	16.3	13.4	0.7	1.0	1.6
24	62.30	60.33	62.53	61.72	16.9	14.3	15.2	15.5	14.2	1.5	1.0	1.0
25	61.48	61.22	62.81	61.85	17.0	14.2	14.9	15.4	11.9	2.1	0.5	1.0
26	61.48	60.61	60.62	60.90	16.4	14.0	14.0	14.8	13.0	1.5	1.2	0.5
27	60.70	62.55	62.22	61.82	16.0	13.8	15.2	15.0	12.0	1.0	1.5	1.3
28	61.70	62.05	60.57	61.44	15.3	13.0	17.5	15.3	10.3	1.5	0.5	2.0
29	60.19	60.64	62.12	60.95	17.0	15.5	16.8	16.4	13.2	1.5	1.4	0.8
30	62.97	62.51	60.58	62.02	16.3	15.3	11.3	15.3	13.0	1.5	1.0	0.5
31	60.88	60.08	62.56	61.17	19.6	14.0	17.6	17.4	11.5	0.9	1.0	1.5
	60.60	58.39	60.84	59.91	17.3	14.5	14.9	15.6	13.0	2.0	0.5	1.0

ABRIL

1	59.27	59.29	58.46	59.01	17.7	15.0	14.6	15.8	13.0	1.0	1.0
2	57.77	59.92	60.38	59.36	20.1	14.0	14.9	16.3	13.0	0.5	0.5	1.5
3	60.80	59.80	60.49	60.70	20.0	14.0	14.8	16.3	13.0	2.7	1.0	1.4
4	61.61	60.90	60.11	60.88	17.0	13.3	13.8	14.7	13.0	2.0	0.2
5	60.38	60.90	59.16	60.15	16.0	13.3	13.0	14.1	10.9	0.1	0.7	1.0
6	61.58	59.54	61.21	60.79	16.2	14.5	11.2	15.0	12.4	1.0	1.0	1.0
7	62.00	60.00	60.51	60.17	19.3	13.3	16.0	16.2	11.3	1.0	1.0	1.0
8	61.23	59.94	62.25	61.14	17.0	14.5	11.0	15.2	12.0	2.2	0.5	1.0
9	61.33	61.13	59.81	60.77	18.8	14.8	15.9	16.5	13.2	2.0	1.5	1.0
10	59.20	60.09	61.43	60.24	19.0	15.3	15.8	16.7	13.3	2.5	1.5	1.0
11	60.98	60.37	62.10	61.15	18.0	14.6	16.5	16.4	13.5	2.5	1.0	0.4
12	62.04	62.59	62.40	62.01	16.8	14.7	15.0	15.5	13.5	1.5	0.9	1.0
13	61.73	62.20	61.28	61.74	18.0	14.4	14.8	15.9	13.1	2.1	1.5	1.0
14	60.13	60.24	63.42	61.26	15.5	15.0	11.4	15.0	13.2	1.0	1.0
15	61.18	62.78	61.82	61.93	16.0	14.3	14.5	14.9	13.0	1.5	2.0	1.4
16	61.12	61.22	61.35	61.23	14.2	13.0	13.5	13.6	13.0	1.6	0.5	0.6
17	60.92	61.65	60.62	60.86	14.0	14.7	15.0	14.6	13.0	1.0	1.0	1.5
18	62.54	63.51	62.22	62.76	16.6	14.2	14.0	14.9	12.6	1.0	1.5	1.2
19	63.26	61.62	62.07	62.32	16.0	13.0	16.0	15.0	12.5	1.7	0.5	2.0
20	61.30	61.10	62.96	61.79	19.0	14.0	17.9	17.0	11.0	3.1	0.5	1.0
21	62.16	61.96	62.65	62.26	16.0	14.5	16.0	15.5	13.6	0.6	0.5	1.0
22	61.88	62.77	62.07	62.44	16.5	11.9	13.0	14.8	11.1	0.8	0.5	0.5
23	60.47	61.25	60.16	60.74	18.5	14.5	15.6	16.2	13.1	0.6	0.5	1.0
24	60.11	61.41	60.82	60.79	16.5	14.0	14.6	15.0	13.0	1.5	1.7	2.5
25	60.51	62.15	61.67	61.45	15.5	13.0	14.0	14.2	11.7	1.7	1.5	1.5
26	61.65	60.69	61.83	61.40	14.5	13.2	14.5	14.1	11.9	2.0	1.0	1.5
27	61.98	62.62	61.87	62.16	14.6	13.3	14.0	14.0	11.8	2.0	1.0	1.0
28	60.79	61.46	61.55	61.27	14.6	13.0	14.0	13.9	11.0	1.6	0.8
29	60.80	62.62	62.67	62.05	14.1	14.0	14.0	14.4	12.6	1.3	1.0	1.5
30	61.72	62.39	62.29	62.09	17.0	13.5	15.0	15.3	14.0	2.0	1.2

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros.		
										2½ h.	9 h.	21 h.
mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	
1	700.4	700.4	700.4	700.4	18.0	13.5	15.0	15.5	11.0	2.0	1.0	1.0
2	63.28	62.14	62.85	62.75	16.0	13.0	13.0	14.0	11.0	0.5	0.5	0.5
3	61.22	63.27	62.15	62.23	16.0	12.6	13.0	13.9	8.2	0.5	0.5	1.0
4	62.20	63.11	62.80	62.70	16.0	12.5	13.0	13.8	9.6	0.7	0.5	1.0
5	62.00	61.59	64.17	62.59	18.0	13.8	11.2	14.3	8.9	0.5	0.5	1.0
6	60.70	61.00	60.30	60.67	16.5	13.3	12.6	14.1	10.2	1.5	0.5	0.5
7	60.92	62.37	59.68	60.99	16.0	13.0	11.2	13.4	9.8	1.0	1.0	...
8	60.91	62.02	61.13	61.35	17.3	13.0	13.0	14.4	9.5	1.0	1.0	0.5
9	60.74	62.05	62.15	61.63	16.2	12.5	14.9	14.2	10.3	1.5	1.0	1.0
10	60.30	62.16	59.97	60.81	16.5	12.5	14.9	14.4	9.0	2.0	1.0	1.0
11	59.10	60.05	60.82	59.99	16.2	13.0	12.5	13.9	19.0	2.2	0.6	1.0
12	59.45	59.96	67.45	60.29	15.5	14.0	14.5	14.7	12.6	1.5	0.2	1.5
13	61.55	61.62	60.27	61.15	14.1	13.5	14.5	14.0	12.2	1.5	1.5	0.8
14	59.63	61.12	60.57	60.44	15.0	12.5	13.2	13.6	10.1	1.5	1.7	0.6
15	61.30	62.01	61.89	61.73	16.5	12.0	11.6	13.4	7.9	2.1	1.5	1.0
16	60.91	62.05	60.08	60.99	16.8	13.0	11.8	13.9	8.9	1.0	0.0	0.6
17	61.07	61.49	61.93	61.51	14.4	11.0	11.0	12.1	10.2	1.0	3.0	0.7
18	61.57	62.28	62.20	60.02	14.0	12.0	13.0	13.0	10.2	2.0	0.5	1.0
19	60.77	62.47	61.27	61.50	13.6	12.9	14.0	13.5	12.0	1.6	0.0	1.3
20	60.46	62.07	61.85	61.46	14.8	13.5	14.0	14.1	10.8	2.0	0.5	1.5
21	61.35	62.36	61.39	61.70	16.0	13.0	12.5	13.8	10.1	1.5	1.5	1.0
22	63.47	63.17	62.60	63.08	13.0	12.5	13.0	12.8	11.2	1.0	1.5	1.4
23	62.71	62.89	62.64	62.75	13.7	11.0	12.4	12.4	8.4	2.0	2.5	0.5
24	61.75	61.21	63.91	62.29	16.0	12.0	11.9	13.3	9.9	1.5	0.2	1.0
25	64.27	64.22	62.12	63.87	13.4	11.3	11.5	12.1	10.0	1.0	1.5	0.7
26	63.98	62.12	63.67	63.26	16.0	11.2	12.4	13.2	9.7	6.0	1.2	1.0
27	64.45	64.63	64.52	64.87	11.3	12.0	12.5	12.9	8.5	1.5	1.0	1.0
28	64.14	64.61	60.52	63.09	15.9	12.7	12.0	13.5	10.0	2.0	1.0	1.0
29	60.41	61.33	61.55	61.10	12.6	13.8	12.9	13.1	9.9	1.5	1.0	0.5
30	61.36	61.85	61.41	61.54	16.5	11.6	11.9	13.3	8.9	2.0	1.0	1.0
31	61.78	62.50	60.98	61.75	15.0	11.3	14.2	13.5	9.5	0.5	1.0	1.0

1	59.92	59.94	61.01	60.29	15.8	13.3	14.0	14.4	9.5	1.0	1.0	1.0
2	61.02	61.31	62.57	61.63	14.5	13.2	13.4	13.7	9.5	1.5	1.0	1.0
3	62.27	63.26	62.07	62.53	18.3	15.0	14.0	15.8	9.8	2.0	1.5	1.1
4	61.28	61.19	61.45	61.31	16.5	12.2	12.9	13.9	9.6	1.3	0.5	0.5
5	61.07	61.65	65.77	62.83	14.2	13.0	12.9	13.4	11.5	1.5	1.0	1.0
6	65.42	65.15	64.47	65.01	13.5	12.9	14.0	13.5	11.8	2.0	2.0	1.5
7	61.05	61.46	64.17	62.23	14.8	13.0	14.0	14.3	11.0	0.1	0.7	1.5
8	62.15	62.77	63.21	62.71	14.6	12.0	14.9	13.8	11.1	2.0	0.5	1.5
9	62.20	61.95	63.66	62.60	15.0	11.0	14.8	13.6	10.0	2.0	2.0	0.5
10	63.15	64.06	65.02	64.08	15.0	12.6	12.8	13.5	8.9	1.5	0.5	1.0
11	63.40	64.16	65.73	64.33	14.3	10.5	12.0	12.3	6.9	1.2	0.5	1.0
12	64.55	64.20	63.89	64.21	15.0	11.0	12.3	12.8	6.8	1.0	1.0	0.5
13	62.22	62.17	62.77	62.39	14.5	11.0	11.9	12.5	8.0	1.7	1.8	1.5
14	60.21	62.21	61.08	60.81	14.9	11.5	12.9	13.1	7.8	2.0	0.5	1.5
15	61.57	61.39	61.31	61.43	14.9	12.3	10.6	12.6	9.4	2.0	1.0	1.0
16	61.01	61.57	61.42	61.53	13.0	11.0	10.0	11.3	8.5	1.5	1.3	1.0
17	61.12	61.36	60.92	61.13	12.0	11.0	11.8	11.6	8.9	0.5	1.1	1.5
18	62.03	61.52	62.07	61.87	15.6	12.0	14.0	13.8	8.0	2.0	1.5	2.0
19	61.55	61.87	61.24	61.55	14.0	11.0	12.3	12.4	8.0	2.3	0.9	1.5
20	60.49	59.93	61.78	60.73	15.0	12.3	13.0	13.4	8.3	1.5	1.0	1.5
21	60.37	60.73	60.19	60.17	14.7	13.0	12.8	13.5	11.0	2.0	1.5	1.0
22	60.56	60.97	61.47	61.00	17.0	13.0	14.0	14.7	8.9	2.0	1.2	1.5
23	60.09	59.91	60.66	60.22	15.5	12.0	13.0	13.8	8.5	1.0	1.5	2.0
24	60.90	60.16	62.67	61.24	16.9	14.0	12.7	14.5	11.3	2.5	2.2	0.8
25	61.62	65.70	65.54	64.29	20.0	12.3	12.6	15.0	8.6	0.8	0.9	1.0
26	63.96	62.77	59.51	62.08	16.0	12.0	12.0	13.3	8.8	1.5	1.0	1.2
27	63.16	62.36	63.31	62.94	14.1	11.5	13.0	12.9	9.8	1.0	1.0	0.6
28	63.45	63.43	62.27	63.05	14.0	13.0	14.5	13.8	11.5	0.5	0.7	2.0
29	60.80	61.30	60.40	60.83	16.4	13.5	13.9	14.6	11.0	2.0	1.5	1.0
30	61.96	62.47	63.89	62.75	15.3	12.7	12.0	13.3	10.0	2.0	1.0	0.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
80	88	89	86	12.32	10.91	11.30	11.51	O.	NE.	N.	D.	Ni.	N.
95	94	94	91	12.86	10.86	10.86	11.51	—	O.	SO.	—	D.	—
95	94	88	92	12.40	10.15	9.85	10.86	—	—	O.	N.	—	Np.
92	94	88	91	12.67	10.15	9.85	10.86	—	—	E.	N.	D.	D.
95	94	97	95	13.68	10.86	9.13	11.21	NO.	NO.	SO.	O.	N.	N.
84	94	94	91	11.79	10.86	10.15	10.95	N.	N.	S.	Np.	N.	—
89	88	12.09	10.29	—	—	O.	—	D.	—
90	89	91	91	12.93	10.56	10.56	11.55	—	—	NE.	—	Np.	—
84	88	89	87	11.40	9.85	10.91	10.39	NE	NE.	—	Np.	D.	—
79	82	82	85	11.09	9.85	10.53	10.59	O.	O.	E.	D.	—	D.
76	83	87	85	9.33	10.37	9.51	9.77	—	NO.	—	—	—	N.
83	88	83	88	10.60	10.96	9.55	10.35	S.	O.	NE.	N.	N.	N.
83	83	91	86	10.25	9.96	11.21	10.46	O.	—	—	—	—	—
83	81	93	86	10.69	9.61	10.37	10.29	—	NE.	E.	D.	D.	—
78	82	86	82	11.03	9.24	8.86	9.71	NO.	NO.	—	—	—	—
89	100	83	94	12.95	10.46	9.43	10.66	O.	O.	—	Np.	Np.	—
88	86	92	82	10.91	7.65	9.22	9.26	—	—	—	D.	—	—
78	94	88	87	9.60	9.49	9.85	9.65	N.	NE.	NO.	Np.	—	—
82	100	85	93	9.63	10.16	9.88	9.99	N.	—	NE.	N.	N.	—
78	94	83	85	9.95	10.86	9.55	10.12	NO.	NO.	E.	N.	N.	Np.
84	83	87	85	11.40	9.90	9.51	10.28	O.	NE.	—	D.	D.	D.
88	82	83	84	10.20	9.21	9.37	9.60	SO.	S.	SO.	N.	N.	N.
75	71	94	89	8.81	7.96	9.84	8.83	O.	SO.	E.	D.	D.	D.
81	97	87	89	11.00	7.67	9.19	9.29	—	—	—	—	—	—
88	82	92	87	10.20	8.56	9.01	9.23	—	SO.	—	N.	N.	—
41	85	94	73	5.81	8.92	9.81	8.20	O.	O.	N.	—	—	—
83	87	94	88	9.96	9.19	9.81	9.61	NO.	—	O.	—	D.	D.
79	85	87	81	10.69	9.51	9.19	9.81	O.	N.	NE.	D.	N.	—
82	87	94	88	9.24	9.19	10.56	9.66	—	NO.	—	N.	—	—
79	87	86	84	10.69	9.19	8.86	9.98	—	O.	E.	—	—	—
94	86	89	90	12.00	8.86	10.91	10.59	S.	E.	—	—	Np.	—

DE 1874.

89	89	89	89	11.70	10.56	10.91	11.06	SO.	NO.	NE.	Np.	N.	N.
83	83	83	83	10.66	10.29	10.29	10.27	O.	N.	E.	D.	Np.	—
80	81	84	83	12.77	11.00	10.73	11.50	O.	S.	—	N.	D.	D.
86	94	94	91	11.91	9.74	10.15	10.60	SO.	O.	—	N.	N.	N.
83	83	83	83	9.99	9.85	9.85	10.33	S.	E.	—	—	—	—
78	75	79	79	9.25	8.84	9.90	9.32	O.	O.	S.	Np.	—	—
99	92	83	91	11.73	10.59	9.90	10.74	—	E.	E.	N.	—	—
78	94	83	85	9.60	10.15	10.25	10.00	SE.	—	N.	Np.	—	—
78	76	91	83	9.95	9.47	9.49	9.61	NO.	NO.	NO.	—	—	—
83	94	87	83	10.69	9.74	9.19	9.84	E.	E.	—	D.	—	D.
86	94	87	89	10.29	8.86	9.19	9.45	—	—	SE.	—	—	—
89	86	94	86	11.70	8.86	9.84	10.16	O.	O.	E.	—	—	—
81	77	82	82	9.99	7.79	8.26	8.68	—	—	—	—	—	—
78	94	82	85	9.15	9.19	8.89	9.41	NO.	—	—	—	—	—
78	88	86	84	9.15	9.8	7.27	9.36	O.	E.	—	—	—	—
82	84	87	87	9.21	9.33	9.97	9.59	E.	O.	—	N.	—	—
94	85	82	82	9.81	8.8	8.26	8.83	N.	N.	—	N.	—	—
78	84	82	82	10.39	9.33	9.96	9.39	O.	O.	E.	—	D.	D.
75	82	82	82	9.33	9.33	9.24	9.34	—	—	SE.	Np.	N.	N.
79	83	83	83	11.39	9.79	9.96	10.27	NO.	—	NE.	—	Np.	Np.
89	82	83	83	11.39	9.83	9.96	9.92	NE.	NE.	E.	—	D.	D.
74	76	86	86	10.79	9.12	9.97	9.96	O.	NO.	—	N.	N.	N.
96	83	87	89	9.45	9.6	9.51	10.23	SE.	—	NE.	—	Np.	N.
84	87	86	86	9.19	9.19	9.21	10.93	O.	E.	F.	D.	N.	D.
90	87	83	83	12.91	10.53	10.53	10.29	NO.	N.	NO.	Np.	N.	N.
79	83	83	83	12.21	10.53	9.60	10.47	—	—	NE.	—	—	—
78	88	84	87	11.69	9.19	9.3	10.32	—	NE.	NO.	D.	N.	N.
78	88	94	87	10.59	8.86	9.81	10.33	—	NO.	NE.	N.	Np.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	62.91	63.77	64.58	63.75	15.4	11.5	13.5	13.5	7.9	1.5	0.4	1.5
2	64.11	65.20	65.73	65.01	14.0	12.7	14.0	13.6	10.1	2.5	1.0	1.0
3	65.89	65.28	64.49	64.55	15.2	12.8	12.0	13.3	9.8	1.5	1.0	0.5
4	63.55	61.07	63.66	63.76	16.6	12.3	11.9	13.4	9.8	1.0	1.0	1.0
5	62.72	62.90	65.42	63.68	15.5	10.5	11.8	12.4	6.5	2.5	1.0	1.0
6	63.95	64.34	64.30	64.26	13.1	9.8	10.0	11.0	4.9	1.0	1.0	0.5
7	64.26	64.12	61.41	64.25	12.2	10.0	10.3	10.8	9.2	0.5	0.6	1.5
8	64.43	64.98	63.97	64.46	12.8	10.5	10.4	11.2	7.1	3.3	2.0	1.5
9	63.10	64.45	63.57	63.70	13.0	10.9	12.0	11.8	6.2	1.6	1.0	0.8
10	59.71	65.12	64.52	63.65	13.7	11.0	12.0	12.3	7.9	2.4	1.0	1.5
11	60.92	61.91	61.27	61.37	14.4	11.2	12.2	12.6	7.5	3.0	1.5	1.0
12	61.60	60.07	60.85	60.84	14.5	12.4	12.0	13.1	10.6	1.5	1.0	0.7
13	61.18	61.77	61.82	61.59	13.1	12.6	11.5	12.2	10.2	1.4	1.5	0.5
14	61.39	61.23	64.36	63.33	13.3	1.4	13.0	12.9	9.9	2.0	1.5	2.0
15	64.12	64.85	64.92	64.63	13.8	11.8	12.0	12.5	7.4	2.0	1.0	1.0
16	63.40	63.77	62.14	63.10	15.3	10.5	10.2	11.9	6.9	1.2	1.0	1.0
17	60.91	61.06	61.42	61.13	14.4	10.6	10.1	11.7	8.8	2.0	0.6	0.5
18	60.32	62.62	62.22	61.72	12.5	11.8	13.5	12.6	9.0	1.0	1.0	1.0
19	61.85	61.68	61.80	61.78	13.8	10.9	12.0	12.2	6.8	1.8	1.0	1.5
20	61.01	63.63	62.74	62.46	13.2	10.8	11.3	12.1	6.9	1.0	1.5	1.5
21	61.15	63.10	62.35	62.20	12.5	10.0	11.0	11.2	6.5	1.3	1.0	1.5
22	62.77	63.19	61.04	63.33	13.2	11.0	14.0	12.7	8.2	1.5	1.0	1.0
23	63.65	63.52	62.79	63.65	15.8	11.5	13.0	13.3	8.4	2.0	1.0	1.0
24	59.51	60.25	59.20	59.65	16.0	12.9	11.0	13.3	9.0	2.0	0.5	0.5
25	60.53	60.43	62.18	61.65	14.4	12.0	11.9	12.8	9.0	1.5	1.0	1.0
26	59.48	60.69	60.45	63.71	14.5	12.3	11.7	12.8	10.1	1.5	1.5	1.0
27	59.86	60.13	60.25	60.08	12.8	11.5	9.3	11.2	7.5	2.0	0.8	0.9
28	59.64	60.41	61.27	60.44	12.0	11.6	12.6	12.1	7.4	3.5	0.4	1.0
29	64.51	65.07	64.66	64.75	15.8	12.6	15.3	14.6	9.9	2.0	1.3	1.5
30	65.67	64.27	65.69	64.54	14.9	13.0	13.3	13.7	10.0	1.5	1.2	1.5
31	64.52	63.67	64.31	64.17	17.5	13.0	14.0	15.2	9.9	2.3	1.0	1.0

AGOSTO

1	63.32	61.07	63.87	63.75	14.8	12.5	13.9	13.7	9.9	1.0	1.0	1.5
2	60.26	61.29	58.72	60.08	17.0	12.9	14.8	14.7	10.0	0.5	1.0	1.5
3	63.11	62.87	61.85	62.61	14.2	13.6	14.9	14.2	9.8	0.8	0.5	1.5
4	61.69	62.95	62.16	62.27	15.5	13.9	13.8	14.4	12.1	2.0	1.5	1.5
5	61.71	63.45	62.97	62.71	14.0	13.0	13.2	13.4	12.0	1.5	1.5	1.0
6	62.52	63.97	63.85	63.48	15.0	13.0	15.0	14.3	10.1	0.5	1.5	2.0
7	65.82	65.43	66.11	65.79	14.5	12.0	13.0	13.2	8.0	2.0	0.5	1.5
8	64.25	65.09	65.77	65.04	16.0	12.0	12.8	13.6	7.5	1.5	1.0	1.0
9	64.48	63.71	63.97	64.05	15.2	12.2	14.5	14.0	7.5	1.5	1.0	1.2
10	63.01	63.57	61.99	62.87	16.0	12.0	11.9	13.3	10.2	1.0	1.0	1.0
11	62.05	61.80	64.05	62.64	15.0	12.5	13.0	13.4	10.0	1.0	1.5	0.5
12	64.93	63.92	62.72	63.86	14.3	11.0	11.1	12.1	8.0	3.0	2.0	1.4
13	62.07	62.82	63.74	62.88	14.1	10.6	12.4	12.4	6.4	1.0	2.0	2.0
14	62.96	61.06	63.34	63.45	12.6	9.9	12.0	11.4	7.1	3.0	1.5	1.0
15	61.45	64.53	65.34	64.97	11.3	10.0	13.0	12.4	6.8	0.8	5.0	3.0
16	64.59	61.76	64.13	64.49	11.0	10.2	11.9	11.0	6.9	1.3	0.6	1.5
17	63.37	63.32	61.48	62.72	10.5	10.0	12.0	10.8	7.0	1.3	0.8	3.0
18	59.86	60.12	61.43	60.47	16.0	12.0	11.7	14.2	6.7	3.0	1.0	1.8
19	61.02	62.38	62.43	61.94	17.0	12.6	12.8	14.1	10.9	2.0	1.5	1.0
20	60.66	61.77	61.08	61.17	15.8	12.8	13.2	13.9	9.0	2.5	2.0	1.0
21	62.76	62.76	62.87	62.89	13.3	12.4	14.9	13.5	8.4	1.0	1.4	2.5
22	62.07	63.41	61.06	61.85	15.4	11.9	13.9	13.7	8.3	2.0	1.0	1.5
23	60.46	60.84	60.27	60.51	13.9	11.8	11.8	12.5	9.3	2.0	2.0	1.0
24	61.19	64.48	60.98	62.21	13.0	12.0	13.9	13.0	10.5	1.8	1.0	1.5
25	61.66	62.23	62.75	62.22	16.4	13.0	16.5	15.3	11.0	1.5	1.5	2.0
26	61.20	61.27	61.19	61.22	15.0	12.0	13.5	13.7	8.9	1.5	1.0	1.0
27	65.65	65.59	64.39	65.04	13.5	11.0	12.0	12.2	7.5	2.0	0.5	1.0
28	61.42	65.43	64.31	65.07	11.8	11.8	12.3	13.0	7.3	1.5	1.0	1.5
29	62.70	61.95	61.87	62.17	16.9	12.7	12.5	13.9	10.0	1.5	1.0	0.5
30	61.59	61.48	61.67	61.58	14.0	12.8	13.4	13.5	8.3	1.5	1.0	1.5
31	61.83	63.12	62.92	62.71	13.0	11.8	13.6	14.1	10.0	2.0	1.0	1.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
86	95	82	88	11.12	10.11	10.24	10.49	O.	O.	E.	D.	D.	D.
73	83	89	83	8.94	9.85	10.56	9.78	O.	E.	E.	—	N.	—
86	88	94	89	11.12	9.85	9.84	10.27	—	O.	O.	—	D.	—
89	88	87	88	12.09	9.85	9.19	10.38	—	O.	E.	—	D.	—
74	86	86	82	9.65	7.97	8.85	8.83	—	—	E.	—	—	N.
88	86	94	89	10.20	7.97	8.27	8.81	SO.	—	—	—	—	—
96	92	80	89	9.96	8.45	7.41	8.61	SO.	—	—	—	—	—
62	75	80	72	6.88	7.67	7.41	7.32	O.	E.	—	—	N.	N.
81	86	80	85	9.31	8.27	7.66	8.41	O.	O.	O.	—	—	—
73	86	82	80	8.48	8.86	8.56	8.63	O.	O.	E.	—	D.	—
68	82	87	79	8.64	8.26	9.19	8.79	O.	E.	NO.	—	—	—
83	87	82	87	10.60	9.54	9.22	9.79	O.	O.	NO.	—	—	—
83	82	94	86	9.37	8.56	9.49	9.14	O.	O.	NO.	—	—	—
77	82	77	79	8.83	8.83	8.83	8.83	O.	O.	NO.	—	—	—
78	87	87	84	9.25	9.19	9.19	9.21	O.	O.	O.	—	D.	D.
87	86	86	86	11.18	8.56	8.97	9.24	SO.	SO.	E.	—	—	N.
78	88	84	88	9.60	8.80	8.57	8.99	O.	E.	—	—	—	N.
87	87	88	87	9.54	9.19	8.86	9.20	O.	O.	—	NE.	N.	N.
78	86	82	82	9.25	8.56	8.26	8.69	O.	O.	E.	—	D.	—
88	81	81	83	9.85	7.97	7.97	8.60	O.	—	—	D.	D.	N.
85	86	81	84	9.36	8.27	7.97	8.33	O.	O.	O.	—	—	—
83	86	88	86	9.55	8.86	10.20	9.51	O.	O.	—	N.	—	—
79	87	88	86	10.69	9.54	9.85	10.63	SO.	—	SO.	—	—	—
79	94	84	89	11.69	10.50	9.16	10.25	E.	E.	NO.	—	—	—
83	87	87	86	10.25	9.54	9.19	9.66	O.	O.	N.	—	—	—
83	82	86	84	10.25	8.86	8.86	9.33	E.	E.	NE.	—	—	—
77	85	88	83	8.83	7.77	8.83	8.99	O.	O.	—	—	—	—
63	85	88	82	8.31	9.35	9.34	9.11	O.	O.	—	—	—	—
78	85	88	84	10.30	9.22	10.60	10.04	O.	O.	—	—	—	—
83	86	88	84	10.60	9.35	9.55	9.66	O.	O.	—	—	—	—
77	85	88	86	11.30	9.35	9.35	9.35	O.	O.	—	—	—	—

DE 1874.

86	95	82	88	11.12	10.11	10.24	10.49	O.	O.	E.	D.	D.	D.
73	83	89	83	8.94	9.85	10.56	9.78	O.	E.	E.	—	N.	—
86	88	94	89	11.12	9.85	9.84	10.27	—	O.	O.	—	D.	—
89	88	87	88	12.09	9.85	9.19	10.38	—	O.	E.	—	D.	—
74	86	86	82	9.65	7.97	8.85	8.83	—	—	E.	—	—	N.
88	86	94	89	10.20	7.97	8.27	8.81	SO.	—	—	—	—	—
96	92	80	89	9.96	8.45	7.41	8.61	SO.	—	—	—	—	—
62	75	80	72	6.88	7.67	7.41	7.32	O.	E.	—	—	N.	N.
81	86	80	85	9.31	8.27	7.66	8.41	O.	O.	O.	—	—	—
73	86	82	80	8.48	8.86	8.56	8.63	O.	O.	E.	—	D.	—
68	82	87	79	8.64	8.26	9.19	8.79	O.	E.	NO.	—	—	—
83	87	82	87	10.60	9.54	9.22	9.79	O.	O.	NO.	—	—	—
83	82	94	86	9.37	8.56	9.49	9.14	O.	O.	NO.	—	—	—
77	82	77	79	8.83	8.83	8.83	8.83	O.	O.	NO.	—	—	—
78	87	87	84	9.25	9.19	9.19	9.21	O.	O.	O.	—	D.	D.
87	86	86	86	11.18	8.56	8.97	9.24	SO.	SO.	E.	—	—	N.
78	88	84	88	9.60	8.80	8.57	8.99	O.	E.	—	—	—	N.
87	87	88	87	9.54	9.19	8.86	9.20	O.	O.	—	NE.	N.	N.
78	86	82	82	9.25	8.56	8.26	8.69	O.	O.	E.	—	D.	—
88	81	81	83	9.85	7.97	7.97	8.60	O.	—	—	D.	D.	N.
85	86	81	84	9.36	8.27	7.97	8.33	O.	O.	O.	—	—	—
83	86	88	86	9.55	8.86	10.20	9.51	O.	O.	—	N.	—	—
79	87	88	86	10.69	9.54	9.85	10.63	SO.	—	SO.	—	—	—
79	94	84	89	11.69	10.50	9.16	10.25	E.	E.	NO.	—	—	—
83	87	87	86	10.25	9.54	9.19	9.66	O.	O.	N.	—	—	—
83	82	86	84	10.25	8.86	8.86	9.33	E.	E.	NE.	—	—	—
77	85	88	83	8.83	7.77	8.83	8.99	O.	O.	—	—	—	—
63	85	88	82	8.31	9.35	9.34	9.11	O.	O.	—	—	—	—
78	85	88	84	10.30	9.22	10.60	10.04	O.	O.	—	—	—	—
83	86	88	84	10.60	9.35	9.55	9.66	O.	O.	—	—	—	—
77	85	88	86	11.30	9.35	9.35	9.35	O.	O.	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio.	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros		
										2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
	700+	700+	700+	700+								
1	60.27	61.78	63.15	61.75	13.4	12.5	12.8	12.9	10.6	2.3	2.0	1.8
2	60.63	62.79	64.54	62.67	12.8	10.0	11.9	11.6	5.5	0.8	0.7	1.5
3	61.66	65.45	63.56	64.55	14.0	11.4	13.1	12.8	6.7	3.0	1.0	1.6
4	60.60	62.80	62.79	62.06	15.0	11.9	14.5	13.8	7.7	2.0	2.0	0.5
5	62.12	63.47	61.43	62.34	16.5	12.0	12.0	13.5	9.0	1.2	1.0	0.5
6	61.80	60.71	62.66	61.70	16.0	16.6	12.5	15.0	10.5	2.0	1.0	1.5
7	62.26	62.46	61.86	62.15	15.7	12.2	13.0	13.6	11.0	1.5	1.5	1.0
8	61.85	62.57	64.41	62.94	14.0	12.2	12.8	13.0	10.5	2.5	1.0	1.3
9	62.70	63.15	61.15	62.33	14.0	12.7	13.4	13.4	10.4	2.5	1.5	1.0
10	61.31	62.35	63.07	62.25	15.0	11.8	12.5	13.1	10.0	0.5	0.5	0.5
11	62.46	62.27	61.35	62.01	14.5	12.0	14.9	13.8	8.0	2.0	0.4	2.0
12	61.90	62.18	61.57	61.88	16.5	11.0	13.0	12.8	10.0	2.0	0.8	1.5
13	61.47	61.12	61.07	61.62	15.2	12.6	12.8	13.5	11.0	1.7	0.9	1.0
14	62.71	62.77	61.88	62.45	15.5	13.0	14.0	14.2	10.3	1.2	1.5	2.5
15	61.17	61.33	62.28	62.59	15.9	11.7	15.0	14.2	7.9	1.0	1.0	2.5
16	63.80	62.19	61.81	62.61	17.4	13.4	16.9	15.9	9.8	3.0	1.6	2.3
17	59.42	59.25	60.66	59.78	18.9	13.8	14.8	15.5	11.5	2.5	1.0	1.5
18	60.68	61.10	61.18	60.99	16.0	14.6	14.8	14.9	9.6	1.2	1.0	2.0
19	60.81	60.69	61.87	61.12	15.2	13.0	13.0	13.7	8.9	1.5	0.5	1.0
20	60.90	61.06	60.85	60.94	16.3	13.2	14.6	14.8	11.0	2.0	0.5	1.0
21	63.03	63.20	66.16	64.13	15.0	12.0	13.8	13.6	7.8	1.2	2.0	2.3
22	60.04	65.35	66.76	64.05	14.9	12.0	13.0	13.3	7.8	2.0	1.0	0.8
23	61.54	62.72	60.58	61.61	15.0	12.7	15.9	14.5	7.8	3.5	1.5	2.0
24	61.54	60.66	62.47	61.56	15.6	13.6	13.3	13.9	7.6	2.0	0.9	1.5
25	60.60	63.53	62.55	62.23	14.9	16.6	15.0	15.5	8.9	0.5	1.5	1.7
26	65.36	60.97	61.11	62.33	17.0	12.0	16.0	15.0	9.0	2.0	0.7	2.0
27	61.02	60.56	60.91	60.83	17.7	12.3	13.6	14.6	9.0	2.0	1.0	1.0
28	61.66	62.07	62.62	62.12	16.0	13.0	13.9	14.3	11.5	2.0	0.9	1.5
29	61.35	63.26	61.35	61.99	16.9	13.9	15.9	15.6	9.7	2.5	1.0	1.1
30	60.78	60.82	61.40	61.00	16.9	15.3	13.0	15.1	11.0	2.6	1.0	1.0

OCTUBRE

1	60.79	60.51	60.66	60.54	19.5	13.8	14.3	15.9	12.2	1.0	0.8	1.0
2	60.28	62.69	64.05	62.31	14.8	13.0	15.0	14.3	11.7	2.2	1.0	1.5
3	62.52	63.56	62.13	62.74	13.6	13.3	15.0	13.9	11.9	1.0	1.0	1.3
4	64.52	62.90	63.24	63.29	16.0	13.8	17.5	15.8	9.4	2.0	1.0	4.5
5	61.06	60.86	62.26	61.36	16.5	13.1	14.9	14.9	9.0	2.5	0.5	1.5
6	62.01	63.55	63.15	62.91	14.5	13.4	14.2	14.1	12.8	1.0	0.5	0.5
7	61.97	62.86	61.91	62.25	15.6	12.5	14.5	14.1	9.7	2.0	1.5	1.5
8	60.68	61.47	61.51	61.32	18.0	13.2	16.9	16.1	10.2	3.0	0.5	2.5
9	61.46	63.50	61.50	62.15	16.3	13.8	17.0	15.8	9.8	2.4	2.0	2.5
10	61.04	62.41	61.45	61.63	17.5	13.7	11.2	15.1	12.4	1.5	2.0	0.5
11	62.38	62.79	62.05	62.41	18.6	13.0	15.0	15.3	9.8	1.5	1.0	1.0
12	62.92	61.19	63.57	63.56	15.2	12.2	15.6	14.3	10.2	0.4	0.5	0.5
13	62.72	63.49	62.70	62.97	15.2	12.2	14.6	14.0	8.5	0.5	1.5	1.5
14	63.10	63.86	62.77	63.24	17.0	13.3	14.8	15.1	10.8	3.0	1.0	2.0
15	61.58	62.41	62.47	62.13	18.0	13.7	14.8	15.5	12.0	0.5	0.7	1.5
16	62.21	63.37	61.76	62.43	21.0	14.6	16.5	17.2	10.4	2.5	0.7	2.0
17	60.50	61.12	60.42	60.68	19.4	13.6	14.5	15.9	10.3	1.0	1.0	2.0
18	60.06	61.70	61.62	61.13	20.6	13.8	15.2	16.0	12.2	3.0	1.0	1.5
19	62.07	61.73	62.66	62.13	15.6	13.5	13.3	14.1	12.3	1.9	1.2	1.5
20	62.61	62.66	63.06	62.42	14.5	13.3	14.6	14.1	12.0	0.5	1.5	1.0
21	62.62	62.76	62.07	62.48	19.3	12.5	14.0	15.3	12.8	1.5	1.0	1.2
22	62.38	61.74	61.72	61.93	17.2	12.3	13.0	15.3	11.8	2.0	1.0	2.5
23	61.76	62.52	62.69	62.32	16.3	12.8	17.9	15.7	9.6	3.0	1.2	2.5
24	62.39	61.90	61.89	62.08	15.4	12.3	15.3	14.5	10.0	1.2	0.7	2.2
25	61.25	61.39	61.38	61.31	15.8	13.0	18.0	15.6	10.0	1.9	0.5	2.1
26	60.83	61.59	62.58	61.66	18.7	13.8	13.0	15.2	12.0	2.5	1.0	0.6
27	62.42	62.69	60.88	62.06	16.9	13.0	18.8	15.9	10.9	1.0	1.0	1.5
28	61.70	62.57	62.12	62.16	16.2	13.2	16.0	15.1	10.0	1.0	1.1	2.0
29	61.68	62.63	61.60	61.97	18.8	13.5	18.6	16.9	10.0	3.0	2.0	2.5
30	62.28	61.43	61.73	61.43	18.9	13.4	17.4	18.3	19.1	2.5	0.5	1.5
31	62.33	62.83	61.34	61.33	17.9	13.8	17.3	16.4	16.4	2.5	0.5	2.5

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio.	Mínim.	Dif. de los termómetros		
										2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	61.53	61.71	62.59	61.94	21.5	14.0	14.9	16.8	11.5	3.5	1.5	1.5
2	62.77	63.25	63.82	63.29	20.0	13.3	13.9	15.7	11.5	2.5	1.0	0.4
3	63.40	63.75	62.55	63.17	16.6	12.6	14.0	14.4	12.5	2.0	0.7	0.0
4	62.06	62.45	61.55	62.02	16.3	14.0	14.5	14.9	12.2	2.0	1.0	2.5
5	61.24	61.39	61.94	63.22	17.0	13.0	18.3	16.1	9.8	2.0	1.0	2.0
6	61.52	62.32	63.51	62.45	16.4	13.6	14.1	14.7	16.3	2.6	0.5	1.6
7	58.61	60.63	59.75	59.66	20.6	14.6	19.1	18.1	16.8	1.0	1.0	1.0
8	59.61	59.11	57.91	58.98	19.5	14.8	17.5	17.3	16.0	1.0	0.9	2.5
9	57.35	57.41	58.14	57.69	22.0	14.6	15.5	16.7	13.2	3.0	1.0	1.5
10	61.32	59.24	59.93	61.17	19.5	11.0	15.5	16.3	12.4	2.5	1.0	1.7
11	58.77	59.90	59.93	59.53	22.0	14.3	16.9	17.7	12.3	2.5	0.5	1.0
12	59.45	59.24	59.03	59.23	17.0	14.0	16.0	15.7	12.2	1.5	1.3	1.0
13	58.82	58.99	59.86	59.29	22.0	14.5	16.1	17.5	11.0	2.0	1.0	1.5
14	59.69	60.84	60.31	60.99	16.9	13.6	15.3	15.3	13.9	2.0	1.0	6.5
15	59.81	59.26	61.22	60.67	15.0	15.6	20.2	16.7	12.1	1.3	1.5	2.3
16	61.69	62.16	61.37	61.73	18.3	14.2	19.5	17.3	11.1	2.0	1.0	2.0
17	61.98	62.45	62.78	62.23	17.5	14.2	18.8	16.8	11.5	2.0	1.0	3.0
18	63.48	63.96	62.94	63.57	17.2	15.3	18.2	16.9	11.6	6.8	0.8	1.6
19	62.00	61.96	60.63	61.53	18.5	16.0	13.5	18.0	11.5	2.5	1.0	1.0
20	61.75	61.51	63.48	62.24	21.7	15.7	13.5	18.6	14.5	2.4	0.5	1.6
21	62.67	62.38	62.60	62.55	21.7	15.0	19.0	18.6	14.0	1.0	1.0	1.0
22	61.88	58.82	63.04	61.25	19.0	15.3	16.7	16.7	11.8	1.5	0.7	0.9
23	63.27	63.80	60.30	62.46	17.7	15.5	18.5	17.2	13.3	0.5	1.0	1.9
24	60.75	61.18	61.35	61.05	19.6	15.2	17.3	17.4	12.5	3.4	1.0	2.0
25	60.81	61.61	59.71	60.39	21.3	16.0	19.4	19.0	13.2	3.6	1.5	1.5
26	59.29	58.82	61.78	60.27	21.3	15.5	18.0	18.3	15.0	2.0	1.0	1.0
27	61.63	60.58	60.65	60.97	18.3	16.6	16.5	17.1	14.0	2.3	1.5	2.0
28	59.72	59.91	61.88	60.77	19.0	16.4	19.9	18.1	13.1	2.0	0.5	2.0
29	61.57	61.88	60.68	61.31	20.8	15.5	17.9	18.0	13.5	1.5	0.5	1.0
30	61.51	62.04	61.68	61.74	18.6	15.3	16.9	16.9	13.4	1.5	0.5	0.9

1	61.57	61.95	62.05	61.86	22.9	15.0	17.4	18.4	13.9	2.5	1.0	1.0
2	61.85	61.43	61.59	61.61	20.6	15.4	15.5	16.9	13.7	2.5	1.5	1.0
3	62.07	61.99	61.41	61.58	18.5	14.6	17.7	16.9	11.0	1.0	0.3	1.0
4	61.78	61.93	63.29	62.34	18.8	15.6	17.9	17.2	12.0	1.5	1.5	0.5
5	61.89	62.40	62.26	62.18	18.7	15.4	16.5	16.9	11.3	1.0	0.5	0.5
6	60.89	60.53	61.39	60.96	19.5	15.6	15.4	16.3	13.3	2.0	1.0	1.5
7	60.55	62.15	60.86	61.22	19.6	15.0	14.9	16.3	13.6	2.5	1.0	1.5
8	61.33	61.40	62.35	61.37	19.2	15.4	17.5	17.4	13.4	1.5	0.5	0.5
9	62.89	62.41	60.21	61.84	13.5	15.3	17.0	17.3	13.6	6.6	0.5	1.5
10	60.50	60.47	60.65	60.57	19.4	14.9	16.3	16.9	14.0	2.3	2.0	1.0
11	60.15	62.67	62.79	61.88	22.5	14.8	16.8	17.9	13.3	1.0	1.2	1.5
12	61.70	62.41	61.33	61.81	17.6	14.5	20.0	17.2	12.6	1.2	1.4	2.0
13	61.79	61.97	60.67	61.49	15.6	14.8	18.9	17.6	13.3	2.0	1.5	1.0
14	61.55	61.21	62.39	62.72	17.4	15.3	16.3	16.3	14.0	6.5	0.5	1.5
15	61.67	60.53	61.44	62.15	18.2	15.9	17.5	13.9	11.4	6.7	0.6	1.5
16	61.48	61.32	62.16	61.79	18.8	15.5	21.9	18.7	13.5	3.9	2.6	2.0
17	61.14	61.32	61.33	61.26	19.4	16.0	20.0	18.6	14.1	2.5	1.0	1.0
18	61.82	62.26	60.78	61.63	18.5	15.2	18.0	17.6	14.2	0.9	1.0	1.5
19	60.41	60.63	61.10	60.24	21.1	16.9	17.8	18.6	15.2	2.8	2.0	1.5
20	60.39	60.36	60.66	60.28	20.3	15.8	18.0	18.0	15.0	2.0	2.0	1.0
21	60.46	62.28	58.75	61.49	23.6	16.4	23.0	19.8	13.6	2.0	1.6	2.0
22	58.46	58.38	58.59	58.38	21.0	16.5	18.6	19.5	14.0	2.0	1.0	1.0
23	58.53	61.12	59.13	59.39	25.6	16.0	19.3	20.1	14.0	1.5	2.5	1.0
24	60.23	59.50	60.58	60.11	18.5	15.5	18.0	17.3	14.0	1.5	0.7	1.0
25	60.12	58.39	57.47	58.31	19.4	15.5	19.0	17.9	14.3	0.5	1.5	2.5
26	56.62	58.91	58.75	57.77	21.0	16.2	18.1	18.1	14.5	3.0	1.0	1.5
27	58.45	59.88	58.44	58.26	20.0	16.5	18.5	18.3	15.6	2.5	1.5	1.1
28	59.14	59.53	59.32	59.23	19.5	16.7	17.8	18.0	14.8	0.1	1.8	0.5
29	58.52	58.53	59.45	58.63	21.0	16.9	20.0	19.3	15.4	0.5	0.5	2.5
30	59.46	59.58	59.47	59.18	22.6	17.3	19.0	19.4	15.0	2.5	1.5	2.0
31	60.46	59.61	60.68	60.91	15.4	16.0	18.8	18.1	14.5	2.6	0.5	1.0

DE 1871.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSPÉI		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
68	83	89	77	12	10	13	11	O.	O.	O.	D.	D.	N.
76	88	91	86	12	10	10	11	O.	O.	O.	N.	N.	N.
79	92	95	89	10	9	10	10	O.	O.	O.	N.	N.	N.
79	89	88	82	10	10	11	10	O.	O.	O.	N.	N.	N.
78	88	85	86	11	10	11	11	O.	O.	O.	N.	N.	N.
80	84	84	86	11	10	13	11	O.	O.	O.	N.	N.	N.
91	89	82	87	15	13	13	13	O.	O.	O.	N.	N.	N.
90	90	80	87	14	11	11	11	O.	O.	O.	N.	N.	N.
72	89	84	82	11	11	11	11	O.	O.	O.	N.	N.	N.
76	89	84	83	12	10	11	11	O.	O.	O.	N.	N.	N.
77	84	82	81	14	11	11	11	O.	O.	O.	N.	N.	N.
84	85	87	84	11	10	10	11	O.	O.	O.	N.	N.	N.
81	89	84	84	15	10	11	11	O.	O.	O.	N.	N.	N.
79	89	84	87	11	10	12	11	O.	O.	O.	N.	N.	N.
85	83	88	89	16	13	13	13	O.	O.	O.	N.	N.	N.
80	89	81	83	12	10	13	11	O.	O.	O.	N.	N.	N.
80	89	81	83	11	10	11	11	O.	O.	O.	N.	N.	N.
92	91	83	89	13	11	11	11	O.	O.	O.	N.	N.	N.
75	89	80	81	12	11	13	12	O.	O.	O.	N.	N.	N.
77	89	89	88	13	12	13	13	O.	O.	O.	N.	N.	N.
91	89	89	86	16	12	13	13	O.	O.	O.	N.	N.	N.
85	91	89	86	13	11	12	12	O.	O.	O.	N.	N.	N.
95	89	81	88	11	12	12	11	O.	O.	O.	N.	N.	N.
68	89	79	79	11	11	11	11	O.	O.	O.	N.	N.	N.
64	81	83	87	12	11	13	12	O.	O.	O.	N.	N.	N.
82	91	89	88	15	13	13	13	O.	O.	O.	N.	N.	N.
77	89	81	88	12	12	13	13	O.	O.	O.	N.	N.	N.
80	84	81	82	11	11	13	12	O.	O.	O.	N.	N.	N.
86	95	89	89	14	13	13	13	O.	O.	O.	N.	N.	N.
84	85	89	86	13	12	13	13	O.	O.	O.	N.	N.	N.

DE 1874.

78	89	90	87	11	11	12	13	O.	O.	O.	N.	N.	N.
77	85	89	84	13	11	11	11	O.	O.	O.	N.	N.	N.
90	85	89	85	13	11	11	11	O.	O.	O.	N.	N.	N.
86	85	85	85	13	11	11	11	O.	O.	O.	N.	N.	N.
90	96	95	91	13	12	12	12	O.	O.	O.	N.	N.	N.
80	89	84	84	12	11	11	11	O.	O.	O.	N.	N.	N.
77	89	84	83	12	11	11	11	O.	O.	O.	N.	N.	N.
86	96	95	92	13	11	11	11	O.	O.	O.	N.	N.	N.
94	95	84	94	15	13	13	13	O.	O.	O.	N.	N.	N.
78	88	89	87	12	11	11	11	O.	O.	O.	N.	N.	N.
91	84	84	84	12	11	11	11	O.	O.	O.	N.	N.	N.
87	84	84	84	12	11	11	11	O.	O.	O.	N.	N.	N.
80	82	84	84	12	11	11	11	O.	O.	O.	N.	N.	N.
95	96	84	92	13	11	11	11	O.	O.	O.	N.	N.	N.
93	88	85	89	13	11	11	11	O.	O.	O.	N.	N.	N.
74	78	84	84	10	8	9	9	O.	O.	O.	N.	N.	N.
76	89	89	85	12	12	12	12	O.	O.	O.	N.	N.	N.
92	89	85	87	12	12	12	12	O.	O.	O.	N.	N.	N.
74	80	85	82	13	11	11	11	O.	O.	O.	N.	N.	N.
81	89	89	87	13	11	11	11	O.	O.	O.	N.	N.	N.
81	86	84	84	13	11	11	11	O.	O.	O.	N.	N.	N.
83	89	89	87	17	13	13	13	O.	O.	O.	N.	N.	N.
88	73	89	87	12	11	11	11	O.	O.	O.	N.	N.	N.
86	82	89	89	12	11	11	11	O.	O.	O.	N.	N.	N.
96	84	76	85	15	11	11	11	O.	O.	O.	N.	N.	N.
73	80	85	82	11	11	11	11	O.	O.	O.	N.	N.	N.
77	84	85	84	13	11	11	11	O.	O.	O.	N.	N.	N.
96	81	85	84	15	13	13	13	O.	O.	O.	N.	N.	N.
87	85	80	84	12	11	11	11	O.	O.	O.	N.	N.	N.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 4 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.59	759.42	759.76	759.72	759.81	759.58	759.93	759.62	759.68
Termómetro centígrado.....	18.0	20.0	16.1	14.3	13.5	13.5	15.2	19.0	16.2
Psicrómet. {	Dif. de los term.	1.5	2.9	1.7	1.7	1.4	1.2	1.5	0.2
	Humedad relat...	85	73	82	81	83	86	84	98
	Fuerza elástica...	13.51	13.19	11.91	10.27	10.03	10.43	11.24	16.22
Vientos.....	O.	O.	O.	O.	O.	NO.	NO.	O.
Estado atmosférico.....	D.	D.	D.	D.	N.	N.	N.	D.
ENERO 14 DE 1874.									
Barómetro reducido a 0°.....	760.18	760.03	758.52	758.65	759.34	759.33	759.69	761.35	759.64
Termómetro centígrado.....	20.0	22.4	16.3	15.5	16.0	16.5	17.0	19.9	17.9
Psicrómet. {	Dif. de los term.	1.8	2.0	1.0	1.0	1.1	1.1	1.4	2.0
	Humedad relat...	83	82	89	89	88	88	86	81
	Fuerza elástica...	14.76	15.12	12.49	12.09	12.43	12.59	12.68	13.65
Vientos.....	NO.	NO.	NO.	NO.	NO.	NO.	NO.	N.
Estado atmosférico.....	N.	Np.	N.	N.	N.	N.	N.	N.
ENERO 24 DE 1874.									
Barómetro reducido a 0°.....	760.48	762.62	759.35	761.90	761.67	761.44	760.90	761.53	761.23
Termómetro centígrado.....	22.0	22.4	17.9	16.3	16.0	15.7	15.0	17.8	17.9
Psicrómet. {	Dif. de los term.	2.5	1.2	1.7	1.0	1.0	1.5	1.2	1.0
	Humedad relat...	78	89	83	90	89	84	87	90
	Fuerza elástica...	15.86	17.76	12.95	12.93	12.49	11.40	11.42	13.81
Vientos.....	O.	O.	O.	O.	SO.	SO.	S.	S.
Estado atmosférico.....	Np.	Np.	Np.	Np.	N.	N.	Np.	N.
FEBRERO 3 DE 1874.									
Barómetro reducido a 0°.....	762.12	762.31	762.33	762.68	763.40	761.45	761.24	762.28	762.23
Termómetro centígrado.....	19.0	19.5	20.0	16.6	17.3	16.0	16.2	16.3	17.6
Psicrómet. {	Dif. de los term.	0.5	1.1	1.5	1.0	1.5	1.3	1.0	1.6
	Humedad relat...	95	89	86	90	85	83	90	83
	Fuerza elástica...	15.75	15.19	14.41	13.38	13.51	12.07	12.93	12.05
Vientos.....	O.	O.	O.	O.	O.	NE.	NO.	NO.
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	N.	N.
FEBRERO 13 DE 1874.									
Barómetro reducido a 0°.....	759.75	760.73	760.65	760.53	759.74	759.73	759.57	759.33	760.01
Termómetro centígrado.....	19.0	21.8	17.0	15.3	16.0	16.3	16.5	16.9	17.4
Psicrómet. {	Dif. de los term.	1.5	2.7	1.5	1.5	2.0	1.0	1.1	1.0
	Humedad relat...	85	76	85	84	80	89	88	90
	Fuerza elástica...	13.51	14.21	12.62	11.79	11.98	12.49	12.35	12.93
Vientos.....	O.	O.	SO.	S.	S.	S.	N.	N.
Estado atmosférico.....	Np.	Np.	Np.	D.	N.	N.	N.	N.

Instrumentos.	FEBRERO 23 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	760.48	760.62	758.35	761.90	758.68	759.06	760.90	761.53	760.13
Termómetro centígrado.....	22.0	22.4	17.9	16.3	16.0	15.7	15.0	17.8	17.9
Psicrómet. { Dif. de los term. Humedad relat. Fuerza elástica.....	2.5 79 15.86	1.2 89 17.76	1.7 81 12.95	1.9 90 12.93	1.9 89 12.49	1.5 84 11.40	1.2 87 11.42	1.0 90 14.75 86 13.69
Vientos.....	O.	O.	O.	O.	SO.	SO.	S.	S.
Estado atmosférico.....	Np.	Np.	Np.	Np.	N.	N.	N.	N.

Instrumentos.	MARZO 5 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	760.12	760.36	60.72	761.25	761.30	759.92	759.70	758.77	760.26
Termómetro centígrado.....	18.2	18.0	17.8	15.7	15.8	16.0	16.5	20.0	17.3
Psicrómet. { Dif. de los term. Humedad relat. Fuerza elástica.....	1.8 83 13.32	1.6 81 13.44	1.5 85 12.89	1.5 81 11.79	1.3 86 11.91	1.0 89 12.49	0.9 90 12.63	2.2 78 11.92 85 12.53
Vientos.....	O.	O.	O	O.	O.	O.	O.	O.
Estado atmosférico.....	D.	D.	Np.	N.	N.	N.	N.	N.

Instrumentos.	MARZO 15 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	59.95	59.83	59.92	60.50	760.63	760.48	759.11	759.68	760.01
Termómetro centígrado.....	21.0	18.5	18.0	15.0	11.5	14.0	16.0	14.0	16.4
Psicrómet. { Dif. de los term. Humedad relat. Fuerza elástica.....	2.0 81 11.13	1.8 81 13.37	1.2 88 13.31	1.6 85 11.12	0.2 98 12.58	0.5 94 12.60	1.0 89 12.09	0.9 91 13.80 88 12.75
Vientos.....	O.	O.	O.	O.	O.	O.	O.	O.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	N.	N.

Instrumentos.	MARZO 25 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	761.73	760.89	760.86	760.61	760.32	760.64	760.75	760.91	760.82
Termómetro centígrado.....	16.4	16.8	11.4	11.9	11.0	11.0	13.8	14.0	14.7
Psicrómet. { Dif. de los term. Humedad relat. Fuerza elástica.....	1.5 81 11.79	1.8 81 11.76	0.9 90 11.41	1.2 87 11.12	0.6 93 11.22	0.5 94 11.21	0.6 93 11.08	0.2 98 11.73 90 11.46
Vientos.....	O.	O.	O.	O.	N.	N.	N.	N.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.

Instrumentos.	ABRIL 4 DE 1874.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	761.61	761.16	760.95	760.78	760.55	760.46	759.79	760.26	760.69
Termómetro centígrado.....	17.0	18.3	16.8	13.3	12.5	11.6	12.0	15.0	14.6
Psicrómet. { Dif. de los term. Humedad relat. Fuerza elástica.....	2.0 85 11.18	2.0 80 12.32	1.0 89 11.79	0.2 98 11.69	0.5 94 11.21	0.3 96 19.19	1.5 82 9.21	1.6 89 11.39 89 11.12
Vientos.....	O.	O.	O.	O.	O.	O.	O.	O.
Estado atmosférico.....	N.	D.	D.	D.	D.	D.	N.	N.

Instrumentos.	ABRIL 14 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	761.42	760.73	760.31	760.19	759.81	761.15	761.21	762.42	760.91
Termómetro centígrado.....	15.5	15.3	15.0	15.0	14.3	14.2	14.0	14.4	14.7
Psicrómet. {	Dif. de los term...	0.8	1.5	1.0	1.0	1.0	0.9	1.2
	Humedad relativa	91	81	89	89	89	89	87	88
	Fuerza elástica...	12.21	11.06	11.39	11.46	10.94	10.56	10.62	11.18
Vientos.....	O.	O.	O.	O.	O.	O.	O.	O.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
ABRIL 21 DE 1874.									
Barómetro reducido a 0°.....	760.10	760.11	761.00	761.12	761.77	760.82	760.62	760.82	760.83
Termómetro centígrado.....	16.7	16.2	15.9	15.9	12.7	13.6	13.2	14.6	14.6
Psicrómet. {	Dif. de los term...	2.0	1.5	1.0	1.7	1.0	0.5	0.5	2.5
	Humedad relativa	79	81	89	81	84	94	94	74
	Fuerza elástica...	11.09	11.49	10.50	9.90	10.56	10.50	10.86	9.65
Vientos.....	NO.	S.	S.	S.	N.	N.	N.	N.
Estado atmosférico.....	N.	D.	D.	D.	N.	N.	N.	N.
MAYO 1 DE 1874.									
Barómetro reducido a 0°.....	762.01	761.30	762.82	763.11	762.15	762.30	762.5	762.89	762.47
Termómetro centígrado.....	17.3	15.5	13.0	12.5	12.0	12.8	11.0	13.0	13.4
Psicrómet. {	Dif. de los term...	0.5	1.0	0.7	0.5	0.5	0.7	0.3	1.0
	Humedad relativa	95	89	92	94	94	92	96	88
	Fuerza elástica...	13.68	11.30	10.58	10.15	10.05	9.65	9.61	9.85
Vientos.....	NO.	O.	O.	E.	E.	E.	E.	SO.	
Estado atmosférico.....	D.	D.	D.	N.	D.	D.	D.	D.	
MAYO 14 DE 1874.									
Barómetro reducido a 0°.....	759.51	760.01	760.77	761.12	761.45	761.06	761.27	760.57	760.72
Termómetro centígrado.....	15.8	14.8	13.2	12.5	11.8	12.5	12.0	13.2	13.2
Psicrómet. {	Dif. de los term...	2.1	1.5	1.0	0.7	0.5	2.5	1.0	0.6
	Humedad relat...	77	83	88	94	94	71	87	93
	Fuerza elástica...	9.51	10.46	10.20	10.21	9.84	7.96	9.19	10.37
Vientos.....	O.	O.	O.	NE.	NE.	NE.	E.	E.	
Estado atmosférico.....	Np.	D.	D.	D.	D.	Np.	N.	N.	
MAYO 21 DE 1874.									
Barómetro reducido a 0°.....	762.25	761.30	760.85	761.21	762.17	763.11	763.17	763.91	762.25
Termómetro centígrado.....	14.8	16.0	13.6	12.0	11.5	11.0	11.9	11.9	12.8
Psicrómet. {	Dif. de los term...	1.3	0.5	1.0	1.0	1.0	1.0	1.0	1.0
	Humedad relat...	85	91	88	87	85	86	87	87
	Fuerza elástica...	10.51	11.60	9.85	9.19	8.86	8.86	8.86	9.13
Vientos.....	NE.	NO.	O.	O.	O.	NE.	NE.	E.	
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	N.	N.	

Instrumentos.	JULIO 23 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 763.31	mm. 762.84	mm. 763.01	mm. 763.32	mm. 763.72	mm. 762.48	mm. 762.08	mm. 762.79	mm. 762.94
Termómetro centígrado.....	15.4	10.0	13.0	11.3	10.9	10.8	9.9	13.0	12.5
Psicrómet. {	Dif. de los term...	2.0	1.5	2.0	1.0	1.0	1.0	0.5	1.0
	Humedad relativa	78	81	78	87	86	86	94	88
	Fuerza elástica....	10.30	11.40	9.60	9.54	8.86	8.56	8.57	9.85
Vientos	SO.	SO.	S.	O.	E.	E.	E.	E.	
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	Ni.	D.	
AGOSTO 2 DE 1874.									
Barómetro reducido a 0°.....	mm. 759.99	mm. 760.82	mm. 760.62	mm. 761.26	mm. 760.53	mm. 759.52	mm. 760.11	mm. 758.72	mm. 760.19
Termómetro centígrado.....	17.2	16.0	14.6	12.9	12.0	12.2	13.0	14.3	14.0
Psicrómet. {	Dif. de los term...	0.7	1.5	0.6	1.0	2.0	0.7	1.1	1.5
	Humedad relativa	93	81	93	88	77	92	87	83
	Fuerza elástica....	13.65	11.40	10.80	10.20	8.58	9.58	10.07	10.25
Vientos	O.	SO.	E.	E.	E.	E.	E.	E.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	
AGOSTO 12 DE 1874.									
Barómetro reducido a 0°.....	mm. 763.15	mm. 763.00	mm. 761.79	mm. 763.92	mm. 763.21	mm. 763.29	mm. 762.92	mm. 762.72	mm. 763.50
Termómetro centígrado.....	11.0	14.0	12.0	11.0	10.0	9.6	9.5	11.1	11.4
Psicrómet. {	Dif. de los term...	2.0	3.0	2.0	2.0	2.5	1.0	1.0	1.4
	Humedad relativa	78	67	76	75	69	84	86	82
	Fuerza elástica....	9.60	7.98	8.26	7.37	6.51	7.72	7.72	8.03
Vientos	O.	O.	SO.	SO.	SO.	SO.	S.	E.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	N.	
AGOSTO 22 DE 1874.									
Barómetro reducido a 0°.....	mm. 762.75	mm. 762.92	mm. 763.07	mm. 763.41	mm. 763.27	mm. 762.61	mm. 762.28	mm. 761.06	mm. 762.67
Termómetro centígrado.....	14.0	16.4	13.6	11.9	11.7	10.9	9.8	13.9	12.8
Psicrómet. {	Dif. de los term...	1.5	2.5	1.5	1.0	1.5	1.0	0.5	1.5
	Humedad relativa	83	74	83	87	82	86	95	83
	Fuerza elástica....	9.90	10.00	9.90	9.19	8.56	8.56	8.63	9.55
Vientos	O.	O.	SO.	E.	SO.	S.	SE.	E.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	
SETIEMBRE 1 DE 1874.									
Barómetro reducido a 0°.....	mm. 760.70	mm. 760.15	mm. 761.96	mm. 761.77	mm. 761.62	mm. 762.23	mm. 762.57	mm. 763.15	mm. 761.77
Termómetro centígrado.....	14.3	13.9	13.4	12.5	12.1	11.8	11.5	12.8	12.7
Psicrómet. {	Dif. de los term...	2.0	2.3	2.0	2.0	1.7	1.5	1.9	1.8
	Humedad relativa	78	75	77	77	79	82	86	77
	Fuerza elástica....	9.60	9.55	8.36	8.58	8.62	8.56	8.86	8.56
Vientos	O.	O.	SO.	N.	N.	N.	N.	O.	
Estado atmosférico.....	D.	N.	N.	N.	N.	N.	N.	N.	

Instrumentos.	SEPTIEMBRE 11 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	762.52	762.40	762.39	762.27	762.47	762.53	761.88	761.55	762.25
Termómetro centígrado.....	14.1	14.0	14.2	12.0	11.2	10.0	9.2	14.9	12.7
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	2.0 78 9.25	2.0 78 9.60	1.0 86 10.29	9.4 94 9.97	1.5 82 8.26	1.0 86 7.97	1.0 86 7.72	2.0 78 9.60	83 83 9.08
Vientos.....	O.	O.	O.	O.	O.	SE.	O.	O.
Estado atmosférico.....	N.	N.	N.	N.	D.	D.	D.	D.
SEPTIEMBRE 21 DE 1874.									
Barómetro reducido a 0°.....	762.78	762.90	764.90	763.20	763.62	766.16	767.11	766.16	764.60
Termómetro centígrado.....	15.2	14.8	14.5	12.0	10.2	9.0	10.0	13.8	12.6
Psicrómet. { Dif. de los term... Humedad relat... Fuerza elástica...	1.0 89 11.70	1.1 88 11.24	1.5 83 10.25	2.0 76 9.96	1.5 81 7.67	1.0 86 7.42	1.5 80 7.41	2.3 74 8.54	82 82 9.27
Vientos.....	O.	O.	O.	S.	E.	SE.	E.	O.
Estado atmosférico.....	G.	N.	N.	D.	D.	Np.	Np.	D.
OCTUBRE 1 DE 1874.									
Barómetro reducido a 0°.....	761.18	760.17	760.55	760.31	761.17	761.03	760.29	760.63	760.67
Termómetro centígrado.....	18.8	20.5	19.0	13.8	13.2	13.5	13.0	14.3	15.8
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	1.6 84 13.44	1.0 90 15.25	1.6 84 13.44	0.8 90 10.53	0.6 98 10.51	0.7 93 10.59	1.0 88 9.85	0.3 89 10.56 89 11.77
Vientos.....	O.	O.	O.	O.	O.	O.	O.	NO.
Estado atmosférico.....	D.	D.	D.	D.	N.	N.	N.	N.
OCTUBRE 11 DE 1874.									
Barómetro reducido a 0°.....	762.05	762.25	763.96	762.79	763.12	764.09	763.15	762.05	762.93
Termómetro centígrado.....	13.5	18.2	14.9	13.0	12.0	11.4	10.9	15.0	13.6
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	0.5 96 10.86	1.1 90 13.32	1.5 84 10.60	1.0 88 9.35	1.0 87 9.19	0.5 95 9.49	0.5 94 9.26	1.0 89 11.30 90 10.48
Vientos.....	N.	NO.	NO.	E.	E.	E.	E.	O.
Estado atmosférico.....	N.	Np.	N.	Np.	D.	D.	D.	D.
OCTUBRE 21 DE 1874.									
Barómetro reducido a 0°.....	762.07	762.44	763.39	762.76	762.19	760.83	761.84	762.07	762.19
Termómetro centígrado.....	18.9	17.5	13.0	12.5	11.4	12.0	12.6	14.0	13.9
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica...	0.5 96 15.05	0.5 85 12.19	1.2 86 10.29	1.0 76 9.12	0.1 99 9.73	0.8 90 9.45	1.0 89 9.54	1.0 86 10.43 88 10.73
Vientos.....	O.	O.	O.	NE	E.	E.	S.	O.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	N.	N.

Instrumentos.	DICIEMBRE 30 DE 1871.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	24 h.	Medio
Barómetro reducido a 0°.....	mm. 60.25	mm. 59.46	mm. 59.22	mm. 59.58	mm. 59.28	mm. 59.54	mm. 59.81	mm. 59.77	mm. 59.61
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	19.0	22.3	21.0	17.3	16.5	16.0	17.0	19.0	18.5
Psicrómet (Dif. de los term... Humedad relativa Fuerza elástica...)	1.0	2.5	2.0	1.5	1.0	1.0	0.8	2.0
	90	78	81	85	88	89	81	80	86
	11.26	11.81	14.13	12.62	12.49	12.09	11.60	12.72	13.06
Vientos.....	O.	O.	O.	O.	SE.	N.	N.	O.
Estado atmosférico.....	D.	D.	D.	N.	D.	N.	N.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mín.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	55.80	54.88	55.55	55.41	22.6	17.1	17.6	21.6	19.10	12.2	6.5	4.1	2.5
2	55.08	55.75	55.51	55.46	20.1	16.4	22.1	23.2	19.55	10.9	2.9	3.7	2.8
3	55.96	54.41	54.63	55.06	19.5	17.9	17.4	23.5	18.40	11.5	4.0	3.6	3.4
4	52.79	53.34	54.8	53.76	22.1	15.1	17.1	23.6	18.16	12.0	6.4	3.0	3.1
5	55.69	54.84	56.27	55.66	18.4	16.0	20.6	21.2	18.33	11.2	2.6	1.6	2.6
6	56.40	56.52	56.14	56.35	20.4	17.4	19.0	22.6	18.93	12.5	4.0	1.4	2.5
7	52.93	55.22	55.15	54.45	21.5	17.6	15.1	24.8	18.07	12.0	3.1	3.0	2.6
8	55.37	54.84	56.27	55.49	19.6	16.0	18.1	22.5	17.99	11.0	3.2	1.6	2.6
9	55.80	55.38	55.74	55.64	17.1	15.1	16.1	23.2	16.46	11.8	2.3	3.3	1.6
10	55.44	55.42	56.26	55.71	20.5	18.4	19.4	26.0	19.43	13.0	2.3	3.0	2.5
11	55.78	53.87	55.01	54.89	20.6	20.9	18.0	27.2	19.83	13.2	2.8	3.3	2.4
12	55.23	54.89	55.23	55.12	20.5	16.7	16	22.8	17.87	12.0	2.8	3.6	1.8
13	53.05	53.88	54.94	53.96	22.6	16.9	17.4	27.5	18.97	12.2	4.2	2.3	2.2
14	54.98	55.52	55.11	55.20	21.7	16.4	19.2	24.3	19.16	11.8	1.5	2.2	2.2
15	54.19	53.11	54.49	53.85	20.1	21.4	18.6	27.4	19.95	14.5	3.7	3.5	3.6
16	54.60	54.14	54.85	54.32	22.1	15.1	15.9	23.4	17.74	11.5	5.4	3.1	1.8
17	55.81	54.51	56.24	55.58	18.1	15.6	16.4	23.8	16.95	11.2	1.5	2.7	2.6
18	55.04	54.99	55.16	55.09	17.1	16.7	16.6	22.6	16.86	11.1	3.1	1.8	1.8
19	55.60	55.80	56.67	55.62	19.2	15.9	15.3	21.2	17.00	11.0	3.5	2.0	2.6
20	55.52	55.16	55.88	55.54	19.7	17.1	16.9	21.6	17.90	11.2	3.7	2.9	2.3
21	55.45	55.26	55.16	55.32	22.7	20.5	16.4	25.3	19.87	12.5	5.5	3.8	1.4
22	55.38	55.26	55.78	55.45	18.2	17.6	16.6	23.5	17.83	11.5	3.3	4.3	2.7
23	55.22	54.94	55.47	55.25	18.4	16.1	15.9	20.9	16.80	12.0	3.0	2.0	2.6
24	56.18	55.85	55.67	55.44	17.3	15.5	16.1	19.8	16.53	11.2	2.3	4.2	2.9
25	55.44	55.15	55.18	55.24	21.4	18.6	16.2	18.73	12.0	5.4	3.3	2.1
26	54.62	54.94	55.62	54.74	19.4	18.6	15.6	21.0	19.67	12.1	4.7	2.4	1.5
27	55.09	54.16	55.41	54.89	19.6	15.9	16.4	21.3	17.30	12.0	3.1	1.4	1.1
28	54.77	54.34	55.64	54.72	19.7	14.1	16.1	20.6	17.63	12.8	3.1	1.3	0.6
29	55.28	55.21	55.56	55.45	20.5	17.6	18.5	22.0	18.87	12.9	2.6	1.5	1.6
30	55.44	54.94	55.62	55.18	12.4	18.4	19.0	23.1	19.95	13.8	2.5	2.6	2.4
31	55.05	54.56	54.94	54.85	21.1	17.4	17.2	22.8	15.57	12.8	3.2	1.6	1.2

FEBRERO

1	55.49	55.04	56.01	55.52	16.7	16.4	14.2	29.2	15.77	11.0	2.0	2.3	1.8
2	55.94	55.56	55.57	55.32	18.5	15.9	17.6	19.5	17.33	11.5	3.1	2.1	3.4
3	55.54	56.06	56.42	55.94	21.5	16.7	18.4	23.2	18.87	11.3	5.4	2.0	2.8
4	54.15	55.04	55.06	54.73	22.2	17.1	18.2	25.5	19.47	12.0	4.5	1.7	3.1
5	54.37	54.81	55.32	54.83	22.1	17.9	14.6	23.5	17.99	11.2	5.2	2.5	1.2
6	54.09	55.38	55.43	54.87	19.2	15.6	17.1	21.3	17.16	11.5	2.2	2.5	2.0
7	54.66	55.45	55.38	55.16	19.9	15.3	16.9	22.5	17.43	12.0	2.2	1.6	1.6
8	55.56	55.30	55.94	55.60	18.4	15.9	15.9	29.3	15.73	11.6	3.0	1.1	0.6
9	55.95	56.16	56.32	56.21	18.6	16.7	16.5	20.1	17.27	13.0	2.2	1.3	1.2
10	54.01	54.22	55.28	54.84	19.6	15.9	17.4	21.5	17.65	12.2	2.6	0.7	1.7
11	56.31	57.42	55.51	56.42	18.6	16.6	17.6	20.6	17.66	11.6	1.7	1.5	1.5
12	54.76	55.59	55.16	55.17	21.6	18.6	18.6	25.2	19.46	12.0	2.9	2.1	2.3
13	55.27	55.40	54.90	55.19	20.1	17.4	17.6	23.5	18.37	12.2	4.0	2.0	2.3
14	54.03	55.26	54.66	54.65	23.0	15.5	15.6	24.6	18.63	12.4	5.3	2.4	0.7
15	55.39	54.35	55.16	54.98	18.5	16.1	17.4	19.5	17.33	12.8	2.3	1.2	1.5
16	55.02	54.91	55.22	55.15	20.9	16.7	18.0	22.3	18.53	13.0	1.8	1.9	1.7
17	55.24	55.11	55.68	55.35	19.2	16.2	16.6	21.5	17.33	12.2	3.5	2.2	3.1
18	55.92	56.93	56.16	56.66	18.9	15.1	15.6	19.5	16.23	9.2	3.7	2.8	2.3
19	55.01	54.55	55.62	55.11	22.4	18.6	16.4	25.1	18.93	10.5	4.5	2.5	1.5
20	55.64	55.39	55.51	55.25	19.9	18.4	16.6	21.5	18.20	11.5	4.9	4.0	2.3
21	56.01	54.96	55.31	54.21	18.4	14.2	14.6	21.9	15.73	11.2	1.8	0.7	2.3
22	55.91	55.73	55.58	55.61	18.6	15.6	15.3	29.0	16.56	19.3	1.9	2.3	2.5
23	56.33	55.69	55.73	55.92	17.6	14.6	15.3	29.2	15.96	10.5	6.9	1.9	1.2
24	55.66	54.51	55.85	55.25	18.0	14.3	14.2	19.5	15.53	11.2	2.5	1.4	1.7
25	55.51	55.77	55.20	55.59	16.7	13.6	15.6	18.5	15.90	9.8	5.3	1.4	1.0
26	55.22	54.96	56.05	56.42	16.9	13.9	14.2	18.9	15.69	11.0	3.3	1.0	0.5
27	56.91	56.12	56.44	56.8	18.4	13.6	14.4	19.1	15.47	10.5	1.4	1.0	2.1
28	55.81	55.56	56.14	55.8	16.7	14.6	14.2	19.6	14.97	9.1	3.3	2.2	1.2

DE 1873.

PSICRÓMETRO.													ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				VIENTOS.			ESTADO ATMOSFÉR				
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.		
46	60	75	60	8.82	8.81	11.18	9.60	SO ₂	SSE ₁	O ₁	D.	D.	D.		
73	64	71	69	11.95	9.48	9.60	10.34	—	O ₁	SO ₂	—	Np.	—		
64	65	67	65	11.10	9.72	9.84	10.22	—	E ₁	E ₁	—	D.	—		
45	69	69	61	8.10	9.34	10.10	9.18	—	SSE ₁	—	—	Np.	Np.		
74	83	74	77	11.60	11.34	11.44	11.46	NNO ₁	NE ₁	O ₁	Np.	—	Np.		
63	67	75	68	10.20	9.72	11.18	10.37	SO ₂	SO ₁	SSE ₁	D.	D.	D.		
73	70	78	74	13.46	10.24	9.95	11.23	—	SSE ₁	NE ₁	—	—	N.		
70	83	74	76	11.58	11.34	11.44	11.45	—	NE ₁	O ₁	—	—	Np.		
78	85	89	84	11.30	11.22	12.49	11.67	O ₁	SSO ₁	NO ₁	—	Np.	Np.		
79	72	78	76	13.20	12.16	12.58	12.65	SO ₂	—	SSE ₁	—	—	Np.		
73	70	76	73	12.55	12.59	11.56	12.23	ENE ₁	SSE ₁	NE ₁	—	—	Np.		
74	65	81	73	12.71	9.72	11.45	11.53	E ₁	SE ₁	SSO ₁	Np.	—	D.		
61	77	78	72	10.78	10.91	11.60	11.10	SO ₂	SO ₂	E ₁	D.	—	N.		
85	77	79	80	13.43	11.21	12.71	12.45	SE ₁	E ₁	SE ₁	Np.	—	Np.		
65	69	66	67	11.09	12.73	10.67	11.50	SSE ₁	S ₂	SO ₃	—	—	D.		
53	67	81	67	9.89	8.86	10.81	9.85	SO ₂	SO ₂	N ₁	D.	—	Ni.		
85	72	79	79	13.86	9.87	10.77	11.51	O ₁	E ₁	O ₁	—	—	D.		
69	81	81	77	10.02	11.60	11.45	11.02	SO ₂	SSO ₁	—	Np.	—	Np.		
67	79	79	75	10.97	10.69	10.69	10.78	—	S ₁	SSE ₁	D.	—	N.		
65	71	73	70	10.85	10.31	10.91	10.69	—	SSO ₁	O ₁	—	—	D.		
64	65	83	67	10.18	11.40	12.05	11.21	—	S ₁	SO ₁	—	—	Np.		
59	58	72	66	11.70	8.69	9.80	10.06	—	SO ₃	SSO ₁	—	—	D.		
71	79	73	74	10.87	11.09	9.86	10.61	—	S ₁	SO ₁	—	—	N.		
77	56	71	68	10.91	7.81	10.55	9.76	—	SO ₃	SSE ₁	—	—	D.		
53	68	78	66	9.57	10.69	10.95	10.40	—	NE ₁	NE ₁	—	—	Ni.		
58	76	84	73	9.84	11.32	11.40	10.85	—	SO ₂	SO ₁	—	—	N.		
71	85	89	82	11.65	11.85	12.35	11.95	SO ₂	SSO ₁	O ₁	—	—	N.		
71	87	93	84	11.74	12.74	12.81	12.43	NO ₁	NO ₁	NO ₁	Np.	N.	G.		
81	85	84	83	13.65	12.62	12.74	13.00	—	—	—	D.	—	N.		
77	74	77	76	14.65	11.84	12.16	12.88	O ₁	—	O ₁	Np.	D.	Np.		
71	83	88	81	12.92	12.37	13.16	12.82	SO ₂	SSO ₁	—	—	—	—		

DE 1873.

80	77	80	79	11.48	10.67	10.23	10.73	SO ₁	O ₁	SO ₁	N.	N.	Ll.
70	77	66	71	10.89	10.29	9.66	10.28	SO ₂	—	—	Np.	Np.	D.
53	80	62	68	9.57	11.48	10.99	10.68	—	SSO ₁	S ₁	D.	D.	—
60	82	69	70	11.24	11.83	10.66	11.24	—	E ₁	NE ₁	—	—	—
55	75	86	72	10.36	11.18	11.07	10.87	—	SSO ₁	—	—	—	N.
78	74	80	77	12.09	9.65	11.48	11.04	SO ₂	SSE ₁	O ₁	Np.	—	—
79	83	89	84	13.35	10.94	12.25	12.18	O ₁	SO ₁	SSO ₁	—	N.	—
71	89	93	84	10.87	11.96	12.33	11.72	—	O ₁	NE ₁	—	N.	—
78	86	87	84	12.19	12.15	11.97	12.10	—	SSO ₁	NE ₁	—	N.	G.
77	92	82	84	12.40	12.12	12.31	12.28	SO ₁	SO ₁	—	D.	D.	N.
83	84	85	84	13.22	12.19	12.62	12.68	SO ₃	—	—	—	Np.	Np.
74	79	78	77	14.06	11.74	11.68	12.49	—	—	—	—	—	—
63	80	72	72	10.66	11.72	11.15	11.18	—	O ₁	NO ₁	—	—	D.
55	75	92	74	11.08	10.13	12.12	11.11	SO ₁	NE ₁	NNE ₁	—	—	Np.
78	87	84	83	11.70	11.97	12.19	11.95	N ₁	—	N ₁	N.	—	G.
83	81	82	82	13.77	11.62	12.31	12.57	—	O ₁	SO ₁	D.	D.	N.
67	77	68	71	10.97	11.65	9.42	10.48	SO ₂	—	O ₁	—	—	Np.
64	71	76	70	9.48	9.46	9.93	9.62	SO ₂	SSE ₁	S ₁	Np.	—	D.
63	75	84	74	12.60	11.58	11.40	11.87	SO ₃	O ₁	—	D.	—	—
54	62	77	64	9.29	9.88	10.67	9.93	—	—	E ₁	—	—	Np.
82	92	76	83	12.62	10.37	9.54	10.24	—	SO ₁	SSO ₂	—	—	Np.
81	76	74	77	12.92	9.77	9.65	10.78	—	O ₁	S ₁	—	—	Np.
91	79	86	85	13.44	9.73	10.59	11.25	O ₁	SE ₁	E ₁	—	—	D.
75	84	81	80	11.18	10.47	9.99	10.55	SO ₂	—	SO ₁	—	—	D.
67	84	89	80	9.30	9.61	11.30	10.07	SO ₃	—	SSO ₁	Np.	—	N.
67	89	94	83	9.51	10.56	11.60	10.56	—	SO ₁	—	D.	Np.	—
85	89	77	84	12.09	10.70	9.54	10.78	O ₁	E ₁	—	Np.	—	—
67	76	86	76	9.16	9.33	10.43	9.61	SO ₂	SO ₁	—	D.	D.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	55.78	55.83	56.40	56.00	16.6	14.5	14.9	18.9	15.33	9.3	1.3	0	2.0
2	54.72	55.43	55.20	55.12	16.9	13.0	13.6	18.5	14.50	10.0	2.6	1.5	1.3
3	55.89	55.38	55.38	55.55	14.4	14.4	13.4	18.8	15.40	10.2	1.4	1.2	0.9
4	54.86	55.28	55.50	55.05	16.7	14.2	15.1	17.8	15.33	11.4	2.3	1.3	1.7
5	55.78	54.78	55.44	55.40	17.7	14.9	14.2	18.2	15.60	11.2	1.2	0.9	0.9
6	55.23	55.20	56.17	55.53	17.2	15.9	15.4	18.3	16.17	12.2	1.5	1.6	1.5
7	55.60	55.22	56.37	55.73	17.9	14.2	14.7	18.8	15.60	11.0	1.3	1.1	1.1
8	56.51	55.94	55.64	56.03	16.7	15.6	16.1	19.6	16.13	11.5	2.4	2.5	2.0
9	55.16	55.38	55.03	55.17	20.5	16.7	15.9	22.1	17.70	10.5	5.0	2.0	2.2
10	55.62	54.86	55.50	55.33	19.9	15.5	14.6	23.0	16.67	9.5	3.2	2.6	1.6
11	55.70	55.53	55.34	55.52	16.1	14.6	13.6	17.8	14.77	9.0	0.5	1.4	1.8
12	55.97	56.51	55.26	55.91	18.6	14.4	12.2	21.2	15.07	9.5	3.9	3.0	0.9
13	56.05	55.54	54.78	55.46	20.6	14.9	15.5	23.6	17.00	11.0	2.4	1.4	1.9
14	55.39	55.10	55.53	55.34	23.4	15.5	13.9	24.5	17.60	11.0	7.1	2.5	1.4
15	55.18	55.28	56.05	55.50	16.1	13.6	12.6	22.8	14.10	9.2	2.2	1.2	0.6
16	55.03	55.40	55.55	55.32	21.7	13.9	13.6	24.2	16.40	10.6	4.1	3.3	0.8
17	55.40	54.76	56.07	55.41	20.9	16.4	14.2	23.3	17.17	11.0	5.9	2.8	1.9
18	56.08	56.83	17.4	14.2	14.9	18.6	15.50	10.0	2.1	1.1	1.4
19	55.62	55.94	55.38	55.65	19.9	15.9	15.1	21.3	16.97	11.0	5.5	2.0	1.7
20	55.44	55.46	55.18	55.36	16.9	14.9	14.4	20.2	15.40	9.0	1.7	1.6	1.5
21	55.20	55.48	55.44	55.37	18.6	15.1	14.7	20.0	16.13	10.0	4.4	2.2	1.8
22	55.75	56.02	56.51	56.09	18.5	16.5	15.9	19.7	16.97	11.0	2.0	1.7	2.0
23	56.40	59.27	57.33	57.67	19.9	14.6	14.2	21.8	16.23	9.6	4.3	2.6	1.5
24	56.78	56.14	56.99	56.64	18.0	13.9	14.0	19.2	15.30	9.1	4.2	2.3	1.4
25	54.80	56.34	57.55	56.23	19.0	13.4	14.2	19.9	15.53	9.0	1.7	2.0	1.4
26	57.95	58.08	59.11	58.38	21.4	14.9	17.4	17.90	11.0	3.0	2.2	2.8
27	58.39	58.72	57.77	58.29	19.0	15.1	15.5	20.5	16.53	10.0	4.5	2.8	2.0
28	57.52	58.07	57.47	57.69	18.6	14.2	13.4	19.5	15.40	10.2	1.9	1.8	1.3
29	57.57	58.21	58.13	57.97	14.9	14.6	14.9	18.9	14.80	11.0	1.5	2.7	2.2
30	58.24	57.09	58.27	57.87	16.0	13.9	14.0	20.0	14.63	9.0	1.9	2.2	1.9
31	56.77	57.39	56.59	56.92	15.7	13.6	13.9	19.6	14.40	9.2	2.3	1.2	1.4

1	58.81	57.37	58.63	58.27	15.9	15.5	14.9	18.3	15.43	9.0	1.4	1.5	1.5
2	57.58	58.47	57.79	57.95	19.0	16.1	16.1	22.6	17.07	10.8	4.2	4.1	1.4
3	55.52	57.94	56.21	56.56	18.9	17.4	18.9	22.0	18.40	12.0	5.0	4.0	5.1
4	55.17	55.54	56.79	55.83	20.9	18.9	14.6	27.0	18.13	10.6	2.5	3.0	0.4
5	55.87	54.30	56.31	55.49	14.0	13.6	13.7	19.2	14.07	10.2	0.8	1.8	1.4
6	57.12	57.39	14.2	14.6	18.6	9.0	2.1	1.0
7	56.57	57.47	59.87	57.97	20.9	15.2	13.6	22.5	16.57	9.1	5.5	3.0	2.0
8	56.82	56.57	51.71	57.03	19.5	15.7	14.2	22.0	16.47	8.8	1.8	2.3	0.1
9	57.01	56.99	56.09	56.70	19.1	15.1	13.6	21.3	15.93	9.0	4.2	2.0	1.4
10	56.70	58.44	56.13	57.09	18.4	16.1	16.1	23.5	16.87	9.2	4.2	3.6	2.0
11	56.58	54.28	54.76	55.21	17.1	15.1	12.6	24.3	14.93	9.5	2.1	1.8	1.4
12	54.84	55.40	55.97	55.40	15.9	13.4	14.6	16.8	14.63	10.0	1.7	4.5	3.0
13	54.27	55.38	55.99	55.21	16.1	12.6	12.1	17.2	13.60	8.0	1.8	1.7	1.0
14	56.28	56.96	57.35	56.86	14.5	12.4	11.9	16.5	11.93	8.2	1.0	1.0	0.6
15	57.09	56.97	57.01	57.02	14.0	13.4	12.6	15.6	13.33	10.0	0.7	1.6	0.7
16	56.32	56.69	57.19	56.73	15.9	13.0	14.6	17.2	14.50	9.5	2.4	0.8	2.0
17	56.94	57.81	58.34	57.70	16.1	11.1	10.5	17.0	12.57	5.0	0.2	2.3	2.4
18	55.97	58.99	57.74	57.57	17.7	13.9	13.5	18.2	15.03	8.8	1.8	1.8	0.8
19	57.14	57.33	57.47	57.31	17.4	15.2	12.4	20.3	15.00	9.0	3.7	2.5	1.9
20	57.73	57.81	13.6	13.4	20.0	8.0	0.7	1.8
21	57.29	58.01	57.24	57.51	14.9	12.4	11.2	20.9	13.83	10.0	2.4	2.3	1.7
22	57.47	56.93	58.67	57.71	16.0	14.4	11.1	18.0	13.83	7.5	1.1	0.7	1.8
23	59.73	54.94	56.10	56.93	12.7	12.9	13.1	16.2	12.90	10.0	1.0	0.8	0.4
24	57.02	57.55	58.01	57.53	14.4	13.1	13.4	16.8	13.63	9.5	0.8	0.9	1.0
25	52.10	51.68	51.70	51.83	18.2	15.1	14.6	20.0	15.97	10.0	4.1	4.1	1.7
26	58.38	58.64	59.05	58.69	17.4	16.2	16.5	20.2	16.70	10.2	3.5	2.6	2.7
27	57.07	57.07	57.61	57.23	17.6	14.9	16.1	20.6	16.20	11.5	3.2	2.5	0.5
28	56.06	56.56	57.57	56.73	22.6	13.6	14.2	24.8	16.80	10.9	7.9	4.5	1.5
29	56.88	56.47	55.75	56.20	13.6	12.4	11.4	25.0	12.47	9.0	1.4	1.0	4.4
30	57.85	57.69	55.41	56.82	12.7	11.4	10.3	14.8	11.67	7.9	1.0	0.8	0.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
86	84	78	81	12.07	10.07	9.25	10.46	SO ₃	SO ₁	SO ₂	D.	D.	Np.
73	83	85	80	10.33	9.55	10.02	9.97	—	E ₁	SE ₁	—	—	N.
85	86	89	87	11.85	10.91	10.33	11.03	SSE ₁	E ₁	E ₁	N.	N.	—
77	85	81	81	10.91	10.53	10.37	10.69	SO ₂	SE ₁	O ₁	—	N.	—
88	90	90	89	12.80	10.52	10.97	11.76	OSO ₂	E ₁	E ₁	D.	D.	—
84	83	83	83	12.03	10.94	10.89	11.23	S ₁	E ₁	—	Np.	N.	—
86	89	89	88	12.47	10.78	10.85	11.37	SO ₁	O ₁	SO ₁	D.	D.	—
75	74	79	76	10.61	9.65	10.69	10.32	O ₁	SO ₁	—	Np.	D.	D.
54	80	76	70	9.27	11.48	10.31	10.35	SO ₂	—	S ₁	D.	—	—
69	73	82	75	11.31	9.58	10.35	10.41	SSE ₁	S ₁	SSE ₁	—	—	Np.
95	84	80	86	12.88	10.47	9.37	10.91	SSE ₁	—	O ₂	Np.	—	Np.
62	68	89	73	9.35	9.20	9.67	9.41	SO ₂	O ₁	O ₁	D.	D.	Ni.
77	85	79	80	12.95	11.22	10.41	11.53	S ₂	S ₁	E ₁	—	—	D.
43	74	84	67	8.54	10.00	10.17	9.57	S ₂	E ₁	SO ₁	—	—	N.
76	86	93	85	10.55	10.20	10.80	10.55	SO ₁	—	SE ₁	Np.	—	N.
63	69	91	74	11.49	11.70	10.82	11.34	SO ₂	SO ₂	S ₁	D.	—	N.
49	72	79	67	8.74	10.21	9.73	9.56	—	O ₁	E ₁	—	—	N.
79	89	84	84	11.42	10.85	10.71	10.99	O ₁	—	O ₁	Np.	—	D.
51	79	81	70	8.56	10.69	10.17	10.01	SO ₂	E ₁	S ₁	D.	—	N.
82	82	83	82	11.52	10.59	10.25	10.79	SE ₁	SE ₁	SSE ₁	—	—	D.
62	76	80	73	9.48	10.67	10.23	9.93	SO ₂	—	S ₁	—	—	—
80	82	79	80	11.48	11.52	10.69	11.23	—	O ₁	—	—	—	—
60	72	83	72	9.29	8.88	10.25	9.47	—	SO ₂	SSE ₁	—	—	—
59	76	84	73	8.61	9.20	10.03	9.28	—	S ₁	E ₁	—	—	—
83	78	84	82	12.77	9.67	10.39	10.94	SO ₁	SSE ₁	SO ₁	Np.	—	N.
68	77	72	72	8.64	9.14	10.37	9.38	—	SO ₁	O ₁	Np.	—	Np.
58	70	78	69	9.25	9.32	9.95	9.51	SO ₂	—	S ₁	D.	D.	D.
81	80	85	82	11.78	10.23	10.02	19.68	—	E ₁	—	—	—	Np.
83	72	76	77	10.65	9.52	9.33	9.83	O ₁	SO ₁	—	N.	N.	N.
79	76	79	78	10.57	9.12	10.57	10.09	SO ₂	S ₁	SO ₂	—	—	—
76	86	84	82	9.93	9.75	10.03	9.90	—	SO ₁	E ₁	D.	D.	Np.

DE 1873.

85	83	83	84	11.30	11.00	10.65	10.98	O ₁	O ₁	SE ₁	Ll.	Np.	Np.
60	59	85	68	9.75	8.04	11.54	9.78	SO ₂	S ₁	SO ₂	D.	D.	D.
53	59	53	55	8.13	8.38	8.21	8.24	—	—	SO ₁	—	—	—
76	71	95	81	12.28	10.87	11.34	11.50	—	SO ₁	NO ₁	—	—	N.
91	79	84	85	10.89	8.84	10.31	10.01	SSE ₁	E ₁	E ₁	N.	N.	—
...	77	89	9.26	10.91	...	O ₁	SE ₁	SE ₁	G.	D.	D.
51	68	78	66	8.56	8.99	9.25	8.95	SO ₁	SO ₁	S ₁	D.	—	—
81	76	99	85	11.76	10.31	11.03	11.03	S ₁	SE ₁	N ₁	Np.	Np.	Np.
60	78	84	74	9.59	9.95	10.03	9.86	SO ₂	S ₁	S ₁	D.	—	D.
62	62	78	67	11.51	8.63	10.67	10.27	—	NO ₂	O ₁	Np.	—	—
77	80	83	80	9.75	10.23	9.37	9.78	O ₁	SO ₁	N ₂	N.	D.	N.
82	54	68	68	10.88	7.21	8.61	8.91	N ₃	N ₁	N ₁	—	—	—
80	80	87	82	10.23	9.32	9.54	9.79	N ₁	S ₁	S ₁	Np.	D.	Np.
89	89	93	90	10.91	9.54	10.23	10.23	SO ₁	E ₁	E ₁	N.	N.	G.
92	81	92	88	11.02	9.45	10.38	10.28	O ₁	O ₁	ESE	N.	—	N.
75	90	78	81	9.92	10.39	9.69	9.97	SO ₂	S ₁	S ₁	Np.	Np.	—
98	74	69	80	12.43	7.78	6.45	8.89	—	SO ₂	E ₂	D.	D.	Np.
81	79	90	83	11.60	9.26	10.11	10.22	SO ₂	S ₂	E ₁	Np.	—	—
64	73	77	71	9.13	9.29	8.02	8.81	SO ₂	NO ₁	N ₁	D.	—	—
...	92	79	10.59	9.26	NE ₁	—	—	—	—
74	74	81	76	9.35	8.08	9.57	9.00	SO ₁	SO ₁	SO ₁	D.	D.	Np.
89	92	78	86	10.85	10.59	8.20	9.88	SO ₂	—	—	Np.	—	D.
88	90	95	91	9.85	10.11	10.92	10.29	ONO ₂	NE ₂	N ₂	N.	N.	N.
91	89	83	89	11.03	10.26	10.20	10.50	XNO ₃	N ₂	N ₁	Ll.	—	D.
60	57	81	66	8.67	7.31	9.99	8.66	—	S ₁	S ₁	D.	D.	—
66	73	72	70	9.39	9.65	9.66	9.57	SO ₁	SO ₁	SO ₁	—	—	—
68	74	94	79	9.96	9.65	11.35	10.32	—	—	SO ₁	—	—	—
37	59	83	60	7.19	9.96	10.25	9.13	—	—	E ₁	—	—	—
84	88	52	75	10.47	9.85	6.28	8.87	NNE ₁	NNE ₁	NE ₁	—	—	Ni.
88	90	94	91	9.85	9.59	9.43	9.64	E ₁	E ₁	E ₁	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
	700+	700+	700+	700+									
1	54.94	56.25	55.38	55.52	13.0	12.4	13.0	18.0	12.80	8.0	1.0	1.6	1.0
2	56.28	56.71	57.87	56.95	13.2	12.9	13.6	15.5	13.23	10.2	1.0	1.7	0.8
3	57.34	58.83	57.94	58.01	16.4	13.0	12.1	13.83	8.8	2.5	1.0	1.2
4	56.89	57.02	57.36	57.09	13.4	12.6	10.5	18.3	12.17	7.3	1.1	1.9	1.3
5	56.13	56.19	57.77	56.70	15.7	11.9	10.1	16.2	11.90	8.0	0.9	1.3	0.9
6	56.44	57.61	50.07	54.71	13.6	11.5	9.7	15.6	11.60	7.0	0.8	0.8	0.2
7	58.63	57.79	55.70	57.37	12.4	14.0	15.9	20.0	14.40	9.2	0.7	2.5	1.3
8	56.01	56.18	57.67	56.63	22.4	18.7	16.1	27.3	19.07	9.9	5.4	2.8	3.0
9	56.92	57.02	58.01	57.32	21.1	19.9	17.4	23.6	19.47	11.5	4.9	1.8	2.6
10	55.59	56.32	57.58	56.59	21.4	18.9	13.7	25.5	18.00	10.0	5.1	2.2	1.2
11	59.96	60.62	59.85	60.14	14.2	13.6	11.7	16.3	13.17	9.0	1.4	1.2	1.0
12	60.49	59.89	58.88	59.75	13.4	11.1	17.4	13.97	9.0	1.0	1.2	4.4
13	58.58	57.00	60.78	58.79	14.9	12.6	14.2	18.8	13.90	9.2	1.4	2.0	1.8
14	58.45	58.83	57.27	58.18	15.1	14.9	15.1	18.2	15.03	10.0	2.3	1.9	1.4
15	57.81	57.67	57.87	57.72	18.0	14.2	13.0	19.0	15.40	10.0	3.3	1.2	1.0
16	58.32	57.99	58.67	58.33	15.5	13.6	13.4	17.2	14.17	8.0	2.5	1.8	1.2
17	57.73	59.13	58.95	58.60	15.2	13.0	14.2	16.8	14.13	5.5	3.5	1.6	1.0
18	58.19	57.52	59.19	58.30	16.2	15.2	13.0	20.3	14.80	9.2	3.9	2.4	1.4
19	57.84	59.10	60.80	59.25	16.4	12.4	10.7	18.5	13.17	8.8	2.7	0.6	0.8
20	59.67	58.67	57.79	58.71	16.7	14.1	14.9	20.0	15.25	9.2	4.6	1.3	2.2
21	56.74	57.33	57.70	57.26	19.9	17.4	12.1	22.9	16.57	9.0	0.5	2.5	0.5
22	57.39	58.63	58.27	58.10	20.5	13.0	13.4	15.63	9.3	0.7	0.4	0.5
23	57.41	57.27	59.15	57.93	14.0	12.6	12.6	16.6	13.07	9.5	0.7	0.5	1.0
24	58.44	58.25	58.84	58.51	17.1	13.0	12.7	18.5	14.27	8.8	4.0	3.8	2.1
25	57.44	58.11	58.76	58.10	15.7	13.4	11.7	17.3	13.60	8.5	2.5	1.9	1.3
26	57.91	57.35	57.55	57.60	14.6	12.7	14.2	17.2	13.83	9.0	2.0	2.1	1.8
27	59.15	58.99	59.09	59.08	13.6	13.4	14.9	17.0	13.67	9.7	0.4	0.3	1.4
28	59.27	58.09	57.95	58.44	12.6	14.1	11.7	19.8	12.80	8.0	2.0	0.6	0.9
29	57.18	56.92	58.13	57.41	16.1	14.2	14.9	19.5	15.07	9.0	3.0	3.0	2.0
30	57.63	56.53	57.39	57.18	17.1	14.4	11.7	20.2	14.49	7.6	3.5	2.5	1.9
31	56.47	57.19	58.07	57.24	16.1	13.0	11.4	17.2	13.50	7.3	4.3	1.6	1.8

1	57.29	58.05	58.11	57.82	14.0	11.7	14.9	15.9	13.53	6.0	1.0	0.5	0.7
2	56.91	59.00	57.40	57.77	11.1	10.5	11.1	14.8	10.90	7.0	0.5	0.8	1.0
3	57.86	57.72	59.11	58.23	13.6	10.9	11.7	14.8	12.07	7.4	1.6	0.7	1.2
4	57.95	57.61	58.05	57.87	13.7	12.9	13.6	15.9	13.40	7.2	0.4	1.0	1.5
5	58.79	56.29	57.84	57.64	14.9	13.0	11.5	15.8	13.13	7.8	1.8	1.6	0.9
6	58.12	59.86	57.68	58.55	14.4	10.9	9.9	15.5	11.73	6.5	2.2	1.7	1.2
7	57.91	58.34	60.38	58.88	13.0	9.4	8.0	14.9	10.13	4.5	3.4	1.5	2.0
8	60.54	61.70	61.93	61.36	10.6	7.4	8.4	13.2	8.80	5.0	2.1	1.7	1.7
9	60.06	60.43	60.42	60.56	12.5	11.1	11.1	14.2	11.57	6.5	2.0	0.1	1.5
10	57.07	58.56	60.41	58.69	14.2	11.4	8.6	15.8	11.40	4.5	4.5	2.5	1.2
11	59.89	60.70	60.86	60.48	12.4	10.5	10.5	15.9	11.13	6.4	2.0	1.3	0.9
12	58.07	58.94	59.16	58.71	17.0	12.9	9.9	18.5	13.27	6.1	5.2	2.6	1.5
13	59.17	59.38	59.58	59.36	12.4	10.4	9.2	14.8	10.67	5.6	1.4	2.1	0.8
14	59.61	58.76	59.36	59.24	11.1	9.6	7.4	13.8	9.57	5.6	1.0	0.8	0.8
15	59.12	59.20	58.11	58.81	10.6	11.1	8.6	12.9	10.10	4.5	1.0	1.5	0.9
16	59.29	57.62	58.08	58.30	11.1	10.1	11.1	13.8	10.77	7.0	1.5	0.9	0.5
17	58.96	59.43	58.92	59.11	13.4	11.0	10.1	14.6	11.50	7.2	2.2	1.6	0.9
18	57.64	56.94	55.42	56.67	14.4	10.9	12.1	15.3	12.47	7.0	2.2	1.5	0.9
19	57.00	58.11	58.04	57.74	13.4	12.5	12.4	15.0	12.77	9.0	1.6	1.7	2.2
20	56.87	57.71	58.65	57.73	13.6	12.7	14.2	15.3	13.50	10.0	1.5	0.8	1.5
21	56.34	56.45	55.79	55.19	14.9	13.4	13.4	15.9	13.90	9.0	0.8	0.9	1.7
22	54.52	54.75	54.45	54.57	13.6	12.0	12.4	15.6	12.67	9.2	0.7	0.8
23	55.30	56.54	59.51	57.12	12.7	13.0	13.0	14.8	12.90	9.5	0.4	0.4	0.0
24	58.31	58.81	56.37	57.83	13.2	12.9	12.4	14.7	12.83	9.8	0.5	0.4	0.6
25	56.37	56.87	56.57	56.61	13.0	12.7	13.0	14.2	12.90	9.9	0.6	0.0	0.3
26	59.45	59.55	58.71	59.24	14.2	12.2	12.1	16.4	12.83	8.5	0.4	0.9	0.6
27	56.34	58.29	55.74	56.71	14.4	11.4	9.7	15.7	11.83	6.9	0.2	0.3	0.6
28	54.04	51.71	56.46	55.67	11.1	11.6	12.9	15.0	11.87	9.8	1.6	0.0	0.7
29	57.44	59.46	60.44	59.11	13.6	11.7	12.4	15.2	12.57	8.5	1.1	0.3	0.7
30	56.29	55.48	57.10	56.59	14.0	11.9	11.5	16.5	12.47	7.7	1.8	1.0	1.1

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
88	81	88	86	9.85	8.82	10.20	9.62	E ₁	E ₁	NE ₁	N.	N.	N.
88	80	90	86	9.99	8.90	9.45	9.45	N ₃	N ₁	N ₁	—	—	—
74	88	86	83	9.86	10.20	10.15	10.07	SO ₃	SO ₁	S ₁	D.	D.	Ni.
88	78	81	83	10.14	8.61	8.68	9.15	SO ₁	S ₁	SO ₁	N.	—	—
89	85	88	87	10.33	9.15	8.62	9.37	—	SE ₁	SE ₁	D.	—	—
90	90	97	92	10.11	9.31	9.04	9.49	SE ₁	NE ₁	SO ₁	N.	Np.	N.
92	73	85	83	9.72	8.94	10.77	9.81	NE ₁	NO ₃	O ₁	D.	D.	N.
54	72	69	75	10.24	10.99	9.34	10.19	SO ₃	SO ₁	SO ₁	—	—	Np.
56	82	73	70	10.20	12.53	10.33	11.02	—	E ₁	SO ₃	Np.	—	D.
54	78	86	73	9.53	12.00	10.29	10.61	—	S ₁	E ₁	D.	Np.	—
84	86	87	86	10.39	10.08	9.51	10.06	N ₁	N ₁	—	N.	D.	N.
89	85	53	76	10.56	8.80	6.99	8.78	NO ₁	—	N ₁	—	—	—
84	77	80	80	10.39	8.58	9.37	9.45	E ₁	SO ₁	NO ₂	—	Np.	—
76	79	81	80	9.06	10.09	10.79	9.98	—	S ₁	SE ₁	Ll.	N.	Np.
67	86	89	81	9.51	10.59	10.56	10.22	SO ₁	S ₁	ENE ₁	Np.	D.	—
73	79	86	79	9.29	9.12	9.28	9.23	O ₂	O ₁	SE ₁	N.	N.	D.
63	81	87	77	8.17	9.10	9.33	8.87	SO ₂	SO ₁	—	D.	D.	—
59	74	83	72	7.99	9.24	9.37	8.87	S ₃	E ₁	E ₁	N.	—	—
72	93	90	85	9.59	13.09	9.04	9.57	SO ₁	SE ₁	—	D.	Np.	Ni.
94	85	76	85	11.41	10.16	9.54	10.37	SO ₃	SO ₁	SE ₁	N.	D.	D.
57	74	94	75	9.67	10.39	10.12	10.06	—	—	SO ₁	D.	—	Ni.
92	95	94	94	10.38	10.79	10.86	10.63	—	—	E ₁	—	—	N.
92	94	88	91	11.23	10.86	9.85	10.65	SO ₁	—	SO ₃	Ni.	Ni.	—
61	57	75	74	8.73	6.52	8.14	7.80	SO ₂	SO ₃	NE ₁	Np.	D.	—
73	78	84	78	9.15	8.61	8.80	8.86	O ₁	SE ₁	SE ₁	D.	—	—
78	75	80	78	9.39	8.26	9.72	9.12	SO ₁	SE ₁	E ₁	N.	Np.	—
95	97	84	92	11.13	11.12	9.75	10.67	E ₁	NE ₁	NO ₂	Ll.	D.	Np.
78	93	89	87	9.74	11.22	9.69	10.19	S ₃	SO ₁	N ₁	D.	—	—
68	67	78	71	8.99	7.98	9.25	8.74	SO ₁	—	O ₁	Np.	—	D.
66	73	76	72	9.04	8.94	7.85	8.61	SO ₃	O ₁	E ₁	D.	—	Np.
56	81	78	72	7.67	8.82	8.08	8.19	E ₁	SE ₁	—	Np.	—	—

DE 1873.

88	94	92	91	10.29	9.84	11.09	10.38	O ₁	NE ₁	O ₁	Np.	Ni.	Ni.
94	90	86	90	9.49	8.68	8.86	8.98	SO ₁	E ₁	E ₁	Ni.	—	—
81	91	85	86	9.24	8.45	8.68	8.79	N ₁	N ₁	—	Np.	D.	N.
95	88	83	89	10.21	9.85	9.55	9.87	SO ₁	SE ₁	—	N.	—	—
80	81	88	83	10.07	9.24	9.10	9.47	SO ₃	S ₁	SE ₁	Np.	Np.	D.
74	79	84	79	8.32	7.73	7.85	7.97	—	SO ₁	—	D.	—	—
61	80	73	71	6.88	7.41	6.29	6.86	—	S ₁	—	Np.	—	Np.
73	76	77	75	6.75	6.38	6.57	6.57	E ₁	SO ₁	E ₁	D.	—	D.
76	99	82	86	8.08	9.73	8.26	8.69	SE ₁	S ₁	NE ₁	N.	—	Np.
51	69	84	68	6.16	6.81	7.29	6.75	SO ₃	SO ₁	[SE ₁]	Np.	D.	—
76	83	88	82	8.08	7.91	8.27	8.09	SSE ₁	SE ₁	—	D.	—	—
49	69	80	66	7.28	7.37	7.41	7.35	SO ₃	SO ₁	—	—	Np.	D.
83	73	89	82	8.68	7.05	8.09	7.94	N ₁	SE ₁	—	—	—	N.
86	89	89	88	8.68	8.21	7.64	8.18	ENE ₁	E ₁	NE ₁	N.	—	—
86	81	87	85	8.37	7.97	7.73	8.02	N ₂	NE ₁	E ₁	—	—	D.
81	88	94	88	7.97	8.09	8.57	8.21	NE ₁	SO ₂	NE ₁	—	—	Np.
75	80	88	81	8.46	7.91	8.39	8.25	NO ₁	NO ₁	O ₁	—	—	—
74	81	89	81	8.38	7.79	9.32	8.59	SO ₁	SE ₁	NE ₁	Np.	Np.	N.
82	79	74	78	9.49	8.56	8.32	8.79	NE ₁	NE ₁	E ₁	—	—	—
83	96	83	85	9.55	9.97	10.25	9.92	N ₂	N ₂	—	Ll.	Ll.	—
89	89	80	86	8.09	10.39	9.39	9.29	SE ₁	SE ₁	—	N.	N.	Np.
90	...	90	...	7.07	9.87	O ₂	—	—	Ni.	Ll.	Ll.
95	95	100	97	10.63	10.49	11.16	10.76	NE ₁	NE ₁	NNO ₁	Ll.	—	—
94	95	93	94	10.86	10.77	10.69	10.57	—	—	—	N.	—	N.
93	100	97	97	10.23	11.69	11.33	10.88	N ₂	N ₃	N ₃	Ll.	Ll.	Ll.
95	89	93	92	11.48	9.67	9.78	10.31	SO ₂	SO ₁	SO ₁	D.	D.	D.
98	96	93	96	11.04	9.82	8.80	9.89	S ₁	S ₁	NE ₁	Np.	N.	Ni.
80	100	92	91	8.20	10.28	10.00	9.49	N ₃	N ₃	N ₃	N.	Ll.	N.
88	97	92	92	10.14	10.42	9.93	10.16	NO ₃	N ₂	SE ₂	—	N.	D.
80	87	86	84	9.51	9.17	8.80	9.16	SO ₃	S ₁	SE ₁	Np.	D.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	54.67	54.95	57.96	55.86	12.9	12.6	12.2	16.2	12.57	7.8	1.4	0.5	2.1
2	57.67	60.86	00.97	59.67	14.4	12.1	12.4	15.2	12.97	9.5	2.0	1.7	2.0
3	61.89	61.50	59.93	60.94	13.9	12.0	11.0	15.6	12.30	7.5	2.9	1.7	2.5
4	59.07	58.94	57.66	58.56	14.4	12.7	10.1	15.8	12.40	6.0	0.5	2.3	1.1
5	56.71	55.98	59.13	57.27	14.6	10.2	10.5	15.7	11.77	7.1	2.2	1.4	1.5
6	57.60	58.06	56.30	57.32	12.4	11.1	10.6	13.9	11.37	8.0	1.0	1.7	0.5
7	56.06	56.55	56.43	56.34	12.2	12.1	11.0	13.8	11.77	8.0	1.7	1.6	0.9
8	56.80	56.71	55.69	56.40	13.0	10.1	9.2	14.5	10.77	5.8	2.5	1.9	1.6
9	54.75	55.34	53.37	54.55	13.9	12.4	11.3	15.5	12.50	7.3	2.7	3.2	2.2
10	54.95	56.35	52.52	54.61	12.4	11.7	11.9	16.9	12.00	6.7	1.9	2.0	0.5
11	52.88	52.87	54.95	53.57	13.4	12.9	11.6	14.5	12.63	9.0	1.4	1.4	0.6
12	57.20	59.36	61.26	59.27	9.9	8.0	8.6	13.1	8.83	5.9	1.0	2.2	2.1
13	60.92	60.73	68.68	60.78	12.2	11.0	8.4	13.5	10.53	5.0	1.5	2.4	1.0
14	60.53	61.25	61.11	60.96	12.1	9.9	11.4	13.0	11.13	6.5	2.0	2.2	1.3
15	61.42	61.49	62.19	61.70	12.9	11.1	10.4	13.9	11.47	7.0	1.7	1.0	0.9
16	58.90	58.13	58.84	58.62	12.6	10.4	8.0	14.0	10.33	4.5	2.0	1.7	1.0
17	59.78	60.06	60.12	59.99	12.1	8.6	10.7	14.2	10.47	6.5	1.6	0.5	0.6
18	57.21	57.50	59.98	57.23	14.4	12.1	10.1	16.2	12.20	7.0	1.9	1.3	0.5
19	57.46	57.42	57.86	57.58	13.0	11.7	12.0	16.5	12.23	7.2	2.3	1.4	1.1
20	59.62	60.30	59.73	59.88	12.2	10.9	10.5	13.5	11.20	7.0	0.9	2.0	0.6
21	57.71	59.32	61.07	59.46	12.6	11.1	10.1	13.8	11.27	7.5	1.5	1.0	0.9
22	60.40	61.35	61.86	61.20	13.9	11.0	10.7	15.5	11.87	6.7	2.0	0.6	1.0
23	59.81	59.97	59.87	59.88	14.6	12.4	12.2	16.6	13.07	7.8	2.0	1.3	1.4
24	61.03	61.59	60.76	61.13	12.4	10.5	9.9	14.2	10.93	6.0	2.2	1.4	1.7
25	58.89	60.74	61.67	60.43	12.4	10.6	10.5	16.2	11.17	7.0	2.2	2.6	2.9
26	58.88	59.37	50.66	59.30	16.4	11.1	9.9	17.5	12.47	5.9	3.9	2.7	1.0
27	57.27	57.67	57.98	57.64	12.4	11.4	8.6	16.2	10.80	6.0	2.1	1.0	0.4
28	57.93	56.71	57.62	57.42	11.1	10.6	12.0	15.2	11.23	7.1	0.7	0.9	0.0
29	55.65	54.96	55.13	55.25	13.9	11.5	12.2	15.5	12.53	8.0	2.0	1.0	0.2
30	54.73	54.91	57.61	55.75	12.4	11.9	12.5	15.0	12.27	9.4	1.0	0.6	0.7
31	56.50	55.42	54.67	55.53	11.7	12.6	12.1	13.8	12.13	9.5	0.5	0.9	0.9

1	54.60	52.12	54.23	53.65	13.9	12.4	10.4	14.8	12.23	7.5	0.8	0.7	0.7
2	55.82	55.81	57.40	56.34	8.0	8.6	8.5	12.4	8.37	5.8	1.3	1.0	2.4
3	58.14	60.06	64.77	60.99	10.5	10.4	9.6	11.8	10.17	5.5	1.6	2.8	1.3
4	65.19	66.06	64.30	65.18	12.7	10.6	9.1	11.0	10.80	5.2	0.5	1.5	1.4
5	62.37	62.57	62.87	62.60	10.7	10.5	10.6	12.1	10.60	7.5	1.3	1.0	0.8
6	62.19	62.19	62.30	62.23	12.2	10.2	9.9	13.4	10.77	5.4	0.9	1.4	0.5
7	59.76	59.53	62.08	60.46	13.6	10.9	11.0	14.0	11.83	6.0	0.6	1.1	0.8
8	61.41	56.80	61.43	59.88	12.6	11.1	10.4	15.5	11.37	6.6	0.5	1.2	0.8
9	58.56	60.71	61.86	60.38	14.7	10.6	10.1	15.9	11.80	5.8	0.5	0.2	0.3
10	57.70	58.66	57.68	58.01	12.6	11.1	8.6	14.3	10.77	6.0	0.7	0.0	...
11	56.62	66.06	56.31	59.66	11.1	10.9	9.9	12.5	10.63	6.8	0.9	0.9	0.3
12	56.57	57.38	56.96	56.97	10.6	10.5	11.1	12.3	10.73	8.0	1.0	1.0	1.2
13	57.42	57.53	59.22	58.06	12.6	11.1	12.1	13.6	11.93	7.5	1.2	1.5	1.8
14	58.30	60.76	62.12	60.39	13.9	12.2	12.4	14.2	12.83	6.7	1.0	0.2	1.2
15	61.74	61.89	62.41	62.01	13.2	10.4	10.6	14.8	11.40	6.0	3.0	1.4	1.1
16	61.89	59.66	60.78	60.78	13.5	10.2	10.5	14.5	11.40	6.2	1.7	1.5	1.3
17	55.48	59.50	61.04	60.01	12.2	11.1	11.4	14.4	11.57	6.3	0.9	1.5	1.0
18	60.48	60.03	64.27	61.59	13.0	11.6	10.5	13.5	11.70	6.5	1.6	1.7	1.5
19	63.44	63.49	63.71	63.55	13.2	11.7	11.7	14.5	12.20	6.7	2.2	2.6	1.2
20	61.68	60.94	58.95	60.52	12.4	13.0	13.1	20.2	12.83	6.3	4.7	1.8	1.6
21	56.23	57.24	56.90	56.79	15.4	13.9	11.9	19.5	13.73	8.2	2.1	3.1	1.3
22	56.54	56.27	56.20	56.84	17.6	15.1	12.1	20.5	13.93	8.0	2.5	1.7	0.7
23	56.94	56.37	59.96	57.76	16.7	11.7	12.4	18.2	13.60	8.8	1.5	0.6	1.3
24	58.96	61.20	60.41	60.19	12.4	11.6	11.1	14.8	11.70	8.5	1.0	0.8	1.5
25	58.41	58.86	58.14	58.80	12.9	11.9	11.4	14.9	12.07	8.8	1.6	1.2	0.8
26	57.99	58.47	58.81	58.42	13.5	11.0	12.1	15.0	12.20	7.3	0.9	0.8	1.2
27	58.96	58.64	57.96	58.52	12.7	11.1	12.0	16.2	11.93	7.7	1.3	0.4	0.6
28	57.55	57.81	56.44	57.27	15.5	11.9	13.0	17.2	13.47	7.5	2.0	0.8	1.0
29	57.99	56.99	56.99	57.29	15.0	13.1	11.4	16.0	13.17	9.2	1.2	1.3	0.8
30	57.11	58.85	59.61	58.53	12.6	12.6	13.0	14.5	12.73	9.0	1.1	1.2	1.1
31	62.84	63.36	61.23	62.50	11.2	11.9	12.3	15.7	13.09	7.5	1.1	0.4	1.1

DI 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
83	94	75	84	9.23	10.15	8.02	9.13	NE ₂	N ₂	NE ₂	N.	N.	Np.
78	79	76	78	9.25	8.32	8.26	8.61	N ₁	NE ₁	SE ₁	Np.	—	N.
67	79	69	72	7.95	8.44	6.81	7.73	E ₁	S ₁	SO ₁	D.	D.	D.
94	74	85	84	10.82	7.78	8.15	8.92	—	—	N ₁	—	—	Np.
75	82	81	79	8.74	7.85	7.85	8.15	SO ₁	SO ₁	NE ₁	—	Np.	N.
87	79	94	87	9.54	7.85	8.86	8.75	NO ₁	N ₁	E ₁	N.	N.	—
79	80	88	82	8.32	7.85	8.57	8.25	N ₁	NE ₁	—	—	—	—
70	75	79	75	7.55	7.17	7.17	7.30	E ₁	S ₁	SE ₁	Np.	D.	Np.
69	61	73	68	8.01	6.45	7.25	7.24	SO ₃	S ₂	E ₁	D.	—	D.
78	75	94	82	8.64	7.67	0.16	8.49	—	SE ₁	NE ₂	—	—	—
83	83	93	86	9.37	9.30	9.64	9.44	NE ₁	NE ₂	NE ₃	—	N.	N.
86	73	72	77	8.27	7.28	6.43	7.33	O ₁	—	SE ₂	Ll.	Ll.	Np.
82	71	86	80	8.62	7.37	7.42	7.80	SO ₃	SO ₂	S ₁	N.	D.	D.
76	72	81	77	7.96	6.69	8.50	7.72	—	SO ₁	SE ₁	D.	—	Np.
80	86	88	85	8.76	8.56	8.39	8.57	—	S ₁	SO ₁	—	—	Np.
76	78	86	80	8.26	7.41	7.29	7.65	—	—	S ₁	Np.	—	Np.
80	96	93	90	8.20	7.94	8.80	8.31	SO ₁	SO ₁	SE ₁	—	—	N.
79	84	94	86	9.31	8.68	8.86	8.95	SO ₂	O ₁	S ₁	—	Np.	N.
74	83	86	81	7.96	8.44	8.80	8.37	N ₂	N ₁	NE ₁	N.	N.	G.
89	75	93	86	9.39	7.37	8.80	8.52	N ₁	—	E ₁	Ll.	Np.	Np.
82	86	88	85	8.89	8.86	8.80	8.85	SO ₁	SO ₁	S ₁	N.	N.	N.
77	93	86	85	8.93	9.04	8.56	8.84	SO ₃	S ₁	SO ₁	D.	D.	D.
78	85	83	82	9.39	9.01	8.32	8.91	—	SO ₁	E ₁	Np.	—	Ll.
74	82	78	78	7.96	7.85	7.29	7.70	—	S ₁	—	—	—	D.
75	68	64	69	8.61	6.99	6.27	7.29	SO ₂	—	SO ₁	D.	—	—
59	67	86	71	7.99	6.69	8.09	7.59	SO ₁	SO ₁	—	—	—	—
69	86	95	83	6.99	8.56	8.33	7.96	—	—	E ₁	Np.	—	N.
92	88	100	93	9.04	8.51	9.17	8.91	NO ₁	N ₁	NE ₁	N.	N.	Ll.
77	86	97	87	8.79	8.86	9.52	9.06	NO ₂	NE ₁	N ₃	—	—	N.
87	93	92	91	9.54	9.71	9.72	9.66	N ₃	—	—	Ll.	—	Ll.
94	89	89	91	10.05	9.67	9.67	9.80	—	—	—	—	—	N.

DE 1873.

90	92	92	91	10.39	9.99	8.74	9.69	N ₃	N ₂	NE ₃	N.	Ll.	Ll.
82	86	69	79	6.81	7.42	6.15	6.79	E ₁	E ₂	NE ₂	—	—	—
80	64	83	76	7.61	6.06	7.47	7.05	SO ₃	NO ₁	E ₂	Np.	N.	D.
94	81	81	85	10.22	7.67	7.17	8.35	S ₂	SE ₁	E ₁	D.	D.	N.
83	86	90	86	8.09	8.09	8.68	8.29	SO ₂	SO ₂	NE ₂	N.	Ll.	Ll.
89	81	94	88	9.46	7.53	9.16	8.72	NE ₁	NE ₁	E ₁	Np.	D.	D.
93	86	89	89	10.06	8.21	8.39	8.89	SO ₃	O ₁	—	D.	—	—
94	85	89	89	9.84	8.44	8.45	8.91	—	—	—	—	—	—
94	97	96	96	11.60	9.40	8.98	9.99	—	S ₁	—	—	—	—
92	100	10.74	9.17	S ₁	E ₁	SO ₁	—	—	Ni.
88	89	96	91	8.86	8.68	8.98	8.84	SO ₁	—	NE ₁	Ni.	Ni.	N.
86	86	85	86	9.56	8.51	8.56	8.54	N ₁	N ₁	—	N.	N.	N.
86	82	73	82	9.21	8.26	8.08	8.52	NE ₁	NE ₂	E ₁	—	—	Np.
88	98	86	91	10.20	10.34	9.07	9.87	E ₁	N ₁	S ₁	Ll.	Ll.	D.
66	82	86	73	7.35	7.79	8.27	7.89	SO ₂	S ₁	—	D.	D.	D.
80	81	83	81	9.11	7.97	7.91	8.33	—	—	—	—	—	Np.
83	81	86	85	8.66	8.09	8.56	8.44	—	—	E ₁	N.	—	D.
80	78	81	80	8.74	7.47	7.67	7.96	S ₂	—	S ₁	Np.	N.	—
75	69	85	76	8.46	7.01	8.74	8.07	SO ₃	—	SO ₁	D.	D.	—
55	79	82	72	7.89	8.70	9.49	8.69	S ₂	—	SE ₁	—	—	—
77	65	85	76	9.82	7.53	9.01	8.79	SO ₃	SO ₂	—	—	—	Np.
74	81	92	82	11.39	10.45	9.72	10.52	—	S ₁	—	—	—	D.
84	93	85	87	11.16	9.71	9.15	10.01	SO ₁	NE ₂	SO ₂	—	N.	N.
87	90	82	86	9.54	8.98	8.26	8.93	—	SO ₁	—	G.	—	—
81	85	90	85	9.38	8.52	9.45	9.12	—	SO ₂	S ₁	Np.	—	—
89	90	86	88	10.12	8.98	9.07	9.39	—	SO ₁	—	—	—	—
85	95	93	91	10.02	9.28	9.71	9.67	SO ₂	—	O ₁	—	D.	—
78	10	88	85	9.95	9.66	9.85	9.82	—	—	S ₁	—	—	Np.
86	85	90	87	10.83	9.88	9.97	10.23	N ₁	S ₁	N ₁	N.	N.	G.
85	86	87	86	9.48	9.28	9.54	9.43	S ₁	NE ₁	SO ₁	Ll.	Ll.	D.
89	95	87	90	10.50	10.11	9.47	10.03	O ₁	S ₁	S ₁	D.	D.	—

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	57.53	57.62	59.17	58.11	13.2	15.1	13.4	20.6	13.90	9.0	3.0	2.5	1.0
2	56.16	57.09	58.71	57.32	11.0	13.0	11.4	19.2	11.80	7.3	3.5	1.6	2.0
3	57.46	58.26	59.40	58.37	13.0	11.4	9.9	20.6	11.43	6.2	1.2	1.3	1.0
4	58.49	58.40	58.20	58.36	15.9	12.5	11.4	18.0	13.27	6.5	2.9	1.5	1.0
5	57.60	57.94	57.28	57.61	15.5	12.4	10.5	17.0	12.80	7.4	2.7	1.2	0.5
6	57.96	58.76	58.91	58.54	12.4	11.4	12.1	14.5	16.97	8.0	0.9	0.4	1.0
7	57.99	59.01	57.40	58.13	13.9	12.4	13.1	16.2	13.13	7.5	2.5	1.7	1.2
8	59.24	57.24	59.34	58.61	16.9	12.7	12.6	18.0	14.07	8.0	3.1	1.6	1.4
9	59.97	59.79	58.71	59.49	14.6	11.7	13.0	17.2	13.10	7.5	2.7	1.7	1.5
10	57.93	59.08	59.84	58.95	15.5	12.4	12.4	16.0	13.43	9.6	3.4	1.0	0.6
11	58.41	62.02	63.11	61.18	12.4	11.9	11.7	16.2	12.00	6.0	1.5	1.6	1.9
12	62.60	62.60	59.76	61.59	14.6	11.4	11.1	15.5	12.37	6.2	4.5	1.2	3.2
13	59.99	60.90	60.19	60.33	14.9	13.6	12.4	17.2	13.63	7.9	2.9	2.0	1.1
14	58.71	57.49	59.76	58.65	14.1	13.0	10.5	16.8	12.53	7.3	1.3	1.1	0.5
15	58.06	57.66	59.97	58.36	12.9	11.2	11.1	16.7	11.73	8.5	0.6	0.4	0.5
16	58.04	58.41	58.70	58.38	13.1	11.7	12.6	14.5	12.47	9.6	0.9	0.8	0.4
17	58.79	58.44	58.64	58.62	14.2	11.7	12.1	15.1	12.67	7.0	1.5	1.4	1.2
18	58.01	58.80	58.06	58.29	13.6	12.0	11.7	15.2	12.43	9.0	1.8	1.5	2.3
19	58.64	58.14	56.96	57.91	12.9	11.7	12.4	15.4	12.33	8.7	2.0	1.6	1.0
20	57.74	58.01	57.84	57.86	14.4	11.9	11.1	16.2	12.47	8.0	0.5	0.7	1.3
21	58.50	59.74	60.11	59.45	14.1	12.4	10.5	16.8	12.33	7.9	1.8	0.9	1.0
22	58.90	60.19	58.89	59.33	15.9	11.5	13.5	16.3	13.63	7.2	2.2	1.7	1.4
23	57.69	58.49	60.51	58.90	16.4	12.7	12.4	17.8	13.83	9.7	0.8	1.2	1.4
24	59.93	58.45	60.01	59.26	14.5	11.5	13.0	17.6	13.00	7.1	1.8	0.9	1.1
25	57.59	57.61	58.34	57.85	16.5	12.6	13.5	18.6	14.20	8.2	3.4	1.8	1.9
26	57.98	58.39	60.82	58.90	15.5	13.0	11.7	17.5	13.40	9.0	2.8	1.2	2.0
27	60.88	59.81	61.18	60.44	14.2	12.4	13.2	15.9	13.27	7.2	2.0	3.0	1.1
28	61.23	56.49	58.81	58.84	17.9	13.9	15.2	19.5	15.67	8.5	3.8	0.8	2.0
29	56.58	56.97	57.77	57.11	18.6	16.4	15.4	17.8	16.80	10.0	2.9	2.7	1.5
30	58.06	59.49	58.29	58.61	16.7	14.9	14.6	18.0	15.40	9.0	2.6	3.0	2.5

OCTUBRE

1	59.82	58.11	58.36	58.76	15.1	11.6	13.5	17.5	13.40	7.0	1.0	2.0	2.9
2	57.67	59.90	59.87	59.15	13.6	11.7	14.9	16.0	13.49	8.2	3.9	2.9	2.2
3	59.89	60.12	61.12	60.38	14.9	10.9	14.0	16.2	13.27	8.0	2.6	2.0	3.8
4	60.39	61.15	60.36	60.63	14.6	11.6	13.0	16.0	13.07	6.9	3.6	3.2	2.8
5	59.87	59.34	61.10	60.16	14.2	11.7	12.7	16.2	12.87	6.4	4.0	2.0	3.3
6	60.88	60.84	59.07	60.16	15.1	11.8	13.1	16.8	13.33	6.5	3.7	2.2	1.5
7	59.79	61.25	59.91	60.32	10.5	9.9	12.0	18.2	10.80	6.3	3.5	0.9	1.3
8	60.59	58.33	58.74	59.22	18.1	13.2	12.1	19.2	14.47	7.2	4.2	1.9	1.1
9	58.25	57.59	57.34	57.73	15.6	11.8	13.1	16.8	13.50	7.5	1.9	2.1	2.1
10	59.45	58.51	58.91	58.96	15.4	12.4	13.8	17.2	13.87	7.0	1.4	2.4	2.3
11	59.16	59.83	59.90	59.63	15.7	12.7	14.1	18.4	14.17	7.3	3.0	1.5	1.8
12	59.71	59.91	59.28	59.65	16.1	11.7	13.0	17.5	13.60	7.5	3.8	3.3	4.2
13	61.03	59.29	58.69	59.67	15.1	13.6	14.0	18.5	14.23	7.8	5.2	4.5	1.6
14	54.77	56.57	56.65	56.06	22.1	13.0	13.7	24.2	16.27	9.4	5.4	2.4	2.0
15	56.03	57.31	57.91	57.08	13.6	11.1	12.4	16.2	12.37	9.2	2.0	0.4	1.0
16	57.74	57.78	57.06	57.33	14.1	11.6	12.1	15.8	12.60	8.5	1.8	1.1	0.7
17	56.69	58.41	57.50	57.50	13.6	10.6	12.6	15.0	10.27	7.5	1.8	1.1	1.6
18	59.02	56.72	58.76	58.17	16.1	13.9	12.1	18.0	14.63	8.4	2.5	1.5	1.5
19	55.97	56.43	57.03	56.48	17.1	12.7	15.2	19.6	15.00	8.2	1.6	1.1	1.6
20	55.82	57.17	57.17	56.72	14.9	15.5	14.9	22.2	15.10	8.5	6.5	2.5	2.2
21	56.71	57.99	57.39	57.36	17.1	12.6	13.6	17.8	14.43	9.1	3.0	3.3	2.2
22	56.65	56.88	57.91	57.15	14.4	13.0	14.6	15.9	14.00	9.0	2.3	2.0	1.7
23	58.28	58.83	57.75	58.35	16.1	12.7	15.4	17.5	14.73	8.2	2.5	2.5	2.1
24	58.74	58.26	59.14	58.68	17.7	14.2	15.1	19.2	15.67	9.5	4.4	1.2	2.5
25	59.51	60.28	59.41	59.77	16.3	12.4	14.7	18.5	14.47	8.0	2.5	2.3	2.5
26	58.55	57.34	56.09	57.31	20.4	13.9	14.6	21.6	16.30	7.5	6.6	3.0	2.5
27	57.62	57.89	56.44	57.11	18.7	14.0	15.5	20.5	16.07	8.2	4.9	3.0	2.8
28	57.06	57.03	56.05	56.71	18.6	15.1	14.6	21.0	16.10	7.5	5.3	3.5	2.5
29	56.18	57.19	55.06	55.44	16.7	12.1	12.4	20.9	13.73	6.8	4.7	2.2	2.1
30	58.13	59.30	59.60	59.01	15.2	11.5	14.4	17.2	13.70	6.7	3.3	1.8	2.3
31	57.37	57.32	56.49	57.11	20.5	17.9	15.6	22.4	17.33	8.2	5.8	3.3	2.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2 1/2 h.	9 h.	21 h.	2 1/2 h.	9 h.	21 h.
2 1/2 h.	9 h.	21 h.	Medio	2 1/2 h.	9 h.	21 h.	Medio						
71	73	88	77	10.87	9.29	10.20	10.12	SO ₂	S ₁	SE ₁	D.	D.	Np.
66	81	76	74	9.25	9.38	8.44	9.02	SO ₂	S ₁	—	—	—	Ni.
86	84	89	96	9.73	8.68	8.62	9.01	—	SE ₁	—	—	—	—
69	82	87	79	9.05	8.89	9.19	9.04	—	O ₁	O ₁	—	—	—
71	86	94	84	9.17	9.21	9.16	9.18	—	S ₁	SE ₁	Np.	Np.	G.
89	95	87	90	9.63	9.55	9.19	9.42	NE ₁	SE ₁	SO ₁	N.	—	N.
72	80	86	79	8.63	8.83	9.63	9.03	SO ₂	—	—	—	N.	D.
67	82	84	78	8.72	9.49	9.61	9.27	—	S ₂	SO ₂	D.	—	—
70	79	82	77	8.51	8.44	9.21	8.73	—	SO ₁	SO ₁	—	D.	Np.
64	88	93	82	8.47	10.20	10.72	9.89	SO ₂	S ₁	SE ₁	Np.	N.	N.
83	79	76	79	9.55	7.53	7.79	8.29	—	S ₂	S ₁	N.	D.	D.
53	85	61	66	6.45	8.74	6.21	7.43	SO ₂	S ₁	SO ₂	D.	—	—
68	77	87	77	8.39	8.58	9.27	8.75	—	SO ₁	NE ₁	—	—	N.
85	83	94	89	10.02	9.79	9.16	9.66	NO ₁	S ₁	E ₁	—	—	Ni.
93	95	94	94	10.09	9.69	9.49	9.76	NE ₁	NE ₁	NE ₁	N.	N.	G.
89	90	95	91	9.38	9.31	9.16	9.45	N ₁	N ₁	N ₁	—	—	N.
85	83	86	85	9.38	8.68	9.21	9.26	—	SO ₁	NO ₁	—	—	—
79	82	73	78	8.21	8.68	7.37	8.39	NE ₁	NO ₁	NE ₂	Np.	—	—
77	80	86	81	8.58	8.44	8.56	8.53	—	NE ₁	N ₁	N.	—	Np.
94	92	75	87	11.49	9.72	8.51	9.92	N ₁	N ₂	NE ₁	Np.	Ll.	—
80	89	87	85	9.65	9.31	9.19	9.55	NO ₁	NE ₁	SE ₁	—	D.	D.
76	79	89	79	9.33	8.14	9.57	9.11	O ₁	S ₁	—	D.	—	N.
91	86	83	87	12.37	9.63	9.02	10.34	SO ₂	SO ₁	O ₁	—	—	N.
80	89	87	85	9.37	9.04	9.76	9.39	O ₁	S ₁	E ₁	Np.	—	D.
64	79	78	74	8.75	8.70	9.08	8.84	SO ₂	SO ₁	SO ₂	D.	—	Np.
70	86	76	77	9.94	9.73	7.97	8.91	SO ₂	—	SE ₁	Np.	N.	Ll.
78	65	87	77	9.23	6.77	9.76	8.59	SO ₂	S ₂	SO ₁	D.	D.	D.
63	90	78	77	8.85	10.53	9.95	9.78	—	SO ₁	O ₁	—	—	D.
71	72	84	76	10.73	9.73	11.00	10.51	—	—	SE ₁	Np.	—	Np.
73	69	73	72	10.21	9.31	8.94	9.50	—	—	SO ₂	—	N.	D.

DE 1873.

89	79	67	78	11.20	10.69	7.77	9.92	SO ₂	S ₂	SO ₂	D.	Np.	D.
58	66	75	66	6.93	6.89	8.46	7.43	—	—	SE ₁	Np.	Np.	D.
71	74	58	68	8.85	7.11	6.87	7.61	E ₁	E ₁	SO ₂	—	—	D.
60	61	68	63	7.35	6.45	7.53	7.11	SO ₂	SO ₂	—	D.	D.	—
57	76	63	65	6.75	7.96	7.47	7.38	—	SE ₁	NO ₁	—	—	—
61	74	82	72	7.76	8.08	9.24	8.34	—	SO ₁	SO ₁	—	—	Ni.
64	88	85	79	8.69	8.45	9.29	8.81	—	—	O ₁	Np.	—	N.
59	78	87	75	8.75	9.06	9.27	9.03	SO ₂	SE ₁	E ₁	—	—	N.
79	75	76	77	10.09	8.08	8.78	8.99	—	N ₁	SO ₂	N.	N.	Np.
84	72	75	77	10.47	7.96	8.54	8.99	—	SE ₁	—	Np.	D.	D.
68	82	80	77	8.99	9.24	9.37	9.20	SO ₂	SO ₁	SO ₁	D.	—	D.
61	60	53	58	8.29	6.33	6.04	6.89	—	SO ₂	SO ₂	Np.	Np.	—
45	51	82	59	5.98	5.86	9.91	7.25	—	—	SO ₂	D.	U.	—
51	73	78	67	9.02	8.48	9.25	8.92	NO ₁	SE ₁	NE ₁	—	—	Ni.
78	95	87	87	9.25	9.97	9.61	9.61	NO ₁	NE ₁	O ₁	Np.	N.	N.
80	87	92	86	9.65	9.20	9.72	9.52	O ₁	O ₁	—	N.	—	N.
80	86	81	82	9.37	8.62	9.10	9.05	NO ₂	SO ₂	SO ₁	Np.	Np.	Np.
74	83	82	89	10.79	9.55	8.82	9.73	—	SO ₁	SE ₁	Np.	D.	Ni.
82	83	82	84	10.67	10.42	10.50	10.53	SO ₂	—	S ₁	D.	—	D.
43	74	76	64	7.57	9.65	9.68	8.97	—	N ₁	NE ₁	—	—	Np.
68	63	76	69	9.29	7.47	9.12	8.60	—	SO ₁	—	Np.	Np.	—
76	77	81	78	9.20	8.72	9.99	9.50	NE ₁	SE ₁	E ₁	N.	D.	D.
74	73	77	73	10.79	9.29	9.89	9.99	O ₁	S ₁	—	D.	D.	D.
57	86	73	72	8.56	10.67	9.29	9.51	SO ₂	—	SO ₂	—	—	—
74	74	73	74	10.79	7.99	9.98	9.26	—	—	S ₁	—	—	—
41	67	73	60	6.88	8.33	8.94	8.05	—	—	—	Np.	—	—
54	66	70	63	8.26	7.65	9.11	8.31	SO ₁	SO ₁	SO ₁	D.	D.	—
50	63	73	62	7.67	8.03	8.94	8.24	SO ₁	N ₁	Z ₁	—	—	Np.
53	74	76	68	7.39	8.02	8.87	8.05	—	SE ₁	—	Np.	—	—
64	78	76	73	8.29	8.20	9.20	8.56	—	SO ₁	SO ₁	D.	—	D.
47	65	76	63	8.20	8.46	9.12	8.53	—	—	Z ₁	—	—	—

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Max.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	57.61	56.63	57.31	57.18	16.4	11.7	13.1	18.6	13.73	8.8	2.5	1.9	1.5
2	57.66	58.19	56.85	57.53	15.4	12.6	12.6	17.5	12.87	8.2	1.6	2.6	1.2
3	54.75	56.54	56.94	56.08	21.1	23.0	17.1	27.5	20.40	10.2	5.0	7.5	2.9
4	54.83	55.76	56.73	55.61	24.4	17.2	14.0	25.6	18.53	9.0	7.5	3.0	2.0
5	57.27	58.73	56.49	57.50	19.2	12.2	12.6	14.67	8.0	3.3	1.7	1.8
6	57.40	55.77	56.94	56.70	16.4	12.4	14.0	17.5	14.27	9.2	2.2	1.8	2.0
7	56.57	56.84	55.38	56.26	15.9	12.6	16.1	17.9	14.87	7.8	2.5	2.5	2.0
8	56.78	55.97	57.35	56.70	16.1	12.4	13.4	17.8	13.63	8.4	1.8	1.2	1.9
9	56.13	57.23	57.46	56.94	17.5	12.7	13.9	19.4	14.70	8.3	3.5	1.6	2.0
10	57.11	55.62	57.19	56.64	15.6	11.1	13.0	17.3	13.23	7.8	3.1	1.7	1.6
11	57.03	57.37	56.74	57.05	16.1	12.1	14.9	17.0	14.37	7.2	2.1	1.8	2.3
12	58.22	57.07	58.93	58.07	18.6	13.0	12.6	21.4	14.73	9.0	3.0	1.5	1.5
13	59.02	58.37	58.05	58.48	15.5	12.1	13.4	17.5	13.67	9.2	2.0	1.0	1.6
14	58.24	58.74	58.74	58.57	14.9	11.4	12.7	17.4	13.00	8.2	2.2	1.2	2.0
15	57.63	57.95	60.04	58.54	15.0	11.5	12.6	16.7	13.03	8.2	2.8	1.6	1.8
16	58.85	59.54	59.25	59.21	15.2	12.1	15.6	16.8	14.39	7.0	2.8	1.2	2.2
17	60.16	56.31	58.77	58.41	17.6	13.9	16.0	20.0	15.83	8.2	5.0	1.0	2.5
18	59.58	59.04	59.82	59.48	15.9	14.2	13.6	19.8	14.57	10.0	2.3	1.5	1.5
19	59.92	60.03	59.73	59.89	17.0	13.7	14.6	19.6	15.19	8.7	3.0	1.6	2.0
20	59.57	59.50	56.84	58.47	20.4	15.6	16.1	23.2	17.37	9.5	5.7	4.3	2.7
21	57.46	57.71	58.22	57.80	18.0	15.1	12.4	20.6	15.17	9.5	2.7	1.5	1.0
22	58.81	57.71	58.44	58.32	16.5	14.6	13.6	19.5	14.99	10.0	1.1	1.0	2.3
23	57.97	56.81	57.44	57.24	19.9	16.4	12.4	21.3	16.23	9.5	4.0	1.3	0.8
24	56.67	56.82	56.97	56.55	18.5	13.6	17.4	21.8	16.59	19.8	3.0	1.0	2.5
25	58.75	58.72	58.27	58.58	17.6	14.4	18.6	19.2	16.87	10.0	2.1	1.1	2.0
26	58.24	57.64	55.44	57.11	19.9	15.1	17.4	21.2	17.47	10.5	3.1	2.2	2.6
27	57.86	57.38	57.83	57.52	18.0	14.2	16.1	19.5	16.19	9.0	4.5	2.1	2.8
28	57.05	58.76	57.38	56.73	20.9	16.7	17.4	21.7	18.33	9.2	6.4	3.0	2.9
29	55.64	56.52	56.54	56.25	20.6	16.1	15.5	23.8	17.40	10.0	4.4	2.1	2.7
30	56.55	58.17	57.11	57.28	18.4	13.6	13.7	19.5	15.23	9.4	4.0	2.1	2.3

DICIEMBRE

1	56.25	57.92	56.92	57.03	17.1	14.1	18.9	20.0	16.76	10.0	1.5	0.9	2.0
2	56.93	56.54	56.50	56.66	22.7	20.1	16.1	24.1	19.63	12.0	7.2	5.1	1.3
3	55.71	55.98	57.37	56.35	24.9	18.6	19.2	28.0	20.05	11.0	8.2	5.0	2.8
4	56.84	57.27	56.59	56.90	25.0	18.9	17.4	26.8	20.43	10.8	5.0	3.2	3.1
5	55.93	55.92	56.08	55.98	17.4	14.9	14.9	19.0	15.73	12.5	3.5	1.0	1.0
6	56.27	56.44	57.07	56.59	18.0	14.1	16.1	18.8	16.07	9.8	1.0	2.6
7	56.50	56.10	58.54	57.05	19.2	15.9	17.1	20.5	17.40	10.2	2.8	1.8	1.8
8	57.97	57.82	57.91	57.90	20.2	15.5	18.0	22.0	17.90	10.6	5.5	3.5	2.6
9	57.75	57.99	58.82	57.19	20.1	16.6	20.1	21.8	18.95	11.0	4.6	1.5	2.6
10	56.46	55.86	55.50	55.94	19.9	17.6	17.7	22.0	18.40	11.5	3.8	2.1	1.8
11	57.38	57.49	57.38	57.42	19.6	15.7	18.7	22.1	18.00	11.4	2.6	0.7	2.0
12	56.36	56.71	56.61	56.56	14.9	14.9	14.4	21.5	14.73	10.0	1.0	1.0	2.5
13	57.34	56.51	56.78	56.88	20.2	14.6	18.6	21.0	17.80	10.2	1.6	5.4	1.6
14	56.95	57.42	57.70	57.36	19.1	15.9	18.0	20.8	17.67	11.9	2.4	1.0	2.0
15	58.51	58.14	58.39	58.35	19.5	12.5	16.1	21.5	16.03	10.0	2.2	2.1	2.0
16	56.70	56.61	59.34	57.53	18.0	14.9	14.2	22.2	15.76	13.3	2.5	1.8	3.1
17	59.43	58.38	57.12	58.31	18.2	17.4	18.6	24.4	18.07	13.0	4.9	3.0	2.8
18	54.27	54.29	56.66	55.07	22.6	19.2	16.0	25.6	19.27	11.2	6.0	3.8	1.5
19	57.30	57.26	57.72	57.43	19.9	18.6	16.1	20.3	18.20	12.5	2.5	3.9	1.3
20	57.66	57.42	57.84	57.64	19.5	14.2	14.0	20.9	15.96	10.6	3.0	1.5	1.8
21	57.32	57.36	56.02	56.97	17.2	17.7	15.6	22.5	16.83	11.2	4.7	2.2	2.5
22	53.77	54.05	56.45	54.76	23.6	19.2	18.2	25.4	20.53	11.0	6.3	3.6	2.8
23	56.60	57.07	57.08	56.93	20.4	16.7	17.5	22.3	18.20	10.6	5.6	4.0	2.5
24	56.40	56.57	56.54	56.51	18.4	14.9	18.1	20.2	17.13	9.8	3.5	1.5	2.2
25	53.70	56.07	55.75	55.04	21.1	18.4	16.7	24.5	18.73	10.0	6.3	3.3	2.5
26	56.57	53.95	56.57	55.70	18.4	17.4	18.0	24.2	17.93	10.7	3.0	2.0	2.5
27	56.50	57.21	56.50	56.74	21.1	18.6	17.7	23.8	19.13	12.0	4.0	5.1	4.0
28	55.25	56.15	57.04	56.15	20.1	15.5	17.4	23.0	17.67	10.8	5.1	2.9	3.0
29	57.32	55.21	57.22	56.58	18.9	14.4	18.5	20.6	17.27	10.0	5.6	1.5	4.4
30	55.34	55.13	55.13	55.20	21.7	18.2	17.7	23.0	19.20	11.0	5.5	3.9	2.5
31	54.01	57.12	58.09	56.38	20.6	16.6	15.5	23.1	17.57	11.3	4.0	2.5	2.3

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
74	77	83	78	10.00	8.33	9.99	9.43	SO ₁	SE ₁	S ₁	D.	No.	N.
82	70	86	79	9.49	7.71	9.73	8.98	SE ₁	—	NE ₁	Np.	D.	Ni.
55	37	70	54	9.65	6.96	9.89	8.83	SO ₁	—	SE ₁	D.	—	D.
41	70	78	63	8.21	10.08	9.60	9.39	—	—	SO ₁	—	—	Np.
05	79	79	74	9.02	8.50	8.84	8.89	—	SO ₁	S ₁	—	—	N.
77	79	78	78	10.57	8.84	9.69	9.67	SO ₁	NE ₁	NO ₁	Np.	G.	N.
74	71	78	74	9.65	8.02	10.35	9.34	O ₁	NE ₁	NO ₁	D.	D.	Np.
80	86	78	81	10.23	9.73	9.06	9.67	NO ₁	NE ₁	NO ₁	—	—	D.
66	81	78	75	9.39	9.18	9.25	9.27	SO ₁	NE ₁	NO ₁	—	—	Np.
67	79	81	76	8.86	8.62	9.21	8.91	—	—	SO ₁	—	—	N.
77	79	76	77	10.37	8.77	9.41	9.52	—	—	SO ₁	—	—	N.
70	83	82	78	10.48	9.65	9.21	9.76	SE ₁	S ₁	NE ₁	—	—	N.
78	87	81	82	10.35	9.19	9.33	9.61	O ₁	O ₁	O ₁	N.	No.	N.
76	86	77	80	9.47	10.03	8.58	9.33	SO ₁	SO ₁	SO ₁	D.	D.	—
70	80	79	76	8.76	8.32	8.70	8.59	—	SO ₁	NO ₁	Np.	Np.	—
70	86	76	77	9.18	10.08	9.63	9.63	—	—	S ₁	—	—	D.
52	88	74	71	7.43	10.20	9.65	9.09	—	SE ₁	SE ₁	—	—	D.
76	83	83	81	9.33	10.25	9.97	10.05	O ₁	SE ₁	SO ₁	Np.	D.	N.
69	82	78	76	9.69	9.77	9.95	9.80	NO ₁	SO ₁	O ₁	D.	D.	N.
48	56	72	59	8.26	7.51	9.34	8.58	NO ₁	—	—	—	—	Ni.
73	83	89	82	10.67	10.65	10.53	10.63	O ₁	NO ₁	NO ₁	N.	N.	N.
89	89	76	85	11.48	10.91	9.55	10.63	O ₁	NE ₁	NE ₁	Np.	D.	D.
63	86	91	80	10.26	12.07	10.82	11.05	NO ₁	NO ₁	NO ₁	D.	D.	—
71	89	74	78	10.87	10.56	10.87	10.77	NO ₁	NO ₁	NO ₁	—	—	N.
78	89	80	82	11.27	10.85	12.32	11.13	N.	NO ₁	NO ₁	Np.	Np.	Np.
70	76	73	73	10.81	9.99	9.53	10.13	SO ₁	SO ₁	SO ₁	D.	D.	D.
57	77	71	63	8.83	9.40	9.61	9.14	—	SO ₁	SO ₁	Np.	—	—
43	69	71	61	7.35	9.34	10.63	9.11	—	NE ₁	NO ₁	—	—	—
60	78	72	70	10.02	10.63	10.01	10.32	—	NO ₁	NO ₁	—	—	—
62	76	76	71	10.97	9.01	9.03	9.63	SE ₁	SE ₁	SE ₁	—	—	N.

DE 1873.

84	90	80	85	12.19	11.04	11.48	11.57	SO ₁	SO ₁	S ₁	D.	—	D.
40	53	86	69	8.17	8.42	11.28	9.19	SO ₁	NO ₁	SO ₁	—	—	D.
33	53	72	54	8.53	8.41	10.55	9.50	—	NE ₁	S ₁	—	—	—
59	69	69	66	12.80	11.15	10.66	11.54	—	SE ₁	S ₁	—	—	—
67	89	89	82	9.78	11.39	11.39	10.79	N.	S ₁	S ₁	Np.	N.	Li.
...	89	72	10.91	9.23	...	—	N ₁	SE ₁	—	—	D.
73	81	81	78	11.83	10.97	11.21	11.34	SO ₁	S ₁	SO ₁	D.	D.	—
51	64	74	63	8.56	8.34	11.12	9.34	—	SO ₁	NO ₁	—	—	—
58	84	75	72	9.90	11.79	12.76	11.48	—	SE ₁	SO ₁	—	—	—
65	79	82	75	11.40	11.98	12.44	11.94	—	—	O ₁	—	—	—
75	92	81	83	12.51	11.88	13.80	12.66	—	SO ₁	—	—	—	—
90	89	74	84	12.93	11.59	10.39	11.54	SO ₁	—	NO ₁	—	—	N.
84	49	83	72	13.89	7.74	11.88	11.14	O ₁	SO ₁	—	N.	N.	—
77	89	80	82	12.25	12.09	12.32	12.22	N ₁	N ₁	—	—	—	Np.
78	77	79	78	12.91	9.89	10.63	11.16	—	—	O ₁	Np.	Li.	—
75	80	68	74	11.13	10.23	9.53	10.32	O ₁	SO ₁	NO ₁	—	—	N.
54	70	72	65	8.82	19.98	11.47	10.12	SO ₁	SE ₁	NO ₁	—	—	N.
49	64	84	66	9.45	19.54	11.73	10.59	SO ₁	SO ₁	NE ₁	D.	D.	N.
77	63	86	75	12.89	9.62	12.39	11.63	NE ₁	N ₁	O ₁	N.	N.	—
72	83	81	79	11.71	19.25	10.97	10.98	O ₁	SO ₁	—	Np.	N.	—
57	78	75	79	9.37	11.56	11.58	10.77	SO ₁	SE ₁	SO ₁	D.	D.	D.
49	66	72	62	9.87	19.67	11.34	19.62	—	—	—	—	—	—
50	59	75	61	8.59	8.33	11.18	9.33	—	SE ₁	SE ₁	—	—	—
67	84	78	76	10.18	11.09	11.52	10.10	SO ₁	E ₁	E ₁	Np.	—	—
46	68	78	64	8.24	10.83	11.36	10.13	SO ₁	N ₁	O ₁	—	—	—
71	79	75	75	10.87	11.09	11.58	11.13	SO ₁	SE ₁	SE ₁	—	—	—
64	53	62	69	11.55	8.07	9.88	9.83	—	—	—	—	—	—
51	69	64	62	9.21	9.12	9.33	9.22	—	—	SO ₁	—	—	—
47	82	57	62	7.41	9.21	8.76	8.43	—	—	—	—	—	—
52	63	75	63	9.75	9.88	11.18	10.23	—	—	—	—	—	—
64	74	76	71	11.10	10.21	10.37	10.59	—	SO ₁	SO ₁	—	—	—

Instrumentos.	FEBRERO 28 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	755.48	755.44	755.23	755.53	755.48	756.49	756.95	756.11	755.85
Termómetro centígrado.....	17.1	17.2	15.5	14.0	12.6	12.4	11.6	13.0	14.18
Psicrómet. { Dif. de los term.	4.0	2.8	1.8	2.5	2.1	1.2
{ Humedad relat...	59	72	80	73	76	86	74
{ Fuerza elástica...	8.59	10.21	10.79	8.91	8.52	10.43	9.58
Vientos.....	SO ₁	SO ₃	SO ₁	SO ₁	S ₁	SO ₁	SO ₁	SO ₁
Estado atmosférico.....	Np.	D.	D.	D.	D.	D.	D.	D.
MARZO 10 DE 1873.									
Barómetro reducido a 0°.....	754.95	755.60	754.95	754.86	755.16	755.38	755.38	755.50	755.22
Termómetro centígrado.....	18.7	20.5	20.9	15.5	13.8	13.0	11.9	14.6	16.11
Psicrómet. { Dif. de los term.	3.3	2.7	2.9	2.6	1.3	0.5	1.6
{ Humedad relat...	68	74	73	73	85	91	82	78
{ Fuerza elástica...	19.03	12.61	12.53	9.58	10.53	10.86	10.35	10.94
Vientos.....	SO ₁	SO ₃	SO ₂	S ₁	S ₁	S ₁	SSE ₁	SSE ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	Np.
MARZO 20 DE 1873.									
Barómetro reducido a 0°.....	755.32	755.32	755.10	755.46	755.40	755.38	755.72	755.18	755.36
Termómetro centígrado.....	15.1	15.8	17.2	14.9	13.2	12.1	11.1	14.4	14.50
Psicrómet. { Dif. de los term.	1.4	3.6	2.5	1.6	1.5	1.7	1.5
{ Humedad relat...	85	65	74	82	82	79	83	79
{ Fuerza elástica...	11.30	10.36	10.79	10.50	8.89	8.32	10.25	10.07
Vientos.....	SO ₁	SO ₁	SO ₁	SE ₁	SE ₁	SE ₁	SE ₁	SSE ₁
Estado atmosférico.....	N.	N.	N.	D.	D.	D.	D.	D.
MARZO 30 DE 1873.									
Barómetro reducido a 0°.....	758.09	758.37	758.13	758.69	756.99	757.38	757.71	757.09	757.73
Termómetro centígrado.....	14.9	15.9	14.9	13.8	12.6	11.9	11.4	14.0	13.68
Psicrómet. { Dif. de los term.	1.9	1.9	1.9	2.2	1.5	1.6	1.7	1.5
{ Humedad relat...	79	79	79	76	82	80	79	83	80
{ Fuerza elástica...	9.91	10.41	9.94	9.12	9.24	8.68	8.14	9.90	9.15
Vientos.....	SO ₃	SO ₃	SO ₁	S ₁	S ₁	SO ₁	SO ₁	S ₁
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	D.	Np.
ABRIL 9 DE 1873.									
Barómetro reducido a 0°.....	757.10	757.02	756.92	756.99	757.29	757.51	758.03	757.09	757.24
Termómetro centígrado.....	18.4	18.4	17.7	15.1	13.0	12.1	11.1	13.6	15.24
Psicrómet. { Dif. de los term.	4.7	4.7	3.9	3.0	3.0	1.1	1.1	1.4
{ Humedad relat...	56	56	62	63	67	87	87	81	71
{ Fuerza elástica...	8.52	8.87	8.79	8.64	7.98	9.34	9.27	10.03	8.99
Vientos.....	SO ₃	SO ₁	SO ₂	S ₁	SO ₁	SO ₁	SO ₁	S ₁
Estado atmosférico.....	D.	D.	D.	Np.	D.	D.	D.	D.

Instrumentos.	ABRIL 19 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	756.75	757.57	757.04	757.33	757.59	758.08	757.31	757.47	757.64
Termómetro centígrado.....	17.6	17.5	18.6	15.2	15.6	11.3	10.1	12.4	14.54
Psicrómet. {	Dif. de los term...	4.5	4.2	4.8	2.5	2.6	2.5	1.6	1.9
	Humedad relativa	56	58	55	73	70	71	79	77
	Fuerza elástica...	7.73	8.33	8.25	9.29	8.13	7.84	7.61	8.02
Vientos.....	SO ₂	SO ₂	E ₁	NO ₁	SO ₁	N ₁	N ₁	N ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	N.
ABRIL 29 DE 1873.									
Barómetro reducido a 0°.....	756.43	756.57	757.44	756.47	757.39	757.49	757.70	755.73	756.91
Termómetro centígrado.....	14.4	13.6	13.6	12.4	11.2	10.4	9.9	11.4	13.36
Psicrómet. {	Dif. de los term...	1.5	1.4	1.1	1.0	1.0	0.5	0.5
	Humedad relativa	83	84	88	88	87	94	94	88
	Fuerza elástica...	10.27	10.47	10.14	9.85	9.19	9.22	8.80	9.71
Vientos.....	E ₁	NNE ₁	NNE ₁	NE ₁	NE ₁	NE ₁	NE ₁	NE ₁
Estado atmosférico.....	Ni.	D.	D.	D.	D.	D.	Ni.	Ni.
MAYO 9 DE 1873.									
Barómetro reducido a 0°.....	756.98	756.89	756.86	757.12	757.67	758.14	758.47	758.01	757.5
Termómetro centígrado.....	20.5	22.1	21.0	19.9	17.1	16.8	13.9	17.4	18.59
Psicrómet. {	Dif. de los term...	3.8	4.7	2.2	1.8	2.5	2.4	0.8	2.0
	Humedad relativa	65	59	78	82	74	75	91	79
	Fuerza elástica...	11.16	11.39	12.00	12.53	10.79	10.45	10.82	11.17
Vientos.....	SO ₂	SO ₂	SO ₂	E ₁	E ₁	SO ₂	O ₁	SO ₂
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.
MAYO 19 DE 1873.									
Barómetro reducido a 0°.....	759.39	758.41	758.89	759.10	759.00	758.35	759.07	760.80	759.1
Termómetro centígrado.....	14.9	16.1	15.0	12.4	12.8	11.1	11.0	10.8	13.01
Psicrómet. {	Dif. de los term...	1.7	2.5	1.5	0.6	0.6	0.6	0.5	0.8
	Humedad relat...	81	74	83	93	93	93	94	90
	Fuerza elástica...	9.85	9.79	10.25	10.09	9.85	9.54	9.49	9.04
Vientos.....	SO ₁	S ₁	SE ₁	SE ₁	SE ₁	NE ₁	E ₁	E ₁
Estado atmosférico.....	D.	D.	D.	Np.	N.	N.	Ni.	Ni.
MAYO 29 DE 1873.									
Barómetro reducido a 0°.....	757.20	757.83	757.73	756.92	756.23	757.59	758.51	758.13	757.5
Termómetro centígrado.....	15.5	16.1	14.8	14.3	13.1	13.0	12.8	14.9	14.31
Psicrómet. {	Dif. de los term...	2.2	3.1	3.1	3.0	3.0	2.7	3.3	2.0
	Humedad relat...	76	67	66	67	66	69	62	69
	Fuerza elástica...	9.68	8.86	7.99	7.98	7.35	7.65	6.88	9.12
Vientos.....	SO ₂	O ₁	SO ₂	SO ₁	SO ₁	O ₁	O ₁	O ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	Np.	D.

Instrumentos.		JUNIO 8 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	759.72	759.44	762.19	761.70	761.87	760.96	760.77	761.93	761.07
Termómetro centígrado.....	mm.	10.6	10.5	8.6	8.0	7.4	7.9	7.9	8.4	8.65
Psicrómet. {	Dif. de los term...	2.6	2.5	1.3	1.7	1.3	0.5	1.3	1.7
	Humedad relativa	68	69	83	75	82	93	81	77	79
	Fuerza elástica...	6.45	6.51	7.23	6.38	6.71	7.06	6.11	6.57	6.62
Vientos	NE ₁	SO ₁	SO ₁	SO ₁	SO ₁	NE ₁	NE ₁	E ₁
Estado atmosférico.....	D.	Np.	Np.	Np.	D.	D.	D.	D.
JUNIO 18 DE 1873.										
Barómetro reducido a 0°.....	mm.	758.30	757.01	756.56	756.93	755.26	755.17	754.11	755.42	756.10
Termómetro centígrado.....	mm.	15.9	14.6	13.0	10.9	10.2	9.2	11.0	12.1	11.86
Psicrómet. {	Dif. de los term...	2.5	2.9	1.8	1.5	1.8	2.5	0.4	0.9
	Humedad relativa	71	67	78	81	76	89	95	89	80
	Fuerza elástica...	7.96	7.77	8.21	7.79	7.05	7.11	8.69	9.32	7.99
Vientos	O ₁	SO ₁	SE ₁	SE ₁	SE ₁	SE ₁	N ₁	NE ₁
Estado atmosférico.....	N.	Np.	Np.	Np.	Np.	Np.	Np.	N.
JUNIO 28 DE 1873.										
Barómetro reducido a 0°.....	mm.	755.58	754.07	753.61	754.51	754.49	754.57	755.36	756.46	754.8
Termómetro centígrado.....	mm.	10.9	11.0	11.7	11.6	12.4	13.0	12.6	12.9	12.14
Psicrómet. {	Dif. de los term...	0.4	1.0	1.4	0.0	2.0	0.4	2.0	0.7
	Humedad relativa	95	86	83	100	76	95	77	92	88
	Fuerza elástica...	9.40	8.89	8.68	10.28	8.23	10.63	8.93	10.69	9.37
Vientos	N ₁	N ₁	N ₃	N ₃	N ₂	N ₃	N ₃	N ₃
Estado atmosférico.....	N.	N.	N.	Ll.	N.	N.	N.	N.
JULIO 8 DE 1873.										
Barómetro reducido a 0°.....	mm.	758.06	756.90	757.13	756.71	756.66	756.58	756.22	755.69	756.75
Termómetro centígrado.....	mm.	12.9	13.1	10.5	10.1	9.6	9.0	8.9	9.2	10.41
Psicrómet. {	Dif. de los term...	2.7	2.7	2.7	1.9	1.4	1.4	1.2	1.6
	Humedad relativa	68	68	67	75	81	81	83	79	75
	Fuerza elástica...	7.25	7.19	6.51	7.17	5.95	6.90	7.07	7.17	7.03
Vientos	E ₁	E ₂	S ₃	S ₁	SE ₂	SE ₁	SE ₁	SE ₁
Estado atmosférico.....	Np.	Np.	D.	D.	D.	D.	Np.	Np.
JULIO 18 DE 1873.										
Barómetro reducido a 0°.....	mm.	757.50	758.16	757.49	757.54	757.35	756.25	756.52	756.99	757.7
Termómetro centígrado.....	mm.	13.8	14.4	12.4	12.1	10.5	9.9	9.2	10.1	11.55
Psicrómet. {	Dif. de los term...	1.5	2.1	2.1	1.3	0.8	0.9	0.7	0.5
	Humedad relativa	82	77	75	84	89	88	91	94	85
	Fuerza elástica...	9.24	9.19	8.02	8.68	8.63	8.09	8.05	8.86	8.59
Vientos	SO ₃	SO ₂	SO ₂	O ₁	O ₁	SO ₁	S ₁	S ₁
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	D.	Np.	N.

Instrumentos.		JULIO 28 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	757.36	757.53	756.81	756.71	757.53	758.60	756.61	757.62	757.33
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		11.9	11.1	11.0	10.6	10.5	10.2	10.6	12.0	10.99
Psicrómet. {	Dif. de los term...	1.0	0.5	1.1	0.9	1.0	1.0	0.9	0.0
	Humedad relativa	86	94	86	88	86	86	88	100	89
	Fuerza elástica....	9.04	9.16	8.50	8.51	8.27	8.21	8.51	9.17	8.67
Vientos	NO ₁	NO ₁	N ₁	N ₁	N ₁	N ₁	N ₁	NE ₁
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.	Ll.
		AGOSTO 7 DE 1873.								
Barómetro reducido a 0°.....	mm.	760.44	759.41	758.64	759.53	760.35	761.55	761.90	762.08	760.49
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		12.8	13.5	12.6	10.9	9.9	9.2	8.6	11.0	11.06
Psicrómet. {	Dif. de los term...	1.3	1.6	2.1	1.1	0.8	0.7	0.9	0.8
	Humedad relativa	84	81	75	86	89	91	88	89	85
	Fuerza elástica....	8.92	9.10	8.20	8.21	8.09	7.95	7.48	8.59	8.29
Vientos	SO ₂	SO ₃	SO ₂	O ₁	O ₁	SE ₁	SE ₁	S ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	D.
		AGOSTO 17 DE 1873.								
Barómetro reducido a 0°.....	mm.	760.62	759.25	759.93	759.59	757.76	759.36	759.91	761.04	759.92
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		12.1	13.1	12.4	11.5	10.1	9.1	9.4	11.4	11.09
Psicrómet. {	Dif. de los term...	1.1	1.0	1.8	1.5	1.0	1.1	0.8	1.0
	Humedad relativa	86	86	78	81	86	86	89	86	85
	Fuerza elástica....	8.98	8.56	8.20	8.09	7.97	7.28	7.84	8.56	8.19
Vientos	SO ₂	SO ₁	SO ₁	S ₁	S ₁	S ₁	SE ₁	E ₁
Estado atmosférico.....	N.	N.	N.	Np.	Np.	D.	D.	D.	D.
		AGOSTO 27 DE 1873.								
Barómetro reducido a 0°.....	mm.	757.87	758.16	757.98	758.64	758.06	757.97	757.64	757.96	758.04
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		11.9	11.6	12.6	11.1	10.4	10.6	10.5	12.0	12.08
Psicrómet. {	Dif. de los term...	1.3	1.4	1.2	0.4	0.6	0.3	0.5	0.6
	Humedad relativa	85	84	86	95	93	96	94	98	91
	Fuerza elástica....	10.37	10.17	9.42	9.28	8.80	9.10	9.16	9.71	9.56
Vientos	O ₁	SO ₂	SO ₁	SO ₁	SO ₁	SO ₁	SE ₁	O ₁
Estado atmosférico.....	Np.	N.	Np.	D.	D.	N.	Np.	N.
		SEPTIEMBRE 6 DE 1873.								
Barómetro reducido a 0°.....	mm.	757.51	758.16	758.51	758.76	759.36	758.34	758.48	758.91	758.51
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		12.6	12.2	11.7	11.4	11.0	9.9	9.9	12.1	11.21
Psicrómet. {	Dif. de los term...	1.0	0.9	0.5	0.4	1.1	1.0	1.0	1.0
	Humedad relativa	87	89	94	95	86	86	86	87	89
	Fuerza elástica....	9.51	9.53	9.81	9.55	8.62	8.27	8.33	9.19	9.11
Vientos	O ₁	NE ₁	SE ₁	SE ₁	SE ₁	SE ₁	SE ₁	SO ₁
Estado atmosférico.....	Np.	N.	N.	Np.	N.	N.	N.	N.

Instrumentos.	SETIEMBRE 16 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
Barómetro reducido a 0°.....	758.21	757.67	757.84	758.39	758.51	758.11	758.96	758.70	758.80	
	0	0	0	0	0	0	0	0	0	
Termómetro centígrado.....	12.7	12.4	12.2	11.7	11.6	11.5	11.4	12.6	12.02	
Psicrómet. {	Dif. de los term.	1.0	0.9	0.9	0.8	1.0	1.7	0.9	0.4
	Humedad relat...	88	89	89	90	87	79	88	95	88
	Fuerza elástica...	9.85	9.74	9.32	9.31	8.19	8.50	8.92	9.28	9.26
Vientos.....	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.	N.	

Instrumentos.	SETIEMBRE 26 DE 1873.									
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
	Barómetro reducido a 0°.....	758.14	757.93	759.03	758.39	758.64	759.10	759.54	760.32	758.89
	0	0	0	0	0	0	0	0	0	
Termómetro centígrado.....	16.1	15.2	13.2	13.0	12.6	12.2	10.9	11.7	15.65	
Psicrómet. {	Dif. de los term.	3.1	2.7	1.4	1.2	1.5	0.8	1.4	2.0
	Humedad relat...	67	71	81	86	82	90	83	76	80
	Fuerza elástica...	8.93	9.03	9.61	9.73	8.89	9.45	8.44	7.96	9.01
Vientos.....	SO ₂	SO ₂	O ₂	SO ₁	SO ₂	SO ₁	SO ₁	SE ₁	
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	Np.	Ll.	Ll.	

Instrumentos.	OCTUBRE 6 DE 1873.									
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
	Barómetro reducido a 0°.....	759.87	761.07	758.71	760.84	761.28	759.35	759.80	759.07	760.00
	0	0	0	0	0	0	0	0	0	
Termómetro centígrado.....	14.2	15.1	13.4	11.9	10.6	9.6	9.5	13.1	12.17	
Psicrómet. {	Dif. de los term.	3.5	3.7	2.5	2.2	1.4	1.1	1.8	1.5
	Humedad relativa	62	61	72	74	82	86	76	82	74
	Fuerza elástica...	7.35	7.69	8.28	8.08	8.09	8.21	7.35	9.21	8.03
Vientos.....	SO ₂	SO ₂	S ₁	SO ₂	SE ₁	SE ₁	SE ₁	SO ₁	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	

Instrumentos.	OCTUBRE 16 DE 1873.									
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
	Barómetro reducido a 0°.....	758.26	758.65	756.98	757.78	758.14	757.74	757.49	757.06	757.76
	0	0	0	0	0	0	0	0	0	
Termómetro centígrado.....	13.6	13.7	12.4	11.6	11.5	10.9	11.4	12.1	12.15	
Psicrómet. {	Dif. de los term.	1.5	1.9	1.4	1.1	1.0	0.6	1.2	0.7
	Humedad relativa	83	79	83	87	87	93	86	92	86
	Fuerza elástica...	9.90	9.31	8.23	9.29	9.19	9.16	9.28	9.72	9.25
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	O ₁	SO ₁	O ₁	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.	

Instrumentos.	OCTUBRE 26 DE 1873.									
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
	Barómetro reducido a 0°.....	758.14	758.37	757.25	757.51	757.95	757.96	757.61	757.09	757.74
	0	0	0	0	0	0	0	0	0	
Termómetro centígrado.....	18.6	20.1	16.1	15.9	12.4	10.5	11.1	11.6	14.66	
Psicrómet. {	Dif. de los term.	4.6	6.6	5.3	3.0	2.8	2.6	1.7	2.5
	Humedad relativa	55	41	46	67	68	69	79	73	62
	Fuerza elástica...	8.30	6.74	6.26	8.33	7.47	7.01	8.26	8.94	7.65
Vientos.....	SO ₁	SO ₂	SO ₂	S ₁	S ₁	SE ₁	SE ₁	SE ₁	
Estado atmosférico.....	D.	D.	D.	Np.	Np.	D.	D.	D.	

Instrumentos.		NOVIEMBRE 5 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....		758.22	757.12	758.30	758.73	757.13	756.98	757.14	756.49	757.38
Termómetro centígrado.....		14.9	17.1	15.4	12.2	10.6	10.8	11.1	12.6	12.85
Psicrómet. {	Dif. de los term.	2.3	3.4	2.3	1.7	0.9	1.2	1.3	1.8
	Humedad relat...	75	66	75	79	88	86	84	79	79
	Fuerza elástica...	9.41	9.16	8.61	8.50	8.68	9.94	8.68	8.81	8.97
Vientos.....		SO ₂	SO ₂	SO ₂	SO ₁	SO ₁	S ₁	S ₁	S ₁
Estado atmosférico.....		D.	D.	D.	D.	D.	N.	N.	N.
		NOVIEMBRE 15 DE 1873.								
Barómetro reducido a 0°.....		759.34	757.89	758.92	757.95	758.51	758.64	759.22	760.04	758.81
Termómetro centígrado.....		14.6	15.1	13.2	11.5	11.4	11.8	12.0	12.6	12.79
Psicrómet. {	Dif. de los term.	2.8	3.1	2.0	1.6	1.6	1.2	1.4	1.8
	Humedad relat...	69	66	77	80	89	86	83	79	78
	Fuerza elástica...	8.66	8.55	8.83	8.32	8.44	9.07	8.68	8.70	8.67
Vientos.....		SO ₂	SO ₂	SO ₂	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁
Estado atmosférico.....		N.	Np.	N.	Np.	Np.	N.	N.	N.
		NOVIEMBRE 25 DE 1873.								
Barómetro reducido a 0°.....		758.22	758.72	758.97	758.72	758.50	758.06	758.25	758.27	758.47
Termómetro centígrado.....		17.7	17.8	16.4	14.3	13.6	14.0	15.5	18.6	16.0
Psicrómet. {	Dif. de los term.	2.0	2.0	1.5	1.1	1.9	1.0	0.9	2.0
	Humedad relat...	89	89	84	89	79	89	99	80	84
	Fuerza elástica...	11.48	11.64	11.40	10.85	9.31	11.12	11.60	12.32	11.22
Vientos.....		N ₁	N ₁	NO ₁	NO ₁	O ₁	O ₁	SO ₁	SO ₁
Estado atmosférico.....		Np.	D.	D.	Np.	Np.	Np.	Np.	Np.
		DICIEMBRE 5 DE 1873.								
Barómetro reducido a 0°.....		756.62	754.39	754.71	755.92	755.96	755.87	756.87	756.08	755.80
Termómetro centígrado.....		17.9	17.1	15.5	14.9	14.7	15.0	14.6	14.9	15.81
Psicrómet. {	Dif. de los term.	1.0	2.3	1.7	1.0	1.4	1.9	0.9	1.0
	Humedad relat...	62	77	82	89	84	79	90	89	82
	Fuerza elástica...	9.48	11.07	11.12	11.30	10.95	10.17	11.25	11.30	10.83
Vientos.....		O ₂	SO ₁	S ₁	SO ₁	S ₁	N ₁	NE ₁	N ₁
Estado atmosférico.....		D.	D.	N.	N.	N.	N.	N.	Ll.
		DICIEMBRE 15 DE 1873.								
Barómetro reducido a 0°.....		756.96	757.85	758.15	758.14	757.86	758.50	757.85	758.39	758.00
Termómetro centígrado.....		20.4	19.9	16.7	12.5	12.4	13.0	13.2	16.1	15.52
Psicrómet. {	Dif. de los term.	2.5	1.9	0.2	2.5	2.1	1.0	1.0	2.0
	Humedad relat...	77	82	98	75	77	88	88	79	83
	Fuerza elástica...	12.89	13.35	14.13	9.71	9.54	10.06	10.20	10.69	11.32
Vientos.....		N ₂	N ₁	N ₁	N ₁	N ₁	NE ₁	E ₁	O ₁
Estado atmosférico.....		Np.	Np.	N.	Ll.	Ll.	Ll.	N.	Np.

Instrumentos.	DICIEMBRE 25 DE 1873.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 756.55	mm. 756.15	mm. 756.66	mm. 756.67	mm. 756.81	mm. 755.92	mm. 753.87	mm. 755.75	mm. 756.05	
Termómetro centígrado.....	21.4	22.4	19.9	18.4	15.1	14.6	14.9	16.7	17.95	
Psicrómet {	Dif. de los term...	5.5	5.3	3.8	3.3	2.4	0.8	1.5	2.2
	Humedad relativa	51	54	63	68	75	91	84	80	71
	Fuerza elástica...	8.96	9.63	9.76	10.85	10.13	11.56	11.00	11.48	10.42
Vientos.....	SO ₂	SO ₂	SO ₁	NE ₁	NE ₁	E ₁	SO ₁	O ₁	
Estado atmosférico.....	D.	D.	D	D.	D.	D.	D.	D.	

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mín.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o		o	o	o	o	o	o	o
1	59.47	57.99	59.05	58.84	14.5	12.6	13.1	13.2	4.2	1.5	2.1
2	60.03	59.68	57.51	59.07	15.0	12.1	14.5	13.9	4.5	0.8	3.4
3	56.65	58.52	58.12	57.79	17.2	14.0	13.5	14.9	5.5	3.0	2.5
4	58.51	58.75	59.55	58.94	17.3	14.0	10.9	14.1	3.4	1.9	0.8
5	59.67	59.83	59.41	59.64	14.0	12.5	12.5	13.6	2.3	1.8	1.5
6	58.92	59.49	56.85	58.43	17.5	13.3	18.0	16.3	5.0	1.0	5.6
7	55.52	54.88	56.73	55.71	17.0	13.0	17.0	15.7	6.2	3.3	4.1
8	56.22	58.51	56.99	57.24	18.2	13.5	14.8	15.5	7.0	3.8	2.5
9	57.22	58.96	57.81	58.63	17.0	12.5	13.2	14.2	6.4	2.0	3.0
10	58.35	57.59	58.31	58.08	14.7	11.0	11.5	12.4	3.2	1.0	1.6
11	58.57	56.19	58.71	57.83	15.5	11.5	12.0	13.0	2.2	1.6	1.8
12	59.41	58.62	57.54	58.53	15.2	11.8	12.2	14.2	2.3	1.7	1.8
13	57.45	56.31	56.61	56.79	13.1	11.2	12.2	12.2	2.0	1.5	0.7
14	58.10	58.45	59.59	58.68	15.1	12.8	13.0	13.6	2.4	0.9	1.0
15	60.00	57.09	58.32	57.47	15.4	13.5	14.3	14.4	1.8	1.2	1.8
16	57.53	57.78	56.98	57.43	15.0	13.2	12.5	12.9	2.7	1.2	1.0
17	59.57	58.99	59.65	59.40	16.8	13.0	14.2	14.7	4.1	0.6	2.4
18	56.22	58.64	60.48	58.45	16.5	14.8	14.0	15.1	2.2	2.2	1.8
19	58.05	59.17	61.03	59.42	15.6	15.0	14.7	15.1	2.0	5.0	2.6
20	30.96	60.65	58.39	60.06	14.7	13.9	14.6	14.4	2.5	1.9	2.8
21	59.51	57.87	63.30	60.23	13.5	12.5	14.0	13.3	2.5	1.7	2.0
22	56.41	56.54	58.57	57.17	14.5	12.2	13.2	13.3	2.4	1.1	1.4
23	59.17	57.59	60.15	58.97	16.0	12.8	13.0	13.9	2.2	0.8	1.5
24	60.59	60.16	58.99	59.91	16.9	13.2	14.0	14.7	2.3	1.9	1.5
25	60.43	58.87	60.50	59.93	16.0	13.0	13.5	14.3	2.8	1.5	1.5
26	58.62	58.50	60.29	59.14	16.2	13.5	14.5	14.7	3.2	2.5	1.3
27	60.57	58.87	61.67	60.37	16.0	13.8	14.2	14.7	3.2	3.4	1.0
28	61.04	61.23	16.2	13.2	13.8	14.4	2.0	1.5	0.8
29	59.92	58.77	60.73	59.81	15.8	13.1	13.5	14.1	2.1	0.8	1.4
30	62.64	62.58	62.09	62.44	16.0	13.9	15.0	15.0	1.7	1.5	2.1
31	61.31	62.27	60.97	61.52	16.2	13.2	14.2	14.5	2.8	1.6	1.0

1	60.63	61.63	62.06	61.13	15.2	13.1	11.0	14.1	2.6	2.1	2.2
2	62.39	61.82	62.31	62.17	16.0	13.0	13.8	14.3	2.6	2.0	2.2
3	61.60	59.62	61.68	60.56	14.2	11.2	14.1	14.2	3.1	3.1	2.1
4	59.85	60.25	61.39	60.56	15.8	12.7	13.2	13.6	3.0	2.0	1.6
5	59.76	61.62	60.68	60.69	15.2	12.0	14.0	13.7	2.9	1.1	2.7
6	59.62	59.43	61.39	60.17	14.8	13.1	15.7	14.5	4.2	2.3	3.3
7	59.09	60.27	56.78	58.71	16.6	13.9	15.0	15.2	3.8	2.9	3.5
8	56.72	57.23	58.99	57.63	16.8	13.0	13.9	14.6	4.6	4.3	2.1
9	61.12	59.37	59.85	60.12	15.3	12.0	11.7	13.0	3.3	1.8	1.6
10	60.35	59.39	59.84	59.86	11.7	12.6	12.6	13.3	2.9	1.7	0.8
11	61.19	61.55	61.99	61.55	15.5	13.6	12.0	13.5	2.4	1.8	1.9
12	60.98	60.81	60.41	60.75	15.0	12.8	12.3	13.4	2.5	2.3	0.9
13	59.69	58.81	59.91	59.44	15.2	12.6	12.5	13.4	2.4	1.0	0.6
14	59.85	59.03	57.70	58.86	15.1	13.3	12.9	13.4	1.1	1.2	1.0
15	58.03	58.12	57.35	57.83	16.3	14.0	13.5	14.6	1.8	0.5	1.6
16	58.52	58.47	57.52	58.17	16.0	13.5	13.6	14.4	2.0	1.5	1.0
17	58.19	57.96	58.30	58.15	15.4	13.9	13.9	14.4	2.3	1.6	0.9
18	57.91	57.09	57.71	57.58	14.7	13.0	13.8	13.8	2.1	1.7	2.8
19	58.61	58.63	58.76	58.47	16.1	12.7	12.0	13.6	3.2	2.5	1.8
20	58.44	57.94	58.53	58.39	14.5	12.2	14.6	13.6	2.4	1.6	1.8
21	58.52	59.21	59.01	58.91	15.0	13.7	13.5	13.7	2.8	2.0	2.5
22	58.75	58.69	59.35	58.95	15.2	13.6	13.2	13.8	4.1	2.5	2.8
23	56.65	58.28	58.85	57.59	18.3	13.5	12.7	14.8	5.1	2.0	1.6
24	59.75	59.61	60.89	60.06	15.2	13.1	11.0	14.1	1.7	1.2	2.1
25	60.53	59.42	61.13	60.58	14.7	14.3	11.4	14.5	3.4	3.3	1.8
26	58.69	58.47	60.55	59.25	16.7	14.6	13.1	14.6	3.4	2.1	1.3
27	60.45	60.63	60.81	60.66	15.0	12.2	12.5	13.2	2.5	1.2	1.9
28	60.88	58.97	59.75	59.87	15.2	14.3	12.2	13.9	3.9	3.0	1.2

DE 1874

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
60	84	76	73	9.35	11.00	10.51	10.29	SO.	S.	SO.	D.	D.	D.
56	91	67	71	8.78	10.82	10.00	9.87	SO.	S.	NE.	—	—	—
52	70	74	65	9.75	10.08	10.33	10.07	—	N.	NE.	—	—	—
68	80	91	80	12.18	12.02	10.82	11.65	O.	SO.	—	—	—	—
78	80	83	80	11.30	10.63	10.60	10.81	SO.	—	SO.	Np.	—	N.
57	90	54	67	10.49	12.33	11.00	11.47	—	—	—	D.	—	D.
46	66	62	58	8.14	8.86	10.92	9.31	—	—	—	—	—	—
43	63	75	60	8.41	8.99	11.18	9.54	—	—	S.	—	—	—
43	79	69	67	7.84	10.69	9.55	9.36	—	—	S.	—	—	—
68	89	82	80	10.60	10.56	10.19	10.45	—	SO.	SO.	—	—	—
78	82	80	80	11.76	10.33	10.21	10.77	NE.	N.	O.	—	—	—
77	81	80	79	11.94	10.55	10.42	10.97	—	N.	N.	D.	—	N.
79	81	92	84	10.85	10.13	11.88	10.95	SO.	O.	SO.	Np.	N.	Np.
77	90	89	85	12.07	12.23	12.09	12.13	NE.	N.	N.	N.	N.	N.
82	87	81	83	12.89	12.25	11.76	12.29	NE.	NO.	SO.	N.	N.	N.
73	87	89	83	11.70	12.41	11.94	12.03	SO.	SO.	S.	D.	D.	Np.
63	83	76	74	10.60	11.73	11.24	10.99	—	SE.	SE.	—	—	Np.
80	77	81	79	14.01	11.05	12.16	12.41	—	SO.	SO.	D.	D.	N.
80	53	76	70	11.48	8.13	11.56	10.39	—	S.	S.	Np.	—	N.
75	80	72	76	11.58	11.83	10.99	11.48	—	—	—	D.	—	N.
74	81	80	78	10.95	9.93	11.98	10.97	—	—	—	Np.	—	N.
76	88	83	82	11.40	11.24	11.50	11.38	O.	N.	N.	—	—	—
79	91	84	85	13.08	11.82	12.19	12.36	NO.	NO.	NE.	Np.	—	—
79	80	84	81	13.20	11.62	12.19	12.34	N.	SO.	SO.	—	Np.	—
73	85	81	81	12.28	11.40	12.43	12.00	SO.	—	—	D.	D.	—
70	74	87	77	11.85	10.53	12.92	11.75	—	—	NO.	Np.	—	—
66	84	84	73	11.58	9.45	12.56	11.20	—	S.	S.	—	—	—
81	84	94	86	13.20	11.79	13.71	12.87	—	—	SE.	—	—	G.
80	91	83	85	13.32	12.45	12.05	12.61	—	NO.	NO.	D.	—	—
83	85	79	82	13.94	12.62	12.62	13.06	NO.	N.	—	N.	—	Np.
73	83	84	80	12.19	11.66	12.56	12.14	SO.	S.	SO.	D.	Np.	—

DE 1874.

73	78	78	74	12.15	10.45	11.36	11.31	SO.	—	SO.	D.	Np.	Np.
75	79	77	74	12.40	10.69	11.24	11.43	SO.	—	—	Np.	D.	N.
69	69	79	72	10.02	10.10	11.58	10.57	NO.	—	NO.	D.	Np.	N.
72	78	82	77	11.71	10.35	10.75	10.94	—	—	SO.	Np.	—	—
71	83	72	77	11.03	11.13	10.67	10.96	—	—	O.	D.	—	Np.
61	76	68	68	10.38	10.51	10.77	10.55	—	—	—	—	—	—
65	71	66	67	11.40	11.01	10.57	10.99	—	—	SO.	—	—	—
58	59	73	65	9.90	8.33	11.19	9.79	—	—	O.	—	—	Np.
68	80	83	77	10.85	10.21	11.02	10.69	O.	SO.	O.	Np.	Np.	Np.
71	82	91	81	10.79	10.67	12.06	11.17	NO.	—	SO.	—	N.	N.
77	81	89	82	12.07	10.37	11.46	11.30	O.	SO.	S.	—	N.	N.
75	77	90	77	11.58	11.39	11.84	11.55	NO.	S.	NO.	N.	N.	N.
77	89	83	86	12.07	11.78	12.10	11.98	Np.	SO.	—	Np.	N.	N.
89	87	89	88	13.63	12.24	12.95	12.66	—	—	—	N.	N.	N.
83	95	83	87	13.95	14.12	11.89	13.32	NO.	—	SO.	—	—	N.
81	84	90	85	13.38	12.19	12.95	12.83	—	—	NE.	—	—	N.
77	83	91	81	12.76	12.24	13.17	12.74	O.	SO.	—	—	—	N.
79	82	72	78	12.44	10.58	10.24	10.57	—	—	—	D.	Np.	N.
69	74	80	74	15.75	10.99	10.07	10.27	—	—	—	D.	Np.	N.
76	82	81	80	11.32	10.82	12.16	11.43	—	—	—	Np.	—	Np.
72	80	74	75	11.15	11.48	10.39	11.01	—	—	O.	D.	—	N.
61	74	71	69	9.82	10.00	10.02	9.95	—	—	S.	—	—	D.
56	80	89	73	10.61	11.48	12.09	11.39	—	—	SO.	—	—	N.
83	87	79	83	13.13	11.97	11.58	12.33	NE.	SO.	NO.	—	—	Np.
67	67	82	72	10.14	10.06	12.44	10.87	—	—	SE.	N.	—	N.
68	79	84	77	12.09	11.58	11.95	11.87	SE.	SE.	NE.	Np.	—	N.
75	87	79	80	11.74	12.24	10.50	11.43	SO.	NO.	SO.	D.	—	Np.
71	70	87	76	10.87	10.98	11.63	10.83	—	NE.	S.	D.	—	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	A 0°										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	59.86	59.88	60.49	60.08	15.7	13.0	14.0	22.5	14.2	11.5	3.1	2.3	2.8
2	60.26	59.69	60.33	60.11	16.6	13.3	12.5	22.4	13.8	10.2	5.4	2.8	1.8
3	58.05	58.21	58.10	58.12	19.0	14.1	13.0	25.1	15.4	10.3	7.8	3.8	2.1
4	57.89	56.09	58.24	57.41	14.0	12.9	12.2	18.4	12.7	11.9	2.1	0.8	1.8
5	59.48	59.01	60.14	59.54	14.4	12.5	13.9	19.0	13.6	11.5	0.7	1.3	1.2
6	59.97	60.58	59.81	60.12	14.8	13.0	13.7	19.7	13.8	11.2	2.7	3.6	3.0
7	59.05	59.49	59.94	59.49	16.4	13.8	12.9	23.2	14.4	10.5	5.3	2.6	2.3
8	58.78	59.44	60.00	59.41	14.8	11.3	11.0	19.4	12.4	9.3	3.6	0.7	1.3
9	59.93	59.11	59.48	59.51	13.0	11.5	11.0	17.6	11.8	10.0	2.5	1.2	1.1
10	58.14	58.10	57.77	58.00	12.7	12.1	10.4	22.2	11.7	9.5	1.0	1.2	1.0
11	57.89	57.99	55.41	57.10	13.7	11.6	10.5	18.0	11.9	9.0	2.0	2.7	1.2
12	57.15	56.91	56.82	56.96	14.2	11.2	10.7	18.5	12.0	9.1	1.7	1.5	0.5
13	58.59	59.31	60.50	59.12	12.8	10.5	11.1	17.7	11.4	10.0	1.8	1.0	3.0
14	60.51	59.78	58.82	59.70	13.6	11.5	10.9	18.8	12.0	9.8	2.3	0.8	0.8
15	58.19	58.21	58.26	58.20	15.5	12.0	13.0	21.0	13.5	10.0	3.1	1.1	2.0
16	59.49	58.63	59.30	59.14	16.0	13.4	13.2	22.0	14.2	10.6	3.5	1.4	1.0
17	57.28	58.94	59.41	58.54	16.2	11.8	12.0	21.8	13.9	10.2	5.2	2.8	1.6
18	60.46	59.54	58.18	59.39	14.1	12.5	11.2	19.8	12.6	8.6	3.8	4.5	2.2
19	59.44	60.02	60.25	59.94	14.8	12.2	11.7	20.4	12.9	9.0	2.5	2.2	1.5
20	57.86	59.15	59.21	58.74	13.2	14.6	11.8	25.3	13.2	9.2	6.3	3.6	0.7
21	59.76	57.97	60.03	59.25	14.0	12.2	12.0	22.4	12.7	9.5	2.5	1.8	1.5
22	59.38	59.74	60.76	59.96	13.2	11.0	14.1	18.5	12.8	9.3	2.1	1.2	1.2
23	60.63	61.96	61.51	61.38	13.0	11.7	11.8	17.8	12.2	5.2	2.6	1.3	1.7
24	61.08	58.84	61.12	60.35	12.4	10.8	11.1	17.3	11.4	8.1	1.6	1.5	1.2
25	59.39	60.04	59.22	59.55	13.0	10.9	11.0	18.8	11.3	9.8	1.8	0.9	1.5
26	59.11	60.45	58.24	59.27	13.0	11.0	10.8	19.8	11.6	9.2	2.1	1.6	2.6
27	59.01	59.04	58.64	58.90	12.8	11.2	11.2	17.0	11.7	7.5	3.0	1.2	0.7
28	58.62	59.91	60.46	59.66	14.2	12.0	12.3	20.2	12.8	5.5	1.7	0.5	0.7
29	58.47	58.24	60.12	58.94	15.0	11.3	11.6	20.0	12.6	9.3	2.7	1.0	1.4
30	58.12	57.64	57.25	57.67	12.7	11.0	12.5	17.8	12.1	9.6	2.0	0.8	1.3
31	55.69	56.01	58.22	56.64	14.0	11.2	11.5	20.8	12.2	9.9	2.5	1.0	1.0

ABRIL

1	58.62	58.10	58.96	58.56	15.3	13.0	10.8	20.7	13.0	8.5	3.7	6.1	1.8
2	59.29	59.76	58.24	59.07	14.0	10.8	11.0	19.8	11.9	8.0	4.0	2.0	1.5
3	57.94	59.05	59.18	59.06	14.2	11.8	10.3	20.2	12.1	8.2	4.8	2.0	2.5
4	58.42	59.59	58.12	59.01	14.8	10.8	11.0	19.8	12.2	8.0	4.0	1.3	1.3
5	58.90	59.44	58.16	58.85	13.5	11.2	11.1	18.5	11.9	9.0	2.3	1.6	1.1
6	59.02	59.71	58.24	58.99	12.0	11.3	10.5	20.0	11.9	9.5	1.2	0.8	1.0
7	57.85	58.60	59.16	58.51	11.8	11.8	11.4	20.2	11.7	10.8	1.0	1.0	1.4
8	59.91	58.18	58.98	59.02	14.0	11.3	11.2	18.3	12.2	9.0	2.5	1.3	1.3
9	58.15	58.23	58.74	58.37	12.8	11.8	12.0	17.5	12.2	10.0	1.9	1.4	0.8
10	58.01	57.89	59.06	58.32	12.5	11.9	12.2	17.8	12.2	11.0	1.5	1.3	1.2
11	58.69	60.15	59.98	59.62	14.8	12.0	12.3	20.8	13.0	10.7	3.1	1.7	1.5
12	58.47	58.87	59.01	58.68	18.9	13.0	11.0	24.0	14.0	19.0	4.5	1.8	1.5
13	59.91	60.63	60.02	60.19	12.8	11.5	10.5	20.0	11.5	10.0	1.1	1.0	1.0
14	60.01	59.05	61.17	60.09	12.2	11.9	10.5	21.0	11.2	8.8	1.5	1.8	1.3
15	59.48	59.34	59.10	59.31	15.2	11.5	11.0	21.1	12.2	10.4	3.2	1.3	1.0
16	59.61	59.55	60.04	59.73	13.8	11.6	11.5	17.8	12.3	9.6	2.9	0.8	1.2
17	59.09	60.11	59.38	59.53	12.6	10.1	10.0	16.8	10.7	8.0	2.0	0.3	0.9
18	60.43	59.66	60.05	60.05	12.0	9.9	10.1	16.0	10.7	9.0	1.3	0.8	0.6
19	60.16	58.74	59.88	59.59	10.0	10.0	10.8	15.8	10.5	10.0	0.6	1.0	1.0
20	60.21	59.06	59.38	56.55	13.6	10.8	11.0	17.2	11.5	9.8	1.2	1.0	1.6
21	60.04	60.66	60.06	60.23	12.6	11.0	11.8	17.0	11.8	9.9	1.6	1.5	1.0
22	60.10	60.44	59.14	59.85	15.2	13.2	11.5	20.5	13.3	9.2	3.6	3.1	2.6
23	59.17	60.11	59.78	59.35	16.2	11.5	10.8	22.5	12.8	8.3	3.9	1.1	1.0
24	58.31	59.54	60.64	59.59	13.5	11.6	9.0	24.1	11.2	7.0	1.7	1.0	1.1
25	59.51	61.24	60.16	60.54	13.0	10.3	10.0	17.8	11.1	8.0	2.5	1.0	1.0
26	59.34	59.56	61.58	60.09	11.8	10.9	10.5	16.6	10.8	9.8	2.0	1.0	1.2
27	59.00	60.48	60.71	60.09	12.5	9.8	10.0	16.5	10.7	8.0	2.4	2.2	1.3
28	59.84	58.35	61.18	59.73	11.8	10.0	10.8	15.6	10.5	9.0	1.5	0.9	1.6
29	61.04	61.51	60.75	61.09	11.1	10.1	9.8	15.8	10.7	7.5	1.3	1.3	...
30	60.31	60.16	61.96	60.82	14.0	12.0	12.0	18.7	12.7	9.5	2.0	1.8	1.2

DE 1874.

PSICÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
71	75	72	73	11.37	10.26	10.21	10.61	SO.	SE.	SO.	D.	D.	Np.
51	71	80	67	8.62	9.67	10.70	9.66	—	E.	E.	Np.	—	Np.
37	63	88	59	7.57	9.60	10.63	9.27	—	NO.	NO.	D.	—	Np.
78	91	80	83	11.35	11.42	10.35	11.04	—	NE.	N.	Np.	—	Np.
92	86	87	88	11.86	11.91	11.97	11.92	NO.	NO.	NO.	N.	—	Np.
73	63	69	68	11.36	8.41	9.69	9.77	SO.	SE.	SO.	Np.	D.	Np.
51	73	75	66	8.44	10.65	10.05	9.71	—	S.	S.	D.	—	Np.
65	92	85	81	9.46	10.95	10.16	10.36	—	—	SE.	—	—	Np.
74	86	88	83	10.14	10.78	10.99	10.64	—	—	SE.	—	—	Np.
89	86	88	88	11.86	10.99	10.20	11.02	—	—	NO.	Np.	—	Np.
79	70	86	78	11.09	8.51	9.73	9.78	NE.	N.	—	—	—	Np.
82	83	94	86	11.67	10.25	10.50	10.81	—	—	—	—	—	Np.
79	88	68	78	10.57	9.99	8.64	9.67	SO.	SO.	E.	—	Np.	Np.
76	91	91	86	10.67	11.17	10.82	10.89	SO.	S.	NO.	—	D.	Np.
69	88	78	78	10.74	10.99	10.39	10.68	SO.	SO.	NO.	—	D.	Np.
66	85	89	80	10.97	11.85	12.09	11.64	—	—	NE.	—	D.	Np.
53	70	82	68	8.83	8.76	10.51	9.38	—	S.	NO.	—	—	Np.
63	52	76	64	8.99	6.45	9.68	8.37	—	SO.	E.	—	—	Np.
74	76	83	78	9.65	8.68	10.53	9.95	—	—	NO.	—	—	Np.
45	64	92	67	8.64	9.26	11.39	9.73	—	E.	NE.	—	—	Np.
74	78	83	78	10.39	10.30	10.69	10.43	SE.	SE.	E.	Np.	Np.	Np.
77	86	86	83	10.52	9.94	10.99	10.48	SO.	SO.	NO.	D.	D.	Np.
73	85	81	80	10.07	10.65	10.13	10.28	NO.	O.	NE.	Np.	Np.	Np.
82	82	86	83	10.75	9.38	10.29	10.14	SO.	NO.	—	D.	D.	Np.
80	90	83	84	10.56	10.62	9.55	10.24	—	SE.	NE.	—	Np.	Np.
77	81	71	76	10.31	9.45	8.64	9.47	—	SO.	—	—	Np.	Np.
68	86	92	82	8.64	10.78	10.95	10.12	—	—	SE.	D.	D.	Np.
82	94	92	89	11.67	12.69	11.72	11.86	—	—	NE.	—	—	Np.
73	88	84	82	11.14	10.29	10.31	10.55	—	SE.	SO.	—	—	Np.
78	90	85	84	10.20	10.32	10.86	10.49	—	S.	—	Np.	—	Np.
74	89	89	84	10.63	10.56	10.91	10.76	NE.	SE.	—	—	—	Np.

DE 1874.

64	38	80	61	10.66	5.44	9.86	8.45	SO.	SE.	SE.	D.	D.	Np.
59	77	83	73	8.45	8.93	9.55	8.98	—	SO.	S.	—	—	Np.
52	78	72	67	6.38	9.69	8.84	8.27	—	NO.	NO.	—	—	Np.
61	85	85	77	8.75	10.16	9.81	9.57	—	SE.	S.	—	—	Np.
75	82	87	81	10.35	9.84	10.28	10.15	—	—	NO.	—	—	Np.
87	91	84	85	11.82	11.05	9.99	10.95	SE.	—	—	—	—	Np.
89	89	84	87	10.91	10.65	10.17	10.57	NO.	N.	N.	Np.	—	Np.
74	85	85	81	10.33	10.16	10.02	10.11	NO.	NO.	NO.	D.	D.	Np.
79	84	91	85	10.57	10.33	11.58	10.81	—	S.	S.	—	—	Np.
84	85	87	85	11.09	10.58	11.18	10.82	NO.	NO.	SE.	N.	N.	Np.
69	81	81	79	10.18	10.06	11.28	10.51	NE.	S.	SO.	Np.	Np.	Np.
66	81	83	75	11.05	11.37	10.39	10.93	NO.	NO.	N.	D.	D.	Np.
88	89	88	88	12.53	10.37	10.29	11.05	NE.	NE.	SE.	Np.	Np.	Np.
85	80	85	83	10.69	9.37	9.67	9.88	NO.	NO.	—	Np.	Np.	Np.
68	85	89	81	10.09	10.72	10.56	10.63	—	N.	NE.	D.	D.	Np.
79	84	86	85	11.63	10.82	10.57	10.85	NE.	NO.	—	Np.	Np.	Np.
79	84	86	85	10.33	10.71	10.12	10.25	NO.	NE.	SE.	D.	D.	Np.
65	84	84	84	10.81	9.80	10.23	10.43	NE.	NE.	N.	Np.	Np.	Np.
63	84	82	85	10.47	9.55	10.50	10.15	NO.	NO.	—	Np.	Np.	Np.
87	84	82	85	9.72	8.95	8.88	9.15	—	—	—	—	—	Np.
65	87	72	78	9.62	11.13	10.29	10.25	—	—	—	D.	—	Np.
64	89	84	85	10.88	10.70	10.06	10.86	SE.	SE.	NE.	—	—	Np.
71	84	84	84	9.67	10.66	9.53	9.73	—	SE.	NE.	—	—	Np.
74	84	84	84	9.67	9.19	9.70	9.18	—	SE.	NE.	—	—	Np.
74	85	85	81	9.41	8.41	9.17	9.11	—	SE.	NO.	—	—	Np.
83	83	81	81	9.95	9.37	9.15	9.74	—	SE.	S.	Np.	—	Np.
83	83	83	82	10.43	9.01	—	9.75	—	—	SE.	—	—	Np.
82	82	82	82	10.69	10.57	10.71	10.65	—	—	NO.	—	—	Np.

DÍAS.	BARÓMETRO REDUCIDO a 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros.		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°	°	°	°	°	°
1	60.56	60.64	59.18	59.96	15.0	13.0	11.5	20.0	13.2	9.0	4.0	4.6	2.0
2	58.00	59.56	61.07	59.54	13.5	10.5	10.5	18.3	11.5	6.5	4.0	2.0	2.0
3	59.44	59.70	59.71	59.62	13.3	10.2	10.2	18.5	11.2	8.0	5.2	2.3	1.4
4	59.10	60.62	61.13	60.48	13.0	10.0	10.5	18.8	11.2	8.8	3.0	1.0	0.5
5	59.11	59.70	58.72	59.18	16.0	11.8	9.2	21.1	12.3	8.0	2.9	1.1	1.2
6	58.98	58.51	60.87	59.45	14.5	10.8	10.3	20.5	11.9	8.6	2.8	0.5	0.5
7	59.06	60.82	60.22	60.03	14.0	11.0	10.5	18.7	11.8	9.0	1.8	1.0	1.0
8	58.61	58.56	59.91	59.03	15.0	10.8	9.0	19.3	11.6	8.0	2.5	1.0	1.5
9	58.61	60.09	60.97	59.86	13.8	11.7	12.8	20.9	12.8	9.2	2.0	1.5	4.5
10	59.84	60.08	59.71	59.88	13.2	10.8	10.9	18.0	11.6	8.0	4.9	3.8	1.8
11	58.41	58.36	58.34	58.37	13.9	11.0	10.0	19.8	11.6	7.0	4.5	3.1	1.5
12	58.42	57.68	59.32	58.47	10.8	9.2	9.8	13.5	9.9	7.8	2.0	0.9	1.8
13	58.76	59.88	59.34	58.96	11.2	9.5	10.0	15.0	10.2	8.0	1.4	1.2	1.0
14	59.24	58.68	59.51	59.14	11.8	8.5	9.0	16.5	9.8	6.2	1.3	1.6	1.0
15	58.84	58.36	59.88	59.03	13.0	11.3	10.9	18.0	11.4	7.3	3.2	3.6	1.5
16	59.17	58.96	58.73	58.95	12.0	10.0	9.0	16.3	10.3	8.3	3.3	1.7	1.7
17	59.38	60.99	60.33	60.23	11.5	8.6	8.5	15.3	9.5	8.0	3.1	1.3	1.0
18	58.64	58.18	58.32	58.38	11.0	9.5	9.1	15.6	9.9	7.2	3.5	2.0	1.3
19	58.01	57.59	55.48	58.36	10.0	10.0	9.9	14.8	10.0	9.0	1.0	1.7	1.0
20	56.07	56.51	57.83	56.80	10.2	9.0	9.5	14.9	9.6	8.0	1.0	0.8	1.5
21	61.27	61.87	58.63	60.59	10.4	10.1	9.2	15.0	9.9	7.0	0.7	1.7	0.7
22	59.98	60.71	62.92	61.01	10.5	9.0	9.0	15.2	9.5	6.0	1.0	1.7	4.0
23	61.27	62.62	60.75	61.55	10.2	8.0	7.2	14.5	8.5	4.7	2.7	2.0	1.6
24	60.77	60.81	61.27	60.95	10.6	8.8	9.2	14.6	9.5	6.1	2.5	1.2	1.0
25	60.11	61.32	60.68	60.73	10.5	8.5	8.0	14.6	9.0	6.0	1.5	1.0	0.5
26	60.23	60.43	60.50	60.38	10.0	9.0	9.0	14.5	9.3	7.0	0.8	0.8	1.0
27	60.61	59.99	60.73	60.44	10.2	9.1	9.8	14.6	9.7	7.3	0.8	0.3	0.8
28	61.10	60.87	59.69	60.55	13.0	10.0	9.0	17.0	10.7	6.5	2.0	1.0	1.1
29	58.48	57.75	58.14	58.36	9.7	8.3	10.0	15.5	9.3	6.8	1.0	0.6	1.3
30	58.14	58.21	60.47	58.94	11.0	10.5	8.5	14.6	10.0	8.0	2.6	1.2	0.5
31	60.84	61.18	57.61	59.88	10.0	9.2	10.0	13.8	9.7	8.5	0.6	0.6	1.1

JUNIO

1	57.13	56.18	58.38	57.23	11.2	10.2	10.6	11.3	10.5	9.2	1.5	0.5	0.5
2	59.98	57.74	59.75	59.15	9.9	11.0	10.0	14.8	10.5	9.3	0.6	1.6	0.8
3	59.98	52.90	60.51	57.80	12.0	10.8	10.8	15.8	11.2	9.0	1.5	0.5	0.8
4	57.56	58.04	59.38	58.33	14.8	10.0	8.5	19.7	11.1	7.0	1.7	2.2	0.8
5	58.68	59.74	60.37	59.60	10.0	9.5	9.8	15.2	9.8	7.6	1.1	0.9	1.1
6	59.98	59.66	58.23	59.29	11.0	10.2	10.0	15.3	10.4	9.2	1.5	1.0	1.5
7	58.11	58.41	58.57	58.36	10.2	9.8	10.5	14.3	10.2	9.6	1.4	1.4	2.1
8	58.19	57.58	56.66	57.48	10.6	10.2	10.3	15.0	10.2	9.5	1.7	1.8	1.4
9	66.12	57.68	56.21	60.01	9.8	8.3	8.2	15.1	8.8	6.2	1.0	0.8	0.7
10	61.19	63.02	61.70	61.97	7.5	6.8	8.0	15.0	7.4	5.2	0.6	1.0	0.8
11	62.72	63.44	61.54	62.57	10.0	8.5	8.7	15.1	9.1	5.0	2.0	0.5	1.0
12	61.19	62.63	60.28	61.37	11.0	9.8	8.5	14.8	9.8	5.5	2.0	0.5	3.0
13	60.02	60.19	61.44	60.55	10.6	8.0	8.5	14.0	9.0	5.4	2.3	1.3	1.2
14	60.08	60.04	58.53	59.55	11.3	9.6	8.9	16.5	9.9	6.7	2.1	0.5	1.3
15	59.16	57.61	57.70	58.16	11.0	9.8	7.9	15.3	9.6	6.0	1.8	1.4	0.9
16	58.13	58.31	56.63	57.69	9.8	8.8	7.0	15.6	8.5	5.3	0.7	1.7	0.5
17	57.25	57.19	56.45	56.96	8.0	8.3	8.8	14.5	8.4	5.8	0.7	0.6	0.7
18	56.29	59.35	59.58	58.41	9.0	8.8	9.0	14.2	8.9	7.3	1.7	1.1	1.5
19	60.13	59.38	58.75	59.42	11.0	9.0	8.8	14.6	9.6	6.8	1.4	1.2	1.8
20	60.01	57.03	55.45	57.51	10.5	9.1	9.8	14.3	9.8	7.0	1.0	1.2	1.6
21	56.01	53.34	58.91	57.09	10.0	10.2	10.0	13.9	10.1	7.8	0.7	0.5	1.5
22	58.28	59.52	58.34	58.71	11.0	10.8	11.0	15.0	10.9	9.0	0.9	0.7	0.5
23	58.28	57.12	56.98	57.46	12.0	9.8	11.5	15.8	11.1	9.1	1.5	1.3	1.6
24	56.92	56.55	57.81	57.03	11.8	11.2	10.0	15.6	11.0	8.0	1.9	1.2	2.0
25	59.26	60.21	61.32	60.26	11.0	11.0	10.0	15.0	10.9	9.0	1.7	1.0	1.6
26	59.76	59.34	59.33	59.68	11.8	9.5	9.8	16.0	10.4	7.2	1.5	1.7	1.3
27	59.76	59.08	58.45	59.10	11.3	8.0	7.5	15.2	9.0	6.0	1.8	1.0	1.0
28	58.08	59.71	58.04	58.61	10.3	10.8	10.0	14.2	10.5	7.0	1.6	1.3	1.5
29	56.91	56.18	57.70	57.20	10.3	9.3	9.5	15.2	9.9	6.1	1.1	0.6	1.3
30	58.17	59.53	58.59	58.70	10.4	8.8	8.9	15.3	9.2	7.0	1.9	1.8	1.0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
61	53	76	63	8.73	7.01	9.12	8.29	SO.	SE.	SO.	D.	D.	D.
59	77	75	70	8.03	8.93	8.46	8.47	—	—	NO.	—	—	Np.
79	74	83	79	6.65	8.40	9.02	8.02	—	S.	SO.	Np.	—	D.
68	88	94	83	8.99	9.85	10.50	9.45	—	SE.	—	D.	Ni.	Np.
71	88	86	82	10.01	10.85	9.07	10.31	—	SO.	SE.	Np.	Np.	Ni.
72	94	94	87	10.37	10.86	10.57	10.60	—	SE.	—	D.	D.	N.
81	88	88	86	10.97	10.41	10.20	10.53	—	SO.	—	Np.	—	D.
74	88	82	81	10.89	10.20	8.26	9.78	—	SE.	—	D.	N.	D.
79	83	52	71	10.69	10.25	6.45	9.13	—	SO.	S.	—	N.	D.
50	57	79	62	6.69	6.40	9.51	7.53	—	—	O.	—	—	—
46	65	82	64	6.82	7.29	9.56	7.89	—	O.	SE.	—	—	Np.
78	89	78	81	9.25	8.68	8.08	8.67	NE.	SO.	NE.	—	—	N.
84	85	87	85	9.75	8.86	9.51	9.05	—	S.	SO.	N.	Np.	D.
85	80	86	84	10.51	8.20	8.56	9.09	SO.	—	—	D.	D.	—
66	60	82	69	8.52	7.05	9.56	8.38	—	—	—	—	—	—
63	79	79	70	7.59	7.85	9.55	8.33	—	SO.	S.	—	—	—
65	83	86	78	7.59	8.09	7.72	7.87	—	E.	SE.	—	—	—
61	75	84	73	7.08	7.55	8.44	7.68	—	SE.	NE.	Np.	N.	N.
87	79	87	84	9.19	7.85	9.19	8.74	N.	N.	N.	N.	Ll.	Ll.
87	90	94	90	9.51	8.98	9.49	9.30	NE.	NE.	NE.	Ll.	—	D.
92	79	92	88	10.14	6.62	8.92	8.26	NE.	SO.	—	N.	Np.	Np.
87	79	50	72	9.19	7.55	4.85	7.20	SO.	NO.	S.	D.	D.	Np.
68	73	78	73	7.25	6.54	6.93	7.01	—	SO.	SE.	—	D.	—
71	84	86	80	7.96	7.59	7.97	7.84	—	—	—	Np.	D.	D.
82	86	94	87	8.55	8.27	8.57	8.47	SE.	SE.	—	D.	D.	—
90	90	86	89	9.10	8.68	8.56	8.78	—	—	SE.	Np.	Np.	N.
90	96	90	92	10.13	9.10	9.10	9.44	NE.	—	—	D.	D.	N.
76	86	85	82	9.47	8.86	8.21	8.85	SO.	SO.	NE.	—	—	Np.
86	93	84	88	8.86	9.04	8.80	8.90	—	SE.	E.	Ni.	Ni.	N.
70	86	94	83	8.15	9.28	9.49	8.97	N.	—	SE.	N.	Ll.	Ll.
93	93	86	91	10.09	9.71	8.86	9.53	SE.	E.	—	—	No.	N.

DE 1874.

82	94	94	90	9.24	10.50	10.05	9.93	SE.	SE.	N.	N.	N.	Ll.
93	81	90	88	9.85	9.38	10.11	9.78	SE.	—	SE.	Ll.	—	D.
83	82	90	85	9.90	9.24	10.11	9.75	NO.	—	S.	D.	D.	—
82	75	89	82	11.52	8.88	8.39	9.60	S.	O.	SO.	—	—	Np.
86	89	85	87	9.27	8.98	8.92	9.03	SO.	SE.	—	N.	—	N.
82	87	82	84	9.24	9.54	8.56	9.11	SE.	SO.	SE.	—	—	N.
83	83	75	80	8.80	8.50	8.14	8.48	N.	NE.	NE.	—	—	—
80	79	83	81	9.11	8.70	9.09	8.97	—	N.	—	—	—	Ll.
87	89	91	89	9.19	8.09	8.45	8.58	NO.	NO.	E.	Ll.	Ll.	D.
92	86	89	83	8.21	7.42	8.09	7.91	E.	S.	SE.	—	—	—
76	94	86	85	7.96	8.27	7.72	7.98	SO.	SE.	SO.	D.	Np.	—
77	94	63	78	8.58	8.86	6.21	7.84	—	S.	S.	—	D.	—
72	83	84	80	9.49	7.95	7.65	8.16	S.	SE.	SO.	—	—	—
76	94	89	84	8.87	9.84	8.09	8.93	SO.	S.	—	—	—	—
77	83	85	82	8.72	8.80	8.15	8.35	—	SE.	—	—	—	N.
92	91	93	92	9.22	8.63	7.72	8.52	NE.	—	E.	N.	N.	—
71	92	91	85	8.45	8.45	8.63	8.51	NE.	—	N.	—	—	—
76	85	81	81	7.61	8.21	7.97	7.95	N.	N.	SE.	—	—	D.
83	84	77	81	9.37	8.39	7.75	8.48	SE.	SE.	—	D.	D.	N.
87	85	86	86	9.75	8.44	8.25	9.02	N.	N.	—	Np.	N.	—
92	94	82	83	9.72	9.79	8.29	9.41	N.	NE.	SE.	Ll.	Ll.	Ll.
89	92	94	92	10.33	10.24	10.05	10.21	—	N.	—	N.	D.	Np.
83	84	81	83	9.90	8.68	9.45	9.31	SE.	SE.	N.	D.	D.	—
79	86	76	80	9.59	9.91	8.26	9.26	N.	N.	—	N.	N.	D.
81	88	89	83	9.64	9.99	8.62	9.42	—	—	SE.	Np.	Np.	—
85	79	84	82	9.55	8.03	8.50	8.69	E.	S.	—	D.	D.	—
79	86	86	84	9.05	8.56	7.97	8.53	SO.	SE.	NE.	—	—	Np.
81	85	82	82	9.10	8.34	9.24	9.23	N.	N.	SE.	N.	N.	Np.
83	93	82	86	9.51	9.71	8.44	9.22	—	—	N.	Ll.	Ll.	Ll.
77	77	85	80	8.32	7.19	8.56	8.12	—	NE.	NE.	—	N.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	59.63	60.62	61.22	60.49	10.8	10.0	9.8	15.5	10.2	7.0	1.5	1.8	1.5
2	60.31	58.24	59.91	59.49	10.5	10.2	10.5	15.8	10.4	6.8	1.6	1.5	1.5
3	59.73	59.82	59.61	59.70	11.8	10.6	8.8	15.0	10.4	8.0	1.3	0.2	0.0
4	60.27	59.60	60.59	60.18	10.8	8.8	8.0	15.1	9.2	6.0	1.5	2.0	1.0
5	59.40	61.64	59.80	60.28	9.5	7.3	6.2	13.8	7.7	3.2	1.6	2.0	1.3
6	61.74	61.78	60.63	61.38	8.6	6.6	7.0	12.8	7.0	3.7	3.0	2.4	2.5
7	59.75	60.83	62.71	60.93	9.0	6.5	7.2	13.5	7.2	6.0	3.0	0.8	2.0
8	60.18	61.26	60.00	60.48	9.8	8.2	8.0	13.7	8.7	5.3	1.8	1.2	1.9
9	59.25	60.23	62.42	60.63	10.0	8.0	8.8	14.5	8.9	6.8	1.7	1.9	1.6
10	60.49	62.49	60.20	61.04	10.8	10.2	9.5	14.3	10.2	7.2	1.5	1.8	0.3
11	59.05	58.68	61.22	59.65	12.3	10.8	9.1	18.5	10.7	6.8	1.0	1.3	0.4
12	58.26	56.94	57.87	57.69	10.8	9.5	8.5	17.3	9.9	7.2	1.0	0.7	0.8
13	60.03	59.88	60.67	60.63	9.6	8.5	9.0	14.9	9.6	6.0	0.8	0.5	0.8
14	58.92	60.01	58.88	59.27	9.8	9.6	10.0	15.2	9.8	7.0	1.0	1.0	1.2
15	61.39	61.87	60.05	61.11	10.0	8.3	8.5	14.8	8.9	6.2	1.2	1.2	2.5
16	60.15	59.49	59.28	59.63	11.3	9.2	8.0	14.7	9.5	5.0	3.5	1.8	0.8
17	58.42	57.93	57.73	58.03	11.5	9.6	8.6	15.2	9.9	6.0	3.0	0.8	1.2
18	58.21	58.38	58.91	58.50	10.0	9.5	9.8	13.8	9.8	8.0	1.3	1.3	1.0
19	59.31	59.54	61.24	60.03	11.5	8.5	8.2	14.8	9.4	6.2	1.5	1.3	0.5
20	58.43	60.13	59.49	59.35	10.3	9.0	9.0	14.7	9.6	6.0	1.0	1.6	0.9
21	58.64	59.41	61.98	60.01	10.0	8.0	8.8	13.8	8.9	6.7	2.1	1.1	1.0
22	59.21	62.27	61.33	60.94	10.8	10.4	11.5	14.7	10.9	9.8	1.8	1.6	1.3
23	60.46	61.55	62.00	61.34	12.8	11.5	11.2	18.0	11.8	9.0	1.2	2.5	1.4
24	59.64	58.50	57.28	58.47	13.8	11.5	11.0	21.0	12.8	9.2	2.8	2.2	1.4
25	57.36	57.15	59.91	57.81	12.5	10.0	9.5	17.5	10.7	9.0	1.8	1.3	0.8
26	58.31	59.68	58.91	58.97	9.8	9.0	9.3	13.9	9.4	7.6	0.8	1.3	1.5
27	57.88	57.26	57.77	57.64	10.5	9.1	8.0	14.5	9.2	7.0	1.2	0.7	0.9
28	58.03	58.71	58.41	58.42	9.2	8.8	10.2	13.6	9.4	8.0	1.1	0.9	2.2
29	59.28	60.28	59.78	59.78	11.8	10.5	11.0	15.2	10.8	9.0	2.0	1.5	1.2
30	59.32	59.84	59.78	59.31	12.0	10.0	10.8	15.7	10.9	9.5	1.6	1.2	0.2
31	59.21	60.66	59.56	59.81	12.8	11.0	10.8	16.5	11.5	9.9	1.5	1.5	1.5

AGOSTO

1	60.16	60.08	60.31	60.18	12.0	10.0	10.8	15.7	10.9	8.5	1.0	0.6	0.9
2	60.29	59.00	58.26	59.18	15.0	12.5	11.0	20.4	12.8	9.6	2.5	1.7	1.2
3	56.04	56.64	59.28	57.32	15.2	11.2	10.3	14.8	12.2	8.5	2.0	1.6	1.7
4	58.56	59.14	59.16	58.95	12.0	10.8	9.5	16.0	10.8	9.0	1.5	1.2	1.1
5	58.18	58.38	59.79	58.78	12.1	10.2	10.0	16.2	10.8	9.2	0.8	1.1	1.7
6	59.31	60.25	58.88	59.48	10.2	9.8	10.2	15.0	10.1	8.2	1.0	1.2	2.1
7	60.62	60.48	59.84	60.11	11.8	9.6	10.0	15.8	10.5	8.3	1.4	1.1	1.2
8	61.15	61.31	60.91	61.12	11.7	9.9	9.8	16.0	10.2	6.5	2.5	1.7	1.7
9	60.14	59.73	60.11	59.99	13.0	9.2	10.8	16.8	11.0	6.2	1.5	0.7	1.2
10	58.38	60.71	61.13	60.07	10.0	8.5	8.9	15.3	9.1	6.0	2.3	2.5	2.6
11	59.41	59.99	60.63	60.01	10.2	9.3	9.0	14.0	9.5	6.5	5.0	0.7	3.0
12	60.34	61.49	60.65	60.83	10.0	8.0	8.3	14.5	8.8	6.8	3.5	2.7	1.5
13	60.47	60.69	60.11	60.42	9.8	7.0	8.0	13.8	8.3	4.3	4.0	1.0	1.5
14	58.84	59.43	58.68	58.98	9.5	7.5	8.2	13.9	8.4	4.0	2.2	2.3	1.3
15	60.36	60.53	61.42	60.77	9.8	7.3	8.0	13.5	8.4	4.9	2.0	1.7	1.5
16	60.61	61.98	61.61	61.47	11.0	8.9	9.0	15.2	9.6	5.3	4.5	2.3	2.1
17	60.13	60.41	60.16	60.24	11.6	9.0	9.2	15.8	9.9	5.2	2.0	1.5	1.1
18	58.28	59.07	59.03	58.71	11.5	9.6	8.3	16.2	9.8	4.8	3.8	2.0	1.1
19	57.61	59.17	59.53	58.80	10.2	7.8	8.6	15.2	8.9	5.0	2.2	1.1	1.1
20	58.87	58.25	61.49	59.52	10.0	9.5	10.6	14.0	10.0	8.0	1.6	0.9	1.0
21	58.73	60.68	59.93	59.80	10.2	10.0	10.5	15.6	10.2	7.6	2.0	1.5	1.6
22	60.08	61.35	60.43	60.42	12.0	9.4	8.9	15.0	10.1	5.2	1.2	1.0	0.3
23	56.47	56.80	56.76	56.70	12.2	9.8	8.0	18.8	10.0	6.2	1.4	1.0	0.7
24	56.53	58.17	59.94	58.22	9.0	9.3	10.5	13.8	9.7	7.8	0.7	0.8	1.5
25	58.28	59.16	60.72	59.31	10.8	8.3	8.0	15.2	9.0	6.8	1.3	1.0	3.0
26	60.71	59.84	62.00	60.85	11.0	8.2	9.2	15.9	9.5	6.0	0.9	0.8	1.0
27	63.57	64.30	63.81	63.81	10.4	8.5	9.0	14.4	9.2	5.2	1.4	1.1	0.6
28	63.75	63.77	63.08	63.57	11.5	9.2	9.8	15.5	10.2	6.0	2.1	1.3	1.0
29	61.15	61.11	61.93	61.40	13.0	10.8	9.9	15.1	11.1	2.2	6.5	2.5	1.2
30	59.68	61.29	61.23	60.71	12.5	9.9	9.7	18.1	10.7	8.1	1.5	0.8	1.6
31	61.57	62.37	61.61	61.81	11.0	10.0	8.0	15.0	9.7	6.2	1.2	0.6	2.7

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
82	90	82	85	9.24	9.66	8.26	9.05	N.	N.	E.	N.	Np.	N.
81	82	82	82	8.82	8.89	9.24	8.32	N.	N.	N.	Np.	N.	N.
85	98	98	92	10.51	10.90	9.85	10.42	S.	NE.	S.	Np.	N.	Np.
82	74	79	78	9.24	7.11	7.17	7.81	N.	S.	N.	D.	D.	D.
64	73	82	73	6.90	6.29	6.71	6.63	N.	N.	N.	N.	N.	N.
62	66	66	65	5.91	5.40	5.59	5.61	SO.	N.	SE.	N.	N.	N.
62	88	73	74	5.99	6.62	6.29	6.30	N.	SE.	S.	Np.	Np.	N.
77	84	75	79	7.79	7.77	6.65	7.40	N.	N.	SE.	Np.	Np.	N.
79	72	80	77	8.63	6.99	7.73	7.58	NO.	N.	N.	N.	N.	Ll.
82	78	90	83	8.89	8.38	9.10	8.12	NE.	E.	N.	N.	N.	D.
89	85	83	86	10.26	9.50	8.62	9.66	S.	SO.	S.	D.	D.	Np.
87	94	90	90	9.54	9.84	8.68	9.35	SE.	S.	SE.	N.	N.	N.
90	94	89	91	9.45	8.86	8.51	8.94	N.	SE.	N.	N.	N.	Ll.
86	86	85	85	8.26	9.04	8.92	8.94	N.	N.	N.	Np.	Np.	Np.
85	84	69	78	8.92	7.97	6.51	7.77	NE.	NO.	NO.	Np.	Np.	Np.
61	77	89	76	7.05	7.79	7.66	7.50	S.	S.	SE.	D.	D.	D.
66	89	84	80	7.85	8.57	8.63	8.03	SO.	SO.	N.	D.	D.	Np.
85	84	87	85	7.15	8.68	9.19	8.34	N.	NE.	E.	N.	N.	N.
83	83	94	87	9.55	8.32	8.33	8.35	NE.	N.	SE.	N.	D.	N.
87	80	89	85	9.54	8.62	8.80	8.83	N.	NE.	SE.	N.	D.	N.
75	85	86	82	8.02	7.90	8.27	8.88	NO.	E.	N.	Np.	Np.	Np.
79	81	85	82	8.84	8.96	10.02	9.27	E.	E.	N.	Np.	Np.	Np.
86	73	84	81	10.39	8.94	9.61	9.35	SO.	SO.	N.	D.	D.	Np.
72	76	84	77	10.77	9.40	9.67	9.95	N.	N.	N.	Np.	Np.	Np.
80	85	90	85	10.07	9.01	9.31	9.44	NE.	N.	N.	N.	N.	N.
90	84	81	85	9.45	8.63	7.97	8.20	N.	N.	SE.	N.	N.	N.
86	92	88	89	9.42	8.82	8.39	8.39	NE.	N.	N.	N.	N.	N.
85	89	74	83	8.74	8.32	8.02	8.51	N.	N.	SE.	N.	N.	N.
78	82	86	82	9.25	8.39	12.12	9.93	NE.	S.	N.	N.	N.	N.
82	84	84	87	9.81	9.24	10.50	9.65	N.	N.	NE.	N.	N.	N.
84	83	84	84	10.66	9.55	9.73	9.98	N.	N.	N.	N.	N.	N.

DE 1874

88	93	89	90	10.91	10.66	9.72	10.44	N.	N.	N.	N.	N.	N.
74	81	86	80	10.79	9.89	9.77	10.24	N.	N.	N.	N.	N.	N.
79	82	80	80	11.69	9.77	8.76	9.74	N.	N.	N.	N.	N.	N.
83	86	86	83	10.23	9.63	9.34	9.71	N.	N.	N.	N.	N.	N.
91	86	89	83	9.82	8.48	8.11	9.15	N.	N.	N.	N.	N.	N.
87	85	85	82	9.51	8.56	8.62	8.71	N.	N.	N.	N.	N.	N.
84	86	85	85	10.31	9.15	8.92	9.43	N.	N.	N.	N.	N.	N.
72	79	79	77	8.63	8.14	8.44	8.45	N.	N.	N.	N.	N.	N.
83	92	86	84	10.69	9.22	8.65	9.82	N.	N.	N.	N.	N.	N.
73	68	64	68	7.90	5.99	6.63	6.92	N.	N.	N.	N.	N.	N.
47	91	63	67	5.56	5.63	6.21	6.69	N.	N.	N.	N.	N.	N.
60	65	80	68	6.46	5.87	6.14	6.43	N.	N.	N.	N.	N.	N.
52	86	86	83	5.34	6.41	6.17	6.63	N.	N.	N.	N.	N.	N.
73	70	83	75	7.71	6.87	7.03	7.53	N.	N.	N.	N.	N.	N.
75	77	80	77	7.67	6.87	7.03	7.53	N.	N.	N.	N.	N.	N.
51	71	79	68	5.86	6.63	6.85	6.63	N.	N.	N.	N.	N.	N.
78	82	85	82	9.25	8.35	8.21	8.35	N.	N.	N.	N.	N.	N.
58	75	83	83	6.66	5.55	6.43	6.25	N.	N.	N.	N.	N.	N.
73	85	85	81	7.73	8.56	8.43	8.25	N.	N.	N.	N.	N.	N.
80	89	87	85	8.50	8.36	8.15	8.37	N.	N.	N.	N.	N.	N.
77	82	81	80	8.58	8.38	8.20	8.17	N.	N.	N.	N.	N.	N.
86	86	84	84	9.41	8.38	8.16	8.77	N.	N.	N.	N.	N.	N.
84	87	84	84	9.61	8.51	8.43	8.29	N.	N.	N.	N.	N.	N.
92	90	82	84	9.22	8.24	8.24	8.14	N.	N.	N.	N.	N.	N.
85	86	89	87	9.01	8.73	8.73	8.44	N.	N.	N.	N.	N.	N.
89	89	85	88	10.91	9.24	8.73	9.14	N.	N.	N.	N.	N.	N.
83	83	83	84	9.91	8.91	8.91	8.91	N.	N.	N.	N.	N.	N.
76	83	83	82	8.88	8.88	8.88	8.88	N.	N.	N.	N.	N.	N.
73	83	83	83	8.88	8.88	8.88	8.88	N.	N.	N.	N.	N.	N.
83	80	87	84	9.91	8.91	8.91	8.91	N.	N.	N.	N.	N.	N.
86	83	83	82	8.88	8.88	8.88	8.88	N.	N.	N.	N.	N.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	Dif. de los termómetros		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	60.93	61.56	61.13	61.21	9.5	8.2	8.0	14.0	8.6	5.0	1.8	2.7	6.8
2	62.31	62.12	62.04	62.16	10.0	8.5	9.9	14.0	9.5	5.2	1.2	2.5	2.4
3	62.38	63.02	62.59	62.66	11.2	8.9	9.5	14.8	9.9	5.6	2.1	5.0	0.9
4	61.25	61.65	60.02	60.97	12.0	9.5	10.8	17.9	10.8	5.5	3.2	1.3	1.0
5	61.75	62.10	61.47	61.77	12.6	11.2	10.9	18.0	11.6	5.3	3.0	2.3	1.6
6	59.59	56.66	57.37	57.87	15.0	10.5	9.0	20.3	11.5	7.5	2.8	1.4	1.0
7	57.48	57.68	60.34	58.50	10.0	9.8	9.5	16.9	9.8	8.5	1.2	1.0	0.6
8	60.75	59.93	61.57	60.75	10.5	9.7	9.0	14.0	9.7	5.8	1.6	1.2	1.5
9	62.97	62.43	60.19	61.86	11.1	9.9	10.3	14.5	10.4	6.0	1.2	1.2	0.8
10	57.94	57.83	60.54	58.77	11.3	10.0	10.2	17.3	10.5	8.0	1.8	2.2	1.9
11	61.82	61.77	62.28	61.96	11.4	9.9	11.0	15.6	10.8	7.2	2.5	1.9	1.1
12	57.94	61.75	62.82	60.84	12.0	10.8	11.6	17.0	11.5	8.2	1.9	1.2	2.5
13	61.02	61.12	56.43	59.52	13.2	11.0	10.2	18.8	11.5	6.8	2.4	1.6	1.3
14	56.72	60.66	60.98	59.45	11.0	9.2	9.9	18.0	10.0	8.2	1.5	0.9	0.8
15	60.75	60.28	62.25	61.09	11.9	9.9	10.8	16.5	10.9	7.8	1.2	5.5	1.5
16	59.81	59.63	62.33	60.59	12.3	10.0	11.6	17.0	11.3	8.2	1.6	0.8	1.8
17	58.94	60.55	60.02	59.84	17.2	13.6	12.5	23.2	14.4	8.0	3.5	2.0	1.5
18	58.05	59.91	58.71	58.89	11.4	10.8	11.2	18.3	11.1	8.2	2.0	1.6	0.8
19	59.04	59.59	59.86	59.50	12.2	10.2	11.5	16.4	11.3	8.5	1.8	1.2	1.5
20	59.66	60.65	61.51	60.61	13.0	10.0	9.9	18.0	11.0	8.2	0.3	1.1	1.5
21	58.31	63.07	62.52	61.30	8.8	7.8	9.0	17.0	8.5	5.2	0.9	1.2	1.5
22	63.27	64.03	65.02	64.11	11.3	10.0	9.9	15.2	10.4	5.5	2.3	1.5	1.2
23	60.95	61.65	60.34	60.98	12.9	9.8	10.4	18.5	11.0	5.3	1.6	1.2	1.0
24	60.74	63.67	63.30	62.57	12.3	9.5	10.7	16.8	10.8	8.3	2.0	0.9	1.1
25	63.85	62.25	64.05	63.38	12.2	9.0	10.0	16.2	10.4	7.7	3.6	1.0	2.0
26	62.52	63.75	60.36	62.24	13.9	11.4	13.7	18.6	13.0	7.0	5.0	2.8	2.4
27	57.71	58.93	58.66	58.40	12.5	12.2	10.5	25.0	10.7	8.2	4.0	1.4	1.5
28	59.04	61.15	62.30	60.83	12.0	9.8	10.0	17.6	10.6	8.9	1.0	0.7	1.3
29	53.25	63.65	63.25	63.38	12.7	10.9	11.3	17.3	11.6	7.0	3.2	1.8	1.2
30	60.10	60.34	59.72	60.03	12.8	12.9	11.0	17.5	12.2	9.0	2.7	2.0	1.6

OCTUBRE

1	61.33	58.99	60.83	60.38	9.5	11.5	9.5	8.8	10.2	7.6	1.8	1.8	0.7
2	62.67	62.65	62.28	62.53	10.0	8.5	9.9	14.2	9.5	5.2	2.3	1.9	2.9
3	62.62	63.40	62.83	63.25	11.2	8.9	9.5	14.8	9.9	5.6	2.1	2.0	0.6
4	61.42	62.13	60.68	61.41	12.8	9.5	10.8	17.9	11.0	5.5	2.9	0.8	1.2
5	62.04	62.42	61.75	62.07	12.6	11.2	10.9	18.0	11.6	5.3	3.0	2.3	1.9
6	58.41	63.37	61.14	60.98	12.7	10.0	11.0	17.5	11.2	6.7	3.1	2.3	1.6
7	60.41	60.85	62.51	61.60	13.0	10.2	11.0	17.8	11.4	6.0	3.1	4.1	1.8
8	59.36	60.74	58.23	59.44	15.0	11.9	12.0	20.4	12.9	6.3	4.3	2.1	1.0
9	58.42	61.88	59.91	60.07	12.1	9.9	10.5	17.8	10.8	7.5	2.6	1.2	2.4
10	59.29	58.77	59.27	59.11	12.3	10.0	9.2	16.9	10.5	8.6	3.0	2.0	1.1
11	59.83	60.44	54.73	58.35	9.5	9.4	10.6	16.7	9.7	6.4	1.8	1.0	0.8
12	60.25	62.01	61.27	61.18	11.0	8.0	10.0	17.0	9.7	6.8	1.5	2.1	2.4
13	60.55	61.42	62.49	61.49	11.8	9.8	11.4	15.8	11.0	6.4	3.0	1.8	1.4
14	61.49	60.65	61.08	61.07	15.5	11.0	11.6	21.2	12.4	6.2	4.0	2.2	1.5
15	60.68	60.34	60.41	60.70	11.6	11.9	13.0	20.3	12.2	6.3	3.0	2.2	2.9
16	60.76	61.44	62.03	61.41	14.2	11.0	11.9	19.6	12.4	9.0	3.3	1.9	2.6
17	60.26	59.90	57.58	59.23	14.5	9.8	14.0	21.7	12.8	8.5	3.4	2.9	1.6
18	57.78	58.73	59.27	58.59	11.0	12.8	10.0	24.0	12.3	8.2	2.5	1.9	1.1
19	61.33	60.27	61.97	61.19	11.9	10.6	10.8	17.9	10.9	8.8	1.2	1.7	2.3
20	61.48	61.79	61.44	61.57	11.5	10.6	11.0	16.2	11.0	8.2	2.7	2.1	1.8
21	61.14	62.43	58.50	60.69	11.8	9.5	10.6	16.7	10.6	7.6	1.9	0.9	1.3
22	58.59	58.66	61.95	59.07	11.5	9.5	10.9	14.8	10.6	8.0	2.5	1.2	1.1
23	60.93	58.67	59.33	59.64	12.8	10.0	12.8	17.3	11.9	8.5	1.6	0.9	1.3
24	61.10	62.25	59.91	61.09	13.8	10.1	13.0	18.0	12.3	8.2	1.9	1.0	2.4
25	60.18	60.68	60.47	60.44	13.2	10.8	12.5	17.6	12.2	7.1	2.7	2.0	2.4
26	59.16	59.80	60.43	59.79	15.0	11.4	12.0	19.7	12.5	7.2	4.3	1.7	1.8
27	60.91	61.47	60.59	60.96	13.0	10.8	12.2	17.3	12.0	7.0	2.4	1.5	2.2
28	60.64	61.48	62.59	61.54	13.5	11.5	13.0	17.6	12.7	5.2	2.7	1.4	1.1
29	61.06	62.94	62.47	62.16	14.1	11.0	13.2	19.3	12.8	9.4	4.6	4.1	3.8
30	62.69	62.81	62.28	62.46	13.6	10.2	13.1	18.1	12.1	7.4	4.3	2.6	2.7
31	60.64	60.13	62.81	61.31	15.2	12.5	12.3	20.7	13.5	7.3	4.9	3.5	2.8

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
76	64	24	55	8.26	6.12	2.86	5.75	SO.	SO.	SE.	Np.	Np.	D.
85	79	70	78	8.92	6.51	7.37	7.60	NO.	NO.	N.	—	—	N.
76	85	88	66	8.87	3.50	8.39	5.25	—	SE.	NE.	N.	D.	D.
65	84	88	79	8.07	8.56	9.85	8.83	SO.	S.	S.	D.	—	—
68	74	81	74	8.99	8.54	9.17	8.90	—	—	NE.	—	—	—
72	83	86	70	10.37	9.50	8.86	9.58	S.	—	—	—	—	—
86	87	93	89	9.28	9.19	9.71	9.39	N.	—	N.	N.	N.	G.
81	85	82	83	8.96	8.98	8.26	8.74	NE.	NO.	—	—	—	—
86	85	90	87	9.73	8.92	9.45	9.37	NO.	O.	SO.	—	—	Np.
79	73	77	76	8.84	7.73	8.38	8.32	SO.	SO.	—	Np.	Np.	—
02	77	85	75	8.73	8.50	9.64	8.96	—	NE.	S.	N.	D.	D.
79	86	72	79	9.45	9.73	8.73	9.30	SE.	SO.	—	Np.	Np.	—
75	82	85	81	9.99	9.63	9.43	9.68	S.	S.	O.	—	D.	Np.
88	89	90	57	9.55	9.18	9.59	9.44	NO.	N.	NO.	—	Ll.	N.
86	44	82	71	10.43	5.84	9.24	8.50	—	NE.	NE.	N.	N.	D.
82	90	80	84	9.94	10.11	9.51	9.85	—	SO.	S.	Np.	Np.	—
67	79	83	76	11.40	10.03	10.69	11.03	S.	N.	E.	—	D.	Np.
74	82	89	82	9.26	9.49	10.11	9.62	—	NO.	SO.	—	N.	N.
80	86	83	83	10.07	9.63	9.90	9.87	SE.	SE.	NO.	D.	D.	—
97	86	82	88	12.37	9.13	8.74	10.08	O.	SO.	O.	Np.	—	N.
89	84	81	85	8.80	7.59	8.07	8.15	NO.	SE.	NE.	N.	Ll.	D.
74	82	86	81	8.54	8.44	9.07	8.68	SO.	SO.	O.	D.	Np.	N.
83	86	88	86	10.94	9.73	9.85	10.17	—	NO.	E.	—	—	Np.
78	89	87	85	9.25	8.98	9.86	9.63	S.	S.	SO.	Np.	N.	G.
61	72	76	70	9.75	6.79	8.26	8.33	—	—	—	—	D.	D.
50	69	74	64	7.19	8.10	9.07	8.12	—	—	SE.	D.	—	—
62	85	83	77	9.48	11.22	9.55	10.08	—	SE.	NE.	—	—	Np.
88	92	85	88	9.85	8.92	10.09	9.62	SE.	NE.	SO.	Np.	Np.	—
66	80	86	77	8.73	9.37	10.29	9.46	SO.	SO.	N.	—	D.	—
70	78	82	77	8.51	10.30	9.49	9.43	S.	S.	S.	—	Np.	D.

DE 1874.

78	79	93	80	8.38	9.26	10.06	9.23	SO.	NO.	SE.	Np.	D.	Np.
73	75	71	73	7.96	7.23	7.43	7.54	NO.	—	N.	—	Np.	—
76	74	87	79	8.87	7.05	8.39	8.10	—	SE.	NE.	N.	D.	D.
68	90	83	82	8.46	9.16	9.85	9.16	SO.	S.	S.	D.	—	—
68	74	81	74	8.99	8.54	9.17	8.90	—	—	NE.	—	—	—
67	73	79	73	9.25	8.08	9.19	8.81	—	—	S.	Np.	—	—
67	58	82	69	8.97	7.61	9.49	8.69	SO.	—	—	D.	—	—
58	77	79	71	8.80	9.47	9.91	9.49	—	N.	NO.	—	—	—
72	86	75	78	9.02	9.28	9.02	9.11	—	O.	SO.	Np.	Np.	—
68	74	86	76	8.64	8.26	8.86	8.59	SO.	SO.	N.	Np.	D.	Ll.
77	86	90	84	6.97	8.86	9.52	8.45	NO.	N.	NE.	Ll.	N.	N.
82	73	70	75	9.24	6.99	7.49	7.91	S.	N.	NE.	Np.	D.	Np.
67	78	84	76	7.98	8.08	9.39	8.65	SO.	SO.	NO.	—	Np.	D.
62	75	84	73	9.48	8.88	9.80	9.39	—	S.	—	D.	D.	Np.
70	76	69	72	10.48	9.33	9.05	9.62	S.	N.	SO.	Np.	—	D.
67	79	71	72	9.51	8.91	8.85	9.09	SO.	S.	—	D.	—	—
66	70	83	73	9.66	9.75	10.94	10.12	—	—	—	—	—	—
65	79	87	77	9.39	10.47	9.79	9.88	—	—	NE.	—	—	N.
86	79	74	80	10.29	8.59	8.49	9.06	—	SO.	SO.	N.	N.	Np.
72	76	79	76	8.82	8.59	9.33	8.91	—	S.	NE.	—	Np.	—
68	87	84	79	8.32	8.51	8.68	8.59	—	—	SO.	D.	N.	D.
72	85	87	81	8.28	8.74	9.76	8.93	NE.	SE.	E.	Np.	—	N.
82	88	84	85	10.51	9.67	10.02	10.08	NO.	O.	NE.	Np.	Np.	D.
80	88	74	81	10.75	10.13	9.35	10.08	—	NE.	SO.	—	D.	—
72	77	74	74	9.52	8.95	9.41	9.33	SO.	SE.	—	—	—	—
58	81	80	73	8.99	9.99	10.07	9.65	—	SO.	—	—	—	—
75	82	76	78	9.78	9.52	9.61	9.61	—	S.	—	—	—	—
73	84	88	82	9.73	10.16	11.48	10.31	—	SO.	O.	—	—	Np.
55	54	61	57	8.02	6.49	8.59	7.61	—	S.	S.	—	—	D.
56	70	72	69	7.41	7.83	9.52	8.26	—	—	—	—	—	—
54	62	70	62	8.51	8.65	9.32	8.82	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 6°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Max.	Medio	Mínim.	Dif. de los termómetros		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	60.58	60.98	61.59	61.02	14.8	11.8	13.6	20.4	13.4	10.0	4.6	1.5	2.9
2	60.65	59.71	60.04	60.13	16.1	12.6	11.5	19.1	13.2	8.6	4.0	2.3	1.5
3	59.62	59.31	59.96	59.63	13.8	11.0	11.6	19.6	12.1	9.9	2.0	1.5	1.3
4	59.63	60.15	61.29	60.36	14.2	11.5	12.0	18.8	12.6	10.0	2.1	1.2	1.4
5	61.73	60.71	59.86	60.78	13.6	10.8	12.2	18.3	12.2	9.9	2.7	1.2	1.8
6	60.75	60.60	61.55	60.97	12.5	11.0	12.8	17.7	12.1	9.8	2.7	1.6	2.9
7	59.19	58.89	58.84	57.97	15.8	12.8	14.4	20.9	14.3	10.2	5.0	2.5	0.3
8	58.03	59.11	57.43	58.19	17.2	13.6	13.2	24.6	14.5	9.2	6.5	3.7	3.0
9	57.18	57.66	57.85	57.40	12.0	11.3	11.7	20.5	11.3	8.2	5.8	4.2	2.2
10	57.93	59.40	59.14	58.82	14.0	10.8	12.5	19.5	12.4	8.9	2.6	1.5	1.7
11	57.67	57.37	57.91	57.65	15.5	12.3	12.2	22.5	13.3	9.0	4.4	2.0	2.0
12	57.85	59.19	59.16	58.73	12.8	10.8	12.3	18.2	12.0	9.6	2.2	4.5	3.5
13	58.61	57.71	56.51	57.63	13.6	11.0	12.8	19.0	12.5	8.4	3.9	2.0	2.1
14	56.05	57.35	57.86	57.09	17.2	10.0	11.3	22.8	12.8	9.6	5.4	1.7	1.5
15	58.61	59.04	61.05	59.57	14.0	11.5	13.1	18.8	13.0	10.2	2.5	1.3	2.0
16	61.78	61.98	62.40	62.05	15.8	11.7	13.0	20.6	13.5	8.8	2.8	1.9	2.1
17	61.55	60.83	60.66	61.01	14.9	11.9	13.5	20.1	13.4	10.0	3.0	1.6	2.4
18	61.15	60.88	61.01	61.01	14.8	12.0	14.8	21.0	13.9	11.0	2.8	1.5	1.7
19	60.99	60.45	59.40	60.28	15.8	13.8	14.5	21.9	14.7	10.8	3.7	1.1	1.7
20	59.55	59.20	58.79	59.58	16.9	15.0	14.6	23.8	15.5	11.0	4.0	3.3	1.4
21	58.05	59.65	59.82	59.17	16.7	13.5	13.3	21.9	14.2	11.5	3.3	1.5	1.4
22	59.58	61.33	61.48	60.80	14.9	12.5	13.5	19.8	13.6	9.6	2.2	0.8	1.4
23	60.34	60.66	60.73	60.78	15.5	11.7	13.6	19.0	13.4	9.5	2.1	1.9	2.7
24	59.28	57.97	60.10	59.12	15.2	14.0	16.0	22.5	15.1	12.0	4.3	1.8	1.8
25	59.34	58.87	60.29	59.50	17.3	12.0	15.9	24.2	15.1	11.0	4.5	2.0	2.9
26	56.48	57.08	58.29	57.42	22.0	14.0	13.6	28.7	16.5	11.6	7.5	3.8	2.5
27	58.92	59.61	56.18	57.57	16.0	13.6	15.8	21.4	15.1	11.0	3.4	2.0	2.0
28	60.10	60.10	58.39	59.55	16.7	14.6	15.4	23.5	15.4	12.0	4.6	2.3	3.5
29	57.96	59.11	58.59	58.55	17.0	13.6	15.0	23.8	14.3	10.0	5.2	1.8	2.5
30	57.34	57.67	59.12	58.03	17.0	13.6	15.4	24.0	14.5	11.0	5.2	2.1	2.2

DICIEMBRE

1	58.45	59.56	60.68	59.56	16.7	15.8	14.8	23.9	15.8	9.5	5.5	1.9	2.6
2	61.07	59.75	58.95	59.92	14.0	11.8	12.8	20.3	16.2	11.0	1.9	0.8	1.6
3	60.51	58.53	59.31	59.36	16.8	12.6	13.8	20.8	13.9	9.5	1.0	2.3	1.8
4	60.02	59.74	62.62	60.79	15.3	11.9	12.8	20.5	13.3	10.0	3.2	2.5	1.8
5	61.72	61.12	59.66	60.86	16.0	12.8	15.0	20.8	14.6	10.6	1.6	2.2	3.1
6	60.20	58.78	58.14	59.04	19.4	14.6	13.5	25.1	15.6	10.8	6.0	3.8	2.2
7	60.36	59.31	61.42	60.36	16.6	13.8	12.9	22.8	14.4	10.2	4.1	2.7	1.2
8	57.84	61.16	58.36	59.41	16.0	13.3	15.0	23.2	14.8	10.0	4.5	2.0	3.0
9	58.17	58.22	57.59	58.21	19.0	14.5	13.0	24.8	15.4	10.1	6.3	3.5	2.4
10	57.24	58.71	61.04	58.99	16.0	11.3	11.5	21.6	14.4	9.0	4.8	2.5	1.9
11	61.10	61.37	60.15	60.87	13.8	10.0	11.8	20.0	11.9	8.5	1.7	1.4	1.7
12	59.16	60.33	61.43	60.31	15.0	12.0	11.9	19.6	12.9	9.5	2.1	1.6	1.0
13	62.37	61.18	60.65	61.57	13.6	11.5	11.8	20.5	12.9	9.2	2.3	1.2	1.1
14	59.31	60.85	58.97	60.65	15.2	12.6	12.5	19.0	13.4	11.8	2.4	1.0	1.1
15	59.04	58.21	59.33	58.86	16.0	13.6	12.8	20.6	13.9	11.0	1.5	1.5	1.1
16	58.78	58.79	58.87	58.81	16.5	13.1	13.3	21.2	14.3	12.0	1.9	1.9	1.8
17	60.72	60.88	58.56	60.05	14.5	12.4	13.4	26.2	13.4	10.8	2.5	1.1	2.3
18	58.66	58.34	58.84	58.84	15.0	12.8	13.8	21.8	13.9	10.3	2.8	2.7	2.1
19	56.51	57.17	60.21	57.35	18.4	14.1	13.0	24.4	15.2	11.3	6.0	2.9	2.5
20	58.03	57.88	58.26	58.06	16.9	13.2	14.2	21.7	14.8	11.8	2.0	1.3	2.0
21	58.56	58.33	56.58	57.82	15.8	13.7	14.8	22.2	14.8	11.9	3.5	2.6	4.3
22	54.76	57.87	57.42	56.53	17.5	14.8	12.8	25.1	15.0	11.6	6.6	2.8	2.3
23	57.42	57.27	58.18	57.62	14.5	12.5	14.8	20.1	13.9	12.5	2.3	2.0	1.3
24	57.61	58.33	57.11	57.76	16.6	12.0	14.5	21.3	14.2	10.0	5.7	2.2	2.7
25	56.88	56.26	57.41	57.05	16.5	15.0	14.6	26.0	15.4	11.0	3.7	3.6	2.8
26	56.68	57.30	57.57	57.34	14.0	12.2	12.6	20.2	12.7	11.5	3.5	1.5	1.1
27	57.71	58.21	58.34	58.10	14.6	13.0	13.0	19.5	13.8	12.0	2.8	1.5	2.0
28	58.26	58.78	59.41	58.84	15.5	13.6	15.8	19.0	15.1	9.0	3.6	1.8	1.3
29	59.86	59.33	59.41	59.41	13.6	12.0	14.0	26.9	13.7	10.3	2.2	1.5	1.7
30	59.44	58.16	58.33	58.34	16.8	15.6	14.5	21.9	14.4	19.8	4.1	2.6	1.9
31	58.10	58.12	59.13	58.33	17.0	13.6	12.4	19.5	13.4	10.0	2.0	1.4	1.3

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
56	83	70	70	8.65	9.90	9.82	9.46	SO.	SO.	S.	D.	D.	D.
63	75	83	74	10.66	9.98	10.25	10.30	SO.	N.	NE.	Np.	N.	Np.
78	88	85	82	11.36	10.25	10.86	10.82	SO.	NO.	SO.	N.	N.	N.
79	86	84	83	11.74	10.99	10.59	11.11	SO.	NO.	O.	Np.	G.	N.
72	86	80	79	9.87	9.29	10.21	9.79	SO.	S.	SO.	Np.	N.	Np.
71	82	69	74	9.69	9.91	9.26	9.40	SO.	SO.	SO.	Np.	D.	N.
53	74	97	75	8.69	9.65	14.07	9.80	SO.	S.	S.	—	—	D.
44	65	69	69	8.56	10.53	9.84	9.41	SO.	N.	SE.	—	—	D.
49	55	76	60	8.34	7.11	9.68	7.72	SO.	SO.	NE.	D.	—	Np.
73	83	81	79	10.33	9.55	10.48	10.12	—	—	—	—	—	—
59	78	78	72	9.31	10.50	10.39	9.97	—	—	—	Np.	Np.	D.
76	52	63	64	9.18	6.45	8.06	7.88	—	—	—	Np.	Np.	D.
61	77	77	72	8.87	8.93	10.21	9.18	—	—	—	—	—	D.
53	81	83	76	9.41	9.84	9.90	9.72	—	—	—	D.	D.	N.
74	85	79	79	10.89	10.51	11.01	10.80	—	—	—	Np.	N.	N.
72	80	77	76	11.39	10.98	10.52	10.66	—	—	—	—	Np.	D.
70	82	75	76	10.48	10.05	10.27	10.27	—	—	—	—	—	D.
72	84	82	79	10.37	11.06	12.39	11.25	—	—	—	D.	Np.	Np.
65	88	82	78	10.69	12.31	11.31	11.44	—	—	—	Np.	—	Np.
64	67	85	72	10.10	11.39	12.33	11.21	—	—	—	—	—	D.
70	84	85	80	12.12	11.79	12.49	12.13	—	—	—	D.	D.	N.
78	91	85	85	12.37	12.61	12.57	12.52	—	—	—	Np.	Ll.	Np.
78	79	71	76	11.05	9.89	9.81	10.21	—	—	—	—	Ll.	D.
59	81	83	74	9.45	11.69	13.59	11.45	—	—	—	—	Ll.	D.
59	80	72	79	10.52	11.88	11.95	11.45	—	—	—	—	—	D.
44	63	74	60	10.27	8.93	10.79	10.02	—	—	—	D.	—	D.
67	79	81	76	11.14	11.09	13.20	11.80	—	—	—	—	—	Np.
58	78	66	65	10.62	11.17	10.57	10.79	—	—	—	Np.	—	D.
55	81	74	79	9.97	11.57	10.35	10.58	—	—	—	—	—	—
54	77	77	69	9.53	10.14	10.72	10.23	—	—	—	—	—	—

DE 1874.

53	81	80	71	9.35	10.83	12.32	10.83	SO.	N.	SE.	D.	D.	D.
78	91	83	81	10.71	11.58	10.91	11.68	—	—	—	—	—	N.
90	75	81	82	11.26	9.41	12.21	11.97	—	—	—	—	Np.	N.
69	73	81	73	10.73	9.29	11.76	10.69	—	—	—	Np.	D.	N.
84	76	79	77	12.32	10.04	10.42	11.13	—	—	—	—	—	N.
50	61	78	63	10.33	8.23	11.36	9.39	—	—	—	D.	—	D.
62	72	87	74	10.09	10.67	12.05	11.14	—	—	—	—	—	N.
58	80	71	70	9.57	11.48	11.27	10.77	—	—	—	—	—	D.
54	67	75	65	9.63	9.78	10.77	9.73	—	—	—	—	—	Np.
56	73	84	71	9.23	8.91	10.25	9.47	—	—	—	—	—	N.
83	82	81	82	11.34	9.31	10.45	10.55	—	—	—	Np.	—	—
79	82	89	83	11.74	10.12	11.36	11.04	—	—	—	—	—	—
78	86	87	84	11.86	10.57	10.84	11.69	—	—	—	Np.	—	—
77	89	89	88	12.16	10.79	11.64	11.59	—	—	—	—	—	—
86	84	89	83	13.96	11.21	12.06	12.14	—	—	—	—	—	G.
83	80	82	82	13.29	11.19	11.52	11.99	—	—	—	—	—	N.
76	88	76	76	11.58	11.49	10.75	11.24	—	—	—	—	—	N.
72	71	78	74	10.85	9.22	11.35	10.47	—	—	—	D.	D.	D.
49	72	74	65	9.23	10.93	10.87	10.36	—	—	—	—	—	N.
81	86	80	82	13.65	11.91	11.48	12.39	—	—	—	Ni.	G.	N.
67	72	57	57	10.57	9.37	8.89	9.61	—	—	—	D.	D.	D.
44	72	71	71	11.34	10.39	10.67	9.69	—	—	—	—	—	Np.
77	79	85	84	11.34	10.69	12.62	11.73	—	—	—	Np.	Np.	Np.
48	76	72	72	13.31	9.83	10.67	11.45	—	—	—	—	—	D.
65	65	72	67	10.61	10.41	11.45	10.73	—	—	—	—	—	D.
86	84	87	87	9.78	11.06	11.64	10.81	—	—	—	Np.	—	G.
83	84	80	82	11.24	11.24	11.48	11.31	—	—	—	—	—	N.
66	82	87	87	10.51	11.52	12.07	11.37	—	—	—	D.	D.	D.
78	84	83	83	11.52	11.09	12.07	11.58	—	—	—	—	—	D.
62	74	89	89	10.38	11.44	11.39	11.69	—	—	—	Np.	D.	G.
80	85	87	87	11.38	11.38	11.38	11.42	—	—	—	Np.	—	N.

OBSERVACIONES TRIHORARIAS.

ENERO 4 DE 1874.									
Instrumentos.	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	757.92	758.22	758.20	758.75	758.99	756.91	758.99	759.55	758.42
Termómetro centígrado.	15.0	17.4	15.7	14.0	12.0	11.0	10.8	10.9	13.3
Psicrómet. { Dif. de los term.	2.7	4.4	3.4	1.9	1.6	2.0	0.7	0.8
{ Humedad relat...	73	61	67	81	82	78	92	91	78
{ Fuerza elástica...	11.80	10.94	11.27	12.02	10.61	9.25	10.74	10.82	10.87
Vientos.....	SE.	SE.	SO.	SO.	SO.	SO.	N.	NE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni.	N.
ENERO 14 DE 1874.									
Barómetro reducido a 0°.....	758.11	758.29	758.05	758.45	759.04	759.30	759.35	759.50	758.7
Termómetro centígrado.....	14.0	15.2	13.0	12.8	12.7	12.5	12.8	13.0	13.2
Psicrómet. { Dif. de los term.	1.5	2.3	1.3	0.9	0.7	0.6	0.7	1.0
{ Humedad relat...	82	77	86	90	92	93	91	89	87
{ Fuerza elástica...	11.19	12.31	11.91	12.23	12.27	12.18	12.29	12.09	12.06
Vientos.....	NO.	N.	N.	N.	N.	N.	N.	N.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.
ENERO 24 DE 1874.									
Barómetro reducido a 0°.....	760.70	760.43	759.74	760.16	760.11	758.92	759.03	758.99	759.76
Termómetro centígrado.....	15.8	17.0	15.0	13.2	13.3	12.9	13.0	14.0	14.3
Psicrómet. { Dif. de los term.	2.6	1.7	2.3	1.9	1.0	1.4	1.4	1.5
{ Humedad relat...	75	83	77	80	89	85	86	84	82
{ Fuerza elástica...	11.95	14.10	12.31	11.62	12.49	11.46	11.60	12.19	12.09
Vientos.....	N.	N.	N.	SO.	SO.	SO.	SO.	SO.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	Np.	Np.	N.
FEBRERO 3 DE 1874.									
Barómetro reducido a 0°.....	759.47	759.73	758.97	759.62	761.51	760.95	760.89	761.68	760.35
Termómetro centígrado.....	16.5	15.8	14.4	14.2	13.5	11.7	11.8	14.1	14.0
Psicrómet. { Dif. de los term.	2.2	2.9	2.5	3.1	3.0	1.0	1.3	2.1
{ Humedad relat...	79	72	75	69	69	89	85	79	77
{ Fuerza elástica...	13.08	11.77	11.18	10.10	9.34	11.30	10.72	11.58	11.13
Vientos.....	N.	SO.	SO.	SO.	SO.	SO.	SO.	SO.
Estado atmosférico.....	Np.	D.	D.	D.	D.	Np.	Np.	N.
FEBRERO 13 DE 1874.									
Barómetro reducido a 0°.....	760.34	758.95	757.25	758.81	758.39	758.05	758.84	759.91	758.82
Termómetro centígrado.....	14.6	15.3	13.9	12.6	12.2	12.0	12.3	12.5	13.2
Psicrómet. { Dif. de los term.	2.0	2.2	2.0	1.0	1.3	1.5	0.4	0.6
{ Humedad relat...	80	78	80	89	86	83	95	93	85
{ Fuerza elástica...	12.04	12.19	11.48	11.78	11.12	10.60	12.30	12.26	11.72
Vientos.....	NO.	NO.	SO.	SO.	SO.	S.	S.	S.
Estado atmosférico.....	N.	Np.	D.	D.	N.	N.	G.	G.

Instrumentos.	FEBRERO 23 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 757.49	mm. 756.41	mm. 758.17	mm. 758.08	mm. 757.12	mm. 757.99	mm. 758.03	mm. 758.85	mm. 757.76
Termómetro centígrado.....	o 15.4	o 18.7	o 19.0	o 13.5	o 12.3	o 12.0	o 12.2	o 12.7	o 14.2
Psicrómet. { Dif. de los term.	2.5	5.0	4.1	2.0	1.5	1.9	1.0	1.0
{ Humedad relat...	75	57	63	80	84	79	89	89	77
{ Fuerza elástica...	11.58	11.12	11.22	11.48	11.00	10.01	11.70	12.09	11.28
Vientos.....	SO.	SO.	SO.	S.	SO.	SO.	SO.	NO.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Ni.
MARZO 5 DE 1874.									
Barómetro reducido a 0°.....	mm. 759.21	mm. 759.46	mm. 759.02	mm. 759.01	mm. 759.31	mm. 758.47	mm. 759.81	mm. 760.14	mm. 759.86
Termómetro centígrado.....	o 13.5	o 14.6	o 13.0	o 12.5	o 13.3	o 12.7	o 12.0	o 13.9	o 13.2
Psicrómet. { Dif. de los term.	3.1	2.3	1.5	1.3	0.3	1.0	0.8	1.2
{ Humedad relat...	69	76	84	86	97	89	91	87	85
{ Fuerza elástica...	10.02	11.23	11.40	11.12	12.29	11.70	11.24	11.97	11.35
Vientos.....	NO.	NO.	NO.	NO.	N.	O.	NO.	NO.
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	N.	Np.
MARZO 15 DE 1874.									
Barómetro reducido a 0°.....	mm. 758.90	mm. 757.53	mm. 757.43	mm. 758.21	mm. 758.23	mm. 759.44	mm. 758.39	mm. 758.26	mm. 758.30
Termómetro centígrado.....	o 12.8	o 15.8	o 13.5	o 12.0	o 11.2	o 10.5	o 10.2	o 13.0	o 12.4
Psicrómet. { Dif. de los term.	1.2	4.5	2.2	1.1	1.5	1.0	1.0	2.0
{ Humedad relat...	87	58	77	88	83	87	88	78	81
{ Fuerza elástica...	11.58	9.17	10.97	11.80	9.90	9.92	9.85	10.30	10.40
Vientos.....	NO.	SO.	SO.	SO.	SO.	SE.	SSE.	SO.
Estado atmosférico.....	Ni.	Np.	Np.	Np.	Np.	D.	D.	D.
MARZO 25 DE 1874.									
Barómetro reducido a 0°.....	mm. 760.14	mm. 759.88	mm. 760.34	mm. 760.04	mm. 759.04	mm. 759.71	mm. 759.54	mm. 759.22	mm. 759.74
Termómetro centígrado.....	o 13.0	o 13.4	o 11.5	o 10.9	o 11.1	o 10.0	o 10.2	o 11.0	o 11.4
Psicrómet. { Dif. de los term.	1.5	2.6	1.3	0.9	0.8	0.9	1.1	1.5
{ Humedad relat...	84	78	87	90	90	89	86	83	86
{ Fuerza elástica...	11.00	10.51	10.35	10.62	10.53	9.91	9.62	9.55	10.29
Vientos.....	SO.	SO.	SO.	SE.	SE.	SE.	SE.	SE.
Estado atmosférico.....	D.	D.	D.	D.	Np.	N.	N.	N.
ABRIL 4 DE 1874.									
Barómetro reducido a 0°.....	mm. 758.14	mm. 758.07	mm. 758.98	mm. 759.50	mm. 759.16	mm. 759.62	mm. 758.49	mm. 758.12	mm. 758.67
Termómetro centígrado.....	o 13.5	o 14.7	o 13.0	o 10.8	o 9.8	o 9.2	o 8.8	o 11.0	o 11.4
Psicrómet. { Dif. de los term.	2.4	3.7	3.7	1.3	1.5	1.5	1.0	1.3
{ Humedad relat...	74	63	61	85	82	83	86	85	77
{ Fuerza elástica...	9.12	8.92	8.22	10.16	8.89	8.09	8.56	9.81	9.01
Vientos.....	SO.	SO.	S.	SE.	SE.	SE.	SE.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.

Instrumentos.	ABRIL 14 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.76	760.31	759.74	760.06	759.20	760.59	760.50	761.16	760.27
Termómetro centígrado.....	12.3	12.8	11.7	11.0	10.8	10.5	10.0	10.5	11.2
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	1.5 83 10.67	1.7 81 10.27	1.2 86 9.73	1.8 80 9.37	1.0 88 10.20	1.0 87 9.51	1.1 88 10.55	1.3 85 9.67	1.3 85 9.97
Vientos.....	SO.	SO.	SO.	SE.	E.	SE.	SE.	SE.
Estado atmosférico.....	N.	Np.	Np.	Np.	Np.	N.	N.	N.
ABRIL 24 DE 1874.									
Barómetro reducido a 0°.....	759.06	758.19	759.61	759.54	759.24	759.63	759.55	760.64	759.36
Termómetro centígrado.....	12.2	15.0	13.8	11.0	10.3	8.8	7.7	9.0	11.0
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	1.3 85 10.72	2.8 71 9.95	2.5 74 10.00	1.0 89 10.70	1.0 87 9.54	2.5 70 7.43	1.0 86 7.19	1.1 85 8.62	1.1 81 9.27
Vientos.....	S.	SO.	SO.	SE.	NE.	NE.	NE.	NE.
Estado atmosférico.....	D.	D.	D.	D.	Np.	Np.	Np.	Np.
MAYO 4 DE 1874.									
Barómetro reducido a 0°.....	759.18	759.34	759.27	760.62	759.98	760.85	761.55	761.13	760.06
Termómetro centígrado.....	11.3	13.8	11.3	10.0	9.9	9.5	9.2	10.5	10.6
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	1.5 83 9.55	2.0 78 9.95	1.9 79 9.75	1.0 86 9.85	0.5 91 9.84	0.5 94 10.15	0.3 95 9.98	0.5 91 10.50	0.5 88 9.94
Vientos.....	NE.	SO.	SO.	SE.	SE.	SO.	SO.	SO.
Estado atmosférico.....	D.	D.	Np.	Nl.	Np.	Np.	D.	Np.
MAYO 14 DE 1874.									
Barómetro reducido a 0°.....	758.16	758.62	758.92	760.68	759.31	759.31	758.99	759.51	759.19
Termómetro centígrado.....	12.0	11.8	10.8	8.5	8.6	8.9	7.2	9.1	9.6
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	3.6 67 8.12	2.5 72 8.63	2.0 77 8.58	1.6 83 8.26	0.8 90 8.80	1.0 86 8.33	0.8 89 7.93	1.0 86 8.55	1.0 81 8.40
Vientos.....	SO.	SO.	SE.	S.	SE.	SE.	S.	SO.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
MAYO 21 DE 1874.									
Barómetro reducido a 0°.....	759.43	760.72	759.79	760.81	760.51	760.95	760.75	761.27	760.60
Termómetro centígrado.....	10.2	10.9	9.0	8.8	8.0	7.3	8.0	9.2	9.0
Psicrómet. { Dif. de los term... Humedad relativa Fuerza elástica.....	3.0 65 6.77	2.6 70 7.85	1.6 80 7.61	1.2 81 7.59	0.5 85 7.84	2.0 73 6.29	1.0 86 7.67	1.0 86 7.97	1.0 80 7.42
Vientos.....	SO.	SO.	SO.	SO.	SE.	SE.	SO.	SO.
Estado atmosférico.....	Np.	Np.	D.	Np.	N.	Np.	D.	D.

Instrumentos.	SETIEMBRE 11 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 761.10	mm. 761.92	mm. 762.87	mm. 761.77	mm. 762.32	mm. 762.57	mm. 762.17	mm. 762.28	mm. 762.52	
Termómetro centígrado.....	o 11.8	o 11.4	o 10.2	o 9.9	o 9.8	o 8.9	o 8.8	o 11.0	o 11.4	
Psicrómet. {	Dif. de los term...	2.9	2.0	2.3	1.9	1.0	0.9	0.6	1.1
	Humedad relat...	78	77	73	77	86	89	92	86	82
	Fuerza elástica...	8.71	9.00	8.08	8.33	8.86	8.62	8.75	9.76	8.77
Vientos.....	SO.	SO.	SO.	NE.	S.	S.	S.	S.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	
SETIEMBRE 21 DE 1874.										
Barómetro reducido a 0°.....	mm. 766.27	mm. 761.83	mm. 762.41	mm. 763.06	mm. 762.52	mm. 762.26	mm. 762.64	mm. 762.52	mm. 762.44	
Termómetro centígrado.....	o 8.9	o 8.8	o 7.8	o 7.8	o 7.0	o 7.2	o 7.0	o 9.0	o 7.9	
Psicrómet. {	Dif. de los term...	1.0	1.5	2.0	1.2	1.0	1.5	1.5	1.5
	Humedad relativa	86	81	74	70	86	80	80	81	79
	Fuerza elástica...	8.86	7.97	6.81	6.87	7.54	6.84	6.59	8.09	7.42
Vientos.....	SO.	NE.	E.	SE.	SE.	SE.	SE.	E.	
Estado atmosférico.....	Np.	N.	N.	Ll.	Np.	Np.	Np.	D.	
OCTUBRE 1 DE 1874.										
Barómetro reducido a 0°.....	mm. 759.14	mm. 758.55	mm. 757.88	mm. 758.99	mm. 759.63	mm. 759.59	mm. 760.05	mm. 760.83	mm. 759.35	
Termómetro centígrado.....	o 13.5	o 14.3	o 13.2	o 11.5	o 9.5	o 9.0	o 8.6	o 9.5	o 11.19	
Psicrómet. {	Dif. de los term...	3.0	3.9	3.2	1.8	1.0	0.6	0.6	0.6
	Humedad relativa	69	61	66	79	86	93	92	92	79
	Fuerza elástica...	9.31	8.65	8.52	9.26	8.86	9.12	9.28	10.09	13.79
Vientos.....	SO.	SO.	SE.	NO.	SO.	S.	S.	S.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Np.	
OCTUBRE 11 DE 1874.										
Barómetro reducido a 0°.....	mm. 760.57	mm. 758.95	mm. 761.00	mm. 760.45	mm. 761.54	mm. 764.91	mm. 763.22	mm. 764.72	mm. 762.17	
Termómetro centígrado.....	o 8.4	o 8.6	o 9.0	o 9.4	o 8.6	o 8.0	o 7.9	o 10.6	o 9.1	
Psicrómet. {	Dif. de los term...	1.7	1.7	1.4	1.0	1.2	0.6	0.7	0.8
	Humedad relativa	75	85	82	86	85	92	91	90	86
	Fuerza elástica...	6.91	8.39	8.27	8.86	8.44	8.51	8.39	9.52	8.41
Vientos.....	NE.	NE.	NE.	N.	N.	N.	NE.	NE.	
Estado atmosférico.....	Ll.	Ll.	N.	N.	Ll.	Ll.	G.	N.	
OCTUBRE 21 DE 1874.										
Barómetro reducido a 0°.....	mm. 761.82	mm. 760.59	mm. 762.08	mm. 762.43	mm. 761.37	mm. 760.70	mm. 758.83	mm. 758.59	mm. 760.78	
Termómetro centígrado.....	o 12.0	o 12.2	o 9.9	o 9.5	o 8.9	o 9.0	o 8.7	o 10.6	o 10.1	
Psicrómet. {	Dif. de los term...	2.2	3.0	1.1	0.9	1.0	1.5	1.0	1.3
	Humedad relativa	75	67	85	87	86	82	86	84	81
	Fuerza elástica...	9.02	8.33	8.39	8.51	8.33	7.67	8.45	8.68	8.42
Vientos.....	S.	SO.	S.	S.	SE.	SO.	SO.	SO.	
Estado atmosférico.....	Np.	D.	N.	N.	N.	N.	Np.	D.	

Instrumentos.	NOVIEMBRE 10 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	757.91	758.16	758.88	759.40	759.74	759.99	760.04	759.14	759.28
Termómetro centígrado.....	12.7	13.5	11.7	10.8	9.8	10.0	11.0	12.5	11.5
Psicrómet. {	1.9	2.1	1.7	1.5	1.2	1.2	1.5	1.7
{ Dif. de los term.	79	77	81	83	86	86	83	81	82
{ Humedad relat...	10.29	10.52	10.20	9.55	9.35	9.28	9.90	10.48	9.97
{ Fuerza elástica...									
Vientos.....	NE.	SO.	SE.	S.	S.	S.	S.	S.
Estado atmosférico.....	pN.	D.	Np.	Np.	D.	D.	Np.	Np.
	NOVIEMBRE 20 DE 1874.								
Barómetro reducido a 0°.....	759.75	759.01	758.46	759.20	759.97	757.73	758.99	758.79	758.90
Termómetro centígrado.....	17.5	16.2	17.6	15.0	12.9	12.3	13.0	14.6	14.9
Psicrómet. {	4.4	3.9	4.4	3.1	2.5	1.2	1.1	1.4
{ Dif. de los term.	61	64	61	69	74	75	89	85	72
{ Humedad relat...	10.39	10.80	10.85	10.42	9.93	10.27	11.36	12.33	10.82
{ Fuerza elástica...									
Vientos.....	SO.	S.	S.	S.	SE.	SE.	SE.	SE.
Estado atmosférico.....	Np.	Np.	Np.	N.	Np.	Np.	Np.	D.
	NOVIEMBRE 30 DE 1874.								
Barómetro reducido a 0°.....	757.67	757.79	757.41	757.67	758.02	758.49	758.14	759.12	758.04
Termómetro centígrado.....	16.5	17.3	15.4	13.0	12.0	10.8	12.0	13.4	15.0
Psicrómet. {	4.5	5.0	1.7	2.1	2.0	1.3	1.6	2.2
{ Dif. de los term.	59	55	82	77	78	85	82	77	74
{ Humedad relat...	9.96	9.84	11.91	10.38	9.25	10.51	10.54	10.73	10.51
{ Fuerza elástica...									
Vientos.....	SO.	SO.	SO.	SO.	S.	SE.	SE.	SE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
	DICIEMBRE 10 DE 1874.								
Barómetro reducido a 0°.....	757.17	757.24	758.18	758.71	758.15	757.97	759.38	761.04	758.48
Termómetro centígrado.....	14.9	16.8	14.8	11.3	10.2	10.0	10.8	11.9	12.6
Psicrómet. {	3.5	4.8	3.3	2.5	1.7	0.9	1.2	1.5
{ Dif. de los term.	66	57	68	74	89	88	86	83	75
{ Humedad relat...	10.18	9.78	10.06	8.94	9.12	9.66	9.83	10.25	9.73
{ Fuerza elástica...									
Vientos.....	SO.	SO.	SO.	SO.	S.	SE.	SE.	SE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	N.	N.
	DICIEMBRE 20 DE 1874.								
Barómetro reducido a 0°.....	758.51	757.95	757.18	757.88	757.53	757.60	758.08	758.26	757.89
Termómetro centígrado.....	16.0	15.9	11.8	13.2	12.0	12.3	12.6	14.2	13.9
Psicrómet. {	2.1	2.3	1.5	1.3	1.1	1.6	1.2	2.0
{ Dif. de los term.	89	79	84	87	85	82	87	89	83
{ Humedad relat...	13.54	13.12	12.62	11.94	11.12	10.64	11.58	11.48	12.12
{ Fuerza elástica...									
Vientos.....	NO.	NO.	NO.	SO.	SO.	SO.	SO.	NE.
Estado atmosférico.....	N.	N.	N.	C.	G.	N.	N.	Np.

Instrumentos.	DICIEMBRE 30 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 759.01	mm. 757.91	mm. 757.58	mm. 758.16	mm. 758.49	mm. 756.71	mm. 757.45	mm. 758.39	mm. 757.97
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	16.0	17.0	15.6	15.0	12.3	11.9	11.0	11.5	13.8
Psicrómet (Dif. de los term...	2.2	4.0	3.3	2.6	1.0	0.9	0.5	1.0
(Humedad relativa	77	64	68	74	89	99	94	89	81
(Fuerza elástica....	11.86	11.10	11.09	11.32	11.70	11.41	11.26	11.30	11.39
Vientos.....	SO.	SO.	SO.	SO.	SE.	SE.	SE.	SE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Ni.	G.

ENERO DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	57.42	56.62	56.52	56.89	19.3	15.2	15.4	16.63	S ₂	C.	C.	D.	D.	LL
2	57.76	58.54	58.48	58.26	17.2	13.5	16.1	15.60	S	S	NE ₂	—	—	Np.
3	59.03	59.24	57.46	58.58	18.2	14.2	16.2	16.20	S	C.	S	—	—	Np.
4	58.84	54.68	55.29	55.27	19.6	14.8	16.0	16.80	—	C.	C.	—	—	—
5	56.23	57.38	60.25	57.95	17.0	15.0	14.6	15.53	OSO ₂	N ₁	N.	N.	N.	D.
6	60.30	60.74	58.31	59.79	18.4	14.9	18.0	17.10	SSO ₂	SSO ₁	SSO ₂	D.	D.	D.
7	56.41	55.35	56.05	55.94	19.8	15.6	16.2	17.20	—	S ₂	S ₂	—	—	—
8	56.28	56.56	56.41	56.42	19.0	15.2	18.6	17.60	—	S ₂	SSO ₂	—	—	—
9	56.28	56.56	56.92	56.59	21.8	17.3	22.0	20.37	—	SE ₂	S ₂	—	—	—
10	57.15	57.93	58.13	57.74	22.3	18.4	22.0	20.96	—	C.	SE ₁	Np.	—	—
11	59.93	58.63	57.04	58.53	22.8	19.0	21.8	21.20	SSO ₂	S ₁	SE ₁	—	—	—
12	56.20	56.02	56.58	56.25	25.5	19.1	18.4	21.00	S ₂	S ₂	SSO ₂	—	—	—
13	56.52	56.35	55.46	56.11	22.5	18.3	20.4	20.40	SSO ₂	S ₂	S ₂	—	—	—
14	55.32	55.59	58.28	56.40	22.4	17.2	20.0	19.87	SSO ₂	SO ₁	S ₂	—	—	—
15	56.08	56.53	56.35	56.32	23.0	18.4	18.0	19.80	S ₂	S ₁	S ₂	—	—	—
16	56.08	56.66	56.60	56.45	23.0	16.2	17.2	18.80	—	—	C.	—	—	—
17	57.23	58.01	58.33	57.87	18.6	16.0	17.0	17.20	SO ₂	SSO ₁	S ₂	Np.	D.	—
18	58.56	58.95	58.13	58.55	19.6	17.0	19.7	18.77	SSO ₂	SO ₁	SO ₁	D.	D.	—
19	58.00	58.44	58.44	58.29	21.4	16.8	18.4	18.37	SSO ₂	SO ₂	C.	—	—	—
20	58.76	59.96	60.04	59.59	20.3	17.0	18.0	18.43	SSO ₂	SSO ₁	C.	—	—	—
21	59.63	59.01	58.06	58.90	22.2	18.0	19.8	20.00	SO ₂	C.	S ₂	—	—	—
22	57.60	58.19	55.10	56.96	20.7	16.4	18.4	18.50	S ₂	C.	—	D.	D.	—
23	55.14	55.54	54.60	55.09	21.0	18.0	16.8	18.60	S ₂	C.	—	—	—	—
24	55.47	58.84	55.94	56.75	19.0	16.4	17.4	17.60	—	—	SO ₁	—	—	—
25	55.65	54.68	53.02	54.45	18.8	17.6	19.2	18.53	—	—	S ₁	—	—	—
26	55.14	55.14	53.70	54.66	22.2	18.0	16.8	19.00	—	—	NO ₁	—	—	—
27	56.23	52.77	53.72	54.24	18.8	15.0	16.6	16.80	S ₁	—	C.	N.	N.	N.
28	55.30	57.57	56.49	56.79	18.0	16.5	16.4	16.47	NO ₁	—	N ₁	Np.	—	—
29	56.60	56.81	56.49	56.63	18.4	16.0	16.7	17.03	NO ₂	—	—	—	—	—
30	56.79	57.00	56.74	56.84	18.6	17.2	17.4	17.73	NO ₂	S ₂	—	—	—	—
31	56.60	56.30	56.23	56.38	18.6	16.0	16.6	17.07	SO ₂	SO ₁	—	Np.	Np.	—

FEBRERO DE 1873.

1	56.41	57.13	58.40	57.31	17.3	13.6	15.0	15.30	NO ₂	C.	NO ₂	N.	Np.	LL
2	59.54	62.27	59.91	60.57	17.2	13.6	15.8	15.53	S ₂	S ₂	S ₂	D.	D.	D.
3	59.96	64.74	61.18	61.96	18.8	15.4	18.0	17.40	S ₂	N ₁	SO ₂	—	—	—
4	60.90	64.74	58.59	61.41	20.2	15.8	18.1	18.23	S ₂	S ₂	S ₂	—	—	—
5	57.29	56.74	56.49	56.81	21.2	16.2	17.4	18.43	S ₂	C.	SSO ₂	—	—	—
6	56.47	57.07	58.34	57.29	20.8	16.7	15.7	17.37	—	N ₁	C.	Np.	Np.	Np.
7	58.63	58.90	58.31	58.62	17.6	14.7	14.8	15.70	SO ₂	SSO ₁	NO ₂	Np.	Np.	Np.
8	58.13	58.14	58.84	58.37	17.4	15.6	16.0	16.38	—	—	N ₂	Np.	Np.	Np.
9	58.89	59.41	59.86	59.39	17.8	16.8	16.6	17.07	NO ₃	—	C.	N.	N.	N.
10	59.46	59.24	58.08	58.93	17.8	15.2	16.8	16.60	S ₂	S ₂	C.	D.	D.	D.
11	58.38	58.59	58.77	58.58	19.8	16.6	17.7	18.03	—	C.	C.	—	—	—
12	58.82	58.84	57.25	58.30	20.8	16.8	17.5	18.37	—	S ₂	SSO ₁	—	—	—
13	56.78	58.01	57.87	57.53	22.6	16.4	19.6	19.55	—	S ₂	SO ₂	—	—	—
14	56.39	56.15	54.90	55.81	22.0	16.2	17.2	18.47	—	C.	N ₂	Np.	—	—
15	56.99	56.05	57.17	56.71	17.4	17.0	17.0	17.13	—	C.	NO ₂	—	—	—
16	57.76	58.83	57.83	58.13	16.8	14.3	14.0	15.03	—	C.	SSO ₂	Np.	D.	Np.
17	57.42	57.97	59.10	58.19	18.0	14.6	16.1	16.23	—	S ₂	S ₂	N.	N.	N.
18	59.96	60.49	60.11	60.19	18.3	13.8	16.4	16.17	—	—	S ₂	D.	D.	D.
19	59.96	60.25	59.67	59.90	18.8	14.3	16.2	16.43	—	—	S ₂	—	—	—
20	59.46	59.41	56.35	58.71	20.2	15.9	18.8	18.30	—	S ₂	—	—	—	—
21	57.11	57.38	58.34	57.61	19.2	14.0	14.8	16.00	—	C.	NO ₂	—	—	—
22	58.63	58.90	58.11	58.60	18.6	14.3	14.2	15.70	—	S ₂	SO ₁	Np.	Np.	Np.
23	58.19	58.14	57.45	57.93	17.7	14.8	13.2	15.23	SSO ₂	C.	—	—	—	—
24	57.57	58.22	58.48	58.09	15.6	14.6	14.0	14.73	NO ₂	—	—	Np.	Np.	Np.
25	58.52	58.40	57.89	58.27	17.2	15.4	11.8	15.80	—	—	—	—	—	—
26	56.99	56.74	58.48	57.03	17.8	15.4	13.8	15.00	—	C.	S ₂	—	—	D.
27	57.76	58.22	57.83	57.93	17.0	11.0	14.8	15.31	—	S ₂	SSO ₁	—	—	Np.

MARZO DE 1873.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	57.68	57.71	56.95	57.45	17.5	14.9	14.4	15.60	S ₂	C.	SO ₂	D.	D.	Np.
2	56.66	56.70	56.19	56.52	17.6	15.0	15.0	15.87	SSO ₂	SO ₁	C.	Np.	N.	N.
3	56.64	57.97	57.97	57.53	17.4	15.2	15.0	15.87	NO ₂	N ₁	C.	N.	N.	N.
4	57.42	57.97	59.16	58.18	16.8	16.0	16.2	16.33	NO ₁	C.	C.	N.	N.	N.
5	58.89	59.24	57.97	58.70	17.8	13.8	13.8	15.13	S ₂	C.	C.	Np.	D.	Np.
6	58.90	59.30	59.49	59.23	15.5	15.4	14.8	15.23	S ₂	SSO ₁	SSO ₂	D.	N.	N.
7	62.06	62.33	59.80	61.23	16.6	11.6	14.6	14.27	SSO ₂	C.	SO ₂	D.	D.	D.
8	59.54	64.74	60.11	61.46	18.4	16.9	17.8	17.70	S ₂	S ₂	SE ₂	—	—	—
9	61.92	59.83	58.40	59.89	19.2	16.2	15.8	17.07	SSO ₃	C.	C.	Np.	—	—
10	57.87	57.97	57.07	57.61	19.6	13.3	16.6	16.50	S ₂	C.	D.	—	—	—
11	57.11	58.22	58.90	58.08	18.8	13.2	13.9	15.30	S ₂	—	S ₁	—	—	—
12	58.95	59.41	59.10	59.15	18.6	16.2	17.0	17.27	SSO ₃	—	SO ₂	N.	—	—
13	58.89	59.10	59.03	59.01	20.4	18.9	18.2	19.17	S ₂	SE ₂	SO ₁	D.	—	—
14	58.56	58.59	19.2	15.2	16.6	17.09	—	SE ₁	—	—	—	—
15	58.42	59.54	61.92	59.96	21.6	18.2	19.1	19.66	—	C.	S ₂	—	—	—
16	61.71	61.99	58.63	60.78	20.9	18.0	17.4	18.77	SSO ₃	—	—	—	—	N.
17	58.88	58.77	59.02	58.73	20.0	16.3	16.0	17.43	SO ₂	S ₂	C.	N.	N.	D.
18	59.03	62.20	64.74	61.99	16.8	13.6	16.4	15.60	NO ₂	S ₁	C.	N.	D.	D.
19	64.39	64.74	58.77	62.63	17.9	14.4	16.8	16.37	S ₂	—	S ₁	D.	—	Np.
20	58.82	59.16	59.10	59.03	28.9	15.0	16.0	16.63	—	S ₂	SSO ₂	Np.	—	Np.
21	59.20	59.41	59.35	59.32	17.0	13.0	16.8	15.60	NO ₂	C.	NO ₂	N.	—	N.
22	64.60	82.46	82.46	76.51	16.2	15.0	15.2	15.47	NO ₂	NO ₁	C.	N.	—	D.
23	82.24	77.39	64.74	74.79	18.0	14.8	14.4	14.97	S ₂	C.	E.	D.	—	—
24	59.54	58.98	57.71	58.74	16.4	14.3	14.2	14.63	—	—	—	—	D.	N.
25	57.50	57.71	58.73	57.98	16.9	11.9	15.1	SO ₂	SSO ₁	—	—	N.	N.
26	59.35	15.3	NO ₂	N.
27
28
29
30
31

ABRIL DE 1873.

1
2
3
4
5
6
7
8
9
10	62.31	63.60	61.55	62.49	17.8	11.0	14.5	15.43	SSSE ₂	SSSE ₁	SE ₂	Np.	D.	D.
11	58.01	57.52	64.17	56.57	20.6	17.6	15.0	17.73	SSSE ₃	SSSE ₂	S ₂	D.	—	—
12	55.65	57.27	60.00	57.64	15.8	14.0	14.0	14.60	NO ₂	N ₁	C.	Np.	N.	N.
13	59.79	60.38	60.13	60.10	15.4	12.0	10.6	12.67	SSO ₂	C.	C.	—	D.	Np.
14	59.61	59.88	58.35	59.28	14.4	12.0	10.8	12.40	—	N ₁	C.	—	N.	N.
15	59.37	61.45	60.88	60.57	13.6	13.7	13.6	13.67	N ₂	SO ₁	SSO ₂	Ni.	G.	N.
16	59.88	60.31	61.14	60.45	15.5	14.0	12.2	13.90	SSO ₂	S ₁	S ₂	Np.	N.	D.
17	62.13	62.79	60.02	61.65	13.4	10.3	10.0	11.23	SSSE ₃	C.	C.	D.	D.	—
18	63.33	64.82	64.39	64.18	15.1	9.1	12.6	11.70	SSO ₃	S ₁	S ₁	—	—	—
19	61.73	61.70	59.25	60.89	16.0	10.4	12.5	12.97	S ₃	C.	C.	—	—	—
20	58.90	59.17	61.70	59.92	15.8	10.2	12.2	12.73	SSO ₂	—	NE ₁	Np.	—	Np.
21	61.92	62.21	62.21	62.11	15.0	11.5	13.3	13.27	S ₂	—	C.	D.	D.	D.
22	60.04	59.88	56.89	58.94	18.9	10.3	11.9	13.70	SSO ₂	—	SSO ₁	—	—	—
23	55.29	54.87	56.83	55.66	14.4	13.2	13.0	13.53	—	C.	C.	—	N.	Np.
24	57.08	59.43	62.15	59.55	14.8	12.6	14.7	14.63	N ₂	N ₁	N ₁	N.	—	D.
25	62.56	62.97	63.17	62.90	15.8	12.2	14.6	14.29	O.	S ₁	—	Np.	—	—
26	62.68	63.68	63.60	63.32	15.6	14.7	14.7	15.00	S ₂	—	—	D.	N.	D.
27	59.40	62.41	62.33	61.38	18.4	14.8	14.2	15.80	—	—	ESE ₂	—	D.	—
28	61.28	61.76	59.24	60.76	19.2	16.9	18.5	18.26	SSSE ₁	S ₂	SSO ₂	Np.	—	—
29	58.76	59.16	59.81	59.24	19.4	16.2	14.2	16.60	—	C.	C.	—	—	—
30	59.52	60.74	60.74	60.33	17.8	13.8	17.0	16.20	S ₂	S ₂	SE ₁	D.	—	—

MAYO DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	59.93	58.98	56.05	58.32	21.5	18.7	13.2	17.80	S ₂	N ₁	N ₂	D.	N. G.	N.
2	56.44	58.03	60.74	58.40	13.6	13.9	15.0	14.17	N ₂	N ₃	E ₁	N. G.	N. G.	N.
3	60.74	60.25	60.49	60.49	11.0	14.0	14.7	14.23	S ₂	C.	C.	D.	D.	D.
4	60.26	60.74	60.84	60.61	11.2	14.5	13.4	15.37	—	C.	C.	—	—	—
5	59.01	59.55	59.55	59.37	16.4	13.0	15.6	14.53	S ₁	S ₁	S ₁	Np.	—	—
6	59.58	60.63	61.14	60.45	16.7	12.8	13.8	14.43	—	C.	C.	—	—	Np.
7	60.18	60.74	60.74	60.55	13.8	15.8	15.3	16.97	—	—	—	—	—	—
8	60.01	60.49	61.25	60.58	17.6	16.0	15.8	16.47	—	E ₁	C.	—	—	D.
9	61.20	61.69	62.01	61.63	19.8	15.5	15.4	16.90	SSE ₁	SE ₁	S ₁	D.	—	—
10	61.02	60.74	60.12	60.73	17.6	15.8	17.0	16.80	—	SE ₃	—	—	—	—
11	59.77	61.39	62.01	61.16	18.6	14.0	15.2	15.93	SE ₁	S.	C.	Np.	N.	N.
12	61.79	62.27	62.27	62.11	19.4	15.2	14.8	16.47	SE ₁	S.	C.	Np.	N.	N.
13	62.27	61.82	62.33	62.14	15.4	13.2	12.5	13.79	SE ₂	SSE ₁	C.	N.	N.	Ll.
14	62.45	62.47	61.45	62.12	13.8	11.6	11.8	12.40	—	S ₂	C.	D.	D.	D.
15	60.82	61.49	61.70	61.31	16.1	12.2	11.1	13.13	—	—	C.	D.	D.	D.
16	61.56	61.52	62.03	61.70	14.6	11.0	11.2	12.27	—	C.	C.	N.	N.	D.
17	61.99	62.47	61.94	62.13	15.4	11.4	10.6	12.47	—	E ₁	N.	N.	N.	D.
18	62.03	61.96	61.45	61.81	12.5	12.0	12.2	12.23	SE ₁	N ₁	N.	N.	N.	Np.
19	61.45	61.52	62.79	61.99	14.2	10.8	12.0	12.33	SSSE ₁	S ₁	E ₁	D.	D.	D.
20	62.28	62.41	62.21	62.30	15.3	13.0	13.4	13.90	—	S ₂	C.	Np.	Np.	D.
21	60.65	60.55	59.62	60.27	17.4	12.6	13.6	14.53	—	C.	C.	N.	D.	N.
22	59.55	59.17	59.48	59.38	15.8	13.5	13.0	13.37	C.	N ₂	N.	G.	N.	N.
23	59.43	59.43	61.70	60.19	13.8	12.9	10.2	12.59	C.	N ₂	E ₁	Np.	N.	D.
24	61.80	63.04	62.62	62.49	13.6	9.2	10.2	11.04	ONO ₁	C.	C.	N.	N.	N.
25	61.82	62.03	60.84	61.56	13.0	11.0	12.6	12.20	—	C.	C.	N.	N.	N.
26	59.85	59.51	57.04	58.79	13.4	13.2	13.7	13.43	N.	N.	C.	N.	N.	D.
27	57.77	61.45	63.30	60.84	14.5	12.8	12.0	13.10	S ₂	—	—	Np.	—	—
28	62.38	62.62	61.52	62.17	15.2	11.7	12.0	12.97	S ₁	S.	SE ₁	D.	D.	—
29	60.97	61.45	62.11	61.51	11.5	11.6	11.4	12.83	SE ₁	—	C.	D.	—	—
30	61.73	61.96	61.09	61.59	14.8	11.8	11.8	12.80	SE ₂	S ₂	C.	—	—	—
31	60.01	60.34	59.25	59.89	16.4	11.7	12.5	13.53	—	C.	FSE ₁	—	—	—

JULIO DE 1873.

1	58.22	58.73	58.89	58.64	11.8	10.4	10.8	11.00	—	N ₂	C.	Np.	N.	N.
2	59.25	59.77	63.51	60.84	12.8	8.8	10.0	10.53	—	—	SE ₁	N.	D.	N.
3	64.20	64.84	64.58	64.54	13.0	10.6	10.6	11.40	NO ₁	S.	SE ₁	—	—	D.
4	63.97	64.58	63.51	63.95	13.2	9.8	9.8	10.95	—	S.	SE ₁	D.	—	—
5	61.43	61.28	60.86	61.19	13.3	9.1	7.2	9.87	—	S.	SE ₁	—	—	—
6	60.25	61.05	61.11	60.80	10.6	8.2	8.6	8.95	—	S.	SE ₁	—	—	—
7	61.62	61.54	63.45	62.20	9.6	8.7	9.1	9.15	—	SE ₁	NE ₁	N.	N.	N.
8	63.39	63.52	63.31	63.41	10.9	8.4	11.9	10.46	—	—	C.	N.	D.	D.
9	63.77	64.08	61.16	64.00	12.0	8.6	9.0	9.87	—	S.	C.	N.	D.	D.
10	60.38	60.28	57.88	59.51	14.4	9.2	7.2	10.27	SSO ₁	C.	C.	N.	—	—
11	57.65	57.99	57.56	57.73	12.2	10.8	10.2	11.07	—	NO ₁	N ₂	N.	N.	Ll.
12	57.48	59.40	64.66	60.51	9.5	8.6	9.2	9.10	—	E ₁	C.	Ll.	—	Ll.
13	65.47	65.56	64.03	65.02	11.3	8.0	7.4	8.90	—	—	SE ₁	D.	D.	D.
14	63.74	63.71	64.41	63.95	13.0	10.4	8.6	10.67	—	—	C.	N.	D.	D.
15	64.58	62.66	64.16	64.47	12.6	10.8	8.8	10.73	—	S.	SE ₁	N.	—	—
16	62.89	62.63	60.10	61.87	11.0	10.3	10.2	10.50	—	—	C.	N.	—	—
17	62.89	61.79	63.96	61.92	11.6	10.2	8.5	10.10	—	—	SE ₁	N.	—	—
18	62.41	61.42	58.33	60.74	12.4	9.8	8.4	10.20	—	—	S.	N.	—	—
19	58.31	58.51	59.65	58.85	10.2	7.8	10.2	9.40	—	SE ₁	N.	Np.	—	—
20	60.72	62.63	62.38	61.91	13.4	10.8	10.2	11.47	—	C.	C.	N.	N.	—
21	62.01	62.63	62.81	62.48	13.2	9.4	10.1	10.30	—	—	O.	SE ₁	—	—
22	65.33	65.81	66.80	65.99	12.7	10.0	10.8	11.17	—	N.	N.	Np.	N.	D.
23	62.79	61.28	61.73	61.95	12.6	11.8	10.0	11.47	—	O.	N.	—	—	—
24	62.58	65.17	65.92	64.56	11.8	7.1	8.3	9.07	—	—	SE ₁	D.	—	—
25	65.06	66.18	65.43	65.56	13.7	9.0	10.4	11.01	—	S.	C.	—	—	—
26	63.54	63.31	62.12	62.99	16.2	8.9	10.1	11.73	—	—	C.	—	—	—
27	60.95	60.47	57.74	59.71	13.8	8.9	8.0	10.53	—	—	SE ₁	—	—	N.
28	57.74	58.32	57.31	57.79	11.1	10.4	10.8	10.77	ONO ₁	N.	N.	N.	N.	Ll.
29	56.91	55.47	51.15	51.51	11.7	11.2	10.4	11.10	NO ₁	—	—	Ll.	Ll.	—
30	52.42	53.26	57.48	54.39	11.2	11.4	10.5	11.03	NO ₁	NO ₁	O.	—	—	—
31	57.43	55.83	50.34	54.53	12.6	12.4	11.2	12.07	NO ₁	NO ₁	NO ₁	—	—	—

OCTUBRE DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉRICO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	S ₂	C.	S ₁	D.	D.	D.
1	62.15	62.36	60.40	61.64	13.8	10.6	11.6	12.00	S ₂	C.	S ₁	D.	D.	D.
2	60.09	59.96	52.58	59.88	13.5	12.0	13.0	12.83	SSO ₂	N ₂	C.	N.	LL.	N.
3	59.76	62.24	63.95	61.98	13.8	9.7	12.5	12.00	S ₁	C.	SE ₁	D.	N.	D.
4	63.81	64.52	63.51	63.95	13.7	10.0	12.2	12.97	SSO ₂	SE ₂	S ₂	—	—	—
5	63.04	63.25	62.49	62.93	14.4	10.8	12.2	12.47	S ₂	N ₂	SO ₂	—	—	—
6	62.21	62.49	62.42	62.37	14.0	10.8	13.0	12.66	S ₂	S ₁	S ₂	—	—	—
7	62.21	62.75	62.36	62.44	15.4	10.8	13.6	13.27	—	C.	SSO ₂	—	—	N.
8	62.47	62.28	63.04	62.60	16.8	13.0	14.2	14.67	SSO ₁	—	—	—	—	Ni.
9	60.38	60.33	60.94	60.55	14.9	12.0	14.5	13.80	SSO ₁	C.	C.	Np.	Np.	N.
10	61.25	61.52	61.52	61.43	16.4	12.0	14.2	14.20	SO ₂	—	S ₂	N.	D.	N.
11	61.64	61.77	61.45	61.62	16.2	13.4	14.8	14.80	S ₂	—	—	D.	D.	D.
12	61.56	64.71	66.66	64.31	15.4	10.8	12.8	13.06	SSO ₂	SSO ₃	SE ₁	—	—	D.
13	61.90	66.73	62.28	63.64	14.0	10.8	15.4	13.46	SO ₂	SE ₂	—	—	—	—
14	59.49	59.76	58.75	59.33	16.9	13.2	17.9	16.00	SO ₂	S ₁	S ₂	Np.	—	Np.
15	56.89	56.83	59.43	57.71	21.1	15.0	12.9	16.53	SSO ₂	C.	NO ₂	N.	—	N.
16	59.55	59.76	60.44	59.92	14.6	11.8	12.5	12.97	S ₂	S ₁	SO ₂	D.	N.	—
17	60.63	60.76	60.69	60.69	16.0	11.7	15.8	14.50	—	SSO ₁	S ₂	Np.	—	D.
18	60.11	60.69	60.38	60.39	19.2	13.0	16.7	16.30	S ₂	S ₁	—	D.	D.	—
19	59.86	60.38	60.31	60.18	18.5	13.3	16.8	16.20	—	—	—	Np.	—	—
20	60.11	60.63	60.06	60.27	19.3	13.2	15.8	16.10	—	C.	SSO ₂	D.	—	—
21	59.41	59.37	58.10	58.96	17.4	12.2	14.7	14.77	S ₂	SSO ₂	E ₂	—	—	N.
22	59.81	59.76	59.68	59.75	13.6	13.2	15.3	14.03	—	SE ₂	NO ₂	N.	D.	N.
23	59.41	60.02	60.13	59.85	16.1	13.9	15.4	15.13	—	N ₁	SSO ₁	D.	N.	D.
24	60.93	61.70	61.14	61.26	17.0	13.5	15.1	15.20	S ₁	C.	S ₂	Np.	D.	D.
25	61.06	62.72	62.15	61.98	16.0	11.8	16.2	14.67	S ₂	SE ₂	S ₁	N.	D.	Np.
26	61.50	61.70	60.38	61.19	16.7	12.8	15.2	14.90	—	—	S ₂	Np.	—	—
27	60.00	59.88	59.88	59.92	17.2	13.6	16.4	15.73	SSO ₂	—	—	—	—	—
28	59.61	59.94	60.38	59.98	18.5	13.0	14.7	15.40	—	S ₂	—	—	—	—
29	60.25	60.44	59.62	60.10	16.2	11.8	14.4	14.13	—	—	—	—	—	—
30	59.55	61.27	60.88	60.57	16.4	12.1	16.9	15.15	SSO ₂	—	S ₁	—	—	—
31	60.74	60.63	59.88	60.42	17.2	14.9	15.9	16.00	S ₂	S ₁	—	—	—	Np.

NOVIEMBRE DE 1873.

1	59.10	59.62	59.04	59.29	18.2	15.0	17.7	16.97	SO ₂	C.	SO ₁	N.	D.	D.
2	58.77	59.81	56.75	59.34	20.2	13.6	18.6	17.47	S ₂	S ₂	S ₁	—	—	—
3	59.54	59.75	59.67	59.65	20.6	15.0	18.2	17.93	—	S ₂	S ₂	D.	—	—
4	58.77	58.48	57.93	58.39	21.4	13.8	16.4	17.20	S ₂	SSO ₁	SSO ₂	Np.	—	—
5	58.34	58.79	57.89	58.34	18.4	15.0	17.0	16.80	—	S ₁	S ₁	D.	—	—
6	55.84	56.19	57.71	56.59	19.4	13.4	14.0	15.60	S ₂	N ₁	N ₂	N.	N.	N.
7	57.89	59.11	58.22	58.41	16.7	12.3	15.2	14.73	SO ₂	SSO ₁	S ₂	Np.	N.	Np.
8	57.83	58.35	59.04	58.41	17.8	13.3	15.4	15.50	SSO ₂	SSO ₂	—	—	—	—
9	58.90	59.11	58.35	58.79	16.7	13.0	14.2	14.63	SSO ₃	—	SSO ₂	D.	Np.	—
10	58.65	58.86	58.54	58.68	17.4	13.2	15.6	15.40	SSO ₂	S ₁	S ₂	D.	D.	D.
11	58.40	60.13	60.80	59.78	16.8	12.8	17.1	15.57	SO ₂	—	C.	—	—	—
12	60.28	60.31	60.49	60.35	19.6	14.4	17.4	17.13	S ₂	—	SSO ₁	—	—	—
13	60.35	61.06	60.74	60.72	18.4	14.3	14.0	15.57	SSO ₂	—	SO ₁	—	—	Np.
14	60.67	61.14	61.06	60.96	17.4	13.0	13.8	14.73	—	—	SO ₂	Np.	Np.	N.
15	—	59.55	61.06	—	—	13.9	13.8	—	SSO ₂	SO ₁	SSO ₁	D.	D.	—
16	61.69	62.72	—	—	15.2	12.6	—	—	SSO ₂	S ₁	—	—	—	—
17	62.70	62.91	62.07	62.56	18.0	13.8	15.8	15.87	SSO ₂	SSO ₁	S ₁	—	—	D.
18	61.80	62.15	62.01	61.99	19.4	14.1	17.0	16.83	—	S ₂	S ₂	—	—	—
19	62.06	62.58	61.43	62.62	19.8	14.7	17.4	17.30	—	SSO ₁	SSO ₁	—	—	—
20	61.23	61.56	59.16	60.67	19.0	15.0	20.2	18.07	—	S ₁	—	—	—	—
21	58.19	57.63	59.92	58.56	21.5	17.0	16.8	18.43	—	S ₂	N ₂	—	—	Np.
22	60.53	61.56	61.43	61.17	17.3	14.4	16.0	15.90	SO ₂	N ₂	C.	N.	—	D.
23	59.96	60.00	57.83	59.26	19.2	16.5	19.4	18.37	SO ₂	S ₂	S ₂	—	—	D.
24	57.62	57.57	55.98	57.06	20.4	17.0	18.2	18.53	—	C.	C.	Np.	—	Np.
25	59.03	59.41	60.86	59.77	18.2	15.9	17.1	17.07	SO ₂	SO ₁	C.	N.	—	N.
26	—	61.76	60.17	—	—	14.4	16.0	—	—	C.	C.	—	—	D.
27	59.34	60.31	60.12	59.99	17.6	13.0	17.0	15.87	S ₂ E ₂	S ₂	—	D.	—	—
28	60.84	60.49	59.61	60.65	18.9	13.0	18.0	17.30	—	—	—	—	—	—
29	58.89	58.90	—	—	20.1	15.7	—	—	—	C.	—	—	—	—
30	56.79	57.12	57.83	57.25	21.0	15.6	17.4	18.00	—	S ₂	SSO ₁	—	—	D.

DICIEMBRE DE 1873.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	57.62	58.34	60.28	60.26	29.9	16.8	20.0	19.33	S ₂	S ₂	...	D.	D.	...
2	60.14	60.35	60.28	60.26	21.0	17.0	20.0	19.33	SSE ₃	C.	SSO ₁	—	—	Np.
3	57.83	60.11	59.79	59.91	22.4	16.4	18.9	19.23	—	—	—	—	—	D.
4	58.82	58.59	57.23	58.21	21.6	16.6	17.5	18.57	S ₂	—	S ₁	N.	—	D.
5	56.02	55.04	57.57	56.21	17.6	15.6	15.4	16.20	SO ₂	—	N ₂	Np.	—	Np.
6	56.66	59.41	60.02	58.70	17.0	15.3	16.6	16.30	NO ₂	NO ₂	SSO ₂	—	—	—
7	60.28	59.49	60.93	60.23	18.6	15.0	16.5	16.70	SO ₂	S ₁	S ₁	D.	—	D.
8	61.55	61.00	59.41	60.65	18.0	14.1	17.2	16.43	SSO ₂	—	—	—	—	D.
9	59.28	59.16	59.03	59.16	18.8	16.8	18.0	17.87	S ₂	C.	SSO ₁	N.	N.	—
10	59.20	59.49	58.34	59.01	19.0	15.0	17.8	17.27	SO ₂	S ₂	S ₂	D.	D.	D.
11	58.69	59.16	58.52	58.79	19.2	15.7	18.6	17.83	SSO ₂	C.	S ₁	—	—	—
12	57.87	56.56	56.80	56.91	19.7	15.6	15.2	16.83	S ₂	SE ₁	C.	—	—	Np.
13	59.35	57.01	56.95	57.77	15.8	13.9	14.5	14.73	SSO ₂	C.	N ₂	N.	N.	N.
14	57.21	57.27	57.01	57.16	15.3	15.0	14.1	14.80	N ₂	N ₂	N ₂	—	—	Ll.
15	57.84	59.00	59.17	58.67	12.9	12.6	13.4	12.97	N ₂	N ₂	—	Ll.	Ll.	N.
16	59.43	60.19	62.21	60.61	15.3	12.6	14.2	14.03	N ₁	N ₁	S ₁	—	—	D.
17	63.34	61.75	60.63	62.91	16.6	13.1	17.2	15.63	S ₂	C.	SE ₂	D.	D.	—
18	58.14	57.59	57.46	57.73	19.0	16.0	18.4	17.80	—	S ₂	S ₂	—	—	—
19	57.42	57.89	57.89	57.75	22.6	16.8	18.5	19.30	—	SE ₁	S ₁	—	—	—
20	57.50	19.7	SSO ₂
21
22
23
24
25
26	56.86	57.57	57.76	57.46	20.2	15.9	18.7	18.27	S ₂	C.	SSO ₂	D.	D.	Np.
27	58.38	58.84	58.77	58.66	20.2	16.0	18.1	18.10	SO ₂	—	—	Np.	—	N.
28	59.20	59.92	60.35	59.82	19.4	15.6	17.2	17.40	—	S ₂	SSO ₂	D.	—	D.
29	60.53	60.93	64.67	62.05	18.2	14.9	17.8	16.97	—	C.	—	Np.	—	—
30	58.95	58.59	57.25	58.26	20.2	16.4	18.9	18.50	SSO ₂	—	—	D.	—	—
31	56.86	57.13	58.59	57.53	20.5	15.2	16.9	17.53	—	—	—	—	—	Np.

ENERO DE 1874.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR		
	2½ h.	9 h.	21 h.	Medio	2 h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	60.22	60.26	60.24	17.8	14.0	15.9	SSO.	C.	...	Ni.	D.	D.
2	60.05	60.26	59.29	59.87	18.6	15.4	19.2	17.1	SO.	SSE.	S.	—	—	—
3	59.87	58.59	58.27	58.91	20.3	16.8	19.4	18.8	S.	S.	—	D.	—	—
4	57.88	58.34	58.46	58.23	21.2	16.9	19.1	19.1	—	—	—	—	—	—
5	54.58	59.10	58.72	59.10	21.7	16.8	19.9	19.2	—	—	—	—	—	—
6	59.67	60.79	59.48	60.05	19.8	15.0	29.7	18.5	—	—	—	—	—	—
7	58.07	57.60	57.70	57.79	21.6	16.7	19.4	19.1	—	—	—	Np.	—	—
8	57.82	59.79	59.73	59.11	20.6	15.8	18.4	18.3	SSE.	E.	—	Ni.	—	—
9	58.83	58.34	57.45	58.21	20.0	15.7	18.6	18.1	SSO.	C.	—	—	—	Ni.
10	56.04	55.73	55.89	59.22	21.7	15.4	13.9	17.0	—	—	SO.	—	—	—
11	56.18	56.96	56.82	56.65	16.6	14.7	16.8	16.0	SO.	O.	O.	—	N.	—
12	56.69	57.65	57.25	57.20	17.6	14.4	16.3	16.1	SSO.	C.	SSO.	—	G.	—
13	55.34	55.06	54.98	55.13	19.3	15.7	16.0	17.0	—	N.	SO.	—	D.	—
14	55.59	57.07	58.02	56.89	18.0	16.2	16.6	16.9	SO.	N.	—	—	N.	—
15	59.65	59.86	59.48	59.66	18.0	17.7	18.6	18.1	N.	SO.	SSO.	—	Np.	—
16	59.27	58.92	58.13	58.88	19.8	17.6	19.4	18.9	SSO.	C.	—	D.	D.	D.
17	57.75	57.19	57.00	57.31	22.2	17.0	16.6	18.6	—	S.	C.	—	—	—
18	57.31	58.46	59.16	58.31	20.4	17.9	18.0	18.8	—	C.	S.	—	—	—
19	59.52	59.65	59.23	59.47	20.6	15.8	17.7	18.0	S.	C.	—	—	D.	Ni.
20	59.85	59.99	58.13	59.32	19.8	17.2	18.8	18.6	SSO.	C.	SSO.	—	—	D.
21	58.07	57.70	55.59	57.12	20.0	15.8	19.0	18.3	—	C.	—	Ni.	—	—
22	54.20	58.89	56.69	56.59	21.7	16.0	17.6	18.5	—	C.	—	—	N.	—
23	57.11	57.45	57.76	57.44	19.2	14.4	16.0	16.5	—	—	N.	—	—	—
24	58.64	58.78	59.29	58.90	17.6	16.4	15.9	16.6	N.	—	—	—	—	G.
25	59.73	59.43	58.59	59.25	17.0	16.2	15.8	16.3	NO.	—	NO.	—	—	N.
26	58.97	58.92	59.36	59.08	17.3	16.0	16.4	16.6	—	SSO.	SSO.	Ni.	Ni.	N.
27	60.67	60.86	60.68	60.72	19.0	16.2	15.2	16.8	SSO.	—	N.	Np.	D.	—
28	60.67	60.61	59.10	60.13	17.4	14.9	15.0	15.8	SO.	C.	C.	N.	D.	—
29	59.73	59.96	60.12	59.93	17.6	14.6	17.8	16.7	ONC.	SSO.	C.	Np.	—	—
30	61.32	61.45	61.13	61.30	17.2	14.9	18.3	16.8	N.	C.	C.	D.	—	—
31	61.00	60.90	60.45	19.4	15.4	17.4	SO	—	—	—	—	—

FEBRERO DE 1874.

1	60.14	60.05	60.12	60.10	20.4	16.8	17.8	18.3	SSO.	SSO.	S.	D.	D.	D.
2	59.86	60.54	60.79	60.40	20.8	16.8	18.0	18.5	—	—	SSO.	—	—	—
3	60.08	60.12	58.46	59.55	20.2	17.0	19.0	18.7	S.	—	—	—	—	—
4	58.26	58.52	59.29	58.72	20.4	16.0	15.4	17.3	—	S.	SO.	—	—	N.
5	59.15	58.52	58.78	58.82	19.0	15.6	16.3	17.0	SSO.	C.	S.	Ni.	N.	D.
6	58.89	59.61	59.86	59.45	19.9	15.1	16.6	17.2	S.	—	C.	D.	—	—
7	59.91	60.12	59.36	59.80	20.2	15.4	17.6	17.7	—	—	S.	D.	D.	—
8	57.96	57.72	57.58	57.75	19.4	14.8	14.5	16.2	—	—	SO.	—	Np.	Ni.
9	57.51	57.90	57.65	57.69	18.0	13.8	16.2	16.0	SSO.	C.	Ni.	N.	Np.	N.
10	57.96	58.23	58.16	58.12	16.3	14.3	14.2	14.9	SSO.	—	Np.	Np.	Np.	—
11	59.03	59.50	58.92	59.15	16.2	14.0	15.6	15.3	—	SO.	—	—	—	N.
12	59.05	58.99	57.46	58.49	16.6	14.8	11.5	15.2	—	O.	N.	—	—	Np.
13	58.09	58.23	56.89	57.74	17.2	15.3	17.0	16.5	NO.	—	SSO.	—	—	Np.
14	57.51	58.23	56.89	57.54	17.0	15.4	18.0	16.8	SSO.	—	C.	Np.	—	D.
15	55.34	55.04	56.31	55.56	21.8	17.0	15.8	18.2	SO.	S.	NO.	Ni.	D.	N.
16	57.75	56.89	56.31	56.95	16.8	16.0	15.8	16.2	NO.	N.	N.	—	—	—
17	57.69	56.89	56.05	56.88	18.4	16.7	16.8	17.3	SSO.	C.	SO.	N.	N.	Np.
18	56.10	56.31	56.56	56.32	19.6	15.9	17.2	17.6	—	S.	SSO.	D.	D.	—
19	57.45	57.65	57.07	57.39	17.6	14.2	16.0	15.9	S.	C.	S.	—	—	N.
20	56.94	57.14	57.07	57.05	19.2	15.0	16.5	16.9	—	S.	—	—	—	D.
21	57.19	57.39	58.09	57.56	20.5	15.9	16.4	17.6	SSO.	SSE.	C.	—	—	—
22	55.92	58.92	57.83	57.56	19.5	15.6	19.2	18.1	—	—	—	—	—	Ni.
23	56.61	56.24	57.07	56.64	22.2	15.9	16.6	17.9	—	C.	SSO.	—	—	D.
24	57.13	58.73	59.93	58.60	19.0	14.8	16.2	16.7	—	SSO.	SO.	—	—	—
25	59.65	60.12	59.36	59.71	20.8	16.2	18.0	18.3	S.	—	—	N.	N.	Ni.
26	58.89	58.85	59.36	59.03	21.2	16.0	17.2	18.1	—	C.	C.	D.	D.	—
27	59.18	59.68	59.36	59.51	19.0	15.6	15.4	16.5	SSO.	—	S.	—	—	D.
28	58.61	58.27	58.21	58.37	21.0	17.7	18.0	19.1	SO.	S.	—	—	—	—

ABRIL DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	56.29	57.21	58.99	57.50	18.8	15.4	14.2	16.1	SSO.	C.	N.	D.	D.	D.
2	58.78	59.82	60.56	59.72	16.8	14.0	14.2	15.0	S.	SE.	SE.	D.	D.	D.
3	60.44	60.70	60.40	60.51	17.4	14.2	13.0	14.2	—	S.	SE.	—	—	—
4	59.36	59.64	59.98	59.46	17.2	10.6	15.0	14.3	—	S.	SE.	—	—	—
5	58.34	58.55	58.04	58.31	18.6	11.8	16.8	15.7	—	S.	SE.	—	—	—
6	57.51	57.14	57.79	57.54	20.8	15.2	13.8	16.6	—	S.	SE.	—	—	—
7	58.73	59.31	59.08	59.03	15.7	14.6	14.6	15.0	—	N.	N.	—	—	—
8	60.00	59.75	57.28	59.01	15.8	14.0	14.5	14.8	NO.	C.	N.	—	—	—
9	57.25	57.60	57.59	57.46	17.0	11.6	14.0	14.2	SSO.	C.	N.	D.	D.	D.
10	57.65	58.11	60.56	58.77	15.4	14.4	15.0	14.9	SO.	N.	N.	N.	N.	Ni.
11	60.56	61.51	61.76	61.28	17.7	15.4	14.4	15.8	SO.	C.	N.	Np.	N.	Ni.
12	60.81	60.75	59.24	60.27	17.0	13.2	16.4	15.8	S.	C.	Ni.	D.	D.	Ni.
13	58.64	59.24	59.82	59.23	18.0	13.0	13.8	14.9	—	—	D.	D.	D.	D.
14	59.40	60.69	60.94	60.34	18.7	15.2	16.4	16.8	—	SE.	—	—	—	—
15	59.34	59.59	58.16	59.00	19.4	15.2	15.0	16.5	—	C.	—	—	—	—
16	40.04	58.37	59.59	52.61	17.0	12.0	15.0	14.7	—	C.	—	—	—	—
17	59.15	60.07	59.75	59.66	17.4	11.8	15.1	14.8	—	—	—	—	—	—
18	58.76	58.66	58.66	58.69	20.2	13.2	13.4	15.6	—	—	—	—	—	—
19	59.17	59.31	59.24	59.24	15.5	15.0	14.2	14.9	N.	N.	N.	N.	N.	Ni.
20	59.59	59.61	59.43	59.52	14.6	12.9	11.0	13.8	C.	C.	N.	—	—	N.
21	59.68	60.40	61.46	60.51	16.6	12.3	13.1	14.0	S.	SE.	SE.	D.	D.	Np.
22	61.67	62.09	62.23	62.00	16.4	10.0	13.2	13.2	—	S.	—	D.	D.	D.
23	61.49	61.91	60.46	61.29	16.6	11.6	13.8	14.0	—	C.	Ni.	Ni.	Ni.	—
24	59.23	59.64	59.88	59.58	17.0	13.0	14.6	14.9	NO.	C.	SE.	D.	D.	D.
25	59.40	60.70	60.46	60.19	15.4	11.6	13.2	13.4	SSO.	C.	D.	—	—	—
26	59.73	60.51	60.53	60.26	15.0	10.7	11.8	12.5	—	N.	N.	D.	D.	—
27	60.40	60.84	60.76	60.63	14.0	9.8	12.2	12.0	N.	C.	SE.	D.	D.	N.
28	60.70	60.59	60.53	60.61	13.8	11.6	13.6	13.0	SO.	—	C.	N.	N.	Ni.
29	60.53	61.02	63.72	61.76	15.0	13.6	14.2	14.3	—	—	—	N.	N.	Ni.
30	61.52	62.73	62.51	62.26	16.0	13.2	13.6	14.3	SO.	—	ESE.	—	—	D.

MAYO DE 1874.

1	62.51	63.50	61.52	62.51	15.6	12.2	13.0	13.6	S.	C.	S.	D.	D.	D.
2	59.36	59.84	60.00	59.73	16.0	11.6	12.8	13.5	—	SE.	C.	Ni.	—	Ni.
3	59.73	60.70	60.51	60.34	16.0	12.6	13.4	14.0	—	C.	C.	D.	—	N.
4	60.26	60.20	61.97	60.51	16.4	14.3	14.0	14.9	—	NO.	N.	N.	—	Ni.
5	60.81	61.27	59.44	60.51	15.9	12.0	12.8	13.6	C.	SO.	Ni.	Ni.	—	Np.
6	58.97	58.93	59.75	59.22	14.4	12.2	14.2	13.6	SO.	C.	O.	—	—	Np.
7	60.46	61.02	61.27	60.92	14.3	14.0	13.0	13.8	—	C.	SE.	N.	—	Ni.
8	59.99	60.51	60.26	60.25	15.8	11.0	12.9	12.9	SSO.	—	C.	N.	D.	N.
9	60.26	61.02	62.37	61.22	15.4	12.0	11.2	12.9	S.	SE.	D.	—	—	D.
10	62.02	63.64	63.70	63.12	14.4	10.0	11.3	11.9	—	C.	SE.	—	—	—
11	62.83	61.60	58.88	61.10	15.7	12.7	12.3	13.6	SE.	C.	SE.	—	—	—
12	57.25	57.80	58.88	57.98	16.6	10.1	12.5	13.1	N.	N.	N.	—	—	—
13	58.93	59.39	58.88	59.67	14.0	11.0	11.4	12.1	—	C.	C.	D.	N.	D.
14	58.92	59.89	60.97	59.90	14.2	12.0	11.3	12.6	SO.	C.	SE.	—	—	—
15	60.63	61.60	62.24	61.49	14.7	10.7	11.2	12.2	SO.	C.	—	—	—	—
16	59.03	62.43	62.58	61.35	13.8	10.6	8.6	11.0	—	C.	—	—	—	—
17	61.71	62.24	61.56	61.84	12.9	8.0	7.8	8.9	—	C.	—	—	—	—
18	60.57	59.78	57.06	59.59	11.5	9.6	10.8	10.6	—	N.	N.	N.	N.	N.
19	54.72	52.59	50.15	52.46	11.1	11.0	11.8	11.3	—	N.	N.	N.	N.	N.
20	59.20	52.18	58.95	53.78	13.1	12.4	12.9	12.8	—	N.	SO.	N.	—	—
21	61.41	63.34	63.40	62.72	12.2	8.4	7.8	9.5	SO.	C.	ESE.	—	D.	N.
22	63.14	62.37	61.75	62.42	9.8	8.0	6.6	8.1	—	C.	SE.	—	—	N.
23	65.68	65.25	63.27	64.07	11.0	8.2	6.6	8.6	S.	S.	ESE.	D.	—	Ni.
24	62.24	62.59	62.34	62.39	10.5	8.6	6.0	8.4	—	C.	SE.	—	—	D.
25	61.99	62.26	61.50	61.84	11.7	8.0	8.5	9.4	—	C.	—	—	—	Ni.
26	60.94	60.22	60.18	60.45	11.6	9.8	11.0	10.8	—	C.	—	—	—	Ni.
27	60.13	61.62	63.21	61.65	13.6	10.7	8.4	10.9	SSO.	S.	N.	N.	D.	N.
28	63.03	63.14	59.16	61.78	11.1	8.6	8.0	9.2	SO.	C.	N.	Ni.	—	N.
29	57.53	57.61	57.64	57.60	12.0	8.2	11.8	10.7	SO.	—	—	—	—	Ni.
30	57.61	58.91	59.92	58.82	11.7	9.6	9.2	10.2	N.	N.	SE.	D.	N.	—
31	59.50	60.36	58.53	59.10	12.7	10.2	10.6	11.2	O.	C.	—	D.	—	—

JUNIO DE 1874.

Días	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TIGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	57.25	56.30	56.30	56.62	13.2	10.9	12.0	12.0	C.	NE.	N.	N.	N.	LI.
2	56.74	58.58	63.08	59.47	12.8	11.8	12.0	12.2	NO.	N.	C.	LI.	—	—
3	63.77	64.86	68.85	64.16	13.6	11.6	13.2	12.8	E.	SE.	C.	N.	D.	D.
4	61.11	60.97	61.05	61.04	16.0	11.0	9.8	12.3	SSO.	S.	N.	D.	—	Ni.
5	60.19	61.05	60.73	60.66	13.8	9.6	12.0	11.8	—	C.	N.	Ni.	—	N.
6	60.19	60.97	59.97	60.38	13.0	11.8	11.8	12.2	O.	N.	—	N.	—	N.
7	59.28	59.09	57.27	58.55	11.8	11.6	12.2	11.9	N.	—	—	N.	—	LI.
8	57.82	57.06	52.75	55.88	11.8	11.4	11.8	11.7	—	—	—	LI.	—	LI.
9	52.53	55.47	58.58	55.63	11.8	11.9	10.2	11.3	NO.	—	—	—	LI.	LI.
10	58.84	61.44	53.14	57.81	10.8	9.6	10.2	10.0	—	—	SE.	—	N.	D.
11	62.62	64.16	63.29	12.0	8.6	10.3	—	—	SE.	—	N.	D.
12	64.05	64.67	63.14	63.95	12.8	8.6	11.1	10.8	N.	S.	SE.	D.	D.	D.
13	62.09	62.45	62.20	62.25	12.2	7.8	8.0	9.3	S.	C.	—	—	—	—
14	61.58	62.13	61.69	61.80	13.0	10.4	10.4	10.9	SSO.	—	—	—	—	—
15	60.26	60.60	59.15	59.97	13.4	8.4	7.8	9.9	—	E.	—	—	—	—
16	58.41	59.16	58.91	58.16	11.7	6.7	6.4	8.3	C.	ESE.	E.	Ni.	N.	N.
17	57.85	58.65	58.79	58.43	11.3	9.6	9.7	10.2	—	C.	N.	N.	—	—
18	58.65	59.16	59.92	59.24	10.0	10.4	9.8	10.1	S.	N.	—	N.	—	—
19	60.27	60.68	59.67	60.21	13.4	10.0	9.4	10.9	N.	S.	CSE.	—	D.	—
20	58.10	57.82	55.61	57.18	13.4	9.4	8.6	10.5	—	C.	SE.	—	—	—
21	55.79	55.80	54.27	55.29	11.6	11.6	10.6	11.3	S.	C.	E.	LI.	LI.	—
22	54.14	56.80	58.40	56.45	11.4	9.4	10.4	10.4	N.	C.	ESE.	N.	—	—
23	57.48	55.80	55.54	56.27	13.4	10.0	13.0	12.1	NO.	N.	N.	—	D.	—
24	55.73	54.47	56.30	55.50	13.3	12.4	12.6	12.8	N.	N.	—	LI.	LI.	LI.
25	58.78	60.36	62.07	60.40	9.6	12.4	12.5	11.5	NO.	—	—	N.	N.	—
26	61.00	60.55	60.05	60.53	14.0	11.8	11.8	12.5	S.	C.	—	N.	—	—
27	59.46	60.12	58.29	59.29	13.4	12.8	11.8	12.7	NO.	N.	—	—	—	—
28	58.37	58.51	58.29	58.39	12.8	12.4	11.4	12.2	N.	—	—	—	LI.	LI.
29	57.17	56.74	57.06	56.99	11.8	11.0	10.6	11.1	—	—	—	LI.	N.	—
30	58.07	58.07	10.6	10.6	—	—

JULIO DE 1874.

1	59.84	60.36	59.34	59.85	12.6	11.2	10.3	11.4	NO.	N.	N.	LI.	LI.
2	59.28	59.28	58.01	58.86	12.4	13.6	13.6	13.2	NO.	NO.	—	—	—
3	57.43	58.27	57.85	11.8	12.4	12.1	SSO.	—	SE.	LI.	D.
4	61.60	63.72	64.29	63.20	11.6	8.0	6.5	8.7	S.	C.	SE.	D.	D.
5	64.65	65.81	64.87	64.94	9.8	5.8	5.4	7.0	SSO.	S.	E.	—	—
6	63.53	63.41	63.47	6.6	5.9	6.2	—	SSE.	SE.	—	—
7	62.17	62.08	61.38	61.88	10.2	5.0	6.4	7.2	SSO.	—	—	—	N.
8	61.25	61.45	61.14	61.28	8.8	6.0	7.3	7.4	NO.	S.	N.	—	—
9	60.49	60.63	60.38	60.50	10.4	9.4	9.8	9.9	—	C.	N.	N.	LI.
10	60.38	61.08	63.27	61.58	10.8	11.0	12.2	11.3	N.	—	—	LI.	LI.
11	62.66	62.71	60.94	62.10	14.0	9.6	11.6	11.7	SO.	C.	SSO.	Ni.	Ni.
12	59.50	60.11	59.32	59.84	14.0	10.0	8.8	10.9	—	NO.	SE.	—	D.
13	59.31	60.36	59.92	59.86	13.0	9.2	8.8	10.3	SSO.	C.	—	D.	D.
14	59.16	58.91	58.84	58.97	10.4	11.2	11.8	11.1	N.	N.	SO.	N.	N.
15	60.61	63.98	65.81	63.47	12.0	8.8	8.6	9.9	SSO.	C.	E.	LI.	D.
16	65.38	65.81	64.62	65.27	12.0	8.0	8.1	9.4	S.	S.	SE.	D.	—
17	61.39	60.24	57.27	59.63	12.8	8.0	5.7	8.8	—	S.	E.	Ni.	N.
18	57.19	57.33	60.06	58.19	9.4	8.4	10.1	9.3	E.	C.	NO.	N.	—
19	60.53	61.24	59.81	60.53	12.8	7.6	7.1	9.2	O.	N.	SE.	Ni.	Ni.
20	59.41	60.57	61.02	60.33	11.0	10.6	9.8	10.5	N.	N.	—	N.	N.
21	60.70	60.51	59.47	60.23	12.9	8.4	10.8	10.7	NO.	C.	N.	—	LI.
22	58.27	58.91	62.97	60.05	11.9	11.2	12.3	11.8	N.	N.	—	LI.	G.
23	64.00	65.58	65.68	65.09	13.8	11.3	11.2	12.1	—	C.	ESE.	D.	D.
24	63.29	62.58	58.78	61.55	16.4	13.8	12.8	14.3	S.	SSE.	C.	N.	D.
25	56.89	57.57	58.27	57.58	15.8	10.0	12.0	12.6	C.	C.	N.	Ni.	N.
26	58.21	59.09	59.03	58.78	12.6	12.0	10.8	11.9	N.	N.	—	N.	—
27	59.03	59.09	58.33	58.82	12.4	11.7	10.4	11.5	N.	C.	N.	—	LI.
28	58.44	58.33	58.27	58.35	11.8	11.0	13.0	11.9	—	N.	—	—	—
29	59.03	59.79	60.55	59.79	13.4	12.0	12.7	12.7	NO.	—	NO.	—	LI.
30	60.73	60.05	58.27	59.68	13.6	12.0	12.7	12.8	—	C.	N.	—	LI.
31	58.78	60.81	60.81	60.13	13.2	13.0	12.8	13.0	N.	NO.	O.	—	—

AGOSTO DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TIGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°						
1	60.73	62.07	63.34	62.05	18.7	12.8	12.8	13.1	N.	N.	ESE.	N.	N.	D.
2	62.72	62.68	59.71	61.70	16.2	14.7	15.0	15.3	SO.	NE.	SE.	Ni.	Ni.	N.
3	57.64	57.80	60.05	58.50	18.6	12.0	8.8	13.1	C.	S.	N.	N.	N.	Ni.
4	60.73	60.87	60.61	60.74	11.2	10.2	9.4	10.3	—	—	—	—	—	—
5	60.55	60.87	60.55	60.66	12.2	11.6	12.0	11.9	SO.	C.	N.	—	—	N.
6	60.81	60.61	60.68	60.70	12.6	11.4	11.4	11.8	NO.	N.	—	Ll.	Ll.	Ll.
7	61.86	63.34	63.47	62.89	12.4	11.2	8.6	10.7	N.	C.	E.	N.	D.	D.
8	62.99	64.16	64.16	63.77	12.9	10.8	12.0	11.9	SO.	N.	NNE.	Ni.	Ni.	N.
9	62.07	61.62	61.11	61.60	12.6	12.8	11.0	12.1	NO.	N.	Varib.	G.	G.	Ll.
10	61.78	64.41	64.54	63.58	11.6	8.8	9.4	9.9	SO.	S.	N.	N.	D.	D.
11	63.38	63.72	63.10	63.40	12.2	9.0	7.4	9.5	S.	—	—	D.	—	—
12	62.37	64.29	62.59	63.08	11.6	7.0	7.2	8.9	—	—	—	—	—	—
13	60.66	61.00	60.88	60.51	11.5	5.6	6.6	7.9	—	C.	ESE.	—	—	—
14	60.81	61.08	63.41	61.77	11.6	7.6	6.9	8.7	SO.	—	N.	N.	N.	N.
15	64.27	66.31	66.63	65.74	12.5	7.2	9.7	9.8	—	—	N.	N.	N.	N.
16	65.68	65.89	68.93	66.83	10.4	8.6	8.4	9.2	—	—	SE.	Ll.	D.	D.
17	69.41	69.87	66.99	68.76	13.0	8.6	9.0	10.2	S.	NE.	SE.	Ll.	D.	D.
18	62.93	62.51	60.24	61.89	14.4	9.1	11.1	11.5	SO.	S.	S.	Ni.	—	—
19	59.07	59.34	60.11	59.51	15.8	11.6	11.0	12.8	S.	N.	C.	D.	N.	N.
20	60.40	61.11	61.11	60.87	14.2	11.6	10.8	12.2	SO.	C.	C.	N.	N.	N.
21	61.10	62.07	63.63	62.27	13.7	10.8	8.7	11.1	S.	S.	ESE.	—	D.	D.
22	63.50	64.04	63.67	63.74	13.8	9.6	9.4	10.9	SO.	C.	C.	Ni.	—	D.
23	60.96	59.47	55.56	58.66	13.2	10.3	8.6	10.7	NO.	C.	ESE.	—	N.	N.
24	55.23	55.36	55.56	55.38	11.8	11.6	10.8	11.3	N.	N.	N.	Ll.	G.	Ll.
25	58.84	59.73	60.94	59.84	10.8	10.0	10.8	10.5	—	NO.	Varib.	Ll.	Ll.	D.
26	62.11	64.88	64.75	63.91	12.8	9.7	8.6	10.4	—	C.	SE.	N.	N.	D.
27	64.35	66.85	65.83	65.68	12.4	6.8	7.6	8.9	—	—	—	D.	D.	—
28	64.86	65.15	65.01	65.00	13.0	9.3	9.6	10.6	—	C.	—	—	—	—
29	64.26	64.48	61.18	63.31	15.0	10.0	11.8	12.3	—	—	—	—	—	—
30	59.46	59.60	58.13	59.06	13.8	11.9	11.6	12.1	SO.	—	N.	N.	Ni.	N.
31	58.28	61.62	65.57	61.82	10.7	8.2	9.2	9.4	SO.	—	C.	Ll.	Ll.	D.

SETIEMBRE DE 1874.

1	65.41	66.60	62.51	64.64	12.0	8.4	7.6	9.3	SO.	C.	C.	D.	D.	D.
2	60.81	60.93	62.09	61.25	14.0	8.2	9.8	9.7	NO.	—	N.	—	N.	N.
3	62.43	65.59	65.81	64.58	12.0	7.8	9.0	9.9	C.	—	E.	—	D.	D.
4	65.33	65.82	65.25	65.47	13.0	9.8	12.4	11.7	SE.	—	E.	—	—	—
5	64.40	64.80	62.80	64.00	15.6	10.4	14.4	13.5	—	SE.	E.	—	—	—
6	60.27	59.97	57.50	59.25	20.8	14.4	13.2	16.1	—	—	—	—	—	—
7	57.16	58.79	59.53	59.46	15.4	12.8	12.8	13.7	N.	—	N.	N.	N.	N.
8	59.64	59.71	61.23	60.18	13.7	12.4	12.2	12.8	—	C.	—	—	—	—
9	61.73	62.07	61.73	61.84	12.0	11.8	12.2	12.0	NO.	N.	C.	—	—	—
10	60.66	60.80	59.96	60.47	14.0	11.8	11.8	12.5	SO.	C.	SE.	—	—	—
11	60.40	62.07	62.75	61.74	12.5	11.9	14.0	12.8	NO.	—	SO.	G.	—	D.
12	62.34	62.68	60.57	61.80	16.0	11.9	13.2	13.7	SO.	S.	SE.	D.	D.	D.
13	58.68	58.16	57.25	58.04	15.6	10.8	11.0	12.5	S.	C.	—	—	—	G.
14	57.17	56.73	58.95	57.62	11.2	12.0	12.6	11.9	N.	N.	S.	Ll.	Ll.	Np.
15	61.35	63.34	63.00	62.56	14.0	12.4	13.0	13.1	SO.	C.	S.	N.	N.	N.
16	64.14	65.54	64.20	64.63	14.4	11.4	13.0	12.9	—	C.	N.	N.	D.	N.
17	61.87	61.92	58.56	60.82	16.6	13.0	13.5	14.4	—	S.	SE.	D.	D.	D.
18	58.17	59.54	60.60	59.41	15.6	12.0	14.0	14.1	NO.	N.	N.	N.	N.	N.
19	60.39	59.90	58.50	59.60	15.4	13.8	14.8	14.7	NO.	—	NO.	—	—	D.
20	59.37	59.58	60.09	59.68	16.0	12.8	10.6	13.1	SO.	C.	C.	—	Ll.	Ll.
21	60.60	64.53	67.59	64.24	11.8	9.8	11.4	11.0	S.	—	SO.	—	D.	D.
22	67.67	64.21	57.17	61.62	11.8	10.3	12.0	11.4	—	N.	—	D.	—	—
23	63.43	63.26	60.90	62.53	14.4	10.8	12.6	12.6	SE.	—	SE.	—	—	—
24	60.20	60.40	63.44	61.35	13.3	10.8	12.0	12.0	—	C.	—	N.	—	—
25	64.51	66.87	66.89	66.06	13.8	9.4	12.8	12.6	S.	—	ESE.	D.	—	—
26	66.09	66.04	62.17	64.77	15.0	10.6	15.2	13.6	S.	C.	C.	—	—	—
27	59.82	59.58	59.33	59.58	19.1	13.8	14.2	15.7	S.	—	SO.	—	—	Ni.
28	59.81	61.66	61.91	62.13	15.0	12.1	14.8	14.0	—	SO.	C.	Ni.	N.	D.
29	64.63	65.41	65.67	65.24	16.4	12.6	14.4	11.3	—	—	—	D.	D.	—
30	63.61	65.13	62.0	62.9	17.2	12.0	15.2	11.8	—	C.	—	—	—	—

OCTUBRE DE 1874.

DIA	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR		
	2½ h.	9 h.	21 h.	Medio	2½ h.	h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	60.33	60.53	60.27	60.38	18.1	12.4	15.9	15.2	S.	C.	S.	D.	D.	D.
2	59.57	59.77	60.02	59.81	17.8	12.4	13.0	14.4	S.	ESE.	C.	D.	D.	D.
3	60.26	61.60	62.79	61.55	14.6	12.2	14.4	13.7	SO.	C.	N.	Np.	Ni.	N.
4	62.66	62.77	62.78	62.74	15.4	12.8	14.6	14.3	SO.	N.	N.	N.	N.	N.
5	61.58	60.76	61.27	61.20	17.0	13.0	14.6	14.7	SO.	SO.	NO.	D.	D.	Ni.
6	60.05	60.60	62.78	61.14	15.8	12.3	14.6	14.2	SO.	S.	N.	N.	D.	Ni.
7	61.23	62.12	60.60	61.53	16.2	12.2	12.0	13.5	SO.	C.	N.	D.	Np.	Li.
8	60.63	62.12	60.60	60.95	15.6	10.8	15.0	13.3	SO.	S.	S.	Np.	D.	Ni.
9	57.85	57.80	59.35	58.33	16.8	12.8	13.2	14.3	SO.	ESE.	N.	D.	Ni.	N.
10	59.12	59.00	57.23	58.45	16.2	12.6	13.2	14.0	O.	C.	C.	N.	N.	Li.
11	57.41	58.70	65.72	60.61	15.5	10.8	11.6	12.6	N.	N.	N.	L.	Li.	Np.
12	63.56	66.80	64.62	64.79	13.4	8.9	11.8	11.4	S.	C.	ESE.	D.	N.	D.
13	68.30	63.59	63.35	63.38	13.7	10.4	14.5	12.9	SO.	SE	S.	N.	D.	SO.
14	63.05	62.68	61.60	62.44	17.0	12.9	14.5	14.8	SE.	S.	S.	D.	SO.	SO.
15	61.65	63.44	63.89	62.99	16.3	12.4	13.6	14.4	N.	S.	SO.	SO.	SO.	SO.
16	63.39	65.72	65.66	65.10	15.6	12.0	12.8	13.5	SO.	SO.	SO.	SO.	SO.	SO.
17	63.36	62.77	60.20	62.11	17.0	13.3	16.2	15.5	SO.	SO.	SO.	SO.	SO.	SO.
18	58.28	58.24	58.61	58.36	18.4	13.7	16.0	16.0	N.	SO.	SO.	SO.	SO.	N.
19	58.99	60.20	61.72	60.57	16.4	12.3	13.4	14.0	SO.	N.	N.	SO.	SO.	SO.
20	62.09	62.29	61.46	61.95	15.4	12.3	13.6	13.3	SO.	SO.	SO.	Ni.	N.	SO.
21	61.25	61.60	60.27	61.04	14.8	11.2	14.2	13.4	SO.	SO.	SO.	Ni.	N.	Np.
22	57.82	59.77	59.75	58.78	15.2	12.4	14.0	13.9	SO.	C.	SO.	Ni.	N.	SO.
23	58.55	58.93	58.43	58.64	17.0	11.8	15.4	14.8	SO.	ESE.	N.	D.	Ni.	N.
24	59.12	60.34	60.63	60.63	14.4	13.0	16.5	14.6	SO.	C.	S.	G.	D.	D.
25	60.63	61.02	60.96	60.87	17.6	13.2	15.6	15.5	SO.	SO.	SO.	D.	N.	D.
26	60.56	60.22	58.83	59.80	17.6	12.4	15.8	15.3	N.	SO.	SO.	D.	N.	D.
27	59.04	59.23	59.84	59.21	16.7	12.2	15.0	14.8	SO.	SO.	SO.	D.	N.	SO.
28	60.07	60.96	62.66	61.23	16.2	13.1	16.9	15.7	SO.	SO.	SO.	N.	Li.	SO.
29	62.79	63.80	62.73	62.94	17.3	11.6	15.6	14.9	SO.	SO.	SO.	D.	D.	Np.
30	60.24	63.89	63.45	62.39	16.9	12.2	16.4	15.1	SO.	SO.	S.	Np.	SO.	D.
31	64.05	64.26	63.68	64.00	17.4	13.4	16.4	15.7	N.	S.	SO.	D.	SO.	SO.

NOVIEMBRE DE 1874.

1	63.23	63.43	63.36	63.34	18.4	14.0	17.2	16.4	S.	C.	S.	D.	D.	D.
2	59.56	61.39	60.31	60.35	18.8	14.2	18.2	17.1	N.	SO.	N.	N.	N.	N.
3	59.86	60.12	59.31	59.76	18.6	14.0	14.5	15.6	N.	N.	N.	N.	N.	N.
4	59.17	59.62	60.39	59.73	16.8	14.0	14.3	15.0	N.	N.	N.	N.	N.	N.
5	61.00	61.21	61.76	61.30	16.3	12.8	17.0	15.4	SO.	C.	SO.	D.	D.	D.
6	61.76	62.92	62.59	62.40	17.0	13.6	15.6	15.2	SO.	SO.	SO.	D.	D.	D.
7	62.52	59.87	60.39	60.96	18.1	14.0	18.6	16.9	SO.	ESE.	N.	N.	N.	N.
8	59.61	59.87	58.01	59.17	19.2	14.0	18.0	17.1	SO.	ESE.	N.	N.	N.	N.
9	57.07	57.28	56.96	57.10	19.5	14.6	19.0	17.7	SO.	ESE.	N.	N.	N.	N.
10	57.32	58.30	59.24	58.29	19.4	14.0	17.8	17.1	SO.	ESE.	N.	N.	N.	N.
11	59.56	59.57	57.21	58.71	19.4	14.6	18.2	17.4	SO.	S.	N.	N.	N.	N.
12	57.25	57.86	59.57	58.22	19.0	13.0	16.0	16.0	SO.	C.	C.	N.	N.	N.
13	59.63	60.07	57.72	59.23	19.2	14.4	18.8	17.5	SO.	SO.	N.	N.	N.	N.
14	56.31	56.19	57.79	56.76	22.8	13.5	13.8	16.8	SO.	SO.	N.	N.	N.	N.
15	59.17	59.36	61.32	59.95	16.0	14.2	14.3	15.0	SO.	SO.	N.	N.	N.	N.
16	64.67	62.02	61.76	62.82	18.2	12.4	17.3	16.1	SO.	C.	Np.	Ni.	N.	D.
17	60.86	60.75	61.27	60.96	19.0	11.4	16.8	16.7	SO.	N.	D.	N.	N.	N.
18	62.13	62.57	62.27	62.32	17.6	15.8	16.2	16.3	SO.	SO.	N.	N.	N.	N.
19	61.88	62.02	60.19	61.36	17.6	15.4	18.6	17.2	SO.	C.	N.	Ni.	N.	N.
20	60.91	60.12	59.16	59.73	19.6	16.6	20.0	19.0	SO.	SO.	Ni.	N.	N.	N.
21	59.59	60.12	60.12	59.94	20.4	16.2	16.2	17.6	SO.	C.	N.	N.	N.	N.
22	59.86	59.61	61.70	60.39	15.6	11.0	15.3	15.1	SO.	SO.	Li.	N.	N.	Np.
23	62.36	63.29	61.52	62.46	17.3	14.3	15.2	15.6	SO.	N.	Li.	N.	N.	Li.
24	60.00	59.31	60.77	60.03	14.7	14.4	17.2	15.4	O.	O.	Li.	Li.	Li.	D.
25	60.61	60.84	59.75	60.30	19.0	13.8	18.3	17.2	N.	SO.	D.	D.	D.	N.
26	59.29	58.48	58.41	58.73	21.4	16.2	18.7	19.1	SO.	ESE.	SO.	N.	N.	Np.
27	59.54	59.93	59.86	59.41	20.2	15.6	18.6	18.1	SO.	C.	SO.	N.	N.	Ni.
28	60.39	60.94	60.83	60.77	20.6	15.8	19.3	18.5	SO.	SO.	SO.	N.	N.	D.
29	59.91	59.68	59.61	59.41	20.4	15.2	18.2	17.9	SO.	SO.	SO.	N.	N.	SO.
30	59.73	60.28	61.61	60.33	19.8	15.0	20.1	18.3	SO.	ESE.	ESE.	N.	N.	SO.

DICIEMBRE DE 1874.

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO GEN- TIGRADO.				VIENTOS.			ESTADO ATMOSPÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	m.	mm.	mm.	o	o	o	o						
1	60.90	61.11	58.85	61.23	22.2	15.8	17.7	18.0	S.O.	C.	S.	Ni.	D.	D.
2	57.95	57.81	59.24	58.31	20.5	14.4	15.0	16.0	—	C.	C.	Ni.	D.	Ni.
3	59.29	59.57	53.8	59.11	17.8	13.2	16.7	15.9	N.	C.	C.	Ni.	D.	Ni.
4	58.27	58.73	59.24	58.75	18.0	13.6	16.1	15.9	S.O.	—	—	—	—	—
5	59.51	60.00	61.04	60.17	17.0	14.9	16.9	15.8	N.	N.	O.	Ni.	N.	Np.
6	60.49	59.61	58.21	59.43	20.2	14.2	19.0	18.0	S.O.	S.	S.	D.	D.	D.
7	58.21	58.24	59.63	58.53	20.5	15.0	20.0	18.5	—	—	—	—	—	—
8	59.40	59.68	59.61	59.56	21.4	15.8	20.0	19.1	—	C.	—	—	—	—
9	59.49	59.61	58.27	59.06	22.0	15.8	18.7	18.9	S.	—	—	—	—	—
10	57.11	57.32	56.82	57.42	20.8	14.8	19.0	18.2	S.O.	—	C.	—	—	—
11	56.86	57.65	58.59	57.70	21.0	15.4	16.1	17.3	—	SE.	S.O.	—	—	Ni.
12	59.48	59.75	59.86	59.70	19.6	14.2	15.1	15.2	—	—	—	Ni.	—	—
13	61.85	60.26	59.35	60.49	18.8	14.8	17.6	17.1	S.O.	C.	—	—	—	—
14	58.72	58.92	58.85	58.83	17.9	14.9	17.0	16.5	—	—	—	Np.	—	—
15	58.97	59.17	58.16	58.75	18.1	16.6	15.2	16.7	N.O.	N.	S.O.	Ni.	—	—
16	58.72	59.92	58.59	58.73	18.1	14.1	15.7	16.0	S.O.	S.O.	C.	D.	D.	—
17	58.78	59.81	58.59	58.83	18.4	14.4	20.0	17.0	S.O.	C.	C.	D.	D.	D.
18	58.21	59.59	59.19	58.91	20.2	16.3	21.0	19.2	—	—	—	Ni.	—	—
19	57.62	56.75	55.22	56.33	21.0	18.6	19.6	20.7	—	—	—	D.	—	—
20	55.34	55.36	58.52	56.41	20.8	15.4	17.2	17.8	N.	N.	—	—	N.	—
21	59.13	61.02	60.85	60.34	20.6	14.8	19.2	19.0	SE.	SE.	SE.	D.	D.	D.
22	58.89	58.10	55.06	57.33	20.6	16.4	21.2	19.4	SE.	S.	S.	—	—	—
23	54.52	55.98	57.51	56.09	21.0	16.2	15.1	18.3	—	—	S.O.	—	—	Ni.
24	57.37	57.65	57.07	57.36	21.6	14.4	20.0	18.7	—	—	—	—	—	D.
25	57.41	57.39	52.77	55.75	20.6	15.2	20.2	18.7	—	—	—	—	—	—
26	52.51	52.59	55.77	53.56	20.0	15.2	16.0	17.1	S.O.	SE.	N.	—	—	—
27	56.75	59.43	57.83	58.00	17.8	16.2	18.0	17.3	N.O.	N.	S.O.	D.	Np.	N.
28	57.83	56.24	16.6	19.2	18.2	—	S.	—	—	—	—
29	56.18	57.07	59.29	57.51	20.4	14.4	19.2	18.7	—	—	—	D.	D.	—
30	59.40	59.79	57.45	58.88	22.0	16.5	21.8	20.1	—	—	—	Np.	D.	—
31	56.43	56.75	56.75	56.66	24.0	16.8	17.0	19.5	—	O.	N.	—	—	N.

DIA.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSIÓRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mín.	Dif. de los termómetros		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	55.51	58.21	55.91	54.88	20.0	16.5	18.0	18.00	13.0	2.8	1.5	1.5
2	54.92	56.91	51.51	54.45	19.5	13.5	18.0	17.00	14.0	0.7	2.5	1.0
3	59.29	59.04	48.86	55.73	19.0	13.5	16.0	16.17	9.0	3.8	2.7	5.8
4	54.66	52.93	52.93	53.51	22.0	15.5	18.2	18.57	12.0	2.0	1.6	3.2
5	53.54	54.28	59.79	55.87	24.0	16.0	17.3	19.10	13.0	5.5	2.0	3.9
6	59.71	59.62	59.55	59.63	20.0	14.0	20.5	18.17	10.8	4.2	2.2	4.5
7	56.60	54.71	55.59	55.63	24.0	16.0	20.4	20.13	12.4	5.8	1.0	3.4
8	55.65	55.11	56.28	55.66	22.0	16.2	21.0	19.73	13.0	4.5	2.2	3.3
9	56.40	56.01	56.54	56.32	20.0	16.5	22.0	19.50	13.8	3.8	1.5	2.0
10	56.90	56.75	58.11	57.25	22.5	17.5	21.5	20.50	13.0	4.0	1.9	4.7
11	58.88	58.92	56.87	58.04	23.0	16.5	24.0	21.17	12.8	5.8	2.1	7.0
12	55.80	55.79	55.91	55.83	25.0	16.0	22.0	21.00	13.0	6.8	1.5	3.5
13	51.12	56.19	54.86	54.06	23.0	18.5	25.0	22.17	14.5	4.0	1.5	5.1
14	54.32	54.24	54.99	54.52	26.0	16.5	18.0	20.17	12.5	6.3	3.3	3.6
15	55.30	55.32	55.08	55.30	22.0	16.8	21.0	19.93	12.0	4.1	2.1	3.4
16	55.42	55.17	54.58	55.06	24.0	15.0	16.0	18.33	10.5	5.1	2.3	2.5
17	52.26	55.16	55.15	54.19	21.0	14.0	17.0	17.33	11.8	4.5	1.5	2.0
18	56.35	56.22	56.87	56.31	20.0	15.5	21.8	19.10	13.0	5.4	2.9	4.8
19	56.22	56.21	56.13	56.19	22.4	15.5	20.0	19.30	12.5	4.8	2.3
20	56.59	58.55	61.59	59.84	22.0	17.0	22.0	20.53	14.5	4.5	0.9	3.5
21	58.70	58.42	56.77	57.96	23.0	16.0	21.0	20.00	14.5	4.7	1.7	3.8
22	56.82	56.87	56.27	56.65	21.4	15.2	21.5	19.37	12.0	4.5	2.0	4.0
23	54.62	55.12	55.72	55.15	23.0	15.0	20.5	19.50	12.0	3.5	2.0	3.0
24	56.19	56.71	57.09	56.66	22.0	16.0	21.2	19.73	12.4	3.8	1.5	4.7
25	59.42	58.47	57.34	58.41	21.0	16.5	22.5	21.00	13.0	5.0	3.0	3.8
26	55.11	54.34	54.52	54.66	25.4	16.5	20.0	20.63	13.4	6.0	2.0	2.5
27	54.54	54.34	54.48	54.45	21.0	16.5	20.5	19.33	13.8	3.4	2.0	2.7
28	54.50	54.26	54.48	54.41	19.2	14.3	15.5	18.33	13.2	2.7	0.8	1.2
29	54.24	54.35	54.41	54.33	17.5	15.0	17.0	16.50	14.0	2.1	1.0	1.5
30	54.44	54.73	54.31	54.49	21.0	14.5	22.2	19.23	14.0	0.5	6.2
31	54.30	54.63	54.45	54.47	21.2	14.5	14.0	13.57	11.0	5.6	3.2	3.1

FEBRERO

1	54.81	54.43	54.70	54.65	20.0	14.0	14.5	16.17	11.0	4.5	3.0	1.5
2	58.55	58.51	58.74	58.60	17.0	14.0	19.5	16.83	11.2	3.0	1.3	3.0
3	58.55	58.83	59.47	58.95	20.0	15.0	17.0	17.33	12.2	2.6	1.1	2.2
4	60.15	59.64	58.73	59.51	24.5	16.0	21.0	19.17	12.2	4.3	4.5	4.3
5	56.44	55.97	55.79	56.07	24.0	15.8	17.5	19.10	11.5	5.3	2.5	3.0
6	55.40	55.31	55.22	55.31	25.0	17.5	17.2	19.90	12.3	4.8	5.9	3.4
7	55.72	55.15	55.87	55.58	20.0	15.5	22.0	19.17	13.0	3.0	1.7	3.8
8	55.55	54.58	55.42	55.18	20.2	15.0	16.2	17.13	13.5	3.5	1.3	1.8
9	56.25	55.84	56.65	56.25	19.3	16.0	16.0	17.10	13.5	2.5	1.1	2.2
10	57.27	56.97	56.79	57.01	20.5	16.2	20.0	18.90	13.5	4.0	2.7	3.2
11	57.19	58.17	58.30	57.89	21.5	17.0	19.0	18.83	11.4	4.6	3.4	3.5
12	58.15	58.09	58.01	58.08	23.0	14.8	18.6	18.60	10.7	6.3	3.0	3.9
13	57.85	57.87	59.13	58.28	21.8	16.5	20.0	19.43	13.6	5.0	0.9	3.1
14	56.33	54.78	55.47	55.53	22.0	17.0	16.8	18.60	11.0	4.6	3.0	2.5
15	52.46	52.68	53.23	52.79	17.5	14.5	15.5	15.83	12.2	2.5	1.2	0.9
16	55.10	54.98	55.40	55.16	18.0	13.8	15.5	15.77	11.8	2.2	1.0	2.3
17	55.91	56.55	58.49	56.98	19.0	13.5	15.0	15.83	10.6	5.0	3.0	3.8
18	58.99	59.16	54.05	57.40	19.5	13.0	15.5	16.00	9.6	5.0	2.8	2.5
19	58.97	58.95	58.85	58.92	21.5	13.5	16.5	17.17	9.9	4.6	2.7	3.9
20	58.72	58.61	57.39	58.24	20.0	16.0	19.0	18.33	13.0	4.5	2.1	3.4
21	56.12	55.73	55.99	55.95	21.5	14.5	17.6	17.87	10.5	4.4	2.4	3.3
22	55.95	55.89	55.85	55.90	17.5	14.0	16.0	15.83	11.2	3.5	1.6	3.7
23	58.05	55.71	55.78	58.51	20.6	15.0	19.0	18.00	11.5	4.5	1.0	2.6
24	55.85	55.87	56.01	55.91	22.0	14.0	16.5	17.50	10.0	4.6	2.5	1.8
25	56.09	56.09	56.11	56.10	22.5	13.5	18.5	18.17	9.8	3.7	2.7	3.5
26	56.05	56.19	55.19	55.88	22.0	11.5	16.5	17.67	10.0	5.1	1.8	2.1
27	55.35	56.41	55.28	55.68	20.0	13.5	16.4	16.63	9.8	2.5	2.8	3.0
28	55.41	55.89	55.74	55.67	20.0	13.5	16.5	16.67	9.2	5.0	2.8	3.2

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
74	84	85	81	12.71	11.40	13.07	12.39	SO ₁	SO ₁	SO ₁	D.	Np.	D.
93	71	90	85	15.43	7.96	13.81	12.40	—	S ₁	—	—	—	Np.
64	69	42	58	10.38	7.83	5.66	7.96	SO ₂	SO ₂	SE ₁	—	D.	D.
82	82	71	78	16.16	10.89	10.87	12.62	—	—	—	—	—	—
56	79	62	66	12.49	10.69	9.07	10.75	SO ₁	—	SO ₁	Np.	—	N.
61	75	60	65	10.78	9.02	10.79	10.29	—	S ₁	S ₁	D.	—	D.
54	89	69	71	11.81	11.70	12.34	11.95	—	S ₂	—	—	—	—
62	77	70	70	12.12	10.57	12.86	11.85	—	S ₂	S ₂	—	—	—
65	84	80	76	11.22	11.79	15.85	12.96	SO ₂	S ₂	C.	—	—	—
66	81	59	69	13.11	11.94	11.39	12.15	S ₂	—	SE ₁	—	—	—
53	78	42	58	10.88	10.95	10.14	10.66	SO ₁	—	C.	—	—	—
48	84	70	67	11.20	11.24	13.72	12.05	—	—	SO ₁	—	Np.	—
66	85	60	70	13.41	13.07	13.77	13.42	S ₂	—	—	—	D.	—
52	67	65	61	12.82	9.16	10.04	10.67	SO ₁	—	S ₁	—	—	—
64	78	69	70	12.37	10.95	12.70	12.01	SO ₂	S ₂	SO ₁	—	—	—
59	76	74	70	12.61	9.41	10.90	10.68	SO ₁	—	—	—	—	—
60	83	77	73	11.24	9.90	11.21	10.78	—	S ₁	NO ₁	—	—	N.
51	69	59	60	8.94	8.91	11.49	9.78	C.	C.	C.	—	—	D.
59	76	11.94	9.77	SO ₁	S ₁	—	—	—	—
62	91	70	74	12.05	12.99	13.72	12.91	—	—	—	—	—	—
62	82	67	70	12.78	11.12	12.10	12.09	SO ₂	C.	SO ₁	—	—	—
60	78	65	68	11.24	9.95	12.43	11.21	—	S ₂	—	Np.	—	—
71	78	72	74	14.70	9.60	13.04	12.45	—	SO ₁	C.	D.	—	—
67	84	59	70	12.82	11.40	11.12	11.78	C.	C.	SE ₁	—	—	—
59	69	67	65	12.89	9.69	13.53	12.01	SO ₁	S ₂	SO ₁	—	—	—
54	79	77	70	12.67	11.09	12.89	12.22	—	—	C.	—	—	—
69	79	75	74	12.79	11.09	13.49	12.46	NO ₁	SO ₁	—	—	—	—
74	91	87	84	12.34	11.03	11.42	11.60	—	NO ₁	NO ₁	Ni.	Ni.	Ni.
79	89	84	84	11.74	11.39	11.79	11.61	—	O ₁	—	N.	N.	N.
...	94	56	11.60	11.21	...	C.	—	SO ₁	N.	—	—
51	65	65	60	9.77	8.00	7.83	8.53	SO ₂	S ₂	C.	—	Np.	—

DE 1873.

59	67	83	70	9.96	7.98	9.99	9.28	SO ₁	N ₁	N ₂	N.	Np.	N.
70	85	72	76	10.08	10.02	12.16	10.75	N ₂	—	N ₁	Np.	D.	D.
75	89	77	80	12.67	10.85	11.21	11.58	SO ₁	C.	O ₁	D.	—	—
62	54	62	59	11.09	7.42	11.36	9.96	SO ₂	SO ₂	C.	—	—	—
57	74	70	67	12.31	9.65	10.24	10.73	—	S ₂	—	—	—	—
61	44	66	57	14.28	6.57	9.66	10.17	C.	SO ₂	SO ₁	—	—	Np.
72	81	67	73	12.16	10.77	13.23	12.65	O ₁	SO ₁	SE ₁	—	—	D.
68	85	81	78	11.85	10.77	11.13	11.25	—	NO ₂	N ₁	Ni.	N.	N.
76	89	76	80	12.46	11.64	19.31	11.47	—	C.	S ₁	Np.	N.	—
64	72	70	69	11.37	9.87	11.82	11.03	SO ₁	S ₂	O ₁	D.	D.	Np.
58	66	67	64	10.38	9.24	10.57	10.66	—	—	SO ₁	—	—	D.
49	67	62	59	9.96	8.33	9.21	9.50	—	—	SO ₂	—	—	—
57	90	71	73	19.49	19.97	12.01	11.16	SO ₂	SO ₂	—	—	—	—
61	70	74	68	11.61	10.98	10.39	10.69	SO ₁	—	S ₁	—	—	Np.
75	86	90	84	11.18	10.59	11.60	11.12	NO ₁	N ₁	C.	N.	N.	G.
78	88	76	81	11.84	10.29	9.93	10.66	—	—	C.	Np.	Np.	Np.
53	66	60	60	8.55	7.65	7.63	7.91	SO ₁	SO ₁	—	Np.	D.	D.
54	68	73	65	8.87	7.47	9.29	8.54	—	—	—	—	—	—
59	69	60	63	11.09	7.89	8.44	9.12	—	C.	—	—	—	—
59	77	67	68	9.96	10.61	19.79	19.45	—	SO ₁	—	—	—	—
61	74	68	68	11.67	9.09	10.96	10.21	—	—	SO ₁	—	—	—
67	82	61	70	9.78	9.49	8.11	9.13	—	SO ₂	SE ₁	Np.	—	—
59	89	75	74	19.36	10.91	11.95	11.07	O ₁	—	C.	D.	—	—
61	72	81	71	11.61	8.28	10.97	10.29	C.	SO ₂	SO ₁	—	—	—
68	69	67	68	13.59	7.71	10.18	10.49	SO ₁	—	SE ₁	—	—	—
56	79	78	71	10.88	8.84	10.95	10.22	—	—	SO ₁	—	—	—
77	68	69	71	12.89	7.59	9.34	9.94	E ₁	—	C.	—	—	—
50	68	67	62	8.50	7.59	9.22	8.44	SO ₁	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700 +	mm. 700 +	mm. 700 +	mm. 700 +	o	o	o	o	o	o	o	o
1	55.44	55.45	55.63	55.51	12.5	14.3	14.0	16.60	10.0	4.0	3.0	2.0
2	55.17	55.23	55.59	55.33	18.0	15.0	17.5	16.83	10.5	2.5	2.5	2.0
3	54.72	54.91	55.05	54.89	17.5	13.5	13.5	14.83	10.8	2.6	1.0	1.1
4	55.02	54.79	56.71	55.51	15.0	12.5	15.2	14.23	11.5	2.3	1.4
5	56.93	56.85	57.01	56.59	18.0	13.5	19.5	17.00	9.5	2.8	1.0	2.7
6	57.17	57.33	57.51	57.33	18.0	14.0	15.0	15.67	11.8	2.0	1.1	1.7
7	57.29	57.59	57.71	57.53	16.0	14.0	15.0	15.00	11.2	2.6	1.1	1.0
8	57.85	59.27	59.84	58.99	20.0	15.4	16.0	17.13	10.0	2.7	1.6	4.0
9	58.37	59.39	59.04	58.93	20.0	15.0	17.0	17.33	9.8	4.8	3.2	4.7
10	57.71	57.45	55.81	56.99	21.6	14.0	18.5	17.83	10.3	5.0	2.0	2.8
11	55.35	55.53	55.33	55.40	21.0	13.5	15.5	16.67	10.6	3.5	1.5	2.3
12	56.81	55.99	57.22	56.51	17.5	13.5	16.5	15.83	11.0	2.2	0.8	1.9
13	58.12	57.89	57.79	57.93	21.0	16.0	16.0	17.67	11.9	4.7	2.3	3.5
14	57.65	57.67	57.81	57.71	19.0	15.0	16.5	16.83	10.3	4.1	2.7	3.0
15	57.83	58.17	57.87	57.95	21.0	16.5	16.5	18.00	13.5	3.7	1.2	1.3
16	56.85	56.64	57.91	57.13	20.0	16.0	14.5	16.83	11.5	2.5	0.3	2.0
17	57.67	57.92	57.98	57.86	21.0	14.5	13.0	17.17	11.5	5.1	3.4	4.0
18	57.79	57.95	58.14	57.96	19.0	14.0	16.0	16.33	11.0	3.3	1.5	2.0
19	58.04	58.19	57.84	58.01	18.0	13.5	15.0	15.50	10.3	2.6	1.2	2.3
20	57.57	57.99	57.81	57.79	18.5	14.0	15.3	15.83	10.2	4.4	2.0	1.9
21	57.49	57.42	57.21	55.87	18.5	15.0	14.5	16.00	12.9	3.0	1.5	1.1
22	57.40	60.46	61.10	59.65	11.5	11.5	12.0	11.67	7.8	1.0	1.0	3.5
23	60.72	60.36	59.88	60.32	17.5	12.5	12.0	14.00	8.0	5.2	2.7	3.1
24	59.03	58.01	56.79	57.93	19.0	14.5	17.0	16.33	10.3	4.4	2.4	5.5
25	56.85	59.61	55.61	56.56	19.5	13.0	15.5	15.67	10.2	4.8	1.3	1.8
26	55.83	56.69	58.54	57.02	17.5	13.5	16.0	15.67	10.3	2.5	1.6	2.6
27	58.49	58.92	58.59	58.67	17.5	13.0	13.5	14.67	9.5	2.8	1.5	1.5
28	58.14	58.45	57.76	58.11	19.5	14.0	14.0	15.83	10.5	4.0	1.5	1.0
29	56.77	57.61	57.81	57.41	16.5	14.0	16.0	15.50	11.2	2.6	1.8	2.6
30	57.60	57.59	57.61	57.60	17.0	14.0	14.0	15.00	11.8	2.8	1.2	1.1
31	57.27	57.08	56.24	56.86	15.5	14.0	14.5	14.67	11.8	1.6	1.1	0.8

ABRIL

1	56.70	61.15	64.80	60.91	16.0	12.5	12.5	13.67	8.5	3.5	2.2	3.2
2	63.53	63.52	63.05	63.55	16.0	13.5	15.4	14.97	10.2	3.4	2.6	3.5
3	61.68	61.82	62.70	62.03	18.5	14.0	17.5	16.67	12.5	3.4	1.0	2.8
4	60.61	59.57	56.72	58.97	22.0	18.5	16.5	19.00	12.8	4.8	3.0	2.4
5	55.79	55.77	55.71	55.74	19.5	13.5	15.0	16.00	10.5	3.0	1.0	1.5
6	54.37	53.60	14.0	10.5	1.3	1.0
7	55.98	59.79	61.62	58.80	16.5	13.0	14.0	14.50	9.5	1.6	0.5	2.3
8	61.08	60.73	60.68	60.80	17.0	13.4	13.4	14.60	9.2	3.7	2.0	1.3
9	60.69	59.31	60.63	60.22	17.0	13.5	14.0	14.83	10.6	2.7	0.7	2.5
10	60.88	62.05	62.25	61.73	18.0	12.0	12.5	14.17	8.8	4.8	2.0	3.5
11	60.01	59.56	56.45	58.68	18.0	13.0	15.5	15.50	10.8	5.3	1.5	4.0
12	55.18	55.65	55.34	55.36	20.0	13.0	12.0	15.60	9.3	4.1	2.5	1.1
13	57.48	59.99	58.68	58.69	14.0	10.0	14.0	12.67	7.6	2.6	2.3
14	57.97	57.71	57.78	57.82	20.5	15.5	14.0	16.67	11.5	8.8	1.8	1.5
15	57.62	57.79	58.01	57.81	16.0	12.0	12.0	13.33	16.2	2.1	0.8	1.0
16	58.05	57.68	62.65	59.45	15.5	11.0	13.43	13.43	7.2	2.0	0.9	3.7
17	61.39	61.66	61.37	61.42	13.0	10.2	13.5	12.23	6.5	4.1	2.0	4.2
18	60.88	61.59	62.40	61.63	16.5	14.0	11.0	12.83	6.8	3.5	1.0	2.5
19	64.88	61.57	58.22	60.56	16.8	12.5	11.0	13.43	7.0	5.8	2.0	2.9
20	57.92	59.02	12.5	12.0	7.3	3.0	1.5
21	59.39	60.26	60.55	60.27	15.0	11.5	11.3	12.60	8.2	2.7	1.3	3.4
22	59.91	59.23	55.16	58.68	16.0	14.0	13.5	13.50	8.9	3.9	2.3	1.5
23	54.87	50.63	52.63	54.34	13.8	11.5	12.5	12.59	9.2	1.8	0.9	1.0
24	56.26	56.08	58.20	56.87	14.0	12.5	12.5	13.00	10.8	1.5	0.8	0.9
25	59.22	60.32	61.17	60.36	14.8	12.0	12.5	13.10	10.0	0.3	0.9	0.8
26	61.17	60.97	62.73	61.63	13.5	14.0	11.5	14.60	11.5	1.2	0.7	1.4
27	62.28	62.36	62.15	62.23	17.5	13.0	14.0	14.00	9.2	2.8	1.7	0.7
28	62.56	62.19	60.83	62.66	13.0	13.8	13.0	14.27	10.5	2.0	2.0	1.0
29	58.93	58.90	59.69	58.99	17.0	12.0	12.0	14.17	8.6	2.5	1.2	1.6
30	58.93	59.14	59.83	59.44	17.5	14.5	13.5	16.17	11.0	3.6	1.7	0.7

DE 1873.

PSICRÓMETRO.				VIENTOS.				ESTADO ATMOSFÉR.					
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
63	67	79	70	10.26	7.98	19.69	9.64	C	SO ₂	SE ₁	D.	D.	D.
75	73	80	26	11.18	8.24	11.61	10.39	C	SO ₂	SO ₂	Np.	—	—
73	88	88	83	11.05	10.29	9.32	10.29	O ₁	N ₁	C	E.	N.	Ni.
76	...	84	...	9.41	...	16.65	...	—	SO ₂	—	N.	N.	N.
72	88	73	78	11.15	9.39	11.35	10.30	C	—	—	N.	N.	N.
80	88	81	83	12.32	10.14	9.39	10.82	SO ₂	—	—	Ni.	N.	N.
77	88	89	85	9.72	10.14	19.91	10.26	—	—	SO ₂	D.	D.	D.
74	82	58	71	12.61	10.51	7.72	10.29	NO ₂	—	SE ₁	Np.	—	—
57	65	53	58	9.78	7.89	7.29	8.31	SO ₂	S ₂	—	D.	D.	—
55	77	72	68	10.29	8.99	11.15	10.12	SO ₂	—	—	—	—	—
68	82	75	75	11.09	9.43	9.05	10.29	—	—	C	Ni.	Ni.	Np.
77	90	80	82	10.89	10.32	11.15	10.73	—	C	—	S.	Ni.	N.
58	76	64	76	10.48	10.17	8.31	9.69	SO ₂	SO ₂	SE ₂	D.	D.	D.
61	70	69	67	9.74	8.72	9.69	9.59	—	SO ₂	SE ₁	—	—	—
66	87	86	80	12.60	11.97	11.91	11.29	—	—	SO ₂	—	Ni.	Ni.
77	98	78	83	12.89	12.33	9.25	11.43	O ₁	—	SE ₁	Ni.	Np.	Np.
55	62	58	58	9.91	7.54	7.72	8.41	SO ₂	—	—	Np.	Np.	—
68	83	78	75	11.09	9.55	10.33	10.23	—	SO ₂	NE ₁	D.	D.	—
74	86	76	79	11.12	9.73	9.41	10.09	—	—	SE ₁	D.	—	D.
57	77	79	71	9.05	9.00	9.73	9.26	—	—	C	—	—	Np.
70	88	89	81	10.48	9.29	10.61	10.33	—	NO ₂	S ₂	Np.	Np.	LL.
86	86	66	79	8.86	8.85	9.39	9.04	S	C	S ₂	Np.	D.	D.
49	68	62	60	7.21	7.13	6.45	6.95	—	S ₂	SE ₁	Np.	Np.	D.
59	73	45	59	9.39	8.99	6.32	8.20	SO ₂	S ₂	—	D.	D.	—
56	85	80	74	9.63	9.39	9.51	9.59	C	NO ₂	NE ₁	—	—	N.
74	81	62	72	10.63	9.21	8.42	9.45	NO ₂	—	N ₁	Np.	—	Np.
72	82	82	79	10.37	9.24	9.24	9.62	—	SO ₂	SE ₁	D.	—	D.
63	83	89	78	10.66	9.55	19.53	10.26	SO ₂	C	C	—	—	Np.
73	80	73	75	10.09	9.51	9.59	9.79	C	—	—	N.	N.	N.
72	86	88	82	10.37	10.15	19.11	19.22	C	—	SO ₂	D.	N.	D.
82	88	91	87	10.67	10.13	19.82	19.53	NO ₂	N ₁	N ₂	N.	N.	LL.

DE 1873.

64	73	61	66	8.31	7.73	5.45	7.51	SO ₂	S ₂	SE ₂	N.	D.	D.
64	70	63	66	8.54	7.39	7.65	7.91	SO ₂	—	SE ₁	Np.	N.	—
67	88	71	75	19.32	19.29	19.02	19.18	SO ₂	SE ₁	—	D.	D.	—
58	71	75	68	11.15	19.87	10.12	19.72	S ₂	S ₂	—	—	—	—
72	88	83	81	11.71	9.85	19.65	19.74	SO ₂	C	NO ₂	—	Ni.	N.
...	9.81	9.19	...	—	N ₁	—	—	Np.	LL.
83	91	75	84	11.42	9.81	8.51	9.35	SO ₂	N ₁	SE ₁	Np.	N.	D.
62	76	85	74	8.57	8.11	9.36	8.79	SO ₂	SO ₂	C	D.	—	Np.
72	92	72	79	19.04	19.38	8.49	9.65	SO ₂	—	C	—	D.	—
53	75	59	62	7.91	7.67	6.21	7.26	—	—	SE ₂	—	—	D.
50	82	58	63	7.69	8.89	7.37	7.95	SO ₂	—	—	—	—	—
57	71	86	71	7.59	7.66	8.74	8.09	—	S ₂	O ₁	—	—	Ni.
71	...	75	...	8.22	...	3.51	...	—	SO ₂	SE ₁	Ni.	Ni.	—
26	80	89	63	4.61	10.23	9.53	3.15	O ₁	SO ₂	C	D.	D.	—
77	90	86	84	10.29	9.16	8.86	9.11	—	NO ₂	—	—	N.	N.
78	89	53	73	9.95	10.33	5.18	8.49	N ₁	C	SO ₂	N.	N.	D.
53	74	52	60	5.85	6.81	5.97	6.21	SO ₂	SE ₁	SE ₁	D.	D.	—
64	86	69	73	8.69	8.56	6.51	7.92	—	C	—	—	—	—
52	76	63	64	7.24	7.96	6.05	7.08	—	SO ₂	SO ₂	—	—	—
...	65	82	6.77	8.26	...	—	SE ₁	C	—	—	Np.
70	81	58	71	8.37	8.59	5.79	7.51	—	—	SE ₁	D.	—	—
59	72	82	71	7.85	6.93	9.24	8.01	—	SE ₁	NO ₂	Np.	—	N.
79	88	87	85	8.99	8.80	9.54	9.11	N	C	O ₁	—	LL.	Np.
83	90	89	87	9.55	9.31	9.53	9.46	O ₁	O ₁	—	Np.	N.	N.
97	88	90	92	10.98	8.98	9.59	9.85	—	C	C	N.	Ni.	N.
86	92	81	87	9.72	10.59	10.05	10.12	—	—	SE ₁	—	—	Np.
71	79	92	81	10.02	8.62	9.93	9.52	C	—	—	D	D.	—
78	77	87	81	10.59	8.79	9.54	9.61	—	S ₂	S ₂	Np.	—	—
74	86	80	80	10.39	9.35	8.32	9.33	SO ₂	—	SE ₁	D.	—	D.
64	81	82	79	8.94	9.61	10.49	9.67	SO ₂	—	—	Np.	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	59.13	59.09	52.88	57.03	17.0	16.2	21.0	13.07	12.5	2.4	1.1	5.1
2	53.32	54.54	60.65	56.17	13.5	13.0	13.6	13.37	10.4	0.8	0.5	1.0
3	59.71	59.51	59.90	59.71	16.5	14.0	14.0	14.83	11.0	2.1	1.5	1.5
4	59.45	59.88	59.89	59.74	17.0	14.0	11.5	14.17	9.2	2.6	1.7	1.0
5	59.30	58.91	59.04	59.09	16.5	12.5	12.6	13.87	9.2	2.2	1.1	2.2
6	58.79	59.10	59.11	58.97	16.5	12.0	13.0	13.83	9.0	2.8	2.0
7	59.12	59.88	59.09	59.16	17.0	13.5	13.5	14.67	11.8	2.5	0.8	0.9
8	58.88	59.18	59.14	59.07	16.0	13.5	14.5	14.67	11.5	2.0	1.0	1.2
9	59.14	59.40	62.69	60.41	15.0	12.5	12.5	13.33	9.4	0.2	1.4	3.0
10	61.93	61.17	60.24	61.11	16.0	14.0	14.5	11.83	11.3	4.2	2.1	2.0
11	60.08	60.31	62.12	60.84	17.5	13.0	13.0	14.50	9.5	2.5	1.1	0.8
12	61.58	61.68	61.80	61.69	17.5	14.0	12.5	14.67	9.5	2.6	0.8	2.0
13	61.60	61.35	60.26	61.07	14.5	12.0	11.5	12.67	9.5	2.9	2.2	1.0
14	60.11	60.92	60.19	60.41	13.5	11.5	11.5	12.17	8.0	1.0	1.0	1.2
15	60.70	60.64	60.97	60.77	14.5	10.5	10.8	11.93	7.8	2.0	1.0	1.5
16	60.60	60.65	60.99	60.75	14.0	11.0	11.0	12.00	7.6	2.3	1.1	2.0
17	60.53	60.64	60.55	60.57	14.5	10.5	11.0	12.00	9.0	2.0	1.3	1.0
18	59.76	59.68	59.72	59.72	12.5	12.0	12.5	12.33	9.5	0.7	1.0	1.5
19	59.66	59.66	59.96	59.76	14.0	12.0	12.0	12.67	10.0	1.6	0.9	1.0
20	59.93	59.96	59.91	59.93	12.5	12.5	12.5	12.50	10.2	0.8	0.8	0.7
21	59.90	58.86	55.23	58.00	14.0	13.5	13.0	13.50	11.3	1.3	0.7	0.7
22	58.63	54.03	54.96	53.87	13.5	13.0	12.5	13.00	11.0	0.9	0.7	0.8
23	54.39	55.05	57.54	53.66	13.0	12.0	12.0	12.33	8.0	1.5	1.2	1.5
24	56.96	59.64	59.71	58.77	12.0	10.0	10.0	10.67	8.6	2.2	1.5	1.5
25	59.44	59.63	57.61	58.89	12.0	11.0	12.0	11.67	9.8	1.9	1.2	0.9
26	56.44	64.73	52.95	58.04	13.0	13.0	13.0	13.00	10.5	1.3	0.7	1.3
27	53.55	56.82	60.81	57.03	14.0	12.0	13.0	13.00	9.5	1.5	1.0	2.1
28	60.56	60.72	60.51	60.61	14.8	11.0	12.0	12.60	7.4	3.5	1.5	2.0
29	60.31	60.42	61.49	60.75	14.5	11.0	10.5	12.00	7.5	1.8	1.0	1.9
30	60.19	61.12	60.97	60.76	13.5	10.3	11.0	11.60	7.5	2.4	2.0	2.8
31	59.99	60.06	59.02	59.69	15.2	12.0	11.0	12.73	8.3	2.5	1.6	1.5

JUNIO

1	67.70	57.66	56.76	60.71	13.0	12.5	13.0	12.83	10.0	2.0	1.5	1.9
2	56.11	55.79	54.42	55.41	13.8	12.5	13.5	13.27	11.2	2.2	1.6	2.2
3	53.95	53.75	54.49	54.06	12.5	12.0	12.5	12.33	10.5	1.2	0.8	0.8
4	55.77	57.53	59.74	57.68	12.5	12.5	11.0	12.00	9.2	0.8	0.6	0.6
5	59.44	60.47	60.33	60.08	13.5	9.8	9.5	10.92	6.4	2.0	1.5	1.0
6	60.51	60.53	61.15	60.73	10.0	9.0	8.0	9.00	6.5	2.2	1.2	1.8
7	60.58	60.92	63.87	61.79	11.5	7.5	7.5	8.83	4.5	3.2	2.3	2.2
8	63.88	63.93	64.68	64.16	11.5	8.5	7.5	9.17	5.0	2.2	2.5	1.2
9	63.74	62.50	60.58	62.27	10.0	9.0	9.0	9.33	6.2	2.3	1.9	1.3
10	60.94	61.06	60.00	60.67	11.0	9.0	8.0	9.33	4.2	2.9	2.4	1.9
11	59.71	59.93	59.93	59.86	11.5	9.0	8.5	9.67	5.0	2.4	1.4	1.6
12	58.11	57.13	55.66	56.97	12.5	10.5	11.5	11.50	6.8	2.5	0.8	1.1
13	60.49	60.51	59.98	60.33	13.5	10.0	9.0	10.83	5.9	2.0	1.8	1.9
14	59.22	59.43	59.50	59.42	13.0	9.0	8.0	10.00	4.9	2.8	1.3	2.0
15	58.93	59.15	59.30	59.13	13.5	10.0	5.0	9.50	4.0	3.3	1.2	1.0
16	57.51	56.89	57.30	57.23	7.5	6.8	9.5	7.93	3.5	1.4	1.0	1.0
17	57.43	57.83	57.95	57.74	12.5	11.3	11.0	11.60	3.2	2.0	1.4	1.3
18	57.50	56.88	54.36	56.25	12.5	9.2	10.5	10.73	7.2	1.5	1.5	1.0
19	54.43	54.71	53.48	54.22	12.0	12.0	11.5	11.83	9.2	1.5	1.0	1.0
20	51.84	52.04	57.81	54.60	12.8	12.5	12.5	12.60	10.2	0.9	0.7	0.5
21	57.84	56.88	55.49	56.57	13.0	12.5	13.0	12.83	11.5	0.7	0.7	0.8
22	55.31	54.15	52.37	53.95	13.0	12.5	12.5	12.67	10.2	1.8	1.3	0.7
23	52.13	52.65	53.99	52.92	13.0	12.5	13.5	13.00	10.6	1.0	1.0	0.8
24	54.72	51.72	51.19	52.54	12.4	12.5	12.5	12.47	10.8	0.8	0.8	0.8
25	62.32	53.02	61.39	55.58	12.5	11.5	12.0	12.00	9.4	1.2	0.6	0.9
26	61.09	61.25	60.39	61.11	13.5	11.0	10.0	11.50	7.2	2.3	0.8	0.5
27	59.38	58.58	55.88	57.95	11.5	10.0	9.0	10.17	6.5	1.0	1.0	0.5
28	52.52	50.85	46.67	50.01	12.0	12.0	12.5	12.17	8.2	1.2	1.9	1.4
29	57.55	54.84	60.65	51.01	12.5	11.2	11.0	11.57	9.6	0.6	0.6	1.0
30	60.31	60.15	58.05	59.50	12.5	11.0	11.0	11.50	7.2	1.3	1.1	3.7

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
75	89	55	73	10.93	11.64	9.75	10.77	C.	S ₁	S ₁	Np.	D.	D.
90	94	88	91	10 11	10 15	10 20	10 15	NO ₂	N ₁	C.	Ni.	N.	N.
78	83	83	81	10 79	9 55	9 55	9 96	SO ₁	C.	S ₁	Np.	D.	N.
73	80	86	80	10 33	9 32	8 68	9 44	—	S ₁	SE ₁	D.	Np.	N.
76	86	74	79	10 39	9 04	7 84	9 09	C.	S ₂	—	—	Np.	D.
71	75	9 60	7 85	—	—	—	Np.	D.	—
74	90	89	84	10 71	10 11	10 26	10 36	—	C.	C.	N.	G.	Ni.
78	88	86	84	10 35	9 85	10 43	10 21	O ₁	—	—	—	N.	G.
98	83	65	82	12 43	8 80	6 77	9 33	—	S ₂	SE ₂	Ni.	D.	G.
56	76	77	70	7 67	8 80	9 14	8 54	SO ₂	SO ₂	S ₁	D.	—	D.
74	87	90	84	10 63	9 47	9 87	9 99	SO ₁	SO ₁	—	—	—	Np.
73	91	75	80	10 81	10 82	7 85	9 83	—	C.	SE ₁	—	Ni.	—
68	73	86	76	8 04	7 43	8 80	8 09	—	SO ₁	—	Np.	N.	—
88	86	84	86	9 85	8 68	8 33	8 95	—	O ₁	C.	D.	Np.	D.
78	86	80	81	9 24	8 27	7 41	8 31	SO ₁	SO ₁	—	D.	Np.	D.
75	86	74	78	8 61	8 21	7 11	7 98	SO ₁	S ₁	SE ₁	Np.	D.	D.
78	83	86	82	9 25	7 79	8 56	8 53	—	C.	C.	D.	—	Ll.
92	87	82	87	2 57	9 19	8 56	9 11	N ₁	NO ₁	SE ₁	Ll.	N.	Np.
82	84	86	85	9 63	8 98	8 86	9 16	—	—	NO ₁	N.	N.	N.
90	90	92	91	9 66	9 65	9 58	9 63	N ₁	N ₁	C.	G.	G.	Np.
85	92	92	90	10 02	10 38	10 24	10 21	C.	—	NO ₂	Ni.	—	Ll.
89	92	90	90	10 33	10 24	9 66	10 08	O ₂	O ₂	O ₁	Ll.	Ni.	N.
82	85	82	83	8 89	8 62	8 26	8 59	O ₂	C.	O ₁	N.	Ll.	Np.
73	80	80	78	7 73	7 41	7 29	7 48	O ₁	NO ₁	SO ₁	Np.	—	—
76	84	83	83	7 97	8 03	8 98	8 33	C.	N ₂	N ₂	—	N.	N.
85	92	85	87	9 15	9 33	9 36	9 48	—	NO ₂	NO ₂	N.	Ll.	—
83	87	75	82	9 55	9 19	8 20	8 98	—	O ₁	SO ₁	Np.	D.	D.
62	81	75	73	7 53	7 67	7 67	7 62	SO ₁	S ₁	—	D.	D.	—
80	86	75	80	9 65	8 21	6 80	8 22	—	SO ₁	SE ₁	Np.	D.	Np.
72	74	65	70	8 20	6 81	6 33	7 11	—	—	—	—	—	—
73	80	81	78	9 15	8 20	7 97	8 44	—	SO ₁	SO ₁	Np.	—	D.

DE 1873.

76	82	77	78	8.26	8.44	8.38	8.36	C.	O ₁	N ₂	Np.	N.	N.
75	80	74	76	8.46	8.56	8.32	8.45	N ₂	N ₂	—	—	—	—
85	90	90	88	8.92	9.31	9.45	9.23	N ₂	—	NO ₂	Ll.	Ll.	—
90	93	93	92	9.66	9.71	8.80	9.39	—	NO ₂	S ₁	N.	Ni.	Np.
77	80	86	81	6.58	7.11	7.42	7.70	SO ₁	S ₁	SO ₂	Ni.	D.	D.
71	83	74	76	6.47	6.92	5.86	6.42	—	S ₁	SE ₁	N.	—	—
61	67	67	65	6.09	4.92	5.19	5.37	SO ₁	S ₁	—	D.	—	—
72	65	82	73	6.87	5.29	5.82	5.99	—	SE ₁	—	—	—	—
71	74	82	76	6.36	6.16	6.71	6.41	—	NE ₁	SE ₂	N.	M.	M.
63	67	73	68	6.05	5.66	5.70	5.80	—	SE ₁	SE ₁	Np.	D.	D.
70	81	77	76	7.05	6.75	6.14	6.65	SO ₁	—	—	D.	—	—
70	89	86	82	7.37	8.33	8.15	7.95	—	S ₁	—	—	—	—
77	76	74	76	8.72	6.93	6.01	7.22	—	—	—	—	—	—
67	82	71	73	7.19	6.86	5.44	6.59	—	SE ₁	—	—	—	—
62	84	83	76	6.70	7.47	5.29	6.49	—	S ₁	SO ₁	E ₂	—	Np.
79	85	86	83	6.10	6.19	7.42	6.57	—	SE ₁	C.	C.	N.	N.
75	82	83	80	7.67	8.03	7.91	7.87	—	N ₂	NO ₁	N.	N.	N.
82	80	86	83	8.56	6.84	7.97	7.79	—	N ₁	C.	D.	D.	D.
82	86	86	85	8.26	8.86	8.68	8.60	—	NE ₂	N ₃	N.	N.	Ll.
89	92	94	92	9.67	9.72	10.65	9.81	—	NO ₂	NO ₂	Ni.	N.	N.
92	92	90	91	9.93	9.79	9.97	9.90	—	N ₃	N ₂	Ni.	N.	Ll.
79	85	92	85	8.70	9.36	9.72	9.26	—	NO ₂	O ₂	Ll.	Ni.	Ni.
87	87	90	88	9.54	9.19	9.45	9.39	—	O ₂	O ₁	N.	—	Ll.
90	90	90	90	9.16	9.59	9.45	9.40	—	NO ₂	NO ₂	Ll.	Ll.	Np.
85	93	88	89	8.80	9.28	8.98	9.02	—	O ₂	NO ₁	N.	N.	—
75	90	93	86	8.54	8.68	7.97	8.40	—	C.	C.	Np.	Np.	—
86	86	93	88	8.68	7.67	7.72	8.02	—	N ₁	N ₁	D.	D.	—
85	76	83	81	8.68	7.67	8.86	8.38	—	N ₂	NE ₂	Np.	—	Ll.
93	93	86	91	9.57	8.92	8.45	8.98	—	O ₂	C.	Ll.	Ll.	N.
85	86	53	75	9.01	7.61	5.18	7.27	—	SE ₁	E ₂	Np.	D.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.			
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínima.	Dif. de los termómetros.			
										2½ h.	9 h.	21 h.	
	mm.	mm.	mm.	mm.	°	°		°	°	°			
1	793.4	799.4	799.4	799.4	13.5	13.0	19.5	11.33	7.2	0	4.1	1.0	0
2	57.84	57.81	60.85	58.34	13.6	19.4	19.0	11.40	7.5	2.0	1.5	1.5	1.6
3	61.05	62.14	63.17	62.72	12.6	9.5	8.0	9.83	5.0	1.5	1.1	2.4	1.5
4	62.73	62.94	62.52	62.73	11.8	9.5	8.9	19.07	6.3	2.5	1.6	1.5	1.5
5	61.60	61.12	60.25	60.15	12.0	8.5	8.0	9.50	5.0	5.6	1.5	1.5	1.5
6	59.91	60.55	60.53	60.69	19.0	8.5	5.5	7.27	4.0	1.9	0.9	0.9	0.9
7	60.41	60.50	62.39	61.10	3.0	7.5	8.0	7.35	4.5	1.6	1.3	1.7	1.0
8	62.34	62.54	62.24	62.54	19.5	10.0	9.5	19.09	5.6	2.2	1.7	1.0	1.0
9	61.43	62.57	62.70	62.51	19.0	8.0	7.0	8.32	4.5	1.1	1.8	2.0	2.0
10	61.12	59.85	56.92	59.23	19.5	8.5	9.5	9.50	6.3	3.0	1.6	0.8	0.8
11	57.49	56.02	52.26	55.23	11.5	19.5	19.0	10.67	8.2	0.8	1.8	1.1	1.1
12	55.31	57.65	62.69	59.02	12.0	9.5	9.0	9.85	6.5	1.5	1.4	0.9	0.9
13	61.95	61.85	63.17	61.73	19.5	8.5	9.5	2.50	5.0	2.1	1.7	1.9	1.9
14	62.79	62.97	63.01	62.92	11.0	19.0	11.5	11.00	8.2	1.5	1.0	0.7	0.7
15	62.06	62.94	62.72	62.57	12.5	11.5	12.0	12.00	8.6	0.8	1.0	1.5	1.5
16	61.21	60.44	57.47	59.87	12.0	19.5	11.5	11.53	9.0	1.5	0.9	1.2	1.2
17	57.67	59.05	62.78	59.82	11.0	9.5	8.6	9.70	6.9	1.3	2.0	1.8	1.8
18	62.52	59.89	54.55	59.74	10.4	8.0	8.0	8.85	6.0	2.4	2.5	2.5	2.5
19	56.98	57.49	58.28	57.55	19.0	9.5	9.0	9.79	7.8	1.8	1.6	2.1	2.1
20	69.05	69.74	69.69	69.15	12.5	19.0	9.5	10.67	7.5	2.2	2.3	1.3	1.3
21	61.12	60.75	61.42	61.08	11.5	9.5	10.5	10.59	7.5	1.4	1.2	1.2	1.2
22	61.82	63.89	61.92	62.53	12.0	11.5	12.0	11.83	9.2	1.8	1.0	1.0	1.0
23	59.13	57.19	58.35	58.42	12.0	11.0	9.0	10.67	5.8	1.0	1.0	2.2	2.2
24	63.59	65.38	61.14	61.37	11.0	8.0	9.0	9.85	5.2	2.5	1.5	1.9	1.9
25	63.75	61.33	64.52	64.29	11.5	8.5	8.0	9.33	5.0	2.1	1.0	1.0	1.0
26	63.96	62.98	61.52	62.82	12.0	9.5	10.0	19.50	6.2	2.5	2.5	2.0	2.0
27	60.28	59.07	65.99	61.75	12.5	19.0	19.5	11.09	7.5	3.0	1.2	1.8	1.8
28	53.78	53.59	53.84	53.73	11.0	11.5	12.0	11.59	9.5	1.0	0.8	0.9	0.9
29	53.90	51.96	45.13	50.49	13.4	11.5	11.5	12.13	9.0	1.3	1.1	1.4	1.4
30	46.95	47.49	53.65	49.34	12.5	12.5	11.5	12.13	9.1	1.6	1.3	1.0	1.0
31	53.42	47.19	43.13	48.01	12.5	12.5	12.5	12.56	9.0	1.0	1.0	1.4	1.4

1	61.51	45.76	18.32	52.89	12.5	11.5	11.0	11.67	9.5	1.6	0.7	2.1	2.1
2	51.39	51.65	52.45	51.82	12.0	11.0	10.0	11.60	7.2	2.5	2.3	2.0	2.0
3	51.46	64.81	61.16	60.14	3.0	9.0	19.5	9.59	6.2	2.0	2.3	2.0	2.8
4	63.29	62.81	62.24	62.78	11.0	9.5	10.0	10.17	7.2	3.4	1.3	2.2	2.2
5	60.77	59.91	62.59	61.07	9.0	9.0	10.0	9.33	7.2	1.4	1.5	2.2	2.2
6	62.33	62.33	63.38	62.83	13.5	10.4	11.47	7.2	2.0	0.6	2.5	2.5	2.5
7	62.87	62.87	63.29	63.03	11.0	19.0	9.0	11.09	7.4	2.2	1.7	2.0	2.0
8	63.22	63.32	63.38	63.33	12.0	9.0	11.0	10.67	6.4	3.1	1.4	3.0	3.0
9	60.95	60.95	61.18	61.01	11.5	19.5	9.5	11.59	7.2	2.2	1.0	0.8	0.8
10	61.39	61.16	59.24	60.57	11.0	9.5	9.0	9.83	5.3	1.6	0.8	1.0	1.0
11	57.86	57.41	59.31	58.19	14.5	11.0	10.5	12.09	7.2	2.5	1.7	1.5	1.5
12	56.46	56.46	57.15	56.83	15.0	11.5	11.0	12.59	8.5	2.7	1.5	2.3	2.3
13	56.01	55.75	57.62	56.59	12.4	12.0	12.2	12.29	9.5	1.8	1.7	1.4	1.4
14	58.29	61.67	62.02	60.16	12.0	11.0	9.0	10.67	7.5	2.0	2.5	1.0	1.0
15	62.80	62.87	62.35	62.89	13.0	9.0	19.5	10.83	7.2	1.8	1.1	2.0	2.0
16	62.17	62.12	61.25	61.94	11.5	9.5	9.5	10.17	6.0	2.9	1.4	1.4	1.4
17	60.73	61.12	61.29	61.05	12.0	8.5	7.5	9.35	5.2	2.3	1.8	2.5	2.5
18	62.33	61.86	68.55	61.25	11.0	8.0	8.0	9.00	4.6	2.4	1.7	2.4	2.4
19	68.21	68.31	67.93	68.15	11.5	9.0	10.0	10.17	5.6	2.8	1.2	3.1	3.1
20	65.96	61.85	61.72	61.18	14.5	19.5	11.0	12.09	8.6	2.0	0.8	1.9	1.9
21	61.60	62.22	64.85	61.88	11.5	11.6	11.5	12.59	9.4	3.0	0.9	0.7	0.7
22	60.21	61.35	59.71	60.42	16.0	12.2	10.0	12.73	8.4	2.5	1.0	0.6	0.6
23	58.94	57.87	61.10	59.39	14.0	19.5	13.5	12.67	8.1	1.2	1.9	2.0	2.0
24	59.85	59.81	61.01	60.23	14.0	11.0	12.5	12.50	8.5	2.6	1.4	2.1	2.1
25	60.43	60.14	60.56	60.34	16.5	12.0	12.0	13.50	8.2	7.5	1.4	2.7	2.7
26	59.04	58.81	59.11	58.99	16.0	12.7	19.5	13.09	7.6	2.8	1.4	2.5	2.5
27	58.81	58.68	58.78	58.79	14.0	9.8	9.5	11.19	6.0	2.7	1.7	1.7	1.7
28	58.81	58.58	59.78	59.66	13.8	10.5	8.5	11.63	5.4	3.4	1.7	2.8	2.8
29	59.42	59.07	56.63	58.34	13.5	10.5	11.0	11.67	8.0	3.8	4.1	2.3	2.3
30	56.81	59.31	58.75	58.28	15.0	12.5	11.5	12.53	9.0	2.0	1.2	1.0	1.0
31	63.29	63.19	63.52	63.33	13.0	11.0	11.5	11.83	8.2	1.6	1.9	1.5	1.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
54	86	79	73	6.64	7.67	7.05	6.93	C.	Ei	NEi	D.	D.	N.
77	80	80	79	8.79	7.41	7.41	7.87	N.	N.	SEi	Np.	—	Np.
81	85	66	77	8.26	7.46	5.20	6.97	—	—	—	D.	—	—
70	79	80	76	7.01	6.95	6.49	6.82	SOi	C.	—	Np.	—	D.
36	79	79	65	3.52	6.35	6.10	5.35	—	—	—	D.	—	—
76	87	86	83	6.93	6.19	5.76	6.29	C.	Ei	Ei	—	—	N.
77	82	76	78	5.94	6.22	5.88	6.01	Ei	—	—	N.	N.	Np.
72	78	86	79	6.87	6.22	7.32	7.03	C.	O ₂	—	Np.	Np.	—
86	75	70	77	7.61	5.92	5.16	6.18	SEi	Ei	SEi	LL.	—	D.
62	77	89	76	5.69	6.34	7.11	6.38	—	S ₁	C.	D.	—	Np.
90	76	85	84	8.98	6.97	7.61	7.94	O ₂	O ₂	NO ₂	LL.	—	N.
81	81	88	89	7.97	6.97	7.28	7.41	O ₂	O ₂	Ei	N.	—	N.
73	76	75	75	6.87	6.25	6.35	6.55	SO ₂	SEi	SEi	Np.	—	D.
82	86	92	87	8.26	7.97	9.04	8.42	SEi	C.	SO ₂	N.	—	Ni.
90	86	82	86	9.45	8.56	8.26	8.76	C.	—	—	—	—	Np.
82	88	84	85	8.26	8.39	8.33	8.33	O ₂	O ₂	NO ₂	N.	—	D.
83	78	75	77	7.91	6.26	6.02	6.74	SO ₂	S ₁	SEi	LL.	—	N.
69	65	65	69	0.85	5.04	5.61	5.48	—	SE ₂	—	D.	—	N.
76	78	71	76	7.23	6.73	5.99	6.65	S.	Ei	Ei	Np.	—	N.
74	71	83	76	7.81	6.21	7.25	7.09	Ei	—	—	N.	—	Np.
82	88	81	83	8.09	7.17	7.85	7.70	SEi	—	S ₁	Np.	—	N.
77	80	86	83	7.97	8.33	8.86	8.46	NO ₂	NO ₂	NO ₂	N.	—	D.
87	86	70	81	9.19	8.56	5.89	7.86	NO ₂	SO ₂	Ei	LL.	—	D.
69	79	74	74	6.51	6.10	6.31	6.31	SO ₂	S ₁	SEi	D.	—	—
73	86	85	81	7.23	6.93	6.39	6.82	—	—	—	—	—	—
69	66	73	69	6.51	5.75	6.44	6.25	—	S ₂	C.	Np.	—	Np.
65	84	76	75	6.77	7.63	7.25	7.18	—	SO ₂	O ₂	Np.	—	Np.
86	80	88	88	8.27	8.98	8.92	8.74	NO ₂	NO ₂	NO ₂	N.	—	Np.
85	86	83	85	9.31	8.73	8.32	8.81	N ₂	N ₂	O ₂	—	—	LL.
80	85	86	84	8.58	8.24	8.53	8.58	N ₂	N ₂	O ₂	—	—	Np.
87	87	83	86	9.31	9.19	8.68	9.14	NO ₂	NO ₂	NO ₂	—	—	N.

DE 1873.

80	92	73	82	8.44	9.91	6.99	8.16	NO ₂	O ₂	O ₂	N.	N.	Np.
70	72	73	72	7.67	6.75	6.51	6.71	O ₂	—	—	Np.	LL.	Np.
72	62	64	64	6.29	5.26	5.91	5.73	O ₂	SO ₂	—	N.	LL.	Np.
58	83	71	71	5.59	7.23	6.32	6.37	O ₂	O ₂	NO ₂	Np.	LL.	N.
81	80	71	77	6.90	6.59	6.37	6.62	N ₂	NE ₂	NE ₂	LL.	LL.	D.
77	92	63	79	8.57	8.45	6.24	7.76	N ₂	NE ₂	SEi	Np.	N.	N.
75	77	72	75	8.67	6.87	6.05	7.26	SO ₂	SEi	—	D.	D.	—
62	81	62	64	6.27	5.96	5.94	6.37	—	S ₁	—	—	—	—
78	86	83	84	9.25	8.05	7.74	6.36	—	S ₁	C.	Np.	N.	N.
80	89	86	85	7.61	7.64	7.14	7.46	SEi	C.	SEi	D.	N.	N.
72	78	80	73	8.63	7.47	7.41	7.84	C.	—	—	Np.	D.	D.
70	71	73	75	8.72	7.57	7.49	8.05	SO ₂	SO ₂	NO ₂	N.	N.	LL.
78	79	83	80	8.98	8.03	8.14	8.18	N ₂	N ₂	SO ₂	N.	N.	D.
76	69	86	77	7.96	6.51	7.14	7.29	SO ₂	SO ₂	—	Np.	—	Np.
64	86	74	79	8.44	7.05	6.93	8.47	NO ₂	O ₂	C.	—	—	—
76	81	81	75	6.45	6.95	6.93	6.78	SO ₂	C.	SEi	D.	D.	N.
73	73	64	71	7.41	6.02	4.87	6.19	SEi	SEi	SEi	Np.	—	—
70	75	66	71	6.69	5.97	5.49	6.02	SO ₂	S ₁	C.	Np.	—	D.
65	83	69	69	6.65	6.97	6.33	6.33	—	C.	Ei	Np.	N.	N.
78	83	75	75	9.24	8.24	8.23	8.23	—	—	—	Np.	N.	N.
78	83	92	86	8.88	8.88	8.92	8.92	—	—	—	Np.	N.	N.
74	86	86	84	9.65	8.86	8.35	8.55	—	—	—	Np.	N.	N.
86	86	76	79	9.24	8.88	8.41	8.78	—	—	—	Np.	N.	N.
71	82	74	75	8.99	7.97	7.85	8.06	—	—	—	Np.	D.	D.
27	83	67	69	3.83	8.24	6.81	8.61	—	—	—	Np.	Np.	Np.
70	77	77	75	8.87	6.87	6.87	7.33	—	—	—	D.	D.	Np.
62	78	61	67	7.23	6.25	5.11	6.74	C.	C.	—	Np.	N.	N.
57	47	59	59	6.49	4.38	6.75	5.82	—	—	—	D.	N.	—
24	85	86	82	8.32	8.26	8.88	8.63	—	—	—	Np.	N.	N.
82	82	82	82	8.24	8.24	8.24	8.24	—	—	—	—	—	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	62.87	63.17	60.71	62.25	14.0	10.0	12.0	12.00	7.0	2.1	2.0	2.5
2	58.85	58.26	61.89	59.33	14.0	10.0	11.0	11.67	6.5	2.7	1.5	1.2
3	61.05	61.40	61.64	61.36	13.5	10.5	9.0	11.00	6.3	1.5	1.5	0.8
4	61.92	61.91	61.83	61.89	14.0	11.0	11.5	12.17	6.3	2.0	1.4	1.7
5	59.61	59.66	58.76	59.34	14.5	11.5	12.5	12.83	8.2	2.9	1.4	1.3
6	58.64	58.70	59.08	58.81	14.5	12.5	14.0	13.67	8.2	2.0	1.3	2.4
7	59.06	59.12	59.22	59.13	13.5	12.8	13.0	13.10	10.3	1.4	0.9	2.0
8	60.32	60.02	10.0	12.5	10.0	8.3	1.9	0.6
9	59.98	59.93	58.13	59.35	10.0	9.5	10.5	10.00	6.9	1.3	1.3	0.5
10	57.10	57.03	59.35	57.83	10.5	10.0	11.5	10.67	8.2	0.8	1.2	1.2
11	61.68	63.92	71.51	65.70	11.5	8.0	9.0	9.50	4.8	3.4	3.0	2.2
12	71.15	70.58	66.88	69.54	12.0	9.5	11.0	10.83	7.9	2.4	1.7	2.1
13	64.55	64.19	64.12	64.29	14.5	10.5	12.5	12.50	7.6	2.7	1.3	1.9
14	62.26	61.17	59.32	60.92	15.5	12.0	14.5	14.00	9.6	2.9	1.9	3.3
15	57.85	56.91	55.96	56.74	18.5	13.8	12.0	14.77	10.3	2.6	1.3	1.1
16	56.06	56.25	57.51	56.61	12.5	11.5	12.0	12.00	10.0	1.3	0.8	1.0
17	57.37	57.28	57.56	57.40	13.0	12.0	12.5	12.50	10.0	1.6	1.3	2.0
18	57.51	57.28	57.21	57.33	13.0	11.6	13.0	12.53	10.4	2.3	2.0	2.6
19	56.91	55.82	54.56	55.76	11.6	11.5	11.8	11.63	9.3	1.0	1.4	1.7
20	54.54	55.09	57.00	55.54	11.8	11.5	12.5	11.93	9.0	1.1	1.7	1.9
21	57.11	58.82	61.15	59.03	13.5	11.0	14.0	12.50	8.9	2.3	1.4	2.0
22	61.39	61.57	61.59	61.52	15.5	11.5	12.0	13.00	7.8	1.6	1.6
23	60.36	60.06	60.76	60.39	14.5	10.0	11.0	11.83	6.5	2.5	1.6	2.6
24	61.25	61.22	60.55	61.01	13.8	11.0	13.8	12.87	8.2	2.6	1.0	1.5
25	60.01	59.82	57.76	59.21	15.2	12.5	13.6	13.77	9.8	7.0	0.9	2.3
26	56.13	56.54	61.42	58.36	13.0	11.5	11.5	12.00	8.0	2.1	1.4	1.5
27	62.52	65.40	65.43	64.45	13.5	10.5	11.5	11.83	7.2	2.3	0.5	1.5
28	65.35	65.03	62.97	64.45	14.5	10.5	13.0	12.67	7.2	3.1	1.7	2.1
29	60.70	58.46	56.30	58.49	14.5	12.5	14.0	13.67	10.2	1.9	1.9	1.5
30	57.64	60.61	62.67	60.31	13.0	10.0	11.5	11.50	6.9	1.0	2.1	2.9

1	60.85	61.72	58.68	60.42	13.0	10.0	12.8	11.93	7.2	3.5	2.0	3.0
2	56.58	56.15	57.93	56.89	12.0	8.5	12.5	11.90	6.8	1.5	1.5	1.8
3	58.36	59.35	63.63	60.44	13.0	11.0	12.5	12.17	6.1	3.6	3.0	1.5
4	63.71	63.62	63.83	63.72	13.0	9.0	11.0	11.00	5.2	3.1	2.1	4.0
5	62.68	62.79	65.28	63.58	14.0	9.4	11.8	11.73	5.3	3.4	2.8	2.5
6	62.00	61.91	61.89	61.93	15.0	10.0	12.0	12.33	7.8	3.0	1.7	2.5
7	61.46	61.41	61.59	61.49	14.0	10.5	13.0	12.50	8.0	3.1	2.1	3.0
8	61.51	61.25	59.78	60.85	17.5	12.5	12.5	14.47	9.5	3.0	0.7	0.5
9	59.34	58.99	59.21	59.18	15.5	12.5	15.0	14.33	10.0	2.3	1.3	2.0
10	60.01	59.06	59.46	59.51	16.8	12.0	15.0	14.60	9.4	2.7	1.1	2.0
11	59.71	59.64	60.96	60.10	16.5	13.0	13.5	14.33	10.6	2.6	1.5	2.8
12	60.18	61.87	62.37	61.47	13.5	9.5	11.5	11.50	6.0	3.7	1.8	4.8
13	68.94	67.05	63.23	66.41	13.5	9.8	13.5	12.27	6.5	4.4	2.7	3.5
14	59.91	59.07	59.18	59.29	17.5	11.9	17.0	15.47	8.2	4.5	2.4	3.9
15	52.49	57.44	57.67	55.87	19.0	12.5	13.0	14.83	9.2	4.5	2.0	1.6
16	57.19	57.17	59.35	57.91	13.0	12.0	12.0	12.33	9.1	1.9	1.6	1.5
17	59.39	59.21	56.36	58.32	15.0	11.0	11.5	12.50	8.0	3.2	1.4	1.9
18	59.28	59.16	59.37	59.27	18.5	12.5	15.2	15.40	9.0	3.9	3.0	3.0
19	59.21	59.16	59.55	59.31	17.5	12.0	16.0	15.17	8.1	4.3	2.9	3.3
20	59.29	59.18	59.58	59.35	17.0	11.5	14.0	14.17	7.3	4.0	2.6	3.5
21	59.11	58.71	57.60	58.49	16.5	10.8	12.5	13.27	7.5	4.4	2.3	3.3
22	57.66	58.78	57.18	57.87	14.8	11.5	15.5	13.77	9.2	2.8	1.7	3.0
23	57.15	57.65	57.22	57.14	14.5	12.5	15.0	14.00	10.4	7.1	1.0	2.3
24	57.36	58.87	61.32	59.18	16.0	11.5	13.0	13.50	6.8	2.3	1.9	4.4
25	61.49	61.60	61.71	61.60	14.8	10.5	13.5	12.93	7.0	4.8	2.6	4.9
26	61.45	60.24	60.01	60.57	16.0	11.0	16.8	14.60	7.5	4.2	1.7	4.5
27	59.44	59.31	59.68	59.48	19.0	12.0	16.0	15.67	7.6	4.7	2.1	3.5
28	59.28	59.16	59.14	59.37	16.5	10.5	14.5	13.83	8.0	3.8	1.5	3.3
29	59.25	59.51	59.43	59.40	15.5	10.5	15.0	12.17	7.0	4.1	2.0	3.6
30	59.09	59.48	59.37	59.31	16.5	11.0	17.5	15.60	7.6	4.4	1.9	3.6
31	59.28	59.85	59.53	59.56	17.5	12.5	16.0	15.33	9.2	3.8	1.7	2.5

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
76	73	70	73	8.80	6.51	7.07	7.47	C.	S ₂	SE ₁	D.	D.	D.
70	80	84	78	8.37	7.11	8.33	7.94	SO ₂	C.	C.	—	—	Ni.
82	81	89	84	9.24	7.67	7.64	8.18	C.	SO ₁	—	—	—	Ni.
77	82	79	79	8.93	8.09	8.03	8.35	SO ₁	SO ₁	SO ₁	Np.	D.	D.
68	82	84	78	8.59	8.09	8.68	8.39	—	—	S ₁	—	—	D.
78	84	73	78	9.46	8.74	8.48	8.89	C.	O ₁	N ₁	N.	Np.	D.
83	89	77	83	9.37	9.67	8.58	9.21	O ₁	—	SO ₁	N.	N.	Np.
...	77	92	8.02	8.21	O ₂	C.	N.	—	Ll.
83	83	94	87	7.59	7.23	8.57	7.80	SE ₁	E ₂	NE ₁	N.	—	—
89	87	88	88	8.39	7.71	8.44	8.18	SE ₂	C.	NO ₁	Np.	—	—
59	57	70	62	5.97	4.66	5.88	5.50	SO ₂	S ₁	SE ₁	Np.	D.	D.
71	77	73	74	7.25	6.72	6.99	6.99	—	—	SO ₁	N.	Np.	—
70	83	77	77	8.51	7.91	8.26	8.23	SO ₂	S ₂	S ₂	D.	D.	—
69	77	64	70	9.05	8.02	7.80	8.29	—	—	SE ₁	—	—	—
74	85	86	82	11.44	9.88	8.80	10.04	C.	C.	C.	N.	—	Ni.
85	90	86	87	9.01	8.98	8.92	8.97	O ₂	O ₁	NO ₁	N.	N.	N.
81	84	75	80	8.82	8.59	7.85	8.39	O ₁	O ₁	O ₁	—	—	—
74	75	70	73	7.90	7.67	7.59	7.72	O ₂	N ₂	N ₂	—	—	—
86	82	79	82	8.86	8.27	8.09	8.41	NO ₂	—	N ₂	N.	—	Ll.
86	79	77	81	8.80	7.91	8.26	8.32	—	N ₂	NE ₂	Ll.	—	N.
75	82	77	78	8.54	8.09	8.93	8.52	—	E ₁	E ₁	N.	D.	N.
...	80	80	7.97	8.29	C.	SE ₁	—	Np.	D.
72	78	68	73	8.63	6.98	6.45	7.35	SO ₂	S ₂	—	D.	D.	D.
71	86	83	80	8.22	8.33	9.55	8.70	O ₁	C.	N ₁	Np.	N.	Np.
30	89	75	65	3.92	9.46	8.51	7.31	—	SO ₁	O ₁	Np.	N.	Np.
75	82	81	79	8.38	8.27	8.03	8.23	O ₂	—	C.	N.	Ll.	Np.
75	94	81	83	8.54	8.57	8.15	8.42	SO ₁	C.	SO ₁	Np.	N.	N.
66	78	75	73	7.92	7.29	8.32	7.84	—	—	O ₁	D.	Np.	Np.
79	89	83	84	9.59	9.67	9.55	9.60	—	—	C.	N.	Ll.	N.
88	72	64	75	9.85	8.48	6.57	8.30	—	SO ₁	SE ₁	Ll.	D.	D.

DE 1873.

61	73	65	66	6.46	6.54	6.95	6.65	SO ₂	SO ₁	O ₂	D.	D.	Np.
59	79	77	79	8.26	6.45	7.97	7.56	O ₁	C.	C.	Ll.	Np.	—
82	61	82	67	6.40	5.59	8.56	6.82	SO ₂	—	—	Np.	—	—
64	71	50	62	7.01	5.99	4.85	5.95	SO ₁	S ₂	SE ₂	D.	D.	D.
62	63	70	65	7.23	5.42	7.07	6.57	SO ₂	SO ₂	SE ₁	—	—	—
67	78	70	72	8.33	7.11	7.21	7.55	SO ₁	S ₂	S ₂	—	—	—
65	73	66	68	7.59	6.87	7.35	7.27	SO ₂	SO ₁	S ₁	—	—	Np.
70	92	94	85	10.08	9.58	9.84	9.83	SO ₁	—	C.	—	—	Ni.
76	84	78	79	9.77	8.80	9.69	9.39	—	SE ₁	NO ₁	Np.	N.	N.
72	86	78	79	10.08	8.74	9.69	9.47	NO ₁	C.	NO ₁	—	N.	D.
73	82	68	74	9.58	8.89	7.65	8.71	SO ₁	S ₁	SO ₂	—	N.	—
58	76	45	60	6.64	6.51	4.32	5.82	SO ₂	S ₂	S ₁	D.	D.	D.
52	64	62	59	5.92	5.78	7.05	6.25	SO ₂	S ₂	—	—	D.	—
56	71	60	62	8.08	7.13	8.51	7.91	SO ₂	—	—	—	—	—
58	76	81	72	9.57	7.96	9.10	8.88	SO ₁	S ₁	—	—	—	Ni.
78	80	82	80	8.64	8.20	9.26	8.37	C.	C.	—	Np.	D.	N.
65	82	76	74	8.28	7.79	7.79	7.95	SO ₁	E ₁	—	—	D.	Ni.
64	65	68	66	9.82	6.77	8.64	8.41	—	S ₂	—	D.	—	D.
58	64	65	62	8.69	6.63	8.60	7.91	SO ₂	—	SE ₂	—	—	—
61	68	62	64	8.73	6.81	7.05	7.55	SO ₂	S ₁	SE ₁	—	—	—
55	72	62	63	7.55	6.75	6.70	7.09	SO ₂	—	SO ₂	—	—	Np.
69	79	68	72	8.45	7.91	8.99	8.45	C.	C.	N ₂	N.	N.	Np.
28	87	76	64	3.33	9.19	9.48	7.53	O ₁	O ₂	NO ₁	Np.	Np.	Np.
76	76	50	67	9.77	7.43	5.67	7.62	SO ₁	S ₂	SE ₁	—	D.	—
48	66	46	53	5.92	6.18	5.37	5.82	SO ₂	E ₁	—	—	—	—
56	79	57	61	7.69	7.73	7.99	7.67	SO ₁	S ₁	C.	D.	Np.	D.
37	71	64	65	9.05	7.55	8.69	8.43	SO ₂	—	—	D.	—	—
61	81	62	68	8.59	7.67	7.55	7.84	SO ₁	SE ₁	—	—	—	—
37	71	61	61	7.34	6.99	7.75	7.35	SO ₂	—	SO ₁	—	—	—
55	75	61	65	7.73	7.25	9.51	8.13	—	C.	C.	—	—	—
62	79	71	72	8.91	8.11	9.95	9.46	—	C.	E.	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros		
	2 1/2 h.	9 h.	21 h.	Med.	21 h.	9 h.	21 h.	Medio	Mínim.	2 1/2 h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	58.87	58.76	58.91	58.19	20.8	12.5	16.5	16.43	9.4	4.1	2.1	3.0
2	58.84	58.15	59.17	58.72	19.5	11.5	17.0	16.00	6.0	5.0	1.9	4.4
3	58.95	58.79	58.86	58.87	20.5	12.5	18.5	17.17	9.6	4.9	2.4	4.3
4	58.76	58.14	58.79	58.56	20.0	12.0	17.0	16.33	9.0	4.4	2.1	3.4
5	57.85	58.93	57.70	58.18	18.0	12.5	20.0	16.83	9.2	4.3	2.0	5.3
6	54.57	54.95	55.35	55.15	20.0	13.0	15.0	16.00	10.0	5.0	2.2	2.4
7	54.31	56.02	56.18	56.16	16.8	12.0	16.0	14.98	9.0	3.1	1.1	4.0
8	56.14	56.10	56.30	56.18	19.0	12.5	14.0	15.17	10.4	4.0	1.3	2.1
9	56.15	56.24	56.31	56.23	17.5	12.5	15.0	15.09	10.2	3.6	1.7	2.6
10	56.34	56.24	56.41	56.33	13.5	12.4	16.0	14.97	8.8	3.5	1.8	4.2
11	56.78	57.38	58.40	57.52	17.0	11.5	19.5	16.00	8.5	4.2	1.4	4.8
12	58.09	58.30	58.60	58.33	19.0	12.0	20.0	17.00	9.0	5.0	1.8	4.2
13	59.92	59.34	59.61	59.63	18.5	12.8	20.0	17.40	9.5	4.7	2.1	4.2
14	59.69	59.39	59.56	59.55	19.5	13.0	19.0	17.17	9.0	4.5	2.3
15	58.27	58.88	58.41	58.52	20.0	11.5	17.5	16.33	9.0	3.6	1.5	4.1
16	58.57	59.48	61.65	59.96	17.0	12.0	17.6	15.53	9.1	3.8	1.6	3.9
17	61.66	61.66	61.59	61.61	18.0	13.0	19.6	17.20	11.4	3.6	3.3	3.6
18	61.58	61.35	61.47	61.47	18.0	13.5	18.5	16.67	10.1	3.1	2.5	4.1
19	61.48	61.50	60.95	61.30	18.5	13.5	16.8	16.27	11.0	4.7	1.8	2.6
20	60.39	60.70	58.58	60.19	19.5	14.0	20.0	17.83	11.2	3.5	2.0	4.6
21	59.47	57.54	56.41	57.81	22.5	14.5	19.5	18.83	10.5	6.8	3.8	5.5
22	56.73	59.42	59.82	58.68	16.5	14.0	19.0	16.50	12.1	3.5	1.3	3.0
23	59.72	59.57	57.50	58.93	19.5	15.5	23.5	19.50	12.3	4.0	2.5
24	57.22	57.11	55.56	56.63	23.5	14.5	22.0	20.00	10.8	4.9	2.4	6.9
25	56.19	55.92	60.88	57.63	19.5	14.0	14.5	16.00	12.0	4.3	1.2	2.1
26	61.00	61.03	60.19	60.74	18.6	12.5	18.0	16.37	7.8	3.0	2.6	5.4
27	59.45	59.29	59.86	59.53	17.5	12.0	18.5	16.00	9.0	5.2	2.6	4.3
28	59.55	59.34	60.51	59.89	20.0	14.0	19.0	17.67	10.0	5.0	2.1	3.6
29	59.17	58.63	57.89	58.56	19.5	14.0	22.5	18.67	11.4	4.2	5.2
30	66.71	56.73	67.01	63.48	19.8	13.5	20.0	17.77	8.9	5.1	2.4	5.4

DICIEMBRE

1	57.66	57.82	57.33	57.46	21.0	15.0	20.0	18.67	11.1	4.6	1.8	3.5
2	59.57	60.97	59.97	59.87	19.8	15.0	21.5	18.77	12.2	3.5	1.5	5.0
3	59.86	60.11	59.52	59.89	22.3	14.8	18.0	18.37	10.5	7.1	3.4
4	58.92	58.10	55.79	57.60	22.5	17.5	21.0	20.32	10.0	3.1	3.5
5	54.50	53.99	52.52	53.67	21.5	16.0	15.0	17.50	12.5	3.7	1.6	1.6
6	54.81	54.52	58.94	56.09	16.1	11.5	15.8	15.50	11.5	1.4	1.2	1.6
7	58.54	58.88	58.87	58.76	18.0	13.5	20.0	17.17	11.2	3.0	2.1	3.8
8	59.03	58.73	57.40	58.39	18.0	15.0	16.5	16.50	13.8	8.2	1.8	1.4
9	57.11	55.87	58.19	57.07	17.5	15.0	18.6	17.03	13.2	2.8	2.9
10	58.27	58.17	59.14	58.33	21.2	14.0	17.5	17.57	11.5	5.3	2.8	4.4
11	59.19	58.17	58.25	58.54	21.3	15.6	21.8	19.57	11.5	6.0	2.4	5.1
12	57.77	55.84	55.17	56.26	23.5	14.5	20.5	19.50	10.0	6.4	2.7	4.3
13	54.68	54.81	54.33	54.61	19.5	14.0	14.0	15.83	11.8	5.0	1.5	2.5
14	53.33	52.35	52.37	52.68	13.5	13.5	11.0	13.67	11.2	2.0	2.0	2.0
15	52.85	53.48	56.38	54.24	13.5	13.0	13.5	13.33	9.8	1.7	2.2	1.6
16	56.26	56.88	62.87	58.67	18.1	12.0	15.0	15.00	8.5	2.9	0.8	3.3
17	62.85	63.05	62.12	62.67	17.5	13.8	18.5	16.60	10.2	4.0	2.4	4.4
18	58.20	58.09	57.61	59.97	23.5	15.0	19.5	19.33	12.0	6.0	2.5	4.7
19	57.47	57.54	57.44	58.48	25.0	14.5	17.3	18.93	11.0	11.8	2.0	2.9
20	57.10	57.22	58.91	57.74	22.0	14.0	21.0	19.00	10.2	5.6	2.8	5.8
21	58.64	58.67	58.87	58.73	23.0	14.8	19.0	18.93	12.0	5.8	2.0	3.6
22	58.62	58.35	58.46	58.54	20.5	13.5	19.5	17.83	9.5	4.9	2.2	6.8
23	58.37	57.97	57.26	57.87	21.8	13.5	20.1	18.45	9.2	6.3	3.2
24	56.97	56.19	56.89	56.78	22.6	14.5	14.8	17.77	11.2	6.6	2.9	3.6
25	58.12	56.87	56.39	57.13	20.5	15.5	17.0	17.67	11.2	3.6	1.2	3.4
26	56.47	56.44	56.61	56.94	21.5	16.5	21.5	19.83	9.1	4.4	2.0	4.2
27	57.53	56.55	56.39	56.99	22.0	15.5	20.5	19.33	13.5	1.6	3.8
28	59.07	59.11	59.50	59.23	22.5	14.5	21.5	19.50	10.8	5.5	2.5	6.9
29	59.50	59.37	58.49	59.06	31.0	15.0	19.8	18.66	15.8	6.5	1.4	5.3
30	68.56	68.64	54.98	57.23	21.5	15.0	20.0	18.83	15.5	5.5	3.0	2.0
31	55.76	53.29	53.59	55.51	21.1	15.0	20.5	19.00	11.5	5.0	3.0	5.0

DE 1873.

PSICROMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2 ½ h.	9 h.	21 h.	Medio	2 ½ h.	9 h.	21 h.	Medio	2 ½ h.	9 h.	21 h.	2 ½ h.	9 h.	21 h.
68	74	69	69	11.13	7.85	9.34	8.44	NO	NE	E	Np	Np	D.
64	76	86	62	8.97	7.55	7.88	8.02	—	—	E	Np	Np	—
58	71	80	62	10.12	7.67	9.29	9.09	—	—	E	Np	Np	—
60	74	66	67	19.18	7.51	9.45	9.09	—	—	—	—	—	—
68	76	52	62	8.97	7.26	8.93	8.62	—	—	—	—	—	—
54	74	74	67	9.27	8.32	9.28	8.25	—	—	—	—	—	—
68	86	59	71	9.63	8.39	8.01	8.72	—	—	—	—	—	—
62	84	76	74	9.88	8.68	8.87	9.11	—	—	—	—	—	—
64	79	72	72	9.54	8.32	8.88	8.91	—	—	—	—	—	—
64	78	66	66	8.69	8.26	7.67	8.19	—	—	—	—	—	—
58	81	56	65	8.28	7.53	9.47	8.42	—	—	—	—	—	—
54	78	61	64	8.97	8.68	10.62	9.19	—	—	—	—	—	—
56	75	61	61	8.87	8.14	10.78	9.28	—	—	—	—	—	—
59	74	9.96	7.99	—	—	—	—	—	—
67	82	60	70	11.79	8.26	8.85	9.64	—	—	—	—	—	—
63	80	62	68	8.99	8.26	9.09	8.73	—	—	—	—	—	—
55	75	67	69	9.72	8.81	11.31	9.99	—	—	—	—	—	—
68	71	61	67	9.79	7.95	9.58	9.08	—	—	—	—	—	—
56	79	72	69	8.93	8.98	8.88	8.93	—	—	—	—	—	—
67	77	58	67	11.05	9.60	10.14	10.66	—	—	—	—	—	—
44	58	51	51	8.72	6.99	8.56	8.69	—	—	—	—	—	—
66	85	71	74	9.04	10.02	11.27	10.11	—	—	—	—	—	—
63	74	10.42	9.65	—	—	—	—	—	—
60	74	44	59	12.76	9.67	8.58	10.14	—	—	—	—	—	—
61	86	77	75	10.16	10.28	9.83	9.33	—	—	—	—	—	—
69	69	49	62	9.69	7.57	7.69	8.22	—	—	—	—	—	—
50	69	60	60	7.31	7.01	9.29	7.87	—	—	—	—	—	—
54	76	66	65	9.35	8.87	10.51	9.58	—	—	—	—	—	—
61	...	55	...	10.14	...	10.72	...	—	—	—	—	—	—
54	72	51	59	9.21	8.68	8.78	8.63	—	—	—	—	—	—

DE 1873.

59	89	69	69	11.09	10.07	12.28	11.12	NO	SE	—	—	—	—
68	83	57	69	11.49	10.65	19.49	19.85	—	—	—	—	—	—
61	63	7.87	7.71	—	—	—	—	—	—
...	69	69	69	...	19.31	12.47	...	—	—	—	—	—	—
68	83	82	78	12.43	11.19	19.55	11.27	—	—	—	—	—	—
85	86	82	81	11.38	10.29	19.52	19.75	—	—	—	—	—	—
79	76	65	70	10.53	8.88	11.49	10.17	—	—	—	—	—	—
68	80	85	78	19.27	19.23	11.62	19.77	—	—	—	—	—	—
72	...	72	...	10.69	...	11.19	...	—	—	—	—	—	—
54	69	56	60	9.79	8.24	8.21	8.71	—	—	—	—	—	—
49	75	56	60	9.29	9.89	19.88	10.02	—	—	—	—	—	—
48	79	61	69	10.35	8.72	19.64	9.99	—	—	—	—	—	—
53	83	72	69	8.48	9.39	8.61	9.69	—	—	—	—	—	—
77	77	77	77	8.99	8.95	9.66	8.95	—	—	—	—	—	—
80	74	81	78	9.18	5.68	9.69	8.73	—	—	—	—	—	—
71	99	61	75	19.63	9.31	8.15	9.39	—	—	—	—	—	—
59	73	57	63	8.38	8.48	9.65	8.92	—	—	—	—	—	—
52	73	57	61	16.91	9.15	9.49	9.49	—	—	—	—	—	—
19	78	71	53	4.39	9.69	—	—	—	—	—	—
53	69	59	67	19.59	8.24	9.17	9.17	—	—	—	—	—	—
53	73	66	63	19.88	9.67	19.33	19.33	—	—	—	—	—	—
56	74	59	66	10.11	8.32	6.48	8.31	—	—	—	—	—	—
47	64	8.88	7.43	—	—	—	—	—	—
55	65	61	59	8.81	5.19	9.12	8.71	—	—	—	—	—	—
67	87	66	73	11.74	11.18	9.32	10.33	—	—	—	—	—	—
61	79	62	67	11.57	19.59	11.63	11.52	—	—	—	—	—	—
...	82	65	10.39	11.83	...	—	—	—	—	—	—
...	72	42	56	19.19	8.14	8.19	9.17	—	—	—	—	—	—
...	81	69	66	8.17	19.17	11.57	11.57	—	—	—	—	—	—
...	67	69	79	11.67	8.33	12.77	19.19	—	—	—	—	—	—
...	67	49	57	19.00	8.85	8.85	8.85	—	—	—	—	—	—

Instrumentos.		MARZO 10 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....		758.80	757.81	757.77	757.45	756.94	756.94	756.06	755.81	757.20
Termómetro centígrado.....		21.5	21.0	17.5	14.0	12.5	12.0	13.0	18.5	16.25
Psicrómet. {	Dif. de los term.	5.7	4.5	2.8	2.0	1.5	1.4	2.4	2.8
	Humedad relat...	51	60	72	77	82	83	72	72	71
	Fuerza elástica ..	9.47	10.79	10.53	8.93	8.89	8.44	7.96	11.15	9.52
Vientos.....		C.	SO ₁	SO ₁	S ₁	S ₁	SE ₁	SE ₁	SE ₁
Estado atmosférico.....		D.	D.	D.	D.	D.	D.	D.	D.
		MARZO 20 DE 1873.								
Barómetro reducido a 0°.....		757.89	757.55	757.67	757.99	757.89	757.78	757.86	757.81	757.79
Termómetro centígrado.....		20.0	19.0	16.0	14.0	13.5	11.5	12.0	15.0	15.13
Psicrómet. {	Dif. de los term.	3.5	4.9	3.8	2.0	1.0	1.1	1.0	1.9
	Humedad relat...	63	54	61	77	88	86	86	79	74
	Fuerza elástica...	7.68	8.61	8.15	9.00	9.85	8.62	8.92	9.73	8.82
Vientos.....		SO ₁	SO ₁	SO ₂	SO ₁	SO ₁	SE ₁	C.	C.
Estado atmosférico.....		D.	D.	D.	D.	D.	Np.	Np.	Np.
		MARZO 30 DE 1873.								
Barómetro reducido a 0°.....		757.81	757.31	757.59	757.59	757.42	757.55	757.51	757.61	757.59
Termómetro centígrado.....		15.5	17.0	15.0	14.0	13.5	13.0	13.5	14.0	14.44
Psicrómet. {	Dif. de los term.	3.4	2.6	1.7	1.2	1.0	0.7	0.6	1.1
	Humedad relat...	64	73	81	86	88	92	93	88	83
	Fuerza elástica...	8.40	10.49	9.99	10.15	9.85	9.93	10.37	10.14	9.92
Vientos.....		SO ₁	C.	C.	C.	C.	C.	C.	SO ₁
Estado atmosférico.....		D.	D.	Np.	D.	N. Ni.	N. Ni.	N. Ni.	Ni.
		ABRIL 9 DE 1873.								
Barómetro reducido a 0°.....		760.58	760.72	760.32	759.31	760.54	760.33	760.06	760.65	760.31
Termómetro centígrado.....		16.0	16.8	14.0	13.5	13.5	12.5	13.0	14.0	14.16
Psicrómet. {	Dif. de los term.	2.7	3.0	1.8	0.7	1.3	1.6	1.2	2.5
	Humedad relat...	72	69	80	92	85	80	85	72	79
	Fuerza elástica...	9.52	9.69	9.37	10.33	9.22	8.20	8.92	8.49	9.22
Vientos.....		C.	SO ₁	SO ₂	S ₂	S ₂	S ₂	S ₂	S ₂
Estado atmosférico.....		D.	D.	D.	D.	D.	Np.	Np.	Np.
		ABRIL 19 DE 1873.								
Barómetro reducido a 0°.....		762.33	761.90	761.45	761.57	761.47	759.88	759.16	758.22	760.75
Termómetro centígrado.....		14.8	16.5	14.5	12.5	10.5	9.5	9.5	11.0	12.35
Psicrómet. {	Dif. de los term.	3.9	4.5	3.4	2.0	1.8	1.7	2.1	2.9
	Humedad relat...	58	54	62	76	76	77	71	63	67
	Fuerza elástica...	7.11	7.42	7.57	7.96	7.23	6.72	5.99	6.05	6.99
Vientos.....		SE ₁	SO ₁	SO ₂	SO ₂	SO ₂	S ₁	S ₁	SO ₂
Estado atmosférico.....		D.	D.	D.	D.	D.	D.	D.	D.

		ABRIL 29 DE 1873.								
Instrumentos.		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	760.09	758.82	758.80	758.96	758.81	758.91	759.02	759.09	759.06
Termómetro centígrado.....	o	16.5	17.0	14.5	13.0	12.0	11.0	11.0	12.5	13.44
Psicrómet. {	Dif. de los term...	2.2	2.8	2.5	1.2	1.0	1.0	1.3	1.6
	Humedad relativa	76	71	72	86	86	86	83	80	80
	Fuerza elástica...	10.31	9.88	8.63	9.35	8.86	8.33	7.79	8.32	8.89
Vientos.....	SO ₁	SO ₂	SO ₂	S ₁	S ₁	S ₁	C.	SE ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	D.
		MAYO 9 DE 1873.								
Barómetro reducido a 0°.....	mm.	759.30	759.14	759.18	759.40	760.07	760.81	761.10	762.69	760.21
Termómetro centígrado.....	o	14.5	15.5	14.0	12.5	12.5	11.0	12.0	12.5	13.06
Psicrómet. {	Dif. de los term...	0.9	1.0	1.7	1.4	1.8	2.3	3.2	3.0
	Humedad relativa	90	89	81	83	78	72	61	65	77
	Fuerza elástica...	10.83	11.46	9.57	8.80	8.08	6.75	7.45	6.77	8.59
Vientos.....	NO ₁	SO ₁	S ₁	S ₂	S ₁	SE ₂	SE ₃	SE ₂
Estado atmosférico.....	Ni.	Np.	D.	D.	D.	D.	D.	D.	D.
		MAYO 19 DE 1873.								
Barómetro reducido a 0°.....	mm.	759.64	759.60	759.54	759.66	759.78	759.81	759.83	769.96	759.73
Termómetro centígrado.....	o	14.0	14.0	2.5	12.0	11.5	11.5	11.5	12.0	12.38
Psicrómet. {	Dif. de los term...	1.8	2.0	1.2	0.9	1.1	1.3	1.0	1.0
	Humedad relativa	80	78	85	88	86	84	86	86	84
	Fuerza elástica...	9.51	9.25	8.92	8.78	8.68	8.38	8.56	8.86	8.89
Vientos.....	C.	C.	C.	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	N.	N.	N.	N.
		MAYO 29 DE 1873.								
Barómetro reducido a 0°.....	mm.	760.48	760.34	760.47	760.42	760.61	759.98	760.85	761.49	760.58
Termómetro centígrado.....	o	14.0	14.0	12.5	11.0	10.0	10.0	9.0	10.5	11.38
Psicrómet. {	Dif. de los term...	2.0	1.8	1.0	1.0	1.1	0.5	2.0	1.9
	Humedad relat...	77	80	87	86	86	93	73	75	82
	Fuerza elástica...	8.93	9.37	9.19	8.27	7.61	7.72	6.29	6.80	8.02
Vientos.....	C.	SO ₁	SO ₁	SO ₁	S ₁	S ₁	S ₁	SE ₁
Estado atmosférico.....	D.	Np.	Np.	D.	D.	D.	D.	Np.
		JUNIO 8 DE 1873.								
Barómetro reducido a 0°.....	mm.	763.79	763.88	763.80	763.93	763.78	764.94	764.67	764.67	764.19
Termómetro centígrado.....	o	10.0	11.5	9.5	8.5	7.5	7.0	7.3	7.5	8.60
Psicrómet. {	Dif. de los term...	3.7	2.3	1.2	2.5	2.1	2.0	2.0	1.2
	Humedad relat...	51	72	83	65	69	70	71	82	70
	Fuerza elástica...	4.62	6.81	7.17	5.29	5.20	5.10	5.34	5.82	5.67
Vientos.....	SE ₁	SO ₁	SO ₁	SE ₁	SE ₁	SE ₁	SE ₁	SE ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	N.

Instrumentos.		JUNIO 18 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	757.98	757.65	757.56	756.88	755.94	754.48	754.21	754.36	756.13
Termómetro centígrado.....	o	12.5	12.5	10.5	9.2	9.5	9.5	9.6	10.5	10.40
Psicrómet. {	Dif. de los term...	1.6	1.3	1.2	1.7	1.0	1.3	1.0	1.0
	Humedad relativa	80	84	84	77	86	82	86	86	83
	Fuerza elástica....	8.44	8.68	7.85	6.72	7.42	6.96	7.14	7.97	7.70
Vientos	N ₁	NE ₁	N ₁	C.	SE ₁	SE ₁	SE ₁	C.	
Estado atmosférico.....	Np.	D.	D.	D.	Np.	Np.	Np.	Np.	
JUNIO 28 DE 1873.										
Barómetro reducido a 0°.....	mm.	754.72	752.12	751.22	750.85	749.49	748.49	748.17	746.67	750.22
Termómetro centígrado.....	o	11.5	12.0	11.5	12.0	11.5	12.0	12.0	12.5	11.88
Psicrómet. {	Dif. de los term...	1.5	1.5	1.8	1.9	0.8	1.5	1.5	1.4
	Humedad relativa	82	82	77	76	90	82	82	85	82
	Fuerza elástica....	8.26	8.26	7.79	7.67	8.80	8.26	8.56	8.74	8.29
Vientos	N ₁	N ₂	N ₁	NE ₂	N ₃	NO ₃	N ₃	NO ₃	
Estado atmosférico.....	Np.	Np.	Np.	D.	Ll.	Np.	N.	Ll.	
JULIO 8 DE 1873.										
Barómetro reducido a 0°.....	mm.	762.52	762.24	762.10	762.54	761.24	760.95	760.98	762.24	761.85
Termómetro centígrado.....	o	10.5	11.0	9.5	10.0	9.5	10.5	8.5	9.5	9.88
Psicrómet. {	Dif. de los term...	1.8	1.8	1.5	1.7	1.0	1.0	1.0	1.0
	Humedad relativa	76	76	80	77	86	86	86	86	82
	Fuerza elástica....	7.05	7.41	6.84	6.87	7.57	8.12	6.99	7.29	7.27
Vientos	C.	C.	NE ₁	O ₂	O ₂	C.	SE ₁	E ₁	
Estado atmosférico.....	N.	Np.	N.	Np.	N.	Np.	D.	Np.	
JULIO 18 DE 1873.										
Barómetro reducido a 0°.....	mm.	762.67	762.29	761.32	759.80	757.94	757.70	757.70	757.95	759.55
Termómetro centígrado.....	o	10.0	10.5	8.5	8.0	8.0	8.0	8.0	8.0	8.65
Psicrómet. {	Dif. de los term...	2.5	2.4	2.7	2.5	2.8	2.6	2.6	2.5
	Humedad relat...	68	69	63	65	61	64	64	65	65
	Fuerza elástica....	5.99	6.35	5.22	5.04	4.86	4.98	4.98	5.04	5.31
Vientos	SE ₁	SO ₁	SE ₂	SE ₂	SE ₂	SE ₁	SE ₁	SE ₁	
Estado atmosférico.....	D.	D.	Np.	Np.	D.	N.	N.	N.	
JULIO 28 DE 1873.										
Barómetro reducido a 0°.....	mm.	755.04	753.85	753.76	753.56	753.84	753.85	753.75	753.84	753.94
Termómetro centígrado.....	o	11.5	11.0	11.0	11.5	12.0	11.5	11.5	12.0	11.50
Psicrómet. {	Dif. de los term...	1.7	1.0	0.7	0.8	0.7	0.8	0.6	0.9
	Humedad relat...	79	86	91	90	92	90	93	88	89
	Fuerza elástica....	7.73	8.27	8.65	8.98	9.22	8.92	9.01	8.98	8.75
Vientos.....	O ₂	NO ₂	NO ₂	NO ₂	NO ₃	NO ₃	N ₂	NO ₂	
Estado atmosférico.....	N.	Ll.	Ll.	N.	N.	N.	N.	N.	

Instrumentos.		SETIEMBRE 26 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	757.88	757.13	756.89	756.54	756.81	757.92	758.63	761.12	757.91
Termómetro centígrado.....	°	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term...	2.2	2.2	1.1	1.4	1.3	1.7	1.9	1.5
	Humedad relat...	74	74	86	82	83	77	75	81	79
	Fuerza elástica...	7.96	8.14	8.15	8.27	7.53	6.87	6.55	8.03	7.69
Vientos.....	O ₂	O ₃	C.	O ₂	SO ₁	C.	C.	C.
Estado atmosférico.....	N.	N.	Ll.	Ll.	Np.	Np.	N.	Np.
OCTUBRE 6 DE 1873.										
Barómetro reducido a 0°.....	mm.	762.23	762.20	761.97	761.91	762.01	762.18	762.09	761.89	762.06
Termómetro centígrado.....	°	15.0	15.0	12.0	10.0	9.0	9.0	8.6	12.0	11.33
Psicrómet. {	Dif. de los term...	3.3	3.3	2.0	1.7	1.2	1.6	2.3	2.5
	Humedad relat...	61	61	75	78	83	77	70	70	73
	Fuerza elástica...	7.98	8.01	7.67	7.11	7.17	6.49	5.62	6.25	7.16
Vientos.....	SO ₁	SO ₁	SO ₁	S ₂	S ₁	SE ₂	SE ₂	S ₂
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
OCTUBRE 16 DE 1873.										
Barómetro reducido a 0°.....	mm.	757.82	757.20	757.17	757.08	757.16	757.38	759.36	757.61
Termómetro centígrado.....	°	13.0	13.2	12.0	12.0	11.0	10.0	11.2	12.0	11.80
Psicrómet. {	Dif. de los term...	1.9	1.8	1.5	1.6	1.1	0.8	0.9	1.5
	Humedad relativa	77	79	82	80	86	88	88	82	83
	Fuerza elástica...	8.56	8.84	8.44	8.26	8.33	8.21	6.62	8.26	8.43
Vientos.....	O ₁	C.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	N. Ni.	N. Ni.	N. Ni.	N. Ni.	Ni.	Ni.	N. Ni.	N.
OCTUBRE 26 DE 1873.										
Barómetro reducido a 0°.....	mm.	761.45	761.45	761.46	760.21	761.17	760.22	760.28	760.01	760.79
Termómetro centígrado.....	°	16.8	16.0	13.5	11.0	10.0	9.5	10.5	16.8	13.01
Psicrómet. {	Dif. de los term...	5.5	4.1	5.5	1.7	1.5	2.6	2.6	4.3
	Humedad relativa	47	57	61	79	89	69	69	57	66
	Fuerza elástica...	6.47	7.59	6.76	7.73	7.11	6.53	6.30	7.99	7.06
Vientos.....	SO ₁	SO ₂	SO ₂	S ₂	S ₁	S ₁	SE ₁	C.
Estado atmosférico.....	Np.	D.	Np.	Np.	D.	D.	D.
NOVIEMBRE 5 DE 1873.										
Barómetro reducido a 0°.....	mm.	757.81	757.91	758.99	757.84	757.74	757.92	757.70	758.00
Termómetro centígrado.....	°	19.5	18.0	15.0	12.5	11.5	11.0	12.6	20.0	15.01
Psicrómet. {	Dif. de los term...	4.5	4.3	3.3	2.0	1.7	1.5	2.0	5.3
	Humedad relativa	58	58	64	74	73	81	76	52	65
	Fuerza elástica...	9.81	8.90	8.15	7.81	7.83	7.67	8.08	8.93	8.40
Vientos ...	SO ₁	SO ₁	S ₂	S ₂	S ₂	S ₁	S ₁	SO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.

Instrumentos.	NOVIEMBRE 15 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 758.82	mm. 758.43	mm. 758.47	mm. 758.88	mm. 758.38	mm. 758.40	mm. 758.34	mm. 758.41	mm. 758.52
Termómetro centígrado.....	° 21.8	° 19.0	° 15.5	° 11.5	° 11.0	° 10.5	° 12.8	° 17.5	° 14.95
Psicrómet. {	Dif. de los term.....	2.7	1.5	1.5	1.2	2.0	4.1
	Humedad relat.....	71	82	81	84	76	60	76
	Fuerza elástica.....	9.17	8.26	7.67	7.85	8.08	9.95	8.33
Vientos.....	SO ₁	SO ₁	SO ₁	SO ₁	SO ₁	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	Np.
NOVIEMBRE 25 DE 1873.									
Barómetro reducido a 0°.....	mm. 755.91	mm. 756.17	mm. 756.47	mm. 755.92	mm. 756.13	mm. 755.88	mm. 755.94	mm. 760.88	mm. 756.66
Termómetro centígrado.....	° 21.6	° 19.5	° 16.6	° 14.0	° 15.5	° 14.0	° 13.5	° 14.5	° 16.15
Psicrómet. {	Dif. de los term.....	6.0	4.5	1.7	1.2	0.8	1.0	1.2	2.1
	Humedad relat.....	49	59	82	86	91	89	86	77
	Fuerza elástica.....	9.53	9.96	11.28	10.29	11.74	10.56	9.63	9.33
Vientos.....	SO ₁	SO ₁	O	C.	C.	O ₁	S ₁	SO ₁
Estado atmosférico.....	D.	D.	Np.	Np.	N. G.	N. G.	Ll.	Np.
DICIEMBRE 5 DE 1873.									
Barómetro reducido a 0°.....	mm. 755.06	mm. 754.56	mm. 753.30	mm. 753.99	mm. 752.92	mm. 752.58	mm. 752.55	mm. 752.52	mm. 753.44
Termómetro centígrado.....	° 22.0	° 20.5	° 18.5	° 16.0	° 16.0	° 14.0	° 13.5	° 15.0	° 16.94
Psicrómet. {	Dif. de los term.....	4.5	2.7	2.6	1.6	1.1	1.2	1.0	1.6
	Humedad relat.....	62	75	74	83	89	86	88	82
	Fuerza elástica.....	11.67	13.04	11.1	11.10	11.54	10.29	10.20	10.35
Vientos.....	C.	O.	O ₁	C.	C.	C.	C.	E ₁
Estado atmosférico.....	Ni.	Np.	Np.	N.	Ll.	Ll.	Ll.	N.
DICIEMBRE 15 DE 1873.									
Barómetro reducido a 0°.....	mm. 752.93	mm. 752.85	mm. 752.90	mm. 753.48	mm. 753.80	mm. 754.40	mm. 754.42	mm. 756.38	mm. 753.90
Termómetro centígrado.....	° 14.0	° 13.5	° 13.5	° 13.0	° 12.5	° 12.5	° 10.0	° 13.5	° 12.94
Psicrómet. {	Dif. de los term.....	2.0	1.5	2.8	2.2	2.0	1.9	1.4	1.6
	Humedad relat.....	77	82	68	74	76	77	82	81
	Fuerza elástica.....	9.00	9.45	7.71	8.08	8.08	8.32	8.09	9.10
Vientos.....	O ₃	O ₃	O ₂	O ₃	O ₃	SO ₁	SO ₂	O ₂
Estado atmosférico.....	N.	N.	Np.	D.	D.	Np.	Ll.	N.
DICIEMBRE 25 DE 1874.									
Barómetro reducido a 0°.....	mm. 756.99	mm. 757.07	mm. 757.00	mm. 756.87	mm. 756.47	mm. 756.19	mm. 756.24	mm. 756.51	mm. 756.67
Termómetro centígrado.....	° 21.6	° 20.8	° 18.0	° 15.5	° 15.0	° 13.5	° 12.8	° 17.0	° 16.78
Psicrómet. {	Dif. de los term.....	5.6	4.5	1.2	1.3	1.2	1.0	3.4
	Humedad relat.....	51	60	87	85	86	87	66
	Fuerza elástica.....	10.00	10.97	11.18	10.53	9.73	9.54	9.52
Vientos.....	SO ₁	SO ₁	C.	C.	C.	C.	S ₁	SO ₁
Estado atmosférico.....	D.	D.	Np.	D.	D.	N.	Ni.	D.

OBSERVACIONES METEOROLÓGICAS.

1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mín.	Dif. de los termómetros		
											2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	56.67	57.16	56.89	56.91	19.0	13.5	20.0	17.5	4.7	1.9	2.9
2	57.33	58.49	58.22	58.01	19.8	16.6	20.0	18.8	3.5	2.0	5.2
3	58.58	58.29	59.29	58.72	20.5	15.5	21.5	18.8	5.2	3.0	5.6
4	59.12	57.79	57.89	58.27	22.6	16.5	22.0	20.4	5.7	2.8	5.3
5	58.09	58.87	59.69	58.88	22.0	21.0	20.0	21.0	5.8	7.5	3.7
6	58.53	58.49	59.08	58.70	20.0	15.0	18.0	17.7	4.7	3.3	4.0
7	58.75	58.29	57.29	58.08	20.5	14.5	20.5	18.5	5.2	3.0	4.0
8	58.50	58.69	59.09	58.76	20.5	14.5	20.0	18.3	5.4	3.2	6.8
9	58.53	57.89	57.82	58.08	22.6	14.5	21.5	19.5	7.2	3.1	6.2
10	55.83	57.42	54.51	55.92	23.5	15.0	20.2	16.6	6.5	1.9	4.6
11	54.34	54.10	54.08	54.17	21.8	15.0	20.0	18.9	6.4	1.1	4.1
12	54.74	55.69	54.68	55.04	21.0	14.5	23.5	19.7	4.1	2.0	5.7
13	53.26	53.77	53.26	53.43	25.5	25.6	24.5	25.2	6.5	7.0	6.1
14	53.98	53.99	54.98	54.32	17.5	14.5	18.5	16.8	2.8	0.9	2.6
15	55.82	56.57	55.25	55.88	17.5	15.5	22.0	18.3	2.9	1.2	4.0
16	56.86	59.50	58.49	58.28	24.5	16.0	23.0	21.2	5.5	3.3	5.9
17	59.40	57.14	56.99	57.84	24.0	16.0	22.0	20.7	6.9	3.3	5.6
18	57.55	56.67	57.15	57.12	21.6	16.5	19.0	19.0	3.8	1.2	3.3
19	57.67	57.70	57.72	57.66	22.0	15.5	19.5	19.0	6.0	3.1	4.8
20	58.32	58.42	58.42	58.45	23.0	15.3	17.0	18.4	7.0	2.6	4.0
21	57.87	57.40	55.00	56.76	25.0	16.3	23.5	21.6	5.0	3.9	6.6
22	54.62	52.95	54.73	54.10	25.0	15.2	22.5	20.9	6.0	3.4	5.5
23	54.62	54.63	55.03	57.76	24.5	15.5	14.8	18.5	4.7	3.3	1.9
24	54.88	56.91	58.22	56.67	17.5	14.8	15.2	15.7	2.7	1.5	1.4
25	58.27	58.04	57.12	57.81	17.5	15.2	16.6	16.4	1.5	1.5	2.1
26	57.35	57.27	57.47	57.36	19.0	15.0	19.0	17.7	3.1	1.0	2.8
27	57.31	57.29	57.82	57.51	20.0	14.0	18.8	17.6	3.2	1.1	3.0
28	58.05	57.85	57.43	57.68	18.5	15.0	17.5	17.0	2.7	1.3	2.5
29	57.31	57.36	57.72	57.46	20.0	16.0	16.8	17.6	3.5	1.7	2.1
30	57.97	57.97	58.27	58.07	19.0	16.6	20.0	18.5	2.9	1.9	5.4
31	57.02	58.10	58.32	57.81	21.0	15.8	17.6	18.1	3.4	2.3	3.6

1	58.07	56.95	58.27	57.76	22.5	16.2	20.5	19.7	5.4	3.2	4.0
2	57.42	58.62	59.00	58.35	23.0	15.0	21.5	19.8	6.1	2.8	5.4
3	58.49	58.55	58.12	58.89	23.0	15.0	20.0	19.3	6.3	2.7	4.4
4	58.05	57.77	58.00	57.91	19.0	16.3	19.6	18.3	3.0	2.5	3.7
5	57.61	58.79	57.67	58.02	21.0	16.0	16.8	18.9	5.9	2.6	2.5
6	57.79	57.55	58.02	58.09	17.2	13.0	17.5	19.6	2.3	0.8	3.3
7	58.05	58.74	57.84	58.21	21.0	14.0	18.5	17.8	5.0	3.5	6.3
8	58.65	57.09	57.24	57.66	21.0	14.0	14.0	16.3	5.6	2.6	1.8
9	57.02	56.47	56.92	56.80	22.5	15.0	15.0	17.5	6.3	1.6	2.1
10	56.61	56.40	56.65	59.89	18.4	12.8	18.0	16.4	3.5	1.1	3.1
11	56.88	56.52	57.01	56.80	14.9	13.5	15.5	14.6	2.2	1.2	2.0
12	56.69	56.59	56.36	56.55	17.5	13.5	14.0	15.0	2.5	1.4	1.4
13	56.38	57.11	55.45	56.31	17.0	14.5	14.5	15.0	2.5	1.9	1.0
14	55.63	55.33	55.33	55.43	20.0	16.5	22.5	19.7	3.5	2.4	8.4
15	54.57	55.30	54.23	54.76	26.0	16.8	15.0	19.3	6.5	1.7	1.5
16	54.00	55.74	55.21	54.98	18.0	15.0	15.5	16.2	2.8	1.4	1.6
17	54.30	55.08	55.23	54.87	18.0	15.0	19.0	17.3	2.7	1.1	4.4
18	55.22	55.47	55.32	55.40	19.5	15.0	18.5	17.7	3.5	1.5	3.5
19	54.42	55.49	55.37	55.43	21.0	15.0	18.0	18.0	4.0	1.3	3.6
20	55.25	55.37	56.50	55.71	19.5	14.4	17.0	16.9	4.9	2.3	4.2
21	55.35	55.26	55.68	55.43	24.8	14.8	16.8	17.8	4.1	2.9	3.8
22	55.76	56.49	56.55	59.27	18.5	16.0	19.4	18.3	5.5	3.2	4.4
23	56.95	56.10	55.73	56.26	23.0	16.5	16.0	18.5	5.1	3.5	3.2
24	56.12	57.18	57.30	56.87	19.9	14.0	16.0	16.6	5.4	2.1	2.1
25	57.90	57.88	57.71	57.87	20.5	15.5	18.5	18.2	6.2	3.0	4.5
26	57.49	57.73	57.39	57.60	21.0	14.0	21.5	20.5	7.0	3.3	7.0
27	57.61	57.52	57.63	57.53	23.0	15.5	18.5	19.0	5.1	2.6	3.5
28	57.43	57.49	57.35	57.43	23.0	18.0	14.4	19.1	4.0	6.3	3.2

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
56	78	73	69	9.45	8.99	12.10	10.18	SO.	—	—	D.	D.	D.
67	78	53	66	11.67	10.51	9.39	10.52	—	—	—	—	Np.	—
54	68	51	58	9.69	8.99	9.77	9.48	—	—	—	—	D.	—
52	71	55	59	10.51	9.46	10.58	10.18	—	—	—	—	—	—
59	86	66	64	11.49	6.82	11.55	9.95	—	—	—	—	—	—
57	64	62	61	9.92	8.01	9.48	9.14	—	—	—	—	—	—
54	66	64	61	9.53	8.33	11.55	9.80	—	—	—	—	—	—
53	64	41	53	9.41	7.71	7.24	8.12	—	—	—	—	—	—
42	66	48	52	8.31	8.06	9.16	8.51	—	—	—	—	—	—
48	79	68	62	10.02	9.94	9.38	9.78	—	—	—	—	—	—
46	88	62	65	9.44	10.90	19.60	10.31	—	—	—	—	—	—
63	78	63	65	10.49	9.39	11.39	10.43	—	—	—	—	—	—
50	47	46	48	11.68	11.27	10.59	11.18	—	—	—	—	—	—
72	90	74	79	10.61	10.83	11.60	11.01	—	—	—	—	—	—
71	87	65	74	10.39	11.18	12.45	11.33	NO.	—	—	N.	N.	N.
56	65	43	65	12.49	8.60	8.98	10.02	SO.	—	—	D.	D.	—
45	65	53	54	9.78	8.60	10.30	9.56	—	—	—	—	—	—
67	87	68	74	12.55	11.82	11.25	11.87	—	—	—	Np.	N.	Np.
49	66	56	57	9.61	8.55	9.39	9.18	—	—	—	D.	D.	N.
44	72	61	59	9.27	9.16	8.73	9.05	—	—	—	—	—	D.
61	60	47	56	14.32	8.09	10.07	10.83	S.	—	—	—	—	—
53	63	53	56	12.14	8.16	10.63	10.31	—	—	—	—	—	—
61	65	79	68	13.80	8.60	9.76	10.72	—	—	—	—	—	Ni.
73	83	84	80	10.67	9.90	10.73	10.40	O.	O.	O.	N.	N.	Ni. G.
84	83	78	82	11.95	10.60	10.79	11.11	—	—	—	N. Ni.	N.	N.
70	89	73	77	11.13	10.98	11.83	11.31	—	—	—	—	—	—
70	87	71	76	12.30	10.14	11.27	11.24	—	—	—	—	Ni.	Ni.
73	85	74	77	11.46	10.72	10.79	10.99	—	—	—	—	Np. Ni.	N.
61	81	78	73	10.79	10.69	10.79	10.76	—	—	—	—	N.	N.
71	79	51	67	11.41	10.36	8.78	10.18	—	—	—	—	—	Np.
61	75	64	67	11.29	9.77	9.40	10.15	SO.	SO.	SE.	D.	D.	D.

DE 1874.

54	66	64	61	10.80	8.80	11.10	10.23	SO.	S.	SE.	D.	D.	D.
50	69	54	58	10.27	8.66	10.24	9.72	—	—	—	—	—	—
49	71	60	60	9.97	9.03	10.50	9.80	—	—	—	—	—	—
71	74	65	70	10.27	9.65	10.83	10.26	—	—	S.	—	—	Ni.
52	73	76	67	11.36	9.72	10.75	10.61	—	—	O.	—	—	—
76	91	63	77	10.91	10.68	8.99	10.19	—	—	SE.	Ni.	Ni.	Np.
57	61	43	54	10.49	7.05	6.78	8.11	—	—	O.	D.	D.	Np.
51	71	80	67	9.29	8.22	9.37	8.86	—	—	—	—	—	Np.
49	82	77	69	9.69	10.19	9.61	9.83	—	—	SE.	—	—	Ni.
66	86	69	74	10.18	9.48	10.74	10.13	O.	N.	NO.	Np.	Ni.	D. Ni.
76	86	78	80	9.35	9.73	10.09	9.72	—	—	N.	N.	D.	Ni.
74	83	84	80	10.87	9.37	10.03	10.09	—	—	—	—	—	—
74	79	89	81	10.39	9.52	10.77	10.23	O.	NO.	O.	—	N.	—
67	75	82	58	11.40	10.13	6.48	9.34	—	—	S.	D.	D.	D.
53	82	83	73	13.49	11.28	10.25	11.64	NO.	—	N.	—	—	D.
72	84	82	79	10.77	10.38	10.61	10.55	NO.	NO.	O.	—	—	D.
73	88	59	73	11.14	10.78	9.39	10.44	—	—	O.	N.	N.	D.
66	83	66	72	10.97	10.25	10.18	10.47	SO.	O.	S.	D.	D.	Np.
64	85	65	71	11.10	10.72	9.72	10.51	—	—	—	—	—	D.
55	74	58	62	9.01	8.75	8.47	8.74	—	—	—	—	—	Np.
64	68	61	61	12.37	8.39	8.57	9.78	—	—	—	—	—	D.
50	65	59	58	9.96	8.67	9.47	9.70	—	—	SE.	—	—	—
57	63	66	62	11.77	8.55	8.87	9.73	—	—	—	—	—	—
51	76	77	68	8.62	8.80	10.17	9.20	—	—	—	—	—	N.
46	68	57	57	8.38	8.64	8.78	8.60	—	—	—	—	—	D.
44	65	41	50	9.72	8.46	8.65	8.74	—	—	—	—	—	—
55	72	66	61	11.30	9.30	9.78	10.13	—	—	—	—	—	—
66	87	72	75	13.44	12.32	9.72	12.09	—	—	—	—	—	—

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	A 0°										Dif. de las termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	57.40	57.78	59.55	58.28	19.0	14.0	16.5	22.5	16.5	10.0	4.0	2.8	4.0
2	700+	700+	700+	700+	19.0	13.0	16.5	23.0	16.2	11.0	4.9	3.2	6.0
3	60 86	60 90	61 00	60 92	21.0	13.5	17.0	24.5	16.8	9.2	6.0	3.0	4.6
4	59 77	58 54	57 24	58 52	22.5	14.5	14.5	25.2	17.2	11.4	5.0	1.7	1.6
5	56 72	53 87	58 53	54 64	14.4	13.5	14.0	17.5	14.0	11.0	1.1	1.3	1.5
6	54 55	54 85	54 73	54 68	17.5	18.4	14.0	20.1	15.0	8.8	3.2	2.8	3.9
7	55 08	59 11	62 92	59 02	19.5	15.9	17.8	21.0	17.4	11.2	6.8	4.5	4.0
8	61 68	61 06	58 64	60 46	22.5	16.5	16.8	24.4	18.6	11.4	5.5	3.2	2.4
9	56 61	56 09	56 21	56 30	15.5	11.0	16.0	19.8	14.2	9.2	2.3	0.9	2.5
10	56 47	56 52	57 18	56 39	21.0	15.0	15.0	23.5	17.0	9.2	4.4	3.8	2.7
11	56 17	55 99	54 38	55 51	21.2	13.0	15.0	22.8	16.1	9.9	5.3	2.4	2.3
12	58 89	54 21	64 98	54 31	17.0	12.5	14.5	21.3	15.0	9.4	2.0	1.2	2.8
13	55 12	55 28	55 32	55 24	20.4	15.0	16.0	22.2	17.5	13.6	4.4	1.5	1.3
14	55 75	56 71	56 77	56 41	14.0	14.0	18.5	20.6	15.5	11.3	0.8	0.8	2.2
15	56 55	57 03	56 52	56 67	19.0	15.0	15.5	22.8	16.5	12.0	3.4	1.2	2.3
16	56 77	58 07	58 04	57 63	17.0	15.0	16.0	19.2	16.0	10.7	2.0	1.0	3.0
17	57 47	57 42	57 41	57 43	17.5	14.0	14.2	20.0	15.2	10.6	2.4	2.4	3.5
18	57 61	58 11	59 26	58 33	17.5	12.0	14.5	19.3	14.7	8.4	3.4	2.6	2.1
19	57 80	58 02	57 32	57 71	19.5	12.2	15.5	21.3	15.7	9.0	5.6	1.9	3.5
20	58 69	58 77	58 89	58 85	21.0	14.2	16.0	22.8	17.1	10.0	5.5	3.3	3.3
21	58 66	58 90	58 89	58 82	18.5	12.6	15.2	21.5	15.4	9.8	4.4	2.0	3.2
22	57 77	57 69	58 07	57 84	21.0	13.0	14.0	22.9	16.0	8.8	5.1	2.3	2.0
23	58 49	58 75	59 09	58 76	19.5	13.0	14.5	20.8	15.7	9.4	4.0	1.1	1.3
24	59 39	59 91	59 29	59 53	17.5	12.5	15.0	20.1	15.0	9.4	3.5	2.5	4.0
25	58 90	58 42	57 01	58 11	19.0	13.0	10.0	22.2	14.0	8.2	3.8	1.8	1.2
26	56 67	56 82	57 31	56 93	18.5	13.0	13.0	19.2	14.8	9.7	4.0	0.9	1.0
27	57 88	57 85	56 74	57 49	13.5	13.5	15.0	16.8	14.0	11.9	1.4	0.8	1.0
28	57 09	57 14	57 74	57 32	16.0	13.0	13.5	19.3	14.2	11.2	1.5	0.8	1.3
29	57 71	57 91	57 63	57 75	17.5	13.0	14.0	19.3	14.8	9.2	2.0	1.5	2.4
30	57 08	57 20	57 54	57 27	19.2	14.0	16.0	20.9	17.1	10.8	2.8	2.0	2.3
31	57.60	57.14	57.23	57.12	19.5	12.0	14.0	22.0	15.2	9.2	4.0	1.7	3.1

ABRIL

1	56.87	57.02	57.41	57.10	20.0	13.5	13.4	21.2	15.6	8.8	4.5	3.1	3.1
2	57.23	57.77	57.98	57.66	17.5	11.4	12.5	19.9	13.8	7.5	4.5	2.5	3.5
3	60 66	60 58	60 75	60 60	17.0	11.4	12.5	18.1	13.6	7.5	5.0	2.5	3.6
4	58 91	58 61	58 39	58 64	17.5	12.5	15.4	19.0	15.1	9.9	4.2	1.7	5.8
5	57 83	57 52	57 64	57 68	20.0	13.4	17.5	23.8	17.0	11.0	6.4	2.2	6.7
6	57 01	57 12	56 66	56 93	18.5	15.5	19.5	24.8	17.8	11.0	4.0	2.3	6.5
7	56 27	56 70	56 95	56 64	15.0	12.6	14.0	21.1	13.9	11.5	2.5	1.1	1.5
8	56 88	56 61	56 22	56 57	16.5	13.5	15.0	19.5	15.0	10.2	2.5	1.3	2.6
9	55 90	55 90	55 24	55 69	16.5	13.0	15.0	19.8	14.8	11.5	2.7	1.9	1.8
10	55 76	55 50	56 92	56 06	17.0	14.5	14.5	19.6	15.3	12.9	2.3	0.4	1.2
11	57 40	59 09	59 48	58 66	17.0	14.5	12.5	19.5	14.7	11.3	2.0	1.0	0.7
12	58 75	59 00	59 60	59 12	16.5	13.5	16.8	18.0	15.9	11.6	3.2	1.8	3.8
13	58 22	58 29	57 42	57 98	20.0	14.0	14.9	21.1	16.3	12.0	2.5	1.2	1.8
14	58 26	58 83	59 26	58 78	18.0	14.5	15.5	20.2	16.0	12.2	3.0	0.8	4.2
16	58 72	58 63	58 13	58 49	19.0	14.0	13.5	20.2	15.8	9.0	4.7	3.4	3.6
16	57 10	57 89	57 70	57 49	18.0	14.5	13.6	19.1	15.4	9.5	4.3	2.7	3.3
17	57 52	58 54	57 71	57 92	18.0	13.6	15.0	18.8	15.5	9.6	3.1	1.8	4.3
18	57 67	57 42	57 12	57 40	20.0	14.0	16.5	23.6	16.8	11.6	5.5	2.0	2.9
19	57 37	57 47	57 69	57 51	15.0	13.5	13.0	19.9	13.8	11.1	2.1	1.2	1.1
20	57 27	57 56	57 77	57 87	14.5	12.5	13.3	16.5	13.3	9.3	2.4	1.0	2.0
21	57 49	58 21	59 14	58 28	16.5	12.3	11.8	18.0	13.5	10.5	3.4	2.0	3.8
22	59 57	59 84	60 50	59 97	16.5	12.2	11.5	18.5	13.4	10.3	4.8	2.5	1.9
23	59 29	60 23	58 41	59 31	16.5	10.8	11.5	18.2	12.9	6.9	2.0	1.9	2.3
24	58 69	58 96	58 85	58 83	15.0	12.0	13.0	17.2	13.3	9.4	2.0	1.0	1.0
25	58 80	58 87	58 90	58 86	15.5	11.5	12.0	16.6	13.0	8.4	1.4	0.8	1.7
26	58 57	58 69	58 74	58 67	16.0	11.5	13.0	18.6	13.5	9.5	2.9	1.0	1.1
27	58 08	58 91	58 44	58 48	13.8	12.0	13.0	16.0	12.9	9.9	1.7	1.0	1.4
28	58 32	58 65	58 84	58 60	15.0	15.5	13.7	17.8	14.7	12.0	2.0	1.0	1.1
29	58 41	58 66	58 82	58 63	14.5	13.4	13.5	16.2	13.8	11.8	1.5	0.9	0.8
30	59.08	58.97	61.46	59.84	15.5	12.5	12.5	16.8	13.5	9.9	1.3	0.8	2.3

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
62	69	63	65	9.80	8.24	10.26	9.43	SO.	SO.	SE.	D.	D.	D.
54	63	41	53	8.61	7.12	5.84	7.19	—	S.	—	—	—	—
49	66	55	57	9.05	7.35	7.75	8.04	—	—	—	—	—	—
58	82	79	73	11.37	9.84	9.12	10.11	—	—	N.	—	—	N.
87	85	83	85	10.07	9.57	9.69	9.78	O.	NO.	SO.	N.	N.	—
68	68	56	64	9.96	7.59	6.58	8.01	SO.	S.	E.	Np.	D.	D.
42	52	61	52	7.06	6.51	8.73	7.43	—	—	SE.	D.	—	—
53	69	75	66	10.63	9.31	10.53	10.18	—	—	—	—	—	—
76	88	74	79	10.51	8.57	9.65	9.58	O.	O.	—	Ni.	D. Ni.	—
61	60	70	63	11.12	7.49	8.72	9.11	SO.	S.	S.	D.	D.	—
53	72	75	67	9.87	7.84	9.20	8.97	—	—	E.	—	—	—
79	86	69	78	11.17	9.21	8.10	9.49	O.	N.	—	—	—	—
58	83	86	76	10.22	10.53	11.36	10.70	SO.	SO.	O.	—	—	N.
91	90	78	86	10.68	10.89	12.87	11.15	O.	SO.	SO.	Ll.	Ni.	Np.
77	86	75	79	12.49	10.64	9.77	10.97	SO.	—	SE.	D.	Np.	N.
77	89	68	78	10.97	10.91	8.99	10.29	O.	—	—	Np.	—	D.
66	73	62	67	9.52	8.48	7.41	8.47	SO.	S.	S.	N.	N.	Np.
56	69	67	64	8.33	7.01	8.12	7.82	—	—	—	D.	D.	D.
50	77	62	63	8.50	8.20	8.03	8.24	—	—	SE.	—	—	—
52	63	66	60	9.35	7.47	9.30	8.71	—	—	—	Np.	—	—
59	76	65	67	9.23	8.26	8.21	8.57	—	—	—	D.	—	—
54	73	77	68	9.99	8.08	8.93	9.69	—	—	—	—	—	—
63	86	85	78	10.26	9.55	10.02	9.94	—	N.	—	—	—	D. Ni.
65	70	57	64	9.39	7.37	6.99	7.92	—	SO.	—	—	—	D.
63	79	84	75	10.16	8.84	7.85	8.95	—	—	—	—	—	Ni.
61	89	87	79	9.08	9.74	9.51	9.45	—	O.	O.	Np.	—	N.
84	90	89	88	9.61	10.11	10.91	10.21	N.	—	—	N.	Ll.	N. Ni.
84	90	85	86	11.00	9.89	9.67	10.16	NO.	N.	SE.	Ni.	Ni.	N.
80	82	66	76	11.48	8.96	7.59	9.31	SO.	S.	E.	D. Ni.	D.	D.
73	77	76	75	11.83	9.00	9.97	10.27	—	—	—	D.	—	—
63	79	65	69	10.26	8.14	7.53	8.64	—	—	SE.	—	—	—

DE 1874.

59	66	64	63	9.96	7.41	7.25	8.21	SO.	S.	SE.	D.	D.	D.
55	79	58	64	8.08	6.81	6.21	7.03	—	—	—	—	—	—
50	79	57	62	7.12	6.81	6.09	6.67	—	—	—	—	—	—
59	79	41	60	8.61	8.41	5.08	7.38	SO.	—	—	—	—	—
43	75	36	51	7.63	8.46	5.42	7.17	E.	—	—	—	—	—
62	75	41	59	9.88	9.31	6.87	8.36	SO.	—	—	—	Np.	—
73	86	83	81	8.94	9.31	9.55	9.28	N.	N.	NO.	Np.	—	N.
74	85	72	77	9.86	9.50	9.38	9.58	—	—	E.	N.	D.	D.
72	77	80	76	9.80	9.56	9.85	9.74	SO.	S.	N.	D.	N.	Np.
76	95	86	86	10.67	11.34	10.29	10.77	N.	N.	N.	N.	N.	Np.
79	89	92	86	11.09	10.56	9.72	10.46	—	—	S.	—	N.	Ni.
67	80	61	69	9.22	9.51	8.50	9.08	SO.	S.	—	D. Ni.	D.	D.
76	86	80	81	12.89	10.08	9.72	10.90	S.	—	SE.	—	—	—
70	86	55	70	10.48	10.43	6.93	9.28	—	—	—	—	—	—
55	62	59	59	8.66	7.23	6.76	7.55	SO.	—	—	—	—	—
58	70	65	61	8.90	8.37	7.41	8.23	—	—	—	—	—	—
69	79	54	67	10.18	9.12	6.69	8.66	—	—	S.	—	—	—
50	78	70	66	8.56	9.25	9.61	9.14	—	—	—	Np.	—	—
77	85	86	83	9.61	9.81	9.41	9.61	NO.	N.	O.	N.	N.	N.
73	87	76	79	8.76	9.19	8.38	8.78	SO.	—	SE.	—	Np.	Np.
66	75	56	66	9.10	7.85	5.73	7.56	—	S.	—	D.	D.	D.
52	70	76	66	7.03	7.57	7.61	7.00	—	SE.	S.	—	—	—
78	76	71	75	10.30	7.17	7.05	8.17	—	S.	SE.	Np.	—	—
78	86	87	84	9.60	8.86	9.54	9.39	—	SO.	SO.	D.	—	N.
84	89	79	84	10.73	8.86	8.03	9.21	—	—	SE.	Np.	—	—
69	86	86	80	9.26	8.56	9.41	9.08	—	—	N.	—	Np.	—
81	86	85	83	9.43	9.04	9.16	9.21	—	N.	—	—	D.	N.
79	88	87	84	9.60	9.99	10.07	9.89	—	—	—	—	N.	N.
82	88	90	87	9.90	7.54	10.32	9.25	O.	—	O.	Ll.	Ll.	Ni. G.
86	90	73	83	11.28	9.73	7.61	9.54	—	SO.	SE.	D.	D.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o	o
1	60.90	61.45	60.88	61.08	15.0	11.5	11.0	16.5	12.5	8.1	2.7	1.3	2.1
2	58.94	59.06	58.72	58.91	13.0	12.0	14.0	17.0	13.6	10.0	2.7	1.3	1.8
3	58.71	58.77	58.40	58.63	15.2	13.5	13.5	17.2	14.0	11.2	2.5	1.7	0.9
4	57.51	55.79	57.61	56.97	14.5	14.0	14.0	16.7	14.2	13.0	1.5	0.8	1.0
5	57.13	57.24	57.18	57.18	14.5	13.0	12.0	18.7	13.2	9.3	1.0	1.2	0.7
6	56.94	56.69	55.32	56.32	14.5	13.0	14.0	16.3	13.8	12.3	1.1	0.9	0.7
7	56.66	57.10	57.28	57.01	15.0	13.5	13.4	15.9	13.9	11.5	0.9	0.7	1.0
8	56.80	56.86	57.15	56.93	15.0	12.0	13.5	17.1	13.5	10.5	1.2	0.5	0.8
9	57.13	57.61	59.60	58.11	15.5	11.5	11.5	17.2	12.8	9.9	3.0	1.7	1.2
10	59.65	61.62	62.97	61.41	14.5	10.5	10.0	16.1	11.7	6.8	2.0	0.6	2.1
11	62.80	62.27	58.28	56.45	13.5	10.0	13.0	14.2	12.2	7.8	3.7	3.0	4.9
12	56.79	56.81	56.13	56.58	17.5	13.8	12.0	18.9	14.4	9.4	5.1	4.0	1.7
13	56.07	56.36	56.98	56.47	13.5	12.0	13.0	15.0	12.8	10.4	2.3	1.3	1.2
14	58.78	58.94	59.39	59.14	13.5	14.5	11.5	15.8	13.2	9.0	1.5	3.9	0.9
15	59.29	59.51	60.41	59.74	14.8	11.3	10.2	15.3	12.1	7.3	1.7	1.4	1.8
16	60.37	60.54	60.26	60.39	14.0	9.8	9.5	14.9	11.1	6.8	2.8	1.7	2.4
17	60.11	60.08	58.98	59.76	12.8	10.0	9.5	13.6	10.8	7.0	2.8	1.4	1.8
18	58.12	57.04	60.82	58.63	12.5	11.5	11.5	13.5	11.8	8.4	1.7	1.3	1.0
19	59.50	46.25	45.67	50.47	11.0	12.0	13.0	13.2	12.0	9.6	1.0	1.3	1.1
20	45.56	46.40	58.13	50.63	11.5	12.0	10.5	14.8	11.3	8.8	1.4	0.9	2.2
21	58.12	60.72	61.28	60.04	11.5	8.0	6.5	13.6	8.7	4.6	2.3	1.4	1.5
22	61.16	61.03	64.98	62.32	9.5	8.0	7.6	10.0	8.4	6.0	2.8	1.8	1.4
23	64.60	65.34	62.32	64.09	10.5	8.5	10.5	10.8	9.8	6.0	2.5	2.0	3.0
24	61.11	61.02	61.39	61.17	12.5	9.5	9.8	13.6	10.4	6.5	3.0	1.2	1.9
25	61.36	61.29	60.12	60.92	11.8	9.0	9.8	12.0	10.2	7.0	2.2	1.2	1.5
26	59.28	59.03	59.28	59.20	12.0	10.5	11.0	13.5	11.2	8.5	1.6	0.6	1.2
27	59.36	59.88	61.93	60.62	13.5	10.8	9.5	14.0	11.1	7.2	2.0	1.2	1.2
28	60.36	60.03	58.28	59.54	12.5	9.5	7.5	13.2	9.8	5.0	1.9	1.8	1.3
29	56.74	55.16	55.15	55.68	11.5	9.0	10.8	12.5	10.4	6.3	1.9	0.8	1.3
30	53.17	55.18	55.96	54.77	12.5	10.5	9.5	13.0	10.8	7.5	1.7	1.3	1.2
31	57.36	57.68	56.69	57.04	11.2	9.5	10.0	12.5	10.2	7.8	2.0	1.2	1.4

JUNIO

1	56.12	54.42	54.22	54.92	13.5	12.0	12.5	15.0	12.7	9.0	2.5	1.7	1.0
2	55.81	55.47	60.63	57.30	13.5	12.5	10.6	14.2	12.2	8.9	1.2	0.8	0.8
3	60.81	61.70	61.68	61.40	13.5	12.4	10.5	13.9	12.1	8.3	1.5	1.4	1.6
4	60.72	60.16	60.31	60.46	13.4	10.0	10.3	14.5	11.2	7.6	2.0	0.9	1.2
5	59.35	60.08	59.51	59.85	13.5	12.5	12.6	15.0	12.9	9.0	1.5	1.2	1.0
6	58.37	58.11	57.33	57.94	12.5	12.5	12.2	14.1	12.4	10.9	1.7	0.7	0.8
7	56.55	55.29	53.12	54.99	12.0	12.0	11.8	14.1	11.9	10.0	1.0	1.5	0.9
8	53.24	52.64	47.05	50.98	11.2	12.0	12.5	12.9	11.8	9.8	0.8	1.1	1.5
9	47.25	49.60	54.65	50.49	13.4	11.8	11.5	13.9	12.2	9.4	1.5	1.9	1.8
10	55.81	58.07	61.84	58.57	13.5	10.0	11.0	14.0	11.5	8.0	3.2	1.4	1.7
11	62.27	60.89	62.59	61.65	12.5	10.0	9.5	13.8	10.7	7.2	2.0	1.3	1.3
12	61.97	61.98	52.04	58.66	12.5	9.5	9.5	12.8	10.5	6.6	1.8	1.0	2.4
13	61.40	61.10	60.62	61.04	12.5	9.5	10.0	12.8	10.7	7.9	2.5	1.3	1.1
14	60.87	60.66	60.93	60.82	10.5	8.6	9.0	12.2	9.4	6.0	1.0	0.5	1.7
15	60.43	59.89	57.94	59.42	12.5	11.5	11.5	13.2	11.8	7.3	2.2	3.4	4.0
16	57.52	57.80	57.61	57.64	12.5	10.5	10.5	13.5	11.2	8.6	2.7	1.3	1.6
17	56.68	56.88	57.10	56.89	11.5	9.5	10.6	13.5	10.3	8.0	2.2	1.7	1.3
18	56.05	57.15	57.35	56.86	10.0	10.5	12.5	12.8	11.0	8.8	1.1	1.6	2.6
19	57.41	57.97	57.27	57.55	13.5	12.0	11.0	14.6	12.2	9.0	1.6	1.5	1.5
20	56.31	65.53	53.82	58.55	14.0	11.5	10.0	15.2	11.8	8.0	2.0	1.7	1.0
21	52.75	52.92	53.14	53.27	11.5	11.5	9.0	13.0	10.7	6.4	1.2	1.4	2.1
22	53.08	52.14	55.26	53.49	11.5	10.5	10.5	12.2	10.8	7.9	2.6	1.7	1.8
23	54.71	52.81	51.34	52.95	13.0	13.0	14.0	14.8	13.3	9.4	1.7	2.7	2.1
24	50.45	49.06	50.06	49.86	11.0	12.5	12.5	15.0	12.0	9.8	0.0	1.0	2.0
25	51.72	53.85	55.14	53.57	10.5	10.5	13.0	13.5	11.3	8.6	2.3	1.3	1.0
26	55.13	54.94	55.22	55.16	13.4	13.0	13.0	13.8	13.1	11.8	1.3	1.3	1.0
27	55.12	55.54	55.11	55.19	11.4	10.5	10.0	14.0	10.6	8.5	1.0	0.8	0.8
28	54.74	54.51	54.84	54.70	12.5	11.5	11.5	12.8	11.8	8.6	0.5	0.8	1.5
29	53.91	53.54	54.16	53.84	12.0	11.5	11.0	12.9	11.5	9.5	1.3	1.5	0.9
30	54.16	53.60	57.87	55.21	12.5	11.5	11.5	13.3	11.8	9.3	1.5	1.1	1.7

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
70	84	73	76	8.79	8.38	7.05	8.07	SO.	SO.	SE.	D.	D.	Np.
71	84	80	78	8.82	8.68	9.37	8.94	—	—	N.	Np.	N.	N.
73	69	89	77	9.29	7.53	10.20	9.01	NO.	N.	—	N.	Ni. G.	Ni.
83	90	89	87	10.25	10.33	10.55	10.41	N.	—	NO.	N.	N.	Np.
89	86	92	89	10.91	9.49	9.37	9.92	NO.	—	—	N. Ni.	Np.	N. G.
88	89	92	90	10.50	10.12	10.74	10.45	—	NO.	—	Ni.	N.	Ll.
90	92	88	90	11.04	10.62	9.99	10.55	—	—	N.	N.	N.	D.
86	94	90	90	10.78	9.63	10.46	10.29	O.	—	O.	Ni.	N.	D.
68	80	85	78	8.64	8.15	8.44	8.48	SO.	SO.	S.	D.	D.	D.
78	92	72	81	9.39	8.57	6.43	8.13	—	SE.	SE.	—	—	Np.
59	61	44	55	6.64	5.45	4.85	5.65	—	SE.	SE.	—	—	N.
49	55	79	61	7.31	6.46	8.32	7.37	—	—	N.	Np.	N.	N.
75	84	86	82	9.20	8.74	9.42	9.12	—	NO.	O.	Np.	N.	D.
83	57	89	76	9.55	7.11	8.74	8.47	O.	NO.	SO.	Np.	D.	—
70	82	80	77	8.58	8.09	7.41	8.03	SO.	S.	SE.	D.	—	—
68	78	67	71	8.01	6.87	5.96	6.95	—	—	—	—	—	—
67	81	66	75	7.19	7.35	6.76	7.16	—	—	—	—	—	—
79	81	86	83	8.32	8.50	8.79	8.52	—	—	N.	N.	N.	N.
86	84	86	85	8.46	8.68	9.41	8.88	N.	O.	N.	Ll.	Ll.	Ll.
83	89	72	81	8.32	9.25	6.69	8.09	—	O.	SO.	Np.	Np.	—
72	80	78	77	7.31	6.36	5.64	6.44	SO.	S.	—	D.	D.	—
63	74	80	72	5.67	5.81	6.23	5.90	S.	—	—	D.	—	—
66	72	62	67	6.24	5.80	5.69	5.91	SO.	—	—	—	—	D.
65	84	70	75	7.07	7.41	6.65	7.04	—	—	SE.	Np.	—	—
73	83	89	79	7.55	7.12	7.11	7.26	SE.	—	O.	D.	D.	—
80	79	84	81	8.20	7.59	8.15	7.98	O.	O.	O.	N.	N.	—
77	84	84	82	8.93	8.15	7.29	8.12	—	S.	SE.	D.	D.	D.
77	76	82	78	8.38	6.66	6.32	7.12	SE.	—	E.	—	—	—
76	89	83	83	7.67	7.54	8.09	7.77	S.	SE.	NE.	Np.	Np.	—
79	83	84	82	8.44	7.91	7.29	7.88	O.	O.	E.	Np.	—	Np.
75	81	81	9	7.49	7.47	7.37	7.37	S.	E.	E.	D.	—	—

DE 1874.

71	79	87	79	8.14	8.14	9.33	8.54	S.	E.	N.	N.	Ll.
86	90	89	88	9.73	9.59	8.57	9.36	N.	O.	E.	—	G.
82	83	79	81	9.24	8.66	7.53	8.48	SE.	SE.	SE.	Np.	D.
77	88	84	83	8.72	7.96	7.77	8.15	SO.	S.	N.	D.	Np.
82	85	87	85	9.24	8.92	7.47	8.54	S.	—	N.	N.	N.
79	92	90	87	8.44	9.48	9.31	9.08	O.	O.	O.	Ni.	N.
86	82	89	86	9.12	8.44	9.04	8.87	N.	N.	N.	N.	Ll.
90	85	82	86	8.80	8.86	8.56	8.74	—	—	O.	Ll.	N.
71	76	77	75	7.96	7.85	7.73	7.85	NO.	NO.	N.	Np.	Ll.
63	81	78	74	7.18	7.53	7.47	7.39	O.	O.	N.	Np.	Np.
76	83	83	81	7.96	7.53	9.23	8.24	—	N.	SE.	N.	D.
77	86	67	77	8.03	7.54	5.86	7.14	SO.	SE.	—	Np.	D.
70	83	85	79	7.37	7.23	7.66	7.42	S.	S.	N.	Np.	Np.
86	93	77	85	8.27	7.59	6.47	7.44	E.	E.	SE.	D.	D.
86	58	59	65	8.56	5.85	1.95	6.45	S.	—	—	N.	D.
68	83	79	77	7.13	7.79	7.53	7.45	SE.	O.	NO.	—	—
73	77	83	78	7.25	6.62	7.35	7.67	NO.	—	N.	—	—
85	81	69	78	7.69	7.53	7.19	7.44	N.	N.	—	—	—
81	82	81	81	9.24	8.26	7.67	8.39	O.	—	NE.	Np.	Np.
77	79	86	81	8.93	7.85	7.97	8.18	SE.	SE.	SO.	—	—
85	83	71	80	8.62	8.32	6.91	7.66	O.	O.	S.	N.	Ll.
68	88	76	77	6.69	7.17	7.29	7.05	N.	N.	E.	—	—
80	69	76	75	8.76	7.53	9.01	8.13	NE.	NE.	NO.	—	—
100	67	96	88	8.87	9.33	8.08	8.76	N.	N.	NO.	Ll.	Ll.
71	83	87	80	6.75	7.65	8.68	7.69	O.	O.	O.	N.	Ll.
85	85	87	85	9.59	9.15	9.75	9.47	N.	N.	N.	—	L.
86	89	89	88	8.68	8.51	8.31	8.59	NO.	S.	N.	—	N.
94	90	82	88	8.63	8.98	8.26	8.62	N.	N.	NE.	—	Ll.
84	81	88	84	8.62	7.97	8.39	8.33	NE.	NE.	N.	—	Ll.
82	85	79	82	8.56	8.74	7.73	8.31	N.	NO.	O.	N.	Np.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	57.48	56.85	54.86	56.40	12.5	11.0	12.5	13.4	12.0	9.4	0.8	1.2	0.6
2	54.79	54.64	51.52	53.65	12.5	12.5	13.5	14.0	12.8	11.2	0.8	0.7	1.2
3	51.73	55.79	58.34	55.29	13.4	11.0	10.0	14.3	11.5	8.0	2.0	1.4	1.1
4	57.77	59.83	61.00	59.53	11.5	7.5	7.5	11.5	8.8	4.3	2.2	1.9	2.0
5	61.57	62.58	62.24	62.13	9.0	7.5	6.0	9.5	7.5	3.6	2.1	1.6	1.5
6	61.89	62.04	63.07	62.33	8.5	7.0	8.0	9.0	7.8	4.0	1.4	1.5	1.5
7	61.73	60.25	59.95	60.64	10.8	7.5	7.8	11.2	8.3	5.0	4.1	3.8	3.4
8	59.57	59.35	58.51	59.14	11.5	8.5	8.0	12.0	9.3	5.0	5.0	1.6	1.8
9	58.23	58.44	56.22	57.63	9.5	10.3	10.5	12.0	10.1	8.0	2.6	1.9	1.1
10	56.04	58.40	59.79	58.08	12.0	11.0	11.5	13.5	11.5	8.7	0.8	0.9	0.7
11	59.83	59.73	59.27	59.61	14.0	11.5	10.0	14.7	11.8	8.8	1.9	1.5	0.7
12	58.31	58.47	58.43	58.40	11.0	10.0	10.5	13.2	10.5	8.4	1.4	0.8	0.2
13	58.38	58.33	57.43	58.05	12.8	11.8	12.0	13.5	12.2	9.0	1.2	0.9	0.8
14	56.21	54.46	56.75	55.81	12.5	11.5	11.5	14.0	11.8	9.5	1.0	1.3	2.0
15	58.24	58.37	66.31	60.97	11.5	10.0	10.0	13.0	10.5	6.0	2.5	1.5	2.0
16	64.48	63.48	65.20	64.39	9.8	8.5	8.0	12.8	8.8	5.2	2.4	1.6	2.1
17	62.49	58.33	56.60	59.14	10.5	9.5	8.5	11.2	9.5	6.3	3.2	2.5	3.3
18	54.54	55.68	56.78	55.67	11.0	9.8	11.3	11.8	10.7	7.3	2.4	1.0	1.9
19	57.32	58.15	57.95	57.81	13.0	10.0	8.5	14.0	10.5	6.3	2.5	1.7	1.3
20	57.94	58.10	58.00	58.01	11.5	11.4	11.2	12.8	11.4	7.5	1.5	3.8	2.1
21	57.66	56.98	53.62	56.09	13.0	11.5	11.8	13.8	12.1	10.0	1.9	2.0	1.0
22	50.89	53.73	57.98	54.20	12.5	12.5	12.8	13.2	12.6	10.3	0.8	1.0	1.0
23	59.20	62.21	62.56	61.32	13.5	12.5	12.0	14.4	12.7	9.9	1.2	1.0	1.0
24	62.04	62.07	59.24	61.12	14.5	12.5	13.5	15.2	13.5	8.3	1.8	2.4	5.0
25	57.72	55.96	56.50	56.73	20.3	16.5	13.5	21.8	16.8	11.2	5.4	4.9	2.3
26	56.40	56.74	57.02	56.72	12.8	12.5	12.5	15.4	12.6	10.3	1.4	2.0	1.2
27	56.30	56.26	56.47	56.54	13.0	11.5	11.4	14.8	12.0	9.6	1.8	1.8	0.9
28	56.41	55.69	56.33	56.14	12.8	11.3	13.3	13.8	12.5	9.9	2.6	1.1	2.0
29	56.31	56.32	57.11	56.58	13.0	12.5	13.2	14.2	13.0	10.5	1.2	1.0	1.3
30	56.67	56.54	55.89	56.37	13.8	15.0	12.8	15.0	13.2	10.8	1.4	1.2	1.1
31	55.22	56.26	56.28	55.92	13.0	12.5	13.0	14.8	12.8	11.2	0.9	0.9	0.0

AGOSTO

1	56.47	58.28	60.68	58.48	13.0	12.5	12.2	13.0	12.6	11.5	1.0	0.7	3.7
2	60.06	59.96	52.53	59.52	10.8	13.0	12.5	12.6	12.1	10.5	0.9	1.1	7.1
3	56.65	56.02	57.16	56.61	11.5	10.3	10.2	17.5	10.7	9.3	3.5	1.0	10.8
4	57.21	59.18	60.02	58.80	11.5	10.6	10.6	12.8	10.9	9.7	1.1	0.9	6.1
5	59.68	59.43	58.91	59.34	11.0	12.0	11.6	13.5	11.5	10.5	2.1	1.6	5.5
6	58.01	58.44	57.94	58.13	12.0	12.5	12.0	12.8	12.2	10.6	1.2	1.2	3.8
7	57.92	59.78	60.84	59.51	11.5	12.3	11.8	13.5	11.9	10.5	2.0	2.0	5.4
8	61.00	60.81	60.18	60.66	11.8	12.5	12.1	13.4	12.1	11.5	2.6	1.7	4.6
9	57.01	55.55	58.65	57.07	11.5	9.5	9.6	12.8	10.2	7.0	0.8	0.7	7.6
10	61.07	61.58	61.86	61.17	8.5	10.0	9.6	10.5	9.4	8.4	1.8	1.7	5.3
11	61.85	61.53	61.89	61.76	8.5	7.8	7.5	11.8	7.9	5.7	2.3	1.3	8.3
12	61.58	62.10	60.80	61.49	8.4	8.4	8.2	11.5	8.3	5.2	2.5	3.0	7.0
13	58.84	58.80	59.25	58.96	9.5	10.2	9.6	11.5	9.8	7.6	2.9	2.1	7.2
14	58.84	58.72	60.18	59.25	9.5	10.8	10.4	12.0	10.2	8.6	3.2	2.0	6.3
15	61.16	62.27	61.66	61.68	10.6	11.5	11.0	13.5	11.0	9.4	2.5	2.2	6.9
16	62.39	62.39	70.48	65.69	9.5	9.8	8.9	12.0	9.4	7.8	3.3	2.9	7.0
17	70.60	70.34	68.27	69.74	9.0	8.5	8.4	12.5	8.6	5.7	2.5	1.9	7.8
18	61.03	62.44	60.24	62.24	9.0	10.6	10.0	12.5	9.9	8.1	3.2	1.8	7.4
19	58.27	59.57	59.06	58.97	11.0	11.2	11.0	15.2	11.1	9.1	2.6	1.0	7.7
20	59.06	59.53	59.28	59.29	11.0	11.0	10.7	14.2	10.9	8.6	2.2	2.6	7.3
21	59.27	59.67	60.84	59.93	9.6	11.5	11.4	14.0	10.8	10.2	2.4	2.1	8.5
22	60.78	60.62	60.72	60.71	10.0	11.8	11.5	12.5	11.1	8.8	2.7	2.1	5.6
23	59.71	58.36	53.50	57.19	11.0	9.8	9.5	13.5	10.1	8.5	2.2	2.2	6.7
24	50.55	49.53	52.54	50.87	11.5	11.8	11.6	11.8	11.6	10.0	1.7	1.2	4.8
25	53.24	54.83	60.47	56.18	10.5	10.5	10.5	13.5	10.5	9.0	2.0	1.5	5.2
26	60.76	61.47	61.67	61.30	10.0	10.5	10.0	12.5	10.2	8.2	2.1	1.2	7.5
27	63.05	63.32	63.27	63.21	10.5	11.5	11.0	11.5	11.0	8.7	3.3	2.5	6.8
28	62.37	62.00	62.03	62.13	11.5	13.5	13.3	12.3	12.8	11.6	1.9	1.4	4.4
29	62.04	62.15	59.65	61.28	10.5	13.0	12.5	14.0	12.0	10.9	1.6	1.4	7.6
30	58.74	56.76	54.16	56.55	11.6	12.7	12.7	13.5	12.3	11.5	0.6	0.9	6.3
31	54.42	58.01	62.76	58.41	8.5	8.0	7.5	10.0	8.0	6.5	1.3	0.7	6.2

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
90	84	93	89	9.66	8.21	9.71	9.19	NO.	N.	N.	N.	Ll.	N.
90	92	86	89	9.66	9.79	9.75	9.73	—	NO.	U.	N.	Ll.	N.
77	83	85	81	8.58	7.79	7.60	7.99	O.	SO.	SO.	Np.	Np.	D.
72	73	71	72	6.99	5.65	5.59	6.08	SO.	S.	S.	Np.	D.	D.
71	74	80	75	6.04	5.66	5.40	5.70	S.	—	SE.	—	—	—
66	78	79	74	5.40	5.64	6.10	5.71	E.	SE.	—	—	—	—
49	46	51	48	4.79	3.62	3.90	4.10	SE.	E.	E.	—	—	—
41	77	72	63	4.25	6.44	5.80	5.50	E.	N.	N.	Ll.	—	—
73	75	85	78	6.39	7.05	8.15	7.33	NE.	NO.	NO.	—	N.	Np.
90	88	92	90	9.45	8.51	8.74	8.90	NO.	SO.	S.	N.	—	Ni. G.
78	82	91	84	9.20	8.26	8.21	8.56	S.	S.	—	—	Ni. G.	—
82	89	97	89	8.09	8.09	8.93	8.37	SO.	—	SO.	Ni.	N.	N.
86	89	90	88	9.28	9.10	9.31	9.23	S.	SO.	NO.	—	Ni. G.	N.
87	84	75	82	9.19	8.50	7.67	8.45	O.	N.	—	Np.	Ll.	Np.
70	80	73	74	7.07	7.11	6.54	6.91	—	SO.	SO.	Np.	Np.	D.
69	77	70	72	6.05	6.29	5.58	5.96	SO.	—	S.	Np.	Np.	D.
60	79	56	65	7.72	6.45	4.56	6.24	SE.	E.	F.	Np.	Np.	N.
70	86	75	77	6.81	7.72	7.35	7.29	E.	NE.	NE.	Np.	—	—
71	77	82	76	7.66	6.87	6.81	7.11	O.	O.	NO.	N.	—	Np.
82	54	73	70	8.26	5.51	7.17	6.91	SO.	—	NO.	N.	N.	D.
77	75	86	79	8.56	7.55	8.98	8.36	NO.	NO.	O.	Ll.	N.	Ll.
90	87	87	88	9.66	9.54	9.54	9.58	O.	O.	—	Ll.	N.	N.
86	87	80	86	9.80	9.19	8.86	9.26	—	—	NO.	N.	—	Np.
86	71	83	78	9.72	7.67	4.89	7.43	SO.	SE.	SE.	—	D.	D.
51	51	73	58	8.86	7.11	7.96	7.98	S.	—	NO.	—	—	N.
83	76	85	81	9.16	8.26	8.80	8.71	NO.	O.	—	—	N.	—
79	77	88	81	8.84	7.79	8.21	8.28	O.	N.	—	Ll.	—	—
70	85	70	75	7.59	8.45	7.71	7.92	—	NO.	—	Ll.	—	—
85	87	85	86	8.80	9.40	9.36	9.19	—	N.	—	Ll.	N.	—
84	86	86	85	9.75	9.42	9.62	9.60	—	—	—	Ll.	N.	—
83	89	89	89	9.98	9.60	9.74	9.77	—	—	—	Ll.	Ll.	—

DE 1874.

87	92	59	79	9.68	10.03	7.23	8.98	NO.	O.	N.	N.	N.	...
89	85	29	68	9.67	8.63	3.92	7.21	N.	NE.	S.	Ni.	N.	...
65	86	10	54	9.39	8.68	1.52	6.53	S.	S.	O.	D.	D.	...
86	89	34	69	9.27	8.80	4.13	7.40	N.	N.	N.	Ni.	Ni. G.	...
75	80	43	66	8.44	8.20	5.26	7.27	NE.	—	—	Ni.	N.	...
86	85	57	76	9.28	8.62	6.76	8.22	O.	—	—	N.	Ll.	...
77	75	42	65	8.72	7.37	5.25	7.11	—	NO.	NO.	Np.	Ll.	...
70	79	50	66	7.83	8.09	6.16	7.36	—	—	—	—	Ll.	...
90	92	21	68	9.94	9.04	2.74	7.24	—	O.	O.	Ll.	—	...
76	76	38	63	7.17	6.23	4.07	5.82	SO.	—	S.	D.	D.	...
72	82	10	53	7.31	6.71	1.33	5.12	—	S.	SE.	—	—	...
69	59	22	50	6.99	4.84	2.34	4.72	S.	—	—	—	—	...
64	70	21	52	6.63	6.45	2.37	5.15	—	N.	E.	—	—	...
61	73	30	55	6.39	6.39	3.67	5.48	—	S.	N.	—	—	...
71	72	28	57	7.96	6.81	3.55	6.11	O.	NO.	SO.	Np.	Np.	...
60	63	16	46	6.15	5.26	1.74	4.38	SO.	S.	S.	—	—	...
70	75	17	54	7.49	6.35	2.06	5.30	—	—	—	—	—	...
63	76	19	53	6.64	6.41	2.55	5.20	—	—	—	D.	D.	...
72	86	25	61	9.16	8.56	3.62	7.11	—	—	—	—	—	...
75	63	26	56	8.88	6.57	3.62	6.36	O.	O.	SE.	N.	Np.	...
73	72	15	53	8.76	6.28	2.35	5.80	SO.	—	S.	D.	D.	...
68	72	40	60	7.31	6.53	4.77	6.20	O.	O.	N.	Np.	N.	...
75	72	29	59	8.46	6.99	3.62	6.36	—	—	—	—	—	...
79	85	47	70	8.03	8.44	5.61	7.23	N.	NO.	O.	N.	Ll.	...
77	80	43	63	8.58	7.53	5.37	7.16	NO.	NE.	NE.	—	N.	...
75	84	24	61	7.96	7.47	2.98	6.13	SO.	O.	NO.	D.	D.	...
60	68	86	55	6.15	6.24	4.36	5.58	O.	SO.	N.	Np.	Np.	...
76	82	56	70	7.85	8.09	6.46	7.47	NE.	NO.	—	Ll.	Ll.	...
82	82	56	73	9.63	7.83	3.56	6.97	O.	O.	O.	D.	N.	...
93	89	39	74	10.25	9.04	5.48	8.25	—	—	—	N.	N.	...
83	90	31	68	7.36	7.47	3.43	6.93	—	S.	SE.	Ll.	D.	...

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Max.	Medio	Mínim.	Dif. de los termómetros.		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	2½ h.	9 h.	21 h.
1	64.06	65.68	60.65	63.46	11.5	7.5	9.5	12.0	9.5	5.0	3.1	2.3	4.0
2	58.72	58.63	60.23	59.19	12.0	9.8	11.8	14.1	11.2	6.8	3.5	2.1	3.4
3	60.95	62.18	63.27	62.13	10.3	9.5	12.5	15.5	10.8	8.0	2.5	1.9	3.0
4	61.82	62.71	63.27	62.60	13.5	11.0	10.5	16.5	11.7	7.8	2.0	1.0	2.3
5	62.05	63.01	23.14	62.73	13.4	9.8	11.0	13.4	11.4	5.6	2.5	3.1	3.2
6	62.13	60.87	57.81	60.28	17.0	12.8	12.5	17.5	14.1	7.8	4.8	4.0	3.0
7	56.54	56.20	56.52	56.42	19.5	12.4	13.5	21.5	15.1	8.0	4.9	1.2	1.8
8	56.56	56.84	57.32	56.91	13.5	12.5	12.0	17.8	12.7	10.3	1.5	1.2	1.3
9	57.58	57.95	57.56	57.70	13.2	11.8	12.0	14.8	12.3	9.5	1.3	1.5	1.4
10	57.81	57.93	57.82	57.85	14.0	11.8	11.0	15.5	12.3	9.3	1.6	1.4	1.0
11	57.78	58.73	61.57	59.36	12.0	11.5	13.5	14.2	12.3	9.4	1.3	0.8	1.4
12	61.25	61.30	59.43	60.66	14.5	11.3	12.5	16.5	12.8	8.3	1.8	1.1	2.0
13	57.83	57.05	54.86	56.58	15.0	11.0	11.5	17.6	12.5	9.5	2.8	1.7	1.4
14	52.78	51.89	55.54	53.40	12.0	11.5	12.8	14.8	11.9	8.9	1.2	1.4	1.2
15	56.59	57.28	59.28	57.72	13.5	12.5	13.5	16.0	13.2	10.3	2.6	1.5	1.6
16	59.96	62.10	61.88	61.28	13.5	10.8	12.5	15.2	12.3	8.2	1.8	1.1	2.0
17	61.18	60.41	57.53	59.71	15.0	14.0	11.0	17.0	13.3	8.8	1.6	3.0	0.5
18	56.75	59.96	56.63	57.79	14.0	14.0	13.0	16.5	13.7	10.2	1.2	1.8	0.9
19	56.48	54.99	53.74	55.07	13.4	13.2	12.0	14.5	12.9	10.2	1.6	1.1	1.3
20	54.31	54.42	56.23	54.99	14.0	11.0	11.8	14.6	12.3	8.3	1.8	1.3	2.1
21	57.80	61.17	65.72	61.90	9.5	9.5	9.5	16.1	9.8	6.0	2.0	1.7	2.7
22	65.55	64.67	65.71	65.33	13.5	9.5	12.0	15.0	11.7	6.6	2.3	2.3	2.7
23	64.08	60.91	50.19	61.39	13.8	10.5	13.0	16.0	12.4	8.8	3.0	1.9	2.1
24	58.24	57.28	63.29	59.60	13.5	11.5	12.5	15.5	12.5	8.8	2.6	0.8	1.8
25	53.53	64.95	65.62	61.37	13.5	10.2	11.8	15.5	11.8	7.2	3.7	1.8	3.1
26	55.49	65.25	61.98	60.91	14.0	10.5	13.5	16.8	12.3	8.8	3.0	1.9	2.8
27	58.14	59.29	58.91	58.78	17.8	12.5	12.8	9.7	14.7	9.8	3.1	1.3	2.5
28	58.76	59.21	62.27	58.73	15.0	12.4	13.5	16.5	13.6	9.2	1.6	1.4	2.0
29	63.02	63.22	63.77	63.34	16.4	12.5	13.8	18.8	14.2	8.5	3.8	2.8	3.0
30	61.90	62.97	61.08	61.98	16.5	11.8	17.4	18.3	15.3	9.3	3.3	1.5	5.5

OCTUBRE

1	61.39	60.41	59.53	60.44	15.5	11.3	12.0	18.5	12.9	9.9	1.0	0.5	2.8
2	59.98	59.59	58.02	59.06	16.5	11.5	14.5	18.8	14.2	8.8	2.0	1.0	1.6
3	58.42	58.57	58.75	58.58	14.5	12.5	11.8	17.0	12.9	10.9	1.9	1.0	0.8
4	59.01	58.57	58.45	58.68	13.0	12.5	13.5	15.2	12.7	10.8	1.8	0.9	1.2
5	58.44	58.83	58.63	58.63	16.0	12.0	13.6	17.5	13.9	9.8	2.6	1.3	2.0
6	58.40	58.51	58.66	58.52	15.5	13.0	13.0	19.0	14.5	9.6	1.8	1.6	2.1
7	58.70	58.36	57.02	58.03	15.2	13.4	14.5	17.5	14.3	10.6	2.6	1.5	2.2
8	56.41	58.39	57.95	57.58	13.5	11.5	11.8	17.5	12.5	8.8	3.0	1.7	2.0
9	57.34	57.69	57.23	57.42	16.0	11.5	14.4	15.8	13.9	8.9	3.5	2.4	3.0
10	57.24	57.99	56.06	57.09	11.5	11.5	11.8	18.2	11.6	9.2	3.5	1.1	3.8
11	56.19	57.93	58.22	57.43	14.0	9.5	14.5	15.8	12.7	8.2	1.2	1.2	2.4
12	58.38	60.83	60.84	60.93	14.2	9.5	13.5	17.4	12.4	6.3	3.5	2.2	4.2
13	60.36	60.69	60.14	60.39	18.0	11.5	15.2	18.0	14.9	8.4	4.2	2.2	4.4
14	60.09	60.83	60.67	60.53	15.4	12.0	14.1	19.0	13.8	8.3	6.0	2.0	3.1
15	60.80	61.26	61.52	61.19	15.5	12.5	14.4	18.2	13.8	9.8	3.2	1.7	2.6
16	61.59	63.38	63.89	62.95	15.5	11.5	13.0	18.7	13.3	6.8	2.9	1.7	3.1
17	63.24	63.26	60.51	62.34	17.5	12.5	16.0	19.5	15.3	8.8	2.8	1.8	3.7
18	58.25	57.94	57.97	58.05	20.0	13.5	14.8	21.5	16.1	9.8	2.0	2.2	2.5
19	58.78	57.99	57.80	58.19	16.5	11.5	15.5	20.2	14.5	8.6	4.0	1.7	2.9
20	58.74	59.41	59.64	59.26	16.0	10.9	13.5	20.5	13.3	8.0	2.9	1.0	2.7
21	58.42	58.77	57.96	58.38	15.3	10.0	15.0	19.0	13.4	7.2	3.6	1.8	3.0
22	58.04	57.65	57.46	57.72	13.5	11.8	15.0	18.5	13.4	9.8	2.3	1.1	3.0
23	57.30	57.77	56.28	57.12	16.3	12.5	14.0	18.5	14.3	10.2	2.5	1.6	2.7
24	56.47	55.48	56.66	56.20	12.5	12.5	14.2	16.5	13.1	10.8	1.1	1.1	1.9
25	56.80	57.67	57.44	57.32	15.0	12.5	16.8	19.0	14.9	9.4	2.3	1.4	2.5
26	57.05	57.67	57.88	57.53	17.5	12.5	16.5	19.5	15.5	9.5	3.1	2.1	2.9
27	57.01	57.48	56.75	57.08	17.0	13.5	16.7	19.1	15.7	10.9	2.6	1.6	2.7
28	56.89	57.84	57.82	57.35	18.0	13.5	14.5	19.4	15.3	10.9	2.7	1.2	2.1
29	57.14	58.51	58.98	58.04	16.0	13.0	14.8	18.5	14.6	10.0	3.0	2.2	2.6
30	58.32	60.78	60.98	60.23	14.5	12.4	16.5	18.0	14.5	9.2	1.5	1.4	2.4
31	61.04	61.58	61.21	61.28	16.8	12.3	17.0	19.0	15.4	9.8	2.4	2.1	3.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
62	68	48	63	6.15	5.26	4.14	5.18	SO.	S.	SE.	D.	D.	D.
60	72	58	63	6.33	6.54	5.80	6.22	O.	N.	E.	—	Np.	D.
68	75	76	73	6.24	6.65	7.96	6.95	—	S.	S.	—	D.	N.
77	86	71	78	8.93	8.56	6.63	8.04	—	O.	SE.	Np.	Ll.	N.
71	60	60	64	7.96	5.34	5.77	6.32	—	S.	—	D.	D.	—
52	54	65	57	7.45	5.91	6.77	6.71	SO.	—	—	—	—	—
55	85	76	72	9.17	8.44	6.81	8.14	S.	NO.	NO.	—	—	N.
83	86	84	84	9.55	9.07	8.62	9.08	—	N.	N.	N.	N.	—
85	82	93	83	9.36	8.26	8.56	8.73	O.	NO.	—	—	—	—
82	82	86	83	9.56	8.58	8.56	8.85	N.	N.	—	—	—	Ll.
84	90	83	86	8.50	8.92	9.37	8.93	—	O.	O.	—	—	Ll.
80	85	75	80	9.79	8.59	7.56	8.77	NO.	—	SE.	Ll.	Np.	D.
69	79	82	77	8.59	7.55	8.21	8.12	O.	O.	O.	—	—	N.
85	82	85	84	8.62	8.09	9.36	8.69	—	NO.	—	Ll.	D.	Ll.
70	81	81	77	7.83	8.62	9.10	8.52	N.	N.	—	Np.	N.	D.
79	85	76	80	9.12	8.33	8.08	8.51	O.	SO.	—	—	D.	D.
82	66	94	81	10.12	7.83	8.86	8.94	SO.	—	E.	N.	N.	Ni.
86	79	89	85	10.01	9.19	9.23	8.48	—	—	NO.	—	—	N.
82	86	84	84	9.49	9.48	8.68	9.22	E.	N.	N.	—	—	Np.
79	83	74	79	8.91	8.09	7.61	8.26	N.	O.	E.	Ll.	Np.	—
74	77	65	72	6.93	6.87	6.12	6.64	O.	O.	SE.	D.	D.	D.
72	70	68	70	7.73	6.21	6.95	6.96	E.	—	—	D.	—	—
76	75	75	72	7.85	7.05	8.20	7.63	SO.	—	—	—	—	—
60	90	78	79	7.89	8.98	8.29	8.36	—	NO.	O.	Np.	Ll.	Np.
58	76	62	65	6.80	6.93	6.45	6.73	O.	SO.	S.	Np.	Ll.	Ll.
67	75	68	70	7.98	6.23	7.77	7.33	SO.	—	—	D.	Np.	Ll.
65	85	82	77	7.59	7.15	8.96	7.97	—	—	SO.	—	Np.	D.
73	83	77	77	8.88	8.68	8.93	8.83	—	—	—	N.	D.	N.
61	67	66	65	8.15	7.01	7.77	7.64	—	SE.	SE.	D.	D.	—
65	82	48	64	8.95	8.26	6.82	8.01	—	S.	S.	D.	—	—

DE 1874.

89	94	65	83	11.39	9.16	6.77	9.17	SO.	O.	E.	D.	D.	Ni.
79	86	82	82	10.69	8.86	9.98	9.84	—	—	O.	N.	N.	Ni.
79	87	90	85	9.52	9.40	9.31	9.41	O.	NO.	—	—	Ll.	Ll.
90	90	86	88	9.47	9.67	9.94	9.56	NO.	—	—	Np.	Np.	Np.
72	85	77	78	9.44	8.62	9.09	9.02	O.	SO.	—	—	—	—
80	81	78	79	10.56	8.82	9.71	9.71	—	O.	N.	N.	N.	—
72	82	76	77	9.16	9.24	9.12	9.17	—	—	O.	N.	N.	—
67	79	75	74	8.54	8.32	7.75	8.26	—	—	S.	Np.	N.	—
61	70	67	66	7.05	6.93	8.12	7.37	SO.	SE.	N.	Np.	N.	—
63	85	54	67	8.31	8.15	5.66	7.38	—	—	SE.	Np.	N.	D.
85	84	73	81	8.62	7.41	8.76	8.26	SE.	O.	SE.	Ll.	Ll.	Np.
71	83	53	69	7.96	6.77	6.22	6.98	SO.	—	E.	Np.	N.	—
53	73	53	60	6.58	7.25	6.51	6.78	SE.	S.	SE.	—	—	D.
43	75	66	61	6.51	7.67	7.59	7.26	SO.	—	SE.	D.	—	D.
65	79	71	72	8.42	8.44	8.64	8.59	—	—	SE.	Np.	N.	Np.
69	79	65	71	9.05	7.85	7.01	7.97	—	—	—	D.	D.	D.
72	78	60	67	10.61	8.29	8.18	8.99	—	—	SO.	—	—	—
81	75	73	69	13.65	8.46	9.08	17.39	—	—	SE.	—	—	—
59	79	69	69	8.31	8.03	9.12	8.49	—	—	SE.	—	—	—
69	86	69	75	9.26	7.27	7.85	8.12	—	SO.	SE.	—	—	Np.
61	76	67	68	8.10	8.05	8.54	7.89	—	—	SO.	Np.	N.	N.
74	86	68	76	8.54	8.89	8.64	8.66	O.	O.	O.	—	—	D.
74	80	70	75	9.86	8.56	8.37	8.93	—	N.	N.	—	—	N.
87	86	79	84	9.27	9.27	9.38	9.31	N.	N.	N.	Ll.	Np.	Np.
76	83	75	78	9.55	8.80	10.14	9.49	O.	NO.	O.	Ll.	Np.	Np.
69	76	70	72	10.18	7.90	9.68	9.25	SO.	SO.	SO.	D.	D.	—
69	81	72	76	9.12	9.24	10.27	9.54	—	—	O.	—	—	Np.
64	86	73	77	11.06	9.63	9.19	9.96	NO.	NO.	—	N.	D.	D.
73	74	78	73	8.99	8.14	9.95	9.03	O.	O.	—	N.	N.	N.
68	83	75	80	10.04	8.68	10.15	9.62	—	S.	S.	D.	D.	D.
75	75	65	72	9.85	7.85	9.39	9.03	SO.	—	SO.	—	—	—

DÍAS.	BARÓMETRO REDUCIDO ▲ 0°				TERMÓMETRO CENTÍGRADO.						PSICRÓMETRO.		
											Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Med.	21 h.	9 h.	21 h.	Máx.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o	o
1	61.16	61.22	61.40	61.26	18.5	12.8	17.3	21.0	16.2	10.2	4.0	1.6	3.4
2	60.84	60.55	59.56	60.32	19.0	12.5	19.6	21.5	17.0	8.2	3.9	1.7	4.2
3	57.77	57.97	57.11	57.62	21.5	14.0	15.0	22.3	16.7	10.2	2.8	2.0	2.0
4	57.29	57.04	57.31	57.21	15.5	12.5	15.8	18.2	14.6	11.2	2.1	1.0	1.6
5	57.69	58.09	57.93	57.90	17.8	12.3	8.6	19.8	12.9	9.9	3.5	1.4	3.4
6	57.88	58.91	56.76	58.18	15.5	13.5	18.4	22.3	15.8	11.9	2.8	2.0	2.7
7	58.69	61.14	60.26	60.03	16.9	14.5	17.5	22.3	16.3	11.0	2.8	1.5	5.1
8	59.18	59.56	67.91	62.25	18.9	12.5	16.8	21.5	16.1	9.8	4.6	2.1	3.5
9	56.99	56.65	56.54	56.73	20.3	13.3	19.0	24.5	17.5	8.3	5.1	1.2	4.5
10	56.39	56.54	57.03	56.65	18.0	13.2	17.5	21.5	16.2	12.1	3.0	1.4	2.3
11	57.88	56.97	56.90	57.25	18.8	12.6	15.5	21.5	15.6	9.7	3.5	2.3	3.0
12	57.59	56.65	57.25	57.16	19.5	11.5	17.6	22.6	16.2	9.2	2.8	2.2	4.6
13	56.09	57.04	57.48	56.87	18.6	14.0	17.8	21.9	16.8	10.2	5.3	4.4	5.0
14	56.35	55.55	55.96	55.95	23.6	15.5	17.3	25.8	18.8	10.6	8.6	2.7	3.3
15	55.29	55.75	56.75	55.93	15.5	13.5	13.0	20.8	14.0	11.8	2.5	1.7	1.5
16	57.88	57.96	57.80	57.88	18.5	12.5	19.6	21.5	16.0	9.5	2.4	1.3	3.2
17	57.42	57.74	57.84	57.67	14.6	13.8	17.8	22.8	16.7	12.3	3.6	1.8	2.6
18	57.77	58.09	56.72	57.53	17.8	14.8	16.8	22.0	16.5	13.2	2.0	1.2	1.8
19	58.65	58.99	58.39	58.68	16.5	16.0	21.0	23.0	17.8	13.0	1.4	2.4	3.0
20	58.29	58.62	57.78	58.23	21.0	15.5	19.5	24.2	18.7	14.0	3.1	1.3	3.7
21	57.95	57.76	58.04	57.92	20.5	16.0	15.5	26.1	17.3	14.3	3.2	1.3	1.2
22	57.90	58.01	58.55	58.15	16.5	13.5	18.9	23.6	16.3	11.4	1.9	2.0	3.7
23	58.50	58.63	57.46	58.20	17.5	15.0	13.5	20.5	15.3	11.8	3.2	1.8	1.1
24	57.26	57.24	36.66	57.05	15.0	13.5	17.6	19.3	15.4	11.6	2.2	1.5	2.5
25	57.82	57.71	57.61	57.71	19.5	13.5	19.5	21.9	17.5	10.4	2.8	2.0	4.2
26	57.67	57.48	57.05	57.40	20.3	14.8	19.0	24.3	17.7	13.5	5.6	2.2	2.8
27	56.93	57.07	58.85	57.62	18.5	16.5	17.8	25.2	17.6	14.4	1.8	1.0	3.1
28	58.77	58.98	58.19	58.63	20.2	15.0	20.0	23.2	18.4	12.3	3.3	1.5	4.6
29	59.02	58.98	58.84	58.95	19.5	14.0	18.8	22.9	17.4	11.4	4.7	3.0	4.5
30	58.78	58.89	60.14	59.27	19.3	13.6	16.5	23.8	16.5	10.2	4.0	1.9	4.5

DICIEMBRE

1	59.79	60.64	59.59	60.01	20.5	13.5	20.5	23.0	18.2	12.0	5.4	2.6	4.5
2	60.49	60.97	56.63	59.36	21.1	14.8	19.7	27.0	18.5	14.0	4.4	2.1	5.0
3	57.79	57.28	56.63	57.23	18.0	14.0	18.5	22.5	16.8	10.0	3.3	1.5	3.4
4	56.81	57.23	56.39	56.81	17.0	13.6	18.0	21.5	16.2	12.0	2.5	1.6	2.6
5	57.84	57.18	56.95	57.69	16.8	14.0	20.0	22.2	16.9	12.9	2.2	1.2	3.0
6	57.05	56.61	55.96	56.54	20.0	13.8	21.5	23.5	18.4	11.2	3.5	1.8	4.1
7	57.41	57.31	57.09	57.27	20.3	13.8	18.0	28.1	17.4	10.6	3.8	2.5	4.4
8	57.51	58.11	47.28	54.30	19.5	13.8	22.5	25.1	18.6	11.5	4.6	2.8	5.1
9	57.10	58.11	56.65	57.29	22.8	13.8	20.8	27.0	19.1	10.0	5.6	2.8	4.7
10	56.73	56.87	56.35	56.65	21.8	13.3	20.0	26.8	18.4	9.4	5.6	2.3	4.5
11	56.08	56.98	56.39	57.15	23.0	14.0	21.3	26.3	19.4	10.6	5.5	2.2	2.8
12	57.19	58.06	56.68	57.31	18.8	15.0	23.0	28.8	18.9	12.1	1.0	2.7	2.8
13	56.64	56.36	56.44	56.55	25.8	15.8	23.3	29.4	21.6	12.0	3.7	2.8	5.4
14	56.00	57.23	56.96	56.73	25.3	12.8	16.6	29.8	18.2	11.2	7.1	1.2	1.0
15	56.57	56.96	56.75	56.76	19.8	15.0	17.5	22.0	17.4	12.8	3.2	1.5	2.4
16	56.86	57.04	56.52	56.81	16.6	13.5	19.4	21.3	16.5	12.0	2.5	1.1	3.6
17	56.51	56.44	57.42	56.79	19.5	13.5	21.0	23.4	18.0	10.6	4.8	2.5	5.4
18	56.50	57.52	56.34	56.79	21.2	14.5	22.5	24.5	19.4	12.3	6.0	3.0	6.0
19	55.97	56.53	55.00	59.17	25.5	18.5	22.0	28.2	22.0	11.8	5.3	2.6	4.3
20	54.25	53.87	56.29	54.81	25.0	15.0	18.8	28.8	19.6	10.9	6.0	2.4	5.4
21	57.15	59.63	59.36	58.71	19.2	12.8	18.3	23.2	16.8	9.3	5.5	3.1	5.2
22	58.03	58.90	54.63	57.19	21.8	15.5	25.0	26.6	20.8	13.3	6.2	2.9	7.6
23	53.66	56.71	51.72	55.03	25.8	15.4	19.5	30.2	20.2	11.0	6.3	4.0	4.2
24	54.95	55.59	54.88	55.14	20.8	13.9	19.8	24.2	18.2	10.5	5.2	2.8	6.2
25	51.97	55.65	51.70	53.11	21.6	14.4	23.0	24.8	19.7	12.1	7.1	3.2	8.4
26	47.72	49.60	49.95	49.09	31.2	14.0	15.3	33.2	20.2	11.6	10.8	1.9	2.7
27	52.21	54.58	54.89	53.56	15.5	14.9	16.5	17.8	15.6	12.0	2.7	2.3	1.9
28	54.98	56.46	54.36	55.27	19.0	15.0	22.5	24.9	18.8	12.2	3.2	1.6	5.0
29	54.60	55.31	56.72	55.54	20.3	15.5	15.3	27.0	17.1	13.1	4.4	1.7	1.1
30	56.46	57.88	56.45	56.93	22.3	16.5	23.2	25.6	20.7	15.0	4.6	2.0	7.2
31	56.08	55.28	55.77	55.71	24.6	23.0	19.0	32.0	22.2	13.2	8.1	6.1	3.3

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
62	81	75	73	9 88	8 82	10 20	9 60	SO.	SO.	SO.	D.	D.	D.
63	79	61	68	10 40	8 62	10 38	9 80	—	S. E.	—	—	—	N.
74	78	78	77	14 14	9 25	9 67	11 02	E.	—	O.	—	—	N.
77	87	83	82	10 10	9 54	10 94	10 19	O.	SO.	—	N.	N.	—
66	73	67	69	9 94	8 68	10 48	9 70	—	SO.	—	Np.	Np.	—
70	77	73	73	9 25	8 58	11 06	9 63	—	O.	—	—	Np.	—
71	83	60	72	9 81	9 90	8 81	9 51	—	—	S.	—	D.	D.
56	75	65	65	8 84	7 90	9 25	8 66	SO.	—	—	D.	D.	—
55	86	58	66	9 67	9 63	9 57	9 62	—	S.	SO.	—	—	N.
71	83	77	77	10 87	9 30	11 48	10 55	—	SO.	NO.	Np.	—	N.
96	73	72	70	10 73	6 78	12 16	10 22	—	—	Np.	D.	—	D.
75	73	56	77	12 49	7 43	8 37	9 40	—	—	S.	—	—	—
51	61	52	55	8 16	6 88	7 85	7 63	—	SE.	—	—	—	—
34	71	67	57	7 46	9 17	9 90	8 84	—	—	O.	—	—	Ni.
74	80	82	79	9 65	8 32	9 24	9 07	NO.	O.	—	N.	N.	N.
75	85	70	77	9 85	9 15	11 94	10 31	C.	—	—	—	D.	Np.
66	79	74	73	10 51	9 26	11 12	10 30	—	S.	—	—	Np.	—
80	86	81	82	12 94	10 85	11 29	11 39	—	N.	—	Np.	Np.	Li.
85	75	72	77	11 85	10 13	13 15	11 71	—	N.	—	N.	N.	N.
71	86	66	73	13 07	11 28	11 28	11 94	—	SO.	—	N.	N.	D.
71	86	87	81	12 47	11 52	11 34	11 78	—	O.	SO.	—	—	Li.
80	77	65	74	10 99	8 72	10 45	10 05	SO.	—	O.	—	—	Np.
87	80	88	78	9 78	10 07	10 00	9 95	O.	S.	—	D.	Np.	Li.
75	83	75	78	8 81	9 55	11 18	9 85	—	SO.	—	Li.	D.	D.
73	77	60	70	12 28	8 93	9 99	10 40	—	—	SE.	D.	D.	—
51	76	75	67	9 10	9 47	11 95	10 17	—	—	O.	N.	—	—
82	89	60	80	12 89	12 09	10 42	11 80	—	—	—	N.	D.	—
69	83	58	70	12 15	10 60	9 90	10 88	—	—	S.	D.	D.	—
56	67	59	61	9 45	7 98	9 53	8 99	SO.	S.	—	—	—	—
63	78	54	65	10 26	9 13	9 28	9 56	—	—	SE.	—	—	—

DE 1874.

51	70	59	57	9 26	8 01	10 52	9 26	SO.	S.	S.	D.	D.	D.
61	77	54	64	11 21	9 25	9 03	9 83	E.	O.	NO.	—	D.	Np.
68	83	67	73	10 30	9 90	10 63	10 28	O.	N.	N.	N.	Np.	D. Ni.
64	82	74	73	10 79	9 49	11 44	10 57	—	NO.	—	N.	N.	N.
77	86	67	75	10 97	10 29	11 34	10 87	—	—	O.	D.	D.	Np.
68	80	65	71	11 95	9 37	11 92	11 08	—	SO.	SO.	—	—	D.
65	72	57	65	11 40	8 42	8 77	9 53	SO.	S.	SE.	—	—	—
57	69	58	61	9 67	8 10	11 67	9 81	—	—	—	—	—	—
54	69	57	60	11 00	8 10	10 48	9 85	—	—	—	—	—	—
53	74	59	62	10 12	9 03	10 52	9 86	—	—	—	—	—	—
55	75	75	68	11 51	9 02	13 82	11 44	—	SE.	—	—	—	—
90	71	76	79	14 53	9 03	15 67	13 08	—	—	—	—	—	—
36	71	55	54	8 68	9 43	11 66	9 93	—	—	—	—	—	—
47	86	89	74	11 01	9 49	12 25	10 92	—	NO.	O.	—	Ni.	N.
70	83	76	76	12 03	10 69	12 21	11 62	O.	O.	—	N.	N.	—
74	87	63	76	10 39	10 07	10 83	10 43	—	—	—	—	Ni.	—
56	72	53	60	9 34	8 28	9 65	9 11	SO.	S.	SE.	D.	Ni. G.	Np.
49	67	50	55	9 13	8 12	10 15	9 13	—	—	S.	Np.	D.	D.
58	74	63	65	13 94	11 44	12 31	12 58	—	—	SE.	D.	D.	—
53	74	57	61	12 39	9 21	8 83	10 14	—	—	—	—	—	Np.
50	64	52	55	8 17	7 01	8 01	7 73	—	SE.	—	—	—	D.
48	69	43	53	9 08	8 84	9 78	9 23	—	S.	S.	—	—	—
51	58	61	57	11 83	7 51	10 39	9 84	—	—	—	—	—	—
54	68	45	56	9 53	7 85	7 23	8 20	—	—	SE.	—	—	—
41	64	35	47	8 09	7 53	7 16	7 54	—	—	—	—	—	—
36	78	72	62	12 13	9 05	8 17	9 79	—	N.	N.	—	—	N.
71	75	80	75	9 38	9 03	10 99	9 81	N.	O.	—	N.	N.	Ni.
69	82	53	70	11 15	10 19	12 60	11 31	O.	—	N.	D.	N.	Np.
60	81	89	77	10 66	10 56	11 24	10 82	SO.	—	O.	—	D.	Ni. G.
61	79	42	61	12 06	10 93	9 71	10 57	—	S.	SE.	Np.	D.	D.
40	50	57	52	9 83	10 18	10 97	10 33	—	—	O.	D.	D.	N.

Instrumentos.	MARZO 5 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	753.50	753.63	753.99	754.85	754.35	754.39	754.63	754.78	754.01	754.01
Termómetro centígrado.....	15.5	14.5	14.5	13.5	13.5	13.0	12.5	14.0	13.9	13.9
Psicrómet. {	Dif. de los term.	2.2	1.7	1.6	1.3	1.0	0.9	0.9	1.5
	Humedad relat...	76	81	82	85	88	89	89	83	84
	Fuerza elástica...	9.83	9.85	9.84	9.57	9.85	9.67	9.46	9.69	9.72
Vientos.....	O.	O.	O.	NO.	SO.	NO.	SO.	SO.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	Ll.	N.
MARZO 15 DE 1874.										
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	757.07	756.66	756.72	757.03	756.53	756.19	756.55	756.52	756.63	756.63
Termómetro centígrado.....	20.0	18.5	15.8	15.0	14.0	14.0	13.5	15.5	15.8	15.8
Psicrómet. {	Dif. de los term.	3.7	3.0	1.9	1.2	1.1	1.0	0.9	2.3
	Humedad relat...	66	71	79	86	87	88	89	75	80
	Fuerza elástica...	11.46	11.19	10.43	10.64	10.35	10.27	9.98	9.67	10.50
Vientos.....	SO.	SO.	SO.	SO.	SO.	NO.	SE.	SE.
Estado atmosférico.....	Np.	D.	Np.	Np.	Np.	N.	Ll.	N.
MARZO 25 DE 1874.										
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	759.02	758.70	758.57	758.42	757.91	757.08	757.24	757.01	757.99	757.99
Termómetro centígrado.....	19.5	19.0	15.5	13.0	12.0	10.5	10.0	10.0	13.7	13.7
Psicrómet. {	Dif. de los term.	4.2	3.9	2.8	1.8	1.0	1.0	1.2
	Humedad relat...	60	54	70	79	86	86	84	76	76
	Fuerza elástica...	9.99	8.61	9.11	8.84	8.86	8.27	7.72	7.25	8.60
Vientos.....	SO.	SO.	SO.	SO.	SO.	SO.	SE.	SE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	Ni.
ABRIL 4 DE 1874.										
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	760.02	757.86	757.79	758.61	758.75	758.86	758.86	758.39	758.68	758.68
Termómetro centígrado.....	17.5	17.5	14.5	12.5	10.0	11.5	11.5	15.4	13.1	13.1
Psicrómet. {	Dif. de los term.	5.0	4.6	2.0	1.7	0.9	4.1	3.6	5.8
	Humedad relat...	52	61	78	79	88	51	56	42	63
	Fuerza elástica...	7.43	9.73	5.39	8.44	8.51	5.03	5.58	5.66	7.35
Vientos.....	SO.	SO.	SO.	SO.	SO.	SO.	SO.	SE.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
ABRIL 14 DE 1874.										
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	758.42	758.52	758.74	758.83	758.92	758.85	759.00	759.26	758.78	758.78
Termómetro centígrado.....	17.0	18.0	15.0	11.5	11.2	11.0	13.6	15.5	15.2	15.2
Psicrómet. {	Dif. de los term.	3.1	4.3	1.8	1.5	1.2	2.2	3.6	4.2
	Humedad relat...	68	58	80	86	86	75	59	55	71
	Fuerza elástica...	9.63	8.69	10.07	10.13	10.13	8.74	6.70	6.93	8.90
Vientos.....	SE.	N.	N.	N.	N.	SE.	SE.	SE.
Estado atmosférico.....	D.	D.	D.	D.	N.	Np.	D.	D.

Instrumentos.	ABRIL 24 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 759.19	mm. 758.70	mm. 758.91	mm. 758.96	mm. 758.91	mm. 758.26	mm. 758.69	mm. 758.85	mm. 758.81	
Termómetro centígrado.....	o 14.0	o 15.0	o 12.5	o 12.0	o 11.0	o 11.2	o 11.5	o 13.0	o 12.5	
Psicrómet. {	Dif. de los term...	2.8	2.1	1.8	1.0	0.7	1.0	0.8	1.0
	Humedad relativa	68	77	78	86	92	86	90	87	83
	Fuerza elástica...	7.95	9.47	8.44	8.86	8.74	8.56	8.92	9.54	8.81
Vientos.....	SE.	SO.	SO.	SO.	SO.	SO.	SO.	SO.	
Estado atmosférico.....	D.	D.	D.	D.	D.	Np.	N.	Np.	
MAYO 4 DE 1874.										
Barómetro reducido a 0°.....	mm. 759.88	mm. 757.48	mm. 756.56	mm. 755.99	mm. 755.41	mm. 755.90	mm. 756.42	mm. 757.61	mm. 756.63	
Termómetro centígrado.....	o 14.8	o 14.5	o 14.4	o 14.0	o 14.0	o 14.0	o 13.5	o 14.0	o 14.1	
Psicrómet. {	Dif. de los term...	1.5	1.3	1.4	0.8	0.8	1.1	0.9	1.0
	Humedad relativa	83	85	84	90	91	86	89	89	87
	Fuerza elástica...	10.38	10.37	10.03	10.53	10.82	10.28	10.26	10.56	10.56
Vientos.....	N.	N.	N.	N.	N.	NO.	NO.	NO.	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	Np.	
MAYO 14 DE 1874.										
Barómetro reducido a 0°.....	mm. 759.49	mm. 758.91	mm. 759.04	mm. 758.94	mm. 759.56	mm. 759.00	mm. 759.21	mm. 759.31	mm. 759.15	
Termómetro centígrado.....	o 14.0	o 13.5	o 12.5	o 14.5	o 11.2	o 11.0	o 10.8	o 11.5	o 12.4	
Psicrómet. {	Dif. de los term...	2.0	1.6	1.2	3.9	1.0	0.8	0.8	0.9
	Humedad relativa	75	81	85	57	86	89	89	89	81
	Fuerza elástica...	8.81	9.45	8.92	7.11	8.56	8.63	8.63	8.74	8.61
Vientos.....	O.	O.	O.	SO.	SO.	SO.	SO.	SO.	
Estado atmosférico.....	D.	Np.	N.	D.	D.	N.	Np.	D.	
MAYO 24 DE 1874.										
Barómetro reducido a 0°.....	mm. 761.11	mm. 761.15	mm. 761.04	mm. 761.01	mm. 761.08	mm. 760.87	mm. 760.89	mm. 761.39	mm. 761.08	
Termómetro centígrado.....	o 11.5	o 12.5	o 10.5	o 9.5	o 8.5	o 8.5	o 8.5	o 9.8	o 10.0	
Psicrómet. {	Dif. de los term...	2.5	2.1	1.6	1.2	1.0	1.8	2.2	1.9
	Humedad relat...	70	75	79	84	86	75	70	75	77
	Fuerza elástica...	7.57	8.08	7.41	7.41	7.14	6.02	5.83	6.65	6.99
Vientos.....	SO.	SO.	SO.	S.	S.	SE.	SE.	SE.	
Estado atmosférico.....	D.	Np.	Np.	D.	D.	D.	D.	D.	
JUNIO 3 DE 1874.										
Barómetro reducido a 0°.....	mm. 760.53	mm. 761.00	mm. 761.25	mm. 761.70	mm. 761.82	mm. 761.79	mm. 761.53	mm. 761.68	mm. 761.41	
Termómetro centígrado.....	o 12.0	o 13.0	o 13.0	o 12.4	o 11.4	o 10.3	o 10.0	o 10.5	o 11.6	
Psicrómet. {	Dif. de los term...	1.2	1.7	1.6	1.4	1.0	1.0	1.2	1.6
	Humedad relat...	78	80	81	85	86	86	84	79	82
	Fuerza elástica...	8.56	8.83	8.89	8.68	8.56	7.97	7.59	7.53	8.33
Vientos.....	E.	SE.	SE.	SE.	E.	E.	S.	SE.	
Estado atmosférico.....	N.	Np.	N.	N.	D.	D.	D.	D.	

Instrumentos.	JUNIO 13 DE 1874.									
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
Barómetro reducido a 0°.....	mm. 761.81	mm. 761.12	mm. 761.29	mm. 761.10	mm. 760.75	mm. 760.82	mm. 760.73	mm. 760.62	mm. 761.03	
Termómetro centígrado.....	11.3	12.5	10.0	9.5	10.2	10.5	11.0	10.0	10.6	
Psicrómet. {	Dif. de los term...	2.3	2.6	1.5	1.3	1.3	1.4	2.4	1.1
	Humedad relativa	71	69	80	83	83	81	70	85	78
	Fuerza elástica...	7.05	7.25	7.35	7.23	7.65	7.41	6.69	7.72	7.29
Vientos	SE.	S.	S.	S.	S.	E.	N.	N.	
Estado atmosférico.....	Np.	Np.	Np.	Np.	N.	N.	N.	Ll.	
JUNIO 23 DE 1874.										
Barómetro reducido a 0°.....	mm. 754.90	mm. 754.60	mm. 753.80	mm. 752.81	mm. 752.21	mm. 751.78	mm. 751.28	mm. 751.31	mm. 752.84	
Termómetro centígrado.....	12.5	13.0	13.0	13.0	12.5	13.0	14.0	14.0	13.1	
Psicrómet. {	Dif. de los term...	1.8	1.6	1.5	2.7	1.5	1.6	1.5	2.1
	Humedad relativa	78	81	82	69	82	81	83	76	79
	Fuerza elástica...	8.32	8.96	9.63	7.53	8.68	8.82	9.55	9.01	8.74
Vientos	NE.	NE.	N.	NE.	N.	N.	N.	N.	
Estado atmosférico.....	Ll.	N.	Np.	N.	N.	N.	N.	N.	
JULIO 3 DE 1874.										
Barómetro reducido a 0°.....	mm. 751.62	mm. 751.87	mm. 752.87	mm. 753.79	mm. 757.79	mm. 757.77	mm. 758.20	mm. 758.34	mm. 755.52	
Termómetro centígrado.....	12.5	13.0	11.5	11.0	10.0	9.8	9.8	10.0	10.9	
Psicrómet. {	Dif. de los term...	1.5	2.0	1.6	1.4	1.6	1.7	1.5	1.1
	Humedad relativa	82	76	80	82	79	77	80	86	80
	Fuerza elástica...	8.62	8.50	7.91	7.79	7.17	6.82	7.11	7.66	7.69
Vientos	O.	O.	O.	SO.	SO.	SO.	SO.	SO.	
Estado atmosférico.....	Np.	Np.	Ll.	Np.	D.	Np Ll.	D.	D.	
JULIO 13 DE 1874.										
Barómetro reducido a 0°.....	mm. 758.67	mm. 758.34	mm. 758.32	mm. 758.33	mm. 758.43	mm. 758.23	mm. 757.64	mm. 757.43	mm. 758.17	
Termómetro centígrado.....	10.5	12.0	11.8	11.8	11.5	11.5	11.5	12.0	11.6	
Psicrómet. {	Dif. de los term...	0.8	1.1	0.9	0.9	0.8	0.7	0.8	0.8
	Humedad relat...	89	85	89	89	90	92	90	90	89
	Fuerza elástica...	8.39	8.86	8.88	8.88	8.98	9.04	8.98	9.31	8.91
Vientos	SE.	SO.	SO.	SO.	N.	N.	O.	NO.	
Estado atmosférico.....	Ni.	Ni.	Ni. G.	Ni. G.	N.	N.	N.	N.	
JULIO 23 DE 1874.										
Barómetro reducido a 0°.....	mm. 759.01	mm. 759.31	mm. 760.61	mm. 762.21	mm. 762.42	mm. 762.33	mm. 762.47	mm. 762.56	mm. 761.36	
Termómetro centígrado.....	13.5	13.5	12.5	12.5	12.5	11.8	11.5	12.0	12.4	
Psicrómet. {	Dif. de los term...	1.2	1.2	0.9	1.0	0.8	0.9	0.9	1.0
	Humedad relat...	86	85	89	87	90	89	89	86	88
	Fuerza elástica...	9.73	9.73	9.67	9.19	9.45	8.95	8.80	8.86	9.30
Vientos.....	O.	O.	O.	O.	NO.	NO.	NO.	NO.	
Estado atmosférico.....	N.	N.	N.	N.	N.	Np.	Np.	Np.	

Instrumentos.		AGOSTO 2 DE 1874.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	750.26	760.00	760.01	759.96	759.84	759.71	758.87	758.53	759.65
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term...	1.0	0.9	1.1	1.1	0.5	1.0	1.5	2.0
	Humedad relativa	87	90	85	85	94	86	81	76	85
	Fuerza elástica.....	9.61	9.67	8.62	8.03	8.27	7.97	7.67	8.26	8.51
Vientos.....	N.	N.	N.	NE.	NE.	NE.	NE.	S.	
Estado atmosférico.....	Ni.	Ni.	Np Ni	Ni.	D. Ni.	D. Ni.	D.	D.	D.	
		AGOSTO 12 DE 1874.								
Barómetro reducido a 0°.....	mm.	761.82	761.81	761.97	762.10	762.24	762.34	761.84	760.90	761.88
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term...	2.2	2.7	1.9	3.0	2.0	1.5	2.0	3.0
	Humedad relativa	72	67	75	59	61	78	70	59	68
	Fuerza elástica.....	6.69	6.81	6.60	4.84	5.74	5.89	5.06	4.84	5.81
Vientos.....	S.	S.	S.	S.	S.	S.	S.	SE.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	D.	
		AGOSTO 22 DE 1874.								
Barómetro reducido a 0°.....	mm.	761.10	760.85	760.87	760.62	760.74	760.95	760.88	760.84	760.86
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term...	2.7	3.0	1.9	2.1	2.0	2.5	2.1	2.7
	Humedad relativa	67	65	76	72	74	69	73	67	70
	Fuerza elástica.....	6.87	6.77	6.75	6.53	6.81	6.51	6.75	6.87	6.73
Vientos.....	O.	O.	O.	O.	O.	O.	O.	N.	
Estado atmosférico.....	Np.	Np.	Np.	Np.	N.	N.	N.	N.	N.	
		SEPTIEMBRE 1 DE 1874.								
Barómetro reducido a 0°.....	mm.	763.17	765.76	765.76	765.68	765.59	762.46	761.60	760.65	763.81
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term...	3.2	3.4	2.9	2.3	1.5	2.5	2.3	4.0
	Humedad relativa	58	58	60	68	78	64	68	48	63
	Fuerza elástica.....	5.33	5.85	5.20	5.26	5.64	4.60	5.16	4.14	5.15
Vientos.....	SE.	SO.	S.	S.	S.	S.	S.	SE.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	D.	
		SEPTIEMBRE 10 DE 1874.								
Barómetro reducido a 0°.....	mm.	757.76	757.82	757.87	758.73	760.38	760.82	760.93	761.57	759.48
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
Psicrómet. {	Dif. de los term...	0.9	0.9	0.7	0.8	1.0	0.8	0.9	1.4
	Humedad relativa	89	89	92	90	86	88	89	83	68
	Fuerza elástica.....	8.92	9.04	9.44	8.92	8.45	8.45	8.74	9.37	8.92
Vientos.....	NO.	NO.	NO.	O.	O.	O.	O.	O.	
Estado atmosférico.....	Ll.	Ll.	N. Ni.	N.	Np.	Np.	N.	D.	D.	

SETIEMBRE 21 DE 1874.

Instrumentos.	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio	
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
Barómetro reducido a 0°.....	757.01	757.80	759.18	760.37	761.49	763.04	763.21	765.72	760.98	
Termómetro centígrado.....	14.0	10.0	10.5	9.5	9.3	8.2	8.0	10.5	9.9	
Psicrómet. {	Dif. de los term...	3.3	2.2	1.9	1.7	1.6	1.3	1.3	2.7
	Humedad relat...	63	71	75	77	78	82	82	65	74
	Fuerza elástica...	7.59	6.57	7.17	6.87	6.58	6.42	6.47	6.18	6.99
Vientos.....	O.	E.	E.	S.	S.	S.	S.	SE.	
Estado atmosférico.....	N.	N.	D.	D.	D.	D.	D.	D.	

OCTUBRE 1 DE 1874.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
Barómetro reducido a 0°.....	761.80	761.02	761.32	760.31	759.81	759.57	759.57	759.53	760.38	
Termómetro centígrado.....	17.9	15.2	12.0	11.3	10.5	10.0	10.0	12.0	12.2	
Psicrómet. {	Dif. de los term...	1.5	1.2	0.5	0.5	0.3	0.7	0.8	2.8
	Humedad relativa...	84	86	92	94	96	91	89	67	86
	Fuerza elástica...	12.03	10.99	9.84	9.16	8.81	8.21	8.09	7.31	9.31
Vientos.....	SO.	SO.	SO.	O.	S.	S.	SE.	E.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	N.	N.	

OCTUBRE 11 DE 1874.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
Barómetro reducido a 0°.....	756.03	756.59	757.27	758.03	757.05	757.76	758.47	758.22	757.39	
Termómetro centígrado.....	13.6	11.5	10.0	9.5	9.5	9.4	9.3	10.0	14.5	
Psicrómet. {	Dif. de los term...	2.4	1.4	1.5	1.1	1.1	1.3	1.4	2.4
	Humedad relativa...	73	82	89	85	85	82	80	73	80
	Fuerza elástica...	8.84	8.21	7.41	7.54	7.42	7.06	7.32	8.76	7.90
Vientos.....	SE.	SE.	O.	O.	SO.	O.	SO.	SO.	
Estado atmosférico.....	N.	Ll.	Ll.	Ll.	N.	Ll.	Np.	Np.	

OCTUBRE 21 DE 1874.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
Barómetro reducido a 0°.....	758.15	758.36	757.93	758.77	757.92	758.80	758.53	757.76	758.28	
Termómetro centígrado.....	17.5	15.0	12.9	10.9	9.6	9.0	9.5	15.0	12.2	
Psicrómet. {	Dif. de los term...	3.8	3.1	2.4	1.8	1.7	1.3	1.1	3.0
	Humedad relativa...	63	66	79	76	77	82	85	67	73
	Fuerza elástica...	8.93	8.41	7.31	7.05	6.87	7.06	7.55	8.54	7.73
Vientos.....	O.	SO.	SO.	SO.	SO.	SO.	SO.	SO.	
Estado atmosférico.....	Np.	N.	Np.	D.	D.	D.	D.	Np.	

NOVIEMBRE 10 DE 1874.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
Barómetro reducido a 0°.....	756.22	756.37	756.33	756.54	756.74	757.00	756.90	757.04	756.65	
Termómetro centígrado.....	12.5	18.2	15.5	13.2	12.0	12.0	14.0	17.5	13.2	
Psicrómet. {	Dif. de los term...	3.9	3.2	2.8	1.4	0.4	0.1	2.0	2.3
	Humedad relativa...	63	71	79	83	95	96	78	77	79
	Fuerza elástica...	10.72	10.87	9.11	9.31	9.97	10.17	9.25	11.46	10.13
Vientos.....	SO.	SO.	SO.	S.	S.	NO.	NO.	NO.	
Estado atmosférico.....	D.	D.	Np.	D.	D.	Np.	Np.	N.	

OBSERVACIONES METEOROLÓGICAS.

1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mfn.	Dif. de los termómetros		
										2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
700+	700+	700+	700+	o	o	o	o	o	o	o	o	
1	53.12	50.48	53.72	52.44	14.8	13.2	13.0	13.67	10.5	4.5
2	56.63	58.70	60.80	58.71	14.4	10.2	13.8	12.80	4.5	2.5
3	60.66	61.11	61.07	60.95	16.6	10.6	13.0	13.40	6.0	2.5
4	61.19	56.79	56.94	58.31	15.0	12.2	15.6	14.27	9.0	2.5
5	56.86	57.83	58.08	57.57	15.4	11.0	14.6	13.67	8.5	4.0
6	58.31	60.79	60.38	59.83	16.8	11.4	16.0	14.73	8.0	2.5
7	59.57	60.14	59.40	59.70	18.0	12.2	15.6	15.27	10.5	2.0
8	58.34	58.67	58.08	58.36	20.2	13.8	16.0	16.67	11.5	2.5
9	56.87	55.66	55.93	56.15	16.2	15.0	16.4	15.87	14.5	2.0
10	56.22	58.09	59.16	57.82	19.4	12.2	16.8	16.13	10.0	3.5
11	59.03	58.57	57.76	58.45	18.8	12.0	20.6	17.13	9.0	4.0
12	57.12	57.65	55.24	56.67	21.8	16.8	16.4	18.33	15.0	2.5
13	56.75	58.55	57.34	57.55	17.4	11.0	16.2	14.87	9.0	5.0
14	55.80	56.67	57.14	56.54	22.2	12.8	14.0	16.33	10.5	2.0
15	57.18	58.91	58.06	58.05	19.8	14.0	15.2	16.33	10.0	0.5
16	57.41	56.70	56.14	56.75	20.2	13.4	18.6	17.40	9.5	5.5
17	56.32	57.19	59.09	57.53	16.2	10.8	12.4	13.13	11.0	1.0
18	59.48	60.42	60.05	59.98	18.2	12.6	18.6	16.47	12.0	1.5
19	60.23	61.29	59.75	60.42	19.0	16.8	17.8	17.87	9.5	2.5
20	60.09	61.05	61.66	60.93	19.8	14.6	19.6	18.00	12.5	3.5
21	60.67	60.54	59.13	60.11	20.4	15.2	16.8	17.47	11.5	3.0
22	58.84	58.97	57.81	58.54	17.2	14.6	17.0	16.27	9.5	3.0
23	57.19	56.89	57.86	57.31	18.8	13.6	17.2	16.53	8.0	2.5
24	58.18	60.08	61.50	59.92	20.6	14.2	18.2	17.67	9.5	3.0
25	60.68	61.13	60.91	60.91	23.3	15.0	15.6	18.13	8.5	3.0
26	58.49	57.70	56.68	57.62	18.8	20.0	17.6	18.80	10.5	3.5
27	55.34	57.18	59.82	57.45	25.2	19.0	20.6	21.60	14.5	3.5
28	57.52	58.04	57.76	57.77	22.8	20.4	24.4	22.53	14.5	6.0
29	56.58	57.62	57.43	57.21	17.4	20.6	22.0	23.33	14.5	6.0
30	55.72	55.74	57.10	56.19	28.2	23.0	19.4	23.53	13.0	3.0
31	55.30	55.26	58.73	56.43	24.2	15.8	14.6	18.20	10.5	2.0

FEBRERO

1	57.64	59.07	57.65	58.12	19.2	15.8	17.6	17.53	8.5	2.0
2	55.90	56.90	58.52	57.11	21.0	16.2	16.0	17.73	10.5	3.5
3	57.98	60.10	60.03	59.37	18.2	13.0	15.2	15.47	9.5	2.0
4	60.96	61.08	61.33	61.32	21.8	14.6	16.4	17.60	11.5	2.0
5	61.90	62.45	62.24	62.20	22.8	18.6	16.2	19.20	10.5	3.0
6	60.97	61.13	59.72	60.61	23.0	17.2	18.8	19.67	13.0	3.5
7	59.49	59.81	59.42	59.57	23.6	18.0	17.2	19.60	11.5	4.0
8	58.86	60.09	59.10	59.02	21.8	16.6	15.0	17.80	9.5	1.5
9	58.75	59.65	60.29	59.56	20.4	16.4	15.2	17.33	8.0	3.5
10	59.91	60.28	59.99	60.06	20.0	15.6	16.8	17.47	7.5	5.0
11	60.46	62.10	61.65	62.20	19.2	15.0	13.4	15.87	6.5	3.0
12	62.97	62.81	60.49	62.10	17.8	12.4	13.2	14.47	7.5	1.5
13	60.15	61.16	61.51	60.94	14.0	11.8	16.2	14.00	10.5	2.5
14	59.31	59.95	56.78	58.40	26.6	14.2	20.4	18.40	13.0	5.5
15	53.96	54.25	53.46	53.88	22.8	11.4	18.0	18.40	12.0	3.0
16	53.07	55.09	58.47	55.54	19.2	15.8	16.6	17.20	7.5	4.0
17	59.10	60.60	62.24	60.44	15.8	13.2	14.6	14.53	6.5	4.5
18	61.11	62.35	62.92	62.13	17.4	13.6	17.3	16.00	7.0	3.0
19	62.15	61.60	60.49	61.41	16.8	15.0	15.4	15.73	7.5	3.0
20	59.63	59.34	57.33	58.97	12.6	11.8	16.6	13.67	7.0	2.0
21	58.65	59.39	59.07	58.84	13.8	13.0	17.2	14.67	8.0	2.5
22	58.54	57.91	57.88	58.11	14.6	11.8	16.6	14.33	9.5	2.5
23	57.26	59.05	59.62	58.61	21.0	13.2	16.0	16.73	9.5	4.5
24	59.39	60.21	60.21	59.94	21.8	15.0	17.6	18.13	8.5	4.0
25	58.94	60.04	60.52	59.83	20.6	11.8	16.6	16.33	8.5	3.5
26	58.75	58.55	56.98	58.69	19.6	14.8	15.6	16.43	10.0	2.5
27	56.16	57.74	58.13	57.34	19.8	11.8	15.0	15.53	9.5	3.0
28	59.89	59.69	60.68	59.80	16.8	12.6	14.0	14.27	8.0	3.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
		53				6.45		NO ₂	NO ₂	NO ₁	N.	N.	Np.
		74				9.65		NO ₂	C.	O ₁	Ll.	D.	N.
		74				10.60		S ₂	—	C.	Np.	—	—
		74				10.79		O ₁	—	NO ₁	N.	—	—
		59				8.58		—	O ₁	O ₁	—	—	—
		74				10.00		—	—	—	Np.	D.	D.
		80				11.48		NO ₁	NO ₁	—	D.	—	—
		75				11.18		O ₂	O ₁	NO ₁	D.	N.	—
		79				11.09		NO ₂	N ₂	O ₂	—	G.	N.
		68				11.40		—	—	S ₁	Np.	D.	D.
		64				11.59		S ₁	S ₁	C.	D.	—	—
		76				12.01		NO ₁	NO ₂	N ₂	—	N.	G.
		55				9.65		NE ₁	E ₁	E ₁	N.	D.	D.
		80				11.88		NO ₁	NO ₁	C.	D.	—	D.
		95				13.23		SE ₁	SE ₁	SE ₁	N.	D.	D.
		54				10.63		—	—	—	D.	D.	Np.
		88				9.85		NO ₁	NO ₁	NE ₁	N.	N.	Ll.
		84				11.79		NE ₁	NE ₁	O ₁	N.	—	D.
		75				11.58		E ₁	E ₁	E ₁	Np.	D.	D.
		69				11.28		O ₁	O ₁	O ₁	N.	—	—
		71				12.27		—	—	C.	Np.	—	N.
		70				16.08		C.	C.	E ₁	N.	Np.	D.
		75				11.18		E ₁	—	O ₁	—	—	D.
		72				11.71		O ₁	—	C.	—	—	D.
		71				11.27		C.	—	—	D.	—	—
		67				10.97		NE ₁	E ₁	E ₁	—	—	—
		67				10.18		E ₁	—	—	—	—	—
		50				10.83		—	—	E ₂	—	—	—
		50				9.88		E ₂	—	—	—	—	—
		72				12.16		NO ₁	—	E ₁	—	—	—
		78				9.60		N ₂	N ₂	NE ₁	Np.	N.	G.

	80					11.88		S ₂	S ₁	E ₂	Np.	D.	D.
	66					9.39		E ₁	E ₁	E ₁	N.	Np.	Np.
	79					10.69		NO ₁	—	E ₂	—	—	D.
	79					11.09		O ₁	O ₁	NO ₁	D.	—	N.
	69					9.69		NO ₁	E ₁	E ₂	—	—	D.
	67					11.57		—	—	—	—	D.	—
	62					9.88		E ₂	—	—	—	—	—
	83					10.25		—	—	E ₁	—	—	—
	67					10.57		O ₁	SO ₂	E ₂	—	—	—
	54					8.87		E ₁	E ₁	SE ₁	—	—	Np.
	66					7.57		SE ₁	SE ₁	—	—	—	D.
	84					8.89		E ₁	NE ₁	N ₁	—	—	G.
	74					10.39		NO ₁	NO ₁	E ₁	Ll.	N.	Np.
	56					12.45		N ₁	N ₁	E ₂	D.	D.	D.
	69					9.69		E ₁	E ₁	O ₁	Np.	—	—
	59					8.38		O ₂	SO ₂	SO ₁	Ll.	—	N.
	53					6.75		E ₁	E ₁	E ₁	D.	D.	D.
	69					9.69		O ₁	—	NO ₁	—	—	—
	79					10.69		E ₁	SE ₁	O ₁	Np.	—	N.
	69					9.69		O ₁	E ₁	E ₁	Ll.	D.	—
	74					10.79		E ₁	—	C.	D.	—	D.
	74					10.33		NE ₁	NE ₁	NE ₁	—	—	N.
	59					10.36		NO ₁	C.	E ₁	—	—	D.
	61					9.08		E ₁	E ₁	—	—	—	—
	64					8.69		O ₁	O ₁	C.	—	—	—
	75					11.58		—	—	O ₁	—	—	N.
	66					9.45		—	C.	C.	—	—	N.
	66					9.04		S ₁	—	E ₁	Np.	Np.	D.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	Dif. de los termómetros		
	mm.	mm.	mm.	mm.	o	o	o	o	o	2½ h.	9 h.	21 h.
	700+	700+	700+	700+	o	o	o	o	o	o	o	o
1	58.79	58.45	58.25	58.50	18.6	12.4	17.2	16.07	9.0	2.0
2	57.88	59.54	60.85	59.26	20.0	11.8	19.6	17.13	7.0
3	59.04	59.89	59.65	59.33	24.0	20.4	20.4	21.60	12.5	5.0
4	57.17	58.97	59.09	58.41	22.2	13.8	17.6	17.87	10.5	3.5
5	58.28	59.65	60.04	59.32	20.0	14.8	16.0	16.93	9.5	2.5
6	59.23	59.46	59.17	59.29	19.6	14.2	15.8	16.53	9.0	4.0
7	58.67	58.48	56.67	57.94	19.0	13.8	12.4	15.07	10.5	1.5
8	58.33	59.68	63.16	60.39	12.6	9.6	11.0	11.07	6.0	0.5
9	61.01	62.99	62.56	62.19	19.2	10.6	12.8	14.20	6.0	3.0
10	58.87	58.21	56.98	58.02	17.4	13.2	14.6	15.07	6.0	3.0
11	57.08	57.79	58.61	57.85	16.8	12.6	10.2	13.20	7.5	1.0
12	59.05	59.78	60.69	59.84	11.6	11.0	14.8	12.47	8.5	1.0
13	60.80	60.84	60.58	60.74	17.0	11.4	12.8	13.73	8.0	2.5
14	59.63	59.81	59.31	59.58	18.0	12.6	12.2	13.27	7.5	2.5
15	58.27	58.57	58.81	58.55	16.4	13.8	15.0	15.07	8.5	3.5
16	58.74	59.39	59.60	59.24	14.8	10.6	12.8	12.73	8.0	1.0
17	59.66	59.32	59.69	59.76	14.4	11.8	10.4	12.20	6.0	1.0
18	58.90	59.19	59.98	59.36	15.6	13.2	14.8	14.53	8.5	1.5
19	59.38	58.91	58.37	58.89	18.0	12.2	14.2	14.80	9.5	1.5
20	59.45	58.71	57.33	58.50	18.6	13.6	14.0	15.40	9.5	2.0
21	55.57	54.39	56.65	55.34	14.6	13.4	12.6	10.53	7.0	2.0
22	56.75	60.56	62.40	59.90	12.4	8.8	9.2	13.12	3.5	2.5
23	64.55	64.17	63.25	63.99	13.2	9.2	9.6	10.67	5.0	1.0
24	62.91	62.45	61.04	62.13	16.0	7.8	12.0	11.93	6.0	1.0
25	59.42	59.48	58.85	59.25	15.4	8.6	15.8	13.27	3.5
26	58.10	59.60	60.95	59.35	19.2	14.6	13.2	15.67	9.5	1.5
27	61.71	61.65	61.62	61.66	15.6	11.6	10.8	12.67	9.0	2.5
28	60.82	60.84	60.80	60.82	17.2	12.6	11.4	13.73	9.5	2.0
29	59.88	59.69	59.70	59.76	17.8	11.6	12.6	14.80	8.0	0.5
30	60.62	59.71	56.87	59.06	14.2	11.6	12.0	12.60	8.0	1.0
31	55.67	54.89	52.68	54.41	12.6	10.6	12.2	11.80	9.5	0.5

ABRIL

1	56.09	62.28	62.14	60.17	11.2	7.8	8.0	9.00	3.5	0.5
2	59.90	58.30	59.35	59.25	12.0	10.8	12.8	11.87	7.0	1.0
3	59.50	59.07	57.45	58.67	13.8	13.0	14.6	13.80	10.0	1.0
4	55.85	61.44	49.94	52.41	13.0	10.6	11.8	11.80	8.5	1.5
5	49.12	48.03	54.75	50.63	13.6	12.4	11.0	12.33	8.0	0.5
6	57.37	59.17	61.46	59.53	13.4	11.8	10.6	11.93	7.0	2.0
7	63.55	63.21	66.70	62.49	11.0	9.8	12.4	11.07	8.5	2.5
8	60.32	60.57	60.04	60.31	13.8	8.6	11.2	11.20	7.5	1.0
9	60.10	61.45	63.94	61.83	15.0	10.2	10.6	11.93	6.5	1.5
10	64.68	66.15	66.61	65.81	15.8	9.6	10.2	11.67	5.0	1.5
11	65.57	64.74	63.34	64.54	13.8	10.8	12.4	12.33	8.0	2.0
12	64.60	64.20	63.45	64.08	15.8	12.8	11.2	14.27	8.5	2.5
13	61.57	61.48	61.15	61.40	14.0	12.6	11.0	12.53	7.0	1.5
14	60.71	61.38	62.42	61.50	15.2	13.6	14.2	14.33	8.5	2.5
15	59.28	59.96	60.18	59.81	17.4	11.0	12.8	13.73	9.0	2.5
16	62.39	61.34	62.39	62.04	12.4	9.8	7.6	9.93	7.0	1.0
17	63.52	64.43	64.63	64.19	11.2	8.8	8.0	9.33	4.5	2.0
18	64.36	64.76	65.47	64.86	13.6	9.2	6.4	9.73	2.5	1.0
19	64.81	65.27	64.13	64.74	13.6	9.4	8.8	10.60	4.5	1.0
20	63.64	63.06	62.44	63.05	15.0	11.2	9.6	11.93	6.5	1.0
21	61.46	61.02	60.47	60.98	12.6	9.8	9.0	10.47	3.5	1.0
22	60.10	58.69	51.82	56.87	8.8	7.9	9.4	8.70	1.5	0.0	0.5
23	50.44	50.92	52.40	51.25	10.6	9.4	10.0	10.00	7.0	1.0	0.5	0.5
24	54.04	56.28	57.80	56.04	11.0	9.2	10.4	10.20	7.5	1.0	1.0	0.5
25	58.37	59.29	58.94	58.86	12.8	10.6	11.8	11.73	8.0	1.0	1.5	1.5
26	58.87	59.38	61.14	59.80	14.0	12.4	11.2	12.53	9.0	2.0	1.5	1.0
27	60.40	60.96	61.34	60.90	14.8	10.2	9.4	12.47	7.5	2.0	1.5	2.0
28	61.15	61.38	61.41	61.31	14.2	12.8	12.4	13.13	10.0	1.0	1.5	1.5
29	61.41	58.20	59.96	60.86	14.8	9.6	12.8	12.40	7.5	1.0	0.5	0.5
30	58.95	58.81	60.64	59.47	11.6	11.4	13.8	12.27	9.5	1.0	0.5	1.0

DE 1873.

PSICRÓMETRO.												VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.													
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.				
		78				10.55		NE ₁	E ₁	E ₂	D.	D.	N.				
		43				8.44		NO ₁	—	—	N.	Np.	D.				
		54				9.27		E ₁	E ₃	E ₁	D.	D.	—				
		67				9.78		NE ₁	E ₁	G.	—	—	—				
		74				9.65		NO ₁	—	E ₁	—	—	—				
		63				10.66		—	NO ₁	NO ₁	—	—	N.				
		82				8.89		O ₁	O ₁	NO ₃	Np.	N.	Ll.				
		94				9.16		—	SE ₁	SE ₁	N.	Np.	Np.				
		65				7.07		SE ₂	SE ₁	E ₂	Np.	D.	D.				
		68				8.64		E ₂	NO ₁	E ₂	N.	D.	N.				
		85				8.27		N ₂	NE ₂	E ₁	—	Np.	Ll.				
		89				11.70		E ₁	E ₁	NO ₁	Ll.	Ll.	Ll.				
		74				10.39		NO ₁	NO ₁	—	Ll.	Ll.	Np.				
		74				9.65		—	O ₁	—	—	—	Ll.				
		64				8.69		NO ₂	N ₂	NO ₃	G.	Ll.	N.				
		88				9.85		NE ₁	N ₁	NE ₁	Ll.	Ll.	—				
		86				8.27		NO ₁	C.	E ₁	N.	D.	D.				
		83				10.65		—	NO ₁	O ₁	—	—	D.				
		83				10.25		—	C.	C.	—	—	—				
		78				9.60		O ₁	O ₁	N ₂	—	—	—				
		77				8.58		N ₃	N ₂	O ₁	G.	Ll.	Ll.				
		72				8.69		O ₁	E ₁	SE ₁	N.	Np.	D.				
		86				8.56		SE ₃	S ₂	E ₃	D.	D.	—				
		86				8.27		SE ₁	SE ₁	E ₁	—	—	—				
		64				8.69		SE ₂	—	SE ₁	—	—	—				
		83				9.55		C.	C.	C.	—	Np.	Np.				
		72				8.63		O ₁	—	—	—	D.	D.				
		77				8.58		—	NO ₁	NO ₁	—	Np.	Np.				
		94				10.50		NO ₁	—	C.	—	N.	Ll.				
		77				9.19		—	O ₁	—	Np.	N.	Ll.				
		64				10.50		NO ₁	N ₂	N ₃	—	—	Ll.				

DE 1873.

...	...	93	7.72	...	O ₁	E ₁	E ₁	Ll.	Np.	N.
...	...	88	10.20	...	N ₂	N ₂	NO ₂	—	Ll.	Ll.
...	...	86	7.67	...	NO ₂	NO ₂	NO ₂	—	—	—
...	...	81	7.67	...	N ₂	N ₂	N ₂	—	—	—
...	...	93	7.97	...	N ₂	N ₂	N ₃	Ll.	G.	Ll.
...	...	76	8.26	...	N ₂	N ₂	—	—	Ll.	Ll.
...	...	71	7.66	...	NO ₃	NO ₂	N ₁	Np.	Np.	—
...	...	86	8.86	...	N ₁	NE ₁	NE ₁	G.	N.	N.
...	...	81	7.67	...	E ₁	E ₁	E ₁	Np.	Np.	D.
...	...	80	7.41	...	S ₁	S ₁	—	—	D.	—
...	...	76	8.26	...	S ₂	E ₂	E ₂	D.	—	—
...	...	74	10.00	...	E ₁	E ₁	—	—	—	—
...	...	80	7.11	...	NE ₁	C.	E ₁	—	—	—
...	...	72	8.63	...	—	—	—	—	—	—
...	...	72	8.28	...	C.	—	N ₁	—	Np.	Ll.
...	...	85	6.19	...	SE ₁	SE ₁	SE ₁	Np.	D.	Np.
...	...	73	6.54	...	SE ₂	E ₂	E ₂	D.	D.	D.
...	...	85	6.19	...	SE ₁	C.	C.	—	—	—
...	...	85	6.65	...	C.	E ₁	SE ₁	—	—	—
...	...	86	6.89	...	E ₁	S ₁	S ₁	Np.	Np.	Np.
...	...	84	5.70	...	S ₁	N ₁	C.	—	N.	N.
80	100	93	91	6.84	7.25	6.23	6.77	N ₁	N ₁	E ₂	Ll.	Ll.	Ll.
86	93	93	91	7.97	7.41	6.70	7.37	C.	C.	C.	Ll.	—	Ll.
86	85	93	88	7.14	6.65	6.95	6.91	N ₁	N ₁	NE ₁	—	N.	Ll.
88	80	82	83	9.85	7.11	9.24	8.73	NO ₁	NO ₁	N ₂	—	G.	Ll.
75	81	86	81	7.67	7.97	8.86	8.47	N ₁	N ₁	C.	Ll.	N.	Np.
76	80	73	76	8.26	7.41	6.29	7.32	C.	C.	NO ₁	Np.	Np.	—
86	82	82	83	8.27	8.26	9.24	8.59	O ₁	O ₁	O ₂	G.	—	—
89	94	94	92	11.39	8.57	10.50	10.12	NO ₁	C.	N ₁	Np.	D.	N.
87	94	88	90	9.54	9.49	10.20	9.72	N ₁	NE ₁	E ₁	Ll.	Ll.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	60.65	60.55	59.52	60.24	15.6	13.6	11.0	13.40	8.5	1.0	0.5	1.0
2	57.84	57.08	59.45	58.12	15.2	14.4	12.8	14.13	9.5	0.5	0.5	0.5
3	59.82	60.44	61.38	60.55	13.8	12.0	12.2	12.67	9.0	1.0	0.5	1.5
4	61.66	61.32	60.58	61.19	13.4	12.8	10.0	12.07	7.5	0.5	1.5	1.0
5	59.47	59.01	58.93	59.14	14.6	12.2	10.4	12.40	8.5	1.0	0.5	1.0
6	58.13	58.13	56.70	57.65	14.0	10.6	9.8	11.47	7.5	1.5	0.5	0.5
7	56.41	54.32	56.41	55.71	13.0	11.6	12.0	12.20	6.5	1.0	0.5	1.5
8	59.18	58.03	59.13	58.76	15.2	12.8	10.0	12.67	7.0	1.0	1.5	0.5
9	60.09	61.38	61.84	61.10	13.8	11.4	12.6	12.60	9.5	1.0	1.5	0.5
10	60.45	60.52	60.00	60.32	16.0	14.2	12.8	14.33	8.5	1.5	1.5	0.5
11	59.43	59.34	60.18	59.65	15.2	12.0	12.6	13.27	9.0	1.0	0.5	1.5
12	60.87	51.52	62.60	61.66	14.2	10.9	8.8	11.09	5.5	1.0	0.5	0.5
13	61.70	61.40	59.98	61.03	9.6	9.2	9.4	9.40	6.0	1.0	0.5	1.5
14	59.84	60.28	60.61	60.24	11.8	9.6	9.6	10.33	7.0	1.0	1.0	0.5
15	60.14	60.11	59.46	59.90	11.6	10.6	11.2	10.93	7.5	1.5	0.5	1.0
16	58.05	57.40	59.25	58.23	13.0	10.8	10.0	11.27	7.5	0.5	1.0	1.0
17	59.82	57.91	55.93	57.89	13.8	12.2	12.6	12.87	7.0	1.5	1.0	0.5
18	57.01	59.54	61.52	59.36	15.0	11.6	10.8	12.47	8.0	1.0	0.5	1.5
19	58.46	57.10	58.51	58.02	15.6	14.0	11.8	13.80	9.0	1.0	1.5	0.5
20	57.85	57.21	55.65	56.90	13.2	11.6	12.8	12.33	10.0	2.0	1.0	0.5
21	54.75	52.40	50.32	52.49	13.2	12.8	11.6	12.53	9.0	0.5	0.5	1.0
22	49.42	50.18	50.80	50.13	12.6	11.4	8.4	10.80	6.5	0.5	1.5	0.5
23	50.98	51.78	55.27	52.68	10.8	7.2	8.0	8.67	5.0	0.5	1.0	0.5
24	56.63	58.08	59.83	58.15	10.4	5.6	5.4	7.13	3.0	0.5	1.0	0.5
25	60.37	57.71	54.52	57.53	6.8	6.4	7.2	6.80	3.5	0.5	1.0	0.5
26	50.72	46.83	47.75	48.43	12.4	13.0	11.6	12.33	6.5	0.5	0.5	0.5
27	49.12	50.88	54.73	51.58	13.8	12.2	10.4	12.13	7.5	0.5	1.0	0.0
28	56.11	58.17	60.36	58.21	13.4	11.8	11.0	12.07	8.5	0.5	1.0	0.5
29	60.74	62.35	64.21	62.43	12.4	6.6	6.4	8.47	3.5	2.0	0.5	0.5
30	64.55	62.53	61.30	62.79	9.4	9.2	9.0	9.20	5.5	2.0	1.0	1.0
31	62.49	59.13	56.69	59.44	10.6	8.0	12.6	10.40	5.0	0.5	0.5	1.0

JUNIO

1	55.05	53.82	52.20	53.69	12.0	11.0	11.8	11.87	9.0	1.0	1.0	1.0
2	50.82	49.84	48.35	49.67	12.0	11.2	12.6	11.93	9.5	0.5	0.5	2.0
3	49.21	49.70	51.78	50.33	11.0	10.4	12.2	11.40	8.5	1.5	1.0	0.5
4	54.43	58.42	63.31	58.72	12.8	9.4	8.0	10.67	4.5	1.5	1.0	1.0
5	63.73	63.02	63.28	63.34	11.2	6.4	4.0	7.20	1.5	0.5	0.5	0.6
6	61.67	63.26	65.52	63.48	8.0	5.6	6.6	6.73	2.5	1.0	1.0	2.0
7	65.44	66.15	66.39	65.99	6.4	4.6	6.4	5.80	1.5	1.0	0.5	1.0
8	66.69	65.25	63.63	65.19	5.8	4.0	3.0	4.27	0.5	1.0	0.5	0.5
9	62.74	62.97	63.05	62.92	4.2	3.6	4.0	3.93	1.0	0.5	0.5	0.5
10	62.85	63.65	66.14	64.21	8.8	7.0	7.6	7.80	2.5	1.0	1.0	0.5
11	66.51	66.87	67.51	66.96	7.4	6.6	4.8	6.27	2.0	1.0	1.5	0.5
12	67.59	67.99	68.33	67.97	6.6	5.2	3.6	5.13	1.5	0.5	0.5	0.5
13	68.45	68.02	67.86	68.11	5.0	4.2	2.8	4.00	2.5	1.0	0.5	0.5
14	66.62	66.01	65.22	65.95	6.2	4.4	4.0	4.73	3.0	0.5	1.0	1.0
15	63.55	66.29	61.75	63.86	6.6	5.8	4.6	5.67	3.5	0.5	0.5	0.5
16	60.71	57.79	58.78	59.06	7.2	5.6	4.0	5.60	1.5	1.0	0.5	0.5
17	58.79	59.38	58.83	59.00	5.4	7.0	7.8	6.73	2.5	1.0	0.5	0.5
18	58.29	56.11	55.51	56.64	8.2	9.6	7.6	8.47	5.5	1.0	0.5	1.0
19	55.13	53.30	51.42	53.28	12.0	9.8	10.6	10.80	6.0	0.5	1.0	1.0
20	49.86	52.31	54.49	52.23	11.2	9.0	12.6	10.93	8.5	1.0	0.5	1.5
21	55.97	53.19	54.63	54.57	11.8	10.0	13.2	11.67	8.0	1.0	0.5	1.0
22	54.51	53.22	51.66	53.10	11.4	9.6	12.2	11.07	9.0	1.0	2.5	1.5
23	50.70	51.18	47.01	49.63	11.6	8.8	10.0	10.13	8.0	1.0	1.0	0.5
24	44.04	45.12	46.09	45.08	10.4	7.0	7.6	8.33	5.5	1.0	1.0	0.5
25	48.84	50.68	56.87	52.12	6.6	9.2	2.8	6.20	1.1	0.5	0.5	0.5
26	57.81	58.53	59.16	58.56	10.2	9.0	9.6	9.60	7.5	1.0	1.0	1.0
27	58.77	57.26	55.49	56.51	11.4	9.8	11.2	10.80	7.0	0.5	1.0	1.0
28	52.73	51.30	50.08	51.37	11.8	8.6	10.6	10.33	6.5	0.5	0.5	0.5
29	50.90	57.00	62.31	56.47	8.8	7.0	8.6	8.13	4.5	9.5	0.5	0.5
30	62.90	62.19	63.19	62.16	9.8	5.8	7.6	7.73	3.0	6.5	0.5	1.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
89	94	86	90	12.09	10.86	8.86	10.60	C.	C.	E ₁	N.	N.	D.
94	94	94	94	11.60	10.50	9.16	10.42	E ₁	—	C.	Np.	Np.	N.
86	94	82	87	8.86	9.84	8.89	9.26	C.	NE ₁	—	—	—	D.
94	81	86	87	9.84	7.67	7.14	8.22	—	NO ₁	—	—	Np.	Np.
86	94	86	89	8.86	8.57	6.89	8.11	NO ₁	NO ₁	NO ₂	N.	N.	N.
82	94	93	90	8.89	8.57	7.72	8.33	N ₂	N ₂	N ₁	—	—	N.
86	94	82	87	8.27	9.16	8.56	8.66	N ₁	N ₃	N ₁	—	—	N.
88	82	94	88	10.29	8.26	8.57	9.01	NO ₁	N ₁	NO ₁	—	—	—
87	81	94	87	9.54	8.00	10.50	9.33	—	C.	C.	—	—	—
84	82	94	87	9.55	8.89	8.57	9.00	—	NO ₁	—	—	—	—
87	94	82	88	9.54	9.16	8.89	9.26	—	—	—	—	—	—
89	94	93	92	10.91	8.57	7.97	9.15	C.	C.	C.	—	G.	Ll.
86	93	80	86	8.27	7.97	7.11	7.78	O ₁	SE ₁	S ₁	Ll.	D.	N.
87	86	94	89	9.54	7.97	8.57	8.69	C.	C.	C.	Np.	D.	—
82	93	86	87	8.26	7.72	8.86	8.28	NO ₁	NO ₁	O ₁	D.	N.	—
94	86	86	89	9.16	7.67	7.97	8.27	C.	O ₁	C.	G.	N.	—
88	86	94	88	10.25	8.27	10.50	9.67	O ₁	N ₂	C.	Np.	Ll.	—
87	94	80	87	9.54	9.49	7.41	8.81	O ₁	O ₂	C.	N.	Np.	—
88	82	94	88	10.20	8.56	8.86	9.21	O ₁	O ₂	N ₃	—	—	Ll.
77	86	94	86	8.53	8.86	10.15	9.31	N ₂	N ₁	N ₃	—	—	Ll.
94	94	87	92	10.15	10.50	9.51	10.06	N ₃	N ₃	N ₁	Ll.	Ll.	N.
94	81	94	90	9.16	7.67	8.27	8.37	N ₂	O ₂	O ₂	N.	N.	Ll.
94	85	93	91	8.86	6.19	7.44	7.59	O ₁	O ₁	—	—	—	N.
94	85	93	91	8.27	5.94	6.23	6.81	—	—	SE ₁	—	—	N.
93	85	93	90	6.95	6.19	7.19	6.78	SE ₃	—	NE ₁	G.	Np.	Ll.
94	94	94	94	10.15	10.50	8.57	9.74	N ₃	N ₃	NO ₁	Ll.	G.	Ll.
94	86	100	93	9.84	8.86	8.57	9.69	NO ₁	NO ₁	—	Ll.	Ll.	G.
94	86	94	91	9.49	8.27	8.86	8.87	—	—	C.	Ll.	N.	Np.
76	93	93	87	8.26	6.95	6.70	7.30	O.	E ₁	—	Np.	D.	D.
73	86	85	81	6.54	6.89	6.65	6.69	C.	NO ₁	NO ₁	—	N.	N.
93	93	86	91	7.97	6.70	8.86	7.84	NO ₁	NO ₂	N ₁	—	—	—

DE 1873.

87	86	87	87	9.54	8.86	9.19	9.20	N ₃	N ₂	N ₂	N.	Ll.	Ll.
94	94	77	88	10.15	9.84	8.93	9.64	—	—	—	Ll.	—	—
81	86	94	87	7.67	8.27	10.15	8.70	—	—	—	—	—	—
82	86	85	84	8.26	7.67	6.65	7.53	NE ₁	NE ₁	C.	N.	Np.	Np.
93	93	90	92	7.41	6.23	5.49	6.39	C.	E ₁	E ₁	D.	D.	D.
85	84	70	80	6.19	5.70	5.10	5.60	E ₁	—	—	N.	N.	N.
84	92	85	87	5.70	5.80	5.91	5.81	—	—	C.	Np.	—	—
85	92	95	91	6.65	5.59	5.82	5.85	—	E ₁	E ₁	—	—	—
93	92	92	92	5.80	5.59	5.80	5.73	—	—	SE ₁	Ll.	N.	D.
85	85	93	88	6.65	6.19	6.95	6.66	—	C.	C.	Np.	D.	N.
86	77	92	85	6.19	5.20	5.59	5.66	SE ₁	SE ₁	SE ₁	—	D.	D.
92	92	92	92	6.00	5.80	5.29	5.67	—	—	—	D.	—	—
83	91	92	89	5.29	5.29	5.00	5.16	—	—	—	—	—	—
93	83	83	86	6.23	5.09	4.91	5.41	SO ₁	C.	SO ₁	Np.	Np.	Np.
93	92	92	92	6.48	5.80	5.39	5.89	—	—	—	D.	D.	N.
84	93	92	90	5.76	6.48	5.59	5.92	—	E ₂	E ₁	—	—	—
84	92	93	90	5.50	5.80	6.48	5.93	—	E ₁	E ₁	N.	N.	—
86	93	86	88	7.14	7.97	6.81	7.33	NE ₁	N ₁	C.	—	Ll.	—
93	85	86	88	7.72	6.65	7.67	7.35	N ₁	N ₂	N ₂	—	—	Ll.
86	93	82	87	8.86	6.95	8.26	8.02	N ₂	—	N ₂	Ll.	—	—
86	93	86	88	7.97	7.44	8.27	7.89	—	—	C.	—	—	—
86	68	82	79	8.86	5.99	8.89	7.88	C.	C.	NO ₁	N.	N.	—
86	85	94	88	7.97	6.65	8.86	7.83	N ₃	NO ₂	N ₃	Ll.	Ll.	—
86	85	93	88	7.14	5.94	7.19	6.76	O ₁	N ₂	N ₂	—	—	—
93	93	93	93	7.19	7.72	6.70	7.29	O ₂	O ₁	O ₁	Ll.	N.	Np.
86	85	86	86	8.27	6.65	7.14	7.55	—	—	C.	N.	—	—
94	86	86	89	7.49	7.14	7.42	7.35	NO ₁	NO ₁	NE ₁	G.	N.	N.
93	93	93	93	9.84	7.72	7.19	8.25	NE ₁	C.	N ₁	N.	Ll.	Ll.
94	93	93	93	7.72	6.23	7.72	7.22	—	NO ₁	E ₁	Np.	Np.	D.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	Dif. de los termómetros.		
										2½ h.	9 h.	21 h.
1	700.4	700.4	700.4	700.4	0	0	0	0	0	0	0	0
2	62.41	62.37	62.20	62.33	9.6	7.8	7.2	8.20	4.5	1.5	2.0	1.5
3	61.52	61.95	63.98	62.48	9.0	4.2	5.6	6.27	0.5	1.0	0.5	1.0
4	61.05	61.68	61.71	61.49	8.4	4.0	5.2	5.87	1.5	0.5	0.5	1.0
5	63.96	63.80	63.62	63.74	5.8	3.8	4.6	4.73	2.5	1.0	0.5	0.5
6	63.23	63.02	62.18	62.81	7.4	6.6	5.8	6.60	3.5	1.0	0.5	1.0
7	61.50	61.00	60.82	61.11	7.0	6.2	6.4	6.53	4.0	0.5	1.0	1.0
8	61.20	62.42	62.59	62.07	6.2	5.4	6.4	6.00	5.0	0.5	0.5	0.5
9	62.77	63.66	61.35	63.59	7.0	6.4	5.2	6.20	3.5	0.0	1.0	0.0
10	61.62	61.31	58.59	60.51	4.6	6.0	4.4	5.00	1.5	0.5	0.5	0.5
11	58.39	55.92	55.58	56.63	5.8	7.0	7.4	6.73	3.5	1.0	0.5	0.5
12	55.22	55.85	56.30	55.78	8.4	7.8	7.2	7.80	4.0	1.0	0.5	0.5
13	57.85	61.18	61.42	61.15	8.0	4.8	6.2	6.33	2.5	1.0	1.0	0.5
14	61.63	63.00	62.03	63.22	7.4	6.8	7.0	7.07	3.0	2.0	1.0	1.0
15	61.18	62.12	62.46	61.92	10.6	10.2	10.4	10.40	5.0	0.5	1.0	1.0
16	62.03	61.42	59.91	61.12	9.4	8.0	7.0	8.13	4.5	1.0	1.0	1.0
17	57.36	55.62	54.71	55.90	11.0	8.8	8.2	9.33	5.5	1.0	0.5	0.5
18	55.90	58.12	62.74	58.92	6.6	6.4	3.8	5.60	0.5	0.5	0.5	0.5
19	62.78	62.56	61.65	62.33	8.0	6.2	5.0	6.40	0.9	0.5	0.5	0.5
20	59.77	60.41	61.44	60.54	7.4	5.2	3.6	5.40	1.5	0.0	1.5	0.5
21	61.48	62.37	62.30	62.05	8.6	4.2	3.0	5.27	0.0	0.5	1.0	0.5
22	61.72	61.73	62.48	61.98	6.2	7.6	5.6	6.27	1.0	0.5	0.5	0.5
23	61.56	58.57	55.81	58.65	6.2	10.4	11.0	9.20	1.0	0.5	1.0
24	51.60	56.99	59.90	57.16	8.6	4.2	7.6	6.80	0.5	0.5	1.0
25	61.35	63.22	64.28	62.95	8.0	5.0	7.4	7.08	3.5	0.5	0.5	1.0
26	64.25	65.10	65.81	65.05	10.2	6.6	8.0	8.27	3.5	1.5	1.0	0.5
27	64.74	62.33	61.70	62.92	7.8	7.0	6.4	7.07	2.5	0.5	1.0	0.5
28	60.85	58.66	51.99	57.17	8.4	6.8	9.4	8.20	4.0	1.5	0.5	1.0
29	49.01	50.24	49.89	49.71	9.0	9.6	10.2	9.40	6.5	0.5	0.5	1.0
30	50.21	47.53	46.52	48.09	11.2	8.0	10.4	9.87	7.0	1.0	0.5	2.5
31	46.70	47.77	49.28	47.92	10.4	8.8	10.0	9.73	5.0	1.0	1.0	1.5
31	49.33	41.22	35.81	43.13	10.6	9.0	10.6	10.07	7.0	1.0	0.5	1.0

AGOSTO

1	39.67	42.69	45.24	42.53	10.2	8.8	8.4	9.13	5.0	0.5	1.0	0.5
2	46.63	47.50	49.51	47.68	7.6	6.4	7.0	7.00	3.0	0.5	0.5	1.5
3	52.36	55.40	58.89	55.55	6.0	6.8	7.4	6.73	2.0	1.0	1.5	0.5
4	60.31	61.13	61.59	61.01	9.2	4.6	6.0	6.60	1.5	0.5	1.0	1.0
5	62.65	63.08	63.93	63.22	5.0	4.2	2.6	3.93	1.0	0.5	0.5	1.0
6	63.81	64.19	64.49	64.16	6.8	6.0	5.2	6.00	-2.5	0.5	1.0	0.5
7	64.49	65.34	66.05	65.29	5.6	3.0	4.6	4.40	-1.0	1.0	0.5	0.5
8	66.00	66.33	66.02	66.12	8.2	7.0	8.6	7.93	3.0	0.5	1.5	0.5
9	64.48	63.57	62.89	63.65	10.4	7.2	11.4	9.67	5.5	1.0	1.0	2.0
10	62.96	62.65	60.71	62.09	8.8	7.0	6.2	7.33	4.0	1.5	1.0	0.5
11	58.78	57.63	58.12	58.18	10.2	9.0	10.6	9.93	-4.5	0.5	0.5	1.0
12	57.39	56.41	55.93	56.58	10.8	10.0	11.2	10.67	7.0	1.0	1.0	0.5
13	54.40	51.78	55.32	53.83	10.2	9.8	9.0	9.67	5.5	1.5	1.0	1.0
14	56.33	56.91	61.61	58.28	10.4	8.6	5.6	8.20	1.5	2.5	1.5	1.5
15	65.26	64.21	63.86	64.44	11.4	4.0	4.8	6.73	1.0	2.0	0.5	1.0
16	63.62	63.32	62.81	63.25	6.4	1.6	4.0	4.00	-1.0	1.0	1.5	1.5
17	61.49	61.32	61.97	61.59	10.8	8.0	6.6	8.47	-4.5	1.5	1.0	1.0
18
19
20
21
22
23	60.75	60.82	60.63	60.53	11.2	8.0	6.8	8.67	4.5	2.0	2.0	1.0
24	60.98	62.77	63.23	62.34	9.8	6.6	8.4	8.27	3.5	1.0	1.0	1.0
25	63.09	62.92	62.57	62.86	7.6	5.6	6.8	6.67	1.5	1.5	0.5	2.0
26	61.86	61.86	62.65	62.12	12.4	5.4	6.4	8.07	2.5	1.0	1.0	1.5
27	61.40	62.15	61.23	61.61	7.8	8.2	7.8	7.93	2.5	2.0	1.0	0.5
28	62.65	62.95	63.31	62.97	8.4	6.6	8.1	7.80	0.5	3.0	1.5	1.5
29	62.60	62.09	59.60	61.33	10.8	5.4	5.8	7.33	1.5	1.5	1.5	1.5
30	58.50	58.29	58.10	58.36	11.6	9.6	7.8	9.47	3.5	1.0	1.0	0.5
31	57.55	57.34	58.24	57.71	10.2	8.6	7.6	8.60	4.5	1.5	2.0	1.0

DE 1873.

PSICLOMETRO.								VIENTOS.			ESTADO ATMOSPÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
81	71	78	77	7.41	5.59	5.64	6.21	E ₂	E ₁	E ₁	D.	Np.	N.
86	92	84	87	6.65	5.80	5.70	6.05	E ₁	—	—	Np.	—	D.
93	92	84	90	7.72	5.59	5.50	6.27	NE ₁	C.	C.	N.	—	N.
85	91	92	89	6.19	5.00	5.39	5.53	E ₁	E ₁	E ₁	G.	N.	—
85	93	83	87	5.94	6.23	5.29	5.82	SE ₁	SE ₁	SE ₁	N.	Np.	Np.
94	84	85	87	6.23	5.29	5.09	5.54	E ₁	C.	C.	Np.	N.	N.
94	92	93	93	6.70	6.00	6.70	6.47	—	E ₁	NE ₁	N.	—	Np.
130	84	100	95	7.00	5.70	6.53	6.41	NE ₁	NE ₁	—	—	—	D.
94	93	92	93	6.70	6.23	6.00	6.31	—	—	N ₁	—	—	G.
84	92	93	90	5.59	5.80	6.95	6.11	—	E ₂	NE ₁	Ll.	—	N.
85	93	93	90	6.65	6.48	6.70	6.61	N ₂	N ₁	N ₁	—	—	—
85	84	92	87	6.40	5.70	6.00	6.03	C.	E ₁	C.	Np.	D.	D.
72	85	85	81	6.05	6.40	6.65	6.37	O ₁	O ₁	NE ₁	D.	Ll.	Ll.
94	86	86	89	8.27	6.89	8.56	7.91	NO ₁	NO ₁	NO ₁	Ll.	—	N.
86	85	85	85	7.14	6.40	6.19	6.58	N ₂	N ₂	N ₂	—	—	Ll.
86	93	93	91	7.67	7.44	7.19	7.43	N ₂	N ₂	O ₁	—	—	N.
93	93	92	93	6.70	6.23	5.59	6.17	O ₁	O ₁	E ₁	Np.	—	Np.
93	93	92	93	7.19	6.48	5.80	6.49	E ₁	E ₁	—	D.	—	D.
100	77	93	90	7.74	5.40	6.23	6.46	—	—	—	D.	—	—
93	83	92	89	7.72	5.09	5.39	6.07	C.	C.	C.	N.	—	Np.
93	92	92	92	6.70	5.59	5.80	6.03	E ₁	E ₁	E ₁	—	—	G.
85	94	86	88	6.19	8.27	8.86	7.77	NE ₁	N ₃	N ₂	Ll.	Ll.	Ll.
93	92	85	90	7.72	5.80	6.19	6.57	O ₂	O ₁	C.	Np.	D.	Np.
93	93	81	90	7.44	6.23	5.70	6.46	C.	C.	—	Np.	D.	D.
80	85	93	86	7.41	6.65	6.70	6.92	E ₁	E ₁	—	D.	—	Np.
93	85	93	90	7.44	6.40	6.48	6.77	C.	C.	—	Np.	N.	N.
80	93	83	85	6.59	6.48	5.29	6.12	—	NE ₁	N ₂	G.	Ll.	Ll.
93	93	86	91	7.72	7.97	8.22	7.97	N ₃	N ₂	N ₃	Ll.	—	Ll.
86	93	78	86	8.86	7.72	7.63	8.08	NO ₂	NO ₂	—	—	—	—
86	86	81	84	8.86	7.14	7.67	7.89	N ₃	N ₁	—	Ll.	—	—
86	93	86	88	8.27	7.97	8.22	8.15	N ₁	—	N ₃	Ll.	—	—

DE 1873.

96	86	93	92	8.59	7.14	7.97	7.83	N ₁	N ₂	N ₂	N.	Ll.	N.
96	93	78	89	7.56	7.19	5.89	6.88	O ₂	O ₁	O ₁	Ll.	—	—
85	78	93	85	5.94	5.89	6.95	6.26	—	O ₂	SO ₂	—	—	D.
93	85	85	88	7.19	6.19	5.91	6.44	SO ₁	C.	NO ₁	N.	D.	Ll.
93	92	83	89	6.23	6.09	4.91	5.71	NO ₁	NO ₁	—	Np.	Ll.	—
92	83	91	89	5.80	5.09	5.00	5.36	NE ₁	NE ₁	NE ₁	Np.	—	—
84	92	91	89	5.70	5.80	5.29	5.57	E ₁	SE ₁	SE ₁	D.	D.	D.
93	77	92	87	7.72	5.40	5.39	6.17	C.	C.	—	Np.	D.	Np.
86	85	75	82	8.56	6.65	7.37	7.53	—	—	C.	Np.	—	—
78	86	93	85	5.64	6.40	6.76	6.25	—	—	NE ₁	D.	—	—
94	93	86	91	8.57	7.97	7.97	8.17	—	—	C.	N.	—	—
86	86	94	89	8.27	7.97	9.26	8.50	NO ₁	NO ₁	N ₁	—	—	—
80	86	86	84	6.59	7.67	7.42	7.23	N ₁	N ₁	O ₁	G.	Ll.	—
69	80	77	75	6.81	6.84	5.40	6.35	O ₂	O ₂	C.	N.	—	Np.
75	92	84	84	7.67	5.39	5.50	6.19	O ₁	O ₁	E ₁	Np.	Np.	—
84	73	75	77	5.79	3.71	4.41	4.61	E ₁	E ₁	—	D.	D.	D.
82	86	86	85	8.23	7.67	6.89	7.60	—	—	—	Np.	Np.	Np.
...
...
...
...
74	73	85	77	7.11	6.29	6.65	6.68	NO ₁	NO ₁	N ₂	Np.	Np.	N.
86	85	84	85	7.97	6.65	5.79	6.77	N ₁	E ₁	E ₁	Ll.	N.	D.
80	93	70	81	6.59	6.23	5.10	5.94	E ₁	E ₂	E ₂	D.	D.	—
89	84	77	83	11.30	5.59	5.40	7.40	C.	—	C.	—	—	—
75	85	95	84	7.67	6.65	6.95	7.09	E ₁	E ₁	—	—	—	—
65	80	79	75	6.75	7.11	6.19	6.65	C.	C.	—	—	—	—
82	78	77	79	8.89	5.64	5.40	6.64	—	—	E ₁	—	—	—
86	86	93	88	8.86	7.97	7.72	8.18	NE ₁	NE ₁	NE ₁	Np.	Np.	G.
80	73	85	79	7.41	6.51	6.13	6.59	—	—	—	Ll.	G.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	Dif. de los termómetros.		
	mm. 700+	mm. 700+	mm. 700+	mm. 700+						2½ h.	9 h.	21 h.
1	68.45	68.26	62.22	62.98	10.2	4.0	6.4	6.87	-1.0	0	0	0
2	60.74	60.85	59.60	60.23	12.8	7.2	11.0	10.33	5.0	4.0	1.0	1.0
3	60.29	60.20	60.01	60.17	12.4	8.0	10.2	10.20	7.5	1.5	1.0	1.0
4	59.72	59.58	60.52	59.94	11.0	8.6	10.4	10.00	8.0	0.5	2.0	1.5
5	60.34	58.25	57.79	58.79	11.6	9.8	11.0	10.80	7.5	0.5	1.0	1.0
6	57.28	57.17	57.59	57.33	10.2	9.0	10.2	9.80	7.0	1.0	1.5	1.0
7	59.28	59.02	57.01	58.44	12.8	9.8	9.4	10.67	6.5	2.0	0.5	1.5
8	54.46	57.44	58.34	56.75	9.6	8.4	7.0	8.33	5.5	1.5	1.5	0.5
9	58.53	58.98	58.63	58.71	10.8	8.6	8.0	9.13	6.5	2.0	1.0	1.5
10	57.22	57.11	59.76	58.03	10.2	9.4	8.8	9.47	4.0	0.5	1.0	2.0
11	61.71	65.93	66.08	64.57	9.0	6.8	7.6	7.80	3.5	0.5	1.5	1.5
12	68.74	68.97	67.96	68.56	8.4	6.6	8.6	7.93	4.5	1.0	1.0	0.5
13	67.31	67.27	66.58	67.05	11.0	9.6	12.2	10.93	6.5	1.0	1.0	1.0
14	65.95	65.94	64.79	65.56	13.2	10.4	11.0	12.20	6.0	0.5	0.5	1.0
15	61.43	61.22	58.87	60.51	16.2	12.4	9.8	12.80	6.0	0.5	2.0	1.0
16	58.50	58.03	59.51	58.68	13.0	9.6	8.4	10.33	5.0	2.0	2.0	1.0
17	59.31	59.21	59.26	59.26	12.8	9.2	7.8	9.93	6.0	1.5	1.5	0.5
18	58.51	58.53	58.64	58.56	11.6	9.8	9.0	10.13	7.5	1.0	1.5	1.0
19	58.00	57.54	57.49	57.68	11.0	8.4	7.6	9.00	5.5	1.5	1.0	1.0
20	57.85	58.13	58.98	58.32	10.2	8.0	7.0	8.40	4.5	2.0	1.0	1.5
21	59.78	60.88	61.32	60.66	12.2	9.8	10.0	10.67	6.5	2.0	0.5	1.0
22	61.38	61.84	61.36	61.36	14.4	8.2	10.4	11.00	6.0	1.5	1.0	0.5
23	61.04	60.96	61.55	61.18	12.6	6.4	7.6	8.87	3.5	0.5	0.5	0.5
24	61.17	58.50	55.19	58.28	9.6	7.6	10.8	9.33	5.5	0.5	0.5	0.5
25	55.69	55.72	58.56	54.99	11.6	10.4	9.2	10.40	5.0	1.0	0.5	1.5
26	52.72	54.78	56.49	54.66	11.2	8.6	7.6	9.13	5.5	1.0	2.0	1.0
27	59.35	63.23	62.49	61.69	9.6	4.0	8.2	7.27	2.0	2.5	0.5	0.5
28	62.63	59.74	56.83	59.74	8.8	10.4	11.4	10.20	6.5	0.5	0.0	0.5
29	56.22	54.52	58.57	54.77	9.6	8.8	9.2	9.20	5.0	1.0	1.5	0.5
30	54.44	58.35	60.78	57.86	7.0	6.6	8.2	7.27	1.5	1.5	1.0	1.0

OCTUBRE

1	61.16	58.73	53.82	57.90	10.4	8.2	11.0	9.87	5.5	0.5	1.0	1.5
2	53.56	53.70	54.44	53.90	10.0	5.0	6.2	7.07	2.5	1.0	1.0	1.5
3	55.12	57.97	61.71	58.27	10.8	6.0	7.6	8.13	5.0	1.0	1.0	1.5
4	64.54	65.94	65.11	65.20	9.6	4.0	6.8	6.80	0.5	0.5	1.5	1.5
5	64.67	65.02	63.99	64.56	11.2	5.0	8.8	8.33	4.0	0.5	1.5	1.5
6	63.14	62.81	61.47	62.47	12.6	7.2	9.0	9.60	3.0	3.0	2.0	1.0
7	62.58	63.22	63.02	62.94	12.2	7.8	10.2	10.67	7.0	2.0	2.5	1.0
8	63.35	63.45	61.58	62.79	13.4	9.6	12.2	11.73	5.0	2.5	1.5	0.5
9	60.50	61.14	61.00	60.88	12.2	8.6	9.0	9.93	5.5	2.0	0.5	2.0
10	60.81	60.63	60.30	60.58	9.0	7.8	8.8	8.53	6.5	2.0	1.0	1.0
11	59.55	59.39	61.99	60.31	9.2	7.0	8.0	8.07	6.0	1.0	0.5	1.0
12	62.22	65.09	67.19	64.83	10.0	8.2	9.0	9.07	5.5	1.5	1.5	1.5
13	67.72	67.61	66.51	67.28	20.2	6.6	9.2	12.60	4.5	1.0	1.0	1.0
14	63.53	63.70	61.69	62.94	19.0	8.8	10.0	12.60	5.0	2.0	1.5	2.0
15	59.60	59.45	60.14	59.73	10.8	9.4	10.8	10.33	5.5	1.5	2.0	1.5
16	59.59	59.46	58.61	59.22	16.2	10.0	11.2	12.47	8.5	1.0	2.0	2.0
17	59.20	60.28	61.35	60.28	14.8	11.6	10.0	12.13	4.0	2.0	2.0	1.5
18	61.52	62.36	62.69	62.18	16.4	9.6	11.2	12.40	6.0	2.0	1.5	1.0
19	61.53	61.10	62.46	61.70	17.2	10.4	12.2	13.27	5.5	1.0	1.0	2.0
20	62.60	63.58	62.29	62.82	19.2	9.0	11.4	13.29	6.0	1.5	1.0	1.5
21	61.46	61.64	58.91	60.67	16.8	9.8	10.2	12.27	3.5	2.0	1.5	1.0
22	55.38	54.93	51.26	53.86	12.4	10.0	11.6	11.33	8.0	2.0	1.0	1.5
23	51.66	54.40	56.03	51.03	11.2	9.0	10.6	10.27	5.0	1.5	1.0	1.0
24	57.35	59.39	61.40	59.38	13.8	10.0	7.6	10.47	3.5	1.5	1.5	0.5
25	61.99	63.22	63.88	63.03	13.2	10.8	9.6	11.20	4.5	1.0	0.5	0.5
26	63.66	63.32	62.48	63.15	11.0	10.2	11.2	11.80	5.0	1.0	2.0	0.5
27	60.75	61.70	62.84	61.76	17.8	9.6	9.8	12.40	4.5	5.0	1.5	2.5
28	61.67	62.42	62.34	62.14	16.6	10.2	10.4	12.40	5.5	2.5	2.0	3.0
29	61.38	62.49	62.91	62.27	18.8	10.6	12.2	13.78	6.5	4.5	1.0	2.0
30	62.19	62.72	62.65	62.52	17.0	11.4	12.8	13.73	8.0	2.5	2.0	1.5
31	62.36	63.54	63.99	63.16	14.6	10.8	11.0	12.13	6.0	2.0	1.5	2.5

DE 1873.

PSICRÓMETRO.												VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.													
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.				
80	92	92	88	7.41	5.80	5.59	6.27	SE ₁	SE ₁	SE ₁	D.	D.	D.				
87	86	86	76	7.05	7.14	8.86	7.68	C.	C.	NO ₁	—	—	N.				
82	86	86	85	9.24	7.67	8.27	8.39	NO ₂	NO ₂	N ₃	Np.	Np.	N.				
94	74	82	83	9.16	6.81	8.26	8.08	N ₂	N ₁	N ₁	Ll.	Gp.	Ll.				
94	86	87	89	9.49	8.27	9.19	8.98	NO ₁	NO ₁	NO ₁	Ll.	Np.	Np.				
86	80	86	84	8.56	7.11	8.27	7.98	—	NO ₂	NO ₂	Ll.	Ll.	Ll.				
77	86	81	81	8.93	8.27	7.67	8.29	—	O ₁	NO ₂	—	—	Ll.				
80	80	93	84	7.41	6.59	6.95	6.98	N ₃	N ₂	N ₂	Ll.	Ll.	Ll.				
75	86	80	80	7.67	7.97	6.59	7.41	NO ₁	NO ₁	NO ₁	G.	N.	Ll.				
94	86	71	84	8.86	7.67	5.59	7.37	—	—	—	N.	—	—				
93	79	80	82	7.41	6.35	6.59	6.79	—	—	—	—	—	—				
86	85	95	88	6.89	6.40	7.19	6.83	—	—	NE ₁	—	—	—				
86	86	87	86	8.86	7.97	9.19	8.67	NE ₁	NE ₁	—	N.	D.	D.				
96	94	86	92	12.49	8.86	8.86	10.04	O ₁	O ₁	—	D.	Np.	Np.				
96	78	86	86	13.23	9.69	8.27	10.37	E ₁	E ₁	—	D.	D.	D.				
78	76	86	80	10.35	8.26	6.89	8.56	—	—	NE ₁	—	—	N.				
88	82	94	86	10.25	8.89	8.57	9.24	NO ₁	NO ₂	NO ₁	—	—	Np.				
87	81	86	85	9.54	7.67	7.42	8.24	—	—	NO ₂	—	—	Ll.				
82	86	86	85	8.26	7.67	6.89	7.64	C.	C.	C.	Ll.	G.	Ll.				
74	86	85	82	7.11	7.42	6.65	7.06	NE ₁	NE ₁	NE ₁	Ll.	N.	—				
76	94	81	84	8.26	8.57	7.67	8.47	E ₁	C.	O ₁	Np.	D.	D.				
88	85	94	87	10.25	6.65	8.57	8.43	O ₁	—	C.	D.	Np.	N.				
94	98	98	93	10.59	6.70	6.95	8.05	—	—	—	Np.	Np.	Np.				
94	98	94	94	8.27	7.41	9.16	8.25	N ₂	N ₂	N ₂	G.	Ll.	Ll.				
86	94	80	87	8.86	8.57	6.84	8.03	NO ₁	NO ₂	O ₂	N.	D.	Ll.				
86	78	86	82	8.86	6.51	7.14	7.54	O ₃	O ₁	O ₃	Np.	N.	Ll.				
69	92	93	85	6.51	5.59	7.72	6.64	—	—	NO ₂	Ll.	—	—				
98	100	94	96	7.97	9.17	9.49	8.88	NO ₁	N ₂	N ₃	—	—	—				
86	80	93	86	8.27	6.59	7.44	7.43	N ₃	O ₂	O ₂	—	—	N.				
79	85	86	83	6.10	6.19	6.89	6.39	O ₂	O ₁	C.	G.	—	—				

DE 1873.

94	86	81	87	8.86	7.67	7.67	8.07	O ₁	NO ₂	O ₃	N.	Ll.	N.
86	85	78	83	7.97	5.94	5.64	6.52	O ₂	C.	C.	Np.	Np.	Ll.
86	85	80	84	7.67	6.19	6.59	6.82	O ₂	—	C.	—	—	Np.
94	75	78	82	8.27	4.61	5.64	6.17	SO ₁	SO ₁	SO ₁	D.	D.	D.
94	78	80	84	9.16	5.64	6.59	7.13	SO ₂	—	—	—	—	N.
68	72	86	75	8.99	6.05	7.42	7.49	O ₁	O ₁	C.	—	—	N.
76	69	86	77	8.26	6.51	7.97	7.58	NO ₁	NO ₁	NO ₁	N.	G.	G.
74	80	94	83	10.79	7.11	9.84	9.25	—	—	N ₁	D.	N.	N.
76	94	74	81	8.26	9.16	7.11	8.18	—	—	NO ₁	Np.	Np.	Np.
75	86	86	82	7.37	7.14	7.42	7.54	O ₁	O ₁	N ₂	—	—	N.
86	98	86	88	8.86	7.72	7.67	8.08	N ₂	N ₂	NO ₁	N.	N.	N.
81	80	80	80	7.67	7.11	7.41	7.40	O ₂	C.	O ₁	Np.	D.	D.
89	86	86	87	11.39	7.14	7.97	8.86	E ₁	E ₁	E ₁	—	—	—
80	80	74	78	11.88	6.84	7.11	8.61	—	C.	E ₂	D.	—	—
81	77	81	80	7.97	8.93	7.67	8.09	N ₁	N ₁	E ₁	—	—	—
89	75	76	80	12.49	7.67	8.26	9.47	NO ₁	C.	C.	—	—	—
78	77	81	79	10.35	8.93	7.67	8.98	O ₁	O ₁	O ₁	Np.	Np.	Np.
79	82	86	82	10.65	8.89	8.86	9.48	O ₁	—	C.	D.	D.	D.
82	86	76	81	12.49	8.27	8.26	9.67	SE ₁	C.	C.	—	—	—
84	86	82	84	11.09	7.97	8.26	9.08	O ₁	C.	O ₁	—	—	Np.
78	81	86	85	10.35	7.67	7.67	8.56	—	E ₁	E ₁	—	—	—
76	86	82	81	8.26	8.56	8.56	8.46	NO ₂	N ₂	N ₂	N.	Ll.	Ll.
82	86	86	85	8.26	7.67	7.97	7.97	O ₂	O ₁	O ₁	Np.	—	N.
83	82	93	86	10.25	8.26	7.72	8.74	O ₁	E ₁	E ₁	—	—	Np.
88	94	94	92	10.29	9.16	8.27	9.21	—	E ₁	—	D.	D.	D.
89	76	96	87	10.91	8.26	9.61	9.53	—	C.	C.	—	—	—
55	86	69	68	9.65	7.41	6.51	7.86	SE ₁	—	—	—	—	—
76	74	63	71	12.91	6.84	6.51	8.34	—	—	E ₁	—	—	Np.
63	86	76	75	13.19	8.86	7.96	9.97	NO ₂	NO ₁	—	—	—	D.
76	78	82	79	12.01	9.66	9.21	10.28	O ₁	O ₁	SE ₁	—	—	—
79	82	75	79	11.99	9.24	8.26	9.53	—	—	—	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.				
	2½ h.		9 h.		21 h.	Med.	21 h.	9 h.	21 h.	Medio	Mínim.	Dif. de los termómetros		
	mm.	mm.	mm.	mm.								2½ h.	9 h.	21 h.
1	700+	700+	700+	700+	o	o	o	o	o	o	o	o	o	o
2	61.11	61.96	62.41	61.83	18.8	11.0	14.8	14.87	7.5	4.0	3.0	2.5	2.5	2.5
3	60.89	62.50	62.84	62.08	21.2	10.8	12.4	14.80	6.5	2.0	2.5	2.5	2.5	2.5
4	62.79	63.45	63.68	63.31	19.4	12.6	14.0	15.33	7.5	4.0	2.5	1.5	1.5	1.5
5	61.67	61.52	61.59	61.59	23.2	11.8	15.2	16.73	6.0	4.0	0.0	3.0	3.0	3.0
6	58.67	61.88	60.01	61.19	20.6	11.8	13.4	15.27	8.0	1.5	1.0	2.0	2.0	2.0
7	57.14	58.55	58.17	58.29	20.0	10.6	12.4	14.33	6.5	2.5	1.0	2.0	2.0	2.0
8	58.26	58.09	57.53	57.63	19.2	9.8	12.6	13.87	7.0	3.0	1.5	0.5	0.5	0.5
9	58.57	58.77	58.71	58.68	20.8	11.6	11.2	14.53	7.5	1.5	2.0	2.5	2.5	2.5
10	58.07	58.99	58.97	58.68	12.6	10.2	12.2	11.67	7.0	1.5	1.0	0.5	0.5	0.5
11	58.87	58.95	58.39	58.74	16.6	11.2	14.2	14.00	8.0	2.5	1.5	2.0	2.0	2.0
12	58.75	59.68	59.99	59.47	20.6	11.4	12.6	14.87	6.5	1.5	1.5	2.5	2.5	2.5
13	59.73	59.94	61.21	60.29	16.8	11.6	14.0	14.13	7.5	2.0	1.5	0.5	0.5	0.5
14	61.19	62.24	62.72	62.05	18.0	11.2	12.6	13.93	6.0	2.0	1.5	2.0	2.0	2.0
15	62.78	63.19	63.21	63.06	16.0	12.4	13.6	14.00	6.5	2.5	2.5	2.5	2.5	2.5
16	61.63	62.22	62.45	62.10	22.2	13.6	15.0	16.93	7.5	3.0	2.0	2.5	2.5	2.5
17	60.01	60.77	61.20	60.66	23.4	14.8	11.6	16.60	6.0	3.0	2.0	2.0	2.0	2.0
18	61.28	62.78	63.31	62.46	18.4	12.8	15.2	15.47	7.5	2.5	3.0	1.5	1.5	1.5
19	63.57	63.62	63.65	63.61	16.6	13.6	13.6	14.60	7.0	1.5	1.5	3.0	3.0	3.0
20	62.73	62.29	59.48	61.50	15.4	13.4	13.4	14.07	10.5	2.0	2.0	0.5	0.5	0.5
21	59.81	61.21	61.47	60.83	13.2	11.4	11.4	12.00	4.0	1.5	2.5	2.0	2.0	2.0
22	60.83	59.82	58.85	59.83	15.2	9.8	13.0	12.67	4.5	2.0	2.0	4.5	4.5	4.5
23	59.07	60.00	59.92	59.66	16.0	11.2	12.4	13.20	5.5	2.0	2.5	4.0	4.0	4.0
24	59.99	60.14	59.29	59.81	16.2	11.6	12.2	13.33	6.5	2.0	3.0	3.0	3.0	3.0
25	58.47	58.81	57.78	58.35	18.4	11.2	15.0	14.87	7.0	4.0	1.5	2.0	2.0	2.0
26	57.85	59.18	60.77	59.27	20.2	13.0	14.2	15.80	7.5	4.0	3.0	3.0	3.0	3.0
27	61.99	63.68	63.01	62.89	19.4	11.0	12.6	14.33	4.5	4.0	1.0	1.5	1.5	1.5
28	62.31	63.18	63.39	62.96	17.2	11.4	13.8	14.13	5.5	2.0	3.0	2.5	2.5	2.5
29	62.08	62.36	61.81	62.08	18.6	12.8	14.8	15.40	6.0	3.5	4.0	2.0	2.0	2.0
30	62.05	62.20	61.11	61.79	12.8	11.2	15.0	13.00	9.0	3.0	1.5	3.0	3.0	3.0
31	60.39	60.01	59.36	59.92	16.2	9.4	11.0	12.20	7.0	2.0	2.0	1.5	1.5	1.5

DICIEMBRE

1	51.00	51.29	49.76	50.68	15.2	13.4	13.8	14.2	9.0	1.5	3.0	3.0	3.0	3.0
2	49.46	51.25	52.48	51.06	12.8	11.0	16.2	13.3	5.5	3.0	2.0	2.0	2.0	2.0
3	52.31	52.68	52.15	52.38	19.0	10.2	14.4	14.5	4.5	4.0	3.0	2.0	2.0	2.0
4	51.40	51.99	51.33	51.57	20.8	11.6	15.0	15.8	8.5	3.0	2.0	2.0	2.0	2.0
5	47.66	46.91	44.83	46.50	15.2	11.8	13.0	13.3	9.5	1.0	3.0	1.5	1.5	1.5
6	44.75	47.77	47.32	46.61	19.6	12.0	12.2	14.6	8.5	2.5	2.5	2.5	2.5	2.5
7	47.18	48.06	48.48	47.91	10.6	11.4	13.2	11.7	9.0	1.5	2.0	3.5	3.5	3.5
8	48.66	44.74	42.15	45.18	15.0	10.8	13.6	13.1	10.5	1.0	1.5	3.5	3.5	3.5
9	42.39	47.24	48.04	45.88	12.0	9.4	13.2	11.0	9.5	1.5	2.0	2.0	2.0	2.0
10	49.28	50.25	50.18	49.90	19.0	10.2	11.6	13.6	7.0	1.5	2.5	2.0	2.0	2.0
11	48.90	49.40	48.91	49.07	18.4	11.0	12.2	13.9	7.5	2.0	2.5	2.5	2.5	2.5
12	48.06	48.62	48.34	48.34	17.6	10.8	12.8	13.7	6.0	3.5	3.0	2.5	2.5	2.5
13	47.66	48.17	47.72	47.85	16.6	9.4	11.0	12.3	6.5	2.0	1.0	2.5	2.5	2.5
14	46.66	47.10	46.64	46.80	15.8	9.0	10.6	11.8	6.0	2.5	2.0	2.0	2.0	2.0
15	45.68	46.08	46.42	46.06	15.0	10.4	11.2	12.2	7.0	3.5	2.5	3.0	3.0	3.0
16	47.68	49.80	52.85	50.11	16.8	9.6	13.0	13.1	6.0	2.5	2.5	2.5	2.5	2.5
17	55.07	57.04	56.10	56.07	18.0	10.6	15.4	14.7	7.5	0.5	1.0	1.5	1.5	1.5
18	55.47	55.65	55.46	55.53	20.0	20.0	14.0	17.0	5.5	6.0	3.0	4.0	4.0	4.0
19	53.68	53.49	53.90	53.69	23.2	23.0	15.8	20.7	8.5	1.0	2.0	5.0	5.0	5.0
20	51.88	52.74	53.01	52.53	24.5	24.6	18.4	22.5	9.0	4.0	2.0	3.0	3.0	3.0
21	52.94	53.09	53.89	53.31	17.2	17.2	15.2	16.5	7.0	2.5	1.0	4.5	4.5	4.5
22	53.78	54.55	55.01	54.45	18.8	18.8	11.8	16.5	6.5	2.0	2.5	2.5	2.5	2.5
23	53.92	53.71	51.91	53.18	19.4	19.4	15.4	18.1	7.5	2.5	2.5	4.0	4.0	4.0
24	49.70	49.62	48.98	49.43	17.0	17.0	14.8	16.3	8.0	2.0	2.0	4.0	4.0	4.0
25	49.81	49.36	47.85	49.02	19.8	12.2	16.0	16.0	9.5	1.0	0.5	1.5	1.5	1.5
26	47.16	47.54	47.59	47.40	14.0	13.0	15.0	14.0	8.0	1.5	0.5	2.5	2.5	2.5
27	48.95	50.33	50.30	49.83	17.4	10.2	14.6	14.1	7.5	3.0	1.0	2.0	2.0	2.0
28	50.28	50.28	49.60	50.05	16.6	12.4	13.4	14.1	6.5	2.0	2.5	2.5	2.5	2.5
29	49.26	49.40	48.62	49.09	15.8	11.6	12.0	13.1	6.0	2.5	2.5	2.5	2.5	2.5
30	48.26	48.05	47.70	48.00	14.4	10.6	11.2	12.1	6.0	3.0	3.0	2.0	2.0	2.0
31	47.01	16.77	16.28	16.70	14.8	11.0	11.4	12.4	7.0	2.0	2.5	2.0	2.0	2.0

DE 1873.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
64	65	73	67	11.10	8.21	7.29	8.87	O ₁	O ₁	O ₁	D.	D.	D.
81	72	71	75	13.65	8.28	7.66	9.86	—	E ₁	E ₁	—	—	—
64	71	83	73	11.55	7.62	9.20	9.69	O ₁	O ₁	NE ₁	—	—	—
65	100	68	78	12.43	9.47	8.99	10.30	NO ₁	—	C.	—	—	—
85	86	77	83	13.07	8.86	8.93	10.29	SE ₂	—	—	—	—	—
77	86	75	79	13.34	8.56	7.67	8.86	E ₁	E ₁	E ₁	—	—	—
72	81	94	82	12.16	7.67	9.16	9.66	NE ₂	—	NE ₃	Np.	—	—
85	75	72	77	13.96	7.67	8.28	9.97	NO ₂	C.	E ₁	D.	—	—
82	86	94	87	8.89	7.97	9.84	8.90	N ₂	C.	C.	N.	—	—
74	82	78	78	10.79	8.26	9.60	9.55	O ₂	C.	—	—	—	—
85	83	72	80	13.96	9.90	8.63	10.83	NO ₁	—	—	—	—	—
80	81	94	85	11.88	7.97	8.57	9.47	NO ₂	NO ₁	O ₁	Np.	Np.	Np.
79	82	76	79	11.09	8.26	8.26	9.20	O ₂	O ₁	C.	D.	D.	N.
74	71	72	72	10.00	7.96	8.28	8.75	E ₁	O ₁	E ₁	—	—	—
72	80	73	75	12.16	11.48	9.29	10.98	O ₂	O ₁	O ₁	—	—	Np.
72	79	76	76	12.59	11.09	8.26	10.65	—	—	—	—	—	—
74	67	83	75	10.39	8.33	10.65	9.79	—	NO ₁	O ₃	N.	N.	—
84	82	66	77	12.19	9.24	7.65	9.69	O ₃	O ₁	NO ₂	D.	D.	Ll.
78	76	94	83	10.35	8.26	11.21	9.94	NO ₁	O ₁	E ₁	N.	Ll.	D.
83	68	75	75	9.55	5.99	7.67	7.74	NO ₂	E ₁	O ₁	G.	Ll.	Np.
78	75	51	68	10.35	7.67	5.86	7.96	E ₁	C.	C.	D.	D.	—
79	71	58	69	11.09	7.66	7.72	8.82	O ₁	O ₁	—	Np.	N.	—
80	66	67	71	11.48	7.65	8.33	9.15	—	C.	O ₁	—	—	—
61	80	78	73	9.08	7.41	10.35	8.95	C.	O ₁	O ₁	—	—	—
64	68	67	66	11.55	8.99	8.33	9.62	O ₁	SO ₁	E ₂	N.	N.	D.
62	84	82	77	9.48	8.56	8.89	8.98	S ₂	S ₁	S ₂	D.	D.	Np.
80	66	73	73	11.88	7.65	9.29	9.61	—	S ₂	C.	N.	Np.	N.
68	59	78	68	11.85	8.38	10.35	10.19	—	—	C.	N.	D.	N.
62	82	68	71	7.11	8.56	8.64	8.16	C.	C.	—	D.	N.	—
79	75	81	78	11.09	7.67	7.67	8.81	—	NE ₁	E ₁	—	—	G.

DE 1873.

84	66	67	72	11.00	7.65	7.98	8.88	NO.	NO.	NO.	N.	N.	Ll.
66	76	78	73	7.65	7.96	9.60	8.40	O.	E.	E.	E.	D.	D.
64	68	77	70	11.10	8.95	8.93	9.67	SE.	SE.	SE.	D.	D.	—
71	77	76	75	11.27	8.93	8.26	9.49	E.	E.	E.	N.	N.	—
90	68	83	80	13.38	8.99	10.60	10.99	NO.	NO.	NE.	Np.	Np.	—
77	73	71	74	13.83	9.29	7.96	10.36	O.	O.	O.	N.	N.	—
82	77	61	73	8.26	8.95	7.35	8.18	—	O.	—	Ll.	Ll.	—
89	82	72	81	11.70	8.89	7.68	9.42	—	O.	—	N.	N.	Ll.
82	75	77	78	9.24	7.67	8.93	8.61	—	—	—	—	—	Np.
84	71	76	77	12.19	7.66	8.26	9.37	—	—	—	Np.	Np.	Np.
81	74	72	76	13.65	9.65	8.28	10.53	—	—	—	N.	N.	—
75	66	71	71	11.18	8.27	7.96	9.14	NO.	NO.	NO.	—	—	—
70	88	71	76	10.48	10.20	7.66	9.45	—	—	—	Ll.	Ll.	—
74	76	75	75	10.00	8.26	7.67	8.64	O.	O.	O.	—	—	Ll.
65	71	66	67	9.04	7.66	7.65	8.12	N.	N.	N.	N.	N.	Ll.
74	81	72	76	10.79	9.36	7.28	9.14	N.	NO.	O.	Np.	D.	D.
95	86	84	88	12.40	8.56	11.30	10.75	SO.	SO.	SO.	Np.	D.	—
50	68	57	58	10.33	8.99	8.05	9.12	S.	S.	S.	—	—	—
91	80	50	74	16.78	12.67	7.12	12.19	S.	—	—	—	—	—
66	81	72	73	14.41	13.65	12.16	13.42	NO.	NO.	NO.	—	—	Np.
76	89	54	73	12.01	12.49	7.42	10.64	S.	O.	S.	Np.	N.	—
79	75	71	75	13.53	11.18	7.66	10.79	—	O.	E.	—	—	D.
77	76	58	70	13.83	12.01	7.72	11.13	—	—	—	Np.	Np.	N.
80	79	58	72	12.77	11.09	7.37	10.41	—	—	—	D.	D.	E.
90	94	84	89	14.26	10.15	11.40	11.94	—	—	—	E.	N.	E.
83	94	74	84	10.60	10.89	10.33	10.62	N.	N.	O.	N.	Ll.	E.
71	86	79	79	10.87	8.86	11.09	10.27	NO.	NO.	—	Ll.	Ll.	—
80	82	73	75	11.88	8.63	9.29	9.93	—	—	—	—	—	—
74	72	73	73	10.39	8.28	8.94	9.29	N.	N.	N.	Ll.	Ll.	—
68	65	77	70	8.99	7.07	8.93	8.33	O.	O.	O.	—	—	Ll.
78	76	75	75	19.39	7.67	8.26	8.54	—	—	—	Np.	N.	C.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 9 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 757.31	mm. 756.59	mm. 756.33	mm. 755.66	mm. 755.52	mm. 755.29	mm. 755.66	mm. 755.93	mm. 756.03
Termómetro centígrado.....	17.0	15.6	15.4	15.0	14.6	15.8	16.2	16.4	15.73
Psicrómet. {	Dif. de los term.								
	Humedad relat.								
	Fuerza elástica.....								
Vientos.....	NO ₂	NO ₂	N ₂	N ₂	N ₂	N ₂	O ₂	O ₂
Estado atmosférico.....	N.	N.	N.	G.	G.	N.	N.	N.
ENERO 19 DE 1873.									
Barómetro reducido a 0°.....	mm. 759.74	mm. 760.43	mm. 760.81	mm. 761.29	mm. 761.25	mm. 760.91	mm. 760.47	mm. 759.75	mm. 760.59
Termómetro centígrado.....	19.8	18.4	17.8	16.8	15.6	17.0	17.2	17.8	17.53
Psicrómet. {	Dif. de los term.								
	Humedad relat.								
	Fuerza elástica.....								
Vientos.....	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.
ENERO 29 DE 1873.									
Barómetro reducido a 0°.....	mm. 756.02	mm. 756.81	mm. 757.10	mm. 757.42	mm. 757.92	mm. 758.22	mm. 758.22	mm. 757.43	mm. 757.3
Termómetro centígrado.....	27.8	26.6	25.0	20.6	20.2	18.8	19.6	22.0	22.56
Psicrómet. {	Dif. de los term.								
	Humedad relat.								
	Fuerza elástica.....								
Vientos.....	E ₂	E ₂	E ₂	E ₁	E ₁	E ₁	E ₁	E ₂
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
FEBRERO 8 DE 1873.									
Barómetro reducido a 0°.....	mm. 759.09	mm. 758.73	mm. 759.67	mm. 760.09	mm. 760.67	mm. 761.06	mm. 759.71	mm. 759.10	mm. 759.76
Termómetro centígrado.....	22.6	21.4	18.8	16.6	15.0	14.2	13.4	15.0	17.11
Psicrómet. {	Dif. de los term.								
	Humedad relat.								
	Fuerza elástica.....								
Vientos.....	E ₂	E ₂	E ₂	E ₁	E ₁	E ₁	E ₁	E ₂
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
FEBRERO 18 DE 1873.									
Barómetro reducido a 0°.....	mm. 760.56	mm. 761.47	mm. 761.95	mm. 762.35	mm. 762.71	mm. 762.90	mm. 762.98	mm. 763.04	mm. 762.25
Termómetro centígrado.....	19.0	16.8	16.2	13.6	12.8	14.0	14.6	17.0	15.48
Psicrómet. {	Dif. de los term.								
	Humedad relat.								
	Fuerza elástica.....								
Vientos.....	O ₁	E ₁	E ₁	E ₁	E ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	Np.	Np.

FEBRERO 28 DE 1873.									
Instrumentos.	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.91	759.75	759.75	759.68	759.52	758.97	759.58	760.14	759.66
Termómetro centígrado.....	18.2	16.4	14.6	12.0	10.6	10.4	11.8	14.0	13.48
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica.....									
Vientos.....	S ₁	S ₁	C.	C.	E ₁	E ₁	E ₁	E ₁	
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	D.	D.	D.	
MARZO 10 DE 1873.									
Barómetro reducido a 0°.....	758.97	758.64	758.35	758.21	757.84	757.60	757.47	756.98	758.01
Termómetro centígrado.....	18.0	17.2	14.6	13.2	12.4	11.8	13.0	14.6	14.33
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica.....									
Vientos.....	E ₂	E ₂	E ₂	NO ₁	NO ₁	NO ₁	N ₁	N ₁	
Estado atmosférico.....	N.	N.	N.	N.	G.	G.	Ll.	N.	
MARZO 20 DE 1873.									
Barómetro reducido a 0°.....	759.89	759.27	758.95	758.71	758.57	758.13	757.79	757.33	758.58
Termómetro centígrado.....	19.8	18.4	16.0	13.6	12.8	12.0	12.4	14.0	14.86
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica.....									
Vientos.....	O ₁	O ₁	O ₁	O ₁	O ₁	N ₂	N ₂	N ₂	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.	
MARZO 30 DE 1873.									
Barómetro reducido a 0°.....	761.06	760.45	759.98	759.74	759.76	759.67	758.81	758.85	759.47
Termómetro centígrado.....	15.2	13.8	13.0	11.6	10.4	10.2	10.6	12.0	12.08
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica.....									
Vientos.....	NO ₁	NO ₁	O ₁	O ₁	C.	C.	C.	C.	
Estado atmosférico.....	N.	N.	N.	N.	D.	D.	N.	N.	
ABRIL 9 DE 1873.									
Barómetro reducido a 0°.....	759.35	760.33	761.01	761.44	761.83	762.58	763.32	763.94	761.73
Termómetro centígrado.....	15.6	14.6	13.0	10.2	8.8	7.6	9.2	10.6	11.18
Psicrómet. { Dif. de los term. Humedad relat... Fuerza elástica.....									
Vientos.....	E ₁	E ₁	E ₁	E ₁	E.	E ₁	E ₁	E ₁	
Estado atmosférico.....	Np.	Np.	D.	D.	D.	D.	D.	D.	

Instrumentos.	JUNIO 8 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 767.03	mm. 766.52	mm. 766.15	mm. 765.25	mm. 764.84	mm. 764.23	mm. 764.03	mm. 763.63	mm. 765.14
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	6.2	5.6	5.4	4.0	2.6	2.4	2.8	3.0	3.98
Psicrómet. {	Dif. de los term...	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5
	Humedad relativa	93	100	93	92	91	91	91	93
	Fuerza elástica...	7.19	7.00	6.23	5.59	5.29	5.00	4.84	5.20
Vientos	C.	C.	E ₁	E ₁	E ₁	E ₁	SE ₁	SE ₁
Estado atmosférico.....	D.	D.	Np.	D.	D.	N.	N.	N.

Instrumentos.	JUNIO 18 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	758.86	757.17	756.13	756.11	756.09	756.02	755.85	755.51	756.50
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	7.4	8.6	8.8	9.6	8.4	8.0	7.8	7.6	8.26
Psicrómet. {	Dif. de los term...	1.0	1.0	0.5	0.5	1.0	1.0	1.0	1.0
	Humedad relativa	85	86	94	93	86	83	86	88
	Fuerza elástica...	6.65	7.42	8.27	7.97	7.97	7.67	7.44	6.89
Vientos	NE ₁	NE ₁	NE ₁	N ₁	N ₁	N ₁	NE ₁	C.
Estado atmosférico.....	N.	N.	N.	Ll.	Ll.	Ll.	Ll.	N.

Instrumentos.	JUNIO 28 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	753.38	752.40	751.96	751.30	751.04	750.61	750.32	750.08	751.39
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	12.2	11.6	9.0	8.4	8.0	9.2	9.8	10.6	9.83
Psicrómet. {	Dif. de los term...	1.0	1.0	1.0	0.5	0.5	0.5	0.5	0.5
	Humedad relativa	86	86	86	93	93	93	94	93
	Fuerza elástica...	8.86	8.56	8.27	7.72	7.41	7.72	8.27	7.19
Vientos	C.	C.	NE ₁	NE ₁	NE ₁	NE ₁	N ₁	N ₁
Estado atmosférico.....	N.	N.	Np.	N.	S.	N.	Ll.	Ll.

Instrumentos.	JULIO 8 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	762.32	763.21	763.43	763.67	763.93	764.21	764.39	764.45	763.70
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	7.6	6.8	6.6	6.4	6.0	4.6	4.8	5.2	5.98
Psicrómet. {	Dif. de los term...	0.5	0.5	0.5	1.0	0.5	0.5	0.5	0.0
	Humedad relat...	93	93	93	84	92	92	92	100
	Fuerza elástica...	6.70	6.48	6.23	5.70	5.89	5.59	6.0	6.53
Vientos	NE ₁	NE ₁	NE ₁	NE ₁	NE ₁	NE ₁	NE ₁	NE ₁
Estado atmosférico.....	N.	N.	N.	N.	D.	D.	D.	D.

Instrumentos.	JULIO 18 DE 1873.								
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	762.45	763.02	762.77	762.57	762.41	762.21	761.88	761.65	761.37
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
	8.6	7.8	6.4	6.2	4.4	3.6	3.8	5.0	5.74
Psicrómet. {	Dif. de los term...	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	Humedad relat...	93	93	93	93	92	91	92	92
	Fuerza elástica...	6.72	6.95	6.70	6.5	5.86	5.2	5.36	5.89
Vientos	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁
Estado atmosférico.....	Np.	Np.	Np.	N.	N.	D.	D.	D.

Instrumentos.		JULIO 28 DE 1873.								
		0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm.	751.00	750.08	749.62	749.90	749.96	749.37	749.21	748.99	749.77
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		8.4	9.6	10.0	10.2	10.6	9.8	10.4	10.8	9.96
Psicrómet. {	Dif. de los term...	1.5	1.0	0.5	0.5	1.5	0 0	0.5	0.5
	Humedad relativa	79	86	94	94	80	100	94	94	90
	Fuerza elástica....	6.10	7.42	8.27	8.57	7.11	8.57	8.57	8.86	8.00
Vientos	N ₂	N ₂	N ₂	N ₂	N ₃	N ₂	NO ₂	NO ₂
Estado atmosférico.....	G.	Ll.	N.	Ll.	Ll.	Ll.	N.	N.
		AGOSTO 7 DE 1873.								
		mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	mm.	761.03	761.73	765.09	765.33	765.57	765.73	765.93	766.05	765.31
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		6.2	5.4	4.6	3.0	2.6	3.8	4.4	4.6	4.31
Psicrómet. {	Dif. de los term...	0.5	0.5	0.5	0.5	0.5	0.5	1.0	0.5
	Humedad relativa	93	93	92	92	92	91	82	91	91
	Fuerza elástica....	6.70	6.48	6.00	5.80	5.59	5.20	4.55	5.20	5.69
Vientos	E ₁	E ₁	E ₁	SE ₁	SE ₁	SE ₁	SE ₁	SE ₁
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.
		AGOSTO 17 DE 1873.								
		mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	mm.	761.72	761.22	761.23	760.82	760.81	760.97	761.23	761.37	761.17
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		11.4	10.6	9.4	8.0	5.0	5.8	6.4	6.6	7.88
Psicrómet. {	Dif. de los term...	1.5	1.5	1.5	1.0	2.5	1.5	2.5	1.0
	Humedad relativa	82	81	31	86	64	78	65	86	78
	Fuerza elástica....	8.56	7.97	7.67	7.67	4.60	5.89	5.04	6.89	6.79
Vientos	E ₁	E ₁	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	Np.	Np.	D.	Np.	Np.	Np.	Np.	Np.
		AGOSTO 27 DE 1873.								
		mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	mm.	761.08	761.66	761.83	762.15	762.51	762.08	761.57	766.29	764.78
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		11.8	10.4	10.0	8.2	5.0	3.6	6.0	7.8	7.83
Psicrómet. {	Dif. de los term...	2.5	1.5	0.5	1.0	1.0	1.0	0.5	0.5
	Humedad relativa	71	81	93	85	84	83	93	93	85
	Fuerza elástica....	7.66	7.97	7.97	6.65	5.50	5.29	6.23	6.95	6.78
Vientos	E ₁	E ₁	E ₁	E ₁	E ₁	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
		SEPTIEMBRE 6 DE 1873.								
		mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	mm.	758.11	758.09	757.13	756.97	756.66	756.41	757.19	757.59	757.27
Termómetro centígrado.....	mm.	0	0	0	0	0	0	0	0	0
		11.2	9.8	9.4	9.0	6.6	6.2	8.0	10.2	8.78
Psicrómet. {	Dif. de los term...	0.5	1.0	1.5	1.5	0.5	0.5	0.5	1.0
	Humedad relativa	94	86	80	80	93	93	93	86	88
	Fuerza elástica....	9.84	8.27	7.41	7.11	7.44	7.72	7.97	8.27	8.00
Vientos	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂
Estado atmosférico.....	N.	N.	Ll.	Ll.	N.	N.	N.	N.

SETIEMBRE 16 DE 1873.

Instrumentos.

	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.20	758.13	758.03	758.03	758.01	758.91	759.37	759.51	758.66
Termómetro centígrado.....	13.6	12.4	11.0	9.6	8.4	7.8	7.6	8.4	9.83
Psicrómet. {	Dif. de los term...	2.5	2.0	1.0	2.0	2.0	2.0	1.0
	Humedad relat...	74	78	88	75	75	74	73	86
	Fuerza elástica...	10.39	9.95	10.20	8.26	7.37	7.11	6.54	6.89
Vientos.....	E ₁	E ₁	E ₁	E ₁	E ₁	E ₁	NE ₁	NE ₁
Estado atmosférico.....	D.	D.	D.	D.	D.	N.	N.	N.

SETIEMBRE 26 DE 1873.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	751.76	753.21	753.90	751.77	755.07	755.66	756.17	756.49	754.64
Termómetro centígrado.....	11.6	10.8	10.0	8.6	8.0	6.8	7.4	7.6	8.83
Psicrómet. {	Dif. de los term...	1.0	1.0	1.0	2.0	1.0	1.5	1.0
	Humedad relat...	87	86	86	75	86	79	86	81
	Fuerza elástica...	9.54	8.56	8.27	6.51	6.89	6.10	6.89	7.14
Vientos.....	O ₃	O ₃	O ₂	O ₁	O ₁	O ₁	O ₂	O ₂
Estado atmosférico.....	Np.	Np.	Np.	Np.	N.	Ll.	Ll.	Ll.

OCTUBRE 6 DE 1873.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	763.48	763.09	763.09	762.81	762.57	762.27	761.89	761.47	762.56
Termómetro centígrado.....	13.8	12.4	9.6	7.2	6.0	6.6	7.8	9.0	9.03
Psicrómet. {	Dif. de los term...	3.0	3.0	1.0	2.0	1.0	1.0	1.0
	Humedad relativa	69	68	86	72	85	85	86	80
	Fuerza elástica...	9.69	8.61	8.27	6.05	6.65	6.19	6.10	7.12
Vientos.....	O ₁	O ₁	O ₁	O ₁	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	N.

OCTUBRE 16 DE 1873.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	760.00	759.52	759.59	759.46	759.35	759.11	758.93	758.61	759.31
Termómetro centígrado.....	16.6	15.4	12.4	10.0	8.8	9.4	9.6	11.2	11.66
Psicrómet. {	Dif. de los term...	1.0	1.0	1.0	1.0	1.5	2.0	1.0	2.0
	Humedad relativa	90	89	88	86	80	73	83	76
	Fuerza elástica...	13.38	12.09	10.20	8.85	7.11	6.29	8.7	8.26
Vientos.....	NO.	NO.	C.	C.	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.

OCTUBRE 26 DE 1873.

	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.
Barómetro reducido a 0°.....	764.12	763.52	763.59	763.32	763.30	763.59	763.00	762.48	763.31
Termómetro centígrado.....	14.8	13.6	10.4	10.2	8.6	7.8	9.6	11.2	10.76
Psicrómet. {	Dif. de los term...	1.0	1.0	2.0	2.0	1.5	1.0	0.5
	Humedad relativa	89	89	77	76	75	80	86	94
	Fuerza elástica...	11.70	10.56	8.93	8.26	7.37	7.11	8.27	9.49
Vientos.....	E ₁	E ₁	E ₁	C.	C.	C.	C.	C.
Estado atmosférico.....	D.	D.	D.	Np.	Np.	Np.	D.	D.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mín.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	48.30	49.02	49.66	48.99	17.4	13.2	14.8	15.1	3.0	1.5	1.5
2	50.02	50.04	50.94	50.33	15.8	12.6	16.6	15.0	1.0	0.5	1.5
3	50.46	51.25	51.22	50.98	19.0	11.4	15.2	16.1	2.0	2.5	1.5
4	51.12	52.63	52.48	52.08	20.2	10.8	17.0	16.0	1.5	2.0	2.0
5	51.90	52.91	53.83	52.28	19.8	11.4	16.2	15.8	2.0	2.0	2.0
6	52.21	54.75	54.64	53.87	19.2	12.0	15.6	15.6	2.5	2.0	3.0
7	53.18	52.47	51.78	52.48	18.4	13.4	15.0	15.6	2.5	3.0	3.0
8	52.58	54.05	55.29	53.96	17.8	10.6	14.2	14.2	2.5	1.5	2.0
9	55.18	55.43	54.13	54.91	23.4	11.6	15.0	16.7	5.0	1.5	4.0
10	51.23	50.52	49.92	50.56	22.0	12.8	16.2	17.0	6.5	1.0	2.5
11	47.24	48.06	48.08	47.79	20.2	13.4	18.4	17.3	5.5	2.5	3.0
12	47.82	49.08	50.04	55.65	22.6	19.8	18.0	20.1	2.0	4.5	3.5
13	50.26	50.29	51.82	50.79	23.2	19.8	19.8	21.7	3.5	6.5	3.5
14	47.65	49.60	50.48	49.24	25.6	16.8	15.8	19.5	5.0	3.5	3.0
15	49.44	50.18	50.32	49.98	21.2	18.0	16.4	18.5	4.0	1.5	3.0
16	50.50	51.51	51.77	51.26	20.6	16.8	15.0	17.5	3.5	3.5	2.5
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

FEBRERO

1	52.21	52.73	51.78	52.16	19.8	16.2	17.4	17.8	3.0	2.5	3.0
2	52.65	53.35	53.55	53.35	23.6	14.2	16.4	18.1	2.5	2.5	2.0
3	51.58	54.33	52.88	54.00	20.8	15.4	17.2	17.5	3.0	2.5	2.0
4	51.18	50.95	51.00	51.64	21.0	16.4	18.2	19.2	4.0	3.5	3.0
5	50.87	50.85	50.75	50.82	17.0	14.2	15.4	15.5	2.0	2.0	3.0
6	49.18	47.44	49.52	48.71	16.0	12.2	16.4	16.9	4.5	2.0	3.0
7	52.92	54.75	54.74	54.14	16.0	11.4	15.4	14.5	2.0	2.0	4.0
8	51.57	52.59	51.12	51.76	25.6	15.4	14.8	18.6	6.5	4.0	3.5
9	48.22	49.92	50.88	49.67	20.8	16.6	17.6	18.3	3.0	4.5	3.5
10	49.64	49.62	51.30	50.19	22.0	13.0	14.2	16.4	3.0	3.0	2.5
11	50.16	50.59	50.67	50.47	21.0	15.0	21.6	19.2	3.0	3.0	4.5
12	49.50	49.57	50.36	49.81	23.8	22.4	18.6	21.6	6.0	7.0	2.5
13	48.10	49.48	49.43	49.01	18.4	17.0	18.8	18.1	3.5	3.0	3.0
14	49.95	50.45	50.58	50.33	19.2	16.4	16.2	17.3	3.5	2.5	3.0
15	49.63	49.64	48.56	49.41	20.4	17.6	21.4	19.8	3.0	3.0	5.0
16	46.95	48.11	48.34	47.80	24.2	16.0	17.2	19.1	6.0	4.5	5.5
17	47.44	47.28	46.88	47.29	19.2	16.8	15.6	17.2	3.0	1.5	2.5
18	47.33	47.96	49.59	48.29	26.4	17.2	16.4	18.0	3.0	2.5	2.5
19	48.50	48.62	49.01	48.71	21.0	17.0	15.0	17.7	3.5	3.0	5.5
20	48.42	49.74	50.25	49.47	14.2	13.2	12.6	13.3	2.5	2.5	4.5
21	48.52	48.60	50.15	49.09	14.0	12.4	11.8	12.7	4.0	2.5	2.5
22	49.96	50.31	50.99	50.42	15.2	15.0	15.0	14.6	4.0	3.0	2.5
23	50.56	51.16	49.42	50.58	16.2	13.8	13.2	14.4	2.0	3.0	1.5
24	49.42	49.42	51.39	50.08	13.2	13.0	14.4	13.5	2.0	1.5	1.0
25	52.23	54.08	54.96	53.76	15.8	9.4	14.6	13.3	4.0	3.0	3.0
26	54.53	54.85	54.15	54.51	16.2	10.6	15.0	13.9	4.5	3.0	3.0
27	53.05	53.27	51.12	52.48	17.0	11.4	11.8	13.4	2.5	3.5	1.5
28	50.40	51.22	51.17	50.93	15.2	11.8	12.4	13.1	3.5	4.1	2.5

DE 1874.

PSICRÓMETRO.												VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.													
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.				
71	88	84	79	11.27	10.25	10.60	10.71	O.	O.	O.	N.	N.	Np.				
89	94	84	86	11.30	10.50	11.79	11.20	NO.	NO.	—	—	G.	—				
79	76	84	80	13.53	8.26	12.19	11.33	O.	O.	—	Np.	D.	D.				
87	79	80	82	16.47	11.09	12.32	13.29	SE.	SE.	—	—	—	—				
81	78	79	79	14.63	10.30	11.09	12.01	O.	O.	—	—	Ll.	Np.				
74	78	68	73	12.89	9.60	8.64	10.38	S.	S.	N.	—	D.	N.				
77	67	69	71	13.34	8.33	9.74	10.47	O.	O.	O.	N.	Ll.	Np.				
76	74	78	76	12.01	9.65	9.95	10.54	SE.	E.	E.	Np.	D.	D.				
59	88	58	67	12.80	9.55	7.72	10.02	O.	—	—	—	—	—				
50	89	75	71	11.08	11.70	11.58	11.45	E.	O.	—	—	—	—				
77	74	72	74	13.34	10.39	11.71	11.81	O.	O.	NE.	—	—	—				
57	59	66	61	10.94	10.36	10.57	10.62	NE.	E.	E.	—	—	—				
77	50	67	65	13.34	11.58	11.95	12.29	NO.	—	—	—	—	—				
59	67	69	65	12.80	11.40	9.74	11.31	E.	—	NO.	—	—	E.				
67	86	71	75	15.49	14.94	11.27	13.90	O.	O.	O.	N.	N.	N.				
70	66	74	70	13.22	10.57	10.00	11.26	—	E.	E.	Np.	Np.	Np.				
...				

DE 1874.

73	75	69	72	14.02	11.18	9.63	11.63	SO	SO.	SO.	D.	D.	D.
77	73	80	77	12.89	8.94	11.95	11.25	—	—	—	Np.	Np.	Np.
73	75	80	76	14.02	11.18	12.77	12.66	—	O.	—	—	D.	D.
66	66	70	67	13.41	10.57	10.48	11.49	NE.	NE.	SE.	D.	Np.	Np.
80	78	69	76	11.98	9.66	9.69	10.42	NO.	NO.	NO.	Np.	—	—
56	76	70	67	7.75	8.26	10.48	8.28	N.	O.	O.	N.	G.	—
80	75	58	71	11.48	7.67	7.72	8.96	O.	E.	E.	Np.	D.	D.
49	59	62	57	10.90	8.38	8.05	9.10	—	—	SE.	D.	—	—
73	58	66	66	14.03	9.17	10.18	11.13	NO.	NO.	NE.	—	—	—
72	66	73	67	13.04	7.65	8.94	9.88	—	E.	NO.	—	—	E.
71	69	72	71	11.27	9.69	12.12	11.03	O.	O.	NE.	—	—	D.
53	44	77	58	12.19	9.72	12.89	11.60	NE.	E.	E.	—	—	—
67	70	71	69	11.46	10.48	11.27	11.03	—	—	—	—	—	—
69	73	72	72	13.22	11.58	12.11	12.31	E.	SE.	SE.	—	N.	N.
74	72	59	68	15.06	11.16	12.80	13.01	SE.	S.	E.	N.	N.	D.
58	59	48	55	17.19	9.96	7.12	11.42	E.	NO.	NO.	D.	N.	N.
70	84	76	77	10.48	12.19	12.01	11.56	NO.	—	—	—	—	—
73	76	74	74	14.02	12.01	10.79	12.31	E.	—	—	—	—	Np.
67	71	45	61	11.95	10.87	5.84	9.55	NO.	—	—	—	—	N.
77	73	51	67	13.34	8.94	6.16	9.48	—	—	—	N.	D.	D.
58	71	71	67	7.72	7.96	7.66	7.78	E.	—	E.	Np.	Np.	Np.
59	67	74	67	8.48	7.58	10.39	8.95	NE.	—	S.	Np.	N.	N.
80	69	82	77	11.98	9.69	9.24	10.30	SE.	SE.	O.	Np.	D.	D.
78	83	89	83	10.30	9.55	11.30	10.38	NO.	NO.	E.	N.	Ll.	N.
61	66	68	65	9.08	7.65	8.99	8.57	O.	O.	E.	Np.	Np.	D.
58	67	69	71	9.17	8.33	9.34	9.95	—	E.	—	D.	D.	N.
76	63	82	74	12.46	8.34	8.56	9.79	E.	—	—	Np.	Np.	N.
63	58	71	64	8.69	8.32	7.66	8.22	NE.	S.	S.	Ll.	—	—

DIAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					USICRÓMETRO.		
	A 0°									Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	51.18	53.49	54.33	53.00	16.8	12.4	11.8	13.7	7.0	2.5	3.0	3.0
2	53.81	54.07	53.85	53.91	17.2	13.6	12.0	14.3	6.0	1.5	4.0	3.0
3	52.72	52.49	51.47	52.23	18.2	14.6	13.2	15.3	8.0	2.5	4.0	3.0
4	48.52	55.98	56.81	53.80	18.8	12.4	13.0	14.7	7.0	4.5	3.5	3.5
5	56.56	56.24	55.06	55.95	12.0	9.8	8.8	10.2	5.0	1.0	1.5	0.5
6	55.20	55.92	56.56	55.89	13.4	8.6	7.8	9.9	5.5	3.0	0.5	0.5
7	55.58	55.81	53.87	55.09	14.6	9.2	17.4	13.7	6.5	2.0	1.5	2.0
8	51.43	51.87	51.77	51.66	21.0	12.8	14.2	16.0	10.0	5.0	3.0	3.0
9	50.98	50.87	51.49	51.11	20.2	13.0	13.6	15.6	9.0	4.5	2.0	3.5
10	51.54	52.25	52.17	51.99	17.2	11.4	12.8	13.7	8.0	4.0	2.0	2.0
11	52.33	52.07	50.57	51.66	18.6	12.2	11.8	14.3	7.5	4.0	2.5	2.0
12	48.22	49.17	49.98	49.12	19.4	11.8	11.2	14.1	6.0	3.0	2.5	1.5
13	51.09	49.49	45.82	48.80	10.4	9.0	12.2	10.5	9.0	1.0	1.5	1.0
14	46.58	47.95	48.84	47.79	15.2	8.4	10.0	11.2	8.0	1.5	2.0	2.0
15	48.31	46.11	46.29	46.90	13.8	8.6	10.8	11.1	8.5	1.0	1.0	1.0
16	46.92	49.13	50.77	48.94	13.2	8.0	13.4	11.5	9.5	1.5	2.5	2.5
17	49.24	50.83	50.33	50.33	13.4	9.8	12.6	11.9	8.0	2.0	1.5	2.0
18	51.29	52.36	53.34	52.33	14.4	8.2	10.8	11.1	5.5	2.0	0.5	1.0
19	52.49	52.61	53.45	52.85	15.6	10.4	9.6	11.9	5.0	3.0	1.0	1.5
20	53.35	54.16	52.95	53.49	14.8	9.6	11.2	11.9	8.0	3.0	1.5	1.5
21	52.50	53.53	53.05	53.05	20.4	10.0	10.8	13.7	5.5	2.0	2.0	2.0
22	52.62	52.47	51.91	52.33	19.0	13.2	12.6	14.9	6.5	2.0	2.0	2.5
23	51.99	52.79	53.24	52.66	13.4	9.0	11.2	11.2	9.0	2.5	1.0	2.0
24	52.75	54.25	55.14	54.05	17.4	10.4	8.8	12.2	4.5	2.5	1.5	1.5
25	54.55	52.44	50.52	52.44	16.0	9.2	10.4	11.9	6.5	3.0	2.5	2.0
26	48.88	48.69	48.67	48.75	13.4	10.0	10.2	11.2	7.5	3.5	2.5	2.5
27	48.56	47.93	47.16	47.82	12.8	9.4	11.2	12.1	10.0	1.5	1.0	2.5
28	48.88	48.83	50.86	49.52	13.8	8.6	10.8	11.1	7.0	1.5	1.0	1.0
29	50.88	52.17	52.43	51.83	18.2	10.4	11.0	13.2	7.5	3.0	1.0	1.0
30	51.78	51.91	51.62	51.77	17.4	10.0	11.4	12.9	7.0	2.0	1.5	1.5
31	50.79	51.17	51.07	50.98	18.8	12.4	13.2	11.8	5.0	2.5	2.5	3.0

ABRIL

1	50.89	51.76	51.85	51.50	12.8	9.2	11.8	11.3	6.	2.0	3.4	2.0
2	51.91	52.84	51.34	53.03	13.4	10.2	11.0	11.4	4.5	2.0	2.0	1.0
3	54.49	54.90	54.48	54.62	15.2	8.4	10.0	11.2	5.0	2.0	2.0	2.0
4	53.73	53.98	53.94	53.58	16.4	8.0	7.2	10.5	4.0	2.0	2.0	2.0
5	52.38	52.18	51.58	52.05	12.0	7.8	7.0	8.9	3.0	1.0	2.0	1.0
6	50.78	50.85	49.89	50.51	11.4	8.0	10.6	10.0	4.0	1.5	0.5	1.0
7	48.11	48.40	47.95	48.25	14.6	9.2	10.8	11.5	7.0	6.0	2.5	1.0
8	48.18	48.29	47.56	47.98	12.8	10.6	12.3	11.9	9.5	1.5	1.5	1.5
9	46.88	46.85	46.58	46.77	18.2	14.6	13.8	15.5	10.0	1.0	2.5	2.5
10	47.34	48.13	49.31	48.26	13.4	12.6	12.2	12.7	9.0	1.0	0.5	0.5
11	50.44	52.34	53.51	52.10	15.4	10.4	10.0	11.9	7.0	3.0	2.0	0.5
12	51.97	53.02	53.01	52.67	16.2	11.2	14.4	13.9	7.5	2.5	1.5	1.5
13	52.13	52.05	51.23	51.80	18.0	10.2	13.6	13.9	8.5	4.0	1.5	2.5
14	51.11	52.44	55.28	52.94	13.2	9.0	10.8	11.0	5.0	2.0	1.5	2.0
15	54.55	54.76	53.47	54.26	14.2	8.4	13.2	11.9	5.5	3.5	1.5	2.5
16	51.67	52.62	52.59	52.29	15.6	8.0	14.2	12.6	7.0	3.5	1.0	3.0
17	51.47	54.72	54.13	54.44	15.6	10.4	12.6	13.2	6.5	3.0	1.5	2.5
18	53.95	53.66	52.09	53.23	16.2	9.4	13.6	12.7	7.5	2.5	1.0	2.0
19	51.33	51.66	51.02	51.32	16.6	8.8	10.2	11.9	8.0	1.5	1.5	1.0
20	48.46	51.56	51.92	50.65	11.2	7.4	10.0	9.5	7.5	1.5	1.5	1.5
21	53.61	54.46	55.32	54.46	13.6	8.8	10.2	10.9	4.0	0.5	1.0	1.5
22	54.55	54.88	54.84	54.76	14.0	8.2	9.4	10.5	4.5	1.5	1.0	0.5
23	54.21	51.04	53.16	53.81	12.2	8.0	9.6	9.9	4.0	1.0	1.0	1.0
24	51.84	51.86	50.89	51.53	11.2	9.6	9.8	10.2	6.0	1.5	1.5	0.5
25	51.02	51.05	50.77	50.95	11.0	7.4	8.2	8.9	5.5	0.5	1.0	1.0
26	50.20	50.03	49.89	50.01	12.2	8.8	9.4	10.1	6.0	2.0	1.5	1.5
27	49.61	52.64	50.59	50.95	10.8	8.0	11.8	10.2	9.0	1.0	1.0	1.0
28	50.14	50.12	48.23	49.50	12.8	11.6	13.0	12.5	9.5	1.5	1.0	1.5
29	49.76	49.26	50.77	49.95	12.0	12.4	12.6	12.3	9.0	1.5	1.0	0.5
30	51.11	52.01	53.73	52.40	13.4	10.0	10.4	11.3	5.5	3.5	1.0	1.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
75	66	65	69	11.18	7.65	6.77	8.53	O.	E.	E.	N.	D.	D.
85	58	66	70	13.07	7.72	7.65	9.48	E.	—	—	D.	—	—
76	59	67	67	12.89	8.58	8.33	9.87	—	—	—	—	E.	E.
55	63	72	63	8.08	8.34	8.28	8.23	SE.	SE.	—	—	D.	—
86	80	94	87	8.86	7.41	8.27	8.18	N.	O.	O.	Ll.	Np.	N.
58	93	93	71	7.72	8.92	7.19	7.64	O.	S.	S.	N.	D.	D.
79	82	78	80	11.03	8.26	10.30	9.88	E.	E.	E.	N.	—	—
59	67	66	64	12.86	8.33	7.65	9.59	—	—	—	—	—	Np.
62	78	58	66	12.60	9.25	7.72	9.86	O.	O.	—	—	—	—
62	76	76	71	9.88	7.96	8.26	8.70	—	E.	E.	—	—	D.
61	62	76	66	8.08	8.63	7.96	8.22	S.	S.	SE.	Np.	—	—
71	72	81	75	11.27	8.28	7.97	9.17	O.	O.	O.	Ll.	Np.	—
87	85	87	86	9.19	9.01	9.54	9.25	NO.	NO.	NO.	Ll.	Ll.	Ll.
84	77	74	79	11.40	8.93	7.11	9.15	N.	N.	N.	Np.	Ll.	—
89	86	86	87	10.91	7.72	8.86	9.16	—	NO.	NO.	N.	Ll.	—
83	69	73	75	9.90	6.51	8.94	8.45	O.	O.	O.	N.	—	N.
78	82	77	79	9.25	8.26	8.91	8.81	—	—	—	Np.	—	—
69	94	86	86	11.09	9.16	8.56	9.60	—	—	—	D.	Np.	D.
79	86	86	78	9.69	8.86	7.41	8.65	—	—	E.	—	D.	—
66	81	82	76	8.87	7.97	8.56	8.47	E.	E.	—	E.	—	—
80	76	75	77	12.77	8.26	7.37	9.47	—	—	—	D.	E.	—
80	78	71	76	12.82	10.30	7.66	10.09	—	—	—	N.	E.	—
72	86	75	78	8.63	8.86	7.67	8.39	NO.	NO.	—	O.	N.	N.
74	82	80	79	10.39	8.26	6.84	8.50	O.	O.	O.	D.	N.	E.
66	71	74	70	8.87	7.66	7.11	7.88	E.	E.	NE.	Np.	N.	N.
61	70	69	67	7.35	7.07	6.81	7.14	NE.	NE.	—	Ll.	Np.	Ll.
85	86	70	81	7.67	8.56	7.07	7.77	—	—	O.	Ll.	Ll.	—
83	86	86	85	9.90	8.27	8.56	8.91	NO.	NO.	—	N.	N.	N.
69	86	86	80	9.69	8.86	8.27	8.94	SE.	E.	E.	—	Np.	D.
82	82	82	81	12.77	8.89	8.56	10.07	E.	—	—	—	D.	N.
76	73	68	72	12.89	8.94	8.99	10.27	—	—	—	Np.	Np.	D.

DE 1874.

77	59	76	71	8.93	5.97	8.26	7.72	O.	E.	E.	N.	E.	Np.
78	74	76	76	9.95	7.11	7.72	8.26	SO.	—	—	D.	D.	D.
79	75	74	76	11.03	7.67	6.81	8.52	E.	—	—	—	—	—
80	76	71	75	11.82	8.26	5.59	8.58	—	—	—	—	—	—
88	73	85	82	10.26	6.54	6.40	7.71	NO.	—	—	—	—	—
82	94	86	87	8.96	8.57	8.56	8.56	—	—	NE.	—	—	—
39	70	86	65	5.26	7.07	8.86	7.06	NE.	NE.	NO.	—	—	G.
83	82	82	82	9.55	8.56	8.89	9.06	NO.	NO.	—	N.	N.	N.
90	74	72	79	14.75	10.39	8.63	11.26	—	—	—	N.	N.	Ll.
89	94	91	92	10.91	10.50	10.50	10.64	N.	N.	N.	Ll.	Ll.	N.
69	76	94	80	9.69	8.26	8.57	8.84	NE.	E.	O.	N.	N.	Np.
74	82	83	80	10.79	8.89	10.60	10.09	E.	O.	O.	Np.	D.	E.
59	82	72	71	8.98	8.56	8.63	8.52	O.	—	O.	E.	N.	E.
72	80	75	76	8.28	7.11	7.67	7.69	N.	—	O.	Ll.	D.	D.
68	80	72	73	8.59	7.41	8.63	8.31	O.	E.	O.	E.	E.	D.
65	86	68	73	9.39	8.86	8.99	9.08	O.	SE.	O.	Np.	—	N.
70	82	73	75	10.48	8.89	8.34	9.44	N.	O.	O.	—	Np.	—
74	86	77	79	10.19	8.86	8.63	9.39	SE.	NE.	NE.	N.	—	D.
84	81	87	84	11.40	7.67	9.19	9.42	O.	—	—	N.	—	Ll.
84	80	81	82	11.60	7.41	7.97	8.79	—	N.	—	Ll.	—	Ll.
94	86	81	87	10.50	7.42	7.67	8.53	NE.	SE.	E.	D.	D.	D.
83	86	94	88	10.60	8.27	8.57	9.15	N.	N.	—	N.	—	E.
88	86	86	87	9.85	7.97	8.56	8.79	SE.	—	—	N.	—	N.
82	80	94	85	10.26	7.41	8.27	8.65	—	NO.	NE.	—	—	Ll.
94	86	86	89	9.16	7.14	7.42	7.91	E.	NE.	—	G.	—	Ll.
77	81	80	79	8.93	7.67	7.41	8.06	NO.	—	—	Np.	—	G.
86	86	87	86	8.86	7.72	9.19	8.59	NE.	—	—	Ll.	—	Ll.
83	87	83	84	9.53	9.19	7.59	8.70	—	—	N.	N.	N.	Ll.
82	87	94	88	9.24	9.54	10.50	9.76	N.	NO.	NO.	Ll.	Ll.	—
62	86	81	76	7.68	8.86	7.67	8.07	SO.	SO.	SO.	Np.	Np.	N.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
										Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	53.73	53.60	52.41	53.25	12.8	10.6	11.4	11.6	8.5	1.5	1.5	1.5
2	50.99	48.74	47.84	49.19	12.0	10.2	12.4	11.5	9.0	1.5	1.5	1.5
3	47.56	47.81	47.58	47.65	13.8	9.4	11.6	11.6	8.5	3.5	2.0	0.5
4	46.36	42.31	47.47	45.38	11.6	13.8	12.3	12.6	9.5	1.5	1.5	0.5
5	49.22	48.97	47.68	48.62	12.8	10.0	13.2	12.0	9.0	1.0	1.5	2.0
6	47.26	46.52	48.21	47.33	15.0	13.8	12.6	13.8	8.5	1.0	2.5	1.0
7	47.12	47.73	48.32	47.72	13.4	11.6	9.6	11.5	6.0	1.0	1.0	1.5
8	48.77	49.47	50.15	49.46	12.6	9.0	8.4	10.0	6.5	2.0	1.5	2.0
9	49.91	50.42	50.87	50.41	13.2	11.4	10.6	11.7	5.5	2.5	2.5	2.0
10	50.88	51.54	52.43	51.62	14.8	10.2	7.4	10.8	3.5	2.5	1.0	2.0
11	52.20	53.06	53.82	53.03	12.6	8.4	6.2	9.1	2.5	2.0	1.5	1.0
12	52.55	52.88	52.44	52.62	11.8	7.6	8.4	9.3	3.5	1.5	1.5	1.0
13	51.37	51.08	50.84	51.10	13.2	11.6	9.2	11.3	4.5	1.5	1.0	1.0
14	50.01	51.36	52.28	51.22	10.6	9.4	10.8	10.5	5.5	1.0	1.0	1.0
15	52.57	53.16	55.68	53.80	10.2	7.0	9.8	9.0	3.5	1.5	1.5	0.5
16	56.51	56.02	55.49	56.01	10.4	8.0	6.8	8.4	3.0	1.5	1.0	1.5
17	51.54	52.84	50.93	52.77	10.4	8.2	9.6	9.4	4.0	2.0	1.0	1.0
18	47.49	46.29	39.80	44.57	8.8	3.4	9.0	7.1	6.5	0.5	2.0	0.5
19	39.07	39.74	40.60	39.80	9.4	5.6	4.0	6.3	3.5	1.0	2.0	1.0
20	40.46	43.14	45.30	42.97	10.8	6.4	5.8	7.7	3.0	1.0	2.0	1.5
21	45.54	48.11	50.43	48.03	9.0	7.6	6.2	7.6	1.0	2.0	2.5	2.5
22	53.28	53.87	55.11	54.09	6.2	4.6	5.4	5.4	1.5	1.5	1.0	2.0
23	57.00	55.49	56.19	56.23	7.0	3.8	4.8	5.2	0.5	0.5	1.0	1.5
24	55.08	54.46	53.35	54.30	8.6	7.2	6.4	7.4	1.0	1.0	1.0	1.0
25	52.76	52.44	52.10	52.43	9.4	8.2	7.6	8.4	2.5	1.5	1.0	0.5
26	50.47	49.37	48.88	49.57	10.0	7.4	8.2	8.5	3.5	1.5	1.0	1.0
27	50.97	53.41	54.74	53.05	9.6	8.4	7.0	8.3	4.5	1.0	1.0	0.5
28	54.50	53.67	59.83	53.00	8.4	4.8	5.4	6.2	2.5	1.0	0.5	0.5
29	48.49	47.45	47.07	47.67	9.2	5.0	6.4	6.2	2.0	1.0	0.5	1.5
30	47.07	48.79	51.91	49.26	5.4	4.2	6.0	5.2	1.5	0.5	1.0	1.0
31	52.49	51.78	51.17	51.81	7.8	3.0	5.2	5.3	1.0	0.5	1.0	0.5

JUNIO

1	40.43	49.07	49.23	49.58	7.4	5.0	5.2	5.9	3.5	0.5	1.0	0.5
2	51.01	51.78	54.46	52.42	5.8	5.4	7.2	6.1	4.5	0.5	0.5	0.5
3	54.66	55.51	55.99	55.39	7.2	4.6	6.4	6.1	2.5	1.0	0.5	0.5
4	55.78	54.22	51.32	53.77	7.8	7.0	11.0	8.6	4.5	1.0	0.5	0.5
5	50.83	50.21	48.57	49.85	8.8	7.2	10.4	8.8	8.5	0.5	1.0	1.5
6	47.28	47.15	46.73	47.05	11.2	8.6	10.0	9.9	7.0	0.5	1.0	1.0
7	46.51	45.23	42.54	44.76	11.1	9.0	8.8	9.7	6.5	1.0	0.5	0.5
8	43.09	41.61	40.21	41.61	10.8	6.6	9.2	8.8	5.5	0.5	1.5	0.5
9	38.38	40.65	41.64	40.22	9.8	8.0	7.4	8.4	4.5	1.5	1.0	0.5
10	41.52	42.07	42.62	42.07	10.6	8.4	7.8	8.9	3.5	1.0	1.5	0.5
11	44.21	47.45	49.17	46.91	9.0	7.6	6.0	7.5	4.0	1.0	1.5	1.0
12	51.40	51.86	52.94	51.70	10.6	8.8	7.2	8.9	3.5	1.0	1.0	1.0
13	52.90	52.59	53.20	52.87	9.8	8.0	7.0	8.3	4.0	1.0	1.0	1.0
14	53.18	53.76	54.33	53.76	8.8	7.4	7.6	7.9	3.5	0.5	0.5	1.0
15	54.66	54.51	52.25	53.81	8.2	5.2	4.2	5.9	2.0	1.0	0.5	0.5
16	49.31	49.63	49.52	49.49	9.2	4.4	3.8	5.7	0.5	0.5	0.5	0.5
17	48.93	48.79	48.45	48.72	8.6	6.2	7.8	7.5	2.5	1.0	1.0	0.5
18	49.33	50.51	50.79	50.21	8.0	5.4	6.2	6.5	3.0	0.5	1.0	1.0
19	51.11	51.49	51.72	51.44	8.8	7.0	6.6	7.5	4.5	0.5	0.5	1.0
20	49.38	48.43	47.17	48.33	12.6	7.4	7.6	9.2	4.0	1.0	1.5	0.5
21	47.24	48.11	49.69	48.35	10.8	5.0	4.2	6.7	1.0	2.0	0.5	0.5
22	48.10	47.33	48.75	48.06	9.6	4.8	3.4	5.9	1.5	1.0	0.5	1.0
23	48.73	46.72	42.49	45.98	6.0	3.2	10.4	6.5	4.5	0.5	0.5	1.0
24	41.23	40.43	39.85	40.50	11.0	7.2	10.0	9.4	5.5	1.0	1.0	1.5
25	40.67	42.23	41.71	41.54	10.0	10.4	11.2	10.5	6.5	1.5	0.5	0.5
26	41.07	40.55	46.77	42.80	10.8	9.6	9.2	9.9	6.0	1.0	1.5	1.0
27	46.87	47.29	47.67	47.28	9.0	8.2	7.4	8.2	3.0	0.5	1.0	1.0
28	47.93	48.25	49.01	48.40	7.8	7.2	8.2	7.7	5.0	0.5	0.5	0.5
29	48.71	48.71	48.25	47.89	9.0	7.0	8.0	8.0	5.5	0.5	0.5	0.5
30	47.97	46.99	46.13	47.13	8.2	8.0	9.0	8.4	5.0	0.5	1.0	1.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
83	82	82	82	9.90	8.26	8.26	8.81	NO.	NO.	N.	E.	Ll.	Ll.
82	81	83	82	9.24	7.67	9.55	8.82	N.	N.	O.	N.	—	N.
62	75	94	77	7.68	7.26	9.49	8.12	O.	O.	NO.	—	Ll.	Ll.
82	83	94	86	8.56	10.25	9.84	9.55	N.	N.	—	—	Ll.	Ll.
88	82	75	82	10.20	8.26	8.26	8.91	NO.	NO.	N.	N.	—	N.
89	73	88	83	11.70	8.94	9.85	10.14	N.	N.	N.	—	—	Ll.
89	87	82	86	10.56	9.54	8.26	9.45	—	—	NO.	—	—	Ll.
77	81	74	77	8.93	7.97	7.11	8.00	—	—	—	—	G.	—
73	71	75	73	8.94	7.66	7.67	8.09	NO.	NO.	—	—	N.	Ll.
73	87	74	78	9.29	9.54	7.06	8.63	—	—	E.	E.	—	N.
77	81	86	81	8.93	7.67	7.14	7.91	SE.	SE.	—	—	Np.	—
82	80	86	83	8.56	6.59	7.42	7.52	E.	E.	O.	O.	Ll.	—
83	87	86	85	10.25	9.54	8.56	9.45	O.	O.	NO.	—	Ll.	Ll.
86	86	86	86	8.86	7.97	8.86	8.56	—	—	NO.	—	N.	Ll.
82	79	94	85	8.26	6.10	8.57	7.64	NO.	E.	E.	—	Np.	Np.
81	86	79	82	7.67	7.72	6.19	7.16	E.	—	—	—	Np.	Np.
76	86	86	83	7.26	7.97	7.14	7.46	—	NE.	NE.	E.	Np.	Ll.
94	70	94	86	7.50	4.99	8.27	6.89	N.	N.	N.	Ll.	N.	—
86	86	86	81	7.97	6.05	6.89	6.97	—	—	—	Ll.	Ll.	—
86	72	78	79	8.56	5.80	5.64	6.67	NE.	O.	SO.	G.	Np.	Ll.
72	68	64	68	6.99	5.99	4.80	6.59	SO.	SO.	—	Np.	Np.	Np.
78	84	67	76	5.64	5.70	4.31	5.22	E.	E.	E.	N.	N.	—
93	83	74	83	6.70	5.29	4.99	5.66	—	—	—	D.	D.	D.
80	86	85	84	7.72	6.89	6.65	7.09	—	—	—	Np.	—	—
81	86	83	87	7.67	7.72	7.44	6.61	N.	N.	N.	Ll.	D.	Np.
82	86	85	84	8.26	6.89	7.65	7.95	—	—	—	Ll.	Np.	Ll.
86	86	93	88	7.72	7.14	7.19	7.35	NE.	NE.	NE.	Np.	G.	N.
86	92	93	90	7.42	6.00	6.48	6.63	E.	E.	E.	—	Np.	—
86	93	79	86	7.72	6.28	6.10	6.68	—	—	—	E.	—	Ll.
93	84	85	87	6.48	5.50	6.19	6.06	NE.	NE.	NE.	Ll.	Np.	D.
93	83	93	89	7.19	5.09	6.23	6.17	—	E.	E.	Np.	G.	Np.

DE 1874.

93	84	93	90	7.19	5.79	6.23	6.37	E.	E.	NE.	E.	N.	Ll.
92	93	93	93	6.00	6.23	6.95	6.59	NE.	NE.	—	E.	D.	N.
93	92	93	93	6.95	6.00	6.70	6.53	—	—	—	N.	N.	—
85	93	94	91	4.40	7.19	9.49	7.63	NO.	NO.	NO.	Ll.	—	Ll.
94	86	81	87	8.27	7.14	7.67	7.63	—	—	N.	—	—	—
94	86	86	89	9.49	7.72	8.56	8.59	N.	N.	—	G.	—	—
86	94	94	91	8.86	8.27	9.16	8.76	—	—	—	N.	Ll.	—
94	80	94	89	8.57	6.59	8.26	8.04	—	—	—	—	Np.	—
81	86	93	87	7.67	7.72	7.44	7.61	NO.	NO.	—	—	Ll.	—
86	91	93	90	8.56	7.67	8.02	8.08	N.	N.	—	Ll.	—	—
86	80	86	84	7.97	7.11	7.14	7.41	—	—	—	—	—	—
86	86	86	86	8.86	8.27	6.89	8.04	NE.	NE.	E.	Np.	N.	N.
86	86	85	86	7.72	6.89	6.65	7.09	—	—	NE.	N.	—	—
93	93	85	90	8.02	7.72	6.40	7.45	—	E.	E.	N.	—	D.
86	93	92	90	7.14	6.23	5.80	6.39	E.	—	—	E.	D.	—
94	92	92	93	8.27	6.00	5.59	6.62	—	—	NE.	D.	Np.	E.
84	86	93	83	8.27	6.89	7.19	7.45	N.	N.	N.	D.	N.	N.
93	85	85	88	7.72	6.19	6.40	6.77	—	—	E.	N.	D.	D.
93	93	85	90	8.02	7.19	6.65	7.29	—	—	—	Np.	Np.	—
88	80	93	87	10.20	7.41	6.70	8.19	NE.	NE.	NE.	—	—	—
75	92	92	86	7.67	5.80	5.20	6.22	—	—	—	—	—	N.
86	92	88	87	7.97	5.39	5.09	6.15	—	E.	—	—	Ll.	—
93	92	86	90	6.70	5.39	8.86	7.65	N.	NE.	N.	N.	Np.	Ll.
86	85	81	84	8.86	6.65	7.67	7.73	N.	N.	—	Ll.	Ll.	Ll.
81	94	94	93	7.67	8.86	9.43	8.67	—	—	—	—	—	N.
86	81	86	84	8.27	7.67	7.72	7.98	NE.	NE.	NE.	N.	—	—
94	86	85	88	8.27	6.89	6.65	7.34	—	—	—	—	—	—
93	93	93	93	7.19	6.70	7.44	7.11	—	—	—	—	—	Ll.
94	93	93	93	7.72	8.02	8.02	8.02	—	—	—	G.	—	N.
86	86	86	86	7.19	7.19	7.19	7.24	N.	N.	N.	Ll.	—	Ll.

Días.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	45.50	45.03	44.89	45.14	9.0	8.8	9.0	8.9	7.5	0.5	0.5	1.0
2	43.02	41.30	37.16	40.49	8.6	9.2	7.2	8.3	6.0	1.5	1.5	1.0
3	37.62	44.57	50.09	44.09	9.0	6.4	6.4	7.3	3.5	1.0	0.5	0.5
4	50.65	52.67	51.51	52.61	8.0	2.8	3.6	4.8	0.5	0.5	1.0	1.0
5	54.30	55.43	55.81	55.18	6.8	2.0	3.4	4.1	1.0	0.5	1.5	1.5
6	56.10	58.31	59.07	57.83	7.2	3.0	2.8	4.0	0.0	1.0	0.5	0.5
7	58.20	58.22	57.93	58.12	7.0	3.4	6.0	5.5	1.5	2.0	1.0	1.5
8	57.26	56.24	54.93	56.14	9.8	6.0	5.6	7.1	2.5	3.0	2.0	1.5
9	53.98	53.56	53.20	53.58	8.8	7.4	9.2	8.5	2.5	2.0	1.5	1.0
10	52.76	52.40	52.04	52.40	9.6	8.2	7.8	8.5	3.0	2.5	1.5	1.0
11	51.23	51.03	50.69	50.98	8.4	7.0	8.6	8.0	4.5	1.5	2.0	1.5
12	49.97	49.55	49.17	49.56	10.2	9.6	9.2	9.7	6.5	1.5	1.0	1.0
13	48.72	48.79	46.81	48.12	11.2	10.4	9.2	10.3	7.0	2.0	1.5	0.5
14	55.29	43.68	41.17	46.71	11.0	10.8	8.4	10.0	6.5	1.5	1.0	1.0
15	48.55	48.93	49.49	48.99	7.0	8.0	6.4	7.1	3.0	0.5	2.0	1.0
16	51.48	51.76	51.48	51.71	8.2	7.6	9.4	8.4	2.5	1.5	1.0	1.0
17	50.77	50.85	50.43	50.68	10.4	9.2	8.6	9.4	4.5	1.0	0.5	0.5
18	50.04	49.93	49.91	49.96	10.8	9.6	9.2	9.9	3.5	2.0	0.5	1.0
19
20
21
22
23
24
25	54.17	53.14	51.11	52.81	12.6	9.4	10.2	10.7	10.2	1.5	1.0	1.0
26	49.99	50.87	51.19	50.68	14.2	6.4	7.8	9.5	7.8	1.5	1.5	0.5
27	50.45	50.05	49.37	49.96	10.0	7.6	6.8	8.1	6.8	1.0	0.5	1.0
28	48.33	48.19	49.01	48.51	9.2	6.6	8.2	8.0	8.2	0.5	0.5	1.5
29	48.69	49.27	49.77	49.24	9.0	7.8	9.2	8.7	9.2	1.0	1.5	2.0
30	59.06	48.97	48.53	52.19	12.4	9.4	10.4	10.7	10.4	1.5	0.5	0.5
31	46.88	46.07	45.81	46.25	11.2	10.6	10.0	10.6	10.0	1.0	1.0	1.0

1	45.15	49.19	51.32	48.55	11.2	9.8	9.0	9.7	5.5	0.5	1.5	1.5
2	52.78	53.52	51.94	52.75	11.0	9.8	9.2	9.7	5.0	1.5	0.5	0.5
3	48.64	49.19	49.17	49.00	13.0	12.4	10.6	12.0	5.5	1.5	2.0	0.5
4	49.10	49.61	51.05	49.92	12.4	10.0	10.2	10.9	6.0	1.5	0.5	1.5
5	51.21	51.03	49.61	50.62	13.8	8.6	10.8	11.1	7.5	2.0	1.5	0.5
6	48.24	48.64	48.70	48.53	10.8	10.0	9.8	10.2	7.5	0.5	1.0	0.5
7	49.06	49.17	50.27	49.59	11.0	10.8	11.0	10.9	6.0	0.2	1.5	1.5
8	50.65	48.89	43.44	47.66	11.0	10.0	11.8	10.9	7.0	2.0	2.0	1.0
9	40.98	42.45	45.36	42.93	8.2	9.2	8.0	8.5	6.0	2.5	1.0	0.5
10	56.50	46.85	52.70	52.02	8.0	8.6	7.6	8.1	6.5	1.0	1.5	1.0
11	53.86	56.16	57.41	55.79	9.8	7.8	5.6	7.7	4.0	1.5	1.0	0.5
12	56.65	58.26	58.32	57.74	9.8	3.2	6.8	7.3	2.5	1.5	0.5	1.0
13	56.51	58.30	57.30	57.37	10.4	6.4	5.4	7.4	1.0	2.5	0.5	2.5
14	54.82	55.15	54.59	54.85	12.0	6.8	2.6	7.1	1.5	4.5	0.5	0.5
15	54.58	55.53	54.74	54.95	10.6	7.6	7.2	8.5	5.0	0.5	0.5	0.5
16	53.98	56.12	57.36	55.82	8.0	5.6	7.6	6.7	2.0	1.0	0.5	1.0
17	58.19	61.19	62.03	60.47	10.4	6.2	4.8	7.1	1.5	1.5	0.5	0.5
18	59.89	58.98	55.92	58.26	10.0	5.2	6.2	7.1	3.0	2.0	0.5	0.5
19	54.67	54.42	52.90	54.00	9.8	8.2	10.0	9.3	3.5	1.6	0.5	1.5
20	53.31	52.94	51.27	53.51	11.6	7.0	4.8	7.8	1.0	2.5	1.0	0.5
21	54.06	55.14	54.33	54.51	10.4	5.8	7.8	8.0	2.0	1.5	1.0	1.0
22	52.88	50.85	51.33	51.69	9.6	9.2	7.0	8.6	5.0	1.0	0.5	0.5
23	51.31	51.42	45.51	49.09	9.8	7.4	7.4	8.2	4.5	1.0	0.5	0.5
24	41.08	40.18	41.78	41.02	9.8	10.2	8.8	9.6	5.0	1.0	1.0	1.5
25	44.59	48.69	51.21	48.16	8.2	7.0	6.4	7.2	3.5	1.0	0.5	1.1
26	50.45	52.70	48.09	50.41	9.6	8.2	8.6	8.8	5.0	1.5	1.0	1.0
27	48.28	53.26	49.01	50.18	9.4	9.6	6.8	8.6	5.0	1.5	1.5	1.0
28	52.82	52.27	48.48	51.19	8.2	10.4	10.0	9.5	5.5	1.0	1.0	0.5
29	48.15	47.87	49.51	48.51	10.4	9.4	10.6	10.1	7.0	1.0	1.0	1.0
30	47.38	45.23	40.51	41.37	10.6	11.0	7.4	9.7	4.5	1.0	0.5	0.5
31	49.89	51.25	57.34	59.83	3.6	8.4	5.4	5.1	0.0	1.5	0.5	0.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
94	93	86	91	8.27	8.02	6.89	7.73	NO.	NO.	NO.	G.	Ll.	N.
80	80	86	82	6.82	7.11	7.14	7.03	—	—	—	Ll.	—	Ll.
86	93	93	91	7.72	6.48	6.95	7.05	—	O.	SO.	—	G.	Np.
93	82	83	86	7.19	4.55	4.91	5.55	NO.	E.	E.	Np.	D.	D.
93	75	76	82	6.70	5.39	4.79	5.30	NO.	—	—	—	—	—
85	92	92	99	6.49	4.41	5.26	5.68	E.	NE.	—	—	—	—
71	83	77	77	5.59	5.29	5.20	5.36	—	E.	—	—	—	—
62	70	77	79	5.69	5.10	5.10	5.49	S.	S.	—	—	—	—
73	80	85	79	5.64	6.35	6.65	6.21	E.	E.	—	Np.	Np.	Np.
80	79	85	84	6.81	6.10	6.40	6.60	—	—	NE.	—	N.	N.
80	72	80	77	7.21	5.80	6.59	6.41	NE.	NE.	—	N.	N.	Ll.
80	86	86	84	7.11	8.27	7.72	7.79	—	N.	NO.	—	—	G.
75	80	84	83	7.67	7.11	8.57	7.78	NO.	—	N.	G.	—	N.
81	86	86	84	7.67	8.86	7.42	7.98	N.	—	—	Ll.	N.	Ll.
93	72	81	83	7.19	6.05	6.19	6.48	—	—	O.	—	Np.	N.
80	86	86	84	7.19	6.89	7.42	6.84	O.	O.	—	Np.	Np.	Np.
86	95	93	91	8.27	7.72	7.19	7.73	NO.	NO.	NO.	N.	N.	N.
73	93	85	83	6.64	7.41	6.65	6.91	—	—	—	E.	E.	E.
...
82	86	86	85	9.24	7.97	6.89	8.03	E.	E.	E.	E.	E.	E.
83	79	93	85	8.27	6.10	7.71	7.72	—	—	—	—	—	D.
86	93	86	88	8.27	7.41	7.72	7.81	NO.	NO.	NE.	N.	N.	N.
94	93	80	89	8.27	6.95	7.11	8.11	NE.	NE.	E.	E.	E.	—
86	80	72	79	7.42	6.59	6.05	6.69	—	—	NE.	Ll.	N.	—
82	94	94	90	9.24	8.57	8.86	8.89	N.	N.	N.	G.	Ll.	G.
87	86	86	86	9.51	8.56	8.86	8.99	—	—	—	Ll.	—	Ll.

DE 1874.

94	81	86	87	9.19	7.67	8.56	8.57	N.	N.	N.	Ll.	Ll.	N.
82	97	94	91	8.56	8.27	8.27	8.37	—	—	E.	N.	N.	—
83	77	94	85	9.90	8.93	8.86	9.23	NE.	NE.	NE.	E.	E.	—
83	91	82	86	9.55	9.16	8.26	8.38	—	—	NO.	N.	N.	Ll.
71	81	94	84	9.69	7.67	9.16	8.81	NO.	NO.	NE.	—	Ll.	N.
95	86	97	92	9.49	8.56	8.27	8.77	NO.	N.	N.	Ll.	Ll.	N.
97	80	80	86	8.93	7.11	6.84	7.63	NO.	NO.	NO.	N.	N.	Ll.
76	75	86	79	7.26	7.37	7.72	7.45	—	N.	N.	G.	Ll.	Ll.
72	80	80	83	8.28	8.86	8.27	8.47	N.	N.	NO.	Ll.	Ll.	Ll.
86	80	85	84	8.86	6.59	6.65	7.37	NO.	NO.	E.	N.	—	G.
80	86	93	86	7.41	6.23	6.43	6.95	—	E.	NE.	Np.	Np.	D.
84	93	86	88	7.41	6.23	6.89	6.24	E.	—	E.	D.	D.	D.
69	93	95	72	6.81	6.23	4.10	5.71	—	—	—	—	—	N.
49	93	92	78	5.31	6.70	5.39	7.71	—	—	—	—	—	N.
94	93	93	93	9.74	6.23	7.19	7.72	NO.	NO.	O.	Ll.	Ll.	N.
86	93	86	88	6.79	6.66	6.83	6.36	NO.	NO.	—	—	—	N.
82	93	93	89	6.48	6.23	6.23	6.39	N.	N.	S.	D.	D.	N.
74	93	93	87	7.11	6.23	6.70	6.68	N.	N.	N.	N.	N.	—
86	93	93	87	7.72	6.57	7.67	8.20	N.	N.	E.	Ll.	Ll.	—
81	85	93	93	7.65	6.57	6.23	6.33	NO.	NE.	E.	N.	—	—
82	93	86	87	8.56	8.86	7.71	7.11	—	N.	N.	—	Ll.	Ll.
86	94	93	91	8.27	8.86	7.71	8.83	—	N.	N.	—	Ll.	Ll.
86	93	93	91	7.27	7.19	7.19	6.63	E.	E.	E.	—	Ll.	N.
86	86	80	84	7.97	7.27	7.41	7.71	O.	O.	S.	Ll.	Ll.	G.
84	86	85	84	7.67	7.41	7.42	7.11	N.	N.	N.	D.	G.	Ll.
86	86	94	86	7.41	8.56	8.56	8.56	—	—	N.	Ll.	Ll.	Ll.
86	86	94	86	7.41	8.56	8.56	8.56	—	—	O.	—	—	—
86	94	95	91	7.41	8.56	8.56	8.56	—	—	—	Ll.	Ll.	—
86	94	95	91	7.41	8.56	8.56	8.56	—	—	—	Ll.	Ll.	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	A 0°				TERMÓMETRO CENTÍGRADO.					Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	58.03	61.18	59.04	59.42	8.0	3.2	6.0	5.7	0.0	1.5	0.5	1.0
2	47.79	48.53	53.62	49.95	12.4	8.4	5.6	8.8	2.0	3.5	2.5	1.0
3	54.03	57.13	55.68	55.62	10.8	7.6	8.2	8.9	5.0	2.0	1.5	1.0
4	52.63	53.99	57.33	54.63	9.6	8.4	5.4	7.8	1.0	1.0	2.0	1.0
5	57.04	58.76	58.60	58.13	9.4	5.6	5.2	6.7	1.0	1.5	1.0	1.0
6	57.17	58.57	57.27	57.94	16.2	7.4	8.4	10.7	3.0	3.5	1.0	2.0
7	54.54	54.14	52.30	53.66	14.0	10.8	9.4	11.4	6.0	1.5	1.0	1.5
8	51.73	49.99	50.97	50.91	18.6	9.2	10.4	12.5	7.0	5.0	1.0	1.0
9	51.02	51.55	51.34	51.30	11.6	10.6	11.0	11.1	8.0	1.5	1.0	1.0
10	51.03	50.69	50.21	50.64	12.6	10.4	9.2	10.7	7.0	1.5	0.5	1.0
11	50.28	50.57	53.83	51.56	10.6	10.0	10.8	10.5	7.0	0.5	0.5	0.5
12	51.45	53.54	53.17	53.72	11.2	9.8	9.6	10.2	6.5	1.0	0.5	0.5
13	51.29	49.74	46.61	49.21	13.4	9.0	9.0	10.5	5.0	0.5	0.5	0.5
14	44.19	39.25	44.47	42.64	10.2	8.8	8.6	9.2	6.0	0.5	0.5	1.0
15	45.13	46.97	47.34	46.15	9.8	9.0	9.0	9.3	5.0	1.0	0.5	0.5
16	49.91	51.86	52.25	49.67	11.2	9.2	10.8	10.4	6.0	1.5	0.5	0.5
17	52.41	52.91	50.19	51.84	12.0	11.0	10.2	11.1	7.0	0.5	0.5	0.5
18	48.74	47.56	47.37	47.87	12.2	10.6	11.0	11.3	8.0	0.5	1.0	0.5
19	46.16	44.97	42.89	44.67	11.0	9.8	8.4	9.7	5.0	0.5	0.5	0.5
20	42.78	44.06	48.95	45.27	11.4	8.2	7.4	9.0	3.0	0.5	0.5	0.5
21	50.48	54.41	56.06	53.66	13.0	6.2	7.8	9.1	1.0	3.0	0.5	0.5
22	57.72	57.74	57.63	57.70	11.6	10.6	9.4	10.5	6.0	2.5	1.0	1.0
23	56.00	53.52	48.24	52.59	11.4	9.6	9.8	10.3	6.5	1.5	0.5	0.5
24	45.92	47.43	49.16	47.66	10.0	8.8	9.2	9.3	4.5	0.5	0.5	0.5
25	50.82	54.06	55.94	53.61	11.2	5.6	9.0	8.6	2.5	0.5	0.5	0.5
26	55.33	55.28	54.41	55.01	9.2	8.2	10.8	9.4	6.0	1.0	0.5	0.5
27	53.61	52.31	51.47	52.46	10.4	10.2	11.0	10.5	7.0	0.5	0.5	1.0
28	51.31	50.93	56.00	52.75	14.6	9.8	7.4	10.6	2.0	1.5	1.0	1.0
29	56.76	58.56	57.70	57.44	15.4	8.2	10.2	11.3	3.0	2.0	0.5	0.5
30	57.74	57.50	55.94	57.06	10.8	10.4	9.4	10.2	6.0	1.0	0.5	0.5

OCTUBRE

1	54.20	53.66	52.89	53.58	14.8	11.0	11.6	12.5	7.0	2.0	1.0	1.0
2	52.49	51.64	49.12	51.68	11.6	11.2	11.4	11.4	8.0	0.5	0.5	1.0
3	49.07	48.32	43.87	48.75	12.6	11.4	11.0	11.7	7.0	1.0	1.0	1.0
4	58.82	47.70	46.93	51.15	12.2	11.6	8.8	10.9	6.0	1.5	1.5	0.5
5	47.05	47.52	48.17	47.58	12.0	10.6	10.2	10.9	6.0	1.5	1.0	1.0
6	48.93	49.37	49.09	49.15	13.8	11.0	10.8	11.9	8.0	2.0	1.0	1.0
7	47.52	43.90	45.30	45.57	11.4	10.8	10.0	11.7	6.0	1.5	0.5	1.5
8	45.63	48.06	49.93	47.87	10.6	8.6	8.8	9.3	3.0	1.5	1.0	0.5
9	49.41	50.58	50.06	50.02	14.8	7.6	8.6	10.3	3.0	3.0	1.0	1.0
10	49.53	50.51	50.18	50.07	14.6	9.8	8.4	10.9	4.0	3.5	2.0	1.0
11	48.14	50.56	50.19	49.63	11.2	8.6	9.2	9.7	6.0	2.0	0.5	1.0
12	50.78	51.77	54.15	52.23	8.4	5.2	7.8	7.1	3.0	1.0	0.5	1.0
13	53.79	55.00	54.46	54.42	13.2	7.4	10.2	9.3	2.0	2.0	0.5	1.5
14	53.05	53.95	54.11	53.79	16.8	8.8	10.6	12.1	5.0	2.5	0.5	1.5
15	53.91	53.56	54.48	53.98	11.4	10.2	10.8	10.8	7.0	1.5	1.5	1.0
16	53.67	58.69	59.82	57.39	13.4	7.4	9.6	10.1	3.0	4.5	0.5	0.5
17	58.32	58.55	55.91	57.59	17.8	8.6	10.6	12.3	4.0	1.0	1.0	0.5
18	53.67	52.08	53.58	53.11	14.2	10.8	10.8	11.9	6.0	2.0	1.0	1.5
19	52.38	53.21	54.11	53.23	16.6	9.8	11.4	12.6	5.0	3.5	1.5	1.5
20	52.93	53.36	48.63	51.64	18.6	10.2	10.4	13.1	5.0	4.0	1.0	1.0
21	50.63	52.63	53.06	51.91	13.0	8.8	10.2	10.7	6.0	2.0	0.5	1.5
22	49.47	50.06	51.36	50.36	17.6	9.4	12.6	13.2	6.5	3.5	0.5	1.5
23	49.02	48.21	47.72	48.65	18.0	9.8	12.2	13.3	6.5	1.5	1.5	1.5
24	48.19	49.14	49.35	48.89	10.8	9.6	12.0	10.5	6.5	1.0	1.0	1.0
25	50.15	50.57	51.09	50.66	13.6	10.2	10.8	11.5	6.0	1.0	1.0	1.0
26	50.22	51.24	50.60	50.69	18.0	9.6	12.4	13.3	5.5	4.5	0.5	1.5
27	49.87	50.39	50.1	50.15	17.6	10.6	11.4	13.0	6.0	3.0	1.0	1.5
28	50.08	49.97	51.02	50.36	14.2	11.0	13.0	12.7	7.0	1.5	0.5	1.5
29	50.58	50.99	52.36	51.31	15.0	9.2	12.6	12.3	7.0	1.0	0.5	2.0
30	51.66	53.13	53.38	52.72	18.4	10.4	10.0	12.9	6.0	2.0	1.0	1.0
31	55.69	50.39	56.66	54.22	16.4	11.4	11.2	11.0	7.0	1.5	0.5	1.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio						
79	92	85	85	6.35	5.59	6.19	6.04	S.	E.	E.	N.	Np.	Np.
70	76	85	77	6.76	5.75	5.94	6.15	S.	—	—	E.	E.	N.
75	79	86	80	7.67	6.35	7.14	7.05	O.	SO.	NO.	N.	N.	Ll.
86	73	85	81	7.97	6.29	5.94	6.73	NO.	O.	E.	Ll.	Np.	Np.
80	69	84	78	7.41	5.47	5.70	6.19	—	E.	—	N.	D.	D.
65	86	73	75	9.04	6.89	6.29	7.41	S.	—	S.	D.	—	—
83	86	80	83	10.25	8.36	7.41	8.84	E.	—	E.	—	—	—
53	84	86	74	8.48	7.97	8.56	8.34	—	N.	—	—	Np.	—
82	86	86	85	8.56	8.56	8.86	8.66	N.	—	—	N.	G.	G.
83	94	94	90	9.55	8.86	8.27	8.89	—	—	—	N.	N.	Ll.
94	94	94	94	9.16	8.57	8.49	8.74	—	NO.	NO.	Ll.	Ll.	N.
87	94	94	92	9.19	8.86	8.57	8.87	NO.	—	N.	N.	N.	G.
94	94	94	94	11.21	8.27	8.27	9.22	N.	E.	N.	G.	Ll.	Ll.
94	84	86	88	8.86	8.27	7.42	8.18	—	N.	O.	Ll.	Ll.	N.
86	93	94	91	8.27	8.02	8.27	8.19	NO.	NO.	NO.	N.	—	G.
94	94	94	94	9.16	8.57	8.49	8.74	O.	O.	N.	N.	N.	N.
94	94	94	94	10.15	8.86	9.16	9.39	NO.	NO.	NO.	—	G.	N.
94	86	91	91	9.84	8.86	8.49	9.06	N.	N.	N.	—	Ll.	Ll.
94	94	93	94	9.49	8.57	8.02	8.69	—	—	—	Ll.	—	Ll.
94	93	93	93	9.16	8.02	7.44	8.21	NE.	NO.	NE.	N.	—	G.
70	94	93	86	10.08	6.70	7.44	8.07	NO.	S.	S.	Np.	Np.	Ll.
71	86	94	84	7.66	8.86	8.57	8.69	NO.	N.	N.	—	—	N.
94	94	84	91	9.16	8.57	7.97	8.57	—	NO.	O.	N.	Ll.	Np.
94	93	93	93	8.86	8.02	7.19	8.02	N.	—	—	Ll.	Np.	—
94	93	94	94	9.49	6.48	8.27	8.08	O.	O.	NO.	N.	Ll.	—
86	93	94	91	7.97	7.72	8.49	8.06	NO.	N.	N.	Ll.	Np.	Ll.
94	94	94	94	9.16	8.86	9.16	9.06	N.	N.	S.	Ll.	Ll.	G.
83	86	86	85	8.89	8.27	6.89	8.02	NO.	NO.	—	—	G.	Nl.
78	93	94	88	9.95	7.72	8.86	8.84	—	—	—	Np.	Ll.	Ll.
86	94	94	91	8.86	9.16	8.57	8.86	N.	N.	N.	Ll.	Np.	N.

DE 1874.

78	86	87	84	10.30	8.86	9.19	9.45	NO.	NO.	NO.	N.	N.	N.
94	94	87	82	9.84	9.49	9.19	9.51	—	—	—	Ll.	G.	G.
88	87	86	87	9.85	9.19	8.86	9.30	—	—	—	N.	N.	Np.
82	82	94	89	9.24	8.56	8.27	8.69	NO.	NO.	—	Np.	N.	Ll.
82	86	86	85	9.24	8.56	8.56	8.79	—	—	—	N.	—	N.
78	86	86	83	9.60	8.86	8.56	9.01	—	—	N.	—	—	Np.
82	94	81	86	8.56	9.16	8.67	8.79	—	N.	—	Ll.	Np.	—
81	86	94	87	7.97	7.42	8.27	7.89	—	O.	NO.	—	—	—
68	86	86	80	8.64	6.89	7.72	7.75	O.	O.	E.	Np.	—	—
63	72	86	74	8.69	6.48	7.42	7.53	S.	—	—	—	—	N.
76	93	86	85	7.96	7.72	7.72	7.47	NO.	—	—	—	G.	G.
86	93	86	88	7.42	6.70	6.89	7.06	O.	O.	E.	N.	N.	Np.
77	93	94	88	8.93	7.54	8.86	8.87	E.	E.	S.	Np.	D.	N.
74	94	82	83	10.79	8.27	8.26	9.11	O.	SO.	NO.	Np.	Np.	N.
82	81	86	83	8.89	7.67	8.86	8.47	—	—	O.	N.	N.	G.
51	93	94	83	6.15	7.54	8.57	7.42	S.	—	E.	Np.	E.	Np.
90	86	93	89	13.81	7.72	9.16	10.23	—	S.	—	—	—	—
78	86	82	82	9.69	8.56	8.26	8.81	—	S.	—	—	Np.	—
66	94	82	81	9.78	8.86	8.56	9.07	—	—	—	—	—	E.
62	86	75	74	9.88	7.27	8.46	8.87	—	E.	—	—	—	N.
77	93	81	84	8.58	8.12	7.67	8.12	O.	O.	SO.	N.	Np.	Np.
74	94	82	83	10.39	8.27	9.30	9.32	—	NO.	NE.	Np.	—	—
85	81	82	83	12.62	7.67	8.89	9.73	NO.	SO.	—	—	D.	E.
87	86	87	87	9.19	7.27	9.54	8.67	—	NO.	E.	Ll.	Ll.	Np.
89	86	86	87	10.91	8.56	8.86	9.44	—	NE.	NO.	—	Np.	—
58	94	82	78	9.17	8.27	9.24	8.99	—	E.	—	N.	Ll.	—
70	86	82	79	10.48	7.27	8.56	8.70	—	N.	SO.	Np.	Np.	N.
83	94	84	87	10.25	8.24	9.55	9.88	—	O.	E.	N.	N.	Np.
89	94	77	87	11.70	8.57	8.58	9.62	—	E.	NO.	Ll.	Ll.	—
81	80	86	82	13.26	7.91	7.72	9.31	SO.	—	E.	Np.	Np.	—
85	94	83	87	12.62	7.84	10.50	11.92	—	—	SO.	—	—	—

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO.		
	A 0°									Dif. de los termómetros		
	2½ h.	9 h.	21 h.	Med.	21 h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o	o	o	o
1	55.61	55.47	55.75	55.61	20.8	12.2	14.4	15.8	8.5	3.5	2.0	1.0
2	55.82	55.61	55.03	55.49	20.4	13.6	14.0	16.0	7.0	5.5	2.0	4.0
3	53.94	52.93	51.02	52.63	22.6	15.6	17.8	18.7	7.5	5.5	5.0	2.5
4	50.54	49.50	51.37	50.47	19.2	11.2	12.4	14.3	7.5	4.5	1.0	1.5
5	51.93	52.95	53.23	52.70	12.4	10.4	13.0	11.9	6.5	1.5	0.5	1.5
6	51.59	49.70	50.00	50.43	13.8	11.2	11.0	12.0	7.0	2.5	1.0	2.0
7	49.92	51.04	52.17	51.04	13.4	8.6	12.6	11.9	5.0	2.0	1.0	1.0
8	52.26	52.90	52.37	52.51	15.0	8.8	12.4	12.1	3.5	4.5	1.0	2.0
9	50.68	49.73	49.38	49.93	17.2	10.2	11.4	12.9	4.5	3.5	0.5	1.0
10	49.42	49.12	49.78	49.44	14.8	13.0	12.4	13.4	9.0	2.0	1.0	2.0
11	50.00	51.11	50.64	50.58	16.2	9.6	12.8	12.9	5.0	4.0	1.5	2.0
12	49.76	50.54	42.49	50.93	18.8	11.8	13.2	14.6	6.0	4.0	2.0	2.5
13	52.89	53.68	52.43	53.00	15.8	9.4	13.6	12.9	5.0	5.5	1.5	2.5
14	50.24	49.10	48.03	49.32	24.0	15.4	18.0	19.1	8.0	5.5	3.5	5.5
15	47.94	49.62	51.64	49.73	19.2	13.0	15.2	15.8	10.0	4.0	1.0	2.0
16	51.90	52.07	52.44	52.14	15.6	12.8	15.0	14.5	9.5	4.5	1.5	2.0
17	52.14	50.91	51.74	51.60	19.0	13.8	15.6	16.1	10.0	4.0	2.0	2.0
18	51.81	50.24	50.58	50.88	13.6	13.6	13.4	13.5	10.0	0.5	0.5	0.5
19	50.65	51.07	51.46	51.06	13.4	12.2	13.2	12.9	9.0	0.5	0.5	0.5
20	50.80	50.41	50.84	50.68	14.4	11.8	15.4	13.5	9.5	0.5	1.0	1.0
21	51.06	50.46	50.12	50.55	14.8	14.0	14.2	14.3	10.0	0.5	0.5	1.0
22	50.10	49.68	50.50	50.43	15.6	12.0	14.2	13.9	8.0	3.0	1.0	1.0
23	50.20	48.94	46.68	48.61	16.4	13.4	12.0	13.9	9.0	3.0	1.0	1.0
24	46.04	46.09	47.08	46.40	14.0	9.6	12.2	11.9	7.0	2.0	0.5	1.0
25	50.12	51.03	50.54	50.56	15.6	12.6	14.0	14.1	9.5	3.0	1.0	0.5
26	51.29	50.31	47.12	49.57	14.0	11.8	13.8	13.2	11.5	2.0	1.0	2.0
27	56.82	47.86	47.08	50.45	17.6	10.8	12.8	13.7	9.0	2.0	0.5	2.0
28	47.34	49.37	51.92	49.54	15.8	12.2	13.2	13.7	8.0	2.5	1.5	0.5
29	52.69	52.39	52.26	52.45	14.6	10.6	14.2	13.1	6.0	2.5	1.0	1.0
30	52.95	53.88	56.28	54.37	16.8	9.6	14.4	13.6	4.0	3.0	1.0	2.0

DICIEMBRE

1	55.69	58.50	57.08	57.09	18.8	11.4	14.0	14.7	7.0	5.0	0.5	3.5
2	53.86	54.42	51.05	53.11	20.0	13.8	15.2	16.0	9.0	6.5	4.5	2.5
3	49.90	50.57	50.02	50.16	21.5	12.6	17.2	17.1	9.0	5.0	3.0	3.5
4	48.44	48.00	48.74	48.39	22.0	19.8	16.2	19.3	11.5	4.0	2.0	1.0
5	49.69	51.07	51.01	50.59	16.6	14.2	16.0	15.6	9.0	1.5	0.5	1.5
6	50.87	51.29	51.92	51.36	14.2	11.6	15.4	13.7	9.0	1.5	0.5	1.5
7	51.63	52.94	52.95	52.51	18.6	11.2	14.4	14.7	6.0	3.5	0.5	1.5
8	52.16	53.94	54.55	53.55	20.0	12.0	16.0	16.0	6.5	4.0	0.5	1.5
9	54.17	52.94	50.16	52.42	20.8	12.0	15.2	16.0	8.0	4.5	1.0	1.0
10	49.03	50.58	52.55	50.72	24.5	14.2	15.2	17.9	7.5	5.0	1.0	2.0
11	50.87	53.24	53.01	52.41	21.6	12.8	18.0	17.5	9.5	5.0	1.0	4.6
12	51.51	52.62	53.41	52.51	24.5	15.4	20.4	19.8	12.0	5.0	2.0	5.0
13	52.49	53.98	53.82	53.43	28.0	16.6	21.2	21.9	14.0	5.5	2.0	5.0
14	52.00	50.49	50.32	50.94	24.6	21.4	22.0	22.7	16.0	5.5	6.0	4.5
15	49.38	50.14	51.20	50.24	25.8	16.2	16.4	19.5	11.0	6.0	2.0	2.0
16	49.40	49.15	51.05	49.83	21.5	13.6	15.2	16.8	9.5	5.0	2.0	2.0
17	50.08	51.34	52.00	51.47	17.5	12.8	14.8	15.0	8.0	3.0	1.0	1.5
18	52.37	53.34	53.38	53.03	15.0	12.0	16.6	14.5	8.0	3.0	2.0	4.0
19	51.73	52.67	50.37	51.56	26.0	14.2	17.6	19.3	11.0	6.0	1.0	1.0
20	48.72	49.01	51.49	49.74	23.0	14.8	13.2	16.7	8.0	5.0	2.5	3.5
21	50.97	53.18	53.92	52.69	15.0	10.8	13.8	13.2	8.0	4.5	1.5	2.0
22	54.95	54.76	54.16	54.62	15.2	12.6	17.6	15.1	9.0	2.5	1.0	3.5
23	51.98	51.12	51.55	51.55	24.8	13.8	16.8	18.5	9.0	5.5	2.0	2.5
24	51.65	51.56	53.17	52.13	16.0	12.6	13.4	14.0	5.5	4.5	3.0	2.5
25	51.85	52.62	49.49	51.32	22.8	15.4	16.6	18.3	9.0	5.0	4.5	4.0
26	45.86	44.57	45.48	45.30	27.5	21.0	16.8	21.8	13.5	7.0	7.0	4.0
27	56.95	47.73	48.06	51.25	17.8	13.8	14.4	15.3	11.0	2.5	0.5	2.5
28	49.35	48.31	48.74	48.97	18.6	14.0	17.0	16.9	11.0	3.5	1.0	1.5
29	48.66	48.68	49.16	48.84	17.4	15.0	16.0	16.1	12.0	1.5	0.5	1.5
30	51.61	53.30	53.98	52.96	19.6	15.7	16.6	17.3	9.6	1.0	1.5	3.5
31	52.20	51.27	51.12	51.55	26.6	21.6	21.2	23.1	13.0	5.5	6.0	6.0

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
68	76	89	78	12.73	7.26	11.30	10.43	SO.	SO.	S.	Np.	Np.	Np.
83	78	57	63	10 18	9 60	7 05	8 91	S.	SO.	S. E.	Np.	Np.	Np.
55	50	76	60	11 99	7 12	12 89	10 67	—	S.	O.	—	—	—
70	87	82	80	10 69	9 19	9 24	9 71	—	S.	O.	—	—	—
82	94	83	86	9 24	9 16	9 90	9 40	NO.	NO.	—	N.	Ll.	Np.
73	87	76	79	8 94	9 19	7 96	8 69	—	—	O.	Np.	G.	Np.
78	86	88	84	9 25	7 72	9 85	9 27	—	O.	O.	—	Np.	Np.
54	86	76	72	7 07	7 42	8 26	7 58	NO.	E.	SO.	—	—	—
66	94	86	82	10 57	8 86	8 86	9 43	NO.	NO.	S.	Np.	Np.	Np.
78	88	77	81	9 95	10 29	8 58	9 58	—	—	NO.	N.	N.	N.
59	80	77	72	8 38	7 44	8 93	8 24	SO.	SO.	SE.	Np.	Np.	Np.
63	76	72	70	10 26	8 26	8 63	9 05	—	S.	SO.	—	—	—
44	80	72	65	6 14	7 41	8 63	7 06	S.	E.	S.	—	E.	—
56	63	49	56	12 98	8 69	7 82	9 83	—	—	NE.	—	Np.	—
64	88	79	77	11 55	10 20	10 69	10 81	NO.	NO.	NO.	—	N.	N.
74	82	79	78	10 39	9 24	10 69	10 11	—	—	NO.	N.	N.	Np.
63	78	79	67	10 66	9 25	10 69	10 20	O.	O.	O.	Np.	Np.	N.
94	94	94	94	10 21	10 21	11 21	10 54	NO.	NO.	NO.	Ll.	Ll.	Ll.
94	94	95	94	10 21	10 50	11 21	10 64	—	O.	NE.	Ll.	N.	G.
94	87	89	90	12 00	9 54	12 09	11 21	—	—	—	Ni.	—	N.
95	94	89	93	12 40	11 60	11 30	11 77	N.	N.	N.	G.	Ll.	N.
69	87	89	82	9 69	9 54	11 30	10 17	O.	O.	NO.	N.	N.	—
70	89	88	82	10 08	10 56	9 85	10 16	NO.	NO.	O.	Np.	N.	—
78	94	95	89	9 60	8 86	10 50	9 65	O.	NO.	NO.	Np.	Ll.	Np.
69	88	78	78	9 69	9 85	9 60	9 71	NO.	NO.	—	Np.	N.	N.
78	87	78	81	9 60	9 54	9 60	9 58	—	—	—	Np.	—	Ll.
80	91	95	89	12 32	9 16	11 21	11 56	—	—	O.	—	Np.	N.
74	82	89	82	10 09	8 83	10 56	9 78	O.	O.	—	—	—	N.
74	86	83	81	9 65	8 56	10 69	9 57	NO.	NO.	SO.	N.	D.	Np.
70	86	78	78	10 08	7 97	9 95	9 33	—	S.	E.	Np.	Np.	Np.

DE 1874.

54	94	62	70	9.27	9.84	7.68	7.93	S.	E.	SE.	Np.	Np.	Np.
45	52	74	57	7 96	6 75	9 65	8 12	—	SE.	—	D.	E.	—
58	66	66	63	11 37	7 35	9 78	9 50	N.	N.	E.	—	—	—
66	81	90	79	13 41	14 13	12 93	13 49	S.	E.	O.	—	—	Np.
84	95	84	88	12 19	11 60	12 19	11 99	O.	O.	NO.	N.	N.	N.
83	94	84	87	10 60	9 84	11 40	10 61	NO.	NO.	O.	N.	G.	Np.
67	94	85	82	10 97	9 49	11 00	10 49	O.	O.	SE.	Np.	E.	E.
61	94	86	80	11 30	10 15	12 62	11 36	SO.	SO.	—	E.	E.	Np.
61	85	89	78	11 24	9 85	12 09	11 06	S.	S.	S.	Np.	E.	E.
61	89	78	76	11 32	10 91	10 30	11 84	—	—	S.	—	Np.	—
58	88	62	69	11 37	10 20	9 98	10 52	—	—	S.	—	—	—
61	79	57	66	14 32	10 69	10 49	11 83	—	—	S.	—	E.	Np.
61	80	58	66	17 50	11 48	11 37	13 45	E.	N.	—	Np.	—	E.
57	50	63	57	13 42	9 88	12 60	11 97	—	E.	—	E.	—	—
55	80	80	72	13 71	11 48	11 48	12 22	O.	NO.	NO.	—	—	Np.
58	78	79	72	11 37	9 25	10 69	10 44	—	N.	O.	Np.	Np.	—
71	88	83	81	10 87	9 85	10 65	10 46	—	O.	NO.	—	—	—
68	76	61	68	8 99	8 26	8 73	8 66	—	SO.	E.	N.	E.	—
55	89	90	78	14 26	10 91	13 81	12 99	—	E.	S.	N.	—	—
59	73	62	65	12 80	9 29	7 35	9 81	S.	SO.	SO.	Np.	Np.	N.
55	81	76	71	7 07	7 97	9 83	8 29	NO.	—	NO.	N.	N.	Np.
75	88	66	76	9 65	9 85	10 18	9 89	NO.	—	SE.	—	—	Np.
57	78	75	70	13 53	9 25	11 18	11 32	S.	E.	S.	Np.	Np.	—
56	66	55	59	7 73	7 35	6 56	7 21	SO.	SO.	—	—	—	—
52	54	61	56	10 76	7 07	8 73	8 85	S.	S.	SE.	—	—	—
51	41	76	56	14 19	8 05	11 18	11 14	SE.	—	NO.	D.	D.	E.
76	94	83	84	11 58	10 21	10 60	10 79	NO.	NO.	—	Np.	N.	N.
77	89	85	83	12 46	10 91	12 62	12 00	—	—	—	N.	—	Ni.
85	95	81	88	12 62	12 40	11 79	12 25	—	—	NE.	N.	—	N.
91	84	75	83	15 73	11 49	10 06	12 38	—	E.	E.	Np.	N.	D.
59	50	49	53	15.71	9.88	9.15	11.68	E.	—	—	Np.	D.	Np.

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 4 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	750.33	751.30	752.13	752.68	752.43	752.42	752.38	752.58	752.05
Termómetro centígrado.....	21.8	19.4	14.8	10.8	10.0	11.2	14.8	17.0	14.7
Psicrómet. {	Dif. de los term.	1.0	1.0	2.0	2.0	2.0	2.0	2.0
	Humedad relat...	91	91	80	79	78	78	79	82
	Fuerza elástica...	18.60	16.28	12.77	11.09	10.30	9.25	10.69	12.32
Vientos.....	SE.	SE.	SE.	SE.	SE.	O.	O.	O.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
ENERO 14 DE 1874.									
Barómetro reducido a 0°.....	746.87	747.91	749.03	749.60	749.90	750.43	750.48	750.48	749.34
Termómetro centígrado.....	27.4	25.0	20.2	16.8	14.6	13.0	14.4	15.8	18.4
Psicrómet. {	Dif. de los term.	5.0	5.0	3.0	3.5	1.5	1.5	3.0
	Humedad relat...	60	59	72	68	84	84	69	70
	Fuerza elástica...	13.83	12.30	13.04	11.49	12.19	11.00	9.34	9.69
Vientos.....	E.	E.	E.	E.	E.	NO.	NO.	NO.
Estado atmosférico.....	D.	D.	D.	D.	D.	E.	E.	E.
FEBRERO 3 DE 1874.									
Barómetro reducido a 0°.....	755.04	754.54	754.56	754.53	754.33	754.25	753.45	752.88	753.94
Termómetro centígrado.....	21.2	20.2	17.8	15.4	14.6	15.2	15.6	17.2	16.9
Psicrómet. {	Dif. de los term.	2.5	2.0	2.0	2.5	2.0	2.0	2.0
	Humedad relat...	78	81	80	75	79	78	79	79
	Fuerza elástica...	15.36	14.13	11.77	11.18	10.69	10.30	11.09	12.77
Vientos.....	SO.	SO.	SO.	O.	O.	O.	O.	O.
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.
FEBRERO 13 DE 1874.									
Barómetro reducido a 0°.....	748.78	747.80	747.92	748.28	748.68	749.14	749.46	749.43	748.68
Termómetro centígrado.....	20.6	18.0	17.4	17.0	16.2	15.6	16.4	18.8	17.5
Psicrómet. {	Dif. de los term.	3.5	3.5	3.5	3.0	2.5	2.0	4.0	3.0
	Humedad relat...	69	66	66	70	74	78	71	71
	Fuerza elástica...	13.22	10.97	10.57	10.48	10.39	9.95	9.08	11.27
Vientos.....	NE.	NE.	NE.	E.	E.	E.	E.	E.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
FEBRERO 23 DE 1874.									
Barómetro reducido a 0°.....	749.98	750.89	751.31	751.15	751.09	750.57	750.18	748.42	750.45
Termómetro centígrado.....	19.4	16.0	14.6	13.8	12.4	11.0	12.6	13.2	13.9
Psicrómet. {	Dif. de los term.	3.0	2.0	2.0	3.0	3.5	2.5	2.5	1.5
	Humedad relat...	72	80	80	68	62	71	71	82
	Fuerza elástica...	12.59	11.48	11.98	8.99	7.68	7.96	7.66	9.24
Vientos.....	SE.	SE.	SE.	SE.	SE.	E.	E.	E.
Estado atmosférico.....	Np.	Np.	Np.	D.	D.	D.	D.	D.

Instrumentos.	MARZO 5 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	756.81	756.56	756.64	756.24	755.98	755.94	755.44	755.06	756.08
Termómetro centígrado.....	13.4	11.6	11.2	9.8	9.0	8.2	8.6	8.8	10.0
Psicrómet. {	Dif. de los term.	1.5	1.0	1.0	1.5	5.5	1.5	0.5	0.5
	Humedad relat...	82	86	86	80	80	80	93	94
	Fuerza elástica...	8.89	8.56	8.27	7.41	7.11	6.89	7.72	8.27
Vientos.....	N.	N.	N.	O.	O.	O.	O.	O.
Estado atmosférico.....	Ll.	Ll.	Ll.	Np.	Np.	Np.	Np.	N.
MARZO 15 DE 1874.									
Barómetro reducido a 0°.....	748.72	747.54	747.40	746.11	745.80	745.43	745.52	746.29	746.85
Termómetro centígrado.....	14.6	13.4	13.2	8.6	8.2	7.6	9.0	10.8	10.7
Psicrómet. {	Dif. de los term.	1.0	1.0	1.0	1.6	1.0	1.0	1.0
	Humedad relat...	89	89	88	86	86	86	86	87
	Fuerza elástica...	11.70	10.56	10.20	7.72	7.42	7.14	7.72	8.86
Vientos.....	N.	N.	N.	NO.	NO.	NO.	NO.	NO.	
Estado atmosférico.....	Ll.	Ll.	N	Ll.	Ll.	Ll.	Ll.	Ll.	
MARZO 25 DE 1874.									
Barómetro reducido a 0°.....	754.74	754.11	753.47	752.44	752.00	751.86	751.26	750.52	752.55
Termómetro centígrado.....	17.4	15.6	12.8	9.2	8.8	7.4	8.6	10.4	11.3
Psicrómet. {	Dif. de los term.	3.0	3.0	2.0	2.5	3.0	3.0	1.0	2.0
	Humedad relat...	69	68	77	71	63	62	86	74
	Fuerza elástica...	9.69	8.64	8.93	7.66	6.51	5.69	7.42	7.11
Vientos.....	E.	E.	E.	E.	E.	NE.	NE.	NE.	
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	N.	
ABRIL 4 DE 1874.									
Barómetro reducido a 0°.....	753.95	753.56	753.79	753.98	753.84	753.73	753.40	753.04	753.54
Termómetro centígrado.....	17.2	16.0	12.4	8.0	7.6	6.6	7.0	7.2	10.2
Psicrómet. {	Dif. de los term.	2.0	2.5	2.0	2.0	2.0	1.5	1.5	2.0
	Humedad relat...	80	74	78	76	75	80	80	71
	Fuerza elástica...	12.77	10.79	9.60	8.26	7.67	7.41	6.84	5.59
Vientos.....	E.	E.	E.	E.	E.	E.	E.	E.	
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.	
ABRIL 14 DE 1874.									
Barómetro reducido a 0°.....	751.12	751.37	751.82	752.45	752.92	753.59	754.18	755.28	752.84
Termómetro centígrado.....	14.6	12.8	10.4	9.0	8.6	8.2	9.4	10.8	10.5
Psicrómet. {	Dif. de los term.	2.0	2.5	2.0	1.5	1.0	2.0	2.0	2.0
	Humedad relat...	78	71	75	80	86	73	74	75
	Fuerza elástica...	9.60	7.96	7.67	7.11	7.14	6.29	7.11	7.67
Vientos.....	N.	N.	O.	O.	O.	O.	O.	O.	
Estado atmosférico.....	Ll.	N.	D.	D.	D.	N.	N.	N.	

Instrumentos.	OCTUBRE 1 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	754.52	753.67	753.66	753.66	752.86	753.68	754.48	752.89	753.68
Termómetro centígrado.....	13.0	15.0	11.0	11.0	11.0	10.8	10.8	11.6	11.8
Psicrómet. {	Dif. de los term...	0.5	2.0	1.0	1.0	1.5	0.5	0.5	1.0
	Humedad relat...	94	98	86	86	82	94	94	87
	Fuerza elástica...	10.86	10.30	8.86	8.86	8.26	8.86	8.86	9.19
Vientos.....	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	N.	N.
OCTUBRE 11 DE 1874.									
Barómetro reducido a 0°.....	748.77	748.37	750.07	750.56	750.22	750.22	750.43	750.19	752.80
Termómetro centígrado.....	10.2	11.8	10.2	8.6	8.2	8.2	8.0	9.2	9.3
Psicrómet. {	Dif. de los term...	2.0	1.5	1.0	0.5	1.0	0.5	0.5	1.0
	Humedad relat...	74	82	85	93	86	93	93	86
	Fuerza elástica...	7.11	8.56	8.27	7.97	6.89	7.72	7.72	7.72
Vientos.....	E.	NO.	N.	N.	E.	E.	O.	N.
Estado atmosférico.....	N.	N.	N.	G.	G.	N.	N.	N.
OCTUBRE 21 DE 1874.									
Barómetro reducido a 0°.....	749.48	751.35	752.43	752.63	753.75	752.98	752.48	753.06	752.24
Termómetro centígrado.....	13.4	12.0	10.4	8.8	8.6	8.4	8.4	10.2	10.0
Psicrómet. {	Dif. de los term...	1.0	2.0	1.5	0.5	1.5	1.0	0.5	1.5
	Humedad relativa	88	76	81	93	80	86	93	81
	Fuerza elástica...	10.20	7.26	7.97	7.97	7.11	7.42	7.97	7.67
Vientos.....	O.	O.	O.	O.	SO.	SO.	NE.	NE.
Estado atmosférico.....	N.	N.	N.	Np.	Np.	Np.	Np.	Np.
NOVIEMBRE 10 DE 1874.									
Barómetro reducido a 0°.....	749.38	749.42	749.46	749.12	747.86	748.17	748.68	749.78	748.9
Termómetro centígrado.....	15.4	14.8	13.0	13.0	12.8	11.2	11.8	12.4	13.0
Psicrómet. {	Dif. de los term...	2.5	2.0	1.5	1.0	1.0	1.0	1.5	2.0
	Humedad relativa	74	68	83	88	88	86	82	77
	Fuerza elástica...	10.39	9.95	7.55	10.20	9.85	8.86	8.16	8.58
Vientos.....	N.	NO.	NO.	NO.	NO.	NO.	O.	SO.
Estado atmosférico.....	N.	N.	N.	N.	N.	Ll.	N.	N.
NOVIEMBRE 20 DE 1874.									
Barómetro reducido a 0°.....	751.08	750.77	750.69	750.41	750.24	750.31	750.61	750.96	750.66
Termómetro centígrado.....	16.8	14.6	13.4	11.8	11.6	11.8	12.4	15.4	13.4
Psicrómet. {	Dif. de los term...	0.5	0.5	1.6	1.6	1.0	1.0	1.0	1.0
	Humedad relativa	95	94	89	87	87	87	88	89
	Fuerza elástica...	11.12	12.00	10.56	9.51	9.19	9.51	9.85	12.00
Vientos.....	NO.	NO.	NO.	O.	O.	N.	N.	SE.
Estado atmosférico.....	Nl.	Nl.	Nl.	N.	N.	Nl.	Nl.	N.

Instrumentos.	NOVIEMBRE 30 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	753.16	753.05	753.41	753.88	755.16	755.60	755.91	756.28	754.56
	o	o	o	o	o	o	o	o	o
Termómetro centígrado.....	15.4	16.8	13.2	9.6	8.4	6.2	9.4	14.4	12.7
Psicrómet. {	Dif. de los term.	1.9	3.0	2.0	1.0	1.0	1.0	2.0
	Humedad relat...	70	70	77	86	86	86	78	79
	Fuerza elástica...	9.82	10.08	8.93	7.97	7.42	6.19	7.97	9.95
Vientos.....	SO.	SO.	S.	S.	E.	E.	E.	E.
Estado atmosférico.....	N.	Np.	Np.	Np.	Np.	Np.	Np.	Np.
	DICIEMBRE 10 DE 1874.								
Barómetro reducido a 0°.....	749.32	749.02	750.08	750.57	751.29	751.44	751.51	752.55	750.72
	o	o	o	o	o	o	o	o	o
Termómetro centígrado.....	22.0	24.5	17.4	14.2	11.6	12.0	12.2	15.2	16.1
Psicrómet. {	Dif. de los term.	3.0	5.0	1.0	1.0	0.5	1.5	1.0	2.0
	Humedad relat...	74	61	90	89	94	95	87	78
	Fuerza elástica...	15.01	14.32	13.81	10.91	9.84	10.15	9.54	10.30
Vientos.....	S.	S.	S.	S.	S.	S.	S.	E.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	Np.	Np.	E.
	DICIEMBRE 20 DE 1874.								
Barómetro reducido a 0°.....	749.75	748.28	748.89	749.01	749.37	750.00	750.57	751.50	749.67
	o	o	o	o	o	o	o	o	o
Termómetro centígrado.....	21.0	23.2	18.2	14.8	11.8	10.8	11.8	13.2	13.6
Psicrómet. {	Dif. de los term.	4.0	5.0	1.5	0.5	3.0	2.0	2.5	3.5
	Humedad relat...	65	59	85	94	65	75	70	61
	Fuerza elástica...	12.43	12.80	13.51	12.00	6.77	7.37	7.37	7.35
Vientos.....	S.	S.	SO.	SO.	SO.	SO.	SO.	SO.
Estado atmosférico.....	Np.	Np.	N.	Np.	Np.	Np.	Np.	Np.
	DICIEMBRE 30 DE 1874.								
Barómetro reducido a 0°.....	751.08	751.81	752.21	753.20	754.39	754.46	754.24	753.98	753.17
	o	o	o	o	o	o	o	o	o
Termómetro centígrado.....	18.2	19.6	18.8	15.6	14.0	11.0	13.6	16.6	15.9
Psicrómet. {	Dif. de los term.	1.0	1.0	2.5	1.5	1.0	1.0	1.0	3.5
	Humedad relat...	90	91	76	84	89	86	89	65
	Fuerza elástica...	13.26	15.73	12.89	11.35	10.96	8.86	10.56	9.39
Vientos.....	N.	N.	SO.	E.	E.	E.	E.	E.
Estado atmosférico.....	l.l.	N.	Np.	Np.	D.	D.	D.	D.

OBSERVACIONES METEOROLÓGICAS.

1873.

ENERO DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRAO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	m. + 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	48.30	47.45	42.75	49.73	12.0	11.4	10.1	11.33	N ₂	N ₂	NO ₂	Ll.	Ll.	Np.
2	57.35	59.71	61.77	59.67	13.8	7.0	12.0	10.93	NO ₂	O ₂	NO ₂	Ll.	Np.	Np.
3	62.14	62.52	59.65	60.44	14.0	11.0	12.0	12.33	NO ₂	N ₁	N ₂	N.	N.	G.
4	59.34	59.31	56.41	58.36	14.8	12.4	12.2	13.15	—	—	—	N.	N.	Ll.
5	56.78	57.95	58.55	57.76	13.6	11.6	12.6	12.60	O ₂	NO ₂	N ₁	Np.	N.	N.
6	60.91	61.39	61.05	61.11	13.4	12.2	13.4	13.00	NO ₂	N ₁	N ₂	N.	N.	N.
7	60.84	61.39	58.41	60.21	13.6	12.6	12.8	13.09	NO ₂	O ₂	SO ₂	Np.	N.	Ll.
8	58.78	58.41	58.55	58.57	15.4	11.4	13.0	13.27	N ₂	O ₂	SO ₂	Np.	Ll.	Np.
9	55.92	55.35	54.2	54.52	12.4	12.4	13.2	12.65	NO ₂	N ₂	N ₃	Ll.	Ll.	N.
10	57.28	58.55	59.34	58.38	15.0	11.0	14.2	13.46	O ₂	O ₂	Et	Np.	Np.	N.
11	59.28	58.34	57.28	58.30	16.0	13.4	15.4	14.39	NO ₂	N ₂	N ₂	Np.	N.	Np.
12	55.35	53.17	53.92	54.15	15.6	14.0	12.6	14.04	NO ₂	N ₂	N ₂	Np.	N.	Np.
13	56.28	59.16	59.28	58.24	16.2	13.0	15.4	15.04	NO ₂	O ₂	NO ₂	Np.	N.	Ll.
14	57.85	56.66	55.29	56.60	13.0	14.0	12.8	15.24	—	—	—	—	—	Ll.
15	58.22	60.41	60.94	59.87	15.6	12.4	13.8	15.15	—	O ₂	O ₂	—	—	Ll.
16	61.15	61.77	58.10	60.56	17.4	12.2	14.6	14.75	—	SO ₂	—	D.	D.	Np.
17	56.66	56.84	56.41	56.62	14.6	12.6	13.0	13.46	NO ₂	NO ₂	NE	Np.	N.	N.
18	57.66	58.34	58.78	58.26	14.8	13.4	14.0	14.67	N ₂	N ₁	N ₁	N.	N.	N.
19	58.54	58.66	59.42	58.84	17.0	14.0	14.4	15.19	NO ₂	NO ₂	N ₂	Np.	—	—
20	58.16	59.24	59.34	58.94	15.0	13.2	13.0	13.75	N ₂	N ₂	N ₃	Np.	—	—
21	59.28	59.22	59.28	59.2	13.8	13.4	14.0	13.75	N ₁	N ₁	Et	Np.	—	—
22	58.16	60.22	59.34	59.57	17.8	13.0	14.4	15.65	SO ₂	O ₂	Et	Np.	—	—
23	57.10	57.16	56.34	56.87	11.0	13.0	12.0	12.99	O ₂	O ₂	NE	Np.	D.	Ll.
24	57.16	60.28	60.16	59.20	16.8	13.8	15.6	15.46	O ₂	O ₂	—	Np.	—	—
25	61.21	61.02	59.16	60.46	17.6	13.8	15.0	15.45	O ₂	O ₂	N ₅	—	—	—
26	59.79	59.94	60.16	59.95	13.2	15.8	15.4	16.89	—	—	Et	N.	N.	N.
27	59.35	59.79	60.04	59.79	20.4	16.4	17.0	17.95	—	SO ₂	NO ₂	D.	D.	D.
28	59.85	59.41	59.91	59.72	20.0	15.2	18.8	18.09	—	—	O ₂	—	—	—
29	59.05	58.63	57.85	58.55	21.4	16.8	18.2	18.84	O ₂	O ₂	O ₂	—	—	—
30	56.55	55.91	56.34	56.24	20.4	14.8	14.0	16.46	—	—	O ₂	—	—	—
31	58.16	59.72	60.78	59.55	15.2	12.4	15.0	14.20	O ₂	SO ₂	—	Np.	D.	D.

FEBRERO DE 1873.

1	59.04	58.22	58.34	58.53	18.0	14.5	15.0	15.83	O ₂	O ₂	SE	D.	D.	D.
2	57.98	59.34	59.66	59.06	17.8	13.8	15.4	15.67	N ₂	N ₂	—	D.	N.	—
3	59.17	59.41	60.10	59.56	21.2	15.6	16.4	17.75	O ₂	O ₂	NE	D.	D.	Np.
4	60.78	62.52	62.65	61.98	20.0	14.4	14.8	16.46	O ₂	—	SO ₂	N.	N.	N.
5	61.78	61.90	62.15	61.94	18.0	15.2	15.8	16.33	O ₂	SO ₂	SO ₂	—	—	—
6	61.22	61.02	61.27	61.17	19.6	14.6	15.0	16.40	—	SO ₂	O ₂	Np.	D.	—
7	61.78	61.78	63.02	62.19	18.0	15.4	15.0	16.15	O ₁	O ₁	—	—	—	—
8	62.03	61.78	60.16	61.32	20.0	15.8	14.8	16.87	—	—	O ₂	D.	—	—
9	59.48	60.22	61.39	60.36	16.0	12.8	12.4	13.73	SO ₂	O ₂	N ₁	—	—	Ll.
10	61.15	61.27	61.33	61.26	13.4	13.0	13.0	13.13	O ₂	O ₂	NO ₂	N.	N.	N.
11	60.78	61.85	61.96	61.52	13.0	12.0	11.4	12.15	O ₂	SO ₂	—	Np.	D.	Ll.
12	61.77	62.46	61.01	61.55	13.8	12.2	11.8	12.63	N ₂	NO ₂	N ₁	—	—	Ll.
13	60.16	60.28	61.27	60.57	15.0	12.8	13.0	13.60	O ₂	SO ₂	NO ₂	—	—	Ll.
14	61.52	61.65	61.21	61.46	15.0	13.0	16.6	14.87	N ₁	N ₁	NE	—	—	—
15	59.91	57.91	53.29	57.04	16.4	14.8	13.2	14.86	O ₂	NO ₂	N ₃	D.	D.	—
16	53.29	55.17	57.65	55.37	12.4	11.0	12.1	11.53	N ₂	O ₂	N ₁	Ll.	Ll.	Np.
17	58.91	60.97	56.59	58.82	11.0	10.8	11.0	12.27	O ₂	O ₂	—	D.	D.	—
18	63.27	63.70	63.64	63.54	11.6	10.8	11.6	12.33	O ₂	O ₂	SO ₂	D.	—	—
19	63.21	63.21	60.41	62.2	16.4	11.2	12.4	13.33	SO ₂	O ₂	SO ₂	—	—	—
20	60.16	62.27	62.27	61.57	16.0	12.0	13.0	13.67	Et	NO ₂	—	—	—	Ll.
21	61.52	61.21	60.34	61.02	16.6	12.6	12.8	14.06	O ₂	O ₂	—	Np.	—	Np.
22	60.72	60.66	61.65	61.01	15.4	13.8	14.2	14.47	—	—	N ₁	Np.	N.	—
23	60.90	61.64	60.78	61.11	15.0	12.8	13.4	13.73	O ₂	SO ₂	Et	D.	D.	—
24	60.66	60.72	61.27	60.90	16.6	12.4	14.4	14.13	—	—	SO ₂	Np.	N.	—
25	61.27	61.15	61.21	61.21	11.0	12.5	14.4	12.63	O ₂	O ₂	NE	—	—	—
26	61.09	61.02	60.28	60.80	16.0	14.0	13.4	14.45	NO ₂	O ₂	O ₂	—	—	D.
27	59.04	59.22	59.41	59.25	15.8	12.4	13.6	13.73	O ₂	SO ₂	SO ₂	D.	N.	—
28	59.72	60.78	61.39	60.63	15.4	11.2	12.2	12.95	SO ₂	SO ₂	SE	Np.	D.	—

MARZO DE 1873.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	60.90	61.15	61.27	61.11	16.2	13.0	12.2	13.80	SO ₂	E ₁	SE ₁	D.	Np.	N.
2	61.15	61.02	61.21	61.13	15.2	13.4	16.2	14.93	E ₁	SE ₁	S ₂	N.	D.	D.
3	61.03	61.18	61.59	61.27	20.8	16.4	14.8	17.33	O ₁	S ₁	NE ₁	—	—	—
4	60.53	60.84	61.15	60.84	18.8	14.8	13.8	15.47	NO ₁	O ₁	—	—	—	—
5	61.02	61.15	61.33	61.17	16.2	12.8	12.6	13.87	—	S ₁	S ₁	—	—	—
6	60.48	60.54	60.16	60.39	16.8	13.6	12.4	14.27	SE ₁	O ₂	N ₂	—	—	—
7	60.16	58.78	57.91	58.95	14.7	13.4	11.4	13.17	E ₂	N ₂	—	Np.	N.	—
8	57.84	60.53	61.05	59.80	13.0	10.2	12.0	11.73	NO ₂	NO ₁	NO ₁	N.	D.	Np.
9	61.71	61.64	62.14	61.83	14.0	10.8	10.6	11.80	O ₁	SO ₁	—	Np.	—	—
10	62.33	62.27	61.52	62.04	14.6	11.4	11.4	12.47	S ₁	S ₁	SE ₁	—	—	—
11	60.28	59.28	59.03	59.53	15.2	11.4	10.8	12.47	SE ₁	SO ₁	E ₂	Np.	D.	Np.
12	58.28	59.28	59.28	58.95	12.8	12.2	13.0	12.67	N ₂	N ₂	N ₂	N.	Np.	Ll.
13	60.16	61.52	61.56	61.08	14.6	12.4	11.4	12.80	N ₂	O ₂	—	Np.	Np.	—
14	60.41	59.28	59.41	59.70	12.4	11.6	13.0	12.33	N ₂	N ₂	NE ₁	N.	N.	Np.
15	59.66	59.28	53.35	57.43	14.6	12.6	13.8	13.67	N ₂	N ₁	N ₂	Np.	—	Ll.
16	53.29	56.28	56.53	55.37	11.2	11.4	11.8	11.47	NO ₂	NO ₁	—	Np.	Np.	N.
17	57.28	58.91	58.91	58.37	12.8	12.0	12.6	12.47	N ₂	N ₂	—	Np.	N.	Np.
18	58.66	58.78	58.84	58.76	14.4	12.0	12.8	13.07	N ₂	—	N ₁	—	—	N.
19	58.72	58.66	59.60	58.99	15.6	12.0	12.8	13.47	NO ₁	NO ₁	N ₂	—	—	N.
20	59.28	58.60	55.35	57.74	13.0	12.0	12.8	12.60	N ₂	N ₂	N ₂	Ll.	—	—
21	55.85	55.22	56.77	56.18	12.8	11.4	10.0	11.40	O ₁	NO ₁	N ₂	—	—	Np.
22	58.65	60.77	63.89	61.10	11.4	9.0	8.4	9.60	NO ₂	NO ₂	O ₁	Np.	Np.	D.
23	60.65	60.65	62.01	61.14	11.6	9.0	7.4	9.33	O ₂	S ₁	S ₂	—	Np.	—
24	61.52	65.64	65.02	64.06	13.2	9.8	12.4	11.80	S ₁	—	—	—	—	—
25	63.84	64.27	61.77	64.29	17.0	12.2	13.4	14.20	—	—	SE ₁	—	—	—
26	61.46	61.71	62.21	61.79	16.2	12.2	14.2	14.20	E ₁	—	—	—	—	—
27	62.15	62.27	62.39	62.27	13.4	13.6	12.4	13.13	N ₁	N ₂	SO ₁	N.	N.	N.
28	62.21	62.39	61.03	61.88	14.4	10.8	10.4	11.87	NO ₁	NO ₁	S ₁	Np.	D.	—
29	60.08	59.34	60.28	59.88	10.8	11.6	12.6	11.67	S ₁	N ₂	N ₁	Ll.	Ll.	Np.
30	60.28	60.41	58.03	59.57	13.8	11.4	17.6	14.27	NO ₁	NO ₁	E ₁	—	D.	N.
31	54.42	62.39	59.42	56.41	12.0	11.6	10.8	11.60	N ₂	NE ₁	NE ₁	—	Ll.	—

ABRIL DE 1873.

1	54.78	61.27	62.64	59.56	8.4	9.0	10.8	9.40	S ₁	NO ₁	N ₂	Ll.	Np.	N.
2	62.08	61.52	59.41	61.00	11.0	11.6	12.4	11.67	N ₂	N ₂	O ₁	—	Ll.	—
3	59.28	59.91	60.53	59.91	14.0	11.0	12.2	12.40	N ₁	S ₁	S ₁	—	—	—
4	61.27	61.27	61.27	61.27	14.0	13.4	13.0	13.47	—	S ₁	N ₁	—	—	—
5	59.28	53.28	56.41	57.99	13.2	12.6	12.5	12.77	—	E ₁	N ₂	—	Ll.	Ll.
6	53.54	53.56	53.78	53.63	12.0	12.0	10.5	11.59	N ₁	N ₁	N ₁	—	Ll.	N.
7	53.69	54.72	55.48	54.60	11.0	10.0	12.0	11.00	NO ₂	N ₂	O ₂	—	Ll.	Ll.
8	55.92	57.69	57.41	56.98	12.6	13.0	12.0	12.53	—	—	N ₂	—	Np.	Np.
9	57.94	58.09	61.58	59.00	11.4	10.0	11.2	10.87	N ₂	NO ₂	O ₁	Ll.	Np.	Np.
10	62.33	64.14	64.14	63.54	12.2	9.4	10.0	10.53	O ₂	SO ₁	SO ₁	Np.	D.	N.
11	63.96	64.02	64.02	64.09	12.6	11.0	11.8	11.80	SO ₁	O ₁	—	Np.	Np.	—
12	63.15	63.33	63.39	63.29	15.0	12.0	12.8	13.27	O ₂	NO ₂	O ₁	—	—	—
13	63.27	63.27	63.27	63.27	13.0	12.8	13.2	13.19	N ₁	NO ₁	NO ₁	N.	N.	—
14	63.15	63.27	63.52	63.31	14.6	12.2	10.0	12.27	NO ₁	SO ₁	E ₁	—	D.	—
15	63.33	63.39	62.02	62.91	14.6	11.8	10.0	12.13	O ₁	N ₁	S ₁	—	N.	Ll.
16	61.58	62.27	62.95	62.27	11.0	7.8	8.4	9.07	—	SO ₁	S ₂	Np.	D.	—
17	63.58	63.64	63.70	63.64	11.4	8.8	9.2	9.80	S ₂	—	—	—	—	—
18	64.02	64.08	63.64	63.91	11.8	9.4	10.4	10.53	S ₁	N ₁	N ₂	—	Np.	Ll.
19	63.77	61.08	64.64	64.16	11.4	10.2	10.0	10.53	O ₁	SE ₁	—	—	—	—
20	63.89	63.52	61.77	63.03	13.0	10.0	9.8	10.93	SE ₂	S ₁	SO ₁	—	D.	N.
21	62.14	62.77	62.77	62.56	10.8	9.4	9.6	9.93	NO ₂	NO ₁	N ₂	—	N.	Ll.
22	57.77	57.15	56.22	57.05	9.2	10.6	10.0	9.93	N ₂	N ₁	N ₁	Ll.	Ll.	—
23	54.04	53.66	53.78	53.83	11.2	10.2	9.4	10.27	N ₁	NE ₂	NO ₁	Np.	N.	—
24	53.72	53.78	57.15	54.88	10.2	9.2	10.8	10.07	N ₂	SE ₂	NO ₁	—	Ll.	Ll.
25	56.28	57.53	60.83	58.22	13.0	11.0	11.0	11.67	NO ₂	NO ₂	—	—	Np.	—
26	56.28	57.53	60.85	58.22	13.0	11.0	11.0	11.67	—	—	—	—	—	—
27	62.58	62.61	60.34	61.85	11.8	10.4	12.8	11.67	O ₁	NO ₁	NO ₂	—	—	N.
28	63.28	59.84	60.91	60.34	13.0	12.6	11.8	12.47	N ₁	NO ₁	O ₂	—	—	Np.
29	61.91	60.91	55.92	59.23	13.2	11.6	11.8	12.30	NO ₂	N ₂	N ₁	—	Ll.	Ll.
30	57.34	57.31	60.53	58.41	12.6	13.0	11.8	12.17	N ₁	NO ₁	N ₁	—	—	N.

MAYO DE 1873.

DÍAS.	BARÓMETRO REDUCIDO a 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	m.	mm.	mm.	o	o	o	o						
1	60.64	61.39	60.84	61.96	13.4	11.6	12.4	12.47	NO	NO	SE	N.	N.	N.
2	60.66	59.41	60.03	60.03	15.2	13.0	11.4	13.29	S	O	NO	Np.	Ll.	—
3	57.97	60.41	61.27	59.88	11.6	11.8	11.4	11.60	N	N	SE	Ll.	Ll.	—
4	63.33	61.89	62.08	62.43	12.8	10.0	11.0	11.27	SE	S	NO	Np.	Np.	—
5	62.02	62.46	62.70	62.39	12.0	11.0	9.0	10.67	N	O	SE	N.	—	—
6	61.96	62.64	58.65	61.08	11.8	10.0	11.2	11.00	E	—	N	—	—	Ll.
7	58.53	59.59	59.59	59.24	11.4	10.4	11.6	11.13	—	NO	N	—	—	N.
8	59.53	54.54	55.65	56.91	11.0	11.0	11.0	11.00	N	N	N	Ll.	Ll.	Np.
9	59.15	61.64	62.64	61.14	11.2	10.0	10.0	10.40	NO	NO	—	Ll.	Ll.	N.
10	62.64	62.64	62.52	62.60	10.4	10.8	12.0	11.07	N	N	—	Ll.	Ll.	—
11	62.46	62.39	62.33	62.39	12.0	11.6	11.6	11.73	—	—	O	—	—	N.
12	62.39	62.58	62.77	62.58	11.4	9.8	10.0	10.40	NO	NO	O	Np.	Np.	Np.
13	62.20	60.71	59.83	60.91	10.0	9.8	9.6	9.80	N	N	O	N.	—	—
14	59.15	59.77	59.65	59.52	10.2	9.4	10.0	9.87	NO	NO	N	—	—	—
15	59.65	60.65	61.15	60.48	10.6	10.6	10.2	10.33	O	N	O	—	—	N.
16	61.15	61.64	61.64	61.48	10.6	10.8	10.4	10.69	NO	NO	E	Np.	—	—
17	62.14	60.59	54.42	59.05	11.4	11.0	11.2	11.20	N	N	NO	—	—	Np.
18	58.59	59.09	59.59	59.09	11.8	10.2	11.4	11.13	O	NO	—	Np.	—	—
19	58.59	56.58	56.34	57.15	11.4	10.8	12.8	11.67	N	N	—	N.	Ll.	—
20	56.41	59.53	52.92	56.19	12.2	10.6	13.2	12.00	NO	—	N	Np.	—	Ll.
21	52.79	52.73	52.42	52.65	13.4	10.8	11.4	11.87	N	NO	NO	N.	—	Ll.
22	50.55	51.29	61.27	54.37	10.0	9.8	9.8	9.87	NO	—	—	—	N.	—
23	51.29	51.78	62.89	55.32	9.8	10.0	8.6	9.47	—	—	—	Np.	—	—
24	53.78	56.96	59.52	56.75	10.0	7.0	7.8	8.27	—	S	O	—	Ll.	Ll.
25	59.27	58.27	54.78	57.44	9.6	8.0	8.0	8.53	S	NE	NE	—	Np.	Ll.
26	51.72	51.42	51.11	51.42	12.0	11.4	11.6	11.67	NE	N	O	Ll.	Ll.	Np.
27	50.79	53.90	60.77	55.15	9.8	8.0	8.4	8.73	O	NO	—	Ll.	Ll.	Np.
28	60.71	60.77	60.33	60.60	9.2	9.0	9.2	9.13	N	—	—	Ll.	—	Np.
29	60.77	61.89	61.89	61.52	9.2	7.0	7.0	7.73	O	SO	—	Np.	—	N.
30	62.89	62.51	60.59	62.00	8.0	7.4	11.0	8.80	E	E	N	N.	Ll.	Ll.
31	58.53	56.91	55.29	56.91	11.6	11.0	11.8	11.47	N	N	—	—	—	Ll.

JUNIO DE 1873.

1	52.42	50.55	50.43	50.97	11.4	11.2	12.2	11.60	N	NE	N	Ll.	Ll.	N.
2	50.49	50.43	44.37	49.10	12.2	11.4	12.4	12.00	N	NE	N	Ll.	—	Np.
3	51.35	56.97	50.11	52.81	12.4	11.0	11.0	11.47	N	O	N	—	—	Np.
4	53.67	58.77	61.27	57.94	11.2	8.0	8.0	9.07	—	N	S	—	—	N.
5	61.70	61.89	61.95	61.85	9.0	9.0	8.8	8.93	—	N	N	—	—	N.
6	61.02	62.01	64.14	62.39	7.6	6.0	6.0	6.53	—	S	SO	—	—	Np.
7	63.89	64.01	63.95	63.95	7.0	7.6	7.6	7.40	S	—	—	—	—	N.
8	63.89	63.89	63.51	63.76	7.4	7.0	6.4	6.93	—	—	NE	—	D.	Ll.
9	61.52	60.64	62.95	61.70	8.4	7.6	7.0	7.67	—	N	S	Ll.	Np.	Np.
10	62.89	63.39	63.51	63.26	9.2	8.0	7.6	8.27	SO	—	E	N.	N.	N.
11	63.83	63.77	63.14	63.58	8.8	8.2	10.2	9.07	O	N	NO	Np.	Np.	D.
12	62.20	61.52	62.70	62.14	10.2	10.0	8.4	9.53	N	N	S	Ll.	Ll.	Np.
13	62.64	63.93	63.43	63.35	10.0	6.0	7.6	7.87	NO	SO	—	Np.	—	N.
14	63.83	63.83	64.01	63.89	9.0	7.8	5.4	7.40	O	—	O	—	—	N.
15	63.51	64.01	64.26	63.98	6.8	6.0	6.4	6.40	—	S	—	—	—	Np.
16	63.51	61.89	60.64	62.01	8.6	7.0	7.0	7.53	SE	—	SE	—	D.	Ll.
17	59.77	60.02	58.02	59.27	9.6	7.6	8.8	8.67	N	N	N	N.	N.	Ll.
18	55.34	55.84	59.83	57.00	8.8	8.4	8.8	8.67	NE	N	NE	Ll.	Ll.	—
19	55.28	55.28	52.66	54.41	10.4	10.4	10.0	10.27	N	E	NE	—	—	N.
20	51.17	51.66	52.54	51.79	10.8	11.0	9.4	10.40	NE	N	N	—	—	Np.
21	53.60	52.72	53.54	53.29	11.6	10.6	11.6	11.27	N	—	N.	Ll.	Ll.	Np.
22	53.66	53.48	53.46	53.53	11.4	11.4	11.4	11.40	NE	N	—	Ll.	Ll.	—
23	51.66	50.79	48.85	50.43	10.0	9.6	7.6	9.07	—	NE	N	Ll.	Ll.	N.
24	47.85	47.47	46.91	47.41	9.6	10.6	8.8	9.67	NO	N	NO	Np.	N.	—
25	46.91	47.03	54.90	49.61	8.6	8.8	8.6	8.67	NO	NO	—	N.	—	Np.
26	56.83	57.77	57.65	57.75	10.0	10.0	8.8	9.60	—	N	N	—	—	N.
27	56.53	56.65	54.72	55.97	11.4	10.8	10.0	10.73	—	N	N	Ll.	Ll.	Ll.
28	53.66	53.66	53.78	53.70	10.0	10.2	8.8	9.67	—	N	N	Ll.	Ll.	—
29	53.78	53.84	61.95	56.52	9.4	8.4	7.2	8.33	—	N	S	Ll.	Ll.	Ll.
30	62.27	64.39	64.64	63.77	9.2	7.8	5.4	7.47	S	S	—	Np.	Np.	—

JULIO DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	°	°	°	°						
1	64.33	64.51	64.26	64.37	8.0	7.0	6.0	7.00	S ₁	S ₁	S ₁	Np.	D.	D.
2	63.95	63.95	64.01	63.97	7.8	7.4	6.6	7.27	—	N ₁	SE ₁	Np.	N.	N.
3	63.89	64.57	63.89	64.12	8.4	8.2	8.6	8.40	N ₂	SO ₂	—	Np.	Np.	Np.
4	64.34	64.30	64.01	64.25	8.0	7.6	7.6	7.73	SO ₁	SO ₁	—	—	—	—
5	64.33	63.83	64.01	64.06	8.0	7.5	7.6	7.70	O ₁	—	O ₁	—	—	—
6	63.89	63.95	64.01	63.95	9.0	7.2	6.4	7.53	—	S ₁	SE ₁	—	D.	—
7	63.83	63.89	61.57	63.10	8.5	7.4	7.8	7.97	SO ₁	—	SE ₂	—	Np.	Ll.
8	58.90	59.46	61.64	60.00	8.8	7.4	6.0	7.40	NO ₁	NO ₁	O ₁	Ll.	Ll.	Np.
9	62.39	64.01	63.64	63.35	9.0	7.4	6.0	7.47	O ₁	O ₁	NE ₂	Np.	Np.	N.
10	58.90	58.40	57.40	58.23	8.6	8.6	8.2	8.47	E ₁	N ₂	O ₁	N.	Ll.	—
11	57.33	56.96	58.52	57.60	9.0	6.8	6.8	7.53	O ₁	S ₁	SO ₁	Np.	D.	D.
12	59.46	63.01	63.88	62.12	7.0	6.0	5.4	6.13	S ₁	—	S ₁	D.	N.	Np.
13	62.51	61.89	59.65	61.35	7.8	9.0	10.6	9.13	N ₂	N ₂	NO ₂	D.	Ll.	Ll.
14	59.59	60.15	60.15	59.93	10.2	10.4	10.4	10.33	—	N ₂	N ₂	Ll.	N.	—
15	60.15	59.15	57.77	59.02	10.4	10.8	9.4	10.20	—	NO ₂	N ₁	—	Ll.	—
16	56.71	55.60	55.53	59.95	10.6	10.4	6.0	9.00	—	N ₂	NO ₂	—	—	Np.
17	55.03	55.27	61.14	57.15	7.0	5.4	7.8	6.73	NO ₂	NO ₁	—	Np.	Np.	—
18	61.02	61.52	61.64	61.39	8.2	6.8	5.0	6.67	—	NO ₂	S ₁	—	—	—
19	60.96	61.02	61.14	61.04	7.8	7.4	6.8	7.33	SO ₁	—	—	—	—	—
20	61.02	61.58	62.76	61.79	7.4	6.0	5.4	6.27	O ₁	SO ₁	E ₁	—	D.	N.
21	62.95	62.20	62.20	62.45	7.2	6.2	6.0	6.47	N ₁	SE ₂	—	Np.	Ll.	Ll.
22	60.64	57.27	57.15	58.35	8.0	9.8	9.8	9.20	N ₁	N ₂	NO ₂	Np.	Ll.	D.
23	57.52	57.64	59.26	58.14	8.5	5.6	7.0	7.03	NO ₂	—	O ₂	N.	N.	D.
24	60.46	62.51	62.14	61.70	8.0	7.0	6.4	7.13	O ₂	NO ₂	—	Np.	Np.	N.
25	62.01	63.64	64.20	63.28	8.4	6.4	6.8	7.20	NO ₂	—	—	N.	N.	N.
26	64.01	64.01	63.51	63.84	7.2	7.8	7.8	7.60	O ₁	N ₂	N ₂	Np.	N.	N.
27	62.45	60.02	54.03	58.83	8.2	7.0	7.6	7.60	N ₁	NO ₁	—	N.	Ll.	—
28	50.53	48.29	48.79	49.20	8.4	9.6	8.8	8.93	N ₂	N ₂	NO ₂	Ll.	N.	—
29	48.79	48.79	48.35	48.64	10.0	8.8	9.8	9.53	—	N ₁	NE ₂	N.	Ll.	—
30	48.23	47.79	47.79	47.94	10.6	9.2	10.0	9.93	NE ₂	NE ₂	N ₂	Np.	N.	—
31	48.29	48.29	45.42	47.33	10.2	9.0	8.8	9.31	NO ₂	NE ₂	NE ₂	N.	—	Ll.

AGOSTO DE 1873.

1	45.30	41.92	41.92	43.05	9.2	9.0	8.2	8.80	NO ₂	NO ₂	NO ₂	Ll.	N.	Ll.
2	41.92	42.16	42.72	42.27	8.0	6.6	5.6	6.73	NO ₂	—	NO ₁	Np.	Np.	Np.
3	42.66	64.32	56.33	54.41	7.0	5.2	5.4	5.87	—	—	—	—	—	—
4	59.02	61.70	61.64	60.79	7.8	6.0	7.8	7.20	—	O ₁	NO ₁	—	—	—
5	61.58	62.51	63.20	62.43	7.6	7.0	6.2	6.93	SE ₁	NE ₂	S ₁	—	N.	D.
6	63.39	52.46	64.14	60.00	9.0	6.4	6.0	7.13	S ₁	SE ₂	—	Np.	Np.	Np.
7	63.89	63.95	64.01	63.95	9.2	7.0	7.6	7.93	SE ₂	E ₁	NE ₂	—	D.	N.
8	63.95	63.95	63.95	63.95	8.2	8.4	8.8	8.53	N ₂	—	NE ₁	—	N.	Np.
9	68.77	68.83	63.51	63.70	10.2	7.8	8.0	8.67	S ₁	S ₁	N ₂	Np.	D.	N.
10	63.39	63.89	60.77	62.68	8.4	9.0	10.0	9.13	—	N ₂	—	N.	N.	Np.
11	58.77	48.23	45.74	50.91	10.0	10.4	10.4	10.27	—	—	N ₂	—	Ll.	Ll.
12	46.30	56.34	56.34	52.71	9.6	8.8	9.4	9.27	NO ₁	SE ₁	N ₁	—	Ll.	N.
13	53.28	50.73	53.03	52.36	10.4	9.8	7.6	9.27	NE ₂	N ₂	NO ₂	—	Ll.	Ll.
14	54.03	57.76	61.76	57.85	8.4	6.0	6.4	6.93	NO ₂	NO ₁	O ₁	—	N.	Np.
15	62.14	62.76	62.26	62.39	7.4	6.0	7.6	7.00	O ₁	—	—	Np.	—	—
16	62.07	62.14	62.26	62.16	7.8	5.8	6.2	6.60	—	O ₁	—	—	—	D.
17	62.01	62.57	62.88	62.49	8.2	5.4	5.2	6.27	—	S ₁	NO ₁	—	—	Np.
18	66.57	66.57	66.26	66.47	7.8	5.4	6.8	6.67	SO ₁	—	E ₁	—	—	—
19	66.51	66.33	64.20	65.68	8.0	8.6	10.4	9.00	NE ₂	N ₂	N ₂	—	Ll.	—
20	61.77	59.71	56.71	59.40	10.0	10.0	10.0	10.00	N ₂	NO ₂	N ₁	—	N.	—
21	57.27	57.77	59.77	58.27	9.8	9.4	9.8	9.67	NE ₂	NO ₂	N ₂	Np.	N.	—
22	59.77	59.21	58.59	59.19	9.6	10.2	10.6	10.13	N ₂	N ₂	NE ₂	N.	Ll.	—
23	57.65	65.65	58.77	58.02	10.6	10.6	9.6	10.27	NE ₂	N ₂	N ₂	N.	N.	—
24	58.65	62.39	64.51	61.85	9.6	7.6	7.0	8.07	SO ₁	NO ₁	O ₁	Np.	N.	—
25	65.01	65.01	65.26	65.09	7.0	7.0	5.4	6.47	SE ₁	S ₁	S ₂	—	D.	D.
26	65.07	65.14	64.64	64.95	7.8	5.4	7.0	6.73	S ₂	SE ₁	S ₁	—	—	—
27	64.45	64.45	64.51	64.47	9.0	7.0	7.0	7.67	S ₁	S ₁	—	Np.	N.	—
28	64.33	64.51	64.51	64.45	9.6	7.0	8.6	8.40	S ₂	—	—	Np.	N.	—
29	64.33	64.89	63.57	61.26	9.8	6.4	7.0	7.73	SE ₁	—	—	—	D.	—
30	61.89	62.83	60.83	61.83	8.0	7.0	9.6	8.20	O ₁	N ₂	N ₂	—	N.	—
31	61.77	63.89	61.91	63.22	10.0	7.4	7.8	8.10	SO ₂	NO ₂	NO ₂	—	—	—

SETIEMBRE DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	64.27	64.33	64.27	64.29	10.6	9.0	10.0	9.17	NO ₂	NO ₂	NO ₂	Np.	Np.	Np.
2	64.33	58.90	57.27	60.17	6.8	9.0	10.0	8.69	SO ₁	N ₂	N ₂	Np.	Np.	Np.
3	57.21	57.77	57.77	57.58	10.0	10.0	10.0	10.60	N ₂	N ₂	NO ₂	Np.	Np.	Np.
4	58.21	58.15	59.77	58.71	10.2	10.0	10.2	10.13	NO ₂	N ₂	N ₂	Np.	Np.	Np.
5	59.15	59.15	57.71	58.67	11.0	10.0	11.6	10.87	N ₂	N ₂	N ₂	Np.	Np.	Np.
6	56.65	55.72	58.27	56.88	11.0	8.6	10.2	9.13	NE ₂	NO ₂	NO ₂	Np.	Np.	Np.
7	58.71	57.77	51.23	55.90	10.2	9.6	10.0	9.53	N ₂	NE ₂	N ₂	Np.	Np.	Np.
8	50.78	51.47	57.96	58.39	7.4	8.0	8.6	8.60	O ₂	N ₂	NO ₂	Np.	Np.	Np.
9	57.96	59.40	58.40	58.59	9.2	9.2	9.2	9.10	N ₂	NO ₂	N ₂	Np.	Np.	Np.
10	56.78	54.96	57.76	56.17	13.0	8.8	7.0	8.60			O ₂	Np.	Np.	Np.
11	61.48	65.70	65.64	64.27	8.6	6.4	7.6	7.53	O ₂	O ₁	O ₂	Np.	Np.	Np.
12	65.95	65.83	65.83	65.87	8.4	9.2	9.6	9.07	NE ₂		NO ₂	Np.	Np.	Np.
13	67.20	67.32	66.82	67.11	9.8	9.2	9.6	9.53	O ₁	O ₂	N ₂	Np.	Np.	Np.
14	67.20	67.32	66.70	67.07	9.6	9.4	10.4	9.80	NO ₂	N ₂	N ₂	Np.	Np.	Np.
15	66.91	55.22	63.89	62.01	12.0	9.4	8.2	9.87	O ₁	SO ₂	N ₂	Np.	Np.	Np.
16	61.70	62.33	61.70	61.91	10.0	8.6	11.0	9.87	O ₂	O ₁	SO ₁	Np.	Np.	Np.
17	61.89	61.40	60.96	61.42	13.2	8.4	8.8	10.13	O ₁	N ₂	N ₂	Np.	Np.	Np.
18	59.40	59.33	58.27	59.06	9.2	9.0	10.0	9.49	N ₂	N ₂	N ₂	Np.	Np.	Np.
19	58.59	58.77	57.27	58.21	9.8	9.8	10.0	9.87	N ₂	N ₂	NO ₂	Np.	Np.	Np.
20	57.27	57.77	61.83	58.79	9.0	8.6	10.0	9.29	NO ₁	E ₁	SO ₁	Np.	Np.	Np.
21	61.83	63.27	62.77	62.62	9.6	9.0	10.2	9.69	NE ₁	S ₁	N ₂	Np.	Np.	Np.
22	62.64	63.39	54.03	60.02	10.8	7.8	8.8	9.19	SO ₁	O ₁	O ₁	Np.	Np.	Np.
23	62.89	63.51	61.40	62.60	10.4	8.0	8.8	9.07	NO ₂	SO ₂	NE ₂	Np.	Np.	Np.
24	59.77	58.71	53.28	57.25	9.8	10.0	10.4	10.07	N ₂	N ₂	N ₂	Np.	Np.	Np.
25	52.78	56.46	52.96	54.07	10.2	9.2	9.8	7.73	NO ₂		NO ₂	Np.	Np.	Np.
26	52.90	53.03	57.02	51.33	9.2	7.6	7.6	8.13	NO ₂	NO ₂	NO ₂	Np.	Np.	Np.
27	60.46	53.59	62.01	58.63	8.6	7.0	7.0	7.53	O ₂		N ₂	Np.	Np.	Np.
28	56.77	54.16	54.34	55.09	9.6	10.4	9.6	9.87	NE ₂	N ₂	N ₂	Np.	Np.	Np.
29	53.78	52.90	53.03	53.24	9.6	8.0	8.8	9.80	N ₂	N ₂	NO ₂	Np.	Np.	Np.
30	53.53	58.14	60.96	57.54	7.0	6.4	9.0	7.44	NO ₂	O ₂	N ₂	Np.	Np.	Np.

OCTUBRE DE 1873.

1	61.33	61.02	59.02	60.46	9.6	8.6	7.6	8.60	N ₂	N ₁	N ₂	Np.	Np.	Np.
2	58.84	54.39	53.77	54.07	9.8	6.2	6.6	7.53	NE ₂	SO ₂	O ₂	Np.	Np.	Np.
3	58.65	56.39	56.53	55.52	9.6	8.4	7.0	7.53	O ₂	SO ₂	O ₂	Np.	Np.	Np.
4	56.16	65.01	61.01	61.72	7.4	6.4	8.2	7.53	NO ₂	S ₁	O ₂	Np.	Np.	Np.
5	64.89	64.95	64.77	64.87	9.8	8.0	11.4	9.75	N ₂	N ₂	N ₂	Np.	Np.	Np.
6	64.77	64.77	64.89	64.81	11.6	9.0	9.6	10.67	N ₂	S ₁	N ₂	Np.	Np.	Np.
7	62.77	60.77	64.89	61.81	9.6	9.6	10.0	9.75	N ₂	N ₂	N ₂	Np.	Np.	Np.
8	62.27	68.64	64.83	63.91	8.6	9.6	10.2	9.47	NO ₂	SO ₁	O ₁	Np.	Np.	Np.
9	62.58	62.64	60.71	61.98	18.6	19.8	12.0	13.47				Np.	Np.	Np.
10	60.53	60.71	60.77	60.67	11.8	10.4	11.0	11.07	O ₁	O ₂		Np.	Np.	Np.
11	60.53	61.27	61.46	61.09	12.0	8.4	8.0	9.75	O ₂	O ₁	S ₂	Np.	Np.	Np.
12	62.27	62.33	66.01	63.54	10.5	8.4	8.0	9.17	NO ₁	N ₂		Np.	Np.	Np.
13	65.77	66.39	66.27	66.14	10.8	8.8	6.2	8.60		O ₁	S ₁	Np.	Np.	Np.
14	65.27	66.27	65.27	65.94	11.4	8.6	11.2	10.40				Np.	Np.	Np.
15	68.39	63.58	61.70	62.89	13.6	17.6	12.0	12.40	N ₂		S ₁	Np.	Np.	Np.
16	61.52	61.89	60.93	61.15	14.8	10.6	12.4	12.69	SO ₂	S ₁		Np.	Np.	Np.
17	59.91	61.64	62.64	61.49	12.8	10.4	11.2	11.47	N ₂			Np.	Np.	Np.
18	68.27	63.64	63.27	63.39	9.8	10.0	9.4	9.73	NO ₁	N ₂	NO ₂	Np.	Np.	Np.
19	63.14	63.58	63.64	63.45	11.6	11.0	12.0	11.53	N ₂	NO ₁	O ₂	Np.	Np.	Np.
20	63.52	63.64	63.70	63.62	12.6	13.8	12.2	11.56	N ₂	N ₂	O ₂	Np.	Np.	Np.
21	62.46	62.77	58.71	61.31	11.0	10.0	10.4	10.47	N ₂	N ₂	O ₂	Np.	Np.	Np.
22	55.69	51.66	48.85	52.04	11.0	10.0	9.8	10.59	N ₂	N ₂	O ₂	Np.	Np.	Np.
23	48.85	49.03	53.03	50.50	10.0	7.4	7.6	8.53	N ₂	N ₂	O ₂	Np.	Np.	Np.
24	56.46	60.46	60.90	59.27	10.0	8.0	9.4	9.13	N ₂	N ₂	O ₂	Np.	Np.	Np.
25	60.90	63.89	64.89	63.23	10.4	8.0	11.0	9.80	N ₂	NO ₂	O ₂	Np.	Np.	Np.
26	64.77	65.20	64.83	64.93	11.6	8.8	11.4	10.60	N ₂	SO ₁	O ₂	Np.	Np.	Np.
27	64.58	64.77	64.77	64.74	13.4	9.8	11.8	11.60	O ₂	SO ₁	S ₁	Np.	Np.	Np.
28	68.89	63.14	63.77	63.60	15.0	8.4	9.6	11.07	N ₂			Np.	Np.	Np.
29	64.64	63.85	63.83	64.10	10.0	8.2	12.2	10.13	N ₂	E ₁	O ₂	Np.	Np.	Np.
30	68.58	63.64	64.27	63.83	13.6	10.0	10.8	11.47				Np.	Np.	Np.
31	64.02	63.64	63.58	63.75	13.0	10.0	13.2	12.07				Np.	Np.	Np.

NOVIEMBRE DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍ- GRADO.					VIENTOS.			ESTADO ATMOSFÉR.		
	2 1/2 h.	9 h.	21 h.	Med.	2 1/2 h.	9 h.	21 h.	Med	Mín	2 1/2 h.	9 h.	21 h.	2 1/2 G.	9 h.	21 S.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	o						
1	68.46	63.52	63.64	63.54	13.2	11.2	12.2	12.2	11.0	O.	O.	O.	Np.	Nl.	Np.
2	63.52	63.64	63.64	63.60	12.6	11.4	11.6	11.9	10.9	O.	O.	O.	Np.	Nl.	Np.
3	63.96	63.83	64.02	63.94	13.0	11.0	13.6	13.5	13.5	O.	O.	O.	Np.	Nl.	Np.
4	63.64	63.96	63.02	63.54	13.6	11.0	13.2	12.2	12.0	O.	O.	O.	Np.	Nl.	Np.
5	63.39	64.44	63.64	63.92	11.8	11.6	13.2	12.2	12.0	O.	O.	O.	Np.	Nl.	Np.
6	63.27	63.39	61.58	62.41	12.8	11.0	16.2	11.8	11.0	O.	O.	O.	Np.	Nl.	Np.
7	59.72	60.78	60.41	60.30	16.8	12.2	14.0	14.3	13.3	O.	O.	O.	Np.	Nl.	Np.
8	59.54	59.84	58.97	59.28	13.8	11.6	13.2	12.9	12.5	O.	O.	O.	Np.	Nl.	Np.
9	59.22	59.63	59.41	59.42	14.2	11.2	12.6	11.8	11.0	O.	O.	O.	Np.	Nl.	Np.
10	59.91	60.97	61.64	60.84	13.6	11.4	11.8	12.3	11.0	O.	O.	O.	Np.	Nl.	Np.
11	61.46	61.59	62.14	61.78	12.8	11.0	11.6	11.8	10.5	O.	O.	O.	Np.	Nl.	Np.
12	62.02	58.97	62.52	61.17	12.6	11.6	12.2	12.1	11.0	O.	O.	O.	Np.	Nl.	Np.
13	62.89	53.59	63.25	63.33	13.8	10.2	11.6	11.9	11.0	O.	O.	O.	Np.	Nl.	Np.
14	63.21	63.64	62.27	62.94	13.6	11.0	13.6	12.7	12.0	O.	O.	O.	Np.	Nl.	Np.
15	62.83	63.03	62.52	62.79	11.8	11.0	13.2	13.0	14.0	O.	O.	O.	Np.	Nl.	Np.
16	62.33	62.41	62.46	62.40	13.8	13.6	11.0	12.8	10.0	O.	O.	O.	Np.	Nl.	Np.
17	62.39	63.03	63.08	62.83	12.0	10.6	11.0	11.2	11.0	O.	O.	O.	Np.	Nl.	Np.
18	63.02	63.03	62.46	62.84	11.0	11.2	11.4	11.2	11.5	O.	O.	O.	Np.	Nl.	Np.
19	62.46	61.53	57.52	60.60	10.6	11.6	10.8	11.0	9.0	O.	O.	O.	Np.	Nl.	Np.
20	62.02	61.53	61.64	61.73	11.4	10.4	11.6	11.1	10.0	O.	O.	O.	Np.	Nl.	Np.
21	62.46	60.03	60.63	60.84	13.8	10.8	12.8	12.5	11.0	O.	O.	O.	Np.	Nl.	Np.
22	59.91	60.59	60.47	60.32	12.8	9.8	12.0	11.5	11.0	O.	O.	O.	Np.	Nl.	Np.
23	60.34	61.47	60.97	60.93	13.0	11.0	13.5	12.5	11.5	O.	O.	O.	Np.	Nl.	Np.
24	60.34	60.91	58.97	60.07	14.0	11.8	11.6	12.5	10.0	O.	O.	O.	Np.	Nl.	Np.
25	58.97	59.75	62.27	60.33	11.6	10.0	11.2	10.9	10.0	O.	O.	O.	Np.	Nl.	Np.
26	63.64	64.71	64.59	64.31	12.6	9.8	12.0	11.5	10.3	O.	O.	O.	Np.	Nl.	Np.
27	64.59	62.77	60.09	62.48	12.8	10.0	12.5	11.8	10.0	O.	O.	O.	Np.	Nl.	Np.
28	61.53	64.28	62.47	62.76	13.0	11.8	11.8	12.2	10.0	O.	O.	O.	Np.	Nl.	Np.
29	60.41	61.53	61.59	61.18	13.4	11.8	14.0	13.1	13.5	O.	O.	O.	Np.	Nl.	Np.
30	60.91	59.59	58.47	59.60	14.8	12.0	12.0	12.9	10.5	O.	O.	O.	Np.	Nl.	Np.

DICIEMBRE DE 1873.

1	57.91	57.97	65.89	60.59	13.6	11.6	12.4	12.5	11.0	N.	N.	N.	Np.	N.	N.
2	57.59	61.21	62.70	60.50	11.4	10.8	12.6	11.6	11.5	N.	N.	N.	Np.	N.	N.
3	62.53	63.64	62.64	62.94	15.0	10.4	12.8	12.7	12.0	O.	O.	O.	Np.	N.	Np.
4	61.41	60.09	56.46	58.93	13.8	10.6	14.2	12.9	14.0	O.	SE.	O.	Np.	D.	Np.
5	58.41	58.64	75.46	57.50	14.4	10.4	11.0	12.5	14.0	O.	N.	O.	Np.	N.	Np.
6	55.91	56.03	55.96	55.63	13.4	10.6	11.8	11.9	10.5	O.	O.	O.	Np.	N.	Np.
7	56.03	56.03	55.96	56.01	11.6	10.8	11.6	11.3	11.5	O.	O.	O.	Np.	N.	Np.
8	55.97	53.48	49.11	52.85	12.2	12.2	11.2	11.9	11.0	N.	NO.	O.	Np.	N.	Np.
9	48.11	49.79	59.65	52.52	11.6	9.6	12.0	10.7	11.0	O.	O.	O.	Np.	N.	Np.
10	59.59	60.15	59.53	59.73	10.8	10.8	12.6	11.4	11.5	O.	O.	O.	Np.	Np.	N.
11	60.91	61.59	61.57	61.36	14.2	10.8	12.0	12.3	10.0	O.	O.	O.	Np.	Np.	N.
12	61.91	62.59	58.65	61.03	14.8	10.6	12.0	12.5	11.0	NE.	O.	O.	Np.	Np.	N.
13	53.23	53.10	53.66	53.33	18.0	11.4	11.0	11.8	10.0	N.	O.	O.	Np.	Np.	Np.
14	53.54	53.60	53.78	53.64	12.4	10.0	11.6	11.9	10.5	N.	O.	O.	Np.	Np.	Np.
15	53.54	53.65	64.16	53.78	12.2	9.4	12.6	11.7	11.5	O.	O.	O.	Np.	Np.	Np.
16	58.34	59.42	58.53	58.76	14.8	11.0	11.8	12.5	10.0	O.	O.	O.	Np.	Np.	Np.
17	63.64	66.38	66.45	65.49	12.6	11.2	13.8	12.5	12.5	O.	O.	O.	Np.	Np.	Np.
18	65.15	66.26	66.32	65.91	15.0	13.0	15.2	14.4	14.0	O.	O.	O.	Np.	Np.	Np.
19	66.02	66.34	66.51	66.29	16.4	13.5	13.0	14.3	12.0	O.	O.	O.	Np.	Np.	Np.
20	65.15	64.77	64.77	64.89	15.6	12.0	14.2	13.9	13.0	O.	O.	O.	Np.	Np.	Np.
21	64.77	64.77	64.46	64.67	13.0	10.8	13.0	13.6	12.0	O.	O.	O.	Np.	Np.	Np.
22	64.15	64.46	64.70	64.44	14.4	10.8	10.8	11.9	10.0	O.	O.	O.	Np.	Np.	Np.
23	64.96	64.52	65.27	64.92	13.0	10.6	14.0	12.5	13.5	O.	O.	O.	Np.	Np.	Np.
24	61.41	61.61	61.83	61.46	13.0	10.6	14.0	12.5	13.5	NO.	O.	O.	Np.	Np.	Np.
25	60.97	54.76	54.42	56.72	13.0	11.0	13.6	12.5	12.5	O.	NO.	O.	Np.	Np.	Np.
26	55.42	55.54	55.78	55.58	13.0	12.0	10.8	11.9	10.0	O.	O.	O.	Np.	Np.	Np.
27	54.54	54.75	54.54	54.61	12.8	11.6	11.5	12.3	10.5	O.	O.	O.	Np.	Np.	Np.
28	54.42	54.54	55.66	54.21	13.0	12.8	11.0	12.3	10.0	O.	O.	O.	Np.	Np.	Np.
29	53.54	53.54	53.42	53.50	12.0	11.6	12.4	12.2	11.0	NO.	O.	O.	Np.	Np.	Np.
30	55.42	56.76	58.65	56.28	12.8	11.4	13.8	12.7	13.0	O.	O.	E.	Np.	Np.	Np.
31	58.42	58.77	58.59	58.94	14.4	10.8	11.0	13.1	13.0	O.	O.	O.	Np.	Np.	Np.

Instrumentos.	MAYO 9 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.16	759.15	760.65	761.64	762.14	762.64	762.52	762.52	761.30
Termómetro centígrado.....	11.2	10.8	10.6	10.0	10.0	9.0	11.0	10.0	10.02
Vientos.....	NO ₂	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁	NO ₁
Estado atmosférico.....	Np.	Np.	N.	N.	N.	N.	N.	N.
MAYO 19 DE 1873.									
Barómetro reducido a 0°.....	759.53	760.09	756.58	756.53	756.65	756.59	756.59	756.34	757.46
Termómetro centígrado.....	11.8	11.4	10.8	10.6	11.0	11.6	12.8	12.8	11.60
Vientos.....	N ₂	N ₂	N ₂	N ₂	N ₂	N ₂	N ₂	NO ₂
Estado atmosférico.....	N.	N.	Ll.	Ll.	Ll.	Ll.	Np.	Np.
MAYO 29 DE 1873.									
Barómetro reducido a 0°.....	760.23	760.77	761.71	761.89	761.83	761.77	762.20	761.89	761.54
Termómetro centígrado.....	9.2	9.2	8.0	7.0	6.8	6.2	6.0	7.0	7.43
Vientos.....	O ₁	O ₁	SO ₁	SO ₁	SO ₁	S ₁	S ₁	SE ₁
Estado atmosférico.....	N.	Np.	N.	N.	Np.	Np.	Np.	N.
JUNIO 8 DE 1873.									
Barómetro reducido a 0°.....	763.83	763.83	763.83	763.89	764.01	764.01	763.51	763.51	763.80
Termómetro centígrado.....	9.0	8.6	8.0	7.0	6.4	6.4	6.6	6.4	7.30
Vientos.....	S ₁	S ₁	S ₁	S ₁	S ₁	S ₁	N ₁	NE ₁
Estado atmosférico.....	D.	D.	D.	D.	Np.	Np.	N.	Ll.
JUNIO 18 DE 1873.									
Barómetro reducido a 0°.....	755.78	755.84	755.78	755.84	755.84	755.90	755.90	755.84	755.84
Termómetro centígrado.....	10.0	8.8	9.0	8.4	8.2	8.6	8.6	8.8	8.80
Vientos.....	N ₂	N ₁	N ₁	N ₁	N ₂	NO ₁	O ₁	NE ₁
Estado atmosférico.....	N.	Ll.	Ll.	N.	N.	N.	Ll.	Ll.
JUNIO 28 DE 1873.									
Barómetro reducido a 0°.....	734.72	734.66	733.66	733.66	733.66	733.66	733.78	733.78	733.95
Termómetro centígrado.....	10.4	10.8	11.0	10.2	9.8	9.0	8.6	8.8	9.83
Vientos.....	N ₂	N ₁	N ₁	N ₁	N ₁	N ₁	N ₁	N.
Estado atmosférico.....	N.	N.	N.	N.	N.	N.	N.	Ll.

Instrumentos.	JULIO 8 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	759.52	758.90	759.38	759.46	760.02	760.08	760.64	761.61	759.95
Termómetro centígrado.....	8.2	8.8	8.4	7.4	6.8	6.0	5.4	6.0	7.13
Vientos.....	Ns	NO ₁	NO ₁	NO ₁	O ₁	O ₁	O ₁	O ₁	O ₁
Estado atmosférico.....	Ll.	Ll.	Np.	Ll.	Np.	Np.	Np.	Np.
JULIO 18 DE 1873.									
Barómetro reducido a 0°.....	761.14	761.02	761.46	761.52	761.52	761.64	761.76	761.64	761.46
Termómetro centígrado.....	7.6	8.2	7.4	6.8	6.2	6.0	5.4	5.0	6.58
Vientos.....	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₁	SO ₁	SE ₁
Estado atmosférico.....	Np.	Np.	N.	Np.	N.	N.	Np.	Np.
JULIO 28 DE 1873.									
Barómetro reducido a 0°.....	750.53	750.08	748.85	748.29	748.29	748.79	748.73	747.35	748.86
Termómetro centígrado.....	8.4	8.6	9.4	9.6	9.8	10.0	10.0	9.8	9.38
Vientos.....	N ₂	N ₂	N ₂	N ₂	N ₂	NO ₂	N ₂	NE ₂
Estado atmosférico.....	Ll.	Ll.	Ll.	N.	N.	Np.	N.	N.
AGOSTO 7 DE 1873.									
Barómetro reducido a 0°.....	764.01	763.89	763.83	763.93	763.95	764.01	764.01	764.01	763.96
Termómetro centígrado.....	9.2	9.0	7.6	7.0	7.0	6.8	6.8	7.6	7.68
Vientos.....	SE ₁	SE ₂	E ₂	D.	NE ₂	SE ₂	SE ₂	NE ₂
Estado atmosférico.....	Np.	Np.	Np.	B.	N.	N.	N.	N.
AGOSTO 17 DE 1873.									
Barómetro reducido a 0°.....	762.30	762.01	762.57	762.57	762.76	762.82	762.94	762.88	762.59
Termómetro centígrado.....	7.8	8.8	6.4	5.4	4.4	4.0	3.6	5.2	5.70
Vientos.....	O ₁	O ₁	O ₁	S ₁	S ₁	O ₁	O ₁	SO ₁
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	D.	D.	Np.
AGOSTO 27 DE 1873.									
Barómetro reducido a 0°.....	764.45	764.89	764.88	764.45	764.51	764.51	764.51	764.51	764.46
Termómetro centígrado.....	9.0	8.6	7.6	7.0	5.2	5.6	6.0	7.0	7.0
Vientos.....	S ₁	S ₂	S ₁	S ₁	S ₁	S ₁	S ₁	S ₁
Estado atmosférico.....	Np.	Np.	Np.	N.	Np.	D.	D.	D.

Instrumentos.	SETIEMBRE 6 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	757.15	755.66	755.66	755.72	756.28	756.77	757.40	758.27	756.61
Termómetro centígrado.....	11.4	10.8	8.8	8.6	9.4	9.2	9.0	10.2	9.68
Vientos.....	NEs	NEs	Nz	NOz	NOz	SOz	SOz	SOz
Estado atmosférico.....	Np.	Ll.	Ll.	N.	N.	Np.	Np.	Np.
SETIEMBRE 16 DE 1873.									
Barómetro reducido a 0°.....	762.77	762.77	762.20	762.38	762.33	763.83	761.70	761.70	762.43
Termómetro centígrado.....	10.0	10.0	9.0	8.6	8.6	8.8	9.5	11.0	9.44
Vientos.....	Oz	Oz	Oz	Oz	SOz	SOz	SOz	SOz
Estado atmosférico.....	Np.	Np.	N.	N.	N.	N.	N.	Np.
SETIEMBRE 26 DE 1873.									
Barómetro reducido a 0°.....	752.90	752.90	752.96	753.03	753.03	754.27	754.15	756.77	753.73
Termómetro centígrado.....	10.2	9.2	8.2	7.6	7.6	6.0	6.2	7.6	7.83
Vientos.....	NOz	NOz	NOz	NOz	NOz	NOz	NOz	NOz
Estado atmosférico.....	Np.	Np.	Np.	Ll.	Np.	Np.	Np.	N.
OCTUBRE 6 DE 1873.									
Barómetro reducido a 0°.....	764.77	764.77	764.14	764.77	764.33	764.83	764.95	764.89	764.74
Termómetro centígrado.....	11.4	11.4	9.6	9.0	8.8	8.8	8.6	9.6	9.65
Vientos.....	Oz	Oz	Oz	Si	Nz	Nz	Nz	Nz
Estado atmosférico.....	Np.	Np.	Np.	Np.	N.	Np.	Np.	N.
OCTUBRE 16 DE 1873.									
Barómetro reducido a 0°.....	764.68	761.46	763.77	761.89	761.52	760.65	760.21	760.03	761.76
Termómetro centígrado.....	7.6	15.2	12.0	10.6	10.0	9.0	9.8	12.4	10.83
Vientos.....	Si	SOz	SOz	Si	Si	Si	Si	Si
Estado atmosférico.....	D.	D.	D.	D.	Np.	D.	D.	D.
OCTUBRE 26 DE 1873.									
Barómetro reducido a 0°.....	764.89	764.77	764.70	765.20	765.33	764.89	764.89	764.89	761.24
Termómetro centígrado.....	10.6	10.6	9.8	8.8	7.8	7.4	7.6	11.4	9.25
Vientos.....	Oz	Oz	SOz	SOz	SOz	SOz	Si	Si
Estado atmosférico.....	Np.	Np.	D.	D.	D.	Np.	D.	D.

Instrumentos.	DICIEMBRE 25 DE 1873.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 761.28	mm. 760.84	mm. 755.16	mm. 754.86	mm. 754.72	mm. 754.72	mm. 754.66	mm. 754.54	mm. 756.32
Termómetro centígrado.....	o 13.0	o 10.5	o 10.0	o 11.0	o 10.0	o 9.5	o 10.0	o 13.6	o 10.9
Vientos.....	N.	N.	N.	N.	N.	N.	N.	NO.
Estado atmosférico.....	N.	N.	Np.	Np.	N.	N.	N.	Np.

ENERO DE 1874.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	58.22	64.64	58.41	60.42	15.6	13.2	14.4	14.4	NO.	NO.	NO.	Np.	Np.	Np.
2	58.28	58.34	58.28	58.30	15.8	12.0	14.0	13.9	—	—	—	—	—	—
3	57.77	57.28	58.41	57.82	15.2	12.0	13.8	13.7	O.	O.	—	—	—	N.
4	57.22	58.34	58.28	57.95	14.8	12.2	14.0	13.7	—	—	—	—	—	—
5	58.16	57.28	58.41	57.95	13.8	13.8	15.0	14.2	NO.	—	O.	—	N.	—
6	57.28	59.83	58.91	58.07	15.2	12.0	12.8	13.3	—	N.	O.	—	—	—
7	58.41	58.16	58.53	58.37	14.2	12.2	13.2	13.2	O.	O.	NO.	—	Np.	—
8	58.47	60.03	63.52	60.67	14.3	10.8	13.4	12.8	NO.	—	N.	—	—	—
9	63.33	63.39	63.39	63.37	15.2	11.6	14.0	13.6	O.	SO.	SE.	—	—	—
10	63.27	63.21	62.77	63.08	16.2	12.6	17.0	15.3	S.	O.	N.	Np.	—	D.
11	62.46	62.09	62.89	62.55	18.0	13.0	16.4	15.8	O.	—	S.	—	—	—
12	61.09	63.09	63.02	62.40	18.0	12.4	16.8	15.7	O.	O.	NO.	—	—	—
13	61.96	63.09	62.15	62.40	18.2	12.6	17.3	16.0	S.	—	SE.	—	—	—
14	61.72	61.72	61.40	61.61	21.6	17.6	18.2	19.1	—	S.	O.	—	N.	—
15	61.84	62.02	62.27	6.04	17.3	14.2	16.0	15.8	O.	SO.	O.	—	—	—
16	62.02	62.15	62.15	62.11	16.4	13.8	15.8	15.3	—	—	E.	—	—	—
17	62.02	61.02	58.41	60.48	17.8	14.0	12.0	14.6	O.	—	N.	Np.	—	Li.
18	57.33	57.39	57.46	57.39	13.4	11.8	13.0	12.7	—	NO.	O.	N.	Np.	Np.
19	59.27	61.33	61.71	60.77	15.4	11.2	15.4	14.0	O.	O.	SO.	Np.	—	—
20	61.65	62.27	62.27	62.06	17.0	12.4	15.0	14.8	SO.	S.	NO.	D.	D.	D.
21	62.02	62.02	63.21	62.42	18.2	15.0	18.0	17.1	NO.	SO.	O.	—	—	—
22	62.15	62.15	61.78	62.05	17.0	12.6	17.0	15.5	NO.	O.	—	—	—	—
23	61.65	62.46	62.15	62.09	17.4	14.0	17.0	16.1	O.	—	SO.	—	—	—
24	61.78	62.28	61.78	61.95	20.4	16.2	19.0	18.5	O.	NO.	NO.	—	—	—
25	61.09	61.22	61.83	61.38	22.4	15.0	13.4	16.9	O.	SO.	—	—	—	N.
26	60.80	61.65	51.77	61.41	17.2	12.6	13.4	14.4	O.	—	NE.	Np.	—	—
27	60.85	61.90	62.21	61.65	17.2	14.0	16.4	15.9	O.	NO.	NO.	D.	N.	D.
28	61.65	61.84	61.96	61.82	21.3	17.0	18.8	19.0	SO.	S.	SE.	—	D.	—
29	61.59	61.90	61.96	61.82	22.6	16.2	18.4	19.1	—	—	SE.	—	—	—
30	61.78	62.15	62.77	62.23	16.2	12.0	15.4	14.5	—	O.	S.	—	—	Np.
31	62.15	62.15	62.39	62.23	15.8	13.2	12.5	13.8	NO.	NO.	NE.	Np.	Np.	N

FEBRERO DE 1874.

1	62.02	62.21	62.21	62.15	16.1	13.0	15.0	14.8	O.	SO.	SO.	N.	Np.	Np.
2	62.21	62.15	62.27	62.21	14.8	12.4	11.2	13.8	—	—	—	—	—	—
3	62.02	65.52	62.21	63.25	17.2	13.8	14.8	15.3	SO.	—	S.	—	D.	D.
4	61.90	62.02	62.27	62.04	17.6	14.5	14.2	15.4	N.	—	N.	—	Np.	Np.
5	62.15	61.65	57.16	60.32	14.4	13.0	14.6	14.0	—	N.	NO.	—	Np.	Np.
6	62.27	57.22	60.53	60.31	12.0	12.0	12.4	12.1	NO.	NO.	—	Li.	D.	D.
7	61.77	62.27	52.27	62.10	14.6	12.6	15.4	14.2	—	—	SE.	D.	—	—
8	62.15	62.21	62.15	62.17	15.4	13.4	14.6	14.5	—	SO.	—	N.	D.	D.
9	61.96	62.02	62.15	62.04	17.4	14.8	14.6	15.6	—	O.	NO.	—	—	—
10	61.90	61.96	62.15	62.00	17.0	14.2	16.2	15.8	—	—	E.	—	—	—
11	62.02	61.84	61.90	61.95	17.8	15.2	18.0	16.7	—	—	O.	—	—	—
12	62.02	61.15	61.65	61.61	17.0	17.0	16.2	16.7	—	SO.	O.	—	—	—
13	61.77	61.40	61.40	61.19	18.8	15.2	15.6	16.5	—	O.	S.	—	—	—
14	62.02	61.90	62.09	62.00	17.8	15.2	16.0	16.3	—	O.	E.	—	—	—
15	61.78	61.90	62.15	61.94	19.0	14.0	16.4	16.5	—	S.	S.	—	—	—
16	61.28	61.90	61.02	61.40	18.0	15.0	17.8	16.9	SE.	SO.	—	—	—	—
17	60.29	60.04	59.91	60.08	18.4	14.2	16.8	16.5	SO.	SO.	O.	—	—	—
18	59.79	60.10	60.28	60.02	17.8	13.4	14.6	15.3	—	SO.	SE.	—	—	—
19	60.04	60.10	60.22	60.12	16.2	12.6	14.0	14.3	—	O.	—	—	—	N.
20	60.28	58.91	59.41	59.55	13.0	12.0	12.4	15.8	—	—	NO.	—	—	—
21	59.10	59.34	59.59	59.32	14.6	12.2	11.2	12.7	NO.	N.	N.	—	—	—
22	59.34	59.41	59.41	59.02	12.8	11.8	13.6	12.7	NO.	NO.	—	Np.	Np.	Np.
23	59.28	59.91	59.41	59.20	15.2	12.0	12.8	13.3	—	O.	—	—	—	—
24	59.39	58.84	59.41	59.21	12.8	11.6	13.0	12.5	—	O.	—	—	—	N.
25	60.66	60.84	61.33	60.91	13.0	12.0	13.2	12.7	—	O.	E.	—	D.	D.
26	60.96	61.21	61.27	61.15	13.6	13.0	14.4	13.6	—	SO.	O.	Np.	—	—
27	61.15	60.66	59.22	60.34	16.4	12.8	13.0	14.1	O.	—	NO.	Np.	—	Li.
28	59.16	59.34	59.59	49.56	14.4	11.8	12.4	12.9	—	O.	—	—	—	—

MARZO DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	°	°	°	°						
1	69.34	59.47	63.58	60.80	12.8	16.6	13.0	14.1	O.	O.	O.	N.	N.	D.
2	62.27	59.41	63.14	61.61	14.4	16.0	12.4	14.3	—	—	E.	Np.	—	—
3	62.27	62.33	62.39	62.33	14.8	14.0	13.2	14.0	—	S.	S.	—	D.	—
4	62.39	60.41	58.59	60.46	14.5	12.2	11.8	12.8	—	—	O.	D.	—	—
5	58.28	58.53	58.22	58.34	13.4	9.8	11.6	11.6	SO.	NO.	NO.	Np.	—	—
6	58.34	58.59	62.27	59.75	11.2	9.8	10.4	10.7	—	—	NO.	—	—	—
8	62.39	63.39	63.39	63.06	13.6	11.8	14.2	13.2	—	O.	S.	—	Np.	D.
8	62.39	63.33	63.52	63.08	14.0	12.0	13.0	13.0	—	—	SO.	D.	—	—
9	63.02	63.15	63.39	63.19	16.8	12.5	12.0	13.8	SO.	—	SO.	—	Np.	—
10	63.21	63.83	63.52	63.52	15.0	11.6	12.0	12.9	—	—	S.	—	Np.	Np.
11	63.02	63.27	63.52	63.27	15.2	11.5	13.0	13.9	—	S.	SE.	—	D.	D.
12	63.36	62.02	61.61	62.34	11.6	9.2	13.4	12.4	—	—	SE.	—	D.	—
13	61.39	58.53	58.41	59.41	12.0	12.4	12.8	12.4	—	N.	NO.	—	—	—
14	58.41	63.21	58.59	60.07	13.0	10.8	9.5	11.1	—	—	E.	—	—	—
15	58.03	56.47	58.51	56.68	12.5	11.4	11.2	11.7	—	—	—	—	—	—
16	55.92	56.04	57.05	56.51	13.2	10.8	13.0	12.3	SO.	O.	NO.	—	—	—
17	57.22	57.53	58.15	57.63	14.0	9.2	11.8	11.7	NO.	O.	SE.	—	D.	Np.
18	57.91	60.53	61.05	59.82	13.8	9.8	11.6	11.7	—	—	O.	Np.	N.	Np.
19	60.28	61.03	60.41	60.57	16.8	10.0	13.4	13.4	SO.	N.	NO.	—	N.	—
20	60.41	60.65	60.71	60.59	14.2	9.4	11.8	11.7	—	—	NO.	—	N.	—
21	60.72	61.39	61.52	61.21	14.4	9.6	12.2	12.1	—	S.	S.	—	D.	D.
22	61.39	61.46	61.52	61.46	13.0	12.0	12.2	12.4	—	O.	S.	—	D.	—
23	61.27	61.46	61.52	61.42	12.8	12.0	12.0	12.3	—	O.	O.	—	—	—
24	61.27	61.33	61.58	61.39	15.0	12.8	12.6	13.5	—	—	SO.	—	—	—
25	61.27	61.46	61.52	61.42	14.0	10.8	11.4	12.1	NO.	O.	SO.	—	—	—
26	61.39	61.39	61.52	61.43	16.2	10.6	10.6	12.5	—	S.	—	—	—	—
27	61.52	60.66	59.84	60.67	12.8	11.6	13.4	12.6	—	N.	—	—	—	—
28	60.16	60.66	60.65	60.39	15.8	11.8	10.4	12.7	—	E.	—	—	—	—
29	60.34	61.33	61.64	61.10	13.4	9.4	11.2	11.3	SO.	—	—	—	Np.	D.
30	61.77	61.39	61.58	61.58	12.6	11.6	12.6	12.3	O.	—	O.	—	—	—
31	62.02	61.61	61.52	61.73	11.8	9.4	11.2	10.8	N.	—	O.	—	—	—

ABRIL DE 1874.

1	61.39	61.39	61.70	61.43	12.6	10.2	10.0	10.9	NO.	—	SO.	Np.	—	D.
2	61.61	61.64	61.77	61.68	12.4	9.8	11.4	11.2	—	S.	—	Np.	—	D.
3	61.58	62.64	63.27	62.30	10.0	8.4	9.8	9.4	—	O.	—	D.	—	D.
4	63.02	63.02	63.27	63.10	13.0	7.8	9.4	10.1	—	S.	—	D.	—	D.
5	62.77	63.02	63.14	62.98	15.0	8.0	9.0	10.7	SE.	—	E.	—	—	D.
6	62.87	62.52	62.70	62.70	13.6	8.6	9.8	10.7	—	—	SE.	—	—	D.
7	61.39	61.46	59.55	60.79	13.7	9.6	11.4	11.5	—	O.	—	—	—	D.
8	58.66	58.91	58.91	58.83	11.4	12.0	12.4	12.9	—	—	E.	—	—	N.
9	58.78	63.65	57.41	59.95	14.2	13.5	13.1	13.6	NO.	NO.	—	—	—	—
10	57.84	57.84	57.91	57.86	13.4	11.8	13.2	12.8	—	—	—	Np.	—	Np.
11	59.22	61.39	61.39	60.67	14.4	12.4	13.0	13.3	—	—	—	—	—	—
12	61.15	61.39	61.33	61.29	16.4	12.6	13.6	14.2	NO.	—	NO.	—	—	—
13	61.77	61.27	60.78	61.27	14.8	12.4	12.8	13.3	—	—	N.	—	—	—
14	60.91	61.46	62.08	61.48	12.4	10.2	10.8	11.1	—	—	—	—	—	—
15	61.96	62.08	62.08	62.04	13.2	10.0	11.2	11.5	—	—	—	—	—	—
16	61.89	61.96	62.21	62.02	11.2	10.5	8.8	10.4	SO.	S.	—	—	—	—
17	62.02	61.96	62.02	61.68	14.8	10.4	9.4	11.5	—	—	—	—	—	Np.
18	61.89	61.89	61.91	61.96	12.2	12.0	12.2	12.1	—	O.	O.	—	—	Np.
19	61.83	61.39	61.39	61.54	12.8	11.6	12.0	12.1	—	O.	O.	—	—	Np.
20	61.47	60.65	60.77	60.63	12.0	9.2	10.0	10.4	—	—	—	—	—	D.
21	61.48	61.64	61.77	61.63	11.6	9.6	10.0	10.4	—	—	SE.	—	—	—
22	62.27	62.14	62.77	62.39	11.2	9.2	10.0	10.1	NO.	—	O.	—	—	—
23	62.27	62.70	62.77	62.75	10.4	8.2	8.2	8.9	—	—	—	—	—	—
24	62.77	62.64	62.64	62.62	11.8	9.0	12.2	11.0	SE.	O.	SO.	—	—	—
25	62.58	62.46	62.08	62.37	12.0	11.5	10.8	11.4	—	—	—	—	—	—
26	62.46	62.52	62.70	62.56	12.2	10.2	10.2	10.9	—	E.	—	—	—	—
27	62.02	61.96	62.08	62.02	14.4	9.8	10.0	11.4	—	—	—	—	—	—
28	61.96	62.08	61.09	61.71	14.8	9.8	11.0	12.1	—	N.	—	—	—	—
29	58.97	58.97	59.53	59.16	13.6	12.4	12.4	12.6	—	—	E.	—	—	N.
30	59.52	59.59	59.59	59.57	13.0	9.2	12.4	11.4	NO.	—	—	—	—	Np.

MAYO DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTIGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	m. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	61.52	61.09	61.46	61.36	12.0	13.6	12.2	12.6	N.	N.	N. O.	N. Ll.	N. Ll.	Ll.
2	59.03	58.97	58.52	58.84	12.2	12.0	9.0	11.1	N.	N.	N. O.	N. Ll.	N. Ll.	Np.
3	59.03	59.05	59.03	52.36	12.4	12.2	11.0	11.9	NO.	NO.	N.	N. Ll.	N. Ll.	Np.
4	59.03	58.97	58.89	58.96	11.0	12.4	13.2	12.2	NO.	NO.	N.	N. Ll.	N. Ll.	Ll.
5	58.97	58.91	59.03	58.97	12.2	12.6	11.8	12.2	NO.	NO.	NO.	N.	N.	N.
6	56.41	56.28	56.28	56.32	13.8	13.2	13.2	13.4	E.	NE.	NE.	N.	Ll.	N.
7	56.34	66.95	67.01	63.43	13.8	12.3	12.8	13.0	N.	NO.	N.	Np.	Np.	N.
8	56.51	67.01	57.27	63.69	11.0	11.6	12.6	11.7	NO.	—	NO.	Ll.	Ll.	Ll.
9	66.70	54.84	57.40	59.65	11.8	9.8	7.8	9.8	—	—	SO.	N.	D.	N.
10	56.77	61.33	62.90	60.33	10.2	7.0	13.0	10.1	SO.	S.	O. S.	Np.	Np.	N.
11	62.70	63.27	62.83	62.93	12.4	7.6	7.6	9.2	—	—	O. S.	N.	D.	N.
12	62.52	63.33	62.33	62.73	10.4	7.8	9.8	9.3	S.	—	NE.	D.	D.	N.
13	61.58	61.83	59.53	60.98	12.2	10.0	11.6	11.3	NE.	N.	N.	N.	N.	—
14	59.97	60.15	60.15	60.09	12.4	8.8	12.0	11.1	N.	O.	—	Np.	Np.	—
15	59.47	60.03	62.33	60.61	12.6	12.0	13.2	12.6	O.	—	O.	N.	N.	—
16	60.53	61.46	61.59	61.19	11.4	8.6	12.2	10.7	—	—	—	Np.	N.	—
17	61.70	62.77	61.77	62.08	9.8	9.2	9.2	9.4	—	—	N.	—	—	Ll.
18	60.27	57.83	53.78	57.29	8.4	9.6	9.6	9.2	N.	NE.	—	Ll.	N.	N.
19	52.72	53.78	53.71	53.30	10.6	10.6	10.6	10.6	N.	NO.	—	N.	N.	N.
20	53.66	53.78	54.20	53.88	11.2	11.0	4.8	9.0	NE.	S.	S.	Ll.	Ll.	Np.
21	54.65	67.69	59.20	60.51	7.0	5.4	6.4	6.3	—	—	—	Np.	D.	N.
22	59.14	64.25	59.14	60.84	6.4	5.6	7.4	6.5	E.	E.	E.	N.	—	—
23	61.89	63.25	62.40	62.51	9.4	6.8	9.2	8.5	E.	E.	S.	D.	—	—
24	62.40	63.25	62.90	62.85	9.2	7.0	9.4	8.5	S.	S.	SE.	—	—	—
25	62.90	62.77	62.77	62.81	9.4	7.8	9.8	9.0	SE.	SE.	E.	—	—	—
26	62.83	52.90	62.77	62.83	9.6	9.0	9.8	9.5	SE.	—	—	Np.	Np.	Ll.
27	62.77	62.83	62.83	62.81	10.2	9.6	8.8	9.5	SE.	—	S.	D.	—	—
28	62.64	62.70	62.77	62.70	13.6	9.6	9.6	10.9	E.	NE.	NE.	Np.	Np.	D.
29	62.77	62.90	63.01	62.89	11.2	9.0	8.0	9.4	NE.	E.	E.	Np.	Np.	Np.
30	62.27	62.90	58.90	61.36	10.6	8.4	7.6	8.9	NE.	NE.	O.	N.	D.	Ll.
31	58.90	58.90	59.02	58.94	11.4	6.0	6.0	7.8	S.	N.	—	Ll.	—	Np.

JUNIO DE 1874.

1	59.21	59.40	59.40	59.34	12.2	11.0	10.0	11.1	S.	N.	N.	N.	Np.	Np.
2	59.27	58.83	59.27	59.12	9.6	6.6	9.6	8.6	SE.	SE.	SE.	—	—	—
3	59.15	59.21	59.46	59.27	9.6	9.8	7.2	8.9	NE.	—	—	Np.	N.	D.
4	59.52	59.27	59.21	59.33	8.4	8.6	10.0	9.9	NO.	N.	NO.	—	—	N.
5	59.21	59.64	59.58	59.48	11.0	6.0	4.6	7.2	—	N.	—	N.	—	—
6	59.71	59.65	60.77	60.04	10.0	10.0	10.6	10.2	—	N.	N.	Ll.	Np.	Ll.
7	60.77	60.77	58.90	60.15	10.0	9.8	8.4	9.4	—	—	—	Np.	—	—
8	57.52	57.27	57.21	57.33	7.8	9.4	9.0	8.7	—	NE.	S.	Np.	—	—
9	57.46	57.40	57.64	57.50	9.4	9.2	6.6	8.4	SE.	E.	N.	Ll.	N.	—
10	57.58	55.78	57.64	57.00	6.6	8.4	6.4	7.1	NE.	E.	N.	Ll.	N.	—
11	55.96	62.89	56.28	58.24	8.8	9.0	9.2	9.9	NO.	NO.	NE.	Np.	N.	N.
12	56.16	62.33	62.59	60.29	11.4	7.8	8.8	9.3	NE.	NE.	NE.	N.	N.	—
13	62.39	61.77	61.77	61.64	8.6	8.4	9.6	8.8	NE.	E.	NO.	—	—	—
14	61.64	61.44	61.77	61.62	10.2	9.4	9.2	9.6	—	E.	E.	D.	—	D.
15	61.77	61.89	61.64	61.77	9.2	6.0	9.6	8.3	—	S.	S.	—	—	—
16	61.77	61.89	61.89	61.85	9.6	9.4	9.2	9.5	—	E.	E.	—	—	—
17	61.70	62.39	61.77	61.95	9.6	9.2	9.4	9.4	—	—	—	—	—	—
18	61.70	61.89	61.70	61.76	10.0	9.4	9.6	9.7	—	N.	—	—	—	—
19	61.89	61.55	61.77	61.87	10.0	10.0	9.6	9.8	—	S.	—	Np.	—	—
20	61.85	61.83	61.70	61.79	9.2	10.6	10.6	9.9	N.	—	—	—	—	—
21	61.89	61.89	61.89	61.89	8.6	9.0	10.0	9.2	SE.	—	SE.	Np.	Np.	Np.
22	61.70	62.07	62.23	62.01	10.2	7.0	5.6	7.6	SE.	SE.	—	Np.	Np.	Np.
23	62.07	62.20	62.14	62.14	7.7	6.6	6.6	6.8	NE.	NE.	NE.	Ll.	N.	Ll.
24	62.07	62.14	62.20	62.14	6.6	6.6	6.0	6.6	—	—	—	—	—	—
25	54.21	54.27	54.13	54.21	6.6	7.0	6.8	6.9	—	—	—	—	Ll.	N.
26	54.09	53.90	53.90	53.96	8.8	8.4	9.4	8.8	—	—	—	—	—	—
27	54.81	53.96	53.90	54.35	10.0	9.6	9.4	9.7	—	—	—	N.	N.	Np.
28	54.33	54.13	53.96	54.21	7.7	7.6	8.6	8.6	N.	—	—	—	—	N.
29	54.36	54.45	53.90	54.26	7.7	7.8	8.8	8.5	N.	N.	—	—	—	N.
30	56.40	56.33	56.25	56.40	8.8	8.2	9.2	8.5	N.	—	N.	—	—	—

JULIO DE 1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	59.21	58.77	58.77	58.92	12.2	12.4	12.2	12.5						
2	60.47	59.77	59.77	60.00	12.0	11.6	11.5	11.7	SE.			Np.	Np.	Np.
3	60.59	60.77	60.77	60.71	11.0	10.0	10.0	10.3	N.			N.	D.	N.
4	60.84	61.34	61.34	61.01	10.0	10.0	10.0	10.0	N.			D.	D.	D.
5	61.34	61.34	61.34	61.34	9.6	9.4	9.2	9.4						
6	62.33	62.01	62.46	62.27	9.4	9.4	8.4	9.1						
7	62.33	62.01	62.51	62.28	8.0	9.0	8.0	8.3						
8	62.89	63.01	63.01	62.97	7.8	7.8	7.8	7.8						
9	63.51	63.51	63.01	63.34	7.4	7.2	7.2	7.2						
10	64.07	64.07	64.07	64.07	6.8	6.8	7.0	6.9						
11	64.07	64.07	63.95	64.03	6.6	6.8	8.2	7.2						
12	63.89	63.77	61.70	63.12	8.8	10.0	10.0	9.6	N.			N.	N.	Np.
13	60.71	60.84	59.96	60.50	10.4	9.6	8.2	9.4	NO.			Np.	Np.	Np.
14	57.27	57.33	54.78	56.76	9.0	9.6	9.4	9.3	N.					
15	54.78	54.78	54.78	54.78	9.6	9.4	9.6	9.5	SO.					
16	53.78	63.95	64.16	60.63	10.0	8.6	6.8	8.5	N.					
17	53.72	64.07	62.83	60.21	10.6	10.0	9.6	10.1						
18	62.95	61.95	62.39	62.43	9.0	10.0	10.2	9.7						
19	61.02	61.02	61.08	61.04	8.4	8.4	8.0	8.3	N.					
20	59.08	59.08	59.08	59.08	7.8	7.6	7.2	7.5	NO.					
21	59.08	54.59	53.65	55.77	7.2	7.2	7.2	7.2	N.					
22	54.65	54.65	51.65	51.65	7.2	7.2	7.2	7.2						
23	54.65	54.96	61.40	57.00	7.2	8.4	9.8	8.5	NO.					
24	63.20	62.95	62.33	62.82	9.0	9.0	10.0	9.3	SE.					
25	63.29	63.39	63.83	63.50	10.8	9.0	9.8	9.9	N.			Np.	Np.	Np.
26	63.14	63.33	63.95	63.47	12.4	9.0	8.8	10.1	E.					
27	63.20	59.27	62.33	61.57	10.0	10.2	10.0	10.1	E.			Np.	Np.	Np.
28	62.60	60.77	61.40	61.59	11.0	10.0	10.6	10.3						
29	62.60	61.27	61.27	61.71	10.0	10.4	11.2	10.5						
30	60.77	51.78	63.27	58.61	11.2	10.0	10.0	10.4	N.					
31	56.77	57.27	67.76	60.60	11.0	10.2	10.2	10.5						

AGOSTO DE 1874.

1	62.85	61.40	61.85	62.02	10.0	10.2	9.8	10.0	N.			N.	N.	N.
2	62.33	57.21	57.71	59.08	10.0	11.6	11.0	10.9						
3	58.77	59.71	61.21	60.23	10.2	10.8	10.6	10.5						
4	57.71	57.21	58.71	57.88	10.8	10.6	10.2	10.5						
5	58.47	58.65	58.77	58.63	11.8	10.6	9.8	10.7	N.					
6	58.71	58.65	58.83	58.73	11.6	11.0	9.2	10.6	N.					
7	58.83	58.71	58.83	58.79	10.0	10.0	8.0	8.7						
8	58.83	57.83	52.72	56.46	9.0	10.0	7.6	8.9	NO.					
9	52.96	52.03	53.33	53.11	6.0	7.0	5.0	6.0	NO.					
10	53.21	53.77	62.64	56.21	7.6	4.8	7.4	6.6						
11	56.03	56.21	58.14	56.79	7.6	6.8	7.6	7.3				Np.	Np.	Np.
12	55.84	61.14	65.14	61.71	9.4	7.6	6.4	7.8						
13	64.89	58.65	65.14	62.89	10.2	9.6	6.8	8.9	N.			D.	D.	D.
14	64.70	64.70	63.91	64.41	10.0	9.8	7.6	9.1						
15	63.95	64.01	64.20	64.05	8.4	7.8	6.8	7.7				Np.	Np.	Np.
16	63.89	64.01	64.01	63.97	8.8	7.6	8.6	8.3						
17	64.01	61.83	65.33	64.72	7.8	9.0	9.6	8.6						
18	64.83	65.83	65.83	65.59	9.6	10.0	9.8	9.8						
19	63.33	63.32	63.61	63.43	10.0	9.6	6.8	8.8	N.			Np.	Np.	Np.
20	59.27	63.89	63.89	62.65	10.3	6.0	7.6	8.6	N.			N.	N.	N.
21	63.89	63.89	58.89	60.56	9.0	7.8	8.0	8.3						
22	63.77	56.99	58.33	59.67	9.4	8.8	9.6	9.3						
23	56.34	54.99	54.99	55.38	9.4	9.6	9.4	9.3						
24		51.84	54.35		9.0	9.6	9.4	9.3	NO.			N.	N.	N.
25		57.77	51.78	53.30	9.8	9.8	9.6	9.7						
26	52.40	58.30	55.40	53.37	9.0	9.6	8.6	9.1						
27	52.34	52.46	52.53	52.44	9.8	9.4	7.4	8.4	N.					
28	50.91	51.46	50.09	50.82	8.6	8.6	6.8	8.6						
29	50.09	49.85	50.25	50.06	7.6	9.6	8.2	8.3						
30	54.78	48.97	50.32	51.36	9.6	10.4	6.6	8.3	N.					
31	50.27	49.97	49.97	50.97	6.8	7.2	6.6	6.7	N.					

SETIEMBRE DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR		
	2½ h.	9 h.	21 h.	Medio	2½ h.	h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	51.41	51.59	51.96	51.65	8.8	8.6	8.0	8.5	N.	N.	N.	Np.	N.	N.
2	51.96	52.09	52.15	52.07	8.8	9.6	6.4	8.3	—	—	—	Np.	—	—
3	51.72	49.97	49.91	50.53	10.0	10.2	9.8	10.0	—	—	—	N.	Ll.	—
4	49.97	49.79	49.91	49.86	8.6	10.0	8.6	9.1	—	—	—	—	—	—
5	50.03	49.85	49.41	50.10	7.8	10.4	9.6	9.3	—	—	—	—	N.	—
6	49.79	49.85	49.79	49.81	10.4	9.8	9.8	10.0	—	—	—	—	—	—
7	50.29	50.35	50.35	50.33	10.2	9.6	9.8	9.9	—	S.	S.	—	—	—
8	50.35	49.85	49.85	50.02	10.4	9.8	9.0	7.7	S.	E.	O.	—	—	—
9	49.00	50.41	49.79	49.73	16.6	9.5	11.6	10.6	O.	O.	O.	—	—	—
10	50.17	49.79	49.67	49.88	11.8	9.6	10.8	10.7	N.	N.	—	—	—	Np.
11	49.79	49.79	49.73	49.77	10.0	10.8	11.4	10.7	NO.	N.	N.	—	—	Np.
12	49.73	49.91	49.85	49.83	11.0	9.8	11.4	10.7	—	—	—	—	—	Np.
13	49.85	49.85	49.85	49.85	10.4	9.8	10.0	10.1	N.	—	—	—	—	—
14	50.29	50.35	50.35	50.33	11.4	10.0	9.4	10.3	—	—	—	—	—	—
15	49.91	49.85	49.91	49.89	11.8	9.8	9.2	10.3	—	—	NO.	—	—	—
16	49.79	49.85	50.15	49.93	11.2	7.6	8.6	9.1	—	—	N.	Np.	—	—
17	53.54	53.78	53.84	53.72	11.6	10.2	9.8	10.5	O.	N.	—	—	Np.	—
18	54.72	54.78	54.72	54.74	10.4	10.5	10.4	10.5	—	—	G.	N.	—	—
19	54.66	54.81	54.78	54.76	11.8	10.0	10.0	10.6	—	—	NO.	—	—	—
20	54.78	54.78	55.28	54.95	10.8	10.6	9.6	10.3	NO.	—	—	Np.	—	—
21	58.15	58.40	58.90	58.48	11.4	10.6	10.2	10.7	—	NO.	—	Np.	D.	—
22	58.90	60.77	61.83	60.50	10.0	10.2	10.2	10.1	—	—	N.	—	Np.	—
23	61.89	61.89	62.33	62.01	10.0	9.5	10.4	10.0	—	—	—	—	—	—
24	58.83	58.83	58.83	58.83	9.8	9.8	10.8	10.1	—	—	—	Ll.	Ll.	—
25	58.83	58.90	60.90	59.58	10.4	9.0	10.4	9.9	—	N.	—	—	Ll.	—
26	61.77	61.21	61.33	61.44	10.6	9.4	10.6	10.2	NO.	—	—	—	—	Np.
27	61.77	61.21	61.33	61.44	10.0	10.8	10.8	10.3	O.	—	—	N.	Ll.	Ll.
28	61.27	61.27	64.33	62.29	10.4	10.8	10.6	10.6	—	—	—	Ll.	—	—
29	61.21	64.33	64.33	63.29	10.0	10.6	10.4	10.3	—	—	—	—	N.	N.
30	64.27	64.33	64.33	64.31	10.8	10.8	10.4	10.7	—	—	—	N.	—	—

OCTUBE DE 1874.

1	60.90	61.35	61.02	61.09	9.0	9.4	8.0	8.5	N.	N.	O.	N.	N.	G.
2	59.92	61.77	59.45	60.58	8.8	10.0	8.6	9.1	—	—	N.	—	—	N.
3	58.90	58.87	58.48	58.58	9.0	9.2	9.0	9.1	—	—	—	Ll.	Ll.	N.
4	57.82	57.36	56.77	57.30	9.6	9.8	10.0	9.8	—	—	—	N.	N.	—
5	56.77	53.76	53.72	54.75	10.0	10.2	10.4	10.2	—	O.	NO.	—	—	—
6	53.78	53.78	54.35	53.97	10.0	10.0	9.4	9.8	—	—	—	—	—	—
7	53.78	52.73	53.07	53.86	10.0	10.4	7.6	9.3	NE.	N.	—	—	—	Ll.
8	52.90	52.78	53.03	52.90	9.0	10.0	8.0	9.6	NO.	NO.	—	Ll.	Ll.	Ll.
9	59.60	60.77	60.77	60.05	10.6	10.0	10.0	10.2	—	N.	S.	Np.	D.	Np.
10	60.72	60.77	61.46	60.96	10.4	10.0	9.0	9.8	S.	SE.	—	Np.	D.	Np.
11	60.77	60.77	60.84	60.78	10.0	10.0	9.8	9.9	—	—	E.	N.	N.	G.
12	60.77	60.80	60.59	60.71	10.0	9.8	11.8	10.5	SE.	N.	—	N.	N.	Np.
13	63.54	63.33	63.70	63.71	11.8	9.0	10.6	10.5	—	—	O.	N.	N.	N.
14	63.77	61.01	63.77	63.85	10.0	8.0	10.0	9.3	NO.	NO.	—	Np.	N.	Np.
15	63.59	61.01	63.77	63.73	11.4	8.0	10.6	9.8	NO.	—	—	—	—	N.
16	63.50	70.68	68.77	69.84	11.6	10.6	10.0	10.7	—	O.	O.	—	—	Ll.
17	68.50	65.67	65.49	65.93	10.2	10.8	13.8	11.6	—	O.	O.	—	D.	D.
18	66.73	65.67	65.49	65.93	12.8	9.6	13.8	12.1	—	O.	—	—	D.	Np.
19	65.42	65.84	65.30	65.54	12.8	9.6	13.8	12.1	—	NO.	E.	—	—	—
20	65.32	65.84	65.52	65.56	13.6	9.4	12.0	11.0	—	—	—	—	—	—
21	65.12	65.59	65.72	65.48	15.2	11.1	10.4	12.3	—	O.	—	—	—	—
22	64.12	64.44	62.89	63.82	15.2	12.6	13.0	13.6	E.	—	—	—	—	—
23	62.33	61.49	60.81	62.66	16.2	12.2	13.8	14.1	—	—	—	—	—	—
24	60.16	60.60	59.50	60.09	15.0	11.4	12.2	16.9	—	E.	NE.	Np.	Np.	—
25	59.83	60.10	61.22	60.73	13.0	11.0	10.4	11.5	N.	N.	O.	—	—	Ll.
26	59.74	60.77	59.86	60.13	14.2	10.0	13.4	13.5	O.	—	—	—	—	D.
27	59.77	60.70	60.77	60.41	14.2	10.6	10.0	11.6	SE.	NE.	Np.	—	—	N.
28	60.39	60.32	60.10	60.24	13.8	9.6	15.6	12.8	E.	—	—	—	D.	Np.
29	60.15	60.72	63.79	61.55	15.0	10.4	9.8	11.7	N.	S.	NO.	Np.	N.	N.
30	63.47	63.77	63.27	63.54	12.4	10.6	14.0	12.1	O.	—	NO.	—	—	N.
31	63.77	64.27	63.99	64.01	10.6	10.6	12.2	10.7	NO.	NO.	—	—	—	—

NOVIEMBRE DE 1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
1	63.33	63.58	63.70	63.54	14.0	11.8	11.0	12.3	N.	O.	O.	Np.	D.	Np.
2	63.52	63.58	63.58	63.59	13.6	15.0	11.8	13.5	O.	—	—	D.	—	—
3	61.39	61.58	60.59	61.19	14.0	12.0	12.0	12.7	—	—	—	Np.	—	—
4	60.34	60.65	60.77	60.59	14.6	12.0	10.6	12.4	N.	—	—	—	—	—
5	60.65	60.83	60.65	60.71	11.2	10.0	11.6	10.9	N.	—	—	Np.	—	—
6	60.53	58.65	59.77	59.65	13.6	8.8	10.0	10.8	SE.	O.	—	N.	—	—
7	58.77	58.77	60.77	59.44	11.6	10.0	10.4	10.7	O.	—	—	N.	—	—
8	61.47	61.64	62.14	61.75	12.0	11.8	10.0	11.3	E.	E.	N.	D.	Np.	—
9	62.14	61.14	59.91	61.06	14.0	10.4	13.4	12.6	O.	O.	O.	N.	—	—
10	58.47	58.77	58.59	58.61	13.0	10.8	11.6	11.8	NE.	O.	—	N.	—	—
11	58.53	63.70	63.64	61.96	15.6	8.6	13.0	12.4	NO.	O.	—	D.	—	—
12	63.52	61.58	64.58	64.26	12.6	13.6	12.8	13.0	O.	—	—	Np.	—	—
13	54.58	64.52	64.58	61.23	13.6	12.8	12.0	12.8	—	E.	—	D.	—	—
14	63.71	64.14	58.59	62.15	16.0	13.4	12.8	14.1	—	—	—	—	—	—
15	63.64	60.16	60.28	61.36	12.6	16.0	11.2	13.1	—	—	—	—	—	—
16	60.16	60.47	60.28	60.30	20.2	13.4	15.0	16.2	—	O.	—	—	—	—
17	60.10	60.22	60.51	60.22	16.0	15.0	13.0	14.7	N.	N.	E.	N.	N.	Ni.
18	60.47	60.47	59.34	60.09	13.4	13.0	16.2	11.2	N.	NE.	N.	N.	N.	Np.
19	62.14	59.53	59.04	60.24	13.4	13.0	16.8	14.5	N.	NO.	O.	N.	Np.	—
20	60.04	60.47	60.51	60.28	17.2	12.6	14.0	14.6	NE.	—	—	Np.	—	—
21	60.41	59.53	60.19	60.35	13.6	12.0	16.0	13.9	NO.	—	—	—	—	—
22	60.34	60.47	59.47	60.09	14.0	12.8	13.0	13.5	—	—	—	—	—	—
23	59.41	58.83	58.27	58.84	13.0	10.0	9.8	10.9	N.	—	—	N.	—	—
24	57.84	57.77	58.41	58.01	14.0	13.0	13.6	13.5	—	—	—	N.	—	—
25	56.84	57.09	56.91	56.95	14.0	12.6	13.4	13.3	—	—	—	Np.	—	—
26	49.59	56.47	56.47	55.43	14.0	13.0	13.8	13.5	—	—	—	N.	—	—
27	55.92	55.91	55.60	55.81	14.4	12.2	10.8	12.5	O.	—	—	N.	—	—
28	55.98	56.47	55.54	55.99	12.6	13.2	12.8	12.9	NO.	—	—	N.	—	—
29	59.41	59.59	58.53	59.18	13.0	12.0	12.0	12.3	—	—	—	—	—	—
30	61.83	64.58	64.64	63.70	11.0	12.0	12.2	12.9	—	—	—	—	—	—

DICIEMBRE DE 1874.

1	64.96	66.38	66.54	65.95	14.4	11.0	13.4	12.9	NO.	—	—	Np.	—	—
2	66.38	66.45	65.52	66.12	15.6	12.4	13.6	13.9	SE.	—	—	—	—	—
3	64.21	63.21	66.39	64.60	21.8	12.6	17.0	17.1	—	—	—	—	—	—
4	62.40	60.41	60.66	61.16	18.0	12.8	18.0	16.3	—	—	—	—	—	—
5	60.16	60.53	60.91	60.50	13.6	12.0	13.6	12.9	N.	—	—	—	—	—
6	60.97	60.53	60.53	60.58	11.0	11.6	13.4	11.8	NO.	—	—	—	—	—
7	60.59	61.06	60.97	60.86	12.0	11.8	12.8	12.2	O.	—	—	—	—	—
8	60.97	61.58	60.81	61.12	13.0	12.6	16.4	11.7	NO.	—	—	—	—	—
9	62.03	62.39	62.39	62.27	18.4	16.6	15.8	14.3	—	—	—	—	—	—
10	62.27	62.51	62.51	62.45	16.8	11.8	14.2	14.1	NO.	—	—	—	—	—
11	62.53	62.14	62.28	62.32	17.0	16.0	16.0	14.6	O.	—	—	—	—	—
12	62.02	64.08	63.78	63.29	16.6	12.8	17.0	15.2	O.	—	—	—	—	—
13	63.53	65.02	64.64	64.66	18.2	13.4	15.2	15.1	NO.	—	—	—	—	—
14	64.59	65.02	62.46	64.02	19.8	13.8	11.8	15.1	—	—	—	—	—	—
15	63.71	61.49	61.09	62.06	18.4	14.4	17.2	16.7	—	—	—	—	—	—
16	61.09	61.89	60.91	61.30	12.2	14.6	11.6	12.1	—	—	—	—	—	—
17	60.28	60.90	60.91	60.70	10.4	14.8	14.6	15.1	—	—	—	—	—	—
18	60.55	61.97	61.90	61.47	14.0	13.6	13.2	13.6	—	—	—	—	—	—
19	61.96	62.15	62.21	62.11	14.0	15.0	15.2	14.7	—	—	—	—	—	—
20	60.48	60.22	60.28	60.33	14.8	11.8	10.2	12.3	—	—	—	—	—	—
21	60.47	62.02	62.02	61.50	10.0	12.0	13.9	11.7	—	—	—	—	—	—
22	64.47	64.52	64.64	64.54	13.1	13.0	12.6	13.6	—	—	—	—	—	—
23	63.39	63.58	63.58	63.52	14.0	13.0	12.6	13.2	—	—	—	—	—	—
24	63.39	63.02	63.64	63.35	13.0	12.4	12.2	12.3	—	—	—	—	—	—
25	63.39	63.32	63.39	63.43	14.2	13.0	14.6	13.9	—	—	—	—	—	—
26	63.28	60.59	59.53	61.15	20.4	14.0	15.6	16.1	—	—	—	—	—	—
27	66.07	66.26	66.26	66.26	22.8	13.8	13.6	17.1	—	—	—	—	—	—
18	56.40	56.59	56.22	56.57	14.0	12.4	13.7	13.3	NO.	—	—	—	—	—
29	56.28	58.59	60.16	58.34	15.0	11.6	14.2	13.6	—	—	—	—	—	—
30	62.59	64.27	64.21	63.69	16.0	15.8	16.8	16.2	—	—	—	—	—	—
31	63.52	63.34	63.71	63.52	22.0	12.6	15.0	16.1	—	—	—	—	—	—

OBSERVACIONES TRIHORARIAS.

Instrumentos.	ENERO 9 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 763.39	mm. 763.39	mm. 763.27	mm. 763.39	mm. 763.52	mm. 763.52	mm. 763.61	mm. 763.39	mm. 763.44
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	N.	O.	S.	SO.	S.	S.	E.	SE.
Estado atmosférico.....	Np.	Np.	D.	D.	D.	D.	D.	D.
	ENERO 19 DE 1874.								
Barómetro reducido a 0°.....	mm. 758.41	mm. 759.29	mm. 761.23	mm. 761.33	mm. 761.89	mm. 761.96	mm. 761.71	mm. 760.83
Termómetro centígrado.....	0	0	0	0	0	0	0	0
Vientos.....	14.4	15.0	13.2	11.2	10.2	13.0	15.4	13.2
Estado atmosférico.....	O.	O.	O.	O.	O.	E.	SO.
	Np.	Np.	Np.	Np.	Np.	D.	Np.
	ENERO 24 DE 1874.								
Barómetro reducido a 0°.....	mm. 762.02	mm. 761.65	mm. 761.65	mm. 762.28	mm. 762.40	mm. 761.96	mm. 761.90	mm. 761.90	mm. 761.97
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	13.0	21.0	19.0	16.2	15.2	14.4	16.0	19.0	17.4
Estado atmosférico.....	N.	SO.	SO.	NO.	O.	O.	O.	NO.
	D.	D.	D.	D.	D.	D.	D.	D.
	FEBRERO 3 DE 1874.								
Barómetro reducido a 0°.....	mm. 762.27	mm. 762.27	mm. 761.96	mm. 762.52	mm. 762.65	mm. 762.27	mm. 762.33	mm. 762.21	mm. 762.31
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	16.4	17.0	15.4	13.8	12.4	12.0	11.2	14.8	14.1
Estado atmosférico.....	SO.	SO.	SO.	SO.	SO.	SO.	SO.	S.
	N.	N.	Np.	D	D.	D.	D.	D.
	FEBRERO 13 DE 1874.								
Barómetro reducido a 0°.....	mm. 761.59	mm. 761.71	mm. 761.65	mm. 761.40	mm. 761.46	mm. 761.52	mm. 761.71	mm. 761.40	mm. 761.55
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	18.6	18.8	17.6	15.2	14.0	14.0	13.0	15.6	15.8
Estado atmosférico.....	SO.	SO.	SO.	O.	O.	O.	O.	O.
	D.	D.	D.	D.	D.	D.	D.	D.
	FEBRERO 23 DE 1874.								
Barómetro reducido a 0°.....	mm. 759.22	mm. 759.28	mm. 759.16	mm. 759.28	mm. 759.41	mm. 759.47	mm. 759.53	mm. 759.41	mm. 759.37
Termómetro centígrado.....	0	0	0	0	0	0	0	0	0
Vientos.....	15.2	15.0	12.8	12.0	11.4	11.0	11.6	12.8	12.7
Estado atmosférico.....	S.	S.	NO.	NO.	NO.	NO.	NO.	N.
	Np.	D.	D.	Np.	N.	Np.	N.	N.

Instrumentos.	MARZO 5 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	758.47	758.41	758.34	758.53	758.53	758.65	758.77	758.22	758.49
Termómetro centígrado.....	13.0	13.4	12.0	9.8	9.8	9.2	9.0	11.6	10.9
Vientos.....	S.	SO.	SO.	NO.	NO.	NO.	NO.	NO.
Estado atmosférico.....	Np.	Np.	Np.	Ll.	Ll.	Ll.	Ll.	N.
MARZO 15 DE 1874.									
Barómetro reducido a 0°.....	758.41	758.28	758.16	756.47	756.47	756.53	756.59	755.51	757.06
Termómetro centígrado.....	13.2	14.6	12.4	11.4	10.4	9.6	10.0	11.2	11.6
Vientos.....	O.	O.	E.	SO.	N.	N.	N.	N.
Estado atmosférico.....	N.	Np.	Np.	N.	N.	N.	N.	N.
MARZO 25 DE 1874.									
Barómetro reducido a 0°.....	758.04	761.27	761.33	761.46	761.52	761.61	761.77	761.52	761.97
Termómetro centígrado.....	16.2	14.0	12.8	10.8	9.8	9.4	9.2	11.4	11.7
Vientos.....	O.	O.	SO.	O.	SO.	O.	O.	S.
Estado atmosférico.....	N.	N.	N.	N.	Np.	Np.	Np.	Np.
ABRIL 4 DE 1874.									
Barómetro reducido a 0°.....	763.02	763.02	763.14	763.02	763.27	763.39	763.35	763.27	763.18
Termómetro centígrado.....	13.0	8.4	8.0	7.8	6.4	6.2	9.0	9.4	8.5
Vientos.....	S.	S.	S.	S.	S.	E.	E.	S.
Estado atmosférico.....	D.	D.	D.	D.	D.	D.	D.	D.
ABRIL 11 DE 1874.									
Barómetro reducido a 0°.....	769.91	769.84	769.91	761.46	761.2	761.64	762.02	762.08	761.34
Termómetro centígrado.....	12.2	11.8	11.0	10.2	9.0	9.4	8.4	10.8	10.4
Vientos.....	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
Estado atmosférico.....	N.	Ll.	N.	N.	N.	Np.	N.	N.
ABRIL 24 DE 1874.									
Barómetro reducido a 0°.....	762.61	762.61	762.61	762.69	762.61	762.77	762.64	762.61	762.66
Termómetro centígrado.....	19.4	11.9	9.6	9.9	9.0	8.0	9.0	12.2	9.8
Vientos.....	S.E.	S.E.	S.E.	O.	S.	S.	S.	S.
Estado atmosférico.....	N.	N.	N.	Np.	Np.	N.	N.	D.

Instrumentos.	MAYO 4 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio.
Barómetro reducido a 0°.....	mm. 759.03	mm. 759.03	mm. 759.03	mm. 756.47	mm. 756.41	mm. 756.41	mm. 756.47	mm. 756.91	mm. 757.47
Termómetro centígrado.....	o 11.6	o 11.2	o 11.2	o 12.4	o 12.0	o 12.4	o 12.2	o 13.2	o 12.0
Vientos.....	NO.	NO.	SE.	E.	E.	E.	NO.	N.
Estado atmosférico.....	Ll.	Ll.	Ll.	N.	N.	N.	N.	N.
	MAYO 14 DE 1874.								
Barómetro reducido a 0°.....	mm. 760.03	mm. 759.97	mm. 760.03	mm. 760.15	mm. 760.15	mm. 760.27	mm. 760.15	mm. 760.33	mm. 760.13
Termómetro centígrado.....	o 11.2	o 12.2	o 10.6	o 9.8	o 9.0	o 8.6	o 7.8	o 9.8	o 19.0
Vientos.....	N.	N.	NO.	O.	O.	O.	O.	O.
Estado atmosférico.....	N.	N.	Np.	Np.	Np.	Np.	N.	N.
	MAYO 24 DE 1874.								
Barómetro reducido a 0°.....	mm. 760.77	mm. 760.82	mm. 762.89	mm. 762.89	mm. 762.89	mm. 762.95	mm. 763.01	mm. 763.51	mm. 763.73
Termómetro centígrado.....	o 9.6	o 9.4	o 7.8	o 6.8	o 7.4	o 6.0	o 6.0	o 7.0	o 7.5
Vientos.....	E.	E.	E.	E.	S.	S.	E.	E.
Estado atmosférico.....	D.	D.	D.	D.	N.	Np.	Np.	Np.

OBSERVACIONES METEOROLÓGICAS.

1873.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉRICO		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o	S	SE.	SE.	Np.	o	Np.
1			64.15	64.15			3.8	3.8		SE.	SE.	Np.		Np.
2		64.68	68.85	66.76		7.0	6.0	6.0	NNE.	NE.	SSE.		Np.	Np.
3	68.09	67.10		67.59	8.5	8.5		8.5	SO.	SO.			Np.	Np.
4	67.49	67.84	68.20	67.84	8.8	5.7	6.5	7.0	C.	C.			Np.	Np.
5	67.81	67.50	67.26	67.52	8.1	6.0	7.0	7.0	E.				Np.	Np.
6		66.40	65.83	66.11		4.7	6.5	5.6					D.	Np.
7	67.76	65.28	62.37	64.14	8.5	7.0	5.6	7.0	SE.	SE.	N.	Np.	Ni.	Ll.
8	60.33	62.52	65.07	62.64	7.3	6.3	3.5	5.7	NO.	SO.	C.	Ll.	Np.	Np.
9		67.74	66.68	67.21		3.7	5.0	4.3		S.	N.		N.	N.
10	62.35	58.64	56.93	59.31	8.5	8.6	7.8	8.3	N.	N.	N.	Ll.	Ll.	Np.
11	57.70	57.79	61.55	59.01	8.7	3.7	6.0	6.1	SSO.	C.	S.	Np.	D.	Np.
12	58.69	64.56	66.51	63.25	7.2	3.8	4.5	5.2	SO.	SO.	N.	Np.	Ll.	Np.
13	64.94	62.50	60.97	62.80	7.8	9.3	10.5	9.2	N.	N.	N.	N.	Ll.	Ll.
14	62.42	61.45	62.71	62.19	11.0	10.2	10.2	10.5	NO.	NO.	NO.	Ll.	G.	Ll.
15	61.70	59.78	59.04	60.17	10.7	11.2	11.0	10.6					Ll.	Ll.
16		55.50	56.60	55.80		9.3	5.2	7.2		O.	SE.			Np.
17	57.59	59.87	64.23	60.56	6.2	4.0	6.2	5.5	NE.	C.	NO.		N.	Ll.
18	64.57	64.78	64.69	64.68	8.5	4.2	6.3	6.3	SO.	E.	E.	Np.	D.	Np.
19	63.72	63.62		63.68	7.5	5.2		6.3	O.				Np.	Np.
20	64.31	62.40		63.35	7.8	3.7		5.7	SE.				D.	Ll.
21	60.45	64.13	62.60	63.76	7.2	3.6	5.6	5.1	N.	N.	NE.		N.	Ll.
22	60.43	59.05	57.29	58.92	7.1	11.0	8.2	8.8	N.	N.	O.		N.	Ll.
23	57.28	61.59	65.68	61.52	7.5	4.7	7.8	6.7	O.	SE.		Np.	Np.	Np.
24		64.45	65.68	65.06		6.5	7.8	7.1	N.	C.			Ll.	Ll.
25	65.44	67.57	65.98	66.33	7.5	6.0	7.6	7.0	NO.	SO.	NE.		D.	G.
26		66.13	63.94	65.03		7.2	8.5	7.8	O.	C.			N.	N.
27	62.41	60.65	48.78	57.28	6.3	6.3	7.5	6.7	N.	NO.	N.	Ll.	Ll.	N.
28	46.82	49.58	49.68	48.69	8.5	10.1	11.8	10.1		N.	NE.		Np.	Ll.
29	52.01	52.07	46.21	50.10	10.2	8.7	10.9	9.6		N.	E.		Np.	Ll.
30	46.50	47.34	48.81	47.55	11.2	9.1	9.8	10.0	SO.		NE.		Np.	Ll.
31	49.31		39.14	44.22	10.5	8.5	8.7	9.2	N.	FNE.			Np.	Ll.

AGOSTO DE 1873.

1	38.32	43.89	45.70	42.84	9.7	3.5	8.1	7.1	NE.	O.	SE.	Ll.	Ll.	Np.
2	47.79	48.55	51.77	49.37	6.7	6.0	4.3	6.0	S.	S.	SE.	Np.	Np.	Ll.
3	52.64	57.14	57.26	55.68	6.2	4.0	6.7	5.6	SE.	SE.			Ll.	Ll.
4	64.11	65.57	64.68	64.79	8.0	3.7	5.0	5.6	S.	C.	C.	Np.	Np.	Ll.
5	65.16	67.59	68.66	67.14	7.8	5.5	6.2	6.5	C.	E.	SSE.		Np.	Ll.
6	69.53	69.83	70.53	69.96	8.3	4.6	6.7	6.5	SE.	S.	SSE.		Np.	Ll.
7	72.30	69.16	67.27	69.91	9.7	3.5	6.8	6.7	S.	SE.	NE.		Np.	Ll.
8	65.55	66.66		66.10	8.1	8.5		8.3	NNO.	O.	NE.	Ll.	Np.	Ni.
9	67.21	65.89	65.13	66.08	10.1	5.7	6.7	7.5	S.	E.	E.	Np.	G.	N.
10	64.00	63.55	60.65	62.73	8.7	9.8	10.0	9.5	N.	N.	N.	Np.	N.	N.
11	58.32	57.62	57.64	57.86	10.6	10.2	10.0	10.3		O.	NE.	Ll.	Ll.	Ll.
12	57.83	57.98	56.48	57.43	9.0	8.5	9.3	8.9		O.	NE.	Ll.	Ll.	Np.
13	54.27	49.58	55.63	53.16	10.7	9.6	7.2	9.2	NNO.	NNO.	S.	N.	N.	Np.
14	57.80	60.47	64.64	60.97	8.1	5.0	4.7	5.9	ONO.	NO.			N.	N.
15	54.41	65.33	63.80	61.18	7.5	6.0	6.7	6.7	NO.	S.	SE.	Np.	D.	Ll.
16	63.98	64.03	64.11	64.04	7.7	3.0	3.7	4.9					Np.	Ll.
17	65.09	64.70	66.87	65.55	8.5	2.5	1.0	4.0	NE.				Np.	D.
18	66.81	67.86	69.20	67.96	7.5	2.6	5.1	5.1	S.	SE.	NE.	Np.	Np.	N.
19	67.77	67.23	64.77	66.59	8.7	8.8	10.1	9.2	NO.	ONO.	NO.	N.	N.	Ll.
20	62.48	59.39	58.07	59.98	10.2	10.2	10.2	10.2	ONO.	NO.	NO.	Ll.	Ll.	Ll.
21	59.32	59.94		59.63	10.8	9.1		9.9	NO.	O.	N.	Ll.	Ll.	Ni.
22	60.25	60.22	59.79	60.03	9.7	10.8	11.2	10.6	N.	N.	N.	Ll.	Ll.	Np.
23	58.83	58.26	59.62	58.90	11.2	10.7	10.1	10.7		C.		N.	N.	N.
24	60.66	63.98	67.31	63.99	10.2	6.5	7.2	8.8					Np.	Np.
25	66.64	67.33	66.39	66.79	7.5	3.5	6.0	5.5	S.	SE.			Np.	Ll.
26	66.33	65.07	65.20	65.50	7.7	2.2	7.2	5.7	SE.	S.	SSE.	Np.	D.	Ll.
27	65.19	64.76	65.61	65.19	7.5	6.2	8.2	7.2	ONO.	E.	SE.		Np.	Ll.
28	63.93	64.26	65.22	64.19	9.1	7.5	8.0	8.2	SE.	N.	SSE.		Np.	Ll.
29		65.15	61.83	63.48		4.9	9.1	6.9	NO.	N.	SE.		Np.	Ll.
30	60.23	60.92	61.94	61.63	10.2	7.7	11.5	9.2	SE.	NO.	C.		Np.	Ll.
31	63.76	66.58	66.82	65.72	10.0	6.7	3.7	3.2	NO.	S.			Np.	Ll.

SETIEMBRE DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFER.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1		65.94	64.26	65.10		4.1	8.2	6.1		NO.	E.	...	D.	Np.
2	61.75	59.28	58.71	59.91	10.0	8.7	12.3	10.3	N.	N.	O.	N.	N.	Np.
3	59.83	59.62	59.62	59.69	11.1	10.5	11.0	10.9	NO.	NO.	N.	Ll.	Ll.	Ll.
4	59.95	60.02	62.51	60.83	11.2	10.5	10.8	10.8	NO.	NE.	N.	N.	N.	Np.
5	61.45	61.58	58.76	60.60	12.7	10.2	10.7	11.2	N.	N.	—	Np.	N.	N.
6	56.65	57.08	60.40	58.04	11.7	9.7	11.0	10.8	N.	N.	—	Ll.	Np.	Np.
7	57.97	59.67	53.85	57.16	10.3	9.7	10.2	10.1	N.	O.	NO.	Np.	N.	N.
8	50.36	56.72	61.04	56.04	10.3	8.0	9.2	9.2	ONO.	—	O.	Ll.	—	—
9	56.77	59.99	58.95	58.57	10.0	9.3	10.2	9.8	NO.	—	SO.	Np.	—	—
10	59.95	56.22	59.85	58.67	9.5	7.3	7.5	8.1	NO.	SE.	O.	Np.	Np.	—
11	64.12	68.70	69.45	67.42	8.7	4.7	8.2	7.2	N.	N.	—	Ll.	Ll.	Ll.
12	67.92	68.62	67.99	68.18	9.1	9.2	9.7	9.3	O.	O.	—	Ll.	Ll.	Np.
13	67.54	67.52	67.44	67.50	10.0	9.1	9.7	9.6	N.	NE.	SO.	N.	N.	N.
14	68.08	68.06	65.49	67.21	10.3	10.3	11.0	10.5	O.	SE.	SE.	N.	N.	Ni.
15		65.23	65.49	65.36		9.0	6.5		O.	O.	...	Np.	Np.	—
16	61.36	62.12		61.74	10.3	8.5		9.4	N.	—	...	—	—	—
17		61.49	60.54	61.01		7.0	8.7		N.	C.	...	—	—	—
18	58.55	58.94		58.79	10.1	8.8		9.4	N.	NO.	...	N.	N.	...
19	58.27	59.86	57.51	57.88	11.5	10.7	10.5	10.9	N.	O.	...	N.	N.	Ll.
20	58.54	59.36	63.65	60.52	11.1	8.1	10.5	9.9	N.	E.	C.	Ll.	Ll.	N.
21	63.73	64.28	64.77	64.26	13.8	13.5	12.2	13.2	N.	NE.	N.	Np.	N.	—
22	64.20	64.88	62.14	63.71	12.5	7.7	10.0	10.1	SO.	N.	N.	—	—	—
23	64.51	65.07	62.30	63.29	10.1	8.0	9.1	9.1	N.	O.	O.	Np.	—	—
24	60.92	59.33	54.39	58.21	10.6	10.3	10.7	10.5	N.	N.	NO.	Ll.	Ll.	—
25	64.78	53.37	53.22	53.79	10.2	9.8	10.3	10.1	O.	ONO.	O.	Ll.	Ll.	—
26	53.18	54.34	57.86	55.13	9.6	8.0	7.6	8.4	N.	N.	—	Np.	Np.	—
27	61.89	65.06	63.09	63.35	8.7	6.5	7.7	7.6	N.	O.	NO.	Np.	Np.	Ll.
28	57.72	55.45	55.95	56.37	9.7	11.0	10.7	10.5	N.	NO.	O.	Ll.	Ll.	Ll.
29	54.39	53.15		53.77	10.2	8.7		9.4	NO.	O.	—	N.	Np.	Np.
30	55.48	58.41	62.40	58.76	6.6	6.0	9.0	7.2	NE.	N.	NE.	Np.	—	—

OCTUBE DE 1873.

1	61.03	57.80	53.17	57.33	9.7	7.8	9.2	8.9	NE.	NNO.	NO.	N.	Ll.	N.
2	67.58	54.93	53.67	58.73	9.7	5.7	7.2	7.6	N.	NO.	N.	Np.	Np.	Np.
3	55.15	58.45	61.91	59.50	6.3	4.0	5.8	5.4	O.	N.	NO.	Np.	Np.	—
4	65.01	66.36	66.26	66.88	8.7	7.3	9.8	7.9	N.	N.	N.	Np.	N.	—
5	65.92	66.29		65.19	10.2	7.6	10.2	8.9	N.	NE.	N.	N.	N.	—
6	65.05	65.24	63.91	64.73	11.7	7.1	10.7	9.8	NO.	N.	N.	N.	N.	—
7	63.89	61.64		62.76	10.2	9.7	9.9	9.9	N.	N.	N.	N.	N.	Np.
8	65.05	66.28	64.67	65.33	13.7	8.7	14.7	12.4	N.	NO.	N.	Np.	N.	Np.
9	63.18	62.32	61.10	62.20	15.6	11.5	13.6	13.6	N.	NO.	N.	Np.	N.	—
10	61.89	62.38	62.70	62.32	12.7	10.2	11.5	11.5	NO.	N.	C.	Np.	N.	—
11		63.10	63.15	63.12	12.0	7.8	10.6	10.1	N.	NO.	NO.	—	—	—
12	63.97	66.38	70.33	65.89	10.2	4.4	10.6	8.3	O.	N.	NO.	Np.	—	—
13	70.42	70.50	68.82	69.91	11.2	7.5	11.8	10.2	O.	N.	NO.	—	—	—
14	68.02	69.49	64.86	67.46	12.7	7.1	12.8	10.9	N.	NE.	N.	—	—	—
15	64.03	63.61	62.46	63.37	14.6	7.7	12.5	12.3	N.	SE.	N.	—	—	—
16	62.40	62.73	61.75	62.29	15.3	8.6	15.2	13.6	N.	C.	N.	N.	D.	—
17	62.16	63.06	64.79	63.34	13.7	9.2	11.1	12.3	N.	C.	N.	Np.	Np.	—
18	63.78	64.22	65.65	64.55	16.3	8.7	11.6	12.2	NO.	C.	C.	Np.	Np.	Ni.
19	67.41	65.09	63.45	65.32	13.3	11.2	12.5	12.3	N.	NO.	O.	N.	N.	Np.
20	64.90	65.52	63.96	64.79	12.5	9.7	11.8	11.3	N.	C.	O.	N.	N.	Np.
21	63.77	61.59	59.19	61.52	11.0	10.3	11.7	11.0	O.	N.	NO.	Ll.	Ll.	N.
22	56.46	53.38	56.99	53.61	12.9	10.7	10.2	11.0	NO.	NO.	NO.	—	—	Np.
23		51.20	55.57	53.58		10.1	7.8	9.3	N.	NO.	O.	Np.	Np.	Ll.
24	58.19	63.32	63.21	61.57	10.2	7.3	11.7	9.8	O.	O.	O.	Np.	Np.	Np.
25	63.32	65.65	67.53	65.51	11.5	6.2	11.1	9.6	N.	C.	C.	—	—	—
26	66.93	66.88	66.23	66.68	12.2	7.6	10.6	10.1	NO.	E.	E.	—	—	—
27	65.93	66.14	63.94	65.34	14.7	8.3	12.7	11.9	N.	NE.	N.	—	—	D.
28	63.85	64.06	64.84	64.23	15.5	8.2	11.8	11.8	N.	C.	N.	Np.	Np.	N.
29	65.96	64.34	65.02	64.44	13.0	8.2	15.2	11.5	N.	C.	N.	—	—	Np.
30	64.65		66.49	65.57	15.0		11.8	13.4	O.	...	N.	—	—	—
31	65.85	65.13	63.61	64.86	15.9	8.7	11.1	12.4	NO.	C.	NO.	—	—	D.

NOVIEMBRE DE 1873.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉRICO.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o						
	700+	700+	700+	700+	o	o	o	o						
1	61.81	64.52	64.83	64.56	15.6	11.2	14.5	13.8	SO.	SO.	N.	Np.	Np.	Np.
2	63.92	64.80	65.76	64.56	13.8	8.7	13.7	12.1	O.	SE.	NO.	—	N.	Np.
3	65.83	66.02	66.03	65.96	15.7	10.1	14.5	13.4	S.	S.	S.	—	D.	Np.
4	64.98	64.90	63.44	64.44	15.1	10.2	14.1	13.1	O.	—	NO.	—	Np.	—
5	63.85	64.62	64.57	64.35	13.0	9.5	12.5	11.7	NO.	SO.	S.	—	—	—
6	62.91	63.92	61.98	62.94	11.2	9.0	14.0	12.4	S.	C.	NO.	—	D.	—
7	60.15	60.65	60.72	60.51	17.5	10.2	15.7	14.5	NO.	—	—	—	Np.	—
8	60.00	60.25	60.61	60.29	16.3	10.1	13.5	13.3	SO.	SO.	C.	—	Ni.	—
9	61.10	60.93	61.01	10.8	13.2	12.0	O.	—	NO.	—	Np.	—
10	61.17	62.54	63.12	62.28	15.6	10.1	12.5	12.7	SO.	—	E.	—	—	—
11	62.49	63.01	63.94	63.16	13.5	10.6	13.7	12.6	NO.	NO.	NO.	—	N.	—
12	64.17	64.05	63.88	64.03	12.5	11.3	12.8	12.2	SO.	C.	O.	—	N.	G.
13	64.13	65.92	61.91	63.99	14.6	9.7	13.7	12.7	O.	O.	S.	—	D.	Np.
14	64.47	64.76	64.16	64.46	15.7	9.0	13.8	12.8	—	—	NO.	—	N.	—
15	63.52	63.55	63.57	63.55	15.2	8.1	7.8	10.4	Oso.	O.	O.	—	D.	Ni.
16	63.11	63.29	63.58	63.33	16.0	12.2	12.6	13.6	S.	N.	N.	—	D.	Ni.
17	64.07	64.56	64.33	64.32	15.5	10.0	12.5	12.7	—	C.	N.	—	D.	G.
18	64.80	62.82	63.81	12.6	13.0	12.8	NO.	N.	N.	—	N.	Np.
19	63.15	61.62	58.90	61.02	12.6	12.5	12.5	12.5	N.	N.	O.	—	Np.	N.
20	61.98	62.40	64.21	63.63	12.0	6.3	12.5	10.3	O.	C.	N.	—	D.	Np.
21	62.88	62.41	60.73	62.01	14.2	8.7	16.0	13.6	—	S.	C.	—	N.	Np.
22	61.04	61.85	62.22	61.70	14.2	12.7	14.5	13.8	NO.	N	NQ.	—	Np.	N.
23	62.37	62.03	62.73	62.58	15.2	10.7	14.1	13.3	SO.	NO.	N.	—	Np.	Np.
24	61.15	60.96	59.66	60.59	15.8	11.2	12.8	13.3	O.	C.	NE.	—	—	Li.
25	59.43	60.29	63.35	61.02	11.2	9.6	11.8	10.9	NO.	O.	O.	—	—	Np.
26	65.73	66.82	66.59	66.38	13.0	8.0	15.2	12.1	O.	SO.	N.	—	—	Li.
27	65.55	65.53	66.19	65.73	14.2	10.0	16.7	13.6	—	—	—	—	—	N.
28	64.79	64.28	63.27	64.11	16.7	10.0	12.6	13.1	—	C.	NO.	—	Np.	N.
29	61.67	62.96	62.61	62.41	14.3	8.5	15.2	12.7	—	E.	NE.	—	D.	Np.
30	61.37	60.67	59.73	60.60	15.6	10.6	12.1	12.8	—	NE.	—	—	—	Li.

DICIEMBRE DE 1873.

1	59.67	59.54	57.34	58.85	15.1	12.2	11.8	13.0	O.	NO.	NO.	N.	N.	Li.
2	58.76	63.08	63.44	61.77	12.3	5.6	14.1	10.7	SO.	O.	N.	Np.	N.	N.
3	63.23	64.00	62.25	63.16	14.8	8.7	12.8	12.1	NO.	NE.	C.	—	Np.	Np.
4	61.36	61.03	58.46	60.28	18.7	10.6	15.2	14.8	—	SE.	NO.	—	—	—
5	57.90	66.62	55.91	60.14	19.9	11.2	15.0	15.1	C.	E.	N.	Np.	—	—
6	55.74	56.72	56.72	56.39	13.5	10.3	11.1	11.6	O.	NNO.	NO.	—	—	Li.
7	56.84	56.46	57.13	56.81	12.2	11.1	13.2	12.2	NO.	NO.	NO.	N.	Li.	N.
8	57.01	53.47	49.28	53.25	14.0	14.7	12.0	13.6	—	N.	N.	Li.	Np.	Np.
9	49.67	53.76	57.74	53.39	12.8	9.4	12.3	11.6	O.	O.	O.	Np.	—	—
10	58.10	59.56	57.53	58.40	13.2	10.7	14.1	12.7	SO.	Oso.	SO.	N.	N.	—
11	62.00	63.70	64.24	63.31	13.1	8.7	14.5	12.1	—	C.	S.	Np.	Np.	—
12	63.20	62.08	56.91	60.73	16.5	9.5	12.7	12.9	O.	SE.	NO.	—	N.	—
13	54.53	51.28	50.36	62.06	9.7	11.2	13.2	11.4	NNO.	C.	—	N.	N.	—
14	50.16	49.59	50.36	50.04	14.3	9.7	14.0	12.7	—	O.	—	Np.	Li.	Np.
15	51.45	55.00	57.69	54.71	13.8	8.5	14.5	12.3	—	—	NE.	—	Np.	—
16	58.69	60.47	61.95	61.37	15.6	10.5	14.3	13.5	O.	O.	O.	—	—	—
17	60.75	70.20	69.79	68.94	15.0	10.5	14.3	13.5	—	C.	C.	—	—	—
18	67.83	67.35	66.50	67.23	15.5	11.3	17.7	14.8	—	—	—	—	—	—
19	67.87	66.70	66.41	66.99	20.0	12.0	14.6	15.5	NO.	—	—	—	—	—
20	64.37	64.26	63.70	64.11	17.5	11.5	15.0	14.9	O.	O.	O.	—	D.	G.
21	63.80	62.97	63.63	63.23	16.0	12.7	13.5	14.1	O.	—	S.	—	Li.	Np.
22	63.12	64.28	65.41	64.28	15.5	7.7	13.7	12.3	Oso.	E.	O.	—	Np.	—
23	63.70	61.98	62.84	16.8	14.0	15.4	O.	—	NO.	—	—	—
24	59.47	58.11	59.49	59.63	16.5	12.2	11.8	14.5	—	NO.	—	—	Li.	N.
25	58.71	58.68	54.20	57.20	13.7	12.5	13.5	13.2	NO.	ONO.	N.	N.	Np.	—
26	53.26	54.38	55.32	54.32	12.3	12.1	15.0	13.4	O.	NO.	O.	—	—	Np.
27	58.81	57.92	57.14	57.96	14.2	11.2	13.5	13.0	NO.	N.	Oso.	—	—	—
28	58.94	59.01	54.18	12.7	9.3	10.6	11.2	O.	NO.	NO.	Np.	Li.	Li.
29	50.06	54.41	52.23	12.2	10.2	11.2	—	O.	C.	N.	N.	Np.
30	53.63	54.83	60.36	55.27	12.7	11.6	14.7	13.0	Oso.	NO.	N.	Li.	D.	Np.
31	60.33	61.61	60.57	60.83	15.6	9.0	13.2	13.1	—	SE.	NO.	Np.	—	—

ENERO DE 1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	60.42	61.27	61.37	60.84	17.5	11.5	14.5	O.	NE.	O.	Np.	N.	...
2	61.01	60.46	61.37	60.95	13.0	11.6	16.8	14.1	—	C.	—	Ll.	Np.	Np.
3	61.43	61.83	61.24	61.50	18.0	11.5	17.1	15.5	—	NNO.	NNO.	Ll.	N.	N.
4	62.09	61.94	61.38	61.80	18.2	14.0	14.8	15.7	NNO.	NNO.	NNO.	—	N.	N.
5	61.10	61.11	62.42	61.54	15.2	13.3	17.2	15.2	—	O.	—	Ll.	Np.	Np.
6	62.14	62.75	62.20	62.36	17.2	11.7	11.5	14.5	—	O.	O.	Np.	N.	Ll.
7	61.97	61.54	61.76	61.73	13.7	11.5	14.7	13.3	—	O.	O.	Ll.	N.	Ll.
8	61.75	62.43	65.86	63.33	13.1	10.2	14.5	12.6	O.	O.	—	Ll.	Np.	—
9	65.89	65.80	65.29	65.66	16.1	11.5	14.2	13.9	—	E.	S.	—	D.	D.
10	64.60	64.58	61.97	63.65	19.2	11.7	18.7	16.5	—	S.	—	—	—	—
11	61.29	60.73	60.91	60.99	19.2	12.5	17.1	16.3	NNO.	N.	SO.	D.	—	—
12	61.04	62.03	61.48	62.52	21.5	13.7	20.2	18.5	O.	C.	SSE.	—	—	—
13	64.36	64.00	63.23	63.90	21.3	14.0	19.3	18.2	—	O.	NO.	—	—	—
14	60.82	59.75	59.91	23.7	17.5	18.0	19.7	—	E.	O.	—	—	—
15	59.51	61.40	60.45	18.1	14.0	16.0	S.	NNO.	—	Np.	N.	N.
16	63.65	63.23	63.43	16.3	18.0	17.1	—	—	C.	D.	D.	—
17	61.93	58.40	17.1	13.2	15.5	—	—	N.	—	Ll.	Ll.
18	55.07	55.99	55.33	15.6	12.2	13.9	—	C.	—	—	N.	Np.
19	61.26	62.04	61.65	15.3	10.5	12.9	SO.	—	—	—	D.	—
20	63.37	62.70	65.03	17.0	15.5	16.2	O.	—	O.	—	D.	—
21	62.15	62.18	62.56	62.30	17.8	15.5	14.6	16.0	SO.	NO.	S.	—	Np.	Np.
22	61.75	62.24	61.94	61.98	19.5	11.7	15.8	15.7	—	C.	—	Np.	—	—
23	61.87	62.67	63.12	62.55	17.8	11.2	19.8	16.3	—	O.	N.	E.	D.	D.
24	62.34	62.03	61.70	61.69	21.6	15.1	17.7	17.9	C.	O.	O.	D.	—	—
25	59.96	59.79	59.69	59.81	29.0	14.0	16.5	16.8	O.	O.	M.	D.	Ni.	Ni.
26	59.15	59.41	61.56	60.04	17.8	11.5	14.3	14.5	—	NE.	C.	Np.	—	—
27	59.20	62.60	63.22	61.91	18.7	15.0	19.0	17.6	NO.	NO.	E.	Np.	Np.	Np.
28	65.75	63.08	63.25	63.36	24.5	17.7	21.5	21.2	SE.	SE.	O.	D.	D.	D.
29	61.88	61.68	61.59	61.72	24.8	13.8	16.7	18.1	—	C.	C.	—	—	N.
30	56.78	61.05	62.59	61.47	16.5	16.8	15.5	16.3	O.	E.	C.	—	—	N.
31	62.41	62.40	62.3	62.35	17.7	12.1	17.1	15.4	—	C.	O.	—	Np.	Np.

FEBRERO DE 1874.

1	62.31	63.57	62.94	13.2	16.5	14.8	O.	O.	O.	Np.	Np.	Np.
2	63.26	65.04	65.23	64.51	17.1	12.5	16.5	15.1	—	SO.	—	Np.	N.	N.
3	64.85	64.46	64.66	16.5	12.2	14.5	—	—	—	Np.	N.	D.
4	62.07	61.69	61.44	61.73	17.7	13.3	16.5	15.8	—	O.	C.	D.	N.	—
5	60.50	59.62	65.87	62.09	18.0	14.1	16.8	16.3	—	N.	O.	Np.	—	—
6	54.84	58.75	63.22	58.97	13.0	9.6	13.5	12.0	NO.	S.	SE.	Ll.	Np.	Np.
7	63.98	64.31	61.14	15.6	12.1	13.8	—	C.	—	Np.	N.	...
8	63.23	62.28	62.98	62.53	18.7	12.2	16.0	16.9	S.	SE.	S.	—	Np.	Np.
9	61.17	61.47	60.94	61.13	19.7	12.2	16.5	16.1	—	E.	—	—	D.	—
10	61.00	60.73	60.48	60.74	19.6	12.7	17.5	16.4	—	N.	—	—	—	—
11	61.18	61.25	62.05	61.41	18.5	14.0	18.5	17.0	NO.	O.	S.	Np.	—	—
12	61.30	60.89	60.75	60.98	22.5	14.1	18.5	18.3	—	O.	N.	Np.	—	D.
13	60.01	60.31	60.42	60.25	18.7	14.5	17.7	17.0	—	O.	NE.	—	—	Np.
14	61.06	61.13	62.48	61.56	20.5	14.5	16.8	17.3	—	N.	—	—	—	D.
15	61.65	61.29	60.71	61.56	19.0	11.5	15.8	15.1	—	C.	NO.	D.	—	—
16	59.53	58.86	58.21	58.87	21.6	13.8	18.5	18.0	ONO.	C.	—	—	—	—
17	57.86	58.17	59.65	58.36	18.0	13.2	13.8	15.0	O.	E.	NNO.	—	—	—
18	57.88	58.20	59.01	58.03	18.8	13.2	15.6	15.2	—	E.	N.	—	—	Np.
19	58.73	58.52	58.39	58.35	16.8	11.6	15.7	14.5	—	—	—	—	—	Ni.
20	58.33	58.60	58.46	11.5	13.7	12.6	N.	N.	—	Np.	Np.	Np.
21	58.87	58.20	58.53	12.7	12.2	12.4	—	ONO.	—	—	Ll.	Ll.
22	58.92	59.78	60.78	59.83	14.7	10.2	14.6	13.2	NO.	O.	ONO.	—	Np.	Np.
23	60.35	59.91	59.99	60.08	15.8	10.2	14.5	13.1	—	O.	N.	—	—	N.
24	56.14	56.69	60.50	57.78	13.5	12.0	14.0	13.2	NO.	S.	NO.	Ll.	—	—
25	61.65	61.65	16.0	16.0	—	—	—	Np.	—	—
26	62.00	61.74	60.68	61.47	16.6	10.0	13.0	13.2	O.	C.	—	—	D.	D.
27	61.37	60.24	57.35	59.65	18.5	13.2	14.5	15.2	—	NO.	C.	D.	Np.	Ll.
28	58.78	61.98	59.62	60.14	16.3	11.7	16.5	15.7	—	C.	NO.	—	—	Np.

MARZO DE 1874.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CEN- TIGRADO.				VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Med.	h 2½.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm. 700+	mm. 700+	mm. 700+	mm. 700+	o	o	o	o						
1	58.98	60.24	64.25	61.16	14.2	9.8	11.8	11.9	SO.	SE.	S.	Np.	Np.	Np.
2	64.42	65.59	65.64	65.22	15.1	8.2	12.1	11.8	O.	E.	E.	—	—	—
3	64.49	61.58	63.08	63.08	9.8	13.7	11.7	...	ENE.	NO.	...	D.	Np.
4	59.33	57.31	64.66	57.30	16.6	11.2	12.7	13.5	O.	O.	O.	Np.	—	—
5	55.20	55.61	55.79	55.59	13.5	9.3	11.6	11.5	O.	C.	SO.	—	N.	—
6	57.36	61.91	67.27	62.18	12.2	9.1	14.2	11.8	S.	SSO.	NE.	—	Np.	—
7	67.62	69.12	64.76	67.17	14.0	11.5	15.0	13.5	O.	SO.	NO.	—	N.	—
8	64.61	63.56	63.09	63.69	17.7	10.7	13.2	13.9	NNNE.	NE.	N.	Np.	D.	—
9	62.60	62.57	63.00	62.73	19.0	12.1	12.0	14.4	ONO.	C.	E.	—	Ni.	—
10	62.63	62.49	63.33	62.81	15.0	12.2	13.7	13.6	O.	E.	SE.	—	—	—
11	63.17	64.11	63.64	16.6	9.0	12.8	S.	SSE.	—	—	D.	D.
12	59.56	59.61	59.25	59.47	14.8	9.6	10.7	11.7	O.	SO.	O.	Np.	D.	—
13	58.53	57.59	55.51	57.21	12.7	16.8	11.7	11.7	S.	SSO.	SE.	Np.	Ll.	Ll.
14	55.97	58.56	57.59	57.37	14.0	8.7	9.3	10.7	NO.	SE.	NNE.	Np.	D.	—
15	55.77	54.20	51.86	55.26	12.8	11.5	12.5	12.3	O.	N.	NO.	Ll.	N.	—
16	52.72	52.46	59.79	56.32	14.5	10.5	13.0	12.7	O.	S.	ONO.	Np.	Np.	—
17	59.43	59.34	60.69	59.82	14.7	9.2	11.1	11.7	—	—	NO.	—	D.	Np.
18	60.91	60.97	61.24	61.04	13.3	10.1	11.5	11.6	SO.	SE.	S.	Np.	Np.	—
19	59.77	63.34	61.55	15.7	11.5	13.6	NO.	...	N.	—	—	—
20	62.73	62.80	62.96	62.83	14.1	8.5	10.5	11.0	O.	E.	S.	Np.	D.	D.
21	63.06	63.78	62.97	63.28	14.2	9.2	10.0	11.1	NNE.	—	NO.	Np.	D.	—
22	61.62	61.78	61.70	14.5	9.5	12.0	O.	NO.	...	—	D.	Np.
23	61.52	63.10	64.45	63.02	13.8	10.7	12.2	12.2	SE.	SO.	N.	—	—	Np.
24	63.70	65.07	64.46	64.41	13.0	10.2	13.7	12.3	O.	E.	NO.	—	—	—
25	62.82	61.51	59.12	61.48	14.1	11.2	9.7	11.7	NO.	SSE.	E.	—	N.	—
26	58.30	58.31	57.95	58.19	14.8	10.3	11.2	12.1	—	NE.	—	—	Np.	Np.
27	58.13	57.23	57.29	57.55	13.0	12.5	13.0	12.8	NE.	E.	—	G.	N.	—
28	57.97	59.16	62.21	59.78	16.3	11.0	12.5	13.3	N.	SE.	ENE.	Np.	D.	—
29	62.08	63.45	62.13	62.53	14.6	8.7	12.1	11.8	N.	—	NO.	Np.	—	Np.
30	62.57	61.43	62.43	62.15	15.0	11.6	11.7	12.8	O.	SSE.	S.	Np.	—	—
31	61.61	60.71	59.57	60.63	12.8	9.1	12.9	11.4	S.	C.	NO.	Np.	—	—

ABRIL DE 1874.

1	59.95	59.99	61.97	60.64	13.2	12.2	10.2	11.9	O.	SSE.	S.	N.	Np.	Np.
2	62.82	61.54	65.22	64.19	12.5	8.1	11.1	10.6	S.	S.	O.	Np.	—	Np.
3	64.40	65.20	61.62	63.74	11.6	6.5	10.0	9.4	SO.	E.	OSO.	—	—	Np.
4	65.48	61.08	64.78	12.8	10.6	11.7	NE.	—	S.	—	D.	—
5	61.75	61.90	61.60	61.75	13.7	7.1	10.0	16.3	SO.	—	E.	J.	—	—
6	61.83	61.23	60.70	61.25	12.5	6.7	13.7	11.0	O.	—	—	Np.	—	—
7	59.32	58.08	56.24	57.88	16.5	8.5	12.5	12.5	NO.	—	NO.	—	—	—
8	57.31	57.14	57.02	57.17	13.7	12.2	13.6	13.2	NO.	NO.	NE.	N.	—	—
9	55.71	56.12	56.11	55.98	14.8	13.6	12.8	13.7	O.	N.	O.	—	Ll.	Ll.
10	56.36	56.22	59.80	57.41	14.0	12.3	15.8	13.4	N.	E.	NO.	Ni.	Ni.	Np.
11	61.37	63.30	61.31	62.93	15.2	12.6	14.3	14.0	—	—	E.	N.	N.	Ni.
12	63.94	63.68	62.80	63.47	16.6	15.3	14.0	11.7	NO.	N.	N.	Np.	—	—
13	62.04	61.46	58.87	61.12	14.6	13.5	12.0	13.4	SO.	N.	O.	Ni.	Ll.	Ll.
14	60.29	62.99	65.44	62.91	12.5	10.1	12.5	11.7	O.	SO.	N.	Np.	N.	N.
15	65.02	65.63	63.60	61.55	13.7	9.8	11.1	11.5	—	—	S.	—	Np.	Np.
16	62.26	62.88	64.70	63.28	13.7	9.1	16.0	10.9	NE.	SE.	O.	—	D.	—
17	61.15	61.63	62.82	63.33	13.7	12.2	12.6	12.8	O.	SO.	O.	—	Np.	Np.
18	62.88	63.20	61.72	62.60	15.1	12.5	12.6	12.7	SO.	SE.	NO.	G.	Ni.	Np.
19	61.50	60.15	57.37	59.87	13.6	12.7	13.0	12.9	—	NNO.	O.	—	G.	Np.
20	56.62	57.68	63.12	59.14	11.6	9.1	9.6	10.1	ONO.	SO.	—	Ll.	Np.	Np.
21	64.74	65.76	66.49	65.66	12.2	9.7	11.1	11.0	OSO.	—	NE.	N.	N.	N.
22	66.92	67.31	65.96	68.71	11.5	9.0	10.1	10.2	ESE.	SE.	S.	Np.	—	—
23	65.33	63.81	63.31	64.16	10.5	7.5	10.5	9.3	SO.	E.	SE.	—	—	—
24	58.08	62.32	61.55	60.61	12.6	7.5	16.2	12.1	O.	N.	—	Np.	—	—
25	60.87	61.05	61.24	61.05	17.6	10.8	10.0	12.8	N.	SE.	E.	—	—	Ni.
26	61.45	61.01	60.23	60.91	13.0	9.7	9.5	10.7	—	ENE.	NE.	—	—	Np.
27	60.73	60.66	59.63	60.14	12.5	11.7	12.0	12.1	N.	NNE.	N.	G.	N.	N.
28	59.43	59.60	56.62	58.55	12.7	11.0	12.2	12.0	O.	NE.	NE.	Np.	Np.	Ll.
29	56.63	56.87	60.56	58.02	12.2	12.8	12.2	12.6	NNO.	N.	O.	Np.	—	Np.
30	61.26	63.18	61.71	63.65	12.2	7.6	11.6	10.5	SO.	SE.	NO.	Np.	N.	—

MAYO DE 1874.

DIAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					VIENTOS.			ESTADO ATMOSFÉR.		
	2½ h.	9 h.	21 h.	Med.	2½ h.	9 h.	21 h.	Md.	Mfn.	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
	mm.	m.	mm.	mm.	o	o	o	o	o						
1	63.05	62.65	60.36	62.02	12.5	11.8	12.5	12.3	O.	ONO.	N.	N.	N.	LL.
2	56.85	54.53	56.55	55.98	12.8	12.5	11.2	12.2	—	N.	O.	—	LL.	—
3	56.89	58.31	58.31	57.84	13.7	12.5	11.6	12.6	—	NE.	N.	Np.	N.	N.
4	54.03	52.13	53.87	52.68	12.3	12.0	13.5	12.6	SE.	ENE.	—	LL.	N.	N.
5	58.36	58.11	56.28	57.58	13.7	12.5	12.7	13.0	N.	N.	—	N.	—	—
6	54.41	53.28	56.29	54.66	14.2	11.2	11.7	12.4	N.	O.	SE.	LL.	LL.	—
7	57.77	58.45	55.48	57.23	13.5	12.6	12.5	12.8	O.	—	N.	Np.	N.	—
8	53.96	54.55	55.91	54.74	11.2	11.5	10.7	11.1	N.	—	NO.	LL.	Np.	Np.
9	55.94	62.68	59.31	11.0	9.3	10.1	NO.	—	SO.	Np.	—	—
10	62.96	65.77	68.90	65.84	10.6	7.1	8.6	8.8	SO.	SE.	—	—	—	—
11	68.73	68.53	64.54	67.27	9.2	6.6	7.7	8.8	O.	E.	—	LL.	—	—
12	63.41	61.90	59.15	61.49	10.0	5.0	9.8	8.3	E.	—	SE.	Np.	—	—
13	56.59	55.89	57.82	56.77	10.2	10.3	11.0	10.5	ENE.	O.	N.	N.	N.	—
14	58.49	59.95	63.19	60.54	12.5	10.3	10.0	10.9	O.	O.	S.	Np.	N.	—
15	61.85	64.63	66.58	64.35	10.7	7.7	9.1	9.2	—	SO.	NO.	—	—	Np.
16	67.10	67.49	66.10	66.90	10.0	7.7	9.2	8.6	SE.	E.	N.	LL.	Np.	—
17	64.31	62.61	63.96	10.0	7.8	8.9	N.	NO.	N.	N.	LL.	—
18	54.58	53.98	48.06	52.21	8.2	8.0	9.3	8.5	NE.	N.	—	LL.	N.	—
19	48.46	49.40	51.70	49.85	10.2	10.0	11.0	10.4	—	—	SE.	N.	N.	—
20	53.59	53.09	56.10	54.27	11.7	5.3	3.2	6.7	SE.	SE.	—	—	Np.	Np.
21	58.02	63.93	60.97	7.2	5.1	6.1	N.	—	—	Np.	Np.	—
22	64.23	65.24	66.18	65.22	5.1	3.7	4.0	4.3	SE.	SE.	—	—	—	D.
23	67.62	65.83	65.75	66.40	9.3	4.2	6.7	6.7	O.	SE.	E.	—	—	D.
24	65.22	64.20	63.08	64.17	11.2	6.3	6.3	7.9	SE.	NE.	—	—	—	D.
25	62.50	61.02	61.66	7.0	10.0	8.5	E.	—	NE.	—	—	LL.
26	60.92	61.17	62.30	61.46	9.1	7.7	9.0	8.6	NE.	—	O.	LL.	—	LL.
27	62.19	63.70	64.32	63.40	10.8	6.6	8.7	8.7	O.	ENE.	N.	Np.	—	—
28	62.74	62.28	60.10	61.71	10.1	7.1	6.5	7.9	E.	N.	ENE.	—	—	—
29	57.21	55.87	55.70	56.26	9.2	7.8	7.6	8.2	NE.	—	O.	—	—	LL.
30	58.62	60.11	59.36	5.7	3.2	4.4	O.	—	—	—	—	Np.
31	63.52	63.30	61.98	62.93	9.1	3.2	3.3	5.2	SO.	ESE.	SE.	Np.	—	—

JUNIO DE 1874.

1	61.16	60.40	61.10	60.89	7.1	5.1	5.0	5.7	3.0	ESE.	ESE.	S.	Np.	N.	Np.
2	60.15	61.07	65.40	62.21	8.0	3.1	2.0	4.4	-0.5	SE.	E.	SE.	—	D.	—
3	65.74	66.19	64.35	65.35	8.7	7.0	6.8	7.5	4.8	N.	NO.	N.	Np.	N.	N.
4	61.54	59.01	60.27	9.5	10.0	9.7	4.6	N.	SE.	O.	—	Np.	Np.
5	57.81	57.58	56.59	57.33	11.3	10.0	11.1	10.8	8.9	ONO.	ONO.	—	LL.	—	—
6	55.92	56.41	57.19	56.51	9.8	9.0	8.7	9.2	5.1	O.	E.	E.	—	Np.	—
7	55.82	53.96	54.91	9.0	10.0	9.5	ENE.	N.	LL.	LL.	—
8	62.60	54.25	52.00	52.95	10.6	9.0	7.5	9.0	4.3	NO.	NNO.	S.	N.	N.	N.
9	51.03	51.87	53.08	51.99	9.7	7.6	8.7	8.3	4.2	N.	ENE.	NE.	LL.	—	—
10	64.08	56.52	59.81	56.79	8.3	8.6	8.0	8.6	5.9	NO.	N	E.	LL.	N.	N.
11	61.59	63.22	65.84	63.55	10.0	7.2	7.3	8.2	3.6	N.	SE.	NE	Np.	N.	Np.
12	66.29	70.76	64.40	67.13	9.3	6.5	6.8	7.5	3.2	E.	E.	SE.	LL.	—	—
13	61.75	58.74	62.08	60.86	8.7	7.6	10.2	8.8	5.2	NE.	N.	NO.	LL.	—	—
14	64.89	64.78	69.13	66.10	11.3	5.5	5.0	7.3	2.0	O.	E.	SE.	Np.	N.	N.
15	65.90	65.81	64.05	65.25	10.2	4.3	4.6	6.4	-0.4	N.	—	SO.	D.	D.	—
16	61.24	60.95	64.04	60.74	10.1	5.5	6.2	7.3	3.1	SE.	—	—	Np.	N.	Np.
17	58.82	58.98	59.75	59.18	10.6	8.6	6.2	8.5	3.7	SE.	—	—	—	—	—
18	60.16	60.72	62.08	60.99	10.0	9.6	4.7	8.1	1.6	NE.	NE.	SO.	—	—	—
19	62.23	62.93	61.75	62.30	9.3	7.7	7.7	8.3	2.3	E.	E.	—	Np.	N.	—
20	61.16	60.82	59.07	60.55	11.8	6.3	4.7	7.6	0.5	N.	SE.	S.	—	—	—
21	57.42	60.58	58.95	1.8	4.3	3.0	0.0	O.	E.	E.	—	D.	—
22	55.87	57.33	59.43	61.26	6.0	3.8	4.5	4.7	2.5	SE.	ENE.	S.	N.	Np.	—
23	59.55	57.15	63.36	60.02	7.6	7.2	8.7	7.8	5.0	NE.	NE.	E.	—	N.	N.
24	65.43	55.16	48.55	53.05	10.5	9.5	9.1	9.7	6.5	ENE.	—	—	—	—	—
25	48.43	50.21	51.51	50.06	10.6	10.1	10.0	10.2	6.4	N.	NO.	NO.	LL.	LL.	LL.
26	49.59	49.97	56.81	52.12	8.4	12.1	8.2	9.5	6.0	NE.	NE.	E.	Np.	—	—
27	58.66	59.79	61.40	59.95	10.0	7.0	5.7	7.6	1.5	O.	E.	SE.	Np.	N.	G.
28	59.89	60.30	60.29	60.16	7.2	5.6	5.7	6.2	3.5	N.	SE.	S.	LL.	N.	N.
29	60.04	60.16	59.48	59.89	8.7	6.3	5.7	6.5	3.1	—	E.	N.	Np.	N.	Np.
30	58.02	58.19	55.71	57.51	9.7	6.8	9.3	8.9	4.7	O.	SO.	NNO.	C.	—	LL.

DÍAS.	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICRÓMETRO. Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	54.47	55.15	53.73	54.45	10.0	8.6	10.0	9.5	0	0	0	0
2	54.44	55.15	53.73	54.45	10.0	8.6	10.0	9.5	0	0	0	0
3	54.43	55.43	53.45	55.02	8.7	6.0	5.0	6.6	4.6
4	60.94	60.77	60.85	3.3	2.7	3.0	-0.5
5	63.67	66.95	69.92	66.85	8.0	1.8	2.8	4.1	-0.5
6	69.74	70.49	71.25	70.43	6.3	1.8	3.8	4.0	-4.0
7	70.68	70.66	70.87	70.71	6.3	4.2	5.0	5.2	0.0
8	69.76	68.70	65.94	68.15	8.7	4.5	6.3	6.4
9	63.46	63.29	60.80	62.52	9.3	4.3	7.0	6.9
10	60.93	62.76	63.83	62.51	7.6	2.0	5.2	4.9
11	62.78	61.33	58.85	60.99	5.6	6.5	9.3	7.1
12	55.17	56.77	58.84	56.93	10.6	11.2	8.6	10.1	0.1
13	58.94	58.85	59.17	58.98	11.2	10.0	10.2	10.5	6.6
14	56.01	52.47	49.74	52.95	10.2	6.8	10.0	9.0	5.6
15	48.86	57.81	64.70	57.13	9.5	7.6	6.2	8.1	5.3
16	65.34	68.57	70.48	68.13	6.8	4.3	7.0	6.4	0.3
17	69.84	68.92	62.47	67.08	7.7	3.8	5.1	5.5	1.3
18	61.07	61.07	62.75	61.63	7.6	5.0	5.0	5.9	1.6
19	62.99	63.65	62.22	62.92	8.2	4.5	5.3	6.0	1.9
20	59.67	59.50	59.58	9.1	8.1	8.6	1.5
21	55.41	51.43	48.63	52.49	9.0	8.8	10.5	9.4	5.6
22	49.45	50.24	55.40	52.36	11.2	10.0	11.3	10.8	5.2
23	55.73	61.08	65.67	69.83	10.0	9.5	9.0	9.4	6.3
24	66.77	69.40	69.23	68.43	11.0	6.1	5.8	7.6	1.6
25	64.45	63.08	63.76	11.3	7.5	9.4	4.3
26	61.70	60.00	62.39	61.39	12.5	8.2	6.5	9.1	3.1
27	61.69	61.99	59.54	61.07	10.3	8.1	6.6	8.3	2.6
28	58.17	58.62	60.13	58.97	10.0	9.0	8.7	9.2	5.0
29	57.36	58.43	58.76	58.25	12.0	11.0	10.5	11.2	8.6
30	56.96	59.11	58.44	58.14	11.6	11.0	9.2	10.6	7.6
31	57.19	55.57	55.79	56.16	10.7	11.3	10.0	10.7	8.2

1	54.12	55.96	61.58	57.22	12.7	11.1	11.1	11.6	8.0
2	61.79	61.41	59.84	60.98	11.1	11.1	10.7	11.0	8.3
3	57.50	57.50	57.50	12.5	10.3	11.2	11.3	8.3
4	58.66	60.58	63.05	60.43	12.5	11.0	8.5	11.0	7.9
5	62.62	62.77	59.90	61.76	13.2	9.0	8.1	10.1	5.6	0.6	0.3	0.0
6	57.65	58.13	57.48	57.75	11.5	11.2	8.6	10.5	5.5	0.2
7	56.41	56.84	59.30	57.52	10.7	9.7	10.7	10.4	5.0	0.6	1.9
8	56.09	52.94	46.97	52.00	9.5	10.2	11.2	10.3	0.3
9	47.79	51.67	55.77	51.74	6.1	6.5	7.5	6.7
10	54.30	61.78	66.12	60.75	5.6	5.1	3.8	4.8	1.3
11	66.37	66.66	68.31	67.21	7.1	3.8	6.1	5.7	0.7
12	68.13	69.76	70.25	69.98	9.5	5.5	6.1	7.0	3.2	2.1	0.4
13	69.70	69.23	67.25	68.73	11.0	5.0	7.0	7.7	2.3	4.1	1.5
14	65.52	64.30	64.56	64.79	11.3	4.2	6.2	7.2	0.0	0.4
15	61.64	59.81	62.37	61.27	8.6	7.8	6.8	1.7
16	62.02	62.85	68.57	64.48	7.6	6.5	9.1	7.8
17	69.45	71.23	70.63	70.24	9.3	4.5	8.7	7.5
18	67.63	65.84	64.25	65.91	9.3	8.2	9.3	8.9
19	62.94	60.97	62.14	62.02	10.0	10.1	10.6	10.2
20	63.37	64.58	65.45	64.47	9.8	3.7	9.0	7.5
21	64.89	64.49	59.53	62.95	9.7	8.8	9.5	9.3
22	55.02	56.86	60.14	57.01	9.5	6.3	8.7	8.2
23	59.76	59.35	52.45	57.19	9.5	4.2	8.7	7.5
24	48.87	45.82	62.80	52.50	10.7	10.0	9.7	10.1
25	55.57	58.55	60.11	58.08	9.3	7.6	9.5	8.8
26	59.28	59.97	59.77	59.67	8.5	9.6	10.0	9.4	5.7	0.8	0.3
27	60.95	61.64	61.92	61.43	10.1	10.3	8.3	9.6	6.6
28	60.40	58.82	59.89	59.70	9.6	10.5	11.0	10.4	5.6	0.1	0.5
29	65.89	57.02	54.58	59.10	10.0	11.1	11.2	10.8	8.1	0.0
30	63.62	57.61	62.60	61.25	11.2	11.1	6.5	9.6	4.3	0.0	1.7
31	56.52	62.53	69.25	62.77	7.5	10.8	5.6	8.0	0.2

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.									
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
...	O.	O.	N.	Np.	Np.	N.
...	SO.	SSE.	NO.	Ll.	Np.	Np.
...	S.	S.	S.	—	—	—
...	SE.	E.	—	D.	D.	—
...	E.	—	—	Np.	Np.	D.
...	—	SE.	—	Np.	—	Np.
...	N.	—	—	Ll.	—	D.
...	NE.	—	NE.	—	—	N.
...	N.	—	N.	Np.	—	N.
...	NNO.	—	NO.	N.	Np.	N.
...	S.	SE.	N.	Ll.	Ll.	Np.
...	E.	N.	ONO.	—	—	—
...	OSO.	NE.	N.	Np.	Np.	—
...	SE.	SE.	S.	D.	D.	—
...	—	E.	SE.	N.	N.	—
...	O.	N.	N.	N.	N.	N.
...	N.	—	—	—	—	Ll.
...	NO.	E.	NO.	Np.	Np.	Np.
...	O.	NO.	—	—	—	—
...	SE.	SE.	SE.	—	—	—
...	SSO.	E.	SE.	N.	N.	N.
...	NO.	—	—	—	—	—
...	C.	N.	N.	—	—	N.
...	NE.	—	—	—	—	—
...	E.	NE.	—	Ll.	—	Ll.

DE 1874.

...	NE.	N.	N.	Np.	N.	N.
...	NNO.	NO.	SO.	Ll.	—	Ll.
...	ONO.	NO.	NO.	N.	—	Ll.
93	96	100	96	10.23	8.26	8.02	8.84	NO.	—	SE.	Np.	D.	Np.
...	NE.	N.	NE.	N.	N.	N.
92	8.08	...	8.14	...	N.	—	SE.	—	Ll.	N.
96	7.76	...	7.05	7.5.	NNO.	NO.	NE.	Ll.	—	N.
...	NO.	SO.	N.	—	Gran.	Np.
...	NE.	SE.	NNO.	—	M.	M.
90	6.63	SSO.	E.	NO.	Np.	D.	D.
72	...	94	83	6.33	...	6.81	6.57	S.	SE.	NE.	—	—	—
40	...	78	59	4.19	...	5.89	5.04	SE.	E.	S.	—	—	—
...	...	94	7.01	...	SSE.	—	SE.	—	—	Np.
77	6.47	N.	NO.	—	N.	—	—
...	OSO.	O.	N.	Np.	Ll.	Ll.
...	SO.	C.	O.	—	—	N.
...	N.	N.	N.	N.	Ll.	Ll.
...	NO.	—	—	Np.	Np.	Np.
...	O.	C.	—	Np.	N.	Ll.
...	ONO.	N.	O.	N.	Np.	Ll.
...	N.	ONO.	N.	Ll.	Ll.	Np.
...	O.	E.	—	Np.	Ll.	N.
...	NE.	NE.	SO.	Np.	N.	Ll.
...	NO.	E.	NE.	Np.	N.	Ll.
89	...	96	93	7.26	...	8.63	7.93	ONO.	NNO.	ONO.	Ll.	—	Ll.
...	NO.	NO.	N.	—	—	N.
99	...	94	97	8.69	...	8.83	8.78	N.	N.	NE.	—	—	Ll.
100	9.47	—	—	N.	—	—	Ll.
100	...	74	87	9.65	...	5.32	7.49	—	ONO.	ESE.	N.	—	Np.
...	SO.	E.	S.	—	—	Np.

DÍAS	BARÓMETRO REDUCIDO A 0°				TERMÓMETRO CENTÍGRADO.					PSICROMETRO.		
	A 0°									Dif. de los termómetros.		
	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	Mínim.	2½ h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
	700+	700+	700+	700+	o	o	o	o	o	o	o	o
1	69.45	70.68	66.81	65.48	9.0	6.5	6.8	7.4	2.3	1.8
2	66.01	64.96	65.77	65.58	11.5	5.1	6.7	7.8	1.0	2.2	0.3
3	65.76	65.42	62.01	64.40	10.1	7.5	10.2	9.2	5.7	2.3	0.3	0.0
4	60.91	64.78	68.65	64.45	9.2	5.2	8.7	7.7	2.7	0.5	0.8
5	69.12	69.48	69.72	69.44	8.2	6.3	8.6	7.8	2.9	1.7	0.5
6	69.82	68.47	67.87	68.55	8.7	8.7	10.2	9.2	6.2	0.1	0.2	0.9
7	67.60	67.87	65.38	66.75	13.2	9.0	10.0	10.7	5.3	0.7	0.5	1.2
8	62.14	62.09	61.57	61.60	16.2	6.5	10.7	11.1	3.7	3.2	0.1	0.1
9	61.92	62.19	61.42	61.81	10.0	10.0	10.5	10.2	8.0	0.1	0.0
10	60.48	60.42	59.48	60.18	13.5	10.8	10.2	11.5	7.8	1.2	0.3
11	59.58	60.82	61.36	60.52	14.2	10.7	11.2	12.4	8.6	0.1
12	61.69	61.75	61.87	61.77	12.0	9.8	10.0	10.6	6.2	0.4	0.1
13	62.51	69.89	64.39	68.76	11.1	10.0	10.7	10.6	7.0	0.0	0.0
14	51.74	66.23	63.98	9.5	9.5	9.5	6.9	1.4
15	55.40	64.88	59.89	60.06	10.2	9.5	10.0	9.9	10.5	0.6	0.7
16	59.05	62.40	63.68	61.71	10.8	7.5	8.1	8.8	4.7	2.3	0.6	0.2
17	63.29	62.64	62.96	8.8	8.8	8.8	7.2	0.0
18	55.61	56.05	55.28	65.65	12.2	9.3	10.0	10.5	5.8	0.2
19	62.23	49.73	62.32	64.76	11.6	10.0	11.0	10.9	10.0	0.2
20	53.53	55.44	58.82	55.93	9.3	6.8	9.5	8.5	4.1
21	59.59	66.28	67.87	64.58	10.7	5.7	10.6	9.0	3.4
22	67.18	67.18	65.67	66.64	10.8	9.0	11.3	10.4	8.1	0.2
23	64.05	60.55	64.24	62.95	11.5	10.0	10.2	10.6	8.0	0.3	0.3
24	58.24	53.53	58.40	55.06	12.7	8.1	7.0	9.3	4.4	1.1	0.1
25	63.26	55.22	59.84	3.8	0.0	7.4	3.8
26	63.72	63.38	62.96	63.35	9.5	8.7	11.1	9.8	6.0	0.8
27	62.18	61.43	60.28	61.80	11.2	10.2	11.5	11.0	3.3	0.2	0.1
28	58.64	62.11	63.48	62.41	11.2	7.0	10.2	9.5	3.3	0.4
29	67.72	65.64	66.68	10.6	12.5	11.5	8.0	1.3
30	65.19	64.88	62.86	64.81	13.2	9.8	11.0	11.3	7.6	1.1	0.2	0.0

OCTUBRE

1	61.59	60.62	59.84	60.52	11.1	11.3	11.3	11.2	9.0
2	58.87	58.81	56.16	57.78	11.3	11.5	13.5	12.1	9.6
3	55.05	57.41	56.23	10.8	12.6	11.7	7.8	1.2
4	57.42	54.41	53.85	53.23	11.6	11.3	11.0	11.3	6.0	1.4
5	55.11	55.37	56.45	55.64	11.2	12.0	13.0	12.3	3.3
6	56.91	57.02	58.00	56.64	13.0	11.2	11.2	11.8
7	58.96	50.89	58.54	52.80	10.6	9.8	10.7	10.4	6.5
8	56.87	60.04	58.45	8.6	8.7	8.6	5.0
9	59.79	61.82	62.61	61.24	10.6	5.0	9.3	8.8
10	62.04	62.20	60.86	61.67	11.8	7.3	9.2	9.4	1.3	1.2
11	59.89	60.88	60.87	60.55	10.6	9.7	8.7	9.7	6.5	0.5
12	60.67	63.06	65.90	63.21	10.8	7.8	9.3	9.3	5.0	0.6
13	66.30	65.73	66.01	7.5	9.3	8.4	3.0	0.4
14	64.06	63.32	62.06	63.15	12.7	10.1	11.8	11.5	3.0	2.3	1.6
15	61.57	64.88	62.97	10.0	9.8	9.9	5.3
16	65.81	70.12	72.36	69.48	12.3	6.3	11.1	9.9	1.6	3.2	0.9
17	69.64	68.19	64.72	67.48	12.5	5.8	10.6	9.9	4.4	2.1	0.2	0.2
18	63.05	63.15	63.53	63.24	12.8	7.6	12.6	11.0	5.2	0.9	0.4
19	63.61	63.55	65.46	64.21	14.0	9.8	15.7	12.5	4.1	2.0	1.6
20	64.02	64.03	64.23	64.09	14.2	8.0	11.1	11.1	0.2
21	68.03	62.08	62.55	8.5	12.3	10.4	5.7	1.7
22	60.84	61.22	60.84	60.97	17.0	10.6	12.1	13.2	7.8	0.5
23	60.99	60.94	57.74	59.89	16.6	11.5	14.6	14.2	8.5	0.2
24	57.23	56.93	57.33	57.33	13.6	10.2	11.0	11.6	7.1
25	59.14	59.71	62.24	60.86	13.8	10.1	12.6	12.2	7.2	1.0
26	62.65	61.90	59.79	61.45	15.0	9.8	14.8	13.2	6.8
27	60.48	60.22	59.94	60.21	16.8	10.6	13.8	13.6	7.8	0.4
28	59.88	59.60	60.91	59.96	13.8	8.7	11.7	11.4	7.0	2.2	0.0	0.8
29	60.90	61.19	63.67	61.92	16.5	10.0	14.8	12.8	6.2	1.5	0.7	1.3
30	61.41	65.86	63.63	10.6	14.8	12.7
31	65.33	65.50	66.07	65.63	11.8	11.3	11.2	13.4

DE 1874.

PSICROMETRO.								VIENTOS.			ESTADO ATMOSFÉRICO.		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
83	6.87	OSO.	C.	S.	Np.	Np.	Np.
72	...	96	84	6.99	6.97	6.98	SSE.	E.	SO.	—	—	—
70	96	100	89	6.31	7.27	9.17	7.58	O.	NO.	O.	—	N.	N.
96	...	89	91	7.96	7.11	7.50	—	S.	—	—	Np.	Np.
76	93	...	84	5.98	6.53	6.25	—	SSE.	NO.	—	—	N.
99	97	88	95	8.82	8.20	8.06	8.18	—	E.	O.	Ll.	N.	Np.
92	93	84	90	10.03	7.90	7.91	8.61	—	—	SE.	N.	Np.	—
86	99	99	88	8.66	6.99	9.17	8.27	SE.	—	NNO.	D.	—	N.
89	100	...	99	8.93	8.87	8.90	—	—	N.	G.	—	N.
86	97	...	91	9.28	8.98	9.18	NNO.	N.	O.	N.	Np.	Ll.
...	99	9.23	NE.	NE.	O.	N.	N.	N.
95	99	...	97	9.40	8.75	9.07	NO.	E.	NO.	G.	—	G.
...	100	100	100	8.93	9.29	9.11	NE.	NO.	E.	Ll.	Ni.	Np.
...	...	81	6.90	NNO.	NE.	ONO.	N.	N.	N.
82	91	...	91	8.45	7.78	8.11	NO.	—	OSO.	—	—	Np.
72	91	97	87	7.31	7.09	8.20	7.53	N.	—	NE.	Np.	—	Ll.
100	8.44	NE.	ESE.	SE.	G.	Ll.	N.
...	10.02	10.02	SE.	SE.	NE.	Ll.	N.	N.
87	9.67	NO.	N.	NNO.	—	Ll.	—
...	O.	C.	SO.	—	—	Np.
...	...	97	9.40	—	SO.	O.	Np.	Np.	—
96	...	96	86	9.40	8.81	9.10	—	NO.	NO.	N.	N.	N.
86	...	96	81	9.27	9.41	—	N.	O.	G.	Ll.	Np.
...	OSO.	ESE.	NO.	—	Np.	N.
89	7.96	SO.	S.	—	N.	G.	G.
97	...	99	98	9.34	9.59	9.59	OSO.	SE.	O.	N.	N.	N.
...	...	95	95	8.51	8.51	N.	OSO.	ONO.	Ll.	Np.	Np.
...	83	7.79	—	N.	NO.	—	N.	N.
86	97	100	94	9.14	8.75	9.47	9.12	NO.	NNO.	O.	Np.	Ll.	Ll.

DE 1874.

...	ONO.	N.	N.	Ll.	N.	Ll.
...	...	85	8.74	NO.	—	—	N.	Ll.	Np.
82	8.21	NNO.	NQ.	ONO.	N.	N.	N.
...	O.	N.	O.	Ll.	—	Np.
...	NO.	NO.	—	Np.	—	Ll.
...	NNO.	NNO.	NNO.	Np.	Np.	Np.
...	OSO.	SO.	OSO.	—	—	Ll.
...	...	83	7.07	SSE.	SE.	SSE.	Np.	—	Np.
94	8.33	O.	E.	NO.	—	Ll.	Ll.
94	7.25	—	NE.	ESE.	Ll.	N.	N.
94	7.35	—	E.	N.	Np.	D.	—
73	79	...	76	7.78	7.17	7.47	O.	NNO.	OSO.	—	Np.	Np.
...	—	O.	S.	—	—	—
60	87	97	73	5.82	6.24	6.03	OSO.	SSE.	S.	Np.	—	D.
74	97	...	89	7.35	6.88	9.04	7.92	NNO.	O.	O.	Np.	Np.	Np.
89	94	...	91	9.46	7.45	8.45	SO.	S.	—	—	—	Ni.
77	78	...	77	8.79	6.98	7.88	ONO.	SE.	SSE.	—	—	Np.
...	97	7.62	O.	SSE.	SO.	D.	—	—
...	...	80	8.97	—	S.	S.	—	—	—
...	...	91	10.01	O.	NE.	C.	Np.	—	N.
96	11.53	SE.	E.	SE.	—	—	Np.
84	9.10	O.	N.	NO.	N.	—	Ll.
...	—	R.	—	—	—	Np.
...	...	95	10.28	O.	NE.	C.	Np.	—	—
75	100	89	89	9.02	8.38	9.16	8.65	NE.	E.	C.	N.	D.	—
81	91	85	86	8.80	8.15	10.16	9.03	C.	—	ONO.	Np.	Np.	—
...	—	O.	S.	—	—	N.
...	SE.	—	C.	—	—	N.

DÍAS,	BARÓMETRO REDUCIDO A: 0°				TERMÓMETRO CENTÍGRADO.					PSICROMETRO.		
	24 h.	9 h.	21 h.	Med.	21 h.	9 h.	21 h.	Medio	Mínim.	24 h.	9 h.	21 h.
	mm.	mm.	mm.	mm.	o	o	o	o	o	o	o	o
1	700+65.17	700+65.30	700+64.67	700+65.38	15.1	11.6	12.8	13.2	8.0	2.3	0.0	2.1
2	64.91	65.00	64.26	65.58	16.2	14.3	15.2	5.5	3.2	3.7
3	64.94	65.00	62.14	64.03	17.6	10.7	14.5	14.3	6.9	2.6	0.5	1.6
4	61.10	59.95	59.73	60.26	15.5	9.6	11.6	12.2	6.8	1.8	0.3
5	60.16	61.06	60.71	60.64	10.7	8.3	13.7	10.9	6.7	0.3	0.2
6	58.80	56.17	58.19	57.89	14.1	9.1	12.5	11.9	6.8	0.5	1.9
7	58.43	58.82	63.14	60.13	10.8	8.6	9.1	9.5	6.2	1.3	1.2	1.1
8	63.72	68.62	68.02	68.45	12.8	6.5	12.0	10.4	6.2	2.2	1.0	1.7
9	60.84	57.80	59.32	15.1	12.8	13.9	8.6	2.5	0.6
10	56.12	58.65	59.77	57.51	12.7	12.5	12.5	12.6	8.4	0.0
11	61.84	61.73	61.78	8.5	14.7	11.6	4.0	0.8	1.2
12	61.10	61.94	60.74	61.06	14.8	7.7	13.6	12.0	4.8	3.6
13	62.70	64.41	68.15	68.42	14.3	9.0	13.0	12.1	4.8	0.2	1.4
14	61.98	60.94	58.83	60.58	17.5	10.1	18.7	15.4	6.3	2.7	0.4	4.2
15	57.76	58.66	60.31	58.91	20.6	12.5	17.0	16.7	9.6	4.5	0.4	1.3
16	60.82	61.27	60.79	60.79	16.3	12.8	16.6	15.2	10.2	2.4	0.7	1.9
17	61.01	61.48	60.32	61.07	17.2	13.5	14.0	14.9	10.6	0.3	0.5
18	58.78	57.90	59.03	58.57	14.3	12.5	15.2	14.0	10.0	0.1	0.1	0.7
19	59.34	60.86	60.40	60.20	16.0	12.2	15.0	14.4	8.0	2.1	1.3	1.0
20	60.08	60.26	60.87	60.40	16.7	10.0	16.1	14.3	7.3	3.1	0.7	1.2
21	59.12	58.53	58.36	58.67	16.0	12.7	14.0	14.9	11.0	0.7	0.6
22	58.66	58.99	59.52	59.06	15.5	12.0	16.2	14.6	8.6	2.2	0.1	1.0
23	54.36	53.00	53.63	11.8	15.0	13.4	3.4
24	53.03	53.54	60.63	55.73	13.1	10.3	13.1	12.2	7.3	1.2	0.6	1.8
25	58.48	59.56	60.33	59.46	15.0	12.5	17.2	14.9	9.3	1.6	0.5	3.0
26	57.59	55.71	54.64	55.98	13.1	13.6	13.7	13.5	9.6	0.4	0.6
27	56.19	57.71	56.95	15.6	13.1	8.0	2.0
28	56.22	56.98	60.63	57.94	12.3	11.3	14.3	12.6	0.8	1.6
29	54.32	61.10	62.04	59.15	15.1	11.5	13.2	13.3	8.4	2.0	0.3	0.7
30	63.26	65.86	68.44	65.85	13.7	10.0	13.2	12.5	6.4	3.2	1.6	2.6

DICIEMBRE

1	68.65	70.30	70.19	69.71	14.3	12.7	13.7	13.6	7.2	3.5	2.0
2	67.56	66.71	63.85	65.71	16.2	11.0	16.1	14.4	6.2	2.5	0.6	2.0
3	62.51	62.90	62.88	62.76	18.7	11.3	18.6	16.2	6.6	2.2	0.5	0.6
4	61.11	69.98	58.26	60.12	19.8	13.2	12.6	15.2	9.0	0.1
5	60.85	60.36	58.59	59.93	15.6	13.0	12.5	13.7	10.5	1.6	0.6
6	58.59	60.29	60.81	59.90	11.8	11.6	13.6	12.3	0.4	0.3	1.0
7	61.67	61.42	61.87	61.62	13.3	11.6	14.2	13.2	9.3	2.1	0.7	1.2
8	62.19	63.10	64.60	63.30	15.1	12.5	15.7	14.4	8.6	1.3	0.3	1.4
9	61.27	64.23	64.29	64.26	18.3	10.2	14.1	14.3	7.7	3.1	2.0	3.5
10	63.33	63.32	63.05	63.24	17.5	10.8	15.6	14.6	6.1	4.1	1.1	3.4
11	62.56	63.96	63.26	18.8	11.3	15.0	6.6	3.3	1.9
12	63.78	66.15	65.74	67.83	17.8	11.8	18.7	16.1	7.7	2.6	0.5	2.0
13	66.76	66.76	18.8	18.8	10.4	1.7
14	64.71	64.05	62.18	63.65	22.5	17.5	19.6	19.9	11.4	2.6	0.9	1.8
15	61.25	61.12	61.34	61.24	22.6	15.2	18.3	18.7	12.1	3.3	0.5	1.8
16	60.45	60.63	60.33	60.29	18.7	14.8	14.8	15.1	9.8	3.1	5.4	1.2
17	60.25	60.40	61.83	60.83	15.7	10.2	15.6	13.8	17.5	3.6	0.6	1.6
18	62.46	63.79	64.60	63.62	15.2	12.7	16.8	14.9	9.9	0.1	0.6	1.0
19	63.93	63.65	66.45	62.68	18.0	13.6	16.7	16.1	13.7	2.1	1.1	1.1
20	59.21	60.02	59.61	10.3	13.1	11.7	10.6	2.4	3.0
21	61.46	63.17	63.78	62.80	12.5	10.3	14.3	12.4	9.2	2.7	1.4	1.1
22	64.83	67.65	64.91	65.60	17.3	13.0	16.5	15.7	10.6	0.6	1.1
23	63.78	60.51	61.64	16.8	13.3	15.6	15.2	8.1	2.5	0.0	3.0
24	60.92	61.64	62.78	15.1	15.5	15.3	6.4	3.1	3.5
25	63.46	64.38	62.51	63.58	15.7	10.2	18.6	13.8	7.4	3.8	0.5	2.5
26	60.02	56.86	53.66	56.85	20.4	13.7	17.3	17.1	13.2	3.3	1.6	1.2
27	53.58	54.44	54.87	54.30	21.0	14.7	14.7	14.7	11.2	3.4	0.7	0.9
28	55.26	55.49	56.21	55.63	14.7	13.7	15.0	14.5	11.8	0.5	0.1
29	61.60	56.16	61.14	59.60	14.3	12.7	16.7	14.6	10.6	1.1
30	64.22	66.51	58.52	61.42	20.0	12.1	17.0	16.4	2.8	1.9	3.0
31	65.54	64.94	63.85	64.78	21.2	11.8	17.8	16.9	6.8	3.4	1.2	2.5

DE 1874.

PSICRÓMETRO.								VIENTOS.			ESTADO ATMOSFÉR		
HUMEDAD RELATIVA.				FUERZA ELÁSTICA.				2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	Medio	2½ h.	9 h.	21 h.	2½ h.	9 h.	21 h.
75	100	74	83	9.20	10.14	7.85	9.10	SO.	E.	SO.	Np.	G.	Np.
66	...	58	62	8.73	6.89	7.77	—	O.	O.	—	D.	D.
78	94	83	83	10.65	8.98	10.18	9.94	—	S.	—	D.	—	—
80	96	...	88	10.21	8.51	9.36	—	E.	N.	Np.	N.	N.
97	97	...	97	8.93	7.96	8.44	O.	C.	—	Ll.	N.	Np.
...	93	76	84	8.02	7.79	7.90	O.	E.	O.	Ll.	Ll.	N.
83	83	85	84	8.03	6.77	8.46	7.75	O.	—	—	Ll.	D.	N.
74	85	79	79	7.96	8.55	7.97	7.49	—	C.	C.	Np.	Np.	N.
72	...	93	82	8.84	9.72	9.28	—	O.	N.	—	—	N.
...	100	10.42	N.	—	O.	Ll.	D.	Np.
...	89	86	87	7.41	10.08	8.74	O.	E.	O.	Np.	—	—
61	61	7.75	7.75	7.75	SO.	—	O.	—	—	—
...	97	83	90	8.51	8.68	8.59	—	—	SE.	—	—	—
78	95	59	76	10.27	8.87	8.82	9.82	O.	—	—	—	—	—
59	95	86	80	9.96	10.28	11.12	10.45	—	—	NO.	Np.	N.	—
75	92	80	82	9.71	9.93	10.75	10.13	—	SE.	O.	N.	N.	G.
...	97	94	95	10.70	10.71	10.70	NNO.	N.	—	Ll.	N.	N.
99	99	92	97	11.59	10.36	11.30	11.08	—	E.	—	Ni.	N.	N.
77	84	89	83	9.82	8.68	10.91	9.80	—	—	—	Np.	Np.	Np.
67	91	86	81	9.21	8.33	19.99	9.51	O.	—	NE.	Ll.	Ll.	N.
92	...	98	92	12.12	10.72	11.42	N.	C.	NO.	Ll.	—	N.
96	99	89	95	9.33	10.15	11.30	10.26	O.	E.	NNO.	Np.	—	N.
...	—	NO.	N.	—	—	—
86	92	78	85	9.28	8.63	8.56	8.82	—	O.	O.	—	N.	—
82	94	68	81	9.77	9.84	9.20	9.60	—	C.	N.	—	Ll.	—
95	...	93	94	10.28	9.71	9.99	O.	O.	NO.	Ll.	Np.	—
78	78	9.74	9.74	9.74	SO.	NO.	...	Np.	N.	...
90	...	82	86	9.31	9.49	9.40	O.	SE.	NO.	Ll.	Np.	Np.
78	96	92	89	9.60	9.61	10.06	9.76	—	E.	O.	N.	G.	G.
63	78	69	70	6.94	6.88	7.40	7.10	ONO	SE	SO	Np.	—	Np.

DE 1874.

61	...	75	68	7.05	7.67	7.36	SO.	C.	SO.	Np.	Np.	Np.
74	93	78	82	7.65	8.92	10.09	8.89	S.	SSO.	OSO.	—	D.	D.
78	94	93	88	11.84	9.49	11.15	10.83	NE.	SE.	NO.	—	—	Np.
99	...	99	99	13.48	13.48	13.48	O.	—	O.	D.	—	Np.
82	...	93	87	10.82	10.44	10.63	NO.	B.	NO.	N.	N.	N.
95	96	87	93	9.62	9.61	9.61	9.61	—	O.	O.	Np.	—	—
76	92	86	85	8.52	9.10	10.01	9.21	O.	NNO.	NNO.	—	—	—
85	97	84	89	11.16	10.28	10.73	10.39	NNO.	E.	N.	—	N.	Np.
68	73	80	74	9.91	6.69	6.76	7.79	O.	SE.	S.	Np.	—	—
58	85	63	72	8.25	8.21	7.88	8.11	NE.	E.	—	—	Np.	—
67	...	80	73	10.30	11.23	10.76	O.	...	NO.	—	—	—
73	83	80	79	10.81	9.77	11.80	10.79	—	SE.	O.	—	D.	—
...	...	83	83	13.23	13.23	—	—	S.
75	90	82	83	14.37	12.69	13.25	13.44	NE	SO.	OSO.	Np.	D.	D.
71	94	81	82	13.64	12.00	12.08	12.57	S.	E.	O.	—	Np.	Np.
69	47	86	67	10.50	6.88	10.08	9.15	O.	O.	NO.	—	—	—
93	93	82	89	11.62	8.80	10.40	10.27	—	—	NE.	—	—	—
68	93	89	83	9.63	10.06	12.41	10.70	ONO.	C.	—	—	G.	N.
68	87	88	81	11.27	10.14	11.72	11.04	SO.	E.	—	—	Np.	N.
...	70	65	67	6.57	6.77	6.67	—	SE.	S.	—	—	Np.
68	81	87	79	6.93	7.71	10.14	8.27	O.	O.	NO.	N.	N.	G.
...	93	88	90	10.08	11.56	10.82	SO.	C.	—	Np.	—	Np.
84	100	67	84	9.79	11.30	8.26	9.78	O.	S.	SO.	Np.	Np.	Np.
66	...	62	64	8.13	7.68	7.90	—	E.	E.	—	D.	—
60	94	74	76	7.70	8.86	10.71	9.09	—	—	N.	—	Np.	D.
89	81	87	79	11.70	9.31	11.97	10.99	—	—	—	—	—	Np.
68	92	90	83	11.73	10.88	10.69	11.10	—	N.	—	—	—	N.
94	99	...	86	11.21	11.17	11.19	NO.	—	O.	N.	Ll.	Ni.
...	...	88	88	12.19	12.19	NNO.	C.	N.	Ll.	N.	Np.
74	76	68	78	12.71	7.91	9.27	9.96	N.	S.	S.	Np.	D.	D.
68	84	74	75	11.91	8.39	10.53	10.28	O.	N.	C.	—	—	—

OBSERVACIONES TRIHORARIAS.

Instrumentos.	FEBRERO 8 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 764.96	mm. 764.85	mm. o	mm. 764.47	mm. o	mm. o	mm. o	mm. o	mm. 764.76
Termómetro centígrado.....	17.6	14.5	o	12.2	o	o	o	o	15.5
Vientos.....	O.	O.	o	SO.	o	o	o	o	N.
Estado atmosférico.....	Np.	Np.	o	Np.	o	o	o	o	D.
	FEBRERO 13 DE 1874.								
Barómetro reducido a 0°.....	mm. 761.11	mm. 760.00	mm. o	mm. 760.33	mm. o	mm. o	mm. o	mm. 760.41	mm. 760.48
Termómetro centígrado.....	20.0	18.7	o	14.5	o	o	o	17.7	17.7
Vientos.....	C.	O.	o	C.	o	o	o	NE.	o
Estado atmosférico.....	Np.	Np.	o	D.	o	o	o	D.	o
	FEBRERO 23 DE 1874.								
Barómetro reducido a 0°.....	mm. 760.34	mm. 760.35	mm. 760.48	mm. 759.90	mm. o	mm. o	mm. 758.45	mm. 760.44	mm. 759.99
Termómetro centígrado.....	16.5	15.8	13.2	10.2	o	o	11.3	14.3	13.6
Vientos.....	O.	O.	O.	O.	o	o	E.	N.	o
Estado atmosférico.....	D.	Np.	Np.	Np.	o	o	N.	N.	o
	MARZO 5 DE 1874.								
Barómetro reducido a 0°.....	mm. 755.12	mm. 755.42	mm. o	mm. 755.51	mm. 755.83	mm. o	mm. 756.45	mm. 755.79	mm. 755.58
Termómetro centígrado.....	13.5	13.5	o	9.3	9.0	o	8.7	11.6	10.9
Vientos.....	NO.	O.	o	O.	NE.	o	N.	SO.	o
Estado atmosférico.....	Np.	Np.	o	N.	Ll.	o	Ll.	Ll.	o
	MARZO 25 DE 1874.								
Barómetro reducido a 0°.....	mm. 763.87	mm. 762.82	mm. 761.51	mm. 761.51	mm. 761.23	mm. 760.23	mm. 759.18	mm. 759.14	mm. 761.17
Termómetro centígrado.....	15.0	14.1	12.6	11.2	9.5	7.8	8.7	9.7	11.1
Vientos.....	O.	NO.	O.	SSE.	SE.	NE.	NE.	E.	o
Estado atmosférico.....	Ni.	N.	N.	N.	D.	Np.	N.	N.	o
	ABRIL 4 DE 1874.								
Barómetro reducido a 0°.....	mm. 765.47	mm. 765.48	mm. 764.78	mm. o	mm. 764.19	mm. o	mm. 763.25	mm. 764.09	mm. 764.52
Termómetro centígrado.....	12.6	12.8	9.2	o	6.2	o	6.7	10.6	10.6
Vientos.....	SO.	NE.	E.	o	E.	o	E.	E.	o
Estado atmosférico.....	D.	Np.	D.	o	D.	o	D.	Np.	o

Instrumentos.	ABRIL 14 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	760.89	760.29	760.90	762.99	763.12	768.91	764.47	765.41	762.68
Termómetro centígrado.....	13.5	12.5	10.6	10.1	9.0	8.1	8.7	12.5	10.6
Vientos.....	S.	SO.	S.	S.	S.	C.	C.	N.	N.
Estado atmosférico.....	Np.	Np.	Np.	Np.	D.	D.	N.	N.	N.
ABRIL 24 DE 1874.									
Barómetro reducido a 0°.....	762.05	758.07	762.26	762.22	761.99	762.06	762.14	761.43	761.58
Termómetro centígrado.....	11.0	12.5	9.2	7.5	6.2	9.6	12.5	16.2	10.5
Vientos.....	SE.	N.	E.	E.	ENE.	E.	SE.	SE.	N.
Estado atmosférico.....	Np.	Np.	Np.	Np.	D.	D.	Np.	Np.	Np.
MAYO 4 DE 1874.									
Barómetro reducido a 0°.....	756.23	754.03	752.13	752.13	751.45	750.15	753.87	752.86
Termómetro centígrado.....	11.6	11.3	12.2	12.0	12.5	12.8	13.5	12.2
Vientos.....	SE.	SE.	ENE.	ENE.	NE.	E.	N.	N.
Estado atmosférico.....	Ll.	Ll.	N.	N.	N.	N.	G.	N.
MAYO 14 DE 1874.									
Barómetro reducido a 0°.....	758.23	758.49	759.73	759.94	760.98	759.47
Termómetro centígrado.....	11.2	12.5	10.5	10.3	7.3	10.3
Vientos.....	N.	N.	N.	N.	N.	N.
Estado atmosférico.....	N.	N.	Np.	Np.	N.	N.
JUNIO 13 DE 1874.									
Barómetro reducido a 0°.....	763.36	761.70	758.74	759.32	762.08	761.04
Termómetro centígrado.....	8.7	11.3	7.6	9.7	9.0	9.3
Vientos.....	E.	NE.	N.	NNO.	NO.	N.
Estado atmosférico.....	Np.	Np.	Ll.	Np.	Np.	Np.
JUNIO 23 DE 1874.									
Barómetro reducido a 0°.....	759.65	759.55	758.58	757.15	758.57	759.46	753.29	757.18
Termómetro centígrado.....	7.2	7.6	6.3	7.2	7.0	7.5	8.7	7.3
Vientos.....	NE.	NE.	ENE.	NE.	NE.	NE.	E.	N.
Estado atmosférico.....	Np.	N.	N.	N.	N.	N.	N.	N.

Instrumentos.	JULIO 8 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medi.
Barómetro reducido a 0°.....	mm. 744.69	mm. 749.55	mm. o	mm. 755.43	mm. o	mm. o	mm. o	mm. 760.98	mm. 752.57
Termómetro centígrado.....	10.1	8.7	o	6.0	o	o	o	5.2	7.4
Vientos.....	O.	SO.	o	o	o	o	o	SSE.	o
Estado atmosférico.....	Np.	Np.	o	Np.	o	o	o	Np.	o
JULIO 13 DE 1874.									
Barómetro reducido a 0°.....	mm. 759.01	mm. 758.89	mm. 758.72	mm. 758.82	mm. 758.82	mm. o	mm. 758.80	mm. 759.17	mm. 758.89
Termómetro centígrado.....	11.6	11.2	8.6	10.0	9.8	o	8.0	10.2	9.9
Vientos.....	N.	NO.	NO.	NE.	N.	o	N.	NO.	o
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.	o	Np.	N.	o
JULIO 23 DE 1874.									
Barómetro reducido a 0°.....	mm. o	mm. 755.73	mm. 758.15	mm. 761.08	mm. 761.50	mm. o	mm. 764.62	mm. 765.67	mm. 761.12
Termómetro centígrado.....	10.0	9.7	9.3	8.6	o	o	8.1	9.0	9.1
Vientos.....	O.	NO.	NO.	SE.	o	o	NO.	NO.	o
Estado atmosférico.....	Np.	Ll.	Np.	Np.	o	o	Ll.	Np.	o
AGOSTO 2 DE 1874.									
Barómetro reducido a 0°.....	mm. 761.34	mm. 761.64	mm. o	mm. 760.07	mm. o	mm. o	mm. 760.96	mm. 759.84	mm. 760.77
Termómetro centígrado.....	11.3	11.1	o	11.1	o	o	10.0	10.7	10.8
Vientos.....	N.	N.	o	SO.	o	o	N.	SO.	o
Estado atmosférico.....	N.	Ll.	o	N.	o	o	N.	N.	o
AGOSTO 12 DE 1874.									
Barómetro reducido a 0°.....	mm. 767.91	mm. 768.57	mm. 769.76	mm. o	mm. o	mm. o	mm. 770.04	mm. 770.87	mm. 769.27
Termómetro centígrado.....	o	9.5	5.8	5.5	o	o	4.7	6.1	6.3
Vientos.....	o	S.	SSE.	SE.	o	o	ESE.	SE.	o
Estado atmosférico.....	o	D.	D.	D.	o	o	D.	D.	o
AGOSTO 22 DE 1874.									
Barómetro reducido a 0°.....	mm. 759.92	mm. 754.98	mm. 755.88	mm. 756.86	mm. 756.98	mm. o	mm. 758.63	mm. 761.14	mm. 757.88
Termómetro centígrado.....	9.2	9.5	7.8	6.2	5.2	o	6.2	8.7	7.5
Vientos.....	ONO.	NO.	NNO.	ONO.	NO.	o	O.	SO.	o
Estado atmosférico.....	Ll.	Ll.	Ll.	Ll.	Ll.	o	Ll.	Np.	o

Instrumentos.	SETIEMBRE 11 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 759.38	mm. 759.58	mm. 764.97	mm. 760.82	mm. 760.90	mm. 761.65	mm. 761.13	mm. 761.18
Termómetro centígrado.....	o 11.5	o 8.0	o 11.0	o 10.7	o 10.7	o 10.3	o 11.2	o 10.5
Vientos	NNO.	NE.	NO.	NE.	N.	NNO.	O.
Estado atmosférico.....	G.	G.	Np.	N.	N.	N.	N.
SETIEMBRE 21 DE 1874.									
Barómetro reducido a 0°.....	mm. 759.59	mm. 764.74	mm. 766.28	mm. 764.52	mm. 767.87	mm. 764.60
Termómetro centígrado.....	o 10.7	o 7.8	o 5.7	o 7.5	o 10.6	o 8.5
Vientos	O.	SO.	SO.	E.	O.
Estado atmosférico.....	Np.	Np.	Np.	Np.	Np.
OCTUBRE 1 DE 1874.									
Barómetro reducido a 0°.....	mm. 761.53	mm. 761.59	mm. 760.62	mm. 760.62	mm. 760.62	mm. 760.62	mm. 759.32	mm. 759.33	mm. 760.50
Termómetro centígrado.....	o 11.2	o 11.1	o 11.1	o 11.3	o 11.3	o 11.2	o 11.3	o 11.2
Vientos	NNO.	ONO.	ONO.	N.	N.	O.	N.
Estado atmosférico.....	Ll.	Ll.	Ll.	N.	N.	Ll.	Ll.
OCTUBRE 11 DE 1874.									
Barómetro reducido a 0°.....	mm. 760.02	mm. 759.89	mm. 759.86	mm. 760.88	mm. 760.88	mm. 760.88	mm. 761.45	mm. 761.45	mm. 760.42
Termómetro centígrado.....	o 10.2	o 10.6	o 9.8	o 8.8	o 8.8	o 8.6	o 8.6	o 9.6
Vientos	SE.	O.	O.	E.	E.	O.	O.
Estado atmosférico.....	No.	N.	Np.	Ll.	Ll.	Ll.	Ll.
OCTUBRE 21 DE 1874.									
Barómetro reducido a 0°.....	mm. 762.02	mm. 762.24	mm. 763.03	mm. 763.03	mm. 763.03	mm. 762.17	mm. 762.08	mm. 762.98	mm. 762.98
Termómetro centígrado.....	o 11.0	o 11.0	o 11.0	o 8.5	o 8.5	o 7.6	o 12.3	o 9.8
Vientos.....	O.	S.	S.	E.	E.
Estado atmosférico.....	Np.	Np.	Np.	N.	Np.
OCTUBRE 31 DE 1874.									
Barómetro reducido a 0°.....	mm. 765.51	mm. 755.33	mm. 765.60	mm. 765.50	mm. 765.50	mm. 765.41	mm. 766.07	mm. 765.74	mm. 765.74
Termómetro centígrado.....	o 16.5	o 14.8	o 14.7	o 11.3	o 11.3	o 12.0	o 14.2	o 13.9
Vientos.....	N.	SE.	SO.	O.	O.	O.	O.
Estado atmosférico.....	N.	N.	Np.	Np.	Np.	Np.	N.

Instrumentos.	NOVIEMBRE 10 DE 1874.								
	0 h.	3 h.	6 h.	9 h.	12 h.	15 h.	18 h.	21 h.	Medio
Barómetro reducido a 0°.....	mm. 750.89	mm. 756.16	mm. 756.24	mm. 755.76	mm.	mm.	mm. 759.77	mm.	mm. 756.96
Termómetro centígrado.....	o 12.6	o 12.7	o 12.7	o 12.5	o	o	o 10.1	o	o 12.1
Psicrómet. {	Dif. de los term.....	0.5	0.5	0.0					
	Humedad relat.....	94	94	100					96
	Fuerza elástica.....	9.91	9.98	10.43					10.10
Vientos.....	O.	N.	N.	NO.			O.		
Estado atmosférico.....	N.	Ll.	N.	Ll.			Np.		
NOVIEMBRE 20 DE 1874.									
Barómetro reducido a 0°.....	mm. 760.08	mm. 759.97	mm. 760.28	mm. 760.22	mm.	mm.	mm.	mm.	mm. 760.28
Termómetro centígrado.....	o 16.7	o 15.1	o 10.0	o 10.0	o	o	o	o 16.1	o 13.6
Psicrómet. {	Dif. de los term.....	3.1	2.8	0.7	0.7			1.2	
	Humedad relat.....	67	69	91	91			86	81
	Fuerza elástica.....	9.21	8.73	8.33	8.33			10.99	9.12
Vientos.....	O.	O.	E.	E.			SE.		
Estado atmosférico.....	Np.	Np.	Np.	Np.			Np.		
NOVIEMBRE 30 DE 1874.									
Barómetro reducido a 0°.....	mm. 762.48	mm. 763.10	mm. 763.65	mm. 765.86	mm.	mm.	mm. 767.17	mm. 768.44	mm. 765.11
Termómetro centígrado.....	o 14.5	o 13.7	o 12.7	o 10.0	o	o	o 12.2	o 13.2	o 13.3
Psicrómet. {	Dif. de los term.....	2.3	3.2	2.5	2.6			2.6	
	Humedad relativa.....	74	63	70	78			69	71
	Fuerza elástica.....	8.40	6.94	7.25	6.88			7.49	7.38
Vientos.....	O.	OSO.	SO.	SE.			SSE.	SSO.	
Estado atmosférico.....	N.	Np.	Np.	Np.			Np.	Np.	
DICIEMBRE 20 DE 1874.									
Barómetro reducido a 0°.....	mm. 759.19	mm. 758.99	mm.	mm.	mm.	mm.	mm. 760.55	mm. 760.04	mm. 759.69
Termómetro centígrado.....	o	o	o 16.2	o 10.3	o	o	o 9.8	o 13.1	o 12.3
Psicrómet. {	Dif. de los term.....		2.3	2.4				3.0	
	Humedad relativa.....		75	70				55	70
	Fuerza elástica.....		9.13	6.57				12.00	9.23
Vientos.....			C.	SE.			O.	S.	
Estado atmosférico.....			Np.	D.			Ll.	Np.	
DICIEMBRE 30 DE 1874.									
Barómetro reducido a 0°.....	mm. 763.20	mm. 764.22	mm. 767.75	mm. 766.51	mm. 767.12	mm.	mm. 767.69	mm. 753.52	mm. 763.86
Termómetro centígrado.....	o 19.3	o 20.0	o 15.0	o 12.1	o 10.8	o	o 12.3	o 17.0	o 15.2
Psicrómet. {	Dif. de los term.....	2.5	2.8	1.1	1.9	1.4		3.0	
	Humedad relativa.....	75	74	88	76	82		68	77
	Fuerza elástica.....	11.74	12.71	11.13	7.91	7.91		9.27	10.21
Vientos.....	NE.	N.	N.	SE.	E.		S.	S.	
Estado atmosférico.....	Np.	Np.	N.	D.	D.		D.	D.	

ANUARIO



DE LA


OFICINA CENTRAL METEOROLÓJICA

DE

SANTIAGO DE CHILE.

Años quinto i sexto

CORRESPONDIENTE A 1873 I 1874.



SANTIAGO:

IMPRESA NACIONAL, CALLE DE LA BANDERA, N.º 29.

1879.